



|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.179560 |
| SAR 1g (W/Kg)  | 0.364470 |



MEASUREMENT 18


Type: Phone measurement (Complete)  
Date of measurement: 2022-04-18  
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Right head                    |
| Device Position | Cheek                         |
| Band            | LTE Band 66                   |
| Channels        | QPSK, 20MHz, 1RB,Low          |
| Signal          | Duty Cycle 1:1                |

B. SAR Measurement Results



|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1720.000000 |
| Relative Permittivity (real part) | 39.600654   |
| Conductivity (S/m)                | 1.371301    |
| Power Variation (%)               | 1.516201    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=-11.00, Y=29.00

SAR Peak: 0.93 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.283248 |
| SAR 1g (W/Kg)  | 0.533500 |



MEASUREMENT 19


Type: Phone measurement (Complete)  
Date of measurement: 2022-04-15  
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Right head                    |
| Device Position | Cheek                         |
| Band            | LTE Band 71                   |
| Channels        | QPSK, 20MHz, 1RB, Low         |
| Signal          | Duty Cycle 1:1                |

B. SAR Measurement Results


|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 673.000000 |
| Relative Permittivity (real part) | 40.314951  |
| Conductivity (S/m)                | 0.872730   |
| Power Variation (%)               | 4.021045   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.2       |




Maximum location: X=-48.00, Y=-45.00

SAR Peak: 0.32 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.207462 |
| SAR 1g (W/Kg)  | 0.266093 |



|                                                                                     |                                                                                       |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 3D screen shot                                                                      | Hot spot position                                                                     |
|  |  |

## MEASUREMENT 20

Type: Phone measurement (Complete)

Date of measurement: 2022-04-15


Measurement duration: 12 minutes 3 seconds

### A. Experimental conditions

|                 |                                          |
|-----------------|------------------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt            |
| Phantom         | Right head                               |
| Device Position | Cheek                                    |
| Band            | NR n5                                    |
| Channels        | DFT-s-OFDM PI/2 BPSK, 20MHz, 1RB, Middle |
| Signal          | Duty Cycle 1:1                           |

### B. SAR Measurement Results

|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 836.500000 |
| Relative Permittivity (real part) | 42.164591  |
| Conductivity (S/m)                | 0.884782   |
| Power Variation (%)               | 1.5205421  |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.2       |





Maximum location: X=-46.00, Y=-46.00

SAR Peak: 0.40 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.248689 |
|----------------|----------|

|               |          |
|---------------|----------|
| SAR 1g (W/Kg) | 0.324445 |
|---------------|----------|



## MEASUREMENT 21

Type: Phone measurement (Complete)

Date of measurement: 2022-04-21


Measurement duration: 12 minutes 3 seconds

### A. Experimental conditions

|                 |                                   |
|-----------------|-----------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt     |
| Phantom         | Left head                         |
| Device Position | Cheek                             |
| Band            | NR n41                            |
| Channels        | DFT-s-DFT-QPSK, 100MHz, 1RB, High |
| Signal          | Duty Cycle 1:1                    |

### B. SAR Measurement Results


|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2640.000000 |
| Relative Permittivity (real part) | 39.654295   |
| Conductivity (S/m)                | 1.933565    |
| Power Variation (%)               | -0.459361   |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |





Maximum location: X=10.00, Y=21.00

SAR Peak: 1.16 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.246852 |
| SAR 1g (W/Kg)  | 0.356645 |



|                                                                                     |                                                                                       |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 3D screen shot                                                                      | Hot spot position                                                                     |
|  |  |

## MEASUREMENT 22

Type: Phone measurement (Complete)

Date of measurement: 2022-04-15


Measurement duration: 12 minutes 3 seconds

### A. Experimental conditions

|                 |                                  |
|-----------------|----------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt    |
| Phantom         | Right head                       |
| Device Position | Cheek                            |
| Band            | NR n71                           |
| Channels        | DFT-s-DFT-QPSK, 15MHz, 1RB, High |
| Signal          | Duty Cycle 1:1                   |

### B. SAR Measurement Results

|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 690.500000 |
| Relative Permittivity (real part) | 40.314129  |
| Conductivity (S/m)                | 0.873301   |
| Power Variation (%)               | -0.500541  |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.2       |




Maximum location: X=-48.00, Y=-48.00


SAR Peak: 0.31 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.195831 |
|----------------|----------|

|               |          |
|---------------|----------|
| SAR 1g (W/Kg) | 0.255430 |
|---------------|----------|

|            |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 4.00   | 9.00   | 14.00  | 19.00  |
| SAR (W/Kg) | 0.3100 | 0.2614 | 0.2118 | 0.1730 | 0.1425 |



|                                                                                     |                                                                                       |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 3D screen shot                                                                      | Hot spot position                                                                     |
|  |  |

## MEASUREMENT 23

Type: Phone measurement (Complete)

Date of measurement: 2022-04-15


Measurement duration: 12 minutes 3 seconds

### A. Experimental conditions

|                 |                                     |
|-----------------|-------------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt       |
| Phantom         | Right head                          |
| Device Position | Cheek                               |
| Band            | NR n71                              |
| Channels        | DFT-s-DFT-64QAM, 20MHz, 1RB, Middle |
| Signal          | Duty Cycle 1:1                      |

### B. SAR Measurement Results

|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 680.500000 |
| Relative Permittivity (real part) | 40.311293  |
| Conductivity (S/m)                | 0.873017   |
| Power Variation (%)               | -0.500541  |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.2       |





Maximum location: X=-48.00, Y=-48.00

SAR Peak: 0.31 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.196172 |
|----------------|----------|

|               |          |
|---------------|----------|
| SAR 1g (W/Kg) | 0.254724 |
|---------------|----------|



MEASUREMENT 24

Type: Phone measurement (Complete)  
Date of measurement: 2022-04-29  
Measurement duration: 12 minutes 3 seconds


A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Left head                     |
| Device Position | Cheek                         |
| Band            | WiFi(5.2GHz)_802.11a          |
| Channels        | High                          |
| Signal          | Duty Cycle: 1:1               |

B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 5240.000000 |
| Relative Permittivity (real part) | 35.492911   |
| Conductivity (S/m)                | 4.711483    |
| Power Variation (%)               | 1.542660    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |

C. SAR Surface and Volume




Maximum location: X=0.00, Y=24.00

D. SAR 1g & 10g


|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.299619 |
| SAR 1g (W/Kg)  | 0.721606 |

E. Z Axis Scan

|            |        |        |        |        |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 2.00   | 4.00   | 6.00   | 8.00   | 10.00  | 12.00  | 14.00  | 16.00  |
| SAR (W/Kg) | 1.2215 | 0.7716 | 0.4754 | 0.2914 | 0.1865 | 0.1285 | 0.0979 | 0.0830 | 0.0768 |



F. 3D Image



MEASUREMENT 25

Type: Phone measurement (Complete)  
Date of measurement: 2022-04-29  
Measurement duration: 12 minutes 3 seconds


A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Left head                     |
| Device Position | Cheek                         |
| Band            | WiFi(5.3GHz)_802.11a          |
| Channels        | Low                           |
| Signal          | Duty Cycle: 1:1               |

B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 5260.000000 |
| Relative Permittivity (real part) | 35.674129   |
| Conductivity (S/m)                | 4.822694    |
| Power Variation (%)               | 2.545421    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |

C. SAR Surface and Volume




Maximum location: X=8.00, Y=31.00

D. SAR 1g & 10g


|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.302194 |
| SAR 1g (W/Kg)  | 0.723918 |

E. Z Axis Scan

|            |        |        |        |        |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 2.00   | 4.00   | 6.00   | 8.00   | 10.00  | 12.00  | 14.00  | 16.00  |
| SAR (W/Kg) | 1.2251 | 0.7764 | 0.4779 | 0.2890 | 0.1782 | 0.1146 | 0.0787 | 0.0583 | 0.0463 |



F. 3D Image



## MEASUREMENT 26

Type: Phone measurement (Complete)

Date of measurement: 2022-04-29

Measurement duration: 12 minutes 3 seconds


### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Right head                    |
| Device Position | Cheek                         |
| Band            | WiFi(5.6GHz)_802.11a          |
| Channels        | High                          |
| Signal          | Duty Cycle: 1:1               |

### B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 5700.000000 |
| Relative Permittivity (real part) | 35.692918   |
| Conductivity (S/m)                | 5.061523    |
| Power Variation (%)               | 1.542510    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |

### C. SAR Surface and Volume




Maximum location: X=8.00, Y=-17.00

D. SAR 1g & 10g



|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.211140 |
| SAR 1g (W/Kg)  | 0.531658 |

E. Z Axis Scan

|            |        |        |        |        |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 2.00   | 4.00   | 6.00   | 8.00   | 10.00  | 12.00  | 14.00  | 16.00  |
| SAR (W/Kg) | 1.7320 | 0.5955 | 0.1641 | 0.0167 | 0.0635 | 0.1057 | 0.2763 | 0.0191 | 0.0410 |



F. 3D Image

|                                                                                     |                                                                                      |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| 3D screen shot                                                                      | Hot spot position                                                                    |
|  |  |

## MEASUREMENT 27

Type: Phone measurement (Complete)

Date of measurement: 2022-04-29

Measurement duration: 12 minutes 3 seconds


### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Right Head                    |
| Device Position | Cheek                         |
| Band            | WiFi(5.8GHz)_ 802.11a         |
| Channels        | High                          |
| Signal          | Duty Cycle: 1:1               |

### B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 5825.000000 |
| Relative Permittivity (real part) | 35.381841   |
| Conductivity (S/m)                | 5.180854    |
| Power Variation (%)               | 1.214512    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |

### C. SAR Surface and Volume




Maximum location: X=13.00, Y=-10.00

D. SAR 1g & 10g



|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.162000 |
| SAR 1g (W/Kg)  | 0.305387 |

E. Z Axis Scan

|            |        |        |        |        |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 2.00   | 4.00   | 6.00   | 8.00   | 10.00  | 12.00  | 14.00  | 16.00  |
| SAR (W/Kg) | 0.5932 | 0.3043 | 0.0936 | 0.1784 | 0.0826 | 0.1185 | 0.0760 | 0.0913 | 0.0717 |



F. 3D Image

|                                                                                     |                                                                                      |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| 3D screen shot                                                                      | Hot spot position                                                                    |
|  |  |

MEASUREMENT 28


Type: Phone measurement (Complete)  
Date of measurement: 2022-04-19  
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Left Head                     |
| Device Position | Cheek                         |
| Band            | WiFi(2.4GHz)_802.11b          |
| Channels        | Low                           |
| Signal          | Duty Cycle: 1:1               |

B. SAR Measurement Results


|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2412.000000 |
| Relative Permittivity (real part) | 38.591835   |
| Conductivity (S/m)                | 1.774129    |
| Power Variation (%)               | 1.101512    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |





Maximum location: X=5.00, Y=25.00

SAR Peak: 0.41 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.108315 |
| SAR 1g (W/Kg)  | 0.216523 |



| 3D screen shot                                                                      | Hot spot position                                                                     |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |

MEASUREMENT 29


Type: Phone measurement (Complete)  
Date of measurement: 2022-04-19  
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Left Head                     |
| Device Position | Cheek                         |
| Band            | Bluetooth                     |
| Channels        | High                          |
| Signal          | Duty Cycle: 1:1               |

B. SAR Measurement Results


|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2480.000000 |
| Relative Permittivity (real part) | 38.593881   |
| Conductivity (S/m)                | 1.774621    |
| Power Variation (%)               | 0.590512    |
| Ambient Temperature               | 22.0        |
| Liquid Temperature                | 22.3        |




Maximum location: X=10.00, Y=24.00

SAR Peak: 0.14 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.040263 |
| SAR 1g (W/Kg)  | 0.078176 |



| 3D screen shot                                                                      | Hot spot position                                                                     |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |

MEASUREMENT 30


Type: Phone measurement (Complete)  
Date of measurement: 2022-04-15  
Measurement duration: 11 minutes 48 seconds

A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Back                          |
| Band            | GSM850                        |
| Channels        | Low                           |
| Signal          | TDMA (Crest factor: 8.0)      |

B. SAR Measurement Results



|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 824.200000 |
| Relative Permittivity (real part) | 41.504612  |
| Conductivity (S/m)                | 0.881321   |
| Power Variation (%)               | 1.650546   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.2       |



Maximum location: X=-5.00, Y=25.00

SAR Peak: 0.54 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.232170 |
| SAR 1g (W/Kg)  | 0.353975 |



MEASUREMENT 31


Type: Phone measurement (Complete)  
Date of measurement: 2021-12-18  
Measurement duration: 11 minutes 48 seconds

A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Back                          |
| Band            | GSM1900                       |
| Channels        | High                          |
| Signal          | TDMA (Crest factor: 8.0)      |



B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1909.800000 |
| Relative Permittivity (real part) | 39.582641   |
| Conductivity (S/m)                | 1.380216    |
| Power Variation (%)               | 1.1304590   |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=5.00, Y=24.00  
SAR Peak: 0.89 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.339829 |
| SAR 1g (W/Kg)  | 0.574113 |



## MEASUREMENT 32/59

Type: Phone measurement (Complete)

Date of measurement: 2021-12-18


Measurement duration: 12 minutes 3 seconds

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Back                          |
| Band            | WCDMA1900_RMC                 |
| Channels        | High                          |
| Signal          | Duty Cycle 1:1                |

### B. SAR Measurement Results



|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1907.600000 |
| Relative Permittivity (real part) | 39.582648   |
| Conductivity (S/m)                | 1.380264    |
| Power Variation (%)               | -1.550081   |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



**Maximum location: X=-10.00, Y=-7.00**

SAR Peak: 0.57 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.213905 |
| SAR 1g (W/Kg)  | 0.363449 |



MEASUREMENT 33/60


Type: Phone measurement (Complete)  
Date of measurement: 2022-04-18  
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Front                         |
| Band            | WCDMA1700_RMC                 |
| Channels        | High                          |
| Signal          | Duty Cycle 1:1                |

B. SAR Measurement Results



|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1752.600000 |
| Relative Permittivity (real part) | 39.602951   |
| Conductivity (S/m)                | 1.371654    |
| Power Variation (%)               | 0.965461    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=27.00, Y=-8.00

SAR Peak: 0.36 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.151830 |
| SAR 1g (W/Kg)  | 0.241903 |



# MEASUREMENT 34/61

Type: Phone measurement (Complete)

Date of measurement: 2022-04-15


Measurement duration: 12 minutes 3 seconds

## A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Back                          |
| Band            | WCDMA850_RMC                  |
| Channels        | Low                           |
| Signal          | Duty Cycle 1:1                |

## B. SAR Measurement Results



|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 826.400000 |
| Relative Permittivity (real part) | 42.164872  |
| Conductivity (S/m)                | 0.886495   |
| Power Variation (%)               | 0.608456   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.2       |



Maximum location: X=11.00, Y=24.00

SAR Peak: 0.98 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.378044 |
| SAR 1g (W/Kg)  | 0.632506 |



# MEASUREMENT 35/62

Type: Phone measurement (Complete)

Date of measurement: 2022-04-18


Measurement duration: 12 minutes 3 seconds

## A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Back                          |
| Band            | LTE Band 2                    |
| Channels        | QPSK, 20MHz, 1RB,Low          |
| Signal          | Duty Cycle: 1:1               |

## B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1860.000000 |
| Relative Permittivity (real part) | 39.604216   |
| Conductivity (S/m)                | 1.371368    |
| Power Variation (%)               | -1.54856    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |




Maximum location: X=-19.00, Y=-2.00



SAR Peak: 0.50 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.182196 |
|----------------|----------|

|               |          |
|---------------|----------|
| SAR 1g (W/Kg) | 0.314913 |
|---------------|----------|

|            |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 4.00   | 9.00   | 14.00  | 19.00  |
| SAR (W/Kg) | 0.4984 | 0.3336 | 0.1977 | 0.1170 | 0.0704 |



|                                                                                     |                                                                                      |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| 3D screen shot                                                                      | Hot spot position                                                                    |
|  |  |

MEASUREMENT 36/63


Type: Phone measurement (Complete)  
Date of measurement: 2022-04-18  
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Back                          |
| Band            | LTE Band 4                    |
| Channels        | QPSK, 20MHz, 1RB,High         |
| Signal          | Duty Cycle 1:1                |

B. SAR Measurement Results



|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1745.000000 |
| Relative Permittivity (real part) | 39.604890   |
| Conductivity (S/m)                | 1.371250    |
| Power Variation (%)               | 1.374100    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=-12.00, Y=5.00

SAR Peak: 0.22 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.092968 |
| SAR 1g (W/Kg)  | 0.149775 |



MEASUREMENT 37/64


Type: Phone measurement (Complete)  
Date of measurement: 2022-04-15  
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Back                          |
| Band            | LTE Band 5                    |
| Channels        | QPSK, 10MHz, 1RB, Low         |
| Signal          | Duty Cycle 1:1                |

B. SAR Measurement Results



|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 829.000000 |
| Relative Permittivity (real part) | 42.161692  |
| Conductivity (S/m)                | 0.883182   |
| Power Variation (%)               | -0.420081  |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.2       |



Maximum location: X=8.00, Y=22.00

SAR Peak: 0.41 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.179773 |
| SAR 1g (W/Kg)  | 0.273367 |



MEASUREMENT 38/65


Type: Phone measurement (Complete)  
Date of measurement: 2022-04-15  
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Back                          |
| Band            | LTE Band 12                   |
| Channels        | QPSK, 10MHz, 1RB, Low         |
| Signal          | Duty Cycle 1:1                |

B. SAR Measurement Results



|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 704.000000 |
| Relative Permittivity (real part) | 40.312941  |
| Conductivity (S/m)                | 0.871023   |
| Power Variation (%)               | 0.919535   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.2       |



Maximum location: X=5.00, Y=-62.00

SAR Peak: 0.30 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.222080 |
| SAR 1g (W/Kg)  | 0.265953 |



MEASUREMENT 39/66


Type: Phone measurement (Complete)  
Date of measurement: 2022-04-15  
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Back                          |
| Band            | LTE Band 13                   |
| Channels        | QPSK, 10MHz, 1RB, Middle      |
| Signal          | Duty Cycle 1:1                |

B. SAR Measurement Results



|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 782.000000 |
| Relative Permittivity (real part) | 40.312445  |
| Conductivity (S/m)                | 0.872457   |
| Power Variation (%)               | 0.364535   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.2       |



Maximum location: X=8.00, Y=24.00

SAR Peak: 0.37 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.163697 |
| SAR 1g (W/Kg)  | 0.252163 |



MEASUREMENT 40/67


Type: Phone measurement (Complete)  
Date of measurement: 2022-04-15  
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Back                          |
| Band            | LTE Band 17                   |
| Channels        | QPSK, 10MHz, 1RB, Low         |
| Signal          | Duty Cycle 1:1                |

B. SAR Measurement Results

|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 709.000000 |
| Relative Permittivity (real part) | 40.311866  |
| Conductivity (S/m)                | 0.870645   |
| Power Variation (%)               | 1.650810   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.2       |






Maximum location: X=-3.00, Y=-62.00  
SAR Peak: 0.29 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.215389 |
|----------------|----------|

|               |          |
|---------------|----------|
| SAR 1g (W/Kg) | 0.259192 |
|---------------|----------|

|            |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 4.00   | 9.00   | 14.00  | 19.00  |
| SAR (W/Kg) | 0.2941 | 0.2604 | 0.2244 | 0.1944 | 0.1693 |



|                                                                                     |                                                                                      |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| 3D screen shot                                                                      | Hot spot position                                                                    |
|  |  |

MEASUREMENT 41/68


Type: Phone measurement (Complete)  
Date of measurement: 2022-04-18  
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Front                         |
| Band            | LTE Band 25                   |
| Channels        | QPSK, 20MHz, 1RB, Low         |
| Signal          | Duty Cycle 1:1                |

B. SAR Measurement Results



|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1860.000000 |
| Relative Permittivity (real part) | 39.588631   |
| Conductivity (S/m)                | 1.383625    |
| Power Variation (%)               | 1.866100    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=29.00, Y=-6.00

SAR Peak: 0.53 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.210014 |
| SAR 1g (W/Kg)  | 0.344922 |



## MEASUREMENT 42/69

Type: Phone measurement (Complete)

Date of measurement: 2022-04-15


Measurement duration: 12 minutes 3 seconds

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Back                          |
| Band            | LTE Band 26(814-824MHz)       |
| Channels        | QPSK, 10MHz, 1RB, Low         |
| Signal          | Duty Cycle 1:1                |

### B. SAR Measurement Results



|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 819.000000 |
| Relative Permittivity (real part) | 42.161512  |
| Conductivity (S/m)                | 0.884026   |
| Power Variation (%)               | 1.582310   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.2       |



**Maximum location: X=8.00, Y=23.00**

SAR Peak: 0.39 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.179550 |
| SAR 1g (W/Kg)  | 0.270906 |



MEASUREMENT 43/70


Type: Phone measurement (Complete)  
Date of measurement: 2022-04-15  
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Back                          |
| Band            | LTE Band 26(824-849MHz)       |
| Channels        | QPSK, 15MHz, 1%RB, Middle     |
| Signal          | Duty Cycle 1:1                |

B. SAR Measurement Results



|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 831.000000 |
| Relative Permittivity (real part) | 42.160754  |
| Conductivity (S/m)                | 0.881529   |
| Power Variation (%)               | -1.861300  |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.2       |



Maximum location: X=8.00, Y=23.00

SAR Peak: 0.45 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.195799 |
| SAR 1g (W/Kg)  | 0.300836 |



MEASUREMENT 44


Type: Phone measurement (Complete)  
Date of measurement: 2022-04-21  
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Back                          |
| Band            | LTE Band 41                   |
| Channels        | QPSK, 20MHz,1RB,Low           |
| Signal          | Duty Cycle 1:1                |

B. SAR Measurement Results



|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2506.000000 |
| Relative Permittivity (real part) | 39.650561   |
| Conductivity (S/m)                | 1.931730    |
| Power Variation (%)               | 1.520089    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=23.00, Y=-10.00

SAR Peak: 0.33 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.101291 |
| SAR 1g (W/Kg)  | 0.187699 |



MEASUREMENT 45/72


Type: Phone measurement (Complete)  
Date of measurement: 2022-04-18  
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Front                         |
| Band            | LTE Band 66                   |
| Channels        | QPSK, 20MHz, 1RB, Low         |
| Signal          | Duty Cycle 1:1                |



B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1720.000000 |
| Relative Permittivity (real part) | 39.600654   |
| Conductivity (S/m)                | 1.371301    |
| Power Variation (%)               | 1.256941    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=36.00, Y=-6.00  
SAR Peak: 0.24 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.098444 |
| SAR 1g (W/Kg)  | 0.160677 |



MEASUREMENT 46/73


Type: Phone measurement (Complete)  
Date of measurement: 2022-04-15  
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Back                          |
| Band            | LTE Band 71                   |
| Channels        | QPSK, 20MHz, 1RB, Low         |
| Signal          | Duty Cycle 1:1                |



B. SAR Measurement Results

|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 673.000000 |
| Relative Permittivity (real part) | 40.314951  |
| Conductivity (S/m)                | 0.872730   |
| Power Variation (%)               | 1.158601   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.2       |



Maximum location: X=6.00, Y=-37.00  
SAR Peak: 0.28 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.208528 |
| SAR 1g (W/Kg)  | 0.247779 |



## MEASUREMENT 47/74

Type: Phone measurement (Complete)

Date of measurement: 2022-04-15


Measurement duration: 12 minutes 3 seconds

### A. Experimental conditions

|                 |                                          |
|-----------------|------------------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt            |
| Phantom         | Flat Plane                               |
| Device Position | Back                                     |
| Band            | NR n5                                    |
| Channels        | DFT-s-OFDM PI/2 BPSK, 20MHz, 1RB, Middle |
| Signal          | Duty Cycle 1:1                           |

### B. SAR Measurement Results



|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 836.500000 |
| Relative Permittivity (real part) | 42.164591  |
| Conductivity (S/m)                | 0.884782   |
| Power Variation (%)               | 2.589412   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.2       |



**Maximum location: X=9.00, Y=22.00**

SAR Peak: 0.41 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.175620 |
| SAR 1g (W/Kg)  | 0.268440 |



MEASUREMENT 48/75


Type: Phone measurement (Complete)  
Date of measurement: 2022-04-21  
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

|                 |                                    |
|-----------------|------------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt      |
| Phantom         | Flat Plane                         |
| Device Position | Back                               |
| Band            | NR n41                             |
| Channels        | DFT-s-OFDM QPSK, 100MHz, 1RB, High |
| Signal          | Duty Cycle 1:1                     |

B. SAR Measurement Results



|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2640.000000 |
| Relative Permittivity (real part) | 39.654295   |
| Conductivity (S/m)                | 1.933565    |
| Power Variation (%)               | 1.589412    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=22.00, Y=-13.00

SAR Peak: 0.77 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.262189 |
| SAR 1g (W/Kg)  | 0.366523 |



MEASUREMENT 49/76


Type: Phone measurement (Complete)  
Date of measurement: 2022-04-15  
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

|                 |                                 |
|-----------------|---------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt   |
| Phantom         | Flat Plane                      |
| Device Position | Back                            |
| Band            | NR n71                          |
| Channels        | DFT-s-DFT-QPSK, 15MHz, 1RB,High |
| Signal          | Duty Cycle 1:1                  |

B. SAR Measurement Results



|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 690.500000 |
| Relative Permittivity (real part) | 40.314129  |
| Conductivity (S/m)                | 0.873301   |
| Power Variation (%)               | 0.856123   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.2       |



Maximum location: X=24.00, Y=-8.00

SAR Peak: 0.34 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.192012 |
| SAR 1g (W/Kg)  | 0.251631 |



MEASUREMENT 50/77


Type: Phone measurement (Complete)  
Date of measurement: 2022-04-15  
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

|                 |                                    |
|-----------------|------------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt      |
| Phantom         | Flat Plane                         |
| Device Position | Back                               |
| Band            | NR n71                             |
| Channels        | DFT-s-DFT-64QAM, 20MHz, 1RB,Middle |
| Signal          | Duty Cycle 1:1                     |

B. SAR Measurement Results



|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 680.500000 |
| Relative Permittivity (real part) | 40.311293  |
| Conductivity (S/m)                | 0.873017   |
| Power Variation (%)               | 0.856123   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.2       |



Maximum location: X=31.00, Y=-2.00

SAR Peak: 0.35 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.188887 |
| SAR 1g (W/Kg)  | 0.256948 |



MEASUREMENT 51

Type: Phone measurement (Complete)  
Date of measurement: 2022-04-29  
Measurement duration: 12 minutes 3 seconds


A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Front                         |
| Band            | WiFi(5.2GHz)_802.11a          |
| Channels        | High                          |
| Signal          | Duty Cycle: 1:1               |

B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 5240.000000 |
| Relative Permittivity (real part) | 35.492911   |
| Conductivity (S/m)                | 4.711483    |
| Power Variation (%)               | 0.342685    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |

C. SAR Surface and Volume




Maximum location: X=-9.00, Y=-25.00

D. SAR 1g & 10g


|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.147200 |
| SAR 1g (W/Kg)  | 0.257248 |

E. Z Axis Scan

|            |        |        |        |        |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 2.00   | 4.00   | 6.00   | 8.00   | 10.00  | 12.00  | 14.00  | 16.00  |
| SAR (W/Kg) | 0.3095 | 0.2545 | 0.2010 | 0.2006 | 0.1447 | 0.1521 | 0.1086 | 0.1096 | 0.0835 |



F. 3D Image



MEASUREMENT 52

Type: Phone measurement (Complete)  
Date of measurement: 2022-04-29  
Measurement duration: 12 minutes 3 seconds


A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Front                         |
| Band            | WiFi(5.3GHz)_802.11a          |
| Channels        | Low                           |
| Signal          | Duty Cycle: 1:1               |

B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 5260.000000 |
| Relative Permittivity (real part) | 35.674129   |
| Conductivity (S/m)                | 4.822694    |
| Power Variation (%)               | 0.551589    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |

C. SAR Surface and Volume




Maximum location: X=-7.00, Y=-25.00

D. SAR 1g & 10g


|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.130720 |
| SAR 1g (W/Kg)  | 0.211689 |

E. Z Axis Scan

|            |        |        |        |        |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 2.00   | 4.00   | 6.00   | 8.00   | 10.00  | 12.00  | 14.00  | 16.00  |
| SAR (W/Kg) | 0.3257 | 0.2468 | 0.1871 | 0.1594 | 0.1286 | 0.1129 | 0.0976 | 0.0881 | 0.0799 |



F. 3D Image



MEASUREMENT 53

Type: Phone measurement (Complete)  
Date of measurement: 2022-04-29  
Measurement duration: 12 minutes 3 seconds


A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Front                         |
| Band            | WiFi(5.6GHz)_802.11a          |
| Channels        | High                          |
| Signal          | Duty Cycle: 1:1               |

B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 5700.000000 |
| Relative Permittivity (real part) | 35.692918   |
| Conductivity (S/m)                | 5.061523    |
| Power Variation (%)               | 1.544581    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |

C. SAR Surface and Volume




Maximum location: X=22.00, Y=-24.00

D. SAR 1g & 10g


|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.131089 |
| SAR 1g (W/Kg)  | 0.217466 |

E. Z Axis Scan

|            |        |        |        |        |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 2.00   | 4.00   | 6.00   | 8.00   | 10.00  | 12.00  | 14.00  | 16.00  |
| SAR (W/Kg) | 0.4276 | 0.3047 | 0.2191 | 0.1612 | 0.1249 | 0.1028 | 0.0900 | 0.0833 | 0.0804 |



F. 3D Image



MEASUREMENT 54

Type: Phone measurement (Complete)  
Date of measurement: 2022-04-29  
Measurement duration: 12 minutes 3 seconds


A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Front                         |
| Band            | WiFi(5.8GHz)_802.11a          |
| Channels        | High                          |
| Signal          | Duty Cycle: 1:1               |

B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 5825.000000 |
| Relative Permittivity (real part) | 35.381841   |
| Conductivity (S/m)                | 5.180854    |
| Power Variation (%)               | 3.297814    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |

C. SAR Surface and Volume




Maximum location: X=23.00, Y=-24.00

D. SAR 1g & 10g


|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.101882 |
| SAR 1g (W/Kg)  | 0.157688 |

E. Z Axis Scan

|            |        |        |        |        |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 2.00   | 4.00   | 6.00   | 8.00   | 10.00  | 12.00  | 14.00  | 16.00  |
| SAR (W/Kg) | 0.3208 | 0.2215 | 0.1543 | 0.1113 | 0.0865 | 0.0734 | 0.0681 | 0.0680 | 0.0714 |



F. 3D Image



MEASUREMENT 55


Type: Phone measurement (Complete)  
Date of measurement: 2022-04-29  
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Front                         |
| Band            | WiFi(2.4GHz)_802.11b          |
| Channels        | Low                           |
| Signal          | Duty Cycle: 1:1               |

B. SAR Measurement Results



|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2412.000000 |
| Relative Permittivity (real part) | 38.201835   |
| Conductivity (S/m)                | 38.591835   |
| Power Variation (%)               | 1.774129    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=-6.00, Y=-24.00  
SAR Peak: 0.13 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.040989 |
|----------------|----------|

|               |          |
|---------------|----------|
| SAR 1g (W/Kg) | 0.074841 |
|---------------|----------|



MEASUREMENT 56


Type: Phone measurement (Complete)  
Date of measurement: 2022-04-19  
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Back                          |
| Band            | Bluetooth                     |
| Channels        | High                          |
| Signal          | Duty Cycle: 1:1               |

B. SAR Measurement Results



|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2480.000000 |
| Relative Permittivity (real part) | 38.593881   |
| Conductivity (S/m)                | 1.774621    |
| Power Variation (%)               | 3.117514    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=-21.00, Y=-8.00

SAR Peak: 0.05 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.019168 |
| SAR 1g (W/Kg)  | 0.030742 |



MEASUREMENT 57


Type: Phone measurement (Complete)  
Date of measurement: 2022-04-15  
Measurement duration: 11 minutes 48 seconds

A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Back                          |
| Band            | GPRS850_2TX                   |
| Channels        | Low                           |
| Signal          | Duty Cycle: 1:4               |



B. SAR Measurement Results

|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 824.200000 |
| Relative Permittivity (real part) | 41.504612  |
| Conductivity (S/m)                | 0.881321   |
| Power Variation (%)               | 3.141020   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.2       |



Maximum location: X=-3.00, Y=26.00  
SAR Peak: 0.47 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.202512 |
| SAR 1g (W/Kg)  | 0.297944 |



MEASUREMENT 58


Type: Phone measurement (Complete)  
Date of measurement: 2022-04-18  
Measurement duration: 11 minutes 48 seconds

A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Bottom                        |
| Band            | GPRS1900_4TX                  |
| Channels        | Low                           |
| Signal          | Duty Cycle: 1:2               |



B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1850.200000 |
| Relative Permittivity (real part) | 39.600298   |
| Conductivity (S/m)                | 1.371223    |
| Power Variation (%)               | 1.088611    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=5.00, Y=-9.00  
SAR Peak: 1.84 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.624175 |
| SAR 1g (W/Kg)  | 1.103752 |



MEASUREMENT 71


Type: Phone measurement (Complete)  
Date of measurement: 2022-04-21  
Measurement duration: 12 minutes 3 seconds

A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Back                          |
| Band            | LTE Band 41                   |
| Channels        | QPSK, 20MHz,1RB,Low           |
| Signal          | Duty Cycle 1:1                |



B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2506.000000 |
| Relative Permittivity (real part) | 39.650561   |
| Conductivity (S/m)                | 1.931730    |
| Power Variation (%)               | 1.528945    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=8.00, Y=5.00  
SAR Peak: 0.34 W/kg

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.099699 |
| SAR 1g (W/Kg)  | 0.190121 |



MEASUREMENT 78

Type: Phone measurement (Complete)  
Date of measurement: 2022-04-29  
Measurement duration: 12 minutes 3 seconds


A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Top                           |
| Band            | WiFi(5.2GHz)_802.11a          |
| Channels        | High                          |
| Signal          | Duty Cycle: 1:1               |

B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 5240.000000 |
| Relative Permittivity (real part) | 35.492911   |
| Conductivity (S/m)                | 4.711483    |
| Power Variation (%)               | 0.851236    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |

C. SAR Surface and Volume




Maximum location: X=7.00, Y=21.00

D. SAR 1g & 10g


|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.130591 |
| SAR 1g (W/Kg)  | 0.343504 |

E. Z Axis Scan

|            |        |        |        |        |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 2.00   | 4.00   | 6.00   | 8.00   | 10.00  | 12.00  | 14.00  | 16.00  |
| SAR (W/Kg) | 0.9521 | 0.4571 | 0.1645 | 0.0735 | 0.0212 | 0.0140 | 0.0122 | 0.0205 | 0.0379 |



F. 3D Image



MEASUREMENT 79

Type: Phone measurement (Complete)  
Date of measurement: 2022-04-29  
Measurement duration: 12 minutes 3 seconds


A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Top                           |
| Band            | WiFi(5.3GHz)_802.11a          |
| Channels        | Low                           |
| Signal          | Duty Cycle: 1:1               |

B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 5260.000000 |
| Relative Permittivity (real part) | 35.674129   |
| Conductivity (S/m)                | 4.822694    |
| Power Variation (%)               | 1.500560    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |

C. SAR Surface and Volume




Maximum location: X=6.00, Y=20.00

D. SAR 1g & 10g


|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.149699 |
| SAR 1g (W/Kg)  | 0.291225 |

E. Z Axis Scan

|            |        |        |        |        |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 2.00   | 4.00   | 6.00   | 8.00   | 10.00  | 12.00  | 14.00  | 16.00  |
| SAR (W/Kg) | 0.6341 | 0.4387 | 0.3035 | 0.2129 | 0.1562 | 0.1214 | 0.1005 | 0.0884 | 0.0815 |



F. 3D Image



## MEASUREMENT 80

Type: Phone measurement (Complete)

Date of measurement: 2022-04-29

Measurement duration: 12 minutes 3 seconds


### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Top                           |
| Band            | WiFi(5.6GHz)_802.11a          |
| Channels        | High                          |
| Signal          | Duty Cycle: 1:1               |

### B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 5700.000000 |
| Relative Permittivity (real part) | 35.692918   |
| Conductivity (S/m)                | 5.061523    |
| Power Variation (%)               | 0.545413    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |

### C. SAR Surface and Volume




Maximum location: X=5.00, Y=18.00

D. SAR 1g & 10g

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.172899 |
| SAR 1g (W/Kg)  | 0.344636 |

E. Z Axis Scan

|            |        |        |        |        |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 2.00   | 4.00   | 6.00   | 8.00   | 10.00  | 12.00  | 14.00  | 16.00  |
| SAR (W/Kg) | 0.7778 | 0.5259 | 0.3540 | 0.2413 | 0.1725 | 0.1316 | 0.1081 | 0.0954 | 0.0889 |



F. 3D Image

