FCC RF Test Report

APPLICANT	:	CT Asia (HK) Ltd.
EQUIPMENT	:	Mobile phone
BRAND NAME	:	BLU
MODEL NAME	:	PURE XL
FCC ID	:	YHLBLUPURXL
STANDARD	:	47 CFR Part 2, 24(E), 27(L), 27(M), 27(H)
CLASSIFICATION	:	PCS Licensed Transmitter Held to Ear (PCE)

The product was received on Aug. 24, 2015 and completely tested on Sep. 16, 2015. We, SPORTON INTERNATIONAL (SHENZHEN) INC., would like to declare that the tested sample has been evaluated in accordance with the test procedures given in ANSI / TIA / EIA-603-C-2004 and the testing has shown the tested sample to be in compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of SPORTON INTERNATIONAL (SHENZHEN) INC., the test report shall not be reproduced except in full.

Reviewed by: Joseph Lin / Supervisor

Approved by: Jones Tsai / Manager

Testing Laboratory
2353

SPORTON INTERNATIONAL (SHENZHEN) INC.

1F & 2F, Building A, Morning Business Center, No. 4003 ShiGu Rd., Xili Town, Nanshan District, Shenzhen, Guangdong, P. R. China

TABLE OF CONTENTS

REVISION HISTORY **3**

SUMMARY OF TEST RESULT **4**

1 GENERAL DESCRIPTION **6**

1.1 Applicant 6
1.2 Manufacturer 6
1.3 Product Feature of Equipment Under Test 6
1.4 Product Specification subjective to this standard 7
1.5 Modification of EUT 8
1.6 Emission Designator 8
1.7 Testing Location 9
1.8 Applicable Standards 9

2 TEST CONFIGURATION OF EQUIPMENT UNDER TEST **10**

2.1 Test Mode 10
2.2 Connection Diagram of Test System 12
2.3 Support Unit used in test configuration and system 13
2.4 Measurement Results Explanation Example 13
2.5 Frequency List of Low/Middle/High Channels 14

3 CONDUCTED TEST ITEMS **16**

3.1 Measuring Instruments 16
3.2 Test Setup 16
3.3 Test Result of Conducted Test 16
3.4 Conducted Output Power 17
3.5 Peak-to-Average Ratio 17
3.6 Occupied Bandwidth 18
3.7 Conducted Band Edge 19
3.8 Conducted Spurious Emission 21
3.9 Frequency Stability 22

4 RADIATED TEST ITEMS **23**

4.1 Measuring Instruments 23
4.2 Test Setup 23
4.3 Test Result of Radiated Test 23
4.4 Effective Radiated Power and Effective Isotropic Radiated Power 24
4.5 Radiated Spurious Emission 26

5 LIST OF MEASURING EQUIPMENT **28**

6 UNCERTAINTY OF EVALUATION **29**

APPENDIX A. TEST RESULTS OF CONDUCTED TEST

APPENDIX B. TEST RESULTS OF RADIATED TEST

APPENDIX C. TEST SETUP PHOTOGRAPHS

REVISION HISTORY

REPORT NO.	VERSION	DESCRIPTION	ISSUED DATE
FG582404B	Rev. 01	Initial issue of report	Oct. 08, 2015

SUMMARY OF TEST RESULT

Report Section	FCC Rule	Description	Limit	Result	Remark
3.4	§2.1046	Conducted Output Power	Reporting Only	PASS	-
3.5	§24.232(d)	Peak-to-Average Ratio	<13 dB	PASS	-
3.6	§2.1049	Occupied Bandwidth	Reporting Only	PASS	-
3.7	§2.1051 §24.238(a) §27.53(g) §27.53(h)	Conducted Band Edge Measurement (Band 2) (Band 4)(Band 17)	< 43+10log10(P[Watts])	PASS	-
	§27.53(m)(4)	Conducted Band Edge Measurement (Band 7)	§27.53(m)(4)		

Report Section	FCC Rule	Description	Limit	Result	Remark
3.8	§2.1051 §24.238(a) §27.53(g) §27.53(h)	Conducted Spurious Emission (Band 2) (Band 4)(Band 17)	< 43+10log10(P[Watts])	PASS	-
	§2.1051 §27.53(m)(4)	Conducted Spurious Emission (Band 7)	< 55+10log$_{10}$(P[Watts])		
3.9	§2.1055 §24.235 §27.54	Frequency Stability Temperature & Voltage	Within Authorized Band	PASS	-
4.4	§27.50(c)(10)	Effective Radiated Power (Band 17)	ERP < 3 Watt	PASS	-
	§24.232(c) §27.50(h)(2)	Equivalent Isotropic Radiated Power (Band 2) (Band 7)	EIRP < 2Watt		
	§27.50(d)(4)	Equivalent Isotropic Radiated Power (Band 4)	EIRP < 1Watt		
4.5	§2.1053 §24.238(a) §27.53(g) §27.53(h)	Radiated Spurious Emission (Band 2) (Band 4)(Band 17)	< 43+10log$_{10}$(P[Watts])	PASS	Under limit 12.76 dB at 10131.360 MHz
	§2.1053 §27.53(m)(4)	Radiated Spurious Emission (Band 7)	< 55+10log$_{10}$(P[Watts])		

1 General Description

1.1 Applicant

CT Asia (HK) Ltd.
Unit1309-11, 13th Floor 9 Wing Hong Street Cheung Sha Wan Kowloon, Hong Kong

1.2 Manufacturer

CT Asia (HK) Ltd.
Unit1309-11, 13th Floor 9 Wing Hong Street Cheung Sha Wan Kowloon, Hong Kong

1.3 Product Feature of Equipment Under Test

Product Feature	
Equipment	Mobile phone
Brand Name	BLU
Model Name	PURE XL
FCC ID	YHLBLUPURXL
EUT supports Radios application	GSM/GPRS/EGPRS/WCDMA/HSPA/HSPA+/DC-HSDPA/ LTE/NFC/WLAN 2.4GHz 802.11b/g/n HT20/HT40 Bluetooth v3.0 + EDR/Bluetooth v4.0 LE
IMEI Code	Conducted: 354147042016445/354147042051442 Radiation: 354147042016486/354147042051483 ERP&EIRP: 354147042016460/354147042051467
HW Version	PURE XL_Mainboard_P3.1
SW Version	BLU_P0010UU_V07_GENERIC 16-09-2015 08:43
EUT Stage	Pre-Production

1.4 Product Specification subjective to this standard

Product Specification subjective to this standard	
Tx Frequency	LTE Band 2 : 1850.7 MHz ~ 1909.3 MHz LTE Band 4 : 1710.7 MHz ~ 1754.3 MHz LTE Band 7 : 2502.5 MHz ~ 2567.5 MHz LTE Band 17 : 706.5 MHz ~ 713.5 MHz
Rx Frequency	LTE Band 2 : 1930.7 MHz ~ 1989.3 MHz LTE Band 4 : 2110.7 MHz ~ 2154.3 MHz LTE Band 7 : 2622.5MHz ~ 2687.5 MHz LTE Band 17 : 736.5 MHz ~ 743.5 MHz
Bandwidth	LTE Band 2 : 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 4 : 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 7 : 5MHz/ 10MHz / 15MHz / 20MHz LTE Band 17 : 5MHz / 10MHz
Maximum Output Power to Antenna	LTE Band 2 : 22.56 dBm LTE Band 4 : 23.24 dBm LTE Band 7 : 22.53 dBm LTE Band 17 : 23.41 dBm
Type of Modulation	QPSK / 16QAM

1.5 Modification of EUT

No modifications are made to the EUT during all test items.

1.6 Emission Designator

LTE Band 2	QPSK			16QAM		
BW(MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)
1.4	1M09G7D	-	0.2647	1M10W7D	-	0.2180
3	2M72G7D	-	0.2622	2M72W7D	-	0.2140
5	4M51G7D	-	0.2651	4M51W7D	-	0.2132
10	9M09G7D	0.0225	0.2873	9M03W7D	-	0.2307
15	13M5G7D	-	0.2785	13M5W7D	-	0.2309
20	18M5G7D	-	0.2236	18M5W7D	-	0.2299
LTE Band 4	QPSK			16QAM		
BW(MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)
1.4	1M10G7D	-	0.1870	1M10W7D	-	0.1481
3	2M74G7D	-	0.1870	2M72W7D	-	0.1464
5	4M53G7D	-	0.1873	4M52W7D	-	0.1468
10	9M11G7D	0.0352	0.1888	9M03W7D	-	0.1559
15	13M6G7D	-	0.1932	13M5W7D	-	0.1511
20	18M4G7D	-	0.1876	18M5W7D	-	0.1483
LTE Band 7	QPSK			16QAM		
BW(MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)
5	4M51G7D	-	0.1086	4M51W7D	-	0.0877
10	9M05G7D	0.0338	0.1028	9M05W7D	-	0.0820
15	13M5G7D	-	0.1048	13M5W7D	-	0.0791
20	18M5G7D	-	0.1137	18M5W7D	-	0.0831
LTE Band 17	QPSK			16QAM		
BW(MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)
5	4M51G7D	-	0.0424	4M51W7D	-	0.0353
10	9M11G7D	0.0155	0.0414	9M05W7D	-	0.0337

1.7 Testing Location

Test Site	SPORTON INTERNATIONAL (SHENZHEN) INC.	
Test Site Location	1F & 2F, Building A, Morning Business Center, No. 4003 ShiGu Rd., Xili Town, Nanshan District, Shenzhen, Guangdong, P. R. China TEL: +86-755-8637-9589 FAX: +86-755-8637-9595	
Test Site No.	**Sporton Site No.**	
	TH01-SZ	

Test Site	SPORTON INTERNATIONAL (SHENZHEN) INC.	
Test Site Location	No. 3 Building, the third floor of south, Shahe River west, Fengzeyuan warehouse, Nanshan District, Shenzhen, Guangdong, P. R. China TEL: +86-755- 3320-2398	
Test Site No.	**Sporton Site No.**	**FCC Registration No.**
	03CH01-SZ	831040

Note: The test site complies with ANSI C63.4 2009 requirement.

1.8 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- 47 CFR Part 2, 24(E), 27(L), 27(M), 27(H)
- ANSI / TIA / EIA-603-C-2004
- FCC KDB 971168 D01 Power Meas. License Digital Systems v02r02

Remark:

1. All test items were verified and recorded according to the standards and without any deviation during the test.
2. This EUT has also been tested and complied with the requirements of FCC Part 15, Subpart B, recorded in a separate test report.

2 Test Configuration of Equipment Under Test

2.1 Test Mode

Antenna port conducted and radiated test items listed below are performed according to KDB 971168 D01 Power Meas. License Digital Systems v02r02 with maximum output power.

Radiated measurements are performed by rotating the EUT in three different orthogonal test planes to find the maximum emission.

Test Items	Band	Bandwidth (MHz)						Modulation		RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	1	Half	Full	L	M	H
Max. Output Power	2	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	4	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	7	-	-	v	v	v	v	v	v	v	v	v	v	v	v
	17	-	-	v	v	-	-	v	v	v	v	v	v	v	v
Peak-to-Average Ratio	2						v	v	v	v		v	v	v	v
	4						v	v	v	v		v	v	v	v
	7	-	-				v	v	v	v		v	v	v	v
	17	-	-		v	-	-	v	v	v		v	v	v	v
26dB and 99% Bandwidth	2	v	v	v	v	v	v	v	v			v	v	v	v
	4	v	v	v	v	v	v	v	v			v	v	v	v
	7	-	-	v	v	v	v	v	v			v	v	v	v
	17	-	-	v	v	-	-	v	v			v	v	v	v
Conducted Band Edge	2	v	v	v	v	v	v	v	v	v		v	v		v
	4	v	v	v	v	v	v	v	v	v		v	v		v
	7	-	-	v	v	v	v	v	v	v		v	v		v
	17	-	-	v	v	-	-	v	v	v		v	v		v

Test Items	Band	Bandwidth (MHz)						Modulation		RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	1	Half	Full	L	M	H
Conducted Spurious Emission	2	v	v	v	v	v	v	v	v	v	v		v	v	v
	4	v	v	v	v	v	v	v	v	v	v		v	v	v
	7	-	-	v	v	v	v	v	v	v			v	v	v
	17	-	-	v	v	-	-	v	v	v			v	v	v
Frequency Stability	2				v			v				v		v	
	4				v			v				v		v	
	7	-	-		v			v				v		v	
	17	-	-		v	-	-	v				v		v	
E.R.P./ E.I.R.P.	2	v	v	v	v	v	v	v	v	v	v		v	v	v
	4	v	v	v	v	v	v	v	v	v	v		v	v	v
	7	-	-	v	v	v	v	v	v	v			v	v	v
	17	-	-	v	v	-	-	v	v	v			v	v	v
Radiated Spurious Emission	2	v	v	v	v	v	v	v		v			v	v	v
	4	v	v	v	v	v	v	v		v			v	v	v
	7	-	-	v	v	v	v	v		v			v	v	v
	17	-	-	v	v	-	-	v		v			v	v	v
Note	1. The mark "v " means that this configuration is chosen for testing 2. The mark "-" means that this bandwidth is not supported. 3. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst case emissions are reported.														

2.2 Connection Diagram of Test System

For LTE Band 2/4



For LTE Band 7/17



2.3 Support Unit used in test configuration and system

Item	Equipment	Trade Name	Model No.	FCC ID	Data Cable	Power Cord
1.	LTE Base Station	Anritsu	MT8820C	N/A	N/A	Unshielded, 1.8 m
2.	DC Power Supply	GW INSTEK	GPS-3030D	N/A	N/A	Unshielded, 1.8 m

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuator factor between EUT conducted output port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly the EUT RF output level.

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Offset = RF cable loss + attenuator factor.

Following shows an offset computation example with cable loss 5.0 dB and 10dB attenuator.

Example :

Offset(dB) = RF cable loss(dB) + attenuator factor(dB).

= 5.0 + 10 = 15.0 (dB)

2.5 Frequency List of Low/Middle/High Channels

LTE Band 2 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	18700	18900	19100
	Frequency	1860	1880	1900
15	Channel	18675	18900	19125
	Frequency	1857.5	1880	1902.5
10	Channel	18650	18900	19150
	Frequency	1855	1880	1905
5	Channel	18625	18900	19175
	Frequency	1852.5	1880	1907.5
3	Channel	18615	18900	19185
	Frequency	1851.5	1880	1908.5
1.4	Channel	18607	18900	19193
	Frequency	1850.7	1880	1909.3

LTE Band 4 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	20050	20175	20300
	Frequency	1720	1732.5	1745
15	Channel	20025	20175	20325
	Frequency	1717.5	1732.5	1747.5
10	Channel	20000	20175	20350
	Frequency	1715	1732.5	1750
5	Channel	19975	20175	20375
	Frequency	1712.5	1732.5	1752.5
3	Channel	19965	20175	20385
	Frequency	1711.5	1732.5	1753.5
1.4	Channel	19957	20175	20393
	Frequency	1710.7	1732.5	1754.3

LTE Band 7 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	20850	21100	21350
	Frequency	2510	2535	2560
15	Channel	20825	21100	21375
	Frequency	2507.5	2535	2562.5
10	Channel	20800	21100	21400
	Frequency	2505	2535	2565
5	Channel	20775	21100	21425
	Frequency	2502.5	2535	2567.5

LTE Band 17 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	23780	23790	23800
	Frequency	709	710	711
5	Channel	23755	23790	23825
	Frequency	706.5	710	713.5

3 Conducted Test Items

3.1 Measuring Instruments

See list of measuring instruments of this test report.

3.2 Test Setup

3.2.1 Conducted Output Power



3.2.2 Peak-to-Average Ratio, Occupied Bandwidth ,Conducted Band-Edge and Conducted Spurious Emission



3.2.3 Frequency Stability



3.3 Test Result of Conducted Test

Please refer to Appendix A.

3.4 Conducted Output Power

3.4.1 Description of the Conducted Output Power Measurement

A system simulator was used to establish communication with the EUT. Its parameters were set to force the EUT transmitting at maximum output power. The measured power in the radio frequency on the transmitter output terminals shall be reported.

3.4.2 Test Procedures

1. The transmitter output port was connected to the system simulator.
2. Set EUT at maximum power through the system simulator.
3. Select lowest, middle, and highest channels for each band and different modulation.
4. Measure and record the power level from the system simulator.

3.5 Peak-to-Average Ratio

3.5.1 Description of the PAR Measurement

Power Complementary Cumulative Distribution Function (CCDF) curves provide a means for characterizing the power peaks of a digitally modulated signal on a statistical basis. A CCDF curve depicts the probability of the peak signal amplitude exceeding the average power level. Most contemporary measurement instrumentation include the capability to produce CCDF curves for an input signal provided that the instrument's resolution bandwidth can be set wide enough to accommodate the entire input signal bandwidth. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

3.5.2 Test Procedures

1. The testing follows FCC KDB 971168 v02r02 Section 5.7.1.
2. The EUT was connected to spectrum and system simulator via a power divider.
3. Set the CCDF (Complementary Cumulative Distribution Function) option in spectrum analyzer.
4. The highest RF powers were measured and recorded the maximum PAPR level associated with a probability of 0.1 %.
5. Record the deviation as Peak to Average Ratio.

3.6 Occupied Bandwidth

3.6.1 Description of Occupied Bandwidth Measurement

The occupied bandwidth is the width of a frequency band such that, below the lower and above the upper frequency limits, the mean powers emitted are each equal to a specified percentage 0.5% of the total mean transmitted power.

The 26 dB emission bandwidth is defined as the frequency range between two points, one above and one below the carrier frequency, at which the spectral density of the emission is attenuated 26 dB below the maximum in-band spectral density of the modulated signal. Spectral density (power per unit bandwidth) is to be measured with a detector of resolution bandwidth equal to approximately 1.0% of the emission bandwidth.

3.6.2 Test Procedures

1. The testing follows FCC KDB 971168 v02r02 Section 4.2.
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be between two and five times the anticipated OBW.
4. The nominal resolution bandwidth (RBW) shall be in the range of 1 to 5 % of the anticipated OBW, and the VBW shall be at least 3 times the RBW.
5. Set the detection mode to peak, and the trace mode to max hold.
6. Determine the reference value: Set the EUT to transmit a modulated signal. Allow the trace to stabilize. Set the spectrum analyzer marker to the highest level of the displayed trace.
   (this is the reference value)
7. Determine the “-26 dB down amplitude” as equal to (Reference Value – X).
8. Place two markers, one at the lowest and the other at the highest frequency of the envelope of the spectral display such that each marker is at or slightly below the “–X dB down amplitude” determined in step 6. If a marker is below this “-X dB down amplitude” value it shall be placed as close as possible to this value. The OBW is the positive frequency difference between the two markers.
9. Use the 99 % power bandwidth function of the spectrum analyzer and report the measured bandwidth.

3.7 Conducted Band Edge

3.7.1 Description of Conducted Band Edge Measurement

24.238 (a) for Band 2

For operations in the 1850-1910 and 1930-1990 MHz band, the FCC limit is 43 + $10\log_{10}$(P[Watts]) dB below the transmitter power P(Watts) in a 1MHz bandwidth. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

27.53 (g) for Band 17

For operations in the 698 -746 MHz band, the FCC limit is 43 + 10log10(P[Watts]) dB below the transmitter power P(Watts) in a 100 kHz bandwidth. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

27.53 (h) for Band 4

For operations in the 1710 – 1755 MHz band, the FCC limit is 43 + $10\log_{10}$(P[Watts]) dB below the transmitter power P(Watts) in a 1 MHz bandwidth. However, in the 1MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

27.53(m)(4) for FCC Band 7:

For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

3.7.2 Test Procedures

1. The testing follows FCC KDB 971168 v02r02 Section 6.0.
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The band edges of low and high channels for the highest RF powers were measured.
4. Set RBW >= 1% EBW in the 1MHz band immediately outside and adjacent to the band edge.
5. Beyond the 1 MHz band from the band edge, RBW=1MHz was used.
6. Set spectrum analyzer with RMS detector.
7. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
8. Checked that all the results comply with the emission limit line.

   Example:

   The limit line is derived from 43 + 10log(P)dB below the transmitter power P(Watts)

   = P(W)- [43 + 10log(P)] (dB)

   = [30 + 10log(P)] (dBm) - [43 + 10log(P)] (dB)

   = -13dBm.
9. For LTE Band 7, the other 40 dB, and 55 dB have additionally applied same calculation above.

   The limit line is derived from 40+ 10log(P)dB below the transmitter power P(Watts)

   = P(W)- [40 + 10log(P)] (dB)

   = [30 + 10log(P)] (dBm) - [40 + 10log(P)] (dB)

   = -10dBm

   The limit line is derived from 43 + 10log(P)dB below the transmitter power P(Watts)

   = P(W)- [43 + 10log(P)] (dB)

   = [30 + 10log(P)] (dBm) - [43 + 10log(P)] (dB)

   = -13dBm.

   The limit line is derived from 55+ 10log(P)dB below the transmitter power P(Watts)

   = P(W)- [55 + 10log(P)] (dB)

   = [55 + 10log(P)] (dBm) - [55 + 10log(P)] (dB)

   = -25dBm

3.8 Conducted Spurious Emission

3.8.1 Description of Conducted Spurious Emission Measurement

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least 43 + 10 log (P) dB.

For Band 7:

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least 55 + 10 log (P) dB.

It is measured by means of a calibrated spectrum analyzer and scanned from 30 MHz up to a frequency including its 10th harmonic.

3.8.2 Test Procedures

1. The testing follows FCC KDB 971168 v02r02 Section 6.0.
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator. The path loss was compensated to the results for each measurement.
4. The middle channel for the highest RF power within the transmitting frequency was measured.
5. The conducted spurious emission for the whole frequency range was taken.
6. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz.
7. Set spectrum analyzer with RMS detector.
8. Taking the record of maximum spurious emission.
9. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
10. The limit line is derived from 43 + 10log(P)dB below the transmitter power P(Watts)
    = P(W)- [43 + 10log(P)] (dB)
    = [30 + 10log(P)] (dBm) - [43 + 10log(P)] (dB)
    = -13dBm.
11. For Band 7
    The limit line is derived from 55 + 10log(P)dB below the transmitter power P(Watts)
    = P(W)- [55+ 10log(P)] (dB)
    = [30+ 10log(P)] (dBm) - [55+ 10log(P)] (dB)
    = -25dBm.

3.9 Frequency Stability

3.9.1 Description of Frequency Stability Measurement

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintained within ±0.00025% (±2.5ppm) of the center frequency.

3.9.2 Test Procedures for Temperature Variation

1. The testing follows FCC KDB 971168 v02r02 Section 9.0.
2. The EUT was set up in the thermal chamber and connected with the system simulator.
3. With power OFF, the temperature was decreased to -30°C and the EUT was stabilized before testing. Power was applied and the maximum change in frequency was recorded within one minute.
4. With power OFF, the temperature was raised in 10°C step up to 50°C. The EUT was stabilized at each step for at least half an hour. Power was applied and the maximum frequency change was recorded within one minute.

3.9.3 Test Procedures for Voltage Variation

1. The testing follows FCC KDB 971168 v02r02 Section 9.0.
2. The EUT was placed in a temperature chamber at 25±5° C and connected with the system simulator.
3. The power supply voltage to the EUT was varied from 85% to 115% of the nominal value measured at the input to the EUT.
4. The variation in frequency was measured for the worst case.

4 Radiated Test Items

4.1 Measuring Instruments

See list of measuring instruments of this test report.

4.2 Test Setup

4.2.1 For radiated test from 30MHz to 1GHz



4.2.2 For radiated test above 1GHz



4.3 Test Result of Radiated Test

Please refer to Appendix B.

4.4 Effective Radiated Power and Effective Isotropic Radiated Power

4.4.1 Description of the ERP/EIRP Measurement

Effective radiated power output measurements by substitution method according to ANSI / TIA / EIA-603-C-2004, and the spectrum analyzer configuration follows KDB 971168 D01 Power Meas. License Digital Systems v02r02. Mobile and portable (hand-held) stations operating are limited to average ERP of 3 watts with LTE band 17.

Equivalent isotropic radiated power output measurements by substitution method according to ANSI / TIA / EIA-603-C-2004, and the spectrum analyzer configuration follows KDB 971168 D01 Power Meas. License Digital Systems v02r02. Mobile and portable (hand-held) stations operating are limited to average EIRP of 2 watts with LTE band 2 / 7 and 1 watt with LTE band 4.

4.4.2 Test Procedures

1. The EUT was placed on a non-conductive rotating platform 0.8 meters high in a semi-anechoic chamber. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and a spectrum analyzer with RMS detector per section 5. of KDB 971168 D01.
2. During the measurement, the system simulator parameters were set to force the EUT transmitting at maximum output power. The maximum emission was recorded from analyzer power level (LVL) from the 360 degrees rotation of the turntable and the test antenna raised and lowered over a range from 1 to 4 meters in both horizontally and vertically polarized orientations.
3. Effective Isotropic Radiated Power (EIRP) was measured by substitution method according to TIA/EIA-603-C. The EUT was replaced by the substitution antenna at same location, and then a known power from S.G. was applied into the dipole antenna through a Tx cable, and then recorded the maximum Analyzer reading through raised and lowered the test antenna. The correction factor (in dB) = S.G. - Tx Cable loss + Substitution antenna gain - Analyzer reading. Then the EUT's EIRP was calculated with the correction factor, EIRP = LVL + Correction factor and ERP = EIRP - 2.15. Take the record of the output power at substitution antenna.

	LTE Average					
LTE BW	1.4M	3M	5M	10M	15M	20M
Span	3MHz	6MHz	10MHz	20MHz	30MHz	40MHz
RBW	30kHz	100kHz	100kHz	300kHz	300kHz	300kHz
VBW	100kHz	300kHz	300kHz	1MHz	1MHz	1MHz
Detector	RMS	RMS	RMS	RMS	RMS	RMS
Trace	Average	Average	Average	Average	Average	Average
Average Type	Power	Power	Power	Power	Power	Power
Sweep Count	100	100	100	100	100	100

4.5 Radiated Spurious Emission

4.5.1 Description of Radiated Spurious Emission

The radiated spurious emission was measured by substitution method according to ANSI / TIA / EIA-603-C-2004. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least 43 + 10 log (P) dB.

For Band 7

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least 55 + 10 log (P) dB.

For LTE Band 17

For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to −70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and −80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth.

The spectrum is scanned from 30 MHz up to a frequency including its 10th harmonic.

4.5.2 Test Procedures

1. The testing follows FCC KDB 971168 v02r02 Section 5.8 and ANSI / TIA-603-C-2004 Section 2.2.12.
2. The EUT was placed on a rotatable wooden table with 0.8 meter above ground.
3. The EUT was set 3 meters from the receiving antenna, which was mounted on the antenna tower.
4. The table was rotated 360 degrees to determine the position of the highest spurious emission.
5. The height of the receiving antenna is varied between one meter and four meters to search the maximum spurious emission for both horizontal and vertical polarizations.
6. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz, taking the record of maximum spurious emission.
7. A horn antenna was substituted in place of the EUT and was driven by a signal generator.
8. Tune the output power of signal generator to the same emission level with EUT maximum spurious emission.
9. Taking the record of output power at antenna port.
10. Repeat step 7 to step 8 for another polarization.
11. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
    The limit line is derived from 43 + 10log(P)dB below the transmitter power P(Watts)
    = P(W)- [43 + 10log(P)] (dB)
    = [30 + 10log(P)] (dBm) - [43 + 10log(P)] (dB)
    = -13dBm.
    For Band 7:
    The limit line is derived from 55 + 10log(P)dB below the transmitter power P(Watts)
12. EIRP (dBm) = S.G. Power – Tx Cable Loss + Tx Antenna Gain
13. ERP (dBm) = EIRP - 2.15

5 List of Measuring Equipment

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S	FSV40	101078	9kHz~40GHz	May 05, 2015	Aug. 28, 2015~ Sep. 03, 2015	May 04, 2016	Conducted (TH01-SZ)
Thermal Chamber	Ten Billion	LP-150U	H2014081803	-40~+150°C	Aug. 07, 2015	Aug. 28, 2015~ Sep. 03, 2015	Aug. 06, 2016	Conducted (TH01-SZ)
EMI Test Receiver&SA	Agilent Technologies	N9038A	MY52260185	20Hz~26.5GHz	May 26, 2015	Sep. 06, 2015~ Sep. 16, 2015	May 25, 2016	Radiation (03CH01-SZ)
Spectrum Analyzer	R&S	FSV40	101041	10kHz~40GHz;Max 30dBm	Oct. 15, 2014	Sep. 06, 2015~ Sep. 16, 2015	Oct. 14, 2015	Radiation (03CH01-SZ)
Bilog Antenna	TeseQ	CBL6112D	23188	30MHz~2GHz	Nov. 07, 2014	Sep. 06, 2015~ Sep. 16, 2015	Nov. 06, 2015	Radiation (03CH01-SZ)
Double Ridge Horn Antenna	ETS-Lindgren	3117	00119436	1GHz~18GHz	Oct. 15, 2014	Sep. 06, 2015~ Sep. 16, 2015	Oct. 14, 2015	Radiation (03CH01-SZ)
SHF-EHF Horn	com-power	AH-840	101071	18GHz~40GHz	Aug.19, 2015	Sep. 06, 2015~ Sep. 16, 2015	Aug. 18, 2016	Radiation (03CH01-SZ)
Amplifier	ADVANTEST	BB525C	E9007003	9kHz~3000MHz / 30 dB	Jan. 28, 2015	Sep. 06, 2015~ Sep. 16, 2015	Jan. 27, 2016	Radiation (03CH01-SZ)
Amplifier	Yiai	AV3860B	04030	2GHz~26.5GHz	May 05, 2015	Sep. 06, 2015~ Sep. 16, 2015	May 04, 2016	Radiation (03CH01-SZ)
Amplifier	Agilent Technologies	83017A	MY39501302	500MHz~26.5GHz	Jan. 28, 2015	Sep. 06, 2015~ Sep. 16, 2015	Jan. 27, 2016	Radiation (03CH01-SZ)
AC Power Source	Chroma	61601	616010001985	N/A	NCR	Sep. 06, 2015~ Sep. 16, 2015	NCR	Radiation (03CH01-SZ)
Turn Table	EM	EM1000	N/A	0~360 degree	NCR	Sep. 06, 2015~ Sep. 16, 2015	NCR	Radiation (03CH01-SZ)
Antenna Mast	EM	EM1000	N/A	1 m~4 m	NCR	Sep. 06, 2015~ Sep. 16, 2015	NCR	Radiation (03CH01-SZ)

6 Uncertainty of Evaluation

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	**3.9 dB**

Appendix A. Test Results of Conducted Test

Conducted Output Power(Average power)

LTE Band 2 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	22.56	22.27	22.39
20	1	49		22.34	21.67	22.11
20	1	99		22.01	21.70	22.37
20	50	0		21.55	20.98	21.31
20	50	24		21.44	20.77	21.20
20	50	50		21.29	20.74	21.30
20	100	0		21.41	20.83	21.20
20	1	0	16-QAM	21.88	21.34	21.07
20	1	49		21.68	20.90	21.34
20	1	99		21.38	20.94	21.65
20	50	0		20.55	19.96	20.03
20	50	24		20.44	19.77	20.18
20	50	50		20.30	19.70	20.34
20	100	0		20.40	19.81	20.18
15	1	0	QPSK	22.55	21.99	21.99
15	1	37		22.44	22.23	22.23
15	1	74		22.25	22.25	22.38
15	36	0		21.59	21.14	21.14
15	36	20		21.53	21.29	21.29
15	36	39		21.45	21.51	21.51
15	75	0		21.51	21.25	21.25
15	1	0	16-QAM	21.88	21.26	21.26
15	1	37		21.73	21.46	21.46
15	1	74		21.54	21.78	21.78
15	36	0		20.58	20.14	20.14
15	36	20		20.52	20.28	20.28
15	36	39		20.45	20.40	20.40
15	75	0		20.51	20.28	20.28

LTE Band 2 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	22.04	21.85	22.08
10	1	25		21.68	21.56	22.24
10	1	49		21.68	21.57	22.34
10	25	0		20.93	20.80	21.24
10	25	12		20.79	20.64	21.30
10	25	25		20.73	20.54	21.39
10	50	0		20.83	20.69	21.31
10	1	0	16-QAM	21.33	21.06	21.31
10	1	25		20.98	20.85	21.48
10	1	49		20.92	20.82	21.59
10	25	0		19.91	19.85	20.23
10	25	12		19.78	19.78	20.30
10	25	25		19.71	20.07	20.38
10	50	0		19.82	20.11	20.33
5	1	0	QPSK	22.46	21.74	22.22
5	1	12		22.43	21.63	22.30
5	1	24		22.32	21.55	22.31
5	12	0		21.52	20.78	21.37
5	12	7		21.51	20.72	21.39
5	12	13		21.49	20.68	21.42
5	25	0		21.46	20.68	21.36
5	1	0	16-QAM	21.71	21.00	21.54
5	1	12		21.68	20.92	21.57
5	1	24		21.58	20.82	21.59
5	12	0		20.52	19.76	20.38
5	12	7		20.52	19.70	20.39
5	12	13		20.48	19.67	20.44
5	25	0		20.45	19.66	20.36

LTE Band 2 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
3	1	0	QPSK	22.39	21.63	22.24
3	1	8		22.42	21.62	22.32
3	1	14		22.32	21.53	22.30
3	8	0		21.50	20.73	21.39
3	8	4		21.49	20.71	21.42
3	8	7		21.47	20.67	21.41
3	15	0		21.48	20.68	21.41
3	1	0	16-QAM	21.63	20.84	21.50
3	1	8		21.65	20.83	21.59
3	1	14		21.57	20.79	21.54
3	8	0		20.56	19.77	20.46
3	8	4		20.57	19.74	20.48
3	8	7		20.55	19.72	20.47
3	15	0		20.51	19.67	20.42
1.4	1	0	QPSK	22.41	22.24	22.33
1.4	1	3		22.49	22.24	22.36
1.4	1	5		22.38	22.23	22.38
1.4	3	0		22.50	22.25	22.37
1.4	3	1		22.43	22.23	22.34
1.4	3	3		22.44	22.22	22.35
1.4	6	0		21.50	21.50	21.50
1.4	1	0	16-QAM	21.74	21.74	21.74
1.4	1	3		21.82	21.82	21.82
1.4	1	5		21.73	21.73	21.73
1.4	3	0		21.50	21.50	21.50
1.4	3	1		21.45	21.45	21.45
1.4	3	3		21.42	21.42	21.42
1.4	6	0		20.57	20.57	20.57

Peak-to-Average Ratio

Mode	LTE Band 2 / 20MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	4.35	5.13	5.22	6.00	PASS
Middle CH	4.20	5.04	5.30	5.74	
Highest CH	4.23	5.01	5.36	5.86	

LTE Band 2 / 20MHz / QPSK

Lowest Channel / 1RB



Lowest Channel / Full RB



Middle Channel / 1RB



Middle Channel / Full RB



Highest Channel / 1RB



Highest Channel / Full RB



LTE Band 2 / 20MHz / 16QAM

Lowest Channel / 1RB



Lowest Channel / Full RB



Middle Channel / 1RB



Middle Channel / Full RB



Highest Channel / 1RB



Highest Channel / Full RB



26dB Bandwidth

Mode	LTE Band 2 : 26dB BW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Lowest CH	1.26	1.28	3.03	3.03	5.10	5.05	10.07	10.03	14.78	14.69	20.34	20.54
Middle CH	1.26	1.28	3.03	3.03	5.11	5.07	10.03	10.03	14.78	14.75	20.42	20.46
Highest CH	1.26	1.28	3.02	3.04	5.10	5.07	10.07	9.97	14.75	14.75	20.62	20.22

LTE Band 2

Lowest Channel / 1.4MHz / QPSK



Lowest Channel / 1.4MHz / 16QAM



Middle Channel / 1.4MHz / QPSK



Middle Channel / 1.4MHz / 16QAM



Highest Channel / 1.4MHz / QPSK



Highest Channel / 1.4MHz / 16QAM



LTE Band 2

Lowest Channel / 3MHz / QPSK



Lowest Channel / 3MHz / 16QAM



Middle Channel / 3MHz / QPSK



Middle Channel /3MHz / 16QAM



Highest Channel /3MHz / QPSK



Highest Channel /3MHz / 16QAM



LTE Band 2

Lowest Channel / 5MHz / QPSK



Lowest Channel / 5MHz / 16QAM



Middle Channel / 5MHz / QPSK



Middle Channel / 5MHz / 16QAM



Highest Channel / 5MHz / QPSK



Highest Channel / 5MHz / 16QAM



LTE Band 2

Lowest Channel / 10MHz / QPSK



Lowest Channel / 10MHz / 16QAM



Middle Channel / 10MHz / QPSK



Middle Channel / 10MHz / 16QAM



Highest Channel / 10MHz / QPSK



Highest Channel / 10MHz / 16QAM



LTE Band 2

Lowest Channel / 15MHz / QPSK



Lowest Channel / 15MHz / 16QAM



Middle Channel / 15MHz / QPSK



Middle Channel / 15MHz / 16QAM



Highest Channel / 15MHz / QPSK



Highest Channel / 15MHz / 16QAM



LTE Band 2

Lowest Channel / 20MHz / QPSK



Lowest Channel / 20MHz / 16QAM



Middle Channel / 20MHz / QPSK



Middle Channel / 20MHz / 16QAM



Highest Channel / 20MHz / QPSK



Highest Channel / 20MHz / 16QAM



Occupied Bandwidth

Mode	LTE Band 2 : 99%OBW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Lowest CH	1.09	1.10	2.72	2.72	4.51	4.50	9.07	9.03	13.46	13.49	18.42	18.50
Middle CH	1.09	1.10	2.72	2.72	4.51	4.51	9.09	8.99	13.49	13.52	18.38	18.42
Highest CH	1.09	1.10	2.72	2.72	4.51	4.51	9.05	9.03	13.49	13.46	18.46	18.38

LTE Band 2

Lowest Channel / 1.4MHz / QPSK



Lowest Channel / 1.4MHz / 16QAM



Middle Channel / 1.4MHz / QPSK



Middle Channel / 1.4MHz / 16QAM



Highest Channel / 1.4MHz / QPSK



Highest Channel / 1.4MHz / 16QAM



LTE Band 2

Lowest Channel / 3MHz / QPSK



Lowest Channel / 3MHz / 16QAM



Middle Channel / 3MHz / QPSK



Middle Channel / 3MHz / 16QAM



Highest Channel / 3MHz / QPSK



Highest Channel / 3MHz / 16QAM



LTE Band 2

Lowest Channel / 5MHz / QPSK



Lowest Channel / 5MHz / 16QAM



Middle Channel / 5MHz / QPSK



Middle Channel / 5MHz / 16QAM



Highest Channel / 5MHz / QPSK



Highest Channel / 5MHz / 16QAM



LTE Band 2

Lowest Channel / 10MHz / QPSK



Lowest Channel / 10MHz / 16QAM



Middle Channel / 10MHz / QPSK



Middle Channel / 10MHz / 16QAM



Highest Channel / 10MHz / QPSK



Highest Channel / 10MHz / 16QAM



LTE Band 2

Lowest Channel / 15MHz / QPSK



Lowest Channel / 15MHz / 16QAM



Middle Channel / 15MHz / QPSK



Middle Channel / 15MHz / 16QAM



Highest Channel / 15MHz / QPSK



Highest Channel / 15MHz / 16QAM



LTE Band 2

Lowest Channel / 20MHz / QPSK



Lowest Channel / 20MHz / 16QAM



Middle Channel / 20MHz / QPSK



Middle Channel / 20MHz / 16QAM



Highest Channel / 20MHz / QPSK



Highest Channel / 20MHz / 16QAM



Conducted Band Edge

LTE Band 2 / 1.4MHz / QPSK

Lowest Band Edge / 1RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.840 GHz	1.849 GHz	1.000 MHz	1.84885 GHz	-36.54 dBm	-23.54 dB
1.849 GHz	1.850 GHz	20.000 kHz	1.85000 GHz	-27.27 dBm	-14.27 dB
1.850 GHz	1.852 GHz	100.000 kHz	1.85024 GHz	20.79 dBm	-9.21 dB

Date: 28.AUG.2015 23:01:26

Highest Band Edge / 1RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.908 GHz	1.910 GHz	100.000 kHz	1.90976 GHz	20.85 dBm	-9.15 dB
1.910 GHz	1.911 GHz	20.000 kHz	1.91000 GHz	-23.97 dBm	-10.97 dB
1.911 GHz	1.920 GHz	1.000 MHz	1.91153 GHz	-34.41 dBm	-21.41 dB

Date: 28.AUG.2015 23:03:21

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.840 GHz	1.849 GHz	1.000 MHz	1.84882 GHz	-20.72 dBm	-7.72 dB
1.849 GHz	1.850 GHz	20.000 kHz	1.85000 GHz	-30.44 dBm	-17.44 dB
1.850 GHz	1.852 GHz	100.000 kHz	1.85093 GHz	12.70 dBm	-17.30 dB

Date: 28.AUG.2015 20:59:46

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.908 GHz	1.910 GHz	100.000 kHz	1.90954 GHz	12.98 dBm	-17.02 dB
1.910 GHz	1.911 GHz	20.000 kHz	1.91007 GHz	-28.63 dBm	-15.63 dB
1.911 GHz	1.920 GHz	1.000 MHz	1.91105 GHz	-20.68 dBm	-7.68 dB

Date: 28.AUG.2015 21:10:56

LTE Band 2 / 1.4MHz / 16QAM

Lowest Band Edge / 1 RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.840 GHz	1.849 GHz	1.000 MHz	1.84889 GHz	-37.20 dBm	-24.20 dB
1.849 GHz	1.850 GHz	20.000 kHz	1.84999 GHz	-26.46 dBm	-13.46 dB
1.850 GHz	1.852 GHz	100.000 kHz	1.85025 GHz	19.75 dBm	-10.25 dB

Date: 28.AUG.2015 20:58:34

Highest Band Edge / 1 RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.908 GHz	1.910 GHz	100.000 kHz	1.90973 GHz	19.82 dBm	-10.18 dB
1.910 GHz	1.911 GHz	20.000 kHz	1.91000 GHz	-24.83 dBm	-11.83 dB
1.911 GHz	1.920 GHz	1.000 MHz	1.91167 GHz	-33.77 dBm	-20.77 dB

Date: 28.AUG.2015 21:09:45

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.840 GHz	1.849 GHz	1.000 MHz	1.84900 GHz	-26.60 dBm	-13.60 dB
1.849 GHz	1.850 GHz	20.000 kHz	1.84999 GHz	-31.79 dBm	-18.79 dB
1.850 GHz	1.852 GHz	100.000 kHz	1.85110 GHz	11.96 dBm	-18.04 dB

Date: 28.AUG.2015 21:00:58

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.908 GHz	1.910 GHz	100.000 kHz	1.90948 GHz	11.97 dBm	-18.03 dB
1.910 GHz	1.911 GHz	20.000 kHz	1.91000 GHz	-30.08 dBm	-17.08 dB
1.911 GHz	1.920 GHz	1.000 MHz	1.91101 GHz	-23.54 dBm	-10.54 dB

Date: 28.AUG.2015 21:12:07

LTE Band 2 / 3MHz / QPSK

Lowest Band Edge / 1RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.840 GHz	1.849 GHz	1.000 MHz	1.84508 GHz	-37.73 dBm	-24.73 dB
1.849 GHz	1.850 GHz	30.000 kHz	1.85000 GHz	-18.49 dBm	-5.49 dB
1.850 GHz	1.853 GHz	100.000 kHz	1.85025 GHz	20.77 dBm	-9.23 dB

Date: 28.AUG.2015 21:16:30

Highest Band Edge / 1 RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.907 GHz	1.910 GHz	100.000 kHz	1.90976 GHz	20.90 dBm	-9.10 dB
1.910 GHz	1.911 GHz	30.000 kHz	1.91000 GHz	-17.35 dBm	-4.35 dB
1.911 GHz	1.920 GHz	1.000 MHz	1.91498 GHz	-36.90 dBm	-23.90 dB

Date: 28.AUG.2015 21:27:38

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.840 GHz	1.849 GHz	1.000 MHz	1.84896 GHz	-22.48 dBm	-9.48 dB
1.849 GHz	1.850 GHz	30.000 kHz	1.85000 GHz	-30.84 dBm	-17.84 dB
1.850 GHz	1.853 GHz	100.000 kHz	1.85035 GHz	8.95 dBm	-21.05 dB

Date: 28.AUG.2015 21:18:51

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.907 GHz	1.910 GHz	100.000 kHz	1.90965 GHz	8.82 dBm	-21.18 dB
1.910 GHz	1.911 GHz	30.000 kHz	1.91000 GHz	-29.25 dBm	-16.25 dB
1.911 GHz	1.920 GHz	1.000 MHz	1.91104 GHz	-18.44 dBm	-5.44 dB

Date: 28.AUG.2015 21:30:00

LTE Band 2 / 3MHz / 16QAM

Lowest Band Edge / 1 RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.840 GHz	1.849 GHz	1.000 MHz	1.84547 GHz	-37.49 dBm	-24.49 dB
1.849 GHz	1.850 GHz	30.000 kHz	1.85000 GHz	-18.80 dBm	-5.80 dB
1.850 GHz	1.853 GHz	100.000 kHz	1.85025 GHz	19.56 dBm	-10.44 dB

Date: 28.AUG.2015 21:17:40

Highest Band Edge /1 RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.907 GHz	1.910 GHz	100.000 kHz	1.90976 GHz	19.88 dBm	-10.12 dB
1.910 GHz	1.911 GHz	30.000 kHz	1.91001 GHz	-18.34 dBm	-5.34 dB
1.911 GHz	1.920 GHz	1.000 MHz	1.91452 GHz	-35.58 dBm	-22.58 dB

Date: 28.AUG.2015 21:28:49

Lowest Band Edge / Full RB

Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.840 GHz	1.849 GHz	1.000 MHz	1.84885 GHz	-23.56 dBm	-10.56 dB
1.849 GHz	1.850 GHz	30.000 kHz	1.85000 GHz	-31.81 dBm	-18.81 dB
1.850 GHz	1.853 GHz	100.000 kHz	1.85079 GHz	7.96 dBm	-22.04 dB

Date: 28.AUG.2015 21:20:02

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.907 GHz	1.910 GHz	100.000 kHz	1.90749 GHz	8.11 dBm	-21.89 dB
1.910 GHz	1.911 GHz	30.000 kHz	1.91000 GHz	-30.10 dBm	-17.10 dB
1.911 GHz	1.920 GHz	1.000 MHz	1.91100 GHz	-19.76 dBm	-6.76 dB

Date: 28.AUG.2015 21:31:10

LTE Band 2 / 5MHz / QPSK

Lowest Band Edge / 1 RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.840 GHz	1.849 GHz	1.000 MHz	1.84206 GHz	-38.80 dBm	-25.80 dB
1.849 GHz	1.850 GHz	50.000 kHz	1.85000 GHz	-16.83 dBm	-3.83 dB
1.850 GHz	1.855 GHz	100.000 kHz	1.85036 GHz	20.44 dBm	-9.56 dB

Date: 28.AUG.2015 21:35:33

Highest Band Edge / 1 RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.905 GHz	1.910 GHz	100.000 kHz	1.90970 GHz	20.71 dBm	-9.29 dB
1.910 GHz	1.911 GHz	50.000 kHz	1.91000 GHz	-16.24 dBm	-3.24 dB
1.911 GHz	1.920 GHz	1.000 MHz	1.91167 GHz	-35.96 dBm	-22.96 dB

Date: 28.AUG.2015 21:46:41

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.840 GHz	1.849 GHz	1.000 MHz	1.84863 GHz	-24.34 dBm	-11.34 dB
1.849 GHz	1.850 GHz	50.000 kHz	1.85000 GHz	-28.96 dBm	-15.96 dB
1.850 GHz	1.855 GHz	100.000 kHz	1.85462 GHz	7.06 dBm	-22.94 dB

Date: 28.AUG.2015 21:37:54

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.905 GHz	1.910 GHz	100.000 kHz	1.90782 GHz	6.84 dBm	-23.16 dB
1.910 GHz	1.911 GHz	50.000 kHz	1.91001 GHz	-27.68 dBm	-14.68 dB
1.911 GHz	1.920 GHz	1.000 MHz	1.91135 GHz	-19.45 dBm	-6.45 dB

Date: 28.AUG.2015 21:49:02

LTE Band 2 / 5MHz / 16QAM

Lowest Band Edge / 1RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.840 GHz	1.849 GHz	1.000 MHz	1.84895 GHz	-38.60 dBm	-25.60 dB
1.849 GHz	1.850 GHz	50.000 kHz	1.85000 GHz	-16.51 dBm	-3.51 dB
1.850 GHz	1.855 GHz	100.000 kHz	1.85034 GHz	19.68 dBm	-10.32 dB

Date: 28.AUG.2015 21:36:44

Highest Band Edge / 1 RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.905 GHz	1.910 GHz	100.000 kHz	1.90965 GHz	19.86 dBm	-10.14 dB
1.910 GHz	1.911 GHz	50.000 kHz	1.91001 GHz	-16.88 dBm	-3.88 dB
1.911 GHz	1.920 GHz	1.000 MHz	1.91140 GHz	-37.65 dBm	-24.65 dB

Date: 28.AUG.2015 21:47:51

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.840 GHz	1.849 GHz	1.000 MHz	1.84877 GHz	-26.14 dBm	-13.14 dB
1.849 GHz	1.850 GHz	50.000 kHz	1.85000 GHz	-29.89 dBm	-16.89 dB
1.850 GHz	1.855 GHz	100.000 kHz	1.85061 GHz	5.65 dBm	-24.35 dB

Date: 28.AUG.2015 21:39:05

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.905 GHz	1.910 GHz	100.000 kHz	1.90963 GHz	6.48 dBm	-23.52 dB
1.910 GHz	1.911 GHz	50.000 kHz	1.91000 GHz	-29.52 dBm	-16.52 dB
1.911 GHz	1.920 GHz	1.000 MHz	1.91131 GHz	-22.69 dBm	-9.69 dB

Date: 28.AUG.2015 21:50:13

LTE Band 2 / 10MHz / QPSK

Lowest Band Edge / 1 RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.840 GHz	1.849 GHz	1.000 MHz	1.84898 GHz	-38.76 dBm	-25.76 dB
1.849 GHz	1.850 GHz	100.000 kHz	1.84999 GHz	-18.72 dBm	-5.72 dB
1.850 GHz	1.860 GHz	100.000 kHz	1.85061 GHz	20.20 dBm	-9.80 dB

Date: 28.AUG.2015 21:54:36

Highest Band Edge / 1 RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.900 GHz	1.910 GHz	100.000 kHz	1.90944 GHz	20.56 dBm	-9.44 dB
1.910 GHz	1.911 GHz	100.000 kHz	1.91000 GHz	-18.10 dBm	-5.10 dB
1.911 GHz	1.920 GHz	1.000 MHz	1.91394 GHz	-37.68 dBm	-24.68 dB

Date: 28.AUG.2015 22:05:43

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.840 GHz	1.849 GHz	1.000 MHz	1.84859 GHz	-27.71 dBm	-14.71 dB
1.849 GHz	1.850 GHz	100.000 kHz	1.85000 GHz	-33.43 dBm	-20.43 dB
1.850 GHz	1.860 GHz	100.000 kHz	1.85245 GHz	3.68 dBm	-26.32 dB

Date: 28.AUG.2015 21:56:57

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.900 GHz	1.910 GHz	100.000 kHz	1.90335 GHz	4.10 dBm	-25.90 dB
1.910 GHz	1.911 GHz	100.000 kHz	1.91000 GHz	-30.81 dBm	-17.81 dB
1.911 GHz	1.920 GHz	1.000 MHz	1.91146 GHz	-23.34 dBm	-10.34 dB

Date: 28.AUG.2015 22:08:04

LTE Band 2 / 10MHz / 16QAM

Lowest Band Edge / 1 RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.840 GHz	1.849 GHz	1.000 MHz	1.84886 GHz	-37.67 dBm	-24.67 dB
1.849 GHz	1.850 GHz	100.000 kHz	1.84998 GHz	-19.32 dBm	-6.32 dB
1.850 GHz	1.860 GHz	100.000 kHz	1.85058 GHz	19.42 dBm	-10.58 dB

Date: 28.AUG.2015 21:55:46

Highest Band Edge / 1 RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.900 GHz	1.910 GHz	100.000 kHz	1.90939 GHz	19.74 dBm	-10.26 dB
1.910 GHz	1.911 GHz	100.000 kHz	1.91000 GHz	-18.74 dBm	-5.74 dB
1.911 GHz	1.920 GHz	1.000 MHz	1.91108 GHz	-37.48 dBm	-24.48 dB

Date: 28.AUG.2015 22:06:54

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.840 GHz	1.849 GHz	1.000 MHz	1.84883 GHz	-28.79 dBm	-15.79 dB
1.849 GHz	1.850 GHz	100.000 kHz	1.84999 GHz	-34.46 dBm	-21.46 dB
1.850 GHz	1.860 GHz	100.000 kHz	1.85212 GHz	2.83 dBm	-27.17 dB

Date: 28.AUG.2015 21:58:08

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.900 GHz	1.910 GHz	100.000 kHz	1.90191 GHz	3.03 dBm	-26.97 dB
1.910 GHz	1.911 GHz	100.000 kHz	1.91000 GHz	-31.73 dBm	-18.73 dB
1.911 GHz	1.920 GHz	1.000 MHz	1.91110 GHz	-25.02 dBm	-12.02 dB

Date: 28.AUG.2015 22:09:16

LTE Band 2 / 15MHz / QPSK

Lowest Band Edge / 1 RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.840 GHz	1.849 GHz	1.000 MHz	1.84837 GHz	-32.59 dBm	-19.59 dB
1.849 GHz	1.850 GHz	150.000 kHz	1.84999 GHz	-18.78 dBm	-5.78 dB
1.850 GHz	1.865 GHz	100.000 kHz	1.85086 GHz	20.45 dBm	-9.55 dB

Date: 28.AUG.2015 22:13:39

Highest Band Edge / 1 RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.895 GHz	1.910 GHz	100.000 kHz	1.90915 GHz	20.55 dBm	-9.45 dB
1.910 GHz	1.911 GHz	150.000 kHz	1.91001 GHz	-19.57 dBm	-6.57 dB
1.911 GHz	1.920 GHz	1.000 MHz	1.91101 GHz	-36.37 dBm	-23.37 dB

Date: 28.AUG.2015 22:24:47

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.840 GHz	1.849 GHz	1.000 MHz	1.84893 GHz	-29.37 dBm	-16.37 dB
1.849 GHz	1.850 GHz	150.000 kHz	1.84995 GHz	-33.98 dBm	-20.98 dB
1.850 GHz	1.865 GHz	100.000 kHz	1.86104 GHz	2.08 dBm	-27.92 dB

Date: 28.AUG.2015 22:16:00

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.895 GHz	1.910 GHz	100.000 kHz	1.89986 GHz	2.35 dBm	-27.65 dB
1.910 GHz	1.911 GHz	150.000 kHz	1.91002 GHz	-31.24 dBm	-18.24 dB
1.911 GHz	1.920 GHz	1.000 MHz	1.91110 GHz	-24.85 dBm	-11.85 dB

Date: 28.AUG.2015 22:27:08

LTE Band 2 / 15MHz / 16QAM

Lowest Band Edge / 1 RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.840 GHz	1.849 GHz	1.000 MHz	1.84899 GHz	-37.27 dBm	-24.27 dB
1.849 GHz	1.850 GHz	150.000 kHz	1.84999 GHz	-19.98 dBm	-6.98 dB
1.850 GHz	1.865 GHz	100.000 kHz	1.85083 GHz	19.53 dBm	-10.47 dB

Date: 28.AUG.2015 22:14:50

Highest Band Edge / 1 RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.895 GHz	1.910 GHz	100.000 kHz	1.90915 GHz	20.16 dBm	-9.84 dB
1.910 GHz	1.911 GHz	150.000 kHz	1.91001 GHz	-20.00 dBm	-7.00 dB
1.911 GHz	1.920 GHz	1.000 MHz	1.91103 GHz	-35.31 dBm	-22.31 dB

Date: 28.AUG.2015 22:25:58

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.840 GHz	1.849 GHz	1.000 MHz	1.84881 GHz	-30.28 dBm	-17.28 dB
1.849 GHz	1.850 GHz	150.000 kHz	1.84998 GHz	-34.13 dBm	-21.13 dB
1.850 GHz	1.865 GHz	100.000 kHz	1.85363 GHz	1.08 dBm	-28.92 dB

Date: 28.AUG.2015 22:17:11

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.895 GHz	1.910 GHz	100.000 kHz	1.89910 GHz	1.27 dBm	-28.73 dB
1.910 GHz	1.911 GHz	150.000 kHz	1.91001 GHz	-32.86 dBm	-19.86 dB
1.911 GHz	1.920 GHz	1.000 MHz	1.91100 GHz	-26.56 dBm	-13.56 dB

Date: 28.AUG.2015 22:28:19

LTE Band 2 / 20MHz / QPSK

Lowest Band Edge / 1 RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.840 GHz	1.849 GHz	1.000 MHz	1.84892 GHz	-36.22 dBm	-23.22 dB
1.849 GHz	1.850 GHz	200.000 kHz	1.84998 GHz	-21.83 dBm	-8.83 dB
1.850 GHz	1.870 GHz	100.000 kHz	1.85111 GHz	20.14 dBm	-9.86 dB

Date: 28.AUG.2015 22:32:43

Highest Band Edge / 1 RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.890 GHz	1.910 GHz	100.000 kHz	1.90891 GHz	20.50 dBm	-9.50 dB
1.910 GHz	1.911 GHz	200.000 kHz	1.91002 GHz	-21.62 dBm	-8.62 dB
1.911 GHz	1.920 GHz	1.000 MHz	1.91106 GHz	-35.27 dBm	-22.27 dB

Date: 28.AUG.2015 22:43:51

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.840 GHz	1.849 GHz	1.000 MHz	1.84868 GHz	-30.75 dBm	-17.75 dB
1.849 GHz	1.850 GHz	200.000 kHz	1.84999 GHz	-35.48 dBm	-22.48 dB
1.850 GHz	1.870 GHz	100.000 kHz	1.86755 GHz	1.37 dBm	-28.63 dB

Date: 28.AUG.2015 22:35:05

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.890 GHz	1.910 GHz	100.000 kHz	1.89237 GHz	0.77 dBm	-29.23 dB
1.910 GHz	1.911 GHz	200.000 kHz	1.91005 GHz	-32.82 dBm	-19.82 dB
1.911 GHz	1.920 GHz	1.000 MHz	1.91104 GHz	-27.02 dBm	-14.02 dB

Date: 28.AUG.2015 22:46:12

LTE Band 2 / 20MHz / 16QAM

Lowest Band Edge / 1 RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.840 GHz	1.849 GHz	1.000 MHz	1.84899 GHz	-35.38 dBm	-22.38 dB
1.849 GHz	1.850 GHz	200.000 kHz	1.84998 GHz	-22.67 dBm	-9.67 dB
1.850 GHz	1.870 GHz	100.000 kHz	1.85109 GHz	19.61 dBm	-10.39 dB

Date: 28.AUG.2015 22:33:53

Highest Band Edge / 1 RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.890 GHz	1.910 GHz	100.000 kHz	1.90889 GHz	19.43 dBm	-10.57 dB
1.910 GHz	1.911 GHz	200.000 kHz	1.91002 GHz	-21.54 dBm	-8.54 dB
1.911 GHz	1.920 GHz	1.000 MHz	1.91100 GHz	-35.17 dBm	-22.17 dB

Date: 28.AUG.2015 22:45:01

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.840 GHz	1.849 GHz	1.000 MHz	1.84899 GHz	-31.65 dBm	-18.65 dB
1.849 GHz	1.850 GHz	200.000 kHz	1.84999 GHz	-36.62 dBm	-23.62 dB
1.850 GHz	1.870 GHz	100.000 kHz	1.86861 GHz	-0.12 dBm	-30.12 dB

Date: 28.AUG.2015 22:36:15

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.890 GHz	1.910 GHz	100.000 kHz	1.89131 GHz	-0.07 dBm	-30.07 dB
1.910 GHz	1.911 GHz	200.000 kHz	1.91000 GHz	-33.46 dBm	-20.46 dB
1.911 GHz	1.920 GHz	1.000 MHz	1.91122 GHz	-27.83 dBm	-14.83 dB

Date: 28.AUG.2015 22:47:22

Conducted Spurious Emission

LTE Band 2 / 1.4MHz

Lowest Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	890.68716 MHz	-44.73 dBm	-31.73 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.82846 GHz	-44.68 dBm	-31.68 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.86594 GHz	-42.94 dBm	-29.94 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.97992 GHz	-38.62 dBm	-25.62 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.59355 GHz	-38.14 dBm	-25.14 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.27434 GHz	-33.67 dBm	-20.67 dB

Date: 28.AUG.2015 21:02:10

Lowest Channel / 16QAM



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	891.65667 MHz	-44.84 dBm	-31.84 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.83475 GHz	-44.71 dBm	-31.71 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.86307 GHz	-43.00 dBm	-30.00 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.97692 GHz	-38.63 dBm	-25.63 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.58955 GHz	-38.10 dBm	-25.10 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.27684 GHz	-33.64 dBm	-20.64 dB

Date: 28.AUG.2015 21:03:23

Middle Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	841.24188 MHz	-45.48 dBm	-32.48 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.81754 GHz	-44.72 dBm	-31.72 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.98291 GHz	-43.18 dBm	-30.18 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.99092 GHz	-38.67 dBm	-25.67 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.58155 GHz	-37.98 dBm	-24.98 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.28384 GHz	-33.61 dBm	-20.61 dB

Date: 28.AUG.2015 21:05:23

Middle Channel / 16QAM



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	988.60820 MHz	-45.28 dBm	-32.28 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.80789 GHz	-44.66 dBm	-31.66 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.99946 GHz	-43.11 dBm	-30.11 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.98142 GHz	-38.52 dBm	-25.52 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.61555 GHz	-38.14 dBm	-25.14 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.27884 GHz	-33.84 dBm	-20.84 dB

Date: 28.AUG.2015 21:06:36

LTE Band 2 / 1.4MHz

Highest Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	893.11094 MHz	-45.53 dBm	-32.53 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.82426 GHz	-44.67 dBm	-31.67 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.96959 GHz	-42.95 dBm	-29.95 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.97242 GHz	-38.68 dBm	-25.68 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.57455 GHz	-38.07 dBm	-25.07 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.28234 GHz	-33.69 dBm	-20.69 dB

Date: 28.AUG.2015 21:13:19

Highest Channel / 16QAM



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	777.25387 MHz	-45.65 dBm	-32.65 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.80915 GHz	-44.82 dBm	-31.82 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.84903 GHz	-43.10 dBm	-30.10 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.99692 GHz	-38.49 dBm	-25.49 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.59405 GHz	-38.22 dBm	-25.22 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.28584 GHz	-33.67 dBm	-20.67 dB

Date: 28.AUG.2015 21:14:32

LTE Band 2 / 3MHz

Lowest Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	959.52274 MHz	-45.59 dBm	-32.59 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.82636 GHz	-44.70 dBm	-31.70 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.87638 GHz	-42.88 dBm	-29.88 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.99942 GHz	-38.44 dBm	-25.44 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.57955 GHz	-38.17 dBm	-25.17 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.28284 GHz	-33.70 dBm	-20.70 dB

Date: 28.AUG.2015 21:21:15

Lowest Channel / 16QAM



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	876.62919 MHz	-45.69 dBm	-32.69 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.81880 GHz	-44.64 dBm	-31.64 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.82600 GHz	-43.09 dBm	-30.09 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.98792 GHz	-38.60 dBm	-25.60 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.57955 GHz	-38.14 dBm	-25.14 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.27734 GHz	-33.43 dBm	-20.43 dB

Date: 28.AUG.2015 21:22:28

LTE Band 2 / 3MHz

Middle Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	788.88806 MHz	-45.48 dBm	-32.48 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.79949 GHz	-44.93 dBm	-31.93 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.86451 GHz	-43.09 dBm	-30.09 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.99742 GHz	-38.43 dBm	-25.43 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.59505 GHz	-38.12 dBm	-25.12 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.28684 GHz	-33.71 dBm	-20.71 dB

Date: 28.AUG.2015 21:24:27

Middle Channel / 16QAM



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	843.66567 MHz	-45.60 dBm	-32.60 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.78690 GHz	-45.00 dBm	-32.00 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.83571 GHz	-43.06 dBm	-30.06 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.99242 GHz	-38.72 dBm	-25.72 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.58305 GHz	-37.95 dBm	-24.95 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.27034 GHz	-33.63 dBm	-20.63 dB

Date: 28.AUG.2015 21:25:40

Highest Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	918.80310 MHz	-45.42 dBm	-32.42 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.82300 GHz	-44.68 dBm	-31.68 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.85191 GHz	-42.87 dBm	-29.87 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.98392 GHz	-38.58 dBm	-25.58 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.58905 GHz	-38.16 dBm	-25.16 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.27434 GHz	-33.58 dBm	-20.58 dB

Date: 28.AUG.2015 21:32:23

Highest Channel / 16QAM



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	888.74813 MHz	-45.41 dBm	-32.41 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.80285 GHz	-44.72 dBm	-31.72 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.86127 GHz	-43.03 dBm	-30.03 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.97242 GHz	-38.67 dBm	-25.67 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.61105 GHz	-38.17 dBm	-25.17 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.28684 GHz	-33.52 dBm	-20.52 dB

Date: 28.AUG.2015 21:33:36

LTE Band 2 / 5MHz

Lowest Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	998.78811 MHz	-45.36 dBm	-32.36 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.81544 GHz	-44.70 dBm	-31.70 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.81412 GHz	-43.13 dBm	-30.13 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.99342 GHz	-38.65 dBm	-25.65 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.59555 GHz	-38.14 dBm	-25.14 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.28084 GHz	-33.55 dBm	-20.55 dB

Date: 28.AUG.2015 21:40:18

Lowest Channel / 16QAM



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	934.31534 MHz	-45.51 dBm	-32.51 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.82594 GHz	-44.62 dBm	-31.62 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.83931 GHz	-43.01 dBm	-30.01 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.99042 GHz	-38.58 dBm	-25.58 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.58855 GHz	-38.07 dBm	-25.07 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.28184 GHz	-33.52 dBm	-20.52 dB

Date: 28.AUG.2015 21:41:31

Middle Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	851.90655 MHz	-45.39 dBm	-32.39 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.83811 GHz	-44.83 dBm	-31.83 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.82816 GHz	-43.08 dBm	-30.08 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.99742 GHz	-38.57 dBm	-25.57 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.57255 GHz	-38.06 dBm	-25.06 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.29234 GHz	-33.62 dBm	-20.62 dB

Date: 28.AUG.2015 21:43:31

Middle Channel / 16QAM



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	914.92504 MHz	-45.42 dBm	-32.42 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.82342 GHz	-44.80 dBm	-31.80 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.85299 GHz	-43.04 dBm	-30.04 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.98442 GHz	-38.67 dBm	-25.67 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.56955 GHz	-38.17 dBm	-25.17 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.27584 GHz	-33.64 dBm	-20.64 dB

Date: 28.AUG.2015 21:44:43

LTE Band 2 / 5MHz

Highest Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	875.17491 MHz	-45.55 dBm	-32.55 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.83853 GHz	-44.79 dBm	-31.79 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.86091 GHz	-42.94 dBm	-29.94 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.97242 GHz	-38.69 dBm	-25.69 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.61055 GHz	-38.05 dBm	-25.05 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.27434 GHz	-33.76 dBm	-20.76 dB

Date: 28.AUG.2015 21:51:26

Highest Channel / 16QAM



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	997.81859 MHz	-45.36 dBm	-32.36 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.82468 GHz	-44.71 dBm	-31.71 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.85623 GHz	-43.16 dBm	-30.16 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.97992 GHz	-38.58 dBm	-25.58 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.59355 GHz	-38.23 dBm	-25.23 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.28834 GHz	-33.57 dBm	-20.57 dB

Date: 28.AUG.2015 21:52:39

LTE Band 2 / 10MHz

Lowest Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	888.74813 MHz	-45.46 dBm	-32.46 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.83307 GHz	-44.80 dBm	-31.80 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.87818 GHz	-43.13 dBm	-30.13 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.98392 GHz	-38.56 dBm	-25.56 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.57705 GHz	-38.08 dBm	-25.08 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.28384 GHz	-33.60 dBm	-20.60 dB

Date: 28.AUG.2015 21:59:20

Lowest Channel / 16QAM



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	919.77261 MHz	-45.31 dBm	-32.31 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.83307 GHz	-44.29 dBm	-31.29 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.85371 GHz	-43.02 dBm	-30.02 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.98592 GHz	-38.57 dBm	-25.57 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.58905 GHz	-38.13 dBm	-25.13 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.92229 GHz	-33.63 dBm	-20.63 dB

Date: 28.AUG.2015 22:00:33

LTE Band 2 / 10MHz

Middle Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	997.33383 MHz	-45.41 dBm	-32.41 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.80957 GHz	-44.42 dBm	-31.42 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.94080 GHz	-42.98 dBm	-29.98 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.98892 GHz	-38.63 dBm	-25.63 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.58105 GHz	-38.15 dBm	-25.15 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.27934 GHz	-33.66 dBm	-20.66 dB

Date: 28.AUG.2015 22:02:33

Middle Channel / 16QAM



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	864.51024 MHz	-45.33 dBm	-32.33 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.83391 GHz	-44.67 dBm	-31.67 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.85659 GHz	-43.11 dBm	-30.11 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.98292 GHz	-38.59 dBm	-25.59 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.61805 GHz	-38.06 dBm	-25.06 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.27784 GHz	-33.52 dBm	-20.52 dB

Date: 28.AUG.2015 22:03:45

Highest Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	862.08646 MHz	-45.35 dBm	-32.35 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.80243 GHz	-44.57 dBm	-31.57 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.88466 GHz	-43.13 dBm	-30.13 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.98642 GHz	-38.70 dBm	-25.70 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.57605 GHz	-38.19 dBm	-25.19 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.29234 GHz	-33.66 dBm	-20.66 dB

Date: 28.AUG.2015 22:58:27

Highest Channel / 16QAM



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	891.17191 MHz	-45.56 dBm	-32.56 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.83769 GHz	-44.81 dBm	-31.81 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.82312 GHz	-43.12 dBm	-30.12 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.99542 GHz	-38.60 dBm	-25.60 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.59005 GHz	-38.24 dBm	-25.24 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.27934 GHz	-33.65 dBm	-20.65 dB

Date: 28.AUG.2015 22:11:41

LTE Band 2 / 15MHz

Lowest Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	905.22989 MHz	-45.35 dBm	-32.35 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.83769 GHz	-43.63 dBm	-30.63 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.95627 GHz	-43.13 dBm	-30.13 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.99242 GHz	-38.76 dBm	-25.76 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.59205 GHz	-38.16 dBm	-25.16 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.92529 GHz	-33.60 dBm	-20.60 dB

Date: 28.AUG.2015 22:18:25

Lowest Channel / 16QAM



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	998.30335 MHz	-45.50 dBm	-32.50 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.83811 GHz	-43.88 dBm	-30.88 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.99694 GHz	-43.03 dBm	-30.03 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.99942 GHz	-38.51 dBm	-25.51 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.58305 GHz	-38.32 dBm	-25.32 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.93229 GHz	-33.49 dBm	-20.49 dB

Date: 28.AUG.2015 22:19:37

Middle Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	915.40980 MHz	-45.55 dBm	-32.55 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.80747 GHz	-44.97 dBm	-31.97 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.86055 GHz	-43.13 dBm	-30.13 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.97792 GHz	-38.52 dBm	-25.52 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.57855 GHz	-38.21 dBm	-25.21 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.27184 GHz	-33.58 dBm	-20.58 dB

Date: 28.AUG.2015 22:21:37

Middle Channel / 16QAM



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	769.01299 MHz	-45.42 dBm	-32.42 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.80999 GHz	-44.62 dBm	-31.62 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.86019 GHz	-43.09 dBm	-30.09 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.99442 GHz	-38.58 dBm	-25.58 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.58155 GHz	-38.22 dBm	-25.22 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.28034 GHz	-33.54 dBm	-20.54 dB

Date: 28.AUG.2015 22:22:50

LTE Band 2 / 15MHz

Highest Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	960.00750 MHz	-45.55 dBm	-32.55 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.81208 GHz	-44.73 dBm	-31.73 dB
1.920 GHz	3.000 GHz	1.000 MHz	1.92270 GHz	-41.64 dBm	-28.64 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.98942 GHz	-38.40 dBm	-25.40 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.58655 GHz	-38.09 dBm	-25.09 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.27084 GHz	-33.86 dBm	-20.86 dB

Date: 28.AUG.2015 22:29:32

Highest Channel / 16QAM



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	903.29085 MHz	-45.32 dBm	-32.32 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.82720 GHz	-44.82 dBm	-31.82 dB
1.920 GHz	3.000 GHz	1.000 MHz	1.92270 GHz	-41.08 dBm	-28.08 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.99942 GHz	-38.66 dBm	-25.66 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.58455 GHz	-38.16 dBm	-25.16 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.29884 GHz	-33.46 dBm	-20.46 dB

Date: 28.AUG.2015 22:30:45

LTE Band 2 / 20MHz

Lowest Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	906.19940 MHz	-45.31 dBm	-32.31 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.83349 GHz	-44.62 dBm	-31.62 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.88070 GHz	-43.05 dBm	-30.05 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.97842 GHz	-38.67 dBm	-25.67 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.61155 GHz	-38.04 dBm	-25.04 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.93379 GHz	-33.45 dBm	-20.45 dB

Date: 28.AUG.2015 22:37:28

Lowest Channel / 16QAM



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	985.69965 MHz	-45.49 dBm	-32.49 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.83349 GHz	-44.56 dBm	-31.56 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.81880 GHz	-43.23 dBm	-30.23 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.99792 GHz	-38.67 dBm	-25.67 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.59755 GHz	-38.08 dBm	-25.08 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.27784 GHz	-33.56 dBm	-20.56 dB

Date: 28.AUG.2015 22:38:40

LTE Band 2 / 20MHz

Middle Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	993.94053 MHz	-45.29 dBm	-32.29 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.83601 GHz	-43.53 dBm	-30.53 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.83607 GHz	-43.21 dBm	-30.21 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.99892 GHz	-38.66 dBm	-25.66 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.57805 GHz	-38.14 dBm	-25.14 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.92729 GHz	-33.70 dBm	-20.70 dB

Date: 28.AUG.2015 22:40:40

Middle Channel / 16QAM



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	838.81809 MHz	-45.47 dBm	-32.47 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.83559 GHz	-43.96 dBm	-30.96 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.99442 GHz	-43.13 dBm	-30.13 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.99342 GHz	-38.52 dBm	-25.52 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.59155 GHz	-38.15 dBm	-25.15 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.28834 GHz	-33.47 dBm	-20.47 dB

Date: 28.AUG.2015 22:41:53

Highest Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	848.02849 MHz	-45.46 dBm	-32.46 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.82006 GHz	-44.90 dBm	-31.90 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.86163 GHz	-43.04 dBm	-30.04 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.98942 GHz	-38.69 dBm	-25.69 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.59805 GHz	-38.19 dBm	-25.19 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.27834 GHz	-33.69 dBm	-20.69 dB

Date: 28.AUG.2015 22:48:36

Highest Channel / 16QAM



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	1.000 GHz	1.000 MHz	850.93703 MHz	-45.12 dBm	-32.12 dB
1.000 GHz	1.840 GHz	1.000 MHz	1.80327 GHz	-44.69 dBm	-31.69 dB
1.920 GHz	3.000 GHz	1.000 MHz	2.82780 GHz	-43.14 dBm	-30.14 dB
3.000 GHz	9.000 GHz	1.000 MHz	6.98342 GHz	-38.65 dBm	-25.65 dB
9.000 GHz	13.000 GHz	1.000 MHz	10.57855 GHz	-38.13 dBm	-25.13 dB
13.000 GHz	19.500 GHz	1.000 MHz	18.28484 GHz	-33.66 dBm	-20.66 dB

Date: 28.AUG.2015 22:49:48

Frequency Stability

Test Conditions		LTE Band 2 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0225	PASS
40	Normal Voltage	0.0197	
30	Normal Voltage	0.0183	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0028	
0	Normal Voltage	0.0014	
-10	Normal Voltage	0.0000	
-20	Normal Voltage	0.0042	
-30	Normal Voltage	0.0042	
20	Maximum Voltage	0.0014	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0014	

Note:

1. Normal Voltage = 3.8V. ；Battery End Point (BEP) = 3.5V.；Maximum Voltage =4.35 V
2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.

LTE Band 4

Conducted Output Power(Average power)

LTE Band 4 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	22.63	22.95	23.15
20	1	49		22.68	23.13	23.17
20	1	99		22.96	23.22	23.24
20	50	0		21.71	22.18	22.37
20	50	24		21.76	22.26	22.32
20	50	50		21.91	22.30	22.39
20	100	0		21.79	22.22	22.28
20	1	0	16-QAM	21.85	22.10	22.36
20	1	49		21.89	22.19	22.42
20	1	99		21.94	22.32	22.26
20	50	0		20.70	21.09	21.30
20	50	24		20.72	21.15	21.28
20	50	50		20.85	21.19	21.24
20	100	0		20.75	21.14	21.22
15	1	0	QPSK	22.58	23.01	23.20
15	1	37		22.65	23.16	23.19
15	1	74		22.75	23.19	23.02
15	36	0		21.69	22.12	22.35
15	36	20		21.71	22.19	22.31
15	36	39		21.76	22.25	22.24
15	75	0		21.74	22.20	22.30
15	1	0	16-QAM	21.84	22.14	22.43
15	1	37		21.91	22.20	22.44
15	1	74		21.92	22.32	22.26
15	36	0		20.67	21.04	21.28
15	36	20		20.69	21.10	21.27
15	36	39		20.74	21.16	21.21
15	75	0		20.71	21.10	21.25

LTE Band 4 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	22.55	23.03	23.18
10	1	25		22.59	23.10	23.17
10	1	49		22.58	23.16	22.98
10	25	0		21.62	22.14	22.27
10	25	12		21.65	22.18	22.24
10	25	25		21.68	22.22	22.17
10	50	0		21.66	22.24	22.26
10	1	0	16-QAM	21.79	22.10	22.44
10	1	25		21.84	22.14	22.38
10	1	49		21.82	22.20	22.19
10	25	0		20.60	21.05	21.23
10	25	12		20.63	21.10	21.20
10	25	25		20.67	21.12	21.14
10	50	0		20.63	21.14	21.23
5	1	0	QPSK	22.47	23.04	23.19
5	1	12		22.52	23.13	23.11
5	1	24		22.47	23.07	22.93
5	12	0		21.59	22.14	22.26
5	12	7		21.59	22.17	22.19
5	12	13		21.60	22.18	22.16
5	25	0		21.58	22.17	22.18
5	1	0	16-QAM	21.75	22.14	22.38
5	1	12		21.82	22.19	22.33
5	1	24		21.72	22.14	22.18
5	12	0		20.58	21.08	21.23
5	12	7		20.58	21.09	21.18
5	12	13		20.58	21.10	21.13
5	25	0		20.54	21.08	21.14

LTE Band 4 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
3	1	0	QPSK	22.43	22.99	23.04
3	1	8		22.47	23.07	23.03
3	1	14		22.40	23.02	22.93
3	8	0		21.53	22.17	22.16
3	8	4		21.54	22.17	22.12
3	8	7		21.55	22.16	22.08
3	15	0		21.55	22.17	22.11
3	1	0	16-QAM	21.57	22.02	22.22
3	1	8		21.65	22.07	22.23
3	1	14		21.59	22.05	22.13
3	8	0		20.58	21.14	21.19
3	8	4		20.58	21.13	21.16
3	8	7		20.61	21.11	21.13
3	15	0		20.57	21.11	21.11
1.4	1	0	QPSK	22.41	23.03	22.99
1.4	1	3		22.51	23.12	23.09
1.4	1	5		22.41	23.06	22.97
1.4	3	0		22.50	23.15	23.08
1.4	3	1		22.46	23.14	23.04
1.4	3	3		22.48	23.13	23.05
1.4	6	0		21.52	22.15	22.08
1.4	1	0	16-QAM	21.69	22.12	22.23
1.4	1	3		21.80	22.23	22.35
1.4	1	5		21.68	22.16	22.23
1.4	3	0		21.50	22.04	22.09
1.4	3	1		21.47	22.03	22.04
1.4	3	3		21.46	22.01	22.03
1.4	6	0		20.56	21.12	21.14

Peak-to-Average Ratio

Mode	LTE Band 4 / 20MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	4.72	4.72	5.80	5.54	PASS
Middle CH	3.62	4.32	4.67	5.25	
Highest CH	3.54	4.70	4.70	5.71	

LTE Band 4 / 20MHz / QPSK

Lowest Channel / 1RB



Lowest Channel / Full RB



Middle Channel / 1RB



Middle Channel / Full RB



Highest Channel / 1RB



Highest Channel / Full RB



LTE Band 4 / 20MHz / 16QAM

Lowest Channel / 1RB



Lowest Channel / Full RB



Middle Channel / 1RB



Middle Channel / Full RB

Highest Channel / 1RB



Highest Channel / Full RB