

FCC RF Test Report


APPLICANT : CT Asia
EQUIPMENT : Mobile phone
BRAND NAME : BLU
MODEL NAME : Studio Mini LTE
FCC ID : YHLBLUSTMINILTE
STANDARD : 47 CFR Part 2, 27L, 27M, 27H
CLASSIFICATION : PCS Licensed Transmitter Held to Ear (PCE)

The product was received on Aug. 26, 2014 and testing was completed on Nov. 19, 2014. We, SPORTON INTERNATIONAL (SHENZHEN) INC., would like to declare that the tested sample has been evaluated in accordance with the test procedures given in ANSI / TIA / EIA-603-C-2004 and the testing has shown the tested sample to be in compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of SPORTON INTERNATIONAL (SHENZHEN) INC., the test report shall not be reproduced except in full.



Reviewed by: Joseph Lin / Supervisor



Approved by: Jones Tsai / Manager



SPORTON INTERNATIONAL (SHENZHEN) INC.

1F & 2F, Building A, Morning Business Center, No. 4003 ShiGu Rd., Xili Town, Nanshan District,
Shenzhen, Guangdong, P. R. China



TABLE OF CONTENTS

REVISION HISTORY.....	3
SUMMARY OF TEST RESULT	4
1 GENERAL DESCRIPTION	6
1.1 Applicant.....	6
1.2 Manufacturer.....	6
1.3 Product Feature of Equipment Under Test.....	6
1.4 Product Specification subjective to this standard	7
1.5 Modification of EUT	8
1.6 Maximum ERP/EIRP Power, Frequency Tolerance, and Emission Designator	8
1.7 Testing Location	9
1.8 Applicable Standards.....	9
2 TEST CONFIGURATION OF EQUIPMENT UNDER TEST	10
2.1 Test Mode.....	10
2.2 Connection Diagram of Test System.....	12
2.3 Support Unit used in test configuration and system	13
2.4 Measurement Results Explanation Example.....	13
3 TEST RESULT.....	14
3.1 Conducted Output Power Measurement	14
3.2 Peak-to-Average Ratio	21
3.3 Effective Radiated Power and Equivalent Isotropic Radiated Power Measurement.....	41
3.4 99% Occupied Bandwidth and 26dB Bandwidth Measurement.....	47
3.5 Conducted Band Edge Measurement	73
3.6 Conducted Spurious Emission Measurement	123
3.7 Radiated Spurious Emission Measurement	161
3.8 Frequency Stability Measurement.....	176
4 LIST OF MEASURING EQUIPMENT	180
5 UNCERTAINTY OF EVALUATION	181
APPENDIX A. SETUP PHOTOGRAPHS	



REVISION HISTORY

REPORT NO.	VERSION	DESCRIPTION	ISSUED DATE
FG482608B	Rev. 01	Initial issue of report	Nov. 25, 2014

SUMMARY OF TEST RESULT

Report Section	FCC Rule	Description	Limit	Result	Remark
3.1	§2.1046	Conducted Output Power	Reporting Only	PASS	-
3.2	N/A	Peak-to-Average Ratio	Reporting Only	PASS	-
3.3	§27.50(c)(10)	Effective Radiated Power (Band 17)	ERP < 3 Watt	PASS	-
	§27.50(h)(2)	Equivalent Isotropic Radiated Power (Band 7)	EIRP < 2Watt		
	§27.50(d)(4)	Equivalent Isotropic Radiated Power (Band 4)	EIRP < 1Watt		
3.4	§2.1049 §27.53(h)(3) §27.53(m)(6)	99% Occupied Bandwidth and 26dB Bandwidth	Reporting Only	PASS	-
3.5	§2.1051 §27.53(g) §27.53(h)	Conducted Band Edge Measurement (Band 4) (Band 17)	< 43+10log10(P[Watt])	PASS	-
	§2.1051 §27.53(m)(4)	Conducted Band Edge Measurement (Band 7)	< 5MHz: -10 dBm 5 MHz~6MHz or 26dB(BW): -13 dBm ≥6MHz or 26dB(BW): -25 dBm		



Report Section	FCC Rule	Description	Limit	Result	Remark
3.6	§2.1051 §27.53(g) §27.53(h)	Conducted Spurious Emission (Band 4) (Band 17)	$< 43+10\log_{10}(P[\text{Watts}])$	PASS	-
	§2.1051 §27.53(m)(4)	Conducted Spurious Emission (Band 7)	$< 55+10\log_{10}(P[\text{Watts}])$	PASS	-
3.7	§2.1053 §27.53(g) §27.53(h)	Radiated Spurious Emission (Band 4) (Band 17)	$< 43+10\log_{10}(P[\text{Watts}])$	PASS	Under limit 17.53 dB at 1411.180 MHz
	§2.1053 §27.53(m)(4)	Radiated Spurious Emission (Band 7)	$< 55+10\log_{10}(P[\text{Watts}])$	PASS	
3.8	§2.1055 §24.235 §27.54	Frequency Stability Temperature & Voltage	within authorized band	PASS	-



1 General Description

1.1 Applicant

CT Asia

Unit 01, 15/F, Seaview Centre, 139-141 Hoi bun road, Kwun Tong, Kowloon, Hongkong

1.2 Manufacturer

BEIJING BENYWAVE TECHNOLOGY CO., LTD.

NO. 55 Jiachang 2 road, OPTO-Mechatronics Industrial Park, Tongzhou district, Beijing 101111

1.3 Product Feature of Equipment Under Test

Product Feature	
Equipment	Mobile phone
Brand Name	BLU
Model Name	Studio Mini LTE
FCC ID	YHLBLUSTMINILTE
EUT supports Radios application	GSM/GPRS/EGPRS/WCDMA/HSPA/LTE/ WLAN2.4GHz 802.11b/g/n HT20/HT40/ Bluetooth v3.0+EDR/Bluetooth v4.0 LE
HW Version	TBW5989_P2_001
SW Version	BLU_X100Q_V04_GENERIC
EUT Stage	Production Unit

Remark: The above EUT's information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.

1.4 Product Specification subjective to this standard

Product Specification subjective to this standard	
Tx Frequency	LTE Band 4 : 1710.7 MHz ~ 1754.3 MHz LTE Band 7 : 2502.5 MHz ~ 2567.5 MHz LTE Band 17 : 706.5 MHz ~ 713.5 MHz
Rx Frequency	LTE Band 4 : 2110.7 MHz ~ 2154.3 MHz LTE Band 7 : 2622.5MHz ~ 2687.5 MHz LTE Band 17 : 736.5 MHz ~ 743.5 MHz
Bandwidth	LTE Band 4 : 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 7 : 5MHz/ 10MHz / 15MHz / 20MHz LTE Band 17 : 5MHz / 10MHz
Maximum Output Power to Antenna	LTE Band 4 : 22.26 dBm LTE Band 7 : 21.45 dBm LTE Band 17 : 22.85 dBm
Antenna Type	IFA Antenna
Type of Modulation	QPSK / 16QAM

1.5 Modification of EUT

No modifications are made to the EUT during all test items.

1.6 Maximum ERP/EIRP Power, Frequency Tolerance, and Emission Designator

FCC Rule	System	Type of Modulation	BW	Emission Designator	Frequency Tolerance (ppm)	Maximum ERP/EIRP
Part 27L	LTE Band 4	QPSK	1.4 MHz	1M10G7D	-	0.5445 W
Part 27L	LTE Band 4	16QAM	1.4 MHz	1M10W7D	-	0.3908 W
Part 27L	LTE Band 4	QPSK	3 MHz	2M73G7D	-	-
Part 27L	LTE Band 4	16QAM	3 MHz	2M73W7D	-	-
Part 27L	LTE Band 4	QPSK	5MHz	4M50G7D	-	-
Part 27L	LTE Band 4	16QAM	5MHz	4M50W7D	-	-
Part 27L	LTE Band 4	QPSK	10MHz	9M09G7D	0.0139 ppm	-
Part 27L	LTE Band 4	16QAM	10MHz	8M99W7D	-	-
Part 27L	LTE Band 4	QPSK	15MHz	13M5G7D	-	-
Part 27L	LTE Band 4	16QAM	15MHz	13M5W7D	-	-
Part 27L	LTE Band 4	QPSK	20MHz	18M4G7D	-	0.5260 W
Part 27L	LTE Band 4	16QAM	20MHz	18M4W7D	-	0.4236 W
Part 27M	LTE Band 7	QPSK	5MHz	4M50G7D	-	0.5070 W
Part 27M	LTE Band 7	16QAM	5MHz	4M50W7D	-	0.3890 W
Part 27M	LTE Band 7	QPSK	10MHz	9M09G7D	0.1112 ppm	-
Part 27M	LTE Band 7	16QAM	10MHz	9M01W7D	-	-
Part 27M	LTE Band 7	QPSK	15MHz	13M5G7D	-	-
Part 27M	LTE Band 7	16QAM	15MHz	13M5W7D	-	-
Part 27M	LTE Band 7	QPSK	20MHz	18M3G7D	-	0.5012 W
Part 27M	LTE Band 7	16QAM	20MHz	18M3W7D	-	0.3715 W
Part 27H	LTE Band 17	QPSK	5MHz	4M51G7D	-	0.0575 W
Part 27H	LTE Band 17	16QAM	5MHz	4M50W7D	-	0.0472 W
Part 27H	LTE Band 17	QPSK	10MHz	9M07G7D	0.0211 ppm	0.0501 W
Part 27H	LTE Band 17	16QAM	10MHz	9M01W7D	-	0.0462 W

1.7 Testing Location

Test Site	SPORTON INTERNATIONAL (SHENZHEN) INC.	
Test Site Location	1F & 2F, Building A, Morning Business Center, No. 4003 ShiGu Rd., Xili Town, Nanshan District, Shenzhen, Guangdong, P. R. China TEL: +86-755-8637-9589 FAX: +86-755-8637-9595	
Test Site No.	Sporton Site No.	
	TH01-SZ	OTA02-SZ

Test Site	SPORTON INTERNATIONAL (SHENZHEN) INC.	
Test Site Location	No. 3 Building, the third floor of south, Shahe River west, Fengzeyuan warehouse, Nanshan District, Shenzhen, Guangdong, P. R. China TEL: +86-755- 3320-2398	
Test Site No.	Sporton Site No.	FCC Registration No.
	03CH01-SZ	831040

1.8 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ 47 CFR Part 2, 27L, 27M, 27H
- ♦ ANSI / TIA / EIA-603-C-2004
- ♦ FCC KDB 971168 D01 Power Meas. License Digital Systems v02r02

Remark:

1. All test items were verified and recorded according to the standards and without any deviation during the test.
2. This EUT has also been tested and complied with the requirements of FCC Part 15, Subpart B, recorded in a separate test report.



2 Test Configuration of Equipment Under Test

2.1 Test Mode

Antenna port conducted and radiated test items listed below are performed according to KDB 971168 D01 Power Meas. License Digital Systems v02r02 with maximum output power.

Radiated measurements are performed by rotating the EUT in three different orthogonal test planes to find the maximum emission.


Test Items	Band	Bandwidth (MHz)						Modulation		RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	1	Half	Full	L	M	H
Max. Output Power	4	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	7	-	-	v	v	v	v	v	v	v	v	v	v	v	v
	17	-	-	v	v	-	-	v	v	v	v	v	v	v	v
Peak-to-Average Ratio	4						v	v	v	v		v	v	v	v
	7	-	-				v	v	v	v		v	v	v	v
	17	-	-		v	-	-	v	v	v		v	v	v	v
26dB and 99% Bandwidth	4	v	v	v	v	v	v	v	v			v		v	
	7	-	-	v	v	v	v	v	v			v		v	
	17	-	-	v	v	-	-	v	v			v		v	
Conducted Band Edge	4	v	v	v	v	v	v	v	v	v		v	v		v
	7	-	-	v	v	v	v	v	v	v		v	v		v
	17	-	-	v	v	-	-	v	v	v		v	v		v




Test Items	Band	Bandwidth (MHz)						Modulation		RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	1	Half	Full	L	M	H
Conducted Spurious Emission	4	v	v	v	v	v	v	v	v	v	v		v	v	v
	7	-	-	v	v	v	v	v	v	v			v	v	v
	17	-	-	v	v	-	-	v	v	v			v	v	v
Frequency Stability	4				v			v				v		v	
	7	-	-		v			v				v		v	
	17	-	-		v	-	-	v				v		v	
E.R.P./ E.I.R.P.	4	v					v	v	v	v	v		v	v	v
	7	-	-	v			v	v	v	v			v	v	v
	17	-	-	v	v	-	-	v	v	v			v	v	v
Radiated Spurious Emission	4	v	v	v	v	v	v	v		v				v	
	7	-	-	v	v	v	v	v		v				v	
	17	-	-	v	v	-	-	v		v				v	
Note	1. The mark "v" means that this configuration is chosen for testing. 2. The mark "-" means that this bandwidth is not supported. 3. For E.R.P./E.I.R.P. measurement, the widest bandwidth of each band is chosen for testing due to highest conducted power. Besides, the lowest bandwidth of each band is also measured for reporting only. 4. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst case emissions are reported.														

2.2 Connection Diagram of Test System

<27L/27H Tx Mode>



<27M Tx Mode>



2.3 Support Unit used in test configuration and system

Item	Equipment	Trade Name	Model No.	FCC ID	Data Cable	Power Cord
1.	LTE Base Station	Anritsu	MT8820C	N/A	N/A	Unshielded, 1.8 m
2.	DC Power Supply	TOPWORD	3303DR	N/A	N/A	Unshielded, 1.8 m

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuator factor between EUT conducted output port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly the EUT RF output level.

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Offset = RF cable loss + attenuator factor.

Following shows an offset computation example with cable loss 7.5 dB and 10dB attenuator.

Example:

$$\begin{aligned}\text{Offset (dB)} &= \text{RF cable loss (dB)} + \text{attenuator factor(dB)} \\ &= 7.5 + 10 = 17.5 \text{ (dB)}\end{aligned}$$

3 Test Result

3.1 Conducted Output Power Measurement

3.1.1 Description of the Conducted Output Power Measurement

A system simulator was used to establish communication with the EUT. Its parameters were set to force the EUT transmitting at maximum output power. The measured power in the radio frequency on the transmitter output terminals shall be reported.


3.1.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.1.3 Test Procedures

1. The transmitter output port was connected to the system simulator.
2. Set EUT at maximum power through the system simulator.
3. Select lowest, middle, and highest channels for each band and different modulation.
4. Measure and record the power level from the system simulator.

3.1.4 Test Setup





3.1.5 Test Result of Conducted Output Power

<LTE Band 4 Conducted Power>

BW [MHz]	Modulation	RB Size	RB Offset	Power (dBm) Low Ch. / Freq.	Power (dBm) Middle Ch. / Freq.	Power (dBm) High Ch. / Freq.
Channel				20050	20175	20300
Frequency (MHz)				1720	1732.5	1745
20	QPSK	1	0	22.15	22.18	22.17
20	QPSK	1	49	22.20	22.22	22.26
20	QPSK	1	99	22.08	22.15	22.14
20	QPSK	50	0	21.10	21.15	21.29
20	QPSK	50	24	21.07	21.13	21.20
20	QPSK	50	49	21.02	21.09	21.17
20	QPSK	100	0	21.11	21.09	21.20
20	16QAM	1	0	21.18	21.39	21.42
20	16QAM	1	49	21.16	21.22	21.32
20	16QAM	1	99	21.13	21.33	21.20
20	16QAM	50	0	20.07	20.09	20.15
20	16QAM	50	24	20.05	20.13	20.15
20	16QAM	50	49	19.95	20.09	20.13
20	16QAM	100	0	20.08	20.11	20.17
Channel				20025	20175	20325
Frequency (MHz)				1717.5	1732.5	1747.5
15	QPSK	1	0	22.13	22.13	22.12
15	QPSK	1	37	22.03	22.08	22.10
15	QPSK	1	74	21.98	22.10	22.14
15	QPSK	36	0	21.07	21.10	21.15
15	QPSK	36	18	21.04	21.13	21.18
15	QPSK	36	37	20.94	21.16	21.04
15	QPSK	75	0	21.13	21.13	21.20
15	16QAM	1	0	20.98	21.07	21.26
15	16QAM	1	37	20.88	20.88	21.14
15	16QAM	1	74	20.75	21.01	20.96
15	16QAM	36	0	19.96	20.03	20.04
15	16QAM	36	18	19.95	19.99	20.14
15	16QAM	36	37	19.86	19.99	20.04
15	16QAM	75	0	20.10	20.14	20.15



BW [MHz]	Modulation	RB Size	RB Offset	Power (dBm) Low Ch. / Freq.	Power (dBm) Middle Ch. / Freq.	Power (dBm) High Ch. / Freq.
Channel				20000	20175	20350
Frequency (MHz)				1715	1732.5	1750
10	QPSK	1	0	22.10	22.08	22.18
10	QPSK	1	24	22.08	22.05	22.15
10	QPSK	1	49	22.04	22.02	22.08
10	QPSK	25	0	20.97	21.05	21.14
10	QPSK	25	12	21.00	21.06	21.13
10	QPSK	25	24	20.98	21.09	21.12
10	QPSK	50	0	21.03	21.10	21.25
10	16QAM	1	0	21.27	21.26	21.30
10	16QAM	1	24	21.21	21.30	21.38
10	16QAM	1	49	21.21	21.27	21.27
10	16QAM	25	0	20.14	20.19	20.20
10	16QAM	25	12	20.09	20.10	20.19
10	16QAM	25	24	20.04	20.12	20.05
10	16QAM	50	0	20.01	20.13	20.18
Channel				19975	20175	20375
Frequency (MHz)				1712.5	1732.5	1752.5
5	QPSK	1	0	22.07	22.02	22.10
5	QPSK	1	12	21.98	22.05	21.91
5	QPSK	1	24	22.00	22.00	22.05
5	QPSK	12	0	21.05	21.13	21.03
5	QPSK	12	6	20.98	21.08	21.08
5	QPSK	12	11	20.95	21.12	21.02
5	QPSK	25	0	21.03	21.09	21.07
5	16QAM	1	0	21.25	20.85	20.98
5	16QAM	1	12	21.17	20.87	20.89
5	16QAM	1	24	20.75	20.80	20.76
5	16QAM	12	0	20.14	20.13	20.08
5	16QAM	12	6	20.03	20.11	20.05
5	16QAM	12	11	20.11	20.15	20.00
5	16QAM	25	0	20.04	20.03	20.03



BW [MHz]	Modulation	RB Size	RB Offset	Power (dBm) Low Ch. / Freq.	Power (dBm) Middle Ch. / Freq.	Power (dBm) High Ch. / Freq.
Channel				19965	20175	20385
Frequency (MHz)				1711.5	1732.5	1753.5
3	QPSK	1	0	22.02	22.04	22.03
3	QPSK	1	7	21.92	22.07	22.05
3	QPSK	1	14	22.00	22.08	22.03
3	QPSK	8	0	21.07	21.12	21.11
3	QPSK	8	4	21.09	21.04	21.02
3	QPSK	8	7	20.92	21.10	21.07
3	QPSK	15	0	21.08	21.10	21.09
3	16QAM	1	0	20.63	20.59	20.68
3	16QAM	1	7	20.64	20.64	20.61
3	16QAM	1	14	20.71	20.74	20.78
3	16QAM	8	0	20.02	19.99	20.07
3	16QAM	8	4	20.05	20.03	19.99
3	16QAM	8	7	19.99	20.09	20.08
3	16QAM	15	0	19.98	19.91	20.05
Channel				19957	20175	20393
Frequency (MHz)				1710.7	1732.5	1754.3
1.4	QPSK	1	0	22.03	22.10	22.09
1.4	QPSK	1	2	22.04	22.10	22.06
1.4	QPSK	1	5	22.09	22.07	22.05
1.4	QPSK	3	0	22.04	22.10	22.05
1.4	QPSK	3	1	22.08	22.11	22.04
1.4	QPSK	3	2	22.05	22.12	22.01
1.4	QPSK	6	0	21.07	21.10	21.04
1.4	16QAM	1	0	20.80	20.95	21.01
1.4	16QAM	1	2	20.67	20.96	20.82
1.4	16QAM	1	5	20.74	20.83	20.78
1.4	16QAM	3	0	21.11	21.09	20.98
1.4	16QAM	3	1	21.06	21.12	21.00
1.4	16QAM	3	2	20.99	21.10	20.96
1.4	16QAM	6	0	19.86	19.89	19.91



<LTE Band 7 Conducted Power>

BW [MHz]	Modulation	RB Size	RB Offset	Power (dBm) Low Ch. / Freq.	Power (dBm) Middle Ch. / Freq.	Power (dBm) High Ch. / Freq.
Channel				20850	21100	21350
Frequency (MHz)				2510	2535	2560
20	QPSK	1	0	21.21	21.14	21.10
20	QPSK	1	49	21.45	21.17	21.18
20	QPSK	1	99	21.32	21.15	21.15
20	QPSK	50	0	20.21	20.18	20.17
20	QPSK	50	24	20.16	20.19	20.11
20	QPSK	50	49	20.27	20.22	20.20
20	QPSK	100	0	20.26	20.20	20.21
20	16QAM	1	0	20.36	19.88	19.56
20	16QAM	1	49	20.44	19.86	19.63
20	16QAM	1	99	20.41	20.04	19.86
20	16QAM	50	0	19.17	19.03	19.15
20	16QAM	50	24	19.16	19.07	19.23
20	16QAM	50	49	19.19	19.11	19.19
20	16QAM	100	0	19.14	19.05	19.10
Channel				20825	21100	21375
Frequency (MHz)				2507.5	2535	2562.5
15	QPSK	1	0	21.17	21.14	21.15
15	QPSK	1	37	21.19	21.15	21.11
15	QPSK	1	74	21.16	21.08	21.16
15	QPSK	36	0	20.15	20.10	20.08
15	QPSK	36	18	20.18	20.11	20.09
15	QPSK	36	37	20.10	20.03	20.17
15	QPSK	75	0	20.21	20.21	20.19
15	16QAM	1	0	20.35	20.07	20.15
15	16QAM	1	37	20.28	20.16	20.21
15	16QAM	1	74	20.26	20.14	20.27
15	16QAM	36	0	19.11	19.11	19.13
15	16QAM	36	18	19.17	19.08	19.05
15	16QAM	36	37	19.12	18.99	19.02
15	16QAM	75	0	19.14	19.11	19.11



BW [MHz]	Modulation	RB Size	RB Offset	Power (dBm) Low Ch. / Freq.	Power (dBm) Middle Ch. / Freq.	Power (dBm) High Ch. / Freq.
Channel				20800	21100	21400
Frequency (MHz)				2505	2535	2565
10	QPSK	1	0	21.10	21.08	21.07
10	QPSK	1	24	21.06	21.07	20.97
10	QPSK	1	49	21.19	21.16	21.12
10	QPSK	25	0	20.90	20.94	20.14
10	QPSK	25	12	20.93	20.92	20.15
10	QPSK	25	24	20.20	20.96	20.15
10	QPSK	50	0	20.18	20.11	20.05
10	16QAM	1	0	20.37	20.28	20.18
10	16QAM	1	24	20.30	20.23	20.22
10	16QAM	1	49	20.39	20.31	20.25
10	16QAM	25	0	19.13	18.96	19.14
10	16QAM	25	12	19.23	19.10	19.08
10	16QAM	25	24	19.22	19.04	19.07
10	16QAM	50	0	19.10	18.98	18.99
Channel				20775	21100	21425
Frequency (MHz)				2502.5	2535	2567.5
5	QPSK	1	0	20.95	20.91	21.03
5	QPSK	1	12	20.95	20.97	21.08
5	QPSK	1	24	20.98	21.02	21.05
5	QPSK	12	0	20.12	20.04	20.06
5	QPSK	12	6	19.96	20.08	20.03
5	QPSK	12	11	20.01	19.96	19.98
5	QPSK	25	0	19.86	19.84	19.96
5	16QAM	1	0	19.84	19.62	19.53
5	16QAM	1	12	19.73	19.59	19.54
5	16QAM	1	24	19.77	19.56	19.76
5	16QAM	12	0	19.06	18.70	18.99
5	16QAM	12	6	18.95	18.53	19.06
5	16QAM	12	11	18.99	18.77	18.77
5	16QAM	25	0	18.98	18.82	19.02



<LTE Band 17 Conducted Power>

BW [MHz]	Modulation	RB Size	RB Offset	Power (dBm) Low Ch. / Freq.	Power (dBm) Middle Ch. / Freq.	Power (dBm) High Ch. / Freq.
Channel				23780	23790	23800
Frequency (MHz)				709	710	711
10	QPSK	1	0	22.72	22.75	22.77
10	QPSK	1	24	22.71	22.69	22.75
10	QPSK	1	49	22.74	22.85	22.80
10	QPSK	25	0	21.86	21.78	21.79
10	QPSK	25	12	21.86	21.86	21.71
10	QPSK	25	24	21.88	21.90	21.87
10	QPSK	50	0	21.82	21.87	21.80
10	16QAM	1	0	21.56	21.55	21.48
10	16QAM	1	24	21.59	21.66	21.96
10	16QAM	1	49	21.80	21.72	21.73
10	16QAM	25	0	20.77	20.82	20.80
10	16QAM	25	12	20.69	20.74	20.81
10	16QAM	25	24	20.73	20.84	20.87
10	16QAM	50	0	20.76	20.78	20.76
Channel				23755	23790	23825
Frequency (MHz)				706.5	710	713.5
5	QPSK	1	0	22.61	22.77	22.73
5	QPSK	1	12	22.73	22.70	22.64
5	QPSK	1	24	22.72	22.83	22.78
5	QPSK	12	0	21.85	21.79	21.79
5	QPSK	12	6	21.83	21.86	21.85
5	QPSK	12	11	21.82	21.69	21.82
5	QPSK	25	0	21.85	21.88	21.92
5	16QAM	1	0	21.32	21.37	21.68
5	16QAM	1	12	21.37	21.41	21.53
5	16QAM	1	24	21.42	21.39	21.63
5	16QAM	12	0	20.87	20.86	20.87
5	16QAM	12	6	20.85	20.84	20.97
5	16QAM	12	11	20.87	21.11	20.96
5	16QAM	25	0	20.85	20.85	21.08

Note: Maximum average power for LTE.

3.2 Peak-to-Average Ratio

3.2.1 Description of the PAR Measurement

Power Complementary Cumulative Distribution Function (CCDF) curves provide a means for characterizing the power peaks of a digitally modulated signal on a statistical basis. A CCDF curve depicts the probability of the peak signal amplitude exceeding the average power level. Most contemporary measurement instrumentation include the capability to produce CCDF curves for an input signal provided that the instrument's resolution bandwidth can be set wide enough to accommodate the entire input signal bandwidth. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.


3.2.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.2.3 Test Procedures

1. The EUT was connected to spectrum and system simulator via a power divider.
2. Set the CCDF (Complementary Cumulative Distribution Function) option in spectrum analyzer.
3. The highest RF powers were measured and recorded the maximum PAPR level associated with a probability of 0.1 %.
4. Record the deviation as Peak to Average Ratio.

3.2.4 Test Setup



3.2.5 Test Result of Peak-to-Average Ratio

LTE Band 4						
BW [MHz]	Modulation	RB Size	RB Offset	Power (dBm) Low Ch. / Freq.	Power (dBm) Middle Ch. / Freq.	Power (dBm) High Ch. / Freq.
Channel				20050	20175	20300
Frequency (MHz)				1720	1732.5	1745
20	QPSK	1	0	4.78	4.17	6.12
20	QPSK	100	0	4.72	5.01	5.04
20	16QAM	1	0	5.62	5.65	7.19
20	16QAM	100	0	5.91	6.14	6.12

LTE Band 7						
BW [MHz]	Modulation	RB Size	RB Offset	Power (dBm) Low Ch. / Freq.	Power (dBm) Middle Ch. / Freq.	Power (dBm) High Ch. / Freq.
Channel				20850	21100	21350
Frequency (MHz)				2510	2535	2560
20	QPSK	1	0	4.81	4.72	4.03
20	QPSK	100	0	3.94	4.49	3.86
20	16QAM	1	0	5.39	5.68	5.13
20	16QAM	100	0	5.42	5.65	5.65


LTE Band 17						
BW [MHz]	Modulation	RB Size	RB Offset	Power (dBm) Low Ch. / Freq.	Power (dBm) Middle Ch. / Freq.	Power (dBm) High Ch. / Freq.
Channel				23780	23790	23800
Frequency (MHz)				709	710	711
10	QPSK	1	0	4.14	4.12	4.12
10	QPSK	50	0	4.78	4.67	4.67
10	16QAM	1	0	5.83	5.77	5.28
10	16QAM	50	0	5.80	5.80	5.74



3.2.6 Peak to Average Power Ratio


Peak-to-Average Ratio on LTE Band 4

20MHz / QPSK in Ch. 20050 (1RB Size)




Peak-to-Average Ratio on LTE Band 4

20MHz / QPSK in Ch. 20175 (1RB Size)






Peak-to-Average Ratio on LTE Band 4
20MHz / QPSK in Ch. 20300 (1RB Size)




Peak-to-Average Ratio on LTE Band 4
20MHz / QPSK in Ch. 20500 (100RB Size)







Peak-to-Average Ratio on LTE Band 4
20MHz / QPSK in Ch. 20175 (100RB Size)




Peak-to-Average Ratio on LTE Band 4
20MHz / QPSK in Ch. 20300 (100RB Size)




Peak-to-Average Ratio on LTE Band 4
20MHz / 16QAM in Ch. 20050 (1RB Size)




Peak-to-Average Ratio on LTE Band 4
20MHz / 16QAM in Ch. 20175 (1RB Size)



Peak-to-Average Ratio on LTE Band 4
20MHz / 16QAM in Ch. 20300 (1RB Size)




Peak-to-Average Ratio on LTE Band 4
20MHz / 16QAM in Ch. 20500 (100RB Size)




Peak-to-Average Ratio on LTE Band 4

20MHz / 16QAM in Ch. 20175 (100RB Size)



Peak-to-Average Ratio on LTE Band 4


20MHz / 16QAM in Ch. 20300 (100RB Size)






Peak-to-Average Ratio on LTE Band 7

20MHz / QPSK in Ch. 20850 (1RB Size)



Peak-to-Average Ratio on LTE Band 7


20MHz / QPSK in Ch. 21100 (1RB Size)






Peak-to-Average Ratio on LTE Band 7

20MHz / QPSK in Ch. 21350 (1RB Size)




Peak-to-Average Ratio on LTE Band 7

20MHz / QPSK in Ch. 20850 (100RB Size)






Peak-to-Average Ratio on LTE Band 7
20MHz / QPSK in Ch. 21100 (100RB Size)




Peak-to-Average Ratio on LTE Band 7
20MHz / QPSK in Ch. 21350 (100RB Size)






Peak-to-Average Ratio on LTE Band 7
20MHz / 16QAM in Ch. 20850 (1RB Size)




Peak-to-Average Ratio on LTE Band 7
20MHz / 16QAM in Ch. 21100 (1RB Size)



Peak-to-Average Ratio on LTE Band 7
20MHz / 16QAM in Ch. 21350 (1RB Size)




Peak-to-Average Ratio on LTE Band 7
20MHz / 16QAM in Ch. 20850 (100RB Size)






Peak-to-Average Ratio on LTE Band 7
20MHz / 16QAM in Ch. 21100 (100RB Size)




Peak-to-Average Ratio on LTE Band 7
20MHz / 16QAM in Ch. 21350 (100RB Size)






Peak-to-Average Ratio on LTE Band 17

10MHz / QPSK in Ch. 23780 (1RB Size)



Peak-to-Average Ratio on LTE Band 17


10MHz / QPSK in Ch. 23790 (1RB Size)






Peak-to-Average Ratio on LTE Band 17

10MHz / QPSK in Ch. 23800 (1RB Size)



Peak-to-Average Ratio on LTE Band 17


10MHz / QPSK in Ch. 23780 (50RB Size)






Peak-to-Average Ratio on LTE Band 17



10MHz / QPSK in Ch. 23790 (50RB Size)





Peak-to-Average Ratio on LTE Band 17


10MHz / QPSK in Ch. 23800 (50RB Size)




Peak-to-Average Ratio on LTE Band 17
10MHz / 16QAM in Ch. 23780 (1RB Size)

Peak-to-Average Ratio on LTE Band 17
10MHz / 16QAM in Ch. 23790 (1RB Size)


Peak-to-Average Ratio on LTE Band 17
10MHz / 16QAM in Ch. 23800 (1RB Size)

Peak-to-Average Ratio on LTE Band 17
10MHz / 16QAM in Ch. 23780 (50RB Size)


Peak-to-Average Ratio on LTE Band 17
10MHz / 16QAM in Ch. 23790 (50RB Size)



Peak-to-Average Ratio on LTE Band 17
10MHz / 16QAM in Ch. 23800 (50RB Size)





3.3 Effective Radiated Power and Equivalent Isotropic Radiated Power Measurement

3.3.1 Description of the ERP/EIRP Measurement

Effective radiated power output measurements by substitution method according to ANSI / TIA / EIA-603-C-2004, and the spectrum analyzer configuration follows KDB 971168 D01 Power Meas. License Digital Systems v02r02. Mobile and portable (hand-held) stations operating are limited to average 3 watts with LTE band 17.

Equivalent isotropic radiated power output measurements by substitution method according to ANSI / TIA / EIA-603-C-2004, and the spectrum analyzer configuration follows KDB 971168 D01 Power Meas. License Digital Systems v02r02. Mobile and portable (hand-held) stations operating are limited to average EIRP of 2 watts with LTE band 7 and 1 watt with LTE band 4.

3.3.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.3.3 Test Procedures

1. The EUT was placed on a turntable with 1.5 meter height in a fully anechoic chamber.
2. The EUT was set at 3 meters from the receiving antenna, which was mounted on the antenna tower.
3. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and a spectrum analyzer which used a channel power option across EUT's signal bandwidth per section 4.0 of KDB 971168 D01.
4. The table was rotated 360 degrees to determine the position of the highest radiated power.
5. The height of the receiving antenna is adjusted to look for the maximum ERP/EIRP.
6. Taking the record of maximum ERP/EIRP.
7. A dipole antenna was substituted in place of the EUT and was driven by a signal generator.
8. The conducted power at the terminal of the dipole antenna is measured.
9. Repeat step 3 to step 5 to get the maximum ERP/EIRP of the substitution antenna.
10. $ERP/EIRP = P_s + E_t - E_s + G_s = P_s + R_t - R_s + G_s$

P_s (dBm) : Input power to substitution antenna.

G_s (dBi or dBd) : Substitution antenna Gain.

$E_t = R_t + AF$


$E_s = R_s + AF$

AF (dB/m) : Receive antenna factor

R_t : The highest received signal in spectrum analyzer for EUT.

R_s : The highest received signal in spectrum analyzer for substitution antenna.

3.3.4 Test Setup



3.3.5 Test Result of ERP/EIRP

LTE Band 4 Radiated Power EIRP								
LTE Band	Channel BW (MHz)	Modulation	RB Configuration		Freq. (MHz)	EIRP (dBm)	EIRP (W)	H/V
			RB Size	RB Offset				
4	1.4	QPSK	1	5	1710.7	26.74	0.4721	H
4	1.4	QPSK	3	2	1732.5	26.82	0.4808	H
4	1.4	QPSK	1	0	1754.3	26.98	0.4989	H
4	1.4	QPSK	1	5	1710.7	27.11	0.5140	V
4	1.4	QPSK	3	2	1732.5	27.32	0.5395	V
4	1.4	QPSK	1	0	1754.3	27.36	0.5445	V
4	1.4	16QAM	3	0	1710.7	25.61	0.3639	H
4	1.4	16QAM	3	1	1732.5	25.62	0.3648	H
4	1.4	16QAM	1	0	1754.3	25.64	0.3664	H
4	1.4	16QAM	3	0	1710.7	25.87	0.3864	V
4	1.4	16QAM	3	1	1732.5	25.92	0.3908	V
4	1.4	16QAM	1	0	1754.3	25.90	0.3890	V
4	20	QPSK	1	49	1720	26.65	0.4624	H
4	20	QPSK	1	49	1732.5	26.70	0.4677	H
4	20	QPSK	1	49	1745	26.81	0.4797	H
4	20	QPSK	1	49	1720	26.94	0.4943	V
4	20	QPSK	1	49	1732.5	27.11	0.5140	V
4	20	QPSK	1	49	1745	27.21	0.5260	V
4	20	16QAM	1	0	1720	25.67	0.3690	H
4	20	16QAM	1	0	1732.5	25.49	0.3540	H
4	20	16QAM	1	0	1745	25.82	0.3819	H
4	20	16QAM	1	0	1720	26.04	0.4018	V
4	20	16QAM	1	0	1732.5	25.89	0.3882	V
4	20	16QAM	1	0	1745	26.27	0.4236	V



LTE Band 7 Radiated Power EIRP								
LTE Band	Channel BW (MHz)	Modulation	RB Configuration		Freq. (MHz)	EIRP (dBm)	EIRP (W)	H/V
			RB Size	RB Offset				
7	5	QPSK	1	24	2502.5	26.95	0.4955	H
7	5	QPSK	1	24	2535	26.50	0.4467	H
7	5	QPSK	1	12	2567.5	26.15	0.4121	H
7	5	QPSK	1	24	2502.5	27.05	0.5070	V
7	5	QPSK	1	24	2535	26.39	0.4355	V
7	5	QPSK	1	12	2567.5	26.22	0.4188	V
7	5	16QAM	1	0	2502.5	25.49	0.3540	H
7	5	16QAM	1	0	2535	25.24	0.3342	H
7	5	16QAM	1	24	2567.5	25.40	0.3467	H
7	5	16QAM	1	0	2502.5	25.90	0.3890	V
7	5	16QAM	1	0	2535	25.28	0.3373	V
7	5	16QAM	1	24	2567.5	25.35	0.3428	V
7	20	QPSK	1	49	2510	26.94	0.4943	H
7	20	QPSK	1	49	2535	26.60	0.4571	H
7	20	QPSK	1	49	2560	26.12	0.4093	H
7	20	QPSK	1	49	2510	27.00	0.5012	V
7	20	QPSK	1	49	2535	26.39	0.4355	V
7	20	QPSK	1	49	2560	25.77	0.3776	V
7	20	16QAM	1	49	2510	25.38	0.3451	H
7	20	16QAM	1	99	2535	25.31	0.3396	H
7	20	16QAM	1	99	2560	25.31	0.3396	H
7	20	16QAM	1	49	2510	25.70	0.3715	V
7	20	16QAM	1	99	2535	25.31	0.3396	V
7	20	16QAM	1	99	2560	25.26	0.3357	V



LTE Band 17 Radiated Power ERP								
LTE Band	Channel BW (MHz)	Modulation	RB Configuration		Freq. (MHz)	ERP (dBm)	ERP (W)	H/V
			RB Size	RB Offset				
17	5	QPSK	1	12	706.5	17.60	0.0575	H
17	5	QPSK	1	24	710	16.89	0.0489	H
17	5	QPSK	1	24	713.5	16.92	0.0492	H
17	5	QPSK	1	12	706.5	2.56	0.0018	V
17	5	QPSK	1	24	710	2.27	0.0017	V
17	5	QPSK	1	24	713.5	0.61	0.0012	V
17	5	16QAM	1	24	706.5	16.61	0.0458	H
17	5	16QAM	1	12	710	16.63	0.0460	H
17	5	16QAM	1	0	713.5	16.74	0.0472	H
17	5	16QAM	1	24	706.5	-0.10	0.0010	V
17	5	16QAM	1	12	710	0.62	0.0012	V
17	5	16QAM	1	0	713.5	0.23	0.0011	V
17	10	QPSK	1	49	709	16.48	0.0445	H
17	10	QPSK	1	49	710	16.41	0.0438	H
17	10	QPSK	1	49	711	17.00	0.0501	H
17	10	QPSK	1	49	709	0.12	0.0010	V
17	10	QPSK	1	49	710	0.08	0.0010	V
17	10	QPSK	1	49	711	0.69	0.0012	V
17	10	16QAM	1	49	709	15.76	0.0377	H
17	10	16QAM	1	49	710	16.05	0.0403	H
17	10	16QAM	1	24	711	16.65	0.0462	H
17	10	16QAM	1	49	709	-0.17	0.0010	V
17	10	16QAM	1	49	710	0.16	0.0010	V
17	10	16QAM	1	24	711	0.71	0.0012	V

3.4 99% Occupied Bandwidth and 26dB Bandwidth Measurement

3.4.1 Description of 99% Occupied Bandwidth and 26dB Bandwidth Measurement

The occupied bandwidth is the width of a frequency band such that, below the lower and above the upper frequency limits, the mean powers emitted are each equal to a specified percentage 0.5% of the total mean transmitted power.

The 26 dB emission bandwidth is defined as the frequency range between two points, one above and one below the carrier frequency, at which the spectral density of the emission is attenuated 26 dB below the maximum in-band spectral density of the modulated signal. Spectral density (power per unit bandwidth) is to be measured with a detector of resolution bandwidth equal to approximately 1.0% of the emission bandwidth.


3.4.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.4.3 Test Procedures

1. The EUT was connected to spectrum analyzer and system simulator via a power divider.
2. The 26dB and 99% occupied bandwidth (BW) of the middle channel for the highest RF power with full RB sizes were measured.

3.4.4 Test Setup



3.4.5 Test Result of 99% Occupied Bandwidth and 26dB Bandwidth

Modes	LTE Band 4			
BW / Mod.	1.4MHz / QPSK	1.4MHz / 16QAM	3MHz / QPSK	3MHz / 16QAM
99% OBW (MHz)	1.097	1.099	2.727	2.727
26dB BW (MHz)	1.290	1.284	3.045	3.045
BW / Mod.	5MHz / QPSK	5MHz / 16QAM	10MHz / QPSK	10MHz / 16QAM
99% OBW (MHz)	4.496	4.496	9.091	8.991
26dB BW (MHz)	5.025	5.035	9.990	10.010
BW / Mod.	15MHz / QPSK	15MHz / 16QAM	20MHz / QPSK	20MHz / 16QAM
99% OBW (MHz)	13.516	13.457	18.382	18.422
26dB BW (MHz)	14.775	14.895	20.539	20.539

Modes	LTE Band 7			
BW / Mod.	5MHz / QPSK	5MHz / 16QAM	10MHz / QPSK	10MHz / 16QAM
99% OBW (MHz)	4.496	4.496	9.091	9.011
26dB BW (MHz)	5.055	5.035	10.030	10.010
BW / Mod.	15MHz / QPSK	15MHz / 16QAM	20MHz / QPSK	20MHz / 16QAM
99% OBW (MHz)	13.487	13.457	18.342	18.342
26dB BW (MHz)	14.655	14.835	20.500	20.380

Modes	LTE Band 17			
BW / Mod.	5MHz / QPSK	5MHz / 16QAM	10MHz / QPSK	10MHz / 16QAM
99% OBW (MHz)	4.505	4.496	9.071	9.011
26dB BW (MHz)	5.005	5.075	9.710	9.990

Note:

The maximum RB configurations of the 99% Occupied Bandwidth and 26dB Bandwidth summary as below:

BW1.4MHz RB setting : RB Size 6, RB offset 0

BW3.0MHz RB setting : RB Size 15, RB offset 0

BW5.0MHz RB setting : RB Size 25, RB offset 0

BW10MHz RB setting : RB Size 50, RB offset 0

BW15MHz RB setting : RB Size 75, RB offset 0


BW20MHz RB setting : RB Size 100, RB offset 0




3.4.6 Test Result (Plots) of Occupied Bandwidth

Band :	LTE Band 4	BW / Mod. :	1.4MHz / QPSK
--------	------------	-------------	---------------

99% Occupied Bandwidth Plot on Channel 20175




26dB Bandwidth Plot on Channel 20175






Band :	LTE Band 4	BW / Mod. :	1.4MHz / 16QAM
--------	------------	-------------	----------------

99% Occupied Bandwidth Plot on Channel 20175




26dB Bandwidth Plot on Channel 20175






Band :	LTE Band 4	BW / Mod. :	3MHz / QPSK
--------	------------	-------------	-------------

99% Occupied Bandwidth Plot on Channel 20175




26dB Bandwidth Plot on Channel 20175






Band :	LTE Band 4	BW / Mod. :	3MHz / 16QAM
--------	------------	-------------	--------------

99% Occupied Bandwidth Plot on Channel 20175




26dB Bandwidth Plot on Channel 20175






Band :	LTE Band 4	BW / Mod. :	5MHz / QPSK
--------	------------	-------------	-------------

99% Occupied Bandwidth Plot on Channel 20175




26dB Bandwidth Plot on Channel 20175






Band :	LTE Band 4	BW / Mod. :	5MHz / 16QAM
--------	------------	-------------	--------------

99% Occupied Bandwidth Plot on Channel 20175




26dB Bandwidth Plot on Channel 20175






Band :	LTE Band 4	BW / Mod. :	10MHz / QPSK
--------	------------	-------------	--------------

99% Occupied Bandwidth Plot on Channel 20175




26dB Bandwidth Plot on Channel 20175






Band :	LTE Band 4	BW / Mod. :	10MHz / 16QAM
--------	------------	-------------	---------------

99% Occupied Bandwidth Plot on Channel 20175



26dB Bandwidth Plot on Channel 20175







Band : LTE Band 4

BW / Mod. : 15MHz / QPSK

99% Occupied Bandwidth Plot on Channel 20175





26dB Bandwidth Plot on Channel 20175






Band :	LTE Band 4	BW / Mod. :	15MHz / 16QAM
---------------	------------	--------------------	---------------

99% Occupied Bandwidth Plot on Channel 20175**26dB Bandwidth Plot on Channel 20175**




Band :	LTE Band 4	BW / Mod. :	20MHz / QPSK
--------	------------	-------------	--------------

99% Occupied Bandwidth Plot on Channel 20175




26dB Bandwidth Plot on Channel 20175






Band :	LTE Band 4	BW / Mod. :	20MHz / 16QAM
--------	------------	-------------	---------------

99% Occupied Bandwidth Plot on Channel 20175




26dB Bandwidth Plot on Channel 20175






Band :	LTE Band 7	BW / Mod. :	5MHz / QPSK
--------	------------	-------------	-------------

99% Occupied Bandwidth Plot on Channel 21100




26dB Bandwidth Plot on Channel 21100






Band :	LTE Band 7	BW / Mod. :	5MHz / 16QAM
--------	------------	-------------	--------------

99% Occupied Bandwidth Plot on Channel 21100




26dB Bandwidth Plot on Channel 21100






Band :	LTE Band 7	BW / Mod. :	10MHz / QPSK
--------	------------	-------------	--------------

99% Occupied Bandwidth Plot on Channel 21100



26dB Bandwidth Plot on Channel 21100






Band :	LTE Band 7	BW / Mod. :	10MHz / 16QAM
--------	------------	-------------	---------------

99% Occupied Bandwidth Plot on Channel 21100




26dB Bandwidth Plot on Channel 21100






Band :	LTE Band 7	BW / Mod. :	15MHz / QPSK
--------	------------	-------------	--------------

99% Occupied Bandwidth Plot on Channel 21100




26dB Bandwidth Plot on Channel 21100






Band :	LTE Band 7	BW / Mod. :	15MHz / 16QAM
--------	------------	-------------	---------------

99% Occupied Bandwidth Plot on Channel 21100




26dB Bandwidth Plot on Channel 21100






Band :	LTE Band 7	BW / Mod. :	20MHz / QPSK
--------	------------	-------------	--------------

99% Occupied Bandwidth Plot on Channel 21100




26dB Bandwidth Plot on Channel 21100






Band :	LTE Band 7	BW / Mod. :	20MHz / 16QAM
--------	------------	-------------	---------------

99% Occupied Bandwidth Plot on Channel 21100




26dB Bandwidth Plot on Channel 21100






Band :	LTE Band 17	BW / Mod. :	5MHz / QPSK
--------	-------------	-------------	-------------

99% Occupied Bandwidth Plot on Channel 23790




26dB Bandwidth Plot on Channel 23790






Band :	LTE Band 17	BW / Mod. :	5MHz / 16QAM
--------	-------------	-------------	--------------

99% Occupied Bandwidth Plot on Channel 23790




26dB Bandwidth Plot on Channel 23790






Band :	LTE Band 17	BW / Mod. :	10MHz / QPSK
--------	-------------	-------------	--------------

99% Occupied Bandwidth Plot on Channel 23790




26dB Bandwidth Plot on Channel 23790





Band :	LTE Band 17	BW / Mod. :	10MHz / 16QAM
--------	-------------	-------------	---------------

99% Occupied Bandwidth Plot on Channel 23790



26dB Bandwidth Plot on Channel 23790

