

FCC PART 27
FCC PART 22H, PART 24E
MEASUREMENT AND TEST REPORT

For

BLU Products, Inc.

10814 NW 33rd St # 100 Doral, FL 33172, United States

FCC ID: YHLBLUSTUDIOXL2

Report Type: Original Report	Product Type: Mobile phone
Report Number: RSZ160826003-00D	
Report Date: 2016-10-19	
Oscar Ye 	
Reviewed By: Engineer	
Prepared By: Bay Area Compliance Laboratories Corp. (Kunshan) Chenghu Road, Kunshan Development Zone No.248, Kunshan, Jiangsu, China Tel: +86-0512-86175000 Fax: +86-0512-88934268 www.baclcorp.com.cn	

Note: This test report is prepared for the customer shown above and for the equipment described herein. It may not be duplicated or used in part without prior written consent from Bay Area Compliance Laboratories Corp.

TABLE OF CONTENTS

GENERAL INFORMATION.....	3
PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT)	3
OBJECTIVE	3
RELATED SUBMITTAL(S)/GRANT(S).....	3
TEST METHODOLOGY	3
MEASUREMENT UNCERTAINTY	4
TEST FACILITY	4
SYSTEM TEST CONFIGURATION	5
JUSTIFICATION	5
EQUIPMENT MODIFICATIONS	5
SUPPORT EQUIPMENT LIST AND DETAILS	5
BLOCK DIAGRAM OF TEST SETUP	5
SUMMARY OF TEST RESULTS	6
TEST EQUIPMENT LIST	7
FCC §1.1307(B) & §2.1093 - RF EXPOSURE INFORMATION.....	8
APPLICABLE STANDARD	8
TEST RESULT	8
FCC §2.1047 - MODULATION CHARACTERISTIC	9
§2.1046; § 22.913 (A); § 24.232 (C); §27.50 (D) (H) - RF OUTPUT POWER	10
APPLICABLE STANDARDS.....	10
TEST PROCEDURE	10
TEST DATA	10
FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53 - OCCUPIED BANDWIDTH	38
APPLICABLE STANDARDS.....	38
TEST PROCEDURE	38
TEST DATA	38
§ 2.1051; § 22.917 (A); § 24.238 (A); §27.53 (H) (M)	102
SPURIOUS EMISSIONS AT ANTENNA TERMINALS.....	102
APPLICABLE STANDARDS.....	102
TEST PROCEDURE	102
TEST DATA	102
FCC § 2.1053; § 22.917 (A); § 24.238 (A); §27.53 (H) (M) SPURIOUS RADIATED EMISSIONS.....	140
APPLICABLE STANDARDS.....	140
TEST PROCEDURE	140
TEST DATA	140
FCC § 22.917 (A);§ 24.238 (A); §27.53 (H)(M) - BAND EDGES	144
APPLICABLE STANDARDS.....	144
TEST PROCEDURE	144
TEST DATA	144
FCC § 2.1055; § 22.355; § 24.235; §27.54; - FREQUENCY STABILITY	202
APPLICABLE STANDARDS.....	202
TEST PROCEDURE	202
TEST DATA	203

GENERAL INFORMATION

Product Description for Equipment under Test (EUT)

The *BLU Products, Inc.*'s product, model number: *STUDIO XL 2* (FCC ID: *YHLBLUSTUDIOXL2*) or the "EUT" in this report was a *Mobile phone*, which was measured approximately: 165 mm (L) × 83 mm (W) × 9 mm (H), rated with input voltage: DC 3.8 V battery or DC 5V from adapter.

Adapter Information:

Model: TPA-46050200UU

Input: AC 100-240V, 50/60Hz, 0.3A

Output: DC 5V, 2A

**All measurement and test data in this report was gathered from production sample serial number: 1603095 (Assigned by BACL, Kunshan). The EUT supplied by the applicant was received on 2016-08-26.*

Objective

This type approval report is prepared on behalf of *BLU Products, Inc.* in accordance with Part 2, Part 22-Subpart H, Part 24-Subpart E and Part 27 of the Federal Communication Commission's rules.

The objective is to determine the compliance of EUT with FCC rules for output power, modulation characteristic, occupied bandwidth, and spurious emission at antenna terminal, spurious radiated emission, frequency stability, and band edge.

Related Submittal(s)/Grant(s)

FCC Part 15B JBP, Part 15.247 DSS & DTS submissions with FCC ID: YHLBLUSTUDIOXL2.

Test Methodology

All tests and measurements indicated in this document were performed in accordance with the Code of Federal Regulations Title 47 Part 2, Sub-Part J as well as the following parts:

Part 22 Subpart H - Public Mobile Services

Part 24 Subpart E - Personal Communication Services

Part 27 – Miscellaneous wireless communications services

Applicable Standards: TIA/EIA 603-D.

All radiated and conducted emissions measurements were performed at Bay Area Compliance Laboratories Corp. (Kunshan). The radiated testing was performed at an antenna-to-EUT distance of 3 meters.

Measurement Uncertainty

Item		Uncertainty
AC Power Lines Conducted Emissions		± 3.26 dB
RF conducted test with spectrum		± 0.9 dB
RF Output Power with Power meter		± 0.5 dB
Radiated emission	30MHz~1GHz	± 5.91 dB
	Above 1G	± 4.92 dB
Occupied Bandwidth		± 0.5 kHz
Temperature		± 1.0 °C
Humidity		$\pm 6\%$

Test Facility

The test site used by Bay Area Compliance Laboratories Corp. (Kunshan) to collect test data is located on the Chenghu Lake Road, Kunshan Development Zone No.248, Kunshan, Jiangsu, China

Test site at Bay Area Compliance Laboratories Corp. (Kunshan) has been fully described in reports submitted to the Federal Communication Commission (FCC). The details of these reports have been found to be in compliance with the requirements of Section 2.948 of the FCC Rules on November 06, 2014. The facility also complies with the radiated and AC line conducted test site criteria set forth in ANSI C63.4.

The Federal Communications Commission has the reports on file and is listed under FCC Registration No.: 815570. The test site has been approved by the FCC for public use and is listed in the FCC Public Access Link (PAL) database.

SYSTEM TEST CONFIGURATION

Justification

The EUT was configured for testing according to TIA/EIA-603-D.
The final qualification test was performed with the EUT operating at normal mode.


Equipment Modifications

No modifications were made to the EUT.

Support Equipment List and Details

Manufacturer	Description	Model	Serial Number
Rohde & Schwarz	Wideband Radio Communication Tester	CMW500	1201.002K50-116218-UY
Rohde & Schwarz	Universal Radio Communication Tester	CMU200	110605

Block Diagram of Test Setup



SUMMARY OF TEST RESULTS

FCC Rules	Description of Test	Result
§1.1307 (b)(1), §2.1093	RF Exposure Information	Compliance*
§2.1046; § 22.913 (a); § 24.232 (c); §27.50 (c) (d) (h)	RF Output Power	Compliance
§ 2.1047	Modulation Characteristics	Not Applicable
§ 2.1049; § 22.905; § 22.917; § 24.238; §27.53	Occupied Bandwidth	Compliance
§ 2.1051; § 22.917 (a); § 24.238 (a); §27.53 (h)(m)	Spurious Emissions at Antenna Terminal	Compliance
§ 2.1053; § 22.917 (a); § 24.238 (a); §27.53 (h)(m)	Spurious Radiated Emissions	Compliance
§ 22.917 (a); § 24.238 (a); §27.53 (h)(m)	Band Edge	Compliance
§ 2.1055; § 22.355; § 24.235; §27.54;	Frequency stability	Compliance

Compliance*: Please refer to SAR report released by BACL, report number: RSZ160826003-20.

TEST EQUIPMENT LIST

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Radiated Emission Test					
Sonoma Instrument	Amplifier	330	171377	2016-09-16	2017-09-16
Rohde & Schwarz	EMI Test Receiver	ESCI	100195	2015-11-12	2016-11-11
Sunol Sciences	Broadband Antenna	JB3	A090314-2	2015-11-07	2016-11-06
Sunol Sciences	Broadband Antenna	JB3	A090314-1	2015-11-07	2016-11-06
Mini	Pre-amplifier	ZVA-183-S+	857001418	2016-09-16	2017-09-15
DUCOMMUN	Pre-amplifier	ALN-22093530-01	990147	2016-09-16	2017-09-15
EMCO	Horn Antenna	3116	9510-2384	2015-11-07	2016-11-06
Rohde & Schwarz	Signal Analyzer	FSIQ26	100048	2015-11-12	2016-11-11
Rohde & Schwarz	Signal Analyzer	FSV40	101116	2016-07-04	2017-07-03
ETS	Horn Antenna	3115	6229	2015-11-07	2016-11-06
ETS	Horn Antenna	3115	9311-4159	2015-11-07	2016-11-06
R&S	Auto test Software	EMC32	V 09.10.0	NCR	NCR
HP	Signal Generator	E4421B	3426A01336	2015-11-04	2016-11-03
BACL	RF cable	KS-LAB-012	KS-LAB-012	2015-12-16	2016-12-15
BACL	RF cable	KS-LAB-010	KS-LAB-010	2015-12-16	2016-12-15
RF Conducted test					
BACL	TS 8997 Cable-01	T-KS-EMC086	T-KS-EMC086	2015-12-10	2016-12-09
BACL	RF cable	KS-LAB-012	KS-LAB-012	2015-12-16	2016-12-15
WEINSCHL	3dB Attenuator	5326	N/A	2016-06-18	2017-06-18
Rohde & Schwarz	OSP120 BASE UNIT	OSP120	101247	2016-07-04	2017-07-03
Rohde & Schwarz	Signal Analyzer	FSIQ26	836131	2016-09-21	2017-09-21
Rohde & Schwarz	Signal Analyzer	FSIQ26	100048	2015-11-12	2016-11-11
Rohde & Schwarz	Universal Radio Communication Tester	CMU200	110605	2015-11-11	2016-11-11
R&S	Wideband Radio Communication tester	CMW500	1201.002K50-116218-UY	2016-09-08	2017-09-07
HONOVA	Power Splitter	ZFRSC-14-S+	019411452	2016-06-12	2017-06-12
WEINSCHL	10dB Attenuator	5328	N/A	2016-06-18	2017-06-18

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Kunshan) attests that all calibrations have been performed in accordance to requirements that traceable to National Primary Standards and International System of Units (SI).

FCC §1.1307(b) & §2.1093 - RF EXPOSURE INFORMATION

Applicable Standard

FCC§1.1307, §2.1093.

Test Result

Compliance, please refer to the SAR report: RSZ160826003-20.

FCC §2.1047 - MODULATION CHARACTERISTIC

According to FCC § 2.1047(d) , Part 22H & 24E, Part 27 there is no specific requirement for digital modulation, therefore modulation characteristic is not presented.

§2.1046; § 22.913 (a); § 24.232 (c); §27.50 (d) (h) - RF OUTPUT POWER**Applicable Standards**

According to FCC §2.1046 and §22.913 (a), the ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

According to FCC §2.1046 and §24.232 (c), mobile and portable stations are limited to 2 watts EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications.


According to §27.50(c), Portable stations (hand-held devices) in the 600 MHz uplink band and the 698-746 MHz band, and fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP.

According to §27.50(d), the maximum EIRP must not exceed 1Watts (30dBm) for 1710-1755MHz. The peak-to-average power ratio (PAPR) of the transmitter output power must not exceed 13 dB.

According to §27.50(h), the maximum EIRP must not exceed 2Watts (33dBm) for 2500-2570MHz.

Test Procedure*Conducted method:*

The RF output of the transmitter was connected to the CMW500/CMU200 through sufficient attenuation.

*Radiated method:*

TIA603-D section 2.2.17

Test Data**Environmental Conditions**

Temperature:	22 °C
Relative Humidity:	57 %
ATM Pressure:	101.0 kPa

The testing was performed by Chris Wang on 2016-10-18.

Conducted Power**Cellular Band (Part 22H)**

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
GSM	128	824.2	32.69	38.45
	190	836.6	32.78	38.45
	251	848.8	32.74	38.45

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
GPRS	128	824.2	32.32	31.16	30.68	29.44	38.45
	190	836.6	32.36	31.25	30.76	29.56	38.45
	251	848.8	32.31	31.24	30.75	29.59	38.45

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
EGPRS	128	824.2	26.63	25.60	23.56	22.62	38.45
	190	836.6	26.66	25.71	23.68	22.54	38.45
	251	848.8	26.83	25.84	23.80	22.71	38.45

Mode	Test Condition	Test Mode	3GPP Sub Test	Average Output Power (dBm)		
				Low Frequency	Middle Frequency	High Frequency
WCDMA (Band V)	Normal	RMC		22.56	22.56	22.60
		HSDPA	1	21.45	21.47	21.52
			2	21.67	21.61	21.67
			3	21.45	21.46	21.51
			4	21.61	21.61	21.65
		HSUPA	1	21.45	21.49	21.56
			2	21.62	21.66	21.72
			3	21.48	21.50	21.49
			4	21.60	21.67	21.64
			5	21.47	21.49	21.57
		DC-HSDPA	1	21.45	21.47	21.52
			2	21.63	21.59	21.67
			3	21.44	21.46	21.49
			4	21.61	21.62	21.73
		HSPA+	1	21.49	21.48	21.53

PCS Band (Part 24E)

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
GSM	512	1850.2	29.25	33
	661	1880.0	29.15	33
	810	1909.8	29.12	33

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
GPRS	512	1850.2	29.05	28.89	27.51	26.45	33
	661	1880.0	29.11	28.74	27.42	26.32	33
	810	1909.8	29.01	28.75	27.42	26.32	33

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
EGPRS	512	1850.2	26.81	26.02	24.38	23.40	33
	661	1880.0	26.66	25.92	24.23	23.29	33
	810	1909.8	26.56	25.84	24.16	23.21	33

Mode	Test Condition	Test Mode	3GPP Sub Test	Average Output Power (dBm)		
				Low Frequency	Middle Frequency	High Frequency
WCDMA (Band I I)	Normal	RMC		22.43	22.48	22.37
		HSDPA	1	21.49	21.48	21.53
			2	21.63	21.59	21.67
			3	21.44	21.46	21.49
			4	21.61	21.62	21.73
		HSUPA	1	21.49	21.48	21.53
			2	21.63	21.59	21.67
			3	21.44	21.46	21.49
			4	21.61	21.62	21.73
			5	21.38	21.43	21.25
		DC-HSDPA	1	21.48	21.58	21.40
			2	21.39	21.37	21.33
			3	21.53	21.58	21.44
			4	21.31	21.39	21.27
		HSPA+	1	21.51	21.52	21.48

AWS Band (Part 27)

Mode	Test Condition	Test Mode	3GPP Sub Test	Average Output Power (dBm)		
				Low Frequency	Middle Frequency	High Frequency
WCDMA (Band IV)	Normal	RMC		22.10	22.14	22.16
		HSDPA	1	21.05	21.04	21.05
			2	21.15	21.24	21.23
			3	21.00	21.10	21.07
			4	21.18	21.26	21.29
		HSUPA	1	21.05	21.07	21.05
			2	21.22	21.23	21.28
			3	20.99	21.04	21.12
			4	21.17	21.25	21.21
			5	21.01	21.05	21.06
		DC-HSDPA	1	21.15	21.25	21.26
			2	21.03	21.09	21.12
			3	21.21	21.27	21.24
			4	21.01	21.06	21.04
		HSPA+	1	21.18	21.18	21.24

Peak-to-average ratio (PAR)**Cellular Band**

Mode	Channel	PAR (dB)	Limit (dB)
GSM	Low	0.34	13
	Middle	0.32	13
	High	0.33	13

Mode	Channel	PAR (dB)	Limit (dB)
EGPRS	Low	0.38	13
	Middle	0.40	13
	High	0.39	13

Mode	Channel	PAR (dB)	Limit (dB)
RMC (BPSK)	Low	3.06	13
	Middle	3.09	13
	High	3.08	13
HSDPA (16QAM)	Low	2.99	13
	Middle	3.02	13
	High	2.96	13
HSUPA (BPSK)	Low	2.92	13
	Middle	2.97	13
	High	2.89	13

PCS Band

Mode	Channel	PAR (dB)	Limit (dB)
GSM	Low	0.33	13
	Middle	0.35	13
	High	0.32	13

Mode	Channel	PAR (dB)	Limit (dB)
EGPRS	Low	0.41	13
	Middle	0.38	13
	High	0.40	13

Mode	Channel	PAR (dB)	Limit (dB)
RMC (BPSK)	Low	3.20	13
	Middle	2.82	13
	High	2.99	13
HSDPA (16QAM)	Low	3.15	13
	Middle	2.79	13
	High	2.93	13
HSUPA (BPSK)	Low	3.05	13
	Middle	2.75	13
	High	2.88	13

AWS Band

Mode	Channel	PAR (dB)	Limit (dB)
WCDMA (BPSK)	Low	3.09	13
	Middle	2.98	13
	High	3.03	13
HSDPA (16QAM)	Low	3.07	13
	Middle	2.94	13
	High	3.05	13
HSUPA (BPSK)	Low	2.96	13
	Middle	2.92	13
	High	3.01	13

Radiated Power**GSM Mode:**

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (m)	Polar (H/V)	S.G. Level (dBm)	Cable loss (dB)	Antenna Gain (dB)			
ERP, Cellular Band (Part 22H), Middle Channel										
836.6	96.82	128	2.5	H	25.8	0.46	4.75	30.09	38.45	8.36
836.6	91.48	87	1.2	V	20.5	0.46	4.75	24.79	38.45	13.66
EIRP, PCS Band (Part 24E), Middle Channel										
1880.0	77.84	177	1.2	H	17.0	0.31	10.4	27.09	33	5.91
1880.0	73.87	34	2.5	V	9.6	0.31	10.4	19.69	33	13.31

EDGE Mode:

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (m)	Polar (H/V)	S.G. Level (dBm)	Cable loss (dB)	Antenna Gain (dB)			
ERP, Cellular Band (Part 22H), Middle Channel										
836.6	92.37	270	1.6	H	21.4	0.46	4.75	25.69	38.45	12.76
836.6	86.81	351	2.1	V	15.8	0.46	4.75	20.09	38.45	18.36
EIRP, PCS Band (Part 24E), Middle Channel										
1880.0	75.66	340	2.0	H	14.8	0.31	10.4	24.89	33	8.11
1880.0	73.54	9	1.2	V	9.3	0.31	10.4	19.39	33	13.61

WCDMA Mode:

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (m)	Polar (H/V)	S.G. Level (dBm)	Cable loss (dB)	Antenna Gain (dB)			
ERP, WCDMA Band V (Part 22H), Middle Channel										
836.6	88.25	256	1.1	H	17.3	0.46	4.75	21.59	38.45	16.86
836.6	83.37	256	1.3	V	12.4	0.46	4.75	16.69	38.45	21.76
EIRP, WCDMA Band II (Part 24E), Middle Channel										
1880.0	71.64	257	1.3	H	10.8	0.31	10.4	20.89	33	12.11
1880.0	69.57	173	2.0	V	5.3	0.31	10.4	15.39	33	17.61
EIRP for WCDMA Band IV (Part 27), Middle Channel										
1732.6	73.78	248	1.8	H	11.4	0.30	9.90	21.00	30	9.00
1732.6	70.74	164	1.1	V	5.9	0.30	9.90	15.50	30	14.50

Note:

All above data were tested with no amplifier.

Absolute Level = SG Level - Cable loss + Antenna Gain

Margin = Limit- Absolute Level

LTE Band 2:**Maximum Output Power**

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4	QPSK	RB Size=1, RB Offset=0	22.23	22.32	22.42
		RB Size=1, RB Offset=2	22.40	22.48	22.58
		RB Size=1, RB Offset=5	22.24	22.30	22.41
		RB Size=3, RB Offset=0	21.36	21.49	21.61
		RB Size=3, RB Offset=1	21.19	21.36	21.45
		RB Size=3, RB Offset=2	21.42	21.44	21.57
		RB Size=6, RB Offset=0	20.26	20.31	20.37
	16QAM	RB Size=1, RB Offset=0	21.75	21.82	21.95
		RB Size=1, RB Offset=2	21.83	21.95	22.10
		RB Size=1, RB Offset=5	21.71	21.86	21.89
		RB Size=3, RB Offset=0	20.92	20.96	20.13
		RB Size=3, RB Offset=1	20.89	20.82	20.10
		RB Size=3, RB Offset=2	20.70	20.86	20.92
		RB Size=6, RB Offset=0	19.89	19.98	19.04
3.0	QPSK	RB Size=1, RB Offset=0	22.21	22.29	22.46
		RB Size=1, RB Offset=7	22.37	22.45	22.55
		RB Size=1, RB Offset=14	22.22	22.34	22.37
		RB Size=8, RB Offset=0	21.36	21.48	21.58
		RB Size=8, RB Offset=4	21.22	21.30	21.46
		RB Size=8, RB Offset=7	21.36	21.46	21.53
		RB Size=15, RB Offset=0	20.20	20.27	20.44
	16QAM	RB Size=1, RB Offset=0	21.72	21.77	21.90
		RB Size=1, RB Offset=7	21.92	22.00	22.07
		RB Size=1, RB Offset=14	21.74	21.85	21.95
		RB Size=8, RB Offset=0	20.84	20.00	20.05
		RB Size=8, RB Offset=4	20.89	20.02	20.11
		RB Size=8, RB Offset=7	20.77	20.82	20.91
		RB Size=15, RB Offset=0	19.93	19.96	19.10

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	22.22	22.36	22.47
		RB Size=1, RB Offset=12	22.35	22.49	22.59
		RB Size=1, RB Offset=24	22.23	22.35	22.43
		RB Size=12, RB Offset=0	21.38	21.52	21.54
		RB Size=12, RB Offset=6	21.23	21.34	21.40
		RB Size=12, RB Offset=11	21.36	21.50	21.58
		RB Size=25, RB Offset=0	20.24	20.29	20.45
	16QAM	RB Size=1, RB Offset=0	21.69	21.81	21.95
		RB Size=1, RB Offset=12	21.87	21.98	22.08
		RB Size=1, RB Offset=24	21.69	21.81	21.94
		RB Size=12, RB Offset=0	20.70	20.84	20.96
		RB Size=12, RB Offset=6	20.86	20.95	20.07
		RB Size=12, RB Offset=11	20.69	20.86	20.95
		RB Size=25, RB Offset=0	19.91	19.97	19.08
10.0	QPSK	RB Size=1, RB Offset=0	22.26	22.31	22.41
		RB Size=1, RB Offset=24	22.36	22.51	22.61
		RB Size=1, RB Offset=49	22.21	22.32	22.40
		RB Size=25, RB Offset=0	21.40	21.52	21.59
		RB Size=25, RB Offset=12	21.21	21.37	21.46
		RB Size=25, RB Offset=24	21.39	21.49	21.55
		RB Size=50, RB Offset=0	20.17	20.29	20.43
	16QAM	RB Size=1, RB Offset=0	21.71	21.79	21.93
		RB Size=1, RB Offset=24	21.93	21.99	22.07
		RB Size=1, RB Offset=49	21.74	21.82	21.90
		RB Size=25, RB Offset=0	20.91	20.96	20.04
		RB Size=25, RB Offset=12	20.70	20.84	20.88
		RB Size=25, RB Offset=24	20.87	20.95	20.09
		RB Size=50, RB Offset=0	19.67	19.86	19.88

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15.0	QPSK	RB Size=1, RB Offset=0	22.23	22.34	22.44
		RB Size=1, RB Offset=37	22.38	22.50	22.54
		RB Size=1, RB Offset=74	22.20	22.28	22.46
		RB Size=36, RB Offset=0	21.41	21.45	21.60
		RB Size=36, RB Offset=18	21.20	21.31	21.38
		RB Size=36, RB Offset=37	21.40	21.51	21.53
		RB Size=75, RB Offset=0	20.22	20.36	20.47
	16QAM	RB Size=1, RB Offset=0	21.71	21.84	21.97
		RB Size=1, RB Offset=37	21.85	21.95	22.08
		RB Size=1, RB Offset=74	21.75	21.86	21.95
		RB Size=36, RB Offset=0	20.92	20.94	20.07
		RB Size=36, RB Offset=18	20.74	20.81	20.97
		RB Size=36, RB Offset=37	20.92	20.98	20.08
		RB Size=75, RB Offset=0	19.71	19.82	19.94
20.0	QPSK	RB Size=1, RB Offset=0	22.25	22.37	22.43
		RB Size=1, RB Offset=49	22.37	22.44	22.59
		RB Size=1, RB Offset=99	22.19	22.29	22.39
		RB Size=50, RB Offset=0	21.37	21.48	21.62
		RB Size=50, RB Offset=24	21.27	21.32	21.46
		RB Size=50, RB Offset=49	21.41	21.44	21.58
		RB Size=100, RB Offset=0	20.26	20.35	20.44
	16QAM	RB Size=1, RB Offset=0	21.67	21.78	21.90
		RB Size=1, RB Offset=49	21.87	21.95	22.07
		RB Size=1, RB Offset=99	21.72	21.81	21.89
		RB Size=50, RB Offset=0	20.88	20.95	20.04
		RB Size=50, RB Offset=24	20.75	20.83	20.90
		RB Size=50, RB Offset=49	20.87	20.95	20.12
		RB Size=100, RB Offset=0	19.71	19.81	19.97

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	5.57	13	Pass
QPSK (100%RB Size)	5.21	13	Pass
16QAM (1RB Size)	5.48	13	Pass
16QAM (100%RB Size)	5.52	13	Pass

QPSK:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	SG Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
1.4 MHz Bandwidth									
1880	72.64	275	1.3	H	11.8	0.31	10.4	21.89	33
1880	71.07	340	1.1	V	6.8	0.31	10.4	16.89	33
3 MHz Bandwidth									
1880	71.95	310	1.6	H	11.1	0.31	10.4	21.19	33
1880	70.81	211	1.2	V	6.6	0.31	10.4	16.69	33
5 MHz Bandwidth									
1880	71.76	311	1.7	H	10.9	0.31	10.4	20.99	33
1880	70.43	172	1.7	V	6.2	0.31	10.4	16.29	33
10 MHz Bandwidth									
1880	71.34	154	1.6	H	10.5	0.31	10.4	20.59	33
1880	69.99	196	2.2	V	5.7	0.31	10.4	15.79	33
15 MHz Bandwidth									
1880	71.03	199	2.1	H	10.2	0.31	10.4	20.29	33
1880	69.73	37	2.1	V	5.5	0.31	10.4	15.59	33
20 MHz Bandwidth									
1880	70.54	109	1.2	H	9.7	0.31	10.4	19.79	33
1880	68.75	8	2.1	V	4.5	0.31	10.4	14.59	33

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	SG Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
1.4 MHz Bandwidth									
1880	72.68	321	2.1	H	11.9	0.31	10.4	21.99	33
1880	70.83	162	1.2	V	6.6	0.31	10.4	16.69	33
3 MHz Bandwidth									
1880	72.25	242	1.5	H	11.4	0.31	10.4	21.49	33
1880	69.83	36	1	V	5.6	0.31	10.4	15.69	33
5 MHz Bandwidth									
1880	71.89	183	2.2	H	11.1	0.31	10.4	21.19	33
1880	69.89	106	1.8	V	5.5	0.31	10.4	15.59	33
10 MHz Bandwidth									
1880	71.55	56	2.1	H	10.7	0.31	10.4	20.79	33
1880	69.51	4	1.8	V	5.3	0.31	10.4	15.39	33
15 MHz Bandwidth									
1880	71.13	38	1.2	H	10.2	0.31	10.4	20.29	33
1880	69.04	107	1.0	V	4.8	0.31	10.4	14.89	33
20 MHz Bandwidth									
1880	70.37	168	1.7	H	9.6	0.31	10.4	19.69	33
1880	68.75	126	1.0	V	4.5	0.31	10.4	14.59	33

LTE Band 4:**Maximum Output Power**

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4	QPSK	RB Size=1, RB Offset=0	22.00	22.16	22.26
		RB Size=1, RB Offset=2	22.23	22.25	22.33
		RB Size=1, RB Offset=5	22.05	22.11	22.19
		RB Size=3, RB Offset=0	21.22	21.29	21.43
		RB Size=3, RB Offset=1	21.02	21.12	21.25
		RB Size=3, RB Offset=2	21.22	21.30	21.38
		RB Size=6, RB Offset=0	20.98	20.15	20.26
	16QAM	RB Size=1, RB Offset=0	21.52	21.60	21.75
		RB Size=1, RB Offset=2	21.71	21.74	21.91
		RB Size=1, RB Offset=5	21.50	21.58	21.76
		RB Size=3, RB Offset=0	20.71	20.73	20.84
		RB Size=3, RB Offset=1	20.56	20.58	20.67
		RB Size=3, RB Offset=2	20.64	20.77	20.85
		RB Size=6, RB Offset=0	20.47	20.64	20.76
3.0	QPSK	RB Size=1, RB Offset=0	22.07	22.14	22.19
		RB Size=1, RB Offset=7	22.19	22.27	22.40
		RB Size=1, RB Offset=14	22.00	22.09	22.19
		RB Size=8, RB Offset=0	21.18	21.29	21.37
		RB Size=8, RB Offset=4	21.02	21.13	21.19
		RB Size=8, RB Offset=7	21.16	21.30	21.35
		RB Size=15, RB Offset=0	20.98	20.16	20.19
	16QAM	RB Size=1, RB Offset=0	21.54	21.61	21.73
		RB Size=1, RB Offset=7	21.72	21.76	21.89
		RB Size=1, RB Offset=14	21.54	21.60	21.70
		RB Size=8, RB Offset=0	20.67	20.82	20.90
		RB Size=8, RB Offset=4	20.51	20.59	20.77
		RB Size=8, RB Offset=7	20.68	20.78	20.89
		RB Size=15, RB Offset=0	19.57	19.62	19.70

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	22.37	22.09	22.23
		RB Size=1, RB Offset=12	22.14	22.29	22.38
		RB Size=1, RB Offset=24	22.07	22.08	22.24
		RB Size=12, RB Offset=0	21.99	21.09	21.17
		RB Size=12, RB Offset=6	21.17	21.31	21.39
		RB Size=12, RB Offset=11	21.00	21.14	21.19
		RB Size=25, RB Offset=0	20.22	20.29	20.33
	16QAM	RB Size=1, RB Offset=0	21.52	21.59	21.72
		RB Size=1, RB Offset=12	21.71	21.80	21.84
		RB Size=1, RB Offset=24	21.56	21.58	21.68
		RB Size=12, RB Offset=0	20.73	20.76	20.86
		RB Size=12, RB Offset=6	20.51	20.66	20.69
		RB Size=12, RB Offset=11	20.64	20.76	20.89
		RB Size=25, RB Offset=0	20.53	20.64	20.73
10.0	QPSK	RB Size=1, RB Offset=0	22.06	22.16	22.22
		RB Size=1, RB Offset=24	22.16	22.26	22.40
		RB Size=1, RB Offset=49	21.98	22.14	22.26
		RB Size=25, RB Offset=0	21.21	21.30	21.41
		RB Size=25, RB Offset=12	21.05	21.12	21.24
		RB Size=25, RB Offset=24	21.18	21.25	21.35
		RB Size=50, RB Offset=0	20.99	20.15	20.24
	16QAM	RB Size=1, RB Offset=0	21.48	21.64	21.68
		RB Size=1, RB Offset=24	21.70	21.76	21.88
		RB Size=1, RB Offset=49	21.47	21.57	21.70
		RB Size=25, RB Offset=0	20.68	20.75	20.85
		RB Size=25, RB Offset=12	20.53	20.63	20.77
		RB Size=25, RB Offset=24	20.66	20.74	20.87
		RB Size=50, RB Offset=0	20.50	20.58	20.69

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15.0	QPSK	RB Size=1, RB Offset=0	22.00	22.11	22.21
		RB Size=1, RB Offset=37	22.18	22.32	22.36
		RB Size=1, RB Offset=74	22.04	22.09	22.23
		RB Size=36, RB Offset=0	21.17	21.32	21.43
		RB Size=36, RB Offset=18	21.04	21.14	21.27
		RB Size=36, RB Offset=37	21.23	21.24	21.35
		RB Size=75, RB Offset=0	20.98	20.08	20.20
	16QAM	RB Size=1, RB Offset=0	21.49	21.57	21.69
		RB Size=1, RB Offset=37	21.70	21.74	21.84
		RB Size=1, RB Offset=74	21.57	21.61	21.68
		RB Size=36, RB Offset=0	20.67	20.77	20.87
		RB Size=36, RB Offset=18	20.54	20.64	20.70
		RB Size=36, RB Offset=37	20.68	20.74	20.89
		RB Size=75, RB Offset=0	20.51	20.66	20.73
20.0	QPSK	RB Size=1, RB Offset=0	22.03	22.16	22.23
		RB Size=1, RB Offset=49	22.16	22.29	22.39
		RB Size=1, RB Offset=99	21.97	22.10	22.23
		RB Size=50, RB Offset=0	21.21	21.30	21.39
		RB Size=50, RB Offset=24	21.98	21.15	21.23
		RB Size=50, RB Offset=49	21.17	21.25	21.36
		RB Size=100, RB Offset=0	20.04	20.11	20.27
	16QAM	RB Size=1, RB Offset=0	21.52	21.62	21.76
		RB Size=1, RB Offset=49	21.67	21.81	21.85
		RB Size=1, RB Offset=99	21.53	21.61	21.73
		RB Size=50, RB Offset=0	20.64	20.75	20.84
		RB Size=50, RB Offset=24	20.51	20.63	20.71
		RB Size=50, RB Offset=49	20.73	20.80	20.92
		RB Size=100, RB Offset=0	20.52	20.64	20.73

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	5.52	13	Pass
QPSK (100%RB Size)	5.53	13	Pass
16QAM (1RB Size)	5.91	13	Pass
16QAM (100%RB Size)	5.75	13	Pass

QPSK:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	SG Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
1.4 MHz Bandwidth									
1732.50	74.62	247	1.4	H	12.3	0.30	9.90	21.90	30
1732.50	71.73	98	1.6	V	6.9	0.30	9.90	16.50	30
3 MHz Bandwidth									
1732.50	74.17	130	2.2	H	11.8	0.30	9.90	21.40	30
1732.50	70.88	331	1.7	V	6.0	0.30	9.90	15.60	30
5 MHz Bandwidth									
1732.50	73.39	313	1.1	H	11.1	0.30	9.90	20.70	30
1732.50	70.62	238	2.3	V	5.8	0.30	9.90	15.40	30
10 MHz Bandwidth									
1732.50	72.91	124	1.2	H	10.6	0.30	9.90	20.20	30
1732.50	70.10	280	1.2	V	5.2	0.30	9.90	14.80	30
15 MHz Bandwidth									
1732.50	72.66	37	2.3	H	10.3	0.30	9.90	19.90	30
1732.50	69.78	214	1.7	V	4.9	0.30	9.90	14.50	30
20 MHz Bandwidth									
1732.50	71.89	37	2.0	H	9.5	0.30	9.90	19.10	30
1732.50	69.43	193	1.4	V	4.7	0.30	9.90	14.30	30

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	SG Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
1.4 MHz Bandwidth									
1732.50	74.25	210	1.1	H	11.9	0.30	9.90	21.50	30
1732.50	71.83	336	1.1	V	7.0	0.30	9.90	16.60	30
3 MHz Bandwidth									
1732.50	74.11	20	1.4	H	11.7	0.30	9.90	21.30	30
1732.50	70.75	2	1.7	V	5.9	0.30	9.90	15.50	30
5 MHz Bandwidth									
1732.50	73.39	193	1.8	H	11.1	0.30	9.90	20.70	30
1732.50	70.44	6	2.2	V	5.6	0.30	9.90	15.20	30
10 MHz Bandwidth									
1732.50	73.01	138	2.3	H	10.7	0.30	9.90	20.30	30
1732.50	69.57	322	1.9	V	4.8	0.30	9.90	14.40	30
15 MHz Bandwidth									
1732.50	72.61	134	1.0	H	10.3	0.30	9.90	19.90	30
1732.50	68.93	66	1.3	V	4.1	0.30	9.90	13.70	30
20 MHz Bandwidth									
1732.50	70.91	105	2.0	H	8.6	0.30	9.90	18.20	30
1732.50	67.72	224	1.9	V	2.9	0.30	9.90	12.50	30

LTE Band 7

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5	QPSK	RB Size=1, RB Offset=0	21.99	22.14	22.19
		RB Size=1, RB Offset=12	22.14	22.24	22.37
		RB Size=1, RB Offset=24	22.05	22.11	22.23
		RB Size=12, RB Offset=0	21.18	21.23	21.39
		RB Size=12, RB Offset=6	21.09	21.10	21.22
		RB Size=12, RB Offset=11	21.15	21.29	21.39
		RB Size=25, RB Offset=0	20.01	20.12	20.19
	16QAM	RB Size=1, RB Offset=0	21.49	21.66	21.70
		RB Size=1, RB Offset=12	21.73	21.76	21.91
		RB Size=1, RB Offset=24	21.49	21.66	21.72
		RB Size=12, RB Offset=0	20.67	20.73	21.84
		RB Size=12, RB Offset=6	20.49	20.59	21.76
		RB Size=12, RB Offset=11	20.69	20.81	21.85
		RB Size=25, RB Offset=0	19.57	19.66	19.69
10	QPSK	RB Size=1, RB Offset=0	22.00	22.16	22.19
		RB Size=1, RB Offset=24	22.18	22.26	22.41
		RB Size=1, RB Offset=49	22.00	22.16	22.22
		RB Size=25, RB Offset=0	21.17	21.26	21.37
		RB Size=25, RB Offset=12	21.05	21.08	21.25
		RB Size=25, RB Offset=24	21.23	21.32	21.33
		RB Size=50, RB Offset=0	20.07	20.15	20.23
	16QAM	RB Size=1, RB Offset=0	21.52	21.65	21.71
		RB Size=1, RB Offset=24	21.73	21.77	21.90
		RB Size=1, RB Offset=49	21.49	21.62	21.69
		RB Size=25, RB Offset=0	20.71	20.74	20.84
		RB Size=25, RB Offset=12	20.48	20.58	20.75
		RB Size=25, RB Offset=24	20.66	20.75	20.87
		RB Size=50, RB Offset=0	19.54	19.66	19.69

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15	QPSK	RB Size=1, RB Offset=0	21.97	22.10	22.24
		RB Size=1, RB Offset=37	22.18	22.29	22.37
		RB Size=1, RB Offset=74	22.03	22.14	22.24
		RB Size=36, RB Offset=0	21.20	21.31	21.40
		RB Size=36, RB Offset=18	21.00	21.07	21.20
		RB Size=36, RB Offset=37	21.22	21.28	21.34
		RB Size=75, RB Offset=0	20.00	20.15	20.22
	16QAM	RB Size=1, RB Offset=0	21.57	21.57	21.75
		RB Size=1, RB Offset=37	21.65	21.80	21.84
		RB Size=1, RB Offset=74	21.53	21.67	21.72
		RB Size=36, RB Offset=0	20.71	20.77	20.92
		RB Size=36, RB Offset=18	20.51	20.58	20.71
		RB Size=36, RB Offset=37	20.67	20.78	20.91
		RB Size=75, RB Offset=0	19.48	19.63	19.67
20	QPSK	RB Size=1, RB Offset=0	22.05	22.15	22.24
		RB Size=1, RB Offset=49	22.19	22.24	22.40
		RB Size=1, RB Offset=99	22.05	22.15	22.21
		RB Size=50, RB Offset=0	21.14	21.23	21.37
		RB Size=50, RB Offset=24	21.08	21.11	21.17
		RB Size=50, RB Offset=49	21.21	21.24	21.38
		RB Size=100, RB Offset=0	20.05	20.07	20.21
	16QAM	RB Size=1, RB Offset=0	21.55	21.62	21.72
		RB Size=1, RB Offset=49	21.64	21.81	21.84
		RB Size=1, RB Offset=99	21.52	21.61	21.71
		RB Size=50, RB Offset=0	20.71	20.75	20.87
		RB Size=50, RB Offset=24	20.54	20.63	20.74
		RB Size=50, RB Offset=49	20.66	20.74	20.90
		RB Size=100, RB Offset=0	19.53	19.60	19.67

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	5.65	13	Pass
QPSK (100%RB Size)	5.47	13	Pass
16QAM (1RB Size)	5.75	13	Pass
16QAM (100%RB Size)	5.72	13	Pass

EIRP:**QPSK:**

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	SG Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
5 MHz Bandwidth									
2535.00	69.03	102	2.1	H	11.6	0.43	10.60	21.77	33
2535.00	65.27	22	2.4	V	6.2	0.43	10.60	16.37	33
10 MHz Bandwidth									
2535.00	68.64	70	1.7	H	11.2	0.43	10.60	21.37	33
2535.00	64.70	248	1.7	V	5.6	0.43	10.60	15.77	33
15 MHz Bandwidth									
2535.00	67.72	255	1.2	H	10.3	0.43	10.60	20.47	33
2535.00	64.15	246	1.6	V	5.1	0.43	10.60	15.27	33
20 MHz Bandwidth									
2535.00	66.92	275	1.6	H	9.5	0.43	10.60	19.67	33
2535.00	63.72	110	1.4	V	4.6	0.43	10.60	14.77	33

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	SG Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
5 MHz Bandwidth									
2535.00	69.12	355	2.0	H	11.7	0.43	10.60	21.87	33
2535.00	65.29	204	2.2	V	6.2	0.43	10.60	16.37	33
10 MHz Bandwidth									
2535.00	68.47	99	1.5	H	11.0	0.43	10.60	21.17	33
2535.00	64.59	319	1.6	V	5.5	0.43	10.60	15.67	33
15 MHz Bandwidth									
2535.00	67.89	339	2.3	H	10.5	0.43	10.60	20.67	33
2535.00	64.06	349	1.6	V	4.9	0.43	10.60	15.07	33
20 MHz Bandwidth									
2535.00	67.13	190	2.3	H	9.6	0.43	10.60	19.77	33
2535.00	63.29	81	1.0	V	4.1	0.43	10.60	14.27	33

LTE Band 12:**Maximum Output Power**

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4	QPSK	RB Size=1, RB Offset=0	22.12	22.26	22.37
		RB Size=1, RB Offset=2	22.25	22.36	22.48
		RB Size=1, RB Offset=5	22.15	22.17	22.28
		RB Size=3, RB Offset=0	21.29	21.39	21.51
		RB Size=3, RB Offset=1	21.08	21.22	21.32
		RB Size=3, RB Offset=2	21.28	21.40	21.49
		RB Size=6, RB Offset=0	20.08	20.25	20.37
	16QAM	RB Size=1, RB Offset=0	21.62	21.70	21.84
		RB Size=1, RB Offset=2	21.81	21.83	21.98
		RB Size=1, RB Offset=5	21.62	21.76	21.79
		RB Size=3, RB Offset=0	20.82	20.84	20.95
		RB Size=3, RB Offset=1	20.61	20.69	20.80
		RB Size=3, RB Offset=2	20.81	20.87	20.03
		RB Size=6, RB Offset=0	19.66	19.73	19.82
3.0	QPSK	RB Size=1, RB Offset=0	22.14	22.24	22.36
		RB Size=1, RB Offset=7	22.23	22.35	22.48
		RB Size=1, RB Offset=14	22.15	22.18	22.28
		RB Size=8, RB Offset=0	21.32	21.42	21.52
		RB Size=8, RB Offset=4	21.15	21.22	21.35
		RB Size=8, RB Offset=7	21.29	21.35	21.52
		RB Size=15, RB Offset=0	20.08	20.24	20.31
	16QAM	RB Size=1, RB Offset=0	21.64	21.71	21.79
		RB Size=1, RB Offset=7	21.82	21.92	22.00
		RB Size=1, RB Offset=14	21.57	21.72	21.79
		RB Size=8, RB Offset=0	20.80	20.90	20.03
		RB Size=8, RB Offset=4	20.60	20.76	20.78
		RB Size=8, RB Offset=7	20.75	20.91	20.93
		RB Size=15, RB Offset=0	19.61	19.73	19.79

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	22.14	22.20	22.35
		RB Size=1, RB Offset=12	22.26	22.35	22.45
		RB Size=1, RB Offset=24	22.15	22.24	22.36
		RB Size=12, RB Offset=0	21.33	21.35	21.45
		RB Size=12, RB Offset=6	21.11	21.21	21.32
		RB Size=12, RB Offset=11	21.31	21.35	21.47
		RB Size=25, RB Offset=0	20.12	20.23	20.34
	16QAM	RB Size=1, RB Offset=0	21.60	21.77	21.78
		RB Size=1, RB Offset=12	21.80	21.86	22.03
		RB Size=1, RB Offset=24	21.57	21.69	21.77
		RB Size=12, RB Offset=0	20.82	20.88	20.02
		RB Size=12, RB Offset=6	20.61	20.68	20.80
		RB Size=12, RB Offset=11	20.81	20.85	20.01
		RB Size=25, RB Offset=0	19.66	19.71	19.79
10.0	QPSK	RB Size=1, RB Offset=0	22.09	22.19	22.33
		RB Size=1, RB Offset=24	22.29	22.39	22.47
		RB Size=1, RB Offset=49	22.09	22.23	22.34
		RB Size=25, RB Offset=0	21.33	21.38	21.48
		RB Size=25, RB Offset=12	21.15	21.24	21.27
		RB Size=25, RB Offset=24	21.27	21.39	21.51
		RB Size=50, RB Offset=0	20.07	20.21	20.35
	16QAM	RB Size=1, RB Offset=0	21.64	21.69	21.80
		RB Size=1, RB Offset=24	21.82	21.92	21.95
		RB Size=1, RB Offset=49	21.61	21.72	21.82
		RB Size=25, RB Offset=0	20.82	20.91	20.93
		RB Size=25, RB Offset=12	20.60	20.73	20.79
		RB Size=25, RB Offset=24	20.76	20.84	20.01
		RB Size=50, RB Offset=0	19.66	19.77	19.80

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	5.36	13	Pass
QPSK (100%RB Size)	5.77	13	Pass
16QAM (1RB Size)	5.67	13	Pass
16QAM (100%RB Size)	5.58	13	Pass

ERP:**QPSK:**

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	SG Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
1.4 MHz Bandwidth									
707.5	89.02	56	1.4	H	18.0	0.28	4.25	21.97	34.78
707.5	82.66	308	2.5	V	11.7	0.28	4.25	15.67	34.78
3 MHz Bandwidth									
707.5	88.43	359	2.2	H	17.4	0.28	4.25	21.37	34.78
707.5	82.15	56	1.9	V	11.1	0.28	4.25	15.07	34.78
5 MHz Bandwidth									
707.5	87.54	354	1.3	H	16.5	0.28	4.25	20.47	34.78
707.5	81.80	60	1.4	V	10.8	0.28	4.25	14.77	34.78
10 MHz Bandwidth									
707.5	86.98	108	1.7	H	15.9	0.28	4.25	19.87	34.78
707.5	80.57	179	2.4	V	9.6	0.28	4.25	13.57	34.78

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	SG Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
1.4 MHz Bandwidth									
707.5	88.50	314	2.2	H	17.5	0.28	4.25	21.47	34.78
707.5	82.67	301	1.7	V	11.7	0.28	4.25	15.67	34.78
3 MHz Bandwidth									
707.5	87.48	273	1.8	H	16.5	0.28	4.25	20.47	34.78
707.5	81.64	333	1.7	V	10.6	0.28	4.25	14.57	34.78
5 MHz Bandwidth									
707.5	86.79	151	1.3	H	15.8	0.28	4.25	19.77	34.78
707.5	80.71	302	1.9	V	9.7	0.28	4.25	13.67	34.78
10 MHz Bandwidth									
707.5	85.60	70	1.2	H	14.6	0.28	4.25	18.57	34.78
707.5	79.63	240	1.9	V	8.6	0.28	4.25	12.57	34.78

LTE Band 17:

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	22.25	22.34	22.40
		RB Size=1, RB Offset=12	22.43	22.53	22.59
		RB Size=1, RB Offset=24	22.20	22.33	22.37
		RB Size=12, RB Offset=0	21.35	21.48	21.57
		RB Size=12, RB Offset=6	21.18	21.28	21.40
		RB Size=12, RB Offset=11	21.41	21.47	21.60
		RB Size=25, RB Offset=0	20.17	20.36	20.42
	16QAM	RB Size=1, RB Offset=0	21.74	21.84	21.94
		RB Size=1, RB Offset=12	21.84	22.02	22.04
		RB Size=1, RB Offset=24	21.67	21.78	21.90
		RB Size=12, RB Offset=0	20.90	20.93	20.10
		RB Size=12, RB Offset=6	20.70	20.82	20.92
		RB Size=12, RB Offset=11	20.87	20.03	20.04
		RB Size=25, RB Offset=0	19.74	19.79	19.90
10.0	QPSK	RB Size=1, RB Offset=0	22.22	22.30	22.38
		RB Size=1, RB Offset=24	22.37	22.49	22.56
		RB Size=1, RB Offset=49	22.25	22.28	22.46
		RB Size=25, RB Offset=0	21.39	21.47	21.61
		RB Size=25, RB Offset=12	21.23	21.36	21.39
		RB Size=25, RB Offset=24	21.43	21.51	21.54
		RB Size=50, RB Offset=0	20.21	20.36	20.39
	16QAM	RB Size=1, RB Offset=0	21.69	21.84	21.95
		RB Size=1, RB Offset=24	21.88	22.02	22.12
		RB Size=1, RB Offset=49	21.72	21.86	21.92
		RB Size=25, RB Offset=0	20.93	20.00	20.08
		RB Size=25, RB Offset=12	20.72	20.86	20.91
		RB Size=25, RB Offset=24	20.85	20.98	20.12
		RB Size=50, RB Offset=0	19.73	19.78	19.96

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	6.06	13	Pass
QPSK (100%RB Size)	5.99	13	Pass
16QAM (1RB Size)	5.96	13	Pass
16QAM (100%RB Size)	5.89	13	Pass

ERP:**QPSK:**

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	SG Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
5 MHz Bandwidth									
710	88.74	186	1.7	H	17.7	0.28	4.25	21.67	34.78
710	83.91	222	1.1	V	12.9	0.28	4.25	16.87	34.78
10 MHz Bandwidth									
710	87.88	95	1.1	H	16.9	0.28	4.25	20.87	34.78
710	82.93	58	2.3	V	11.9	0.28	4.25	15.87	34.78

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	SG Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
5 MHz Bandwidth									
710	88.47	102	1.5	H	17.4	0.28	4.25	21.37	34.78
710	82.88	317	1.7	V	11.9	0.28	4.25	15.87	34.78
10 MHz Bandwidth									
710	87.18	236	1.9	H	16.2	0.28	4.25	20.17	34.78
710	81.42	43	1.7	V	10.8	0.28	4.25	14.77	34.78

Note:

All above data were tested with no amplifier

Absolute Level = SG Level - Cable loss + Antenna Gain

Margin = Limit- Absolute Level

FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53 - OCCUPIED BANDWIDTH


Applicable Standards

FCC 47 §2.1049, §22.917, §22.905, §24.238 and §27.53.

Test Procedure

The RF output of the transmitter was connected to the simulator and the spectrum analyzer through sufficient attenuation.

The resolution bandwidth of the spectrum analyzer was set at 5 kHz (Cellular /PCS) & 100 kHz (WCDMA) and the 26 dB & 99% bandwidth was recorded.



Test Data

Environmental Conditions

Temperature:	22~24℃
Relative Humidity:	48~53 %
ATM Pressure:	100.0~101.0 kPa

The testing was performed by Chris Wang from 2016-10-08 to 2016-10-17.

EUT operation mode: Transmitting

Test Result: Compliance. Please refer to the following tables and plots.

Cellular Band (Part 22H)

Mode	Frequency (MHz)	99% Occupied Bandwidth (kHz)	26 dB Emission Bandwidth (kHz)
GSM(GMSK)	836.6	244.5	316.6
EGPRS(8PSK)	836.6	254.5	320.6

Mode	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
RMC (BPSK)	836.6	4.208	4.870
HSUPA (BPSK)	836.6	4.208	4.950
HSDPA (16QAM)	836.6	4.208	4.830

PCS Band (Part 24E)

Mode	Frequency (MHz)	99% Occupied Bandwidth (kHz)	26 dB Emission Bandwidth (kHz)
GSM(GMSK)	1880.0	246.5	314.6
EGPRS(8PSK)	1880.0	246.5	320.6


Mode	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
RMC (BPSK)	1880.0	4.228	4.910
HSUPA (BPSK)	1880.0	4.228	4.890
HSDPA (16QAM)	1880.0	4.208	4.910

AWS Band (Part 27)


Mode	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
RMC (BPSK)	1880.0	4.228	4.930
HSUPA (BPSK)	1880.0	4.228	4.890
HSDPA (16QAM)	1880.0	4.208	4.930

Cellular Band (Part 22H)


99% Occupied Bandwidth for GSM (GMSK) Mode




26 dB Emissions Bandwidth for GSM (GMSK) Mode




99% Occupied Bandwidth for EDGE Mode




26 dB Emissions Bandwidth for EDGE Mode





99% Occupied Bandwidth for RMC (BPSK) Mode




26 dB Emissions Bandwidth for RMC (BPSK) Mode






99% Occupied Bandwidth for HSDPA (16QAM) Mode




26 dB Emissions Bandwidth for HSDPA (16QAM) Mode




PCS Band (Part 24E)


99% Occupied Bandwidth for GSM (GMSK) Mode




26 dB Emissions Bandwidth for GSM (GMSK) Mode




99% Occupied Bandwidth for EDGE Mode




26 dB Emissions Bandwidth for EDGE Mode




99% Occupied Bandwidth for RMC (BPSK) Mode




26 dB Emissions Bandwidth for RMC (BPSK) Mode




99% Occupied Bandwidth for HSUPA (BPSK) Mode




26 dB Emissions Bandwidth for HSUPA (BPSK) Mode



99% Occupied Bandwidth for HSDPA (16QAM) Mode




26 dB Emissions Bandwidth for HSDPA (16QAM) Mode




AWS Band (Part 27)


99% Occupied Bandwidth for RMC (BPSK) Mode




26 dB Emissions Bandwidth for RMC (BPSK) Mode




99% Occupied Bandwidth for HSUPA (BPSK) Mode




26 dB Emissions Bandwidth for HSUPA (BPSK) Mode



99% Occupied Bandwidth for HSDPA (16QAM) Mode







26 dB Emissions Bandwidth for HSDPA (16QAM) Mode





LTE Band 2: (Middle Channel)


Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
1.4	QPSK	1.112	1.287
	16QAM	1.118	1.293
3.0	QPSK	2.693	2.934
	16QAM	2.705	2.956
5.0	QPSK	4.569	5.150
	16QAM	4.549	5.110
10.0	QPSK	8.978	9.860
	16QAM	8.978	9.740
15.0	QPSK	13.587	15.150
	16QAM	13.587	15.030
20.0	QPSK	18.036	19.559
	16QAM	18.036	19.639

QPSK (1.4 MHz) - 99% Occupied Bandwidth, Middle channel**QPSK (1.4 MHz) - 26 dB Bandwidth, Middle channel**




QPSK (3.0 MHz) - 99% Occupied Bandwidth, Middle channel**QPSK (3.0 MHz) - 26 dB Bandwidth, Middle channel**


16-QAM (3.0 MHz) - 99% Occupied Bandwidth, Middle channel




16-QAM (3.0 MHz) - 26 dB Bandwidth, Middle channel







QPSK (5.0 MHz) - 99% Occupied Bandwidth, Middle channel







QPSK (5.0 MHz) - 26 dB Bandwidth, Middle channel







16-QAM (5.0 MHz) - 99% Occupied Bandwidth, Middle channel**16-QAM (5.0 MHz) - 26 dB Bandwidth, Middle channel**



QPSK (10.0 MHz) - 99% Occupied Bandwidth, Middle channel**QPSK (10.0 MHz) - 26 dB Bandwidth, Middle channel**

16-QAM (10.0 MHz) - 99% Occupied Bandwidth, Middle channel**16-QAM (10.0 MHz) - 26 dB Bandwidth, Middle channel**

QPSK (15.0 MHz) - 99% Occupied Bandwidth, Middle channel**QPSK (15.0 MHz) - 26 dB Bandwidth, Middle channel**

16-QAM (15.0 MHz) - 99% Occupied Bandwidth, Middle channel**16-QAM (15.0 MHz) - 26 dB Bandwidth, Middle channel**


QPSK (20.0 MHz) - 99% Occupied Bandwidth, Middle channel**QPSK (20.0 MHz) - 26 dB Bandwidth, Middle channel**

16-QAM (20.0 MHz) - 99% Occupied Bandwidth, Middle channel**16-QAM (20.0 MHz) - 26 dB Bandwidth, Middle channel**


LTE Band 4: (Middle Channel)

Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
1.4	QPSK	1.100	1.281
	16QAM	1.106	1.287
3.0	QPSK	2.693	2.934
	16QAM	2.693	2.958
5.0	QPSK	4.569	5.110
	16QAM	4.549	5.090
10.0	QPSK	9.018	9.820
	16QAM	8.938	9.699
15.0	QPSK	13.587	15.150
	16QAM	13.587	14.970
20.0	QPSK	18.036	19.800
	16QAM	18.116	19.639


QPSK (1.4 MHz) - 99% Occupied Bandwidth, Middle channel




QPSK (1.4 MHz) - 26 dB Bandwidth, Middle channel




16-QAM (1.4 MHz) - 99% Occupied Bandwidth, Middle channel




16-QAM (1.4 MHz) - 26 dB Bandwidth, Middle channel




QPSK (3.0 MHz) - 99% Occupied Bandwidth, Middle channel




QPSK (3.0 MHz) - 26 dB Bandwidth, Middle channel




16-QAM (3.0 MHz) - 99% Occupied Bandwidth, Middle channel




16-QAM (3.0 MHz) - 26 dB Bandwidth, Middle channel




QPSK (5.0 MHz) - 99% Occupied Bandwidth, Middle channel




QPSK (5.0 MHz) - 26 dB Bandwidth, Middle channel





16-QAM (5.0 MHz) - 99% Occupied Bandwidth, Middle channel




16-QAM (5.0 MHz) - 26 dB Bandwidth, Middle channel




QPSK (10.0 MHz) - 99% Occupied Bandwidth, Middle channel**QPSK (10.0 MHz) - 26 dB Bandwidth, Middle channel**

16-QAM (10.0 MHz) - 99% Occupied Bandwidth, Middle channel



16-QAM (10.0 MHz) - 26 dB Bandwidth, Middle channel



[illegible]

Ref Lvl 34 dBm

Marker 1 [T1 ndB] 26.00 dB

BW 15.15030060 MHz

RBW 300 kHz

VBW 1 MHz

SWT 5 ms

RF Att 30 dB

Unit dBm

14 dB Offset

16.49 dBm

1.73042585 GHz

26.00 dB

15.15030060 MHz

-10.10 dBm

1.72495491 GHz

-9.02 dBm



1.74010521 GHz

Center 1.7325 GHz


3 MHz/

Span 30 MHz


Date: 17.OCT.2016 20:58:05

16-QAM (15.0 MHz) - 99% Occupied Bandwidth, Middle channel**16-QAM (15.0 MHz) - 26 dB Bandwidth, Middle channel**


QPSK (20.0 MHz) - 99% Occupied Bandwidth, Middle channel




QPSK (20.0 MHz) - 26 dB Bandwidth, Middle channel



16-QAM (20.0 MHz) - 99% Occupied Bandwidth, Middle channel




16-QAM (20.0 MHz) - 26 dB Bandwidth, Middle channel




LTE Band 7: (Middle Channel)

Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
5	QPSK	4.569	5.110
	16QAM	4.549	5.110
10	QPSK	8.978	9.940
	16QAM	8.978	9.739
15	QPSK	13.587	15.150
	16QAM	13.587	15.030
20	QPSK	18.036	19.639
	16QAM	18.116	19.719


QPSK (5 MHz) - 99% Occupied Bandwidth, Middle channel




QPSK (5 MHz) - 26 dB Bandwidth, Middle channel





16-QAM (5 MHz) - 99% Occupied Bandwidth, Middle channel




16-QAM (5MHz) - 26 dB Bandwidth, Middle channel






QPSK (10 MHz) - 99% Occupied Bandwidth, Middle channel**QPSK (10 MHz) - 26 dB Bandwidth, Middle channel**



16-QAM (10MHz) - 99% Occupied Bandwidth, Middle channel





16-QAM (10MHz) - 26 dB Bandwidth, Middle channel







16-QAM (15 MHz) - 99% Occupied Bandwidth, Middle channel**16-QAM (15 MHz) - 26 dB Bandwidth, Middle channel**



16-QAM (20 MHz) - 99% Occupied Bandwidth, Middle channel





16-QAM (20 MHz) - 26 dB Bandwidth, Middle channel



LTE Band 12: (Middle Channel)

Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
1.4	QPSK	1.112	1.287
	16QAM	1.112	1.281
3.0	QPSK	2.693	2.910
	16QAM	2.705	2.958
5.0	QPSK	4.549	5.090
	16QAM	4.549	5.090
10.0	QPSK	8.978	9.820
	16QAM	8.978	9.780

QPSK (1.4 MHz) - 99% Occupied Bandwidth, Middle channel**QPSK (1.4 MHz) - 26 dB Bandwidth, Middle channel**

Marker 1 [T1] RBW 30 kHz RF Att 30 dB
 Ref Lvl 17.68 dBm VBW 100 kHz
 34 dBm 707.10020040 MHz SWT 8.5 ms Unit dBm

14 dB Offset

17.68 dBm
 707.10020040 MHz
 1.11222445 MHz
 8.52 dBm
 706.94989980 MHz
 7.73 dBm
 708.06212425 MHz

17.68 dBm
 707.10020040 MHz
 1.11222445 MHz
 8.52 dBm
 706.94989980 MHz
 7.73 dBm
 708.06212425 MHz



Center 707.5 MHz 300 kHz/ Span 3 MHz



Date: 17.OCT.2016 22:01:47



Ref Lvl 34 dBm
 Marker 1 [T1 ndB] 26.00 dB
 BW 1.28056112 MHz
 RBW 30 kHz
 RF Att 30 dB
 VBW 100 kHz
 SWT 8.5 ms
 Unit dBm



Marker	Frequency (MHz)	Power (dBm)	Label
1	707.10020040	17.68	T1
2	706.85971944	-8.14	T1
3	708.14028056	-8.17	T1



Center 707.5 MHz
 Span 3 MHz
 Date: 17.OCT.2016 22:02:03



QPSK (3.0 MHz) - 99% Occupied Bandwidth, Middle channel**QPSK (3.0 MHz) - 26 dB Bandwidth, Middle channel**

16-QAM (3.0MHz) - 99% Occupied Bandwidth, Middle channel**16-QAM (3.0MHz) - 26 dB Bandwidth, Middle channel**







QPSK (10.0 MHz) - 99% Occupied Bandwidth, Middle channel**QPSK (10.0 MHz) - 26 dB Bandwidth, Middle channel**


16-QAM (10.0 MHz) - 99% Occupied Bandwidth, Middle channel**16-QAM (10.0 MHz) - 26 dB Bandwidth, Middle channel**

LTE Band 17: (Middle Channel)


Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
5.0	QPSK	4.529	5.050
	16QAM	4.569	5.150
10.0	QPSK	8.978	9.900
	16QAM	8.978	9.780

QPSK (5.0 MHz) - 99% Occupied Bandwidth, Middle channel**QPSK (5.0 MHz) - 26 dB Bandwidth, Middle channel**


16-QAM (5.0 MHz) - 99% Occupied Bandwidth, Middle channel




16-QAM (5.0 MHz) - 26 dB Bandwidth, Middle channel





QPSK (10.0 MHz) - 99% Occupied Bandwidth, Middle channel



QPSK (10.0 MHz) - 26 dB Bandwidth, Middle channel



16-QAM (10.0 MHz) - 99% Occupied Bandwidth, Middle channel**16-QAM (10.0 MHz) - 26 dB Bandwidth, Middle channel**

§ 2.1051; § 22.917 (a); § 24.238 (a); §27.53 (h) (m) SPURIOUS EMISSIONS AT ANTENNA TERMINALS


Applicable Standards

FCC §2.1051, §22.917(a) and §24.238(a) and §27.53(h) (m).

The spectrum was to be investigated to the tenth harmonics of the highest fundamental frequency as specified in § 2.1051.

Test Procedure

The RF output of the transceiver was connected to a spectrum analyzer and simulator through appropriate attenuation. The resolution bandwidth of the spectrum analyzer was set at 1MHz. Sufficient scans were taken to show any out of band emissions up to 10th harmonic.



Test Data


Environmental Conditions

Temperature:	24~25 °C
Relative Humidity:	53~55 %
ATM Pressure:	100.0~101.0 kPa


The testing was performed by Chris Wang from 2016-10-08 to 2016-11-02.

Cellular Band (Part 22H)


30 MHz – 1 GHz (GSM Mode)




1 GHz – 10 GHz (GSM Mode)



30 MHz – 1 GHz (WCDMA Mode)




1 GHz – 10 GHz (WCDMA Mode)




PCS Band (Part 24E)


30 MHz – 1 GHz (GSM Mode)




1 GHz – 2 GHz (GSM Mode)




2 GHz – 20 GHz (GSM Mode)




30 MHz – 1 GHz (WCDMA Mode)



1 GHz – 2 GHz (WCDMA Mode)




2 GHz – 20 GHz (WCDMA Mode)




AWS Band (Part 27)



30 MHz – 1 GHz (WCDMA Mode)




1 GHz – 2 GHz (WCDMA Mode)




Fundamental test

2 GHz – 20 GHz (WCDMA Mode)**LTE Band 2:****30 MHz - 1 GHz (1.4 MHz, Middle Channel)**

1 GHz – 2 GHz (1.4 MHz, Middle Channel)



2 GHz – 20 GHz (1.4 MHz, Middle Channel)



Marker 1 [T1] RBW 100 kHz RF Att 10 dB
 Ref Lvl -62.94 dBm VBW 300 kHz
 14 dBm 986.39278557 MHz SWT 245 ms Unit dBm

14 dB Offset [T1] -62.94 dBm
 986.39278557 MHz

D1 -13 dBm

1MA

Start 30 MHz 97 MHz/ Stop 1 GHz

Date: 17.OCT.2016 23:46:36

Ref Lvl 30 dBm

Marker 1 [T1] -37.01 dBm

1.77354709 GHz

RBW 1 MHz RF Att 30 dB

VBW 3 MHz

SWT 5 ms Unit dBm

14 dB Offset

1 [T1] -37.01 dBm

1.77354709 GHz

1MAX

D1 -13 dBm


1

Start 1 GHz 100 MHz/ Stop 2 GHz


Date: 17.OCT.2016 23:57:29

Fundamental test


2 GHz – 20 GHz (3.0 MHz, Middle Channel)




30 MHz - 1 GHz (5.0 MHz, Middle Channel)




1 GHz – 2 GHz (5.0 MHz, Middle Channel)




2 GHz – 20 GHz (5.0 MHz, Middle Channel)




30 MHz - 1 GHz (10.0 MHz, Middle Channel)




1 GHz - 2 GHz (10.0 MHz, Middle Channel)




2 GHz – 20 GHz (10.0 MHz, Middle Channel)




30 MHz - 1 GHz (15.0 MHz, Middle Channel)




1 GHz – 2 GHz (15.0 MHz, Middle Channel)




2 GHz – 20 GHz (15.0 MHz, Middle Channel)





30 MHz - 1 GHz (20.0 MHz, Middle Channel)




1 GHz – 2 GHz (20.0 MHz, Middle Channel)




2 GHz –20 GHz (20.0 MHz, Middle Channel)**LTE Band 4:****30 MHz - 1 GHz (1.4 MHz, Middle Channel)**


1 GHz – 2 GHz (1.4 MHz, Middle Channel)




2 GHz – 20 GHz (1.4 MHz, Middle Channel)




30 MHz - 1 GHz (3.0 MHz, Middle Channel)




1 GHz - 2 GHz (3.0 MHz, Middle Channel)




2 GHz – 20 GHz (3.0 MHz, Middle Channel)




30 MHz - 1 GHz (5.0 MHz, Middle Channel)




1 GHz – 2 GHz (5.0 MHz, Middle Channel)




2 GHz – 20 GHz (5.0 MHz, Middle Channel)




30 MHz - 1 GHz (10.0 MHz, Middle Channel)




1 GHz – 2 GHz (10.0 MHz, Middle Channel)




2 GHz – 20 GHz (10.0 MHz, Middle Channel)



30 MHz - 1 GHz (15.0 MHz, Middle Channel)




1 GHz – 2 GHz (15.0 MHz, Middle Channel)




Fundamental test


2 GHz – 20 GHz (15.0 MHz, Middle Channel)




30 MHz - 1 GHz (20.0 MHz, Middle Channel)



1 GHz – 2 GHz (20.0 MHz, Middle Channel)




2 GHz – 20 GHz (20.0 MHz, Middle Channel)




LTE Band 7:


30 MHz – 1 GHz (5.0 MHz, Middle Channel)




1 GHz – 3.0 GHz (5.0 MHz, Middle Channel)




3.0 GHz – 26 GHz (5.0 MHz, Middle Channel)




30 MHz – 1.0 GHz (10.0 MHz, Middle Channel)




1 GHz – 3 GHz (10.0 MHz, Middle Channel)




3 GHz – 26 GHz (10.0 MHz, Middle Channel)



30 MHz – 1 GHz (15.0 MHz, Middle Channel)




1 GHz – 3 GHz (15.0 MHz, Middle Channel)




Fundamental test


3 GHz – 26 GHz (15.0 MHz, Middle Channel)





30 MHz – 1 GHz (20.0 MHz, Middle Channel)




1 GHz – 3 GHz (20.0 MHz, Middle Channel)




3 GHz – 26 GHz (20.0 MHz, Middle Channel)**LTE Band 12:****30 MHz - 1 GHz (1.4 MHz, Middle Channel)**


1 GHz – 8 GHz (1.4 MHz, Middle Channel)




30 MHz - 1 GHz (3.0 MHz, Middle Channel)




1 GHz – 8 GHz (3.0 MHz, Middle Channel)




30 MHz - 1 GHz (5.0 MHz, Middle Channel)





1 GHz – 8 GHz (5.0 MHz, Middle Channel)




30 MHz - 1 GHz (10.0 MHz, Middle Channel)




1 GHz – 8 GHz (10.0 MHz, Middle Channel)**LTE Band 17:****30 MHz - 1 GHz (5.0 MHz, Middle Channel)**


1 GHz – 8 GHz (5.0 MHz, Middle Channel)



30 MHz - 1 GHz (10.0 MHz, Middle Channel)



1 GHz – 8 GHz (10.0 MHz, Middle Channel)



FCC § 2.1053; § 22.917 (a); § 24.238 (a); §27.53 (h) (m) SPURIOUS RADIATED EMISSIONS

Applicable Standards

FCC § 2.1053, §22.917(a) and § 24.238(a) and § 27.53(h)(m)

For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log (P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log (P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log (P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Test Procedure

The transmitter was placed on a wooden turntable, and it was transmitting into a non-radiating load which was also placed on the turntable.

The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and polarization as well as EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. The test was performed by placing the EUT on 3-orthogonal axis.

The frequency range up to tenth harmonic of the fundamental frequency was investigated.

Remove the EUT and replace it with substitution antenna. A signal generator was connected to the substitution antenna by a non-radiating cable. The absolute levels of the spurious emissions were measured by the substitution.

Spurious emissions in dB = $10 \lg (\text{TX pwr in Watts}/0.001)$ – the absolute level

Spurious attenuation limit in dB = $43 + 10 \log_{10} (\text{power out in Watts})$ or,

Spurious attenuation limit in dB = $55 + 10 \log_{10} (\text{power out in Watts})$

Test Data

Environmental Conditions

Temperature:	22 °C
Relative Humidity:	57 %
ATM Pressure:	101.0 kPa

The testing was performed by Chris Wang on 2016-10-18.

Test mode: Transmitting

Test mode: Transmitting (Pre-scan with Low, Middle, High channel, and the worse case data as below)

30 MHz ~ 10 GHz:

Cellular Band (Part 22H)

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (m)	Polar (H/V)	SG Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)			
GSM 850 Mode										
190.63	29.32	334	2.5	H	-67.7	0.26	2.05	-65.91	-13	52.91
190.63	30.30	275	1.8	V	-66.7	0.26	2.05	-64.91	-13	51.91
1673.20	52.63	327	2.1	H	-51.3	0.30	9.40	-42.20	-13	29.20
1673.20	53.52	85	1.8	V	-51.9	0.30	9.40	-42.80	-13	29.80
WCDMA 850 Mode										
190.63	30.25	40	2.1	H	-66.7	0.26	2.05	-64.91	-13	51.91
190.63	29.70	143	2.5	V	-67.3	0.26	2.05	-65.51	-13	52.51
1673.20	52.33	138	1.0	H	-51.6	0.30	9.40	-42.50	-13	29.50
1673.20	53.12	97	1.4	V	-52.3	0.30	9.40	-43.20	-13	30.20

30 MHz ~ 20 GHz:

PCS Band (Part 24E)

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (m)	Polar (H/V)	SG Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)			
GSM 1900 Mode										
190.63	29.79	227	1.8	H	-67.2	0.26	2.05	-65.41	-13	52.41
190.63	29.67	206	1.9	V	-67.3	0.26	2.05	-65.51	-13	52.51
3760.00	39.13	7	2.2	H	-54.6	2.42	12.60	-44.42	-13	31.42
3760.00	38.03	318	1.7	V	-54.7	2.42	12.60	-44.52	-13	31.52
WCDMA 1900 Mode										
190.63	29.16	180	2.1	H	-67.8	0.26	2.05	-66.01	-13	53.01
190.63	30.11	203	1.6	V	-66.9	0.26	2.05	-65.11	-13	52.11
3760.00	39.03	338	1.0	H	-54.7	2.42	12.60	-44.52	-13	31.52
3760.00	40.93	144	1.9	V	-51.8	2.42	12.60	-41.62	-13	28.62

30 MHz ~ 18 GHz:**AWS Band (Part 27)**

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (m)	Polar (H/V)	SG Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)			
WCDMA Mode										
190.63	29.46	325	1.4	H	-67.5	0.26	2.05	-65.71	-13	52.71
190.63	30.47	89	1.7	V	-66.5	0.26	2.05	-64.71	-13	51.71
3465.20	39.37	280	1.6	H	-55.2	2.34	12.40	-45.14	-13	32.14
3465.20	38.51	228	1.7	V	-54.0	2.34	12.40	-43.94	-13	30.94

LTE Band:*Test mode: Transmitting (Pre-scan with all the bandwidth, and worse case as below)*

Frequency	Receiver	Turntable	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
(MHz)	Reading (dBμV)	Angle Degree	Height (m)	Polar (H/V)	SG Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)			
Band 2										
Test frequency range: 30 MHz ~ 20 GHz										
190.63	30.22	15	1.5	H	-66.8	0.26	2.05	-65.01	-13	52.01
190.63	30.70	152	1.6	V	-66.3	0.26	2.05	-64.51	-13	51.51
3760.00	39.53	68	1.1	H	-54.2	2.42	12.60	-44.02	-13	31.02
3760.00	38.33	215	2.3	V	-54.4	2.42	12.60	-44.22	-13	31.22
Band 4										
Test frequency range: 30 MHz ~ 18 GHz										
190.63	29.92	178	2.3	H	-67.1	0.26	2.05	-65.31	-13	52.31
190.63	30.38	343	2.3	V	-66.6	0.26	2.05	-64.81	-13	51.81
3465.00	43.77	178	1.4	H	-50.8	2.34	12.40	-40.74	-13	27.74
3465.00	41.91	225	1.4	V	-50.6	2.34	12.40	-40.54	-13	27.54
Band 7										
Test frequency range: 30 MHz ~ 26 GHz										
190.63	29.42	215	1.6	H	-67.6	0.26	2.05	-65.81	-25	40.81
190.63	29.68	107	2.4	V	-67.3	0.26	2.05	-65.51	-25	40.51
5070.00	36.46	64	2.3	H	-52.2	2.57	12.70	-42.07	-25	17.07
5070.00	39.27	213	1.5	V	-50.2	2.57	12.70	-40.07	-25	15.07
Band 12										
Test frequency range: 30 MHz ~ 8 GHz										
190.63	30.17	356	1.4	H	-66.8	0.26	2.05	-65.01	-13	52.01
190.63	30.88	127	1.2	V	-66.1	0.26	2.05	-64.31	-13	51.31
1415.00	42.36	11	2.1	H	-60.4	0.28	8.00	-52.68	-13	39.68
1415.00	45.22	171	1.2	V	-61.6	0.28	8.00	-53.88	-13	40.88
Band 17										
Test frequency range: 30 MHz ~ 8 GHz										
190.63	30.64	305	1.8	H	-66.4	0.26	2.05	-64.61	-13	51.61
190.63	30.93	60	1.1	V	-66.1	0.26	2.05	-64.31	-13	51.31
1420.00	42.25	281	2.2	H	-60.5	0.28	8.00	-52.78	-13	39.78
1420.00	46.57	223	2.1	V	-60.3	0.28	8.00	-52.58	-13	39.58

Note:

- 1) Absolute Level = SG Level - Cable loss + Antenna Gain
- 2) Margin = Limit - Absolute Level

FCC § 22.917 (a); § 24.238 (a); § 27.53 (h)(m) - BAND EDGES

Applicable Standards

According to § 22.917(a), the power of any emissions outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

According to § 24.238(a), the power of any emissions outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.


According to FCC § 27.53 (h)(m), the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log(P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log(P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log(P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Test Procedure

The RF output of the transmitter was connected to the input of the spectrum analyzer through sufficient attenuation.

The center of the spectrum analyzer was set to block edge frequency



Test Data



Environmental Conditions

Temperature:	24~25 °C
Relative Humidity:	53~55 %
ATM Pressure:	100.0~101.0 kPa


The testing was performed by Chris Wang from 2016-10-08 to 2016-10-17.

EUT operation mode: Transmitting


Test Result: Compliance. Please refer to the following plots.

Cellular Band, Left Band Edge for GSM (GMSK) Mode**Cellular Band, Right Band Edge for GSM (GMSK) Mode**


Cellular Band, Left Band Edge for EGPRS Mode




Cellular Band, Right Band Edge for EGPRS Mode





PCS Band, Left Band Edge for RMC (BPSK) Mode




PCS Band, Right Band Edge for RMC (BPSK) Mode




PCS Band, Left Band Edge for HSDPA (16QAM) Mode**PCS Band, Right Band Edge for HSDPA (16QAM) Mode**


PCS Band, Left Band Edge for HSUPA (BPSK) Mode




PCS Band, Right Band Edge for HSUPA (BPSK) Mode




PCS Band, Left Band Edge for GSM (GMSK) Mode




PCS Band, Right Band Edge for GSM (GMSK) Mode




PCS Band, Left Band Edge for EGPRS Mode




PCS Band, Right Band Edge for EGPRS Mode




PCS Band, Left Band Edge for RMC (BPSK) Mode




PCS Band, Right Band Edge for RMC (BPSK) Mode




PCS Band, Left Band Edge for HSDPA (16QAM) Mode




PCS Band, Right Band Edge for HSDPA (16QAM) Mode




PCS Band, Left Band Edge for HSUPA (BPSK) Mode




PCS Band, Right Band Edge for HSUPA (BPSK) Mode




AWS Band, Left Band Edge for RMC (BPSK) Mode




AWS Band, Right Band Edge for RMC (BPSK) Mode




AWS Band, Left Band Edge for HSDPA (16QAM) Mode




AWS Band, Right Band Edge for HSDPA (16QAM) Mode





AWS Band, Left Band Edge for HSUPA (BPSK) Mode




AWS Band, Right Band Edge for HSUPA (BPSK) Mode




Band 2:**QPSK (1.4 MHz, FULL RB) - Left Band Edge****QPSK (1.4 MHz, FULL RB) - Right Band Edge**


16-QAM (1.4 MHz, FULL RB) - Left Band Edge




16-QAM (1.4 MHz, FULL RB) - Right Band Edge




QPSK (3.0 MHz, FULL RB) - Left Band Edge




QPSK (3.0 MHz, FULL RB) - Right Band Edge




16-QAM (3.0 MHz, FULL RB) - Left Band Edge




16-QAM (3.0 MHz, FULL RB) - Right Band Edge




QPSK (5.0 MHz, FULL RB) - Left Band Edge




QPSK (5.0 MHz, FULL RB) - Right Band Edge




16-QAM (5.0 MHz, FULL RB) - Left Band Edge




16-QAM (5.0 MHz, FULL RB) - Right Band Edge




QPSK (10.0 MHz, FULL RB) - Left Band Edge




QPSK (10.0 MHz, FULL RB) - Right Band Edge



16-QAM (10.0 MHz, FULL RB) - Left Band Edge



16-QAM (10.0 MHz, FULL RB) - Right Band Edge





Marker 1 [T1]
 Ref Lvl -21.65 dBm
 34 dBm 1.84996994 GHz
 RBW 200 kHz RF Att 30 dB
 VBW 500 kHz
 SWT 5 ms Unit dBm

14 dB Offset
 [T1] -21.65 dBm
 1.84996994 GHz
 -13 dBm
 Center 1.85 GHz 3 MHz/ Span 30 MHz
 Date: 17.OCT.2016 23:26:01


The screenshot displays a spectrum analyzer interface. At the top, various parameters are listed: RBW is 200 kHz, RF Att is 30 dB, Ref Lvl is 34 dBm, Marker 1 [T1] is at -24.66 dBm, VBW is 500 kHz, Center frequency is 1.91055608 GHz, Span is 30 MHz, and Unit is dBm.

The main plot area shows a blue trace representing the signal spectrum. A red horizontal line indicates the noise floor at -13 dBm. The signal is centered around 1.91 GHz and has a bandwidth of approximately 3 MHz. A green arrow points to the peak of the signal, which is labeled with its frequency and power level.


Parameter	Value
RBW	200 kHz
RF Att	30 dB
Ref Lvl	34 dBm
Marker 1 [T1]	-24.66 dBm
VBW	500 kHz
Center Freq	1.91055608 GHz
Span	30 MHz
Unit	dBm

16-QAM (15.0 MHz, FULL RB) - Left Band Edge**16-QAM (15.0 MHz, FULL RB) - Right Band Edge**


QPSK (20.0 MHz, FULL RB) - Left Band Edge




QPSK (20.0 MHz, FULL RB) - Right Band Edge



16-QAM (20.0 MHz, FULL RB) - Left Band Edge




16-QAM (20.0 MHz, FULL RB) - Right Band Edge




Band 4:


QPSK (1.4 MHz, FULL RB) - Left Band Edge




QPSK (1.4 MHz, FULL RB) - Right Band Edge




16-QAM (1.4 MHz, FULL RB) - Left Band Edge




16-QAM (1.4 MHz, FULL RB) - Right Band Edge




QPSK (3.0 MHz, FULL RB) - Left Band Edge




QPSK (3.0 MHz, FULL RB) - Right Band Edge




16-QAM (3.0 MHz, FULL RB) - Left Band Edge




16-QAM (3.0 MHz, FULL RB) - Right Band Edge




QPSK (5.0 MHz, FULL RB) - Left Band Edge




QPSK (5.0 MHz, FULL RB) - Right Band Edge




16-QAM (5.0 MHz, FULL RB) - Left Band Edge




16-QAM (5.0 MHz, FULL RB) - Right Band Edge




QPSK (10.0 MHz, FULL RB) - Left Band Edge




QPSK (10.0 MHz, FULL RB) - Right Band Edge




16-QAM (10.0 MHz, FULL RB) - Left Band Edge




16-QAM (10.0 MHz, FULL RB) - Right Band Edge





QPSK (15.0 MHz, FULL RB) - Left Band Edge




QPSK (15.0 MHz, FULL RB) - Right Band Edge




16-QAM (15.0 MHz, FULL RB) - Left Band Edge**16-QAM (15.0 MHz, FULL RB) - Right Band Edge**

QPSK (20.0 MHz, FULL RB) - Left Band Edge



QPSK (20.0 MHz, FULL RB) - Right Band Edge




Marker 1 [T1]
 Ref Lvl -26.15 dBm
 34 dBm 1.70891784 GHz
 RBW 300 kHz RF Att 30 dB
 VBW 1 MHz
 SWT 5 ms Unit dBm

14 dB Offset
 -26.15 dBm
 1.70891784 GHz
 -13 dBm
 Center 1.71 GHz
 Span 40 MHz


[illegible]

Band 7:


QPSK (5.0 MHz, FULL RB) - Left Band Edge




QPSK (5.0 MHz, FULL RB) - Right Band Edge




16-QAM (5.0 MHz, FULL RB) - Left Band Edge




16-QAM (5.0 MHz, FULL RB) - Right Band Edge





QPSK (10.0 MHz, FULL RB) - Left Band Edge




QPSK (10.0 MHz, FULL RB) - Right Band Edge




16-QAM (10.0 MHz, FULL RB) - Left Band Edge**16-QAM (10.0 MHz, FULL RB) - Right Band Edge**


QPSK (15 MHz, FULL RB) - Left Band Edge




QPSK (15 MHz, FULL RB) - Right Band Edge




16-QAM (15 MHz, FULL RB) - Left Band Edge




16-QAM (15 MHz, FULL RB) - Right Band Edge







QPSK (20 MHz, FULL RB) - Left Band Edge




QPSK (20 MHz, FULL RB) - Right Band Edge




16-QAM (20 MHz, FULL RB) - Left Band Edge**16-QAM (20 MHz, FULL RB) - Right Band Edge**

Band 12:**QPSK (1.4 MHz, FULL RB) - Left Band Edge****QPSK (1.4 MHz, FULL RB) - Right Band Edge**


16-QAM (1.4 MHz, FULL RB) - Left Band Edge




16-QAM (1.4 MHz, FULL RB) - Right Band Edge




QPSK (3.0 MHz, FULL RB) - Left Band Edge




QPSK (3.0 MHz, FULL RB) - Right Band Edge




16-QAM (3.0 MHz, FULL RB) - Left Band Edge




16-QAM (3.0 MHz, FULL RB) - Right Band Edge





QPSK (5.0 MHz, FULL RB) - Left Band Edge




QPSK (5.0 MHz, FULL RB) - Right Band Edge






16-QAM (5.0 MHz, FULL RB) - Left Band Edge**16-QAM (5.0 MHz, FULL RB) - Right Band Edge**

QPSK (10.0 MHz, FULL RB) - Left Band Edge




QPSK (10.0 MHz, FULL RB) - Right Band Edge




16-QAM (10.0 MHz, FULL RB) - Left Band Edge**16-QAM (10.0 MHz, FULL RB) - Right Band Edge**

Band 17:


QPSK (5.0 MHz, FULL RB) - Left Band Edge




QPSK (5.0 MHz, FULL RB) - Right Band Edge




16-QAM (5.0 MHz, FULL RB) - Left Band Edge




16-QAM (5.0 MHz, FULL RB) - Right Band Edge




QPSK (10.0 MHz, FULL RB) - Left Band Edge




QPSK (10.0 MHz, FULL RB) - Right Band Edge



16-QAM (10.0 MHz, FULL RB) - Left Band Edge



16-QAM (10.0 MHz, FULL RB) - Right Band Edge



FCC § 2.1055; § 22.355; § 24.235; §27.54; - FREQUENCY STABILITY**Applicable Standards**

FCC § 2.1055, §22.355, §24.235 and & §27.54.

According to FCC §2.1055, the frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation.

According to §22.355, the carrier frequency of each transmitter in the Public Mobile Services must be maintained within the tolerances given in Table below:

Frequency Tolerance for Transmitters in the Public Mobile Services

Frequency Range (MHz)	Base, fixed (ppm)	Mobile > 3 watts (ppm)	Mobile ≤ 3 watts (ppm)
25 to 50	20.0	20.0	50.0
50 to 450	5.0	5.0	50.0
450 to 512	2.5	5.0	5.0
821 to 896	1.5	2.5	2.5
928 to 929.	5.0	N/A	N/A
929 to 960.	1.5	N/A	N/A
2110 to 2220	10.0	N/A	N/A


According to §24.235, the frequency stability shall be sufficient to ensure that the fundamental emissions stays within the authorized frequency block.

Test Procedure

Frequency Stability vs. Temperature: The equipment under test was connected to an external DC power supply and the RF output was connected to communication test set via feed-through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable exited the chamber through an opening made for the purpose.

After the temperature stabilized for approximately 20 minutes, the frequency output was recorded from the communication test set.

Frequency Stability vs. Voltage: For hand carried, battery powered equipment; reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer.



Test Data**Environmental Conditions**

Temperature:	24 °C
Relative Humidity:	53 %
ATM Pressure:	101.0 kPa

The testing was performed by Chris Wang on 2016-09-01.

EUT operation mode: Transmitting

Test Result: Compliance. Please refer to the following tables.

Cellular Band (Part 22H)**GSM Mode**

Middle Channel, $f_o = 836.6$ MHz				
Temperature (°C)	Power Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	14	0.016734	2.5
-20		5	0.005977	2.5
-10		8	0.009563	2.5
0		10	0.011953	2.5
10		3	0.003586	2.5
20		11	0.013148	2.5
30		8	0.009563	2.5
40		4	0.004781	2.5
50		15	0.017930	2.5
20	V min.= 3.6	11	0.013148	2.5
	V max.= 4.2	20	0.023906	2.5

EDGE Mode

Middle Channel, $f_0 = 836.6$ MHz				
Temperature (°C)	Power Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	25	0.029883	2.5
-20		21	0.025102	2.5
-10		18	0.021516	2.5
0		19	0.022711	2.5
10		14	0.016734	2.5
20		18	0.021516	2.5
30		23	0.027492	2.5
40		21	0.025102	2.5
50		19	0.022711	2.5
20	V min.= 3.6	28	0.033469	2.5
	V max.= 4.2	24	0.028688	2.5

WCDMA Mode

Middle Channel, $f_0 = 836.6$ MHz				
Temperature (°C)	Power Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	-2	-0.002391	2.5
-20		-1	-0.001195	2.5
-10		-3	-0.003586	2.5
0		1	0.001195	2.5
10		2	0.002391	2.5
20		-1	-0.001195	2.5
30		1	0.001195	2.5
40		-4	-0.004781	2.5
50		-5	-0.005977	2.5
20	V min.= 3.6	-3	-0.003586	2.5
	V max.= 4.2	-8	-0.009563	2.5

PCS Band (Part 24E)**GSM Mode**

Middle Channel, $f_o = 1880.0$ MHz				
Temperature (°C)	Power Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	8	0.004255	pass
-20		3	0.001596	pass
-10		6	0.003191	pass
0		1	0.000532	pass
10		2	0.001064	pass
20		9	0.004787	pass
30		8	0.004255	pass
40		4	0.002128	pass
50		12	0.006383	pass
20	V min.= 3.6	15	0.007979	pass
	V max.= 4.2	19	0.010106	pass

EDGE Mode

Middle Channel, $f_o = 1880.0$ MHz				
Temperature (°C)	Power Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	0	0	pass
-20		-2	-0.001064	pass
-10		-4	-0.002128	pass
0		-5	-0.002660	pass
10		-7	-0.003723	pass
20		0	0.000000	pass
30		-9	-0.004787	pass
40		1	0.000532	pass
50		-6	-0.003191	pass
20	V min.= 3.6	-8	-0.004255	pass
	V max.= 4.2	-11	-0.005851	pass

WCDMA Mode

Middle Channel, f_0 =1880.0 MHz				
Temperature (°C)	Power Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	-2	-0.001064	pass
-20		-1	-0.000532	pass
-10		1	0.000532	pass
0		3	0.001596	pass
10		2	0.001064	pass
20		-1	-0.000532	pass
30		4	0.002128	pass
40		3	0.001596	pass
50		5	0.002660	pass
20	V min.= 3.6	0	0	pass
	V max.= 4.2	7	0.003723	pass

AWS Band (Part 27)**WCDMA Mode**

Middle Channel, f_0 =1732.6 MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	-6	-0.00346	pass
-20		-2	-0.00115	pass
-10		-3	-0.00173	pass
0		2	0.00115	pass
10		-1	-0.00058	pass
20		-5	-0.00289	pass
30		-8	-0.00462	pass
40		-2	-0.00115	pass
50		-6	-0.00346	pass
25	V min.= 3.6	1	0.00058	pass
25	V max.= 4.2	-11	-0.00635	pass

LTE:

Band 2:

20.0 MHz Middle Channel, $f_0=1880\text{MHz}$				
Temperature (°C)	Power Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	2	0.001064	pass
-20		-4	-0.002128	pass
-10		2	0.001064	pass
0		5	0.002660	pass
10		-1	-0.000532	pass
20		1	0.000532	pass
30		0	0	pass
40		3	0.001596	pass
50		-1	-0.000532	pass
20	V min.= 3.6	-2	-0.001064	pass
	V max.= 4.2	1	0.000532	pass

Band 4:

20.0 MHz Middle Channel, $f_0=1732.5\text{ MHz}$				
Temperature (°C)	Power Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	3	0.00173	pass
-20		1	0.00058	pass
-10		0	0.00000	pass
0		-2	-0.00115	pass
10		-1	-0.00058	pass
20		1	0.00058	pass
30		-2	-0.00115	pass
40		4	0.00231	pass
50		-2	-0.00115	pass
20	V min.= 3.6	-1	-0.00058	pass
	V max.= 4.2	3	0.00173	pass

Band 7:

20.0 MHz Middle Channel, $f_o = 2535$ MHz				
Temperature (°C)	Power Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	6	0.00237	pass
-20		-3	-0.00118	pass
-10		2	0.00079	pass
0		-1	-0.00039	pass
10		-4	-0.00158	pass
20		2	0.00079	pass
30		0	0.00000	pass
40		-2	-0.00079	pass
50		4	0.00158	pass
20	V min.= 3.6	-1	-0.00039	pass
	V max.= 4.2	1	0.00039	pass

Band 12:

10.0 MHz Middle Channel, $f_o = 707.5$ MHz				
Temperature (°C)	Power Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	9	0.01272	pass
-20		6	0.00848	pass
-10		-7	-0.00989	pass
0		3	0.00424	pass
10		5	0.00707	pass
20		8	0.01131	pass
30		-4	-0.00565	pass
40		-10	-0.01413	pass
50		-7	-0.00989	pass
20	V min.= 3.6	6	0.00848	pass
	V max.= 4.2	5	0.00707	pass

Band 17:

10.0 MHz Middle Channel, $f_o=710$ MHz				
Temperature (°C)	Power Supplied (V_{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	-2	-0.00282	pass
-20		3	0.00423	pass
-10		-1	-0.00141	pass
0		0	0.00000	pass
10		-4	-0.00563	pass
20		1	0.00141	pass
30		-5	-0.00704	pass
40		-2	-0.00282	pass
50		-1	-0.00141	pass
20	V min.= 3.6	2	0.00282	pass
	V max.= 4.2	-3	-0.00423	pass

***** END OF REPORT *****