


PROD1116 SERIES NODE LABELLING CONVENTION


PROTECTIVE LABEL COVER




 Digital Mining Technology
M/N: **PROD1116-**
12-24Vdc; 15W IP66 **CAS-GPS NODE**




 Digital Mining Technology
M/N: **PROD1116-**
12-24Vdc; 15W IP66 **CAS-GPS NODE**



 Digital Mining Technology
M/N: **PROD1116-**
12-24Vdc; 15W IP66 **CAS-GPS NODE**



 Digital Mining Technology
M/N: **PROD1116-**
12-24Vdc; 15W IP66 **CAS-GPS NODE**




PROD1116 SERIES NODE LABELLING CONVENTION


PROTECTIVE LABEL COVER




 Digital Mining Technology
M/N: **PROD1116-**
12-24Vdc; 15W IP66 **CAS-GPS NODE**




 Digital Mining Technology
M/N: **PROD1116-**
12-24Vdc; 15W IP66 **CAS-GPS NODE**



 Digital Mining Technology
M/N: **PROD1116-**
12-24Vdc; 15W IP66 **CAS-GPS NODE**



 Digital Mining Technology
M/N: **PROD1116-**
12-24Vdc; 15W IP66 **CAS-GPS NODE**



Pictures showing the Label placement

Model No.: PROD1116-E2, PROD1116-E2X



Model No.: PROD1116-L2, PROD1116-L2X



Model No.: PROD1116-P2, PROD1116-P2X



Model No.: PROD1116-S2, PROD1116-S2X

