

承 认 书

SPECIFICATION FOR APPROVAL

客 户 名 称 : 深圳市高易电子有限公司

CUSTOMER`S NAME Shenzhen high easy Electronics Co., LTD

客 户 料 号 : EL.X.XQ00000015

CUSTOMER`S P/N
Antenna type: Coil Antenna

产 品 规 格 : Y. A11. 442

PRODUCT SPEC

制 作 日 期 : 2025年4月8日

ISSUE DATE

拟制 PREPARED BY	审核 CHECKED BY	批准 APPROVED BY	客户承认 CUSTOMER APPROVE



东莞市博红科技有限公司

DONGGUAN BOHONG TECHNOLOGY CO., LTD

ADD: 东莞市大朗镇富民中路533号4楼ADD:533 Fumin

Middle Road, Dalang Town, Dongguan City

TEL: 0769-82866410 FAX: 0769-82866409

本承认书请在首批下单生产此机种前回签，否则视为贵方默认此承认书内所有内容
This acknowledgement form must be signed and returned before the first batch of orders for this model are placed. Otherwise, it will be regarded as your implicit acceptance of all the contents in this acknowledgement form.

SPECIFICATION FOR APPROVAL

[illegible]

东莞市博红科技有限公司


DONGGUAN BOHONG TECHNOLOGY CO., LTD

SPECIFICATION FOR APPROVAL

CUSTOMER		CUSTOMER'S P/N	ELX.XQ00000015
ISSUE DATE	2025.4.8	PRODUCT SPEC	Y. A11. 442

2.DIMENSION:

unit : mm



Note:

1. 线圈之间需紧密绕线，间隙不得大于1/2线径； /The winding between the coils should be tightly wound, and the gap should not be greater than 1/2 wire diameter;
2. 线圈不得超出铁氧体磁片边缘； /The coil shall not exceed the edge of the ferrite disc;
3. 线圈外观整洁，且产品所用之部品符合环境规范要求：RoHS, HF; /The coil appearance is clean, and the parts used in the product meet the environmental specifications: RoHS, HF;
4. 高温胶带使用8mm宽度； /High temperature tape using 8mm width;

ISSUE		CHECK		APPROVAL	
BY		BY		BY	


东莞市博红科技有限公司

DONGGUAN BOHONG TECHNOLOGY CO., LTD

SPECIFICATION FOR APPROVAL

CUSTOMER		CUSTOMER'S P/N	ELX.XQ00000015
ISSUE DATE	2025.4.8	PRODUCT SPEC	Y. A11. 442

4.CIRCUIT DIAGRAM



" • " : POLARITY/极性

5.WINDING

NO	WINDING	WIRE	TURNS	TAPE	WINDING CONDITION
N1	S-F	Ø0.08*105P	10	/	CCW

6.CHARACTERISTIC

ITEM	MEASURED POINT	TECHNICAL DATA	TESTING CONDITION & INSTRUMENT
LS	S-F	6.5uH±10%	LCR1062 100KHz/1V AT 25℃±2℃
Q	S-F	60 Min	LCR1062 100KHz/1V AT 25℃±2℃
DCR	S-F	48mΩ Max	LCR1062 1KHz/0.3V AT 25℃±2℃


东莞市博红科技有限公司

DONGGUAN BOHONG TECHNOLOGY CO., LTD


SPECIFICATION FOR APPROVAL

CUSTOMER		CUSTOMER'S P/N	ELX.XQ00000015
ISSUE DATE	2025.4.8	PRODUCT SPEC	Y. A11. 442

7.THE PACKING WAY



1. 珍珠棉规格: 355*235*65mm*20格
- Pearl-cotton specification: 375*265*30mm*120格
2. 每格装15pcs, 每盘300pcs;
- 15pcs per box, 300pcs per plate;
3. 每箱装5盘;
- Each box contains 5 trays.
4. 每箱合计: 1500pcs;
- Total per box: 1500pcs;



东莞市博红科技有限公司

DONGGUAN BOHONG TECHNOLOGY CO., LTD

SPECIFICATION FOR APPROVAL

CUSTOMER		CUSTOMER'S P/N	ELX.XQ00000015	
ISSUE DATE	2025.4.8	PRODUCT SPEC	Y. A11. 442	
No.				
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				