


Spurious Emission at Antenna Terminals


2.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.96	-13	65.96	Pass	401
0.15	30	0.01	RMS	0.16	-77.91	-13	64.91	Pass	2986
30	1000	0.1	RMS	988.092	-70.02	-13	57.02	Pass	9701
1000	1700	1	RMS	1698	-58.1	-13	45.1	Pass	701
1700	1765	1	RMS	1745.5	19.27	60	40.73	Pass	401
1765	3000	1	RMS	2995	-54.36	-13	41.36	Pass	1236
3000	12000	1	RMS	12000	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19353	-34.96	-13	21.96	Pass	8001




2.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.06	-13	65.06	Pass	401
0.15	30	0.01	RMS	0.15	-77.68	-13	64.68	Pass	2986
30	1000	0.1	RMS	928.052	-70.01	-13	57.01	Pass	9701
1000	1700	1	RMS	1694	-58	-13	45	Pass	701
1700	1765	1	RMS	1745.5	18.46	60	41.54	Pass	401
1765	3000	1	RMS	2967	-54.34	-13	41.34	Pass	1236
3000	12000	1	RMS	11993	-43.22	-13	30.22	Pass	9002
12000	20000	1	RMS	19381	-34.98	-13	21.98	Pass	8001




2.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.25	-13	64.25	Pass	401
0.15	30	0.01	RMS	0.16	-77.65	-13	64.65	Pass	2986
30	1000	0.1	RMS	966.278	-69.89	-13	56.89	Pass	9701
1000	1700	1	RMS	1698	-42.1	-13	29.1	Pass	701
1700	1765	1	RMS	1710.725	19.51	60	40.49	Pass	401
1765	3000	1	RMS	2992	-54.26	-13	41.26	Pass	1236
3000	12000	1	RMS	11992	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19409	-34.94	-13	21.94	Pass	8001




2.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.21	-13	65.21	Pass	401
0.15	30	0.01	RMS	0.15	-76.85	-13	63.85	Pass	2986
30	1000	0.1	RMS	950.267	-69.79	-13	56.79	Pass	9701
1000	1700	1	RMS	1698	-43.8	-13	30.8	Pass	701
1700	1765	1	RMS	1710.725	18.58	60	41.42	Pass	401
1765	3000	1	RMS	2998	-54.29	-13	41.29	Pass	1236
3000	12000	1	RMS	11900	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19348	-34.92	-13	21.92	Pass	8001




2.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.3	-13	65.3	Pass	401
0.15	30	0.01	RMS	0.16	-77.95	-13	64.95	Pass	2986
30	1000	0.1	RMS	983.889	-69.92	-13	56.92	Pass	9701
1000	1700	1	RMS	1699	-48.41	-13	35.41	Pass	701
1700	1765	1	RMS	1725.838	19.75	60	40.25	Pass	401
1765	3000	1	RMS	2999	-54.19	-13	41.19	Pass	1236
3000	12000	1	RMS	11900	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19340	-34.94	-13	21.94	Pass	8001




2.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.05	-13	64.05	Pass	401
0.15	30	0.01	RMS	0.15	-77.41	-13	64.41	Pass	2986
30	1000	0.1	RMS	981.388	-69.87	-13	56.87	Pass	9701
1000	1700	1	RMS	1699	-48.9	-13	35.9	Pass	701
1700	1765	1	RMS	1725.675	18.83	60	41.17	Pass	401
1765	3000	1	RMS	3000	-54.24	-13	41.24	Pass	1236
3000	12000	1	RMS	11994	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19427	-34.94	-13	21.94	Pass	8001




2.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.87	-13	65.87	Pass	401
0.15	30	0.01	RMS	0.15	-77.19	-13	64.19	Pass	2986
30	1000	0.1	RMS	872.115	-69.88	-13	56.88	Pass	9701
1000	1700	1	RMS	1685	-57.97	-13	44.97	Pass	701
1700	1765	1	RMS	1740.788	19.27	60	40.73	Pass	401
1765	3000	1	RMS	1767	-37.99	-13	24.99	Pass	1236
3000	12000	1	RMS	11900	-43.05	-13	30.05	Pass	9002
12000	20000	1	RMS	19365	-34.84	-13	21.84	Pass	8001




2.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.7	-13	64.7	Pass	401
0.15	30	0.01	RMS	0.15	-77.78	-13	64.78	Pass	2986
30	1000	0.1	RMS	966.178	-69.8	-13	56.8	Pass	9701
1000	1700	1	RMS	1699	-57.94	-13	44.94	Pass	701
1700	1765	1	RMS	1740.788	18.51	60	41.49	Pass	401
1765	3000	1	RMS	1767	-37.81	-13	24.81	Pass	1236
3000	12000	1	RMS	11902	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19304	-34.93	-13	21.93	Pass	8001




2.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.17	-13	65.17	Pass	401
0.15	30	0.01	RMS	0.17	-77.64	-13	64.64	Pass	2986
30	1000	0.1	RMS	954.27	-69.88	-13	56.88	Pass	9701
1000	1700	1	RMS	1693	-44.82	-13	31.82	Pass	701
1700	1765	1	RMS	1711.05	19.5	60	40.5	Pass	401
1765	3000	1	RMS	2964	-54.28	-13	41.28	Pass	1236
3000	12000	1	RMS	12000	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19322	-34.89	-13	21.89	Pass	8001




2.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.48	-13	65.48	Pass	401
0.15	30	0.01	RMS	0.15	-77.58	-13	64.58	Pass	2986
30	1000	0.1	RMS	972.982	-69.91	-13	56.91	Pass	9701
1000	1700	1	RMS	1693	-47.08	-13	34.08	Pass	701
1700	1765	1	RMS	1711.05	18.6	60	41.4	Pass	401
1765	3000	1	RMS	2969	-54.28	-13	41.28	Pass	1236
3000	12000	1	RMS	11900	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19406	-34.9	-13	21.9	Pass	8001




2.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.26	-13	65.26	Pass	401
0.15	30	0.01	RMS	0.15	-76.93	-13	63.93	Pass	2986
30	1000	0.1	RMS	996.898	-69.92	-13	56.92	Pass	9701
1000	1700	1	RMS	1688	-56.22	-13	43.22	Pass	701
1700	1765	1	RMS	1723.563	19.75	60	40.25	Pass	401
1765	3000	1	RMS	2993	-54.3	-13	41.3	Pass	1236
3000	12000	1	RMS	11900	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19485	-34.94	-13	21.94	Pass	8001




2.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.41	-13	64.41	Pass	401
0.15	30	0.01	RMS	0.15	-77.24	-13	64.24	Pass	2986
30	1000	0.1	RMS	970.48	-69.87	-13	56.87	Pass	9701
1000	1700	1	RMS	1688	-56.41	-13	43.41	Pass	701
1700	1765	1	RMS	1723.563	18.78	60	41.22	Pass	401
1765	3000	1	RMS	2993	-54.28	-13	41.28	Pass	1236
3000	12000	1	RMS	11995	-43.17	-13	30.17	Pass	9002
12000	20000	1	RMS	19412	-34.91	-13	21.91	Pass	8001




2.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.04	-13	65.04	Pass	401
0.15	30	0.01	RMS	0.15	-77.59	-13	64.59	Pass	2986
30	1000	0.1	RMS	950.867	-69.93	-13	56.93	Pass	9701
1000	1700	1	RMS	1700	-51.47	-13	38.47	Pass	701
1700	1765	1	RMS	1736.075	19.35	60	40.65	Pass	401
1765	3000	1	RMS	1772	-38.67	-13	25.67	Pass	1236
3000	12000	1	RMS	12000	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19377	-34.94	-13	21.94	Pass	8001



2.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.16	-13	65.16	Pass	401
0.15	30	0.01	RMS	0.15	-77.48	-13	64.48	Pass	2986
30	1000	0.1	RMS	941.561	-69.89	-13	56.89	Pass	9701
1000	1700	1	RMS	1700	-51.24	-13	38.24	Pass	701
1700	1765	1	RMS	1736.075	18.48	60	41.52	Pass	401
1765	3000	1	RMS	1772	-38.95	-13	25.95	Pass	1236
3000	12000	1	RMS	11901	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19317	-34.88	-13	21.88	Pass	8001



3. LTE_Band5


3.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.12	-13	65.12	Pass	401
0.15	30	0.01	RMS	0.15	-78.17	-13	65.17	Pass	2986
30	814	0.1	RMS	807.4	-70.35	-13	57.35	Pass	7841
814	860	0.1	RMS	824.2	14.67	60	45.33	Pass	461
860	1000	0.1	RMS	993.2	-69.72	-13	56.72	Pass	1401
1000	3000	1	RMS	1648	-52.51	-13	39.51	Pass	2001
3000	10000	1	RMS	9698	-45.52	-13	32.52	Pass	7001




3.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.66	-13	64.66	Pass	401
0.15	30	0.01	RMS	0.15	-77.68	-13	64.68	Pass	2986
30	814	0.1	RMS	814	-70.3	-13	57.3	Pass	7841
814	860	0.1	RMS	824.3	13.84	60	46.16	Pass	461
860	1000	0.1	RMS	935.4	-69.98	-13	56.98	Pass	1401
1000	3000	1	RMS	1648	-53.19	-13	40.19	Pass	2001
3000	10000	1	RMS	9698	-45.51	-13	32.51	Pass	7001




3.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.94	-13	64.94	Pass	401
0.15	30	0.01	RMS	0.15	-77.69	-13	64.69	Pass	2986
30	814	0.1	RMS	813.4	-70.42	-13	57.42	Pass	7841
814	860	0.1	RMS	836.1	14.95	60	45.05	Pass	461
860	1000	0.1	RMS	992.7	-70	-13	57	Pass	1401
1000	3000	1	RMS	1672	-51.87	-13	38.87	Pass	2001
3000	10000	1	RMS	9700	-45.5	-13	32.5	Pass	7001




3.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.05	-13	65.05	Pass	401
0.15	30	0.01	RMS	0.25	-78.15	-13	65.15	Pass	2986
30	814	0.1	RMS	813.1	-70.36	-13	57.36	Pass	7841
814	860	0.1	RMS	836.1	13.97	60	46.03	Pass	461
860	1000	0.1	RMS	936.9	-69.8	-13	56.8	Pass	1401
1000	3000	1	RMS	1672	-52.71	-13	39.71	Pass	2001
3000	10000	1	RMS	9702	-45.53	-13	32.53	Pass	7001




3.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.64	-13	64.64	Pass	401
0.15	30	0.01	RMS	0.15	-78.6	-13	65.6	Pass	2986
30	814	0.1	RMS	804.7	-70.22	-13	57.22	Pass	7841
814	860	0.1	RMS	847.8	14.61	60	45.39	Pass	461
860	1000	0.1	RMS	930.9	-70.05	-13	57.05	Pass	1401
1000	3000	1	RMS	1695	-51.31	-13	38.31	Pass	2001
3000	10000	1	RMS	9704	-45.51	-13	32.51	Pass	7001




3.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.42	-13	65.42	Pass	401
0.15	30	0.01	RMS	0.17	-77.28	-13	64.28	Pass	2986
30	814	0.1	RMS	796.7	-70.37	-13	57.37	Pass	7841
814	860	0.1	RMS	847.9	13.74	60	46.26	Pass	461
860	1000	0.1	RMS	972.4	-69.87	-13	56.87	Pass	1401
1000	3000	1	RMS	1695	-52.22	-13	39.22	Pass	2001
3000	10000	1	RMS	9700	-45.59	-13	32.59	Pass	7001




3.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.66	-13	64.66	Pass	401
0.15	30	0.01	RMS	0.15	-78.05	-13	65.05	Pass	2986
30	814	0.1	RMS	779	-70.42	-13	57.42	Pass	7841
814	860	0.1	RMS	824.2	14.8	60	45.2	Pass	461
860	1000	0.1	RMS	929	-69.95	-13	56.95	Pass	1401
1000	3000	1	RMS	1648	-52.44	-13	39.44	Pass	2001
3000	10000	1	RMS	9700	-45.6	-13	32.6	Pass	7001




3.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.94	-13	64.94	Pass	401
0.15	30	0.01	RMS	0.16	-77.33	-13	64.33	Pass	2986
30	814	0.1	RMS	813.6	-70.36	-13	57.36	Pass	7841
814	860	0.1	RMS	824.2	14.11	60	45.89	Pass	461
860	1000	0.1	RMS	971.6	-69.94	-13	56.94	Pass	1401
1000	3000	1	RMS	1648	-53.15	-13	40.15	Pass	2001
3000	10000	1	RMS	9700	-45.57	-13	32.57	Pass	7001




3.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.01	-13	65.01	Pass	401
0.15	30	0.01	RMS	0.15	-77.3	-13	64.3	Pass	2986
30	814	0.1	RMS	805	-70.31	-13	57.31	Pass	7841
814	860	0.1	RMS	835.2	15.01	60	44.99	Pass	461
860	1000	0.1	RMS	969.1	-70	-13	57	Pass	1401
1000	3000	1	RMS	1670	-51.33	-13	38.33	Pass	2001
3000	10000	1	RMS	9705	-45.52	-13	32.52	Pass	7001




3.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.8	-13	64.8	Pass	401
0.15	30	0.01	RMS	0.18	-78.81	-13	65.81	Pass	2986
30	814	0.1	RMS	802.3	-70.36	-13	57.36	Pass	7841
814	860	0.1	RMS	835.2	14.25	60	45.75	Pass	461
860	1000	0.1	RMS	989.2	-70.04	-13	57.04	Pass	1401
1000	3000	1	RMS	1670	-51.8	-13	38.8	Pass	2001
3000	10000	1	RMS	9701	-45.5	-13	32.5	Pass	7001




3.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.76	-13	65.76	Pass	401
0.15	30	0.01	RMS	0.17	-78.08	-13	65.08	Pass	2986
30	814	0.1	RMS	810.7	-70.39	-13	57.39	Pass	7841
814	860	0.1	RMS	846.2	14.59	60	45.41	Pass	461
860	1000	0.1	RMS	1000	-69.94	-13	56.94	Pass	1401
1000	3000	1	RMS	1692	-51.73	-13	38.73	Pass	2001
3000	10000	1	RMS	9703	-45.54	-13	32.54	Pass	7001




3.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.1	-13	65.1	Pass	401
0.15	30	0.01	RMS	0.17	-78.5	-13	65.5	Pass	2986
30	814	0.1	RMS	809.9	-70.34	-13	57.34	Pass	7841
814	860	0.1	RMS	846.2	13.73	60	46.27	Pass	461
860	1000	0.1	RMS	891.3	-69.96	-13	56.96	Pass	1401
1000	3000	1	RMS	1692	-52.65	-13	39.65	Pass	2001
3000	10000	1	RMS	9703	-45.54	-13	32.54	Pass	7001




3.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.57	-13	64.57	Pass	401
0.15	30	0.01	RMS	0.16	-77.8	-13	64.8	Pass	2986
30	814	0.1	RMS	813.9	-70.3	-13	57.3	Pass	7841
814	860	0.1	RMS	824.3	15	60	45	Pass	461
860	1000	0.1	RMS	953.3	-69.99	-13	56.99	Pass	1401
1000	3000	1	RMS	1648	-52.38	-13	39.38	Pass	2001
3000	10000	1	RMS	9701	-45.49	-13	32.49	Pass	7001




3.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.28	-13	65.28	Pass	401
0.15	30	0.01	RMS	0.18	-78.28	-13	65.28	Pass	2986
30	814	0.1	RMS	813.7	-70.3	-13	57.3	Pass	7841
814	860	0.1	RMS	824.3	14.39	60	45.61	Pass	461
860	1000	0.1	RMS	997.1	-69.9	-13	56.9	Pass	1401
1000	3000	1	RMS	1648	-53.22	-13	40.22	Pass	2001
3000	10000	1	RMS	9700	-45.6	-13	32.6	Pass	7001




3.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.41	-13	65.41	Pass	401
0.15	30	0.01	RMS	0.15	-78.51	-13	65.51	Pass	2986
30	814	0.1	RMS	812.8	-70.41	-13	57.41	Pass	7841
814	860	0.1	RMS	834.3	14.95	60	45.05	Pass	461
860	1000	0.1	RMS	964.8	-69.95	-13	56.95	Pass	1401
1000	3000	1	RMS	1668	-51.53	-13	38.53	Pass	2001
3000	10000	1	RMS	9698	-45.56	-13	32.56	Pass	7001




3.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.04	-13	65.04	Pass	401
0.15	30	0.01	RMS	0.15	-77.99	-13	64.99	Pass	2986
30	814	0.1	RMS	792.7	-70.41	-13	57.41	Pass	7841
814	860	0.1	RMS	834.3	14.2	60	45.8	Pass	461
860	1000	0.1	RMS	996.1	-69.93	-13	56.93	Pass	1401
1000	3000	1	RMS	1668	-52.37	-13	39.37	Pass	2001
3000	10000	1	RMS	9708	-45.57	-13	32.57	Pass	7001




3.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.86	-13	65.86	Pass	401
0.15	30	0.01	RMS	0.16	-77.69	-13	64.69	Pass	2986
30	814	0.1	RMS	806.9	-70.45	-13	57.45	Pass	7841
814	860	0.1	RMS	844.3	14.88	60	45.12	Pass	461
860	1000	0.1	RMS	918.5	-69.98	-13	56.98	Pass	1401
1000	3000	1	RMS	1688	-51.07	-13	38.07	Pass	2001
3000	10000	1	RMS	9710	-45.57	-13	32.57	Pass	7001




3.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.32	-13	65.32	Pass	401
0.15	30	0.01	RMS	0.16	-77.98	-13	64.98	Pass	2986
30	814	0.1	RMS	766.5	-70.45	-13	57.45	Pass	7841
814	860	0.1	RMS	844.3	14.27	60	45.73	Pass	461
860	1000	0.1	RMS	966	-69.85	-13	56.85	Pass	1401
1000	3000	1	RMS	1688	-51.86	-13	38.86	Pass	2001
3000	10000	1	RMS	9694	-45.52	-13	32.52	Pass	7001




3.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.68	-13	64.68	Pass	401
0.15	30	0.01	RMS	0.19	-78.3	-13	65.3	Pass	2986
30	814	0.1	RMS	806.9	-70.01	-13	57.01	Pass	7841
814	860	0.1	RMS	824.6	15.49	60	44.51	Pass	461
860	1000	0.1	RMS	977.4	-69.87	-13	56.87	Pass	1401
1000	3000	1	RMS	1649	-52.91	-13	39.91	Pass	2001
3000	10000	1	RMS	9698	-45.54	-13	32.54	Pass	7001




3.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.68	-13	65.68	Pass	401
0.15	30	0.01	RMS	0.15	-78.04	-13	65.04	Pass	2986
30	814	0.1	RMS	807.1	-70.24	-13	57.24	Pass	7841
814	860	0.1	RMS	824.6	14.75	60	45.25	Pass	461
860	1000	0.1	RMS	935.3	-69.88	-13	56.88	Pass	1401
1000	3000	1	RMS	1649	-53.66	-13	40.66	Pass	2001
3000	10000	1	RMS	9701	-45.52	-13	32.52	Pass	7001




3.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.77	-13	65.77	Pass	401
0.15	30	0.01	RMS	0.15	-77.88	-13	64.88	Pass	2986
30	814	0.1	RMS	814	-65.59	-13	52.59	Pass	7841
814	860	0.1	RMS	832.1	15.24	60	44.76	Pass	461
860	1000	0.1	RMS	965.1	-69.91	-13	56.91	Pass	1401
1000	3000	1	RMS	1664	-52.55	-13	39.55	Pass	2001
3000	10000	1	RMS	9700	-45.45	-13	32.45	Pass	7001




3.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.99	-13	64.99	Pass	401
0.15	30	0.01	RMS	0.19	-78.22	-13	65.22	Pass	2986
30	814	0.1	RMS	814	-66.89	-13	53.89	Pass	7841
814	860	0.1	RMS	832.1	14.58	60	45.42	Pass	461
860	1000	0.1	RMS	979.6	-69.93	-13	56.93	Pass	1401
1000	3000	1	RMS	1664	-53.04	-13	40.04	Pass	2001
3000	10000	1	RMS	9700	-45.54	-13	32.54	Pass	7001




3.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.71	-13	65.71	Pass	401
0.15	30	0.01	RMS	0.22	-78.16	-13	65.16	Pass	2986
30	814	0.1	RMS	810.3	-70.36	-13	57.36	Pass	7841
814	860	0.1	RMS	839.6	15.34	60	44.66	Pass	461
860	1000	0.1	RMS	961.2	-69.87	-13	56.87	Pass	1401
1000	3000	1	RMS	1679	-50.72	-13	37.72	Pass	2001
3000	10000	1	RMS	9699	-45.54	-13	32.54	Pass	7001



3.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.87	-13	64.87	Pass	401
0.15	30	0.01	RMS	0.26	-78.22	-13	65.22	Pass	2986
30	814	0.1	RMS	804.6	-70.27	-13	57.27	Pass	7841
814	860	0.1	RMS	839.6	14.41	60	45.59	Pass	461
860	1000	0.1	RMS	994.5	-69.97	-13	56.97	Pass	1401
1000	3000	1	RMS	1679	-51.77	-13	38.77	Pass	2001
3000	10000	1	RMS	9698	-45.58	-13	32.58	Pass	7001



4. LTE_Band7


4.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.24	-25	53.24	Pass	401
0.15	30	0.01	RMS	0.15	-78.08	-25	53.08	Pass	2986
30	1000	0.1	RMS	539.6	-69.65	-25	44.65	Pass	9701
1000	2490	1	RMS	2490	-54.37	-25	29.37	Pass	1491
2490	2580	1	RMS	2500.125	17.98	60	42.02	Pass	401
2580	3000	1	RMS	3000	-54.32	-25	29.32	Pass	421
3000	12000	1	RMS	11999	-64.01	-25	39.01	Pass	9002
12000	26000	1	RMS	25497	-50.76	-25	25.76	Pass	14002




4.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.29	-25	53.29	Pass	401
0.15	30	0.01	RMS	0.15	-78.4	-25	53.4	Pass	2986
30	1000	0.1	RMS	994.196	-70.01	-25	45.01	Pass	9701
1000	2490	1	RMS	2490	-54.25	-25	29.25	Pass	1491
2490	2580	1	RMS	2500.125	17.39	60	42.61	Pass	401
2580	3000	1	RMS	2991	-54.37	-25	29.37	Pass	421
3000	12000	1	RMS	11894	-64.02	-25	39.02	Pass	9002
12000	26000	1	RMS	25498	-56.6	-25	31.6	Pass	14002




4.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.28	-25	53.28	Pass	401
0.15	30	0.01	RMS	0.22	-77.85	-25	52.85	Pass	2986
30	1000	0.1	RMS	959.673	-69.95	-25	44.95	Pass	9701
1000	2490	1	RMS	2487	-55.61	-25	30.61	Pass	1491
2490	2580	1	RMS	2532.75	18.5	60	41.5	Pass	401
2580	3000	1	RMS	2990	-54.38	-25	29.38	Pass	421
3000	12000	1	RMS	11998	-63.99	-25	38.99	Pass	9002
12000	26000	1	RMS	25497	-56.73	-25	31.73	Pass	14002




4.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.12	-25	52.12	Pass	401
0.15	30	0.01	RMS	0.15	-78.36	-25	53.36	Pass	2986
30	1000	0.1	RMS	945.864	-69.87	-25	44.87	Pass	9701
1000	2490	1	RMS	2490	-55.7	-25	30.7	Pass	1491
2490	2580	1	RMS	2532.75	17.54	60	42.46	Pass	401
2580	3000	1	RMS	2993	-54.37	-25	29.37	Pass	421
3000	12000	1	RMS	11977	-64.05	-25	39.05	Pass	9002
12000	26000	1	RMS	25509	-56.72	-25	31.72	Pass	14002




4.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.34	-25	53.34	Pass	401
0.15	30	0.01	RMS	0.15	-77.86	-25	52.86	Pass	2986
30	1000	0.1	RMS	604.6	-69.8	-25	44.8	Pass	9701
1000	2490	1	RMS	2487	-55.63	-25	30.63	Pass	1491
2490	2580	1	RMS	2565.15	18.44	60	41.56	Pass	401
2580	3000	1	RMS	2997	-54.37	-25	29.37	Pass	421
3000	12000	1	RMS	11885	-64.08	-25	39.08	Pass	9002
12000	26000	1	RMS	25486	-56.68	-25	31.68	Pass	14002




4.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.5	-25	52.5	Pass	401
0.15	30	0.01	RMS	0.18	-78.55	-25	53.55	Pass	2986
30	1000	0.1	RMS	931.755	-69.99	-25	44.99	Pass	9701
1000	2490	1	RMS	2487	-55.63	-25	30.63	Pass	1491
2490	2580	1	RMS	2565.15	17.65	60	42.35	Pass	401
2580	3000	1	RMS	2984	-54.4	-25	29.4	Pass	421
3000	12000	1	RMS	11895	-64.01	-25	39.01	Pass	9002
12000	26000	1	RMS	25507	-56.63	-25	31.63	Pass	14002




4.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.78	-25	52.78	Pass	401
0.15	30	0.01	RMS	0.15	-76.79	-25	51.79	Pass	2986
30	1000	0.1	RMS	539.9	-69.64	-25	44.64	Pass	9701
1000	2490	1	RMS	2490	-53.11	-25	28.11	Pass	1491
2490	2580	1	RMS	2500.575	18.23	60	41.77	Pass	401
2580	3000	1	RMS	2989	-54.41	-25	29.41	Pass	421
3000	12000	1	RMS	11990	-64.09	-25	39.09	Pass	9002
12000	26000	1	RMS	25509	-56.78	-25	31.78	Pass	14002




4.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.43	-25	53.43	Pass	401
0.15	30	0.01	RMS	0.18	-78.9	-25	53.9	Pass	2986
30	1000	0.1	RMS	539.9	-69.29	-25	44.29	Pass	9701
1000	2490	1	RMS	2483	-53.89	-25	28.89	Pass	1491
2490	2580	1	RMS	2500.575	17.51	60	42.49	Pass	401
2580	3000	1	RMS	2996	-54.4	-25	29.4	Pass	421
3000	12000	1	RMS	11895	-64.01	-25	39.01	Pass	9002
12000	26000	1	RMS	25502	-56.78	-25	31.78	Pass	14002




4.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.26	-25	53.26	Pass	401
0.15	30	0.01	RMS	0.15	-77.73	-25	52.73	Pass	2986
30	1000	0.1	RMS	978.486	-69.93	-25	44.93	Pass	9701
1000	2490	1	RMS	2487	-55.58	-25	30.58	Pass	1491
2490	2580	1	RMS	2530.5	18.69	60	41.31	Pass	401
2580	3000	1	RMS	2999	-54.41	-25	29.41	Pass	421
3000	12000	1	RMS	11985	-64.04	-25	39.04	Pass	9002
12000	26000	1	RMS	25518	-56.79	-25	31.79	Pass	14002




4.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.35	-25	53.35	Pass	401
0.15	30	0.01	RMS	0.15	-77.9	-25	52.9	Pass	2986
30	1000	0.1	RMS	951.968	-70.01	-25	45.01	Pass	9701
1000	2490	1	RMS	2484	-55.67	-25	30.67	Pass	1491
2490	2580	1	RMS	2530.5	17.7	60	42.3	Pass	401
2580	3000	1	RMS	2999	-54.37	-25	29.37	Pass	421
3000	12000	1	RMS	11991	-64.02	-25	39.02	Pass	9002
12000	26000	1	RMS	25510	-56.75	-25	31.75	Pass	14002




4.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.43	-25	53.43	Pass	401
0.15	30	0.01	RMS	0.21	-78.29	-25	53.29	Pass	2986
30	1000	0.1	RMS	932.655	-69.87	-25	44.87	Pass	9701
1000	2490	1	RMS	2490	-55.65	-25	30.65	Pass	1491
2490	2580	1	RMS	2560.425	18.12	60	41.88	Pass	401
2580	3000	1	RMS	2990	-54.38	-25	29.38	Pass	421
3000	12000	1	RMS	11999	-64.03	-25	39.03	Pass	9002
12000	26000	1	RMS	25503	-56.68	-25	31.68	Pass	14002




4.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.25	-25	53.25	Pass	401
0.15	30	0.01	RMS	0.15	-77.88	-25	52.88	Pass	2986
30	1000	0.1	RMS	939.86	-69.98	-25	44.98	Pass	9701
1000	2490	1	RMS	2489	-55.63	-25	30.63	Pass	1491
2490	2580	1	RMS	2560.425	17.32	60	42.68	Pass	401
2580	3000	1	RMS	2999	-54.4	-25	29.4	Pass	421
3000	12000	1	RMS	11998	-64.06	-25	39.06	Pass	9002
12000	26000	1	RMS	25502	-56.67	-25	31.67	Pass	14002




4.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.23	-25	53.23	Pass	401
0.15	30	0.01	RMS	0.16	-78.24	-25	53.24	Pass	2986
30	1000	0.1	RMS	540.1	-69.81	-25	44.81	Pass	9701
1000	2490	1	RMS	2488	-42.48	-25	17.48	Pass	1491
2490	2580	1	RMS	2500.8	18.21	60	41.79	Pass	401
2580	3000	1	RMS	2998	-54.4	-25	29.4	Pass	421
3000	12000	1	RMS	11892	-64.04	-25	39.04	Pass	9002
12000	26000	1	RMS	25498	-56.7	-25	31.7	Pass	14002




4.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.41	-25	53.41	Pass	401
0.15	30	0.01	RMS	0.23	-78.11	-25	53.11	Pass	2986
30	1000	0.1	RMS	540.1	-69.71	-25	44.71	Pass	9701
1000	2490	1	RMS	2488	-43.3	-25	18.3	Pass	1491
2490	2580	1	RMS	2500.8	17.59	60	42.41	Pass	401
2580	3000	1	RMS	2982	-54.4	-25	29.4	Pass	421
3000	12000	1	RMS	11898	-64.06	-25	39.06	Pass	9002
12000	26000	1	RMS	25524	-56.83	-25	31.83	Pass	14002




4.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-79.07	-25	54.07	Pass	401
0.15	30	0.01	RMS	0.17	-77.31	-25	52.31	Pass	2986
30	1000	0.1	RMS	961.074	-69.86	-25	44.86	Pass	9701
1000	2490	1	RMS	2487	-55.6	-25	30.6	Pass	1491
2490	2580	1	RMS	2528.25	18.82	60	41.18	Pass	401
2580	3000	1	RMS	2998	-54.41	-25	29.41	Pass	421
3000	12000	1	RMS	12000	-64.02	-25	39.02	Pass	9002
12000	26000	1	RMS	25493	-56.76	-25	31.76	Pass	14002




4.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.76	-25	53.76	Pass	401
0.15	30	0.01	RMS	0.17	-78.4	-25	53.4	Pass	2986
30	1000	0.1	RMS	838.3	-69.91	-25	44.91	Pass	9701
1000	2490	1	RMS	2489	-55.61	-25	30.61	Pass	1491
2490	2580	1	RMS	2528.25	17.86	60	42.14	Pass	401
2580	3000	1	RMS	2998	-54.44	-25	29.44	Pass	421
3000	12000	1	RMS	11901	-64.07	-25	39.07	Pass	9002
12000	26000	1	RMS	25511	-56.77	-25	31.77	Pass	14002




4.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.24	-25	53.24	Pass	401
0.15	30	0.01	RMS	0.15	-78.44	-25	53.44	Pass	2986
30	1000	0.1	RMS	958.372	-69.97	-25	44.97	Pass	9701
1000	2490	1	RMS	2482	-55.71	-25	30.71	Pass	1491
2490	2580	1	RMS	2555.7	17.78	60	42.22	Pass	401
2580	3000	1	RMS	2582	-38.36	-25	13.36	Pass	421
3000	12000	1	RMS	11998	-64.1	-25	39.1	Pass	9002
12000	26000	1	RMS	25497	-56.8	-25	31.8	Pass	14002




4.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.06	-25	52.06	Pass	401
0.15	30	0.01	RMS	0.19	-78.09	-25	53.09	Pass	2986
30	1000	0.1	RMS	971.881	-69.98	-25	44.98	Pass	9701
1000	2490	1	RMS	2488	-55.59	-25	30.59	Pass	1491
2490	2580	1	RMS	2555.7	17.05	60	42.95	Pass	401
2580	3000	1	RMS	2582	-38.81	-25	13.81	Pass	421
3000	12000	1	RMS	11997	-63.99	-25	38.99	Pass	9002
12000	26000	1	RMS	25505	-56.8	-25	31.8	Pass	14002




4.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.72	-25	52.72	Pass	401
0.15	30	0.01	RMS	0.15	-77.17	-25	52.17	Pass	2986
30	1000	0.1	RMS	540.4	-69.34	-25	44.34	Pass	9701
1000	2490	1	RMS	2483	-46.06	-25	21.06	Pass	1491
2490	2580	1	RMS	2501.025	18.26	60	41.74	Pass	401
2580	3000	1	RMS	2999	-54.38	-25	29.38	Pass	421
3000	12000	1	RMS	11999	-64.03	-25	39.03	Pass	9002
12000	26000	1	RMS	25498	-56.72	-25	31.72	Pass	14002




4.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.54	-25	53.54	Pass	401
0.15	30	0.01	RMS	0.19	-78.52	-25	53.52	Pass	2986
30	1000	0.1	RMS	540.4	-69.61	-25	44.61	Pass	9701
1000	2490	1	RMS	2483	-46.94	-25	21.94	Pass	1491
2490	2580	1	RMS	2501.025	17.64	60	42.36	Pass	401
2580	3000	1	RMS	2998	-54.36	-25	29.36	Pass	421
3000	12000	1	RMS	11900	-64.02	-25	39.02	Pass	9002
12000	26000	1	RMS	25503	-56.81	-25	31.81	Pass	14002




4.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.73	-25	53.73	Pass	401
0.15	30	0.01	RMS	0.15	-78.46	-25	53.46	Pass	2986
30	1000	0.1	RMS	565.4	-69.55	-25	44.55	Pass	9701
1000	2490	1	RMS	2490	-53.72	-25	28.72	Pass	1491
2490	2580	1	RMS	2526	18.87	60	41.13	Pass	401
2580	3000	1	RMS	2998	-54.43	-25	29.43	Pass	421
3000	12000	1	RMS	11993	-64.05	-25	39.05	Pass	9002
12000	26000	1	RMS	25493	-56.74	-25	31.74	Pass	14002




4.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.21	-25	53.21	Pass	401
0.15	30	0.01	RMS	0.17	-77.72	-25	52.72	Pass	2986
30	1000	0.1	RMS	946.164	-69.86	-25	44.86	Pass	9701
1000	2490	1	RMS	2490	-51.83	-25	26.83	Pass	1491
2490	2580	1	RMS	2526	17.96	60	42.04	Pass	401
2580	3000	1	RMS	2979	-54.44	-25	29.44	Pass	421
3000	12000	1	RMS	12000	-64.02	-25	39.02	Pass	9002
12000	26000	1	RMS	25500	-56.73	-25	31.73	Pass	14002




4.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.3	-25	53.3	Pass	401
0.15	30	0.01	RMS	0.18	-77.71	-25	52.71	Pass	2986
30	1000	0.1	RMS	938.659	-69.94	-25	44.94	Pass	9701
1000	2490	1	RMS	2489	-55.63	-25	30.63	Pass	1491
2490	2580	1	RMS	2550.975	17.63	60	42.37	Pass	401
2580	3000	1	RMS	2586	-42.22	-25	17.22	Pass	421
3000	12000	1	RMS	12000	-63.93	-25	38.93	Pass	9002
12000	26000	1	RMS	25491	-56.78	-25	31.78	Pass	14002



4.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-79.04	-25	54.04	Pass	401
0.15	30	0.01	RMS	0.27	-77.87	-25	52.87	Pass	2986
30	1000	0.1	RMS	945.664	-69.72	-25	44.72	Pass	9701
1000	2490	1	RMS	2490	-55.71	-25	30.71	Pass	1491
2490	2580	1	RMS	2550.975	16.76	60	43.24	Pass	401
2580	3000	1	RMS	2586	-41.94	-25	16.94	Pass	421
3000	12000	1	RMS	11996	-64.08	-25	39.08	Pass	9002
12000	26000	1	RMS	25500	-56.72	-25	31.72	Pass	14002



--BLANK BELOW--