

Annex A.5 Spurious Emission at Antenna Terminals

1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.48	-13	Pass	2986
30	1000	0.1	RMS	929	-61.52	-13	Pass	9701
1000	1840	1	RMS	1840	-46.7	-13	Pass	841
1840	1920	1	RMS	1850.2	23.05	60	Pass	401
1920	3000	1	RMS	2648	-46.34	-13	Pass	1081
3000	12000	1	RMS	3701	-34.32	-13	Pass	9001
12000	20000	1	RMS	19998	-22.65	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.67	-13	Pass	2986
30	1000	0.1	RMS	931.5	-61.73	-13	Pass	9701
1000	1840	1	RMS	1840	-47.04	-13	Pass	841
1840	1920	1	RMS	1850.2	22.37	60	Pass	401
1920	3000	1	RMS	2641	-46.38	-13	Pass	1081
3000	12000	1	RMS	3701	-35.01	-13	Pass	9001
12000	20000	1	RMS	19997	-22.7	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.51	-13	Pass	2986
30	1000	0.1	RMS	907.4	-61.63	-13	Pass	9701
1000	1840	1	RMS	1840	-50.21	-13	Pass	841
1840	1920	1	RMS	1879.6	21.89	60	Pass	401
1920	3000	1	RMS	2644	-46.42	-13	Pass	1081
3000	12000	1	RMS	3759	-33.79	-13	Pass	9001
12000	20000	1	RMS	20000	-22.63	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.31	-13	Pass	2986
30	1000	0.1	RMS	936.5	-61.87	-13	Pass	9701
1000	1840	1	RMS	1840	-50.29	-13	Pass	841
1840	1920	1	RMS	1879.6	21.19	60	Pass	401
1920	3000	1	RMS	2640	-46.37	-13	Pass	1081
3000	12000	1	RMS	3759	-34.92	-13	Pass	9001
12000	20000	1	RMS	20000	-22.68	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.33	-13	Pass	2986
30	1000	0.1	RMS	950	-61.64	-13	Pass	9701
1000	1840	1	RMS	1840	-50.26	-13	Pass	841
1840	1920	1	RMS	1908.8	22.54	60	Pass	401
1920	3000	1	RMS	2654	-46.39	-13	Pass	1081
3000	12000	1	RMS	3818	-26.94	-13	Pass	9001
12000	20000	1	RMS	20000	-22.66	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.43	-13	Pass	2986
30	1000	0.1	RMS	900.7	-61.74	-13	Pass	9701
1000	1840	1	RMS	1839	-50.27	-13	Pass	841
1840	1920	1	RMS	1908.8	21.72	60	Pass	401
1920	3000	1	RMS	2650	-46.42	-13	Pass	1081
3000	12000	1	RMS	3818	-28.21	-13	Pass	9001
12000	20000	1	RMS	20000	-22.67	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.9	-13	Pass	2986
30	1000	0.1	RMS	938.2	-61.69	-13	Pass	9701
1000	1840	1	RMS	1840	-46.55	-13	Pass	841
1840	1920	1	RMS	1850.2	23.03	60	Pass	401
1920	3000	1	RMS	2638	-46.4	-13	Pass	1081
3000	12000	1	RMS	3700	-34.94	-13	Pass	9001
12000	20000	1	RMS	19998	-22.6	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.7	-13	Pass	2986
30	1000	0.1	RMS	935.9	-61.77	-13	Pass	9701
1000	1840	1	RMS	1840	-46.77	-13	Pass	841
1840	1920	1	RMS	1850.2	22.46	60	Pass	401
1920	3000	1	RMS	2649	-46.38	-13	Pass	1081
3000	12000	1	RMS	3700	-34.67	-13	Pass	9001
12000	20000	1	RMS	19993	-22.68	-13	Pass	8001




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.08	-13	Pass	2986
30	1000	0.1	RMS	921.6	-61.86	-13	Pass	9701
1000	1840	1	RMS	1840	-50.28	-13	Pass	841
1840	1920	1	RMS	1878.8	21.78	60	Pass	401
1920	3000	1	RMS	2641	-46.34	-13	Pass	1081
3000	12000	1	RMS	3757	-36.15	-13	Pass	9001
12000	20000	1	RMS	19998	-22.67	-13	Pass	8001




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.04	-13	Pass	2986
30	1000	0.1	RMS	943.1	-61.73	-13	Pass	9701
1000	1840	1	RMS	1837	-50.26	-13	Pass	841
1840	1920	1	RMS	1878.8	21.08	60	Pass	401
1920	3000	1	RMS	2645	-46.4	-13	Pass	1081
3000	12000	1	RMS	3757	-36.16	-13	Pass	9001
12000	20000	1	RMS	19998	-22.65	-13	Pass	8001




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.47	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.58	-13	Pass	2986
30	1000	0.1	RMS	928.9	-61.78	-13	Pass	9701
1000	1840	1	RMS	1837	-50.25	-13	Pass	841
1840	1920	1	RMS	1907.2	22.91	60	Pass	401
1920	3000	1	RMS	2643	-46.36	-13	Pass	1081
3000	12000	1	RMS	3814	-28.54	-13	Pass	9001
12000	20000	1	RMS	20000	-22.57	-13	Pass	8001




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.92	-13	Pass	2986
30	1000	0.1	RMS	960.2	-61.7	-13	Pass	9701
1000	1840	1	RMS	1837	-50.3	-13	Pass	841
1840	1920	1	RMS	1907.2	22.18	60	Pass	401
1920	3000	1	RMS	2648	-46.38	-13	Pass	1081
3000	12000	1	RMS	3814	-29.29	-13	Pass	9001
12000	20000	1	RMS	19998	-22.56	-13	Pass	8001




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.1	-13	Pass	2986
30	1000	0.1	RMS	964.1	-61.78	-13	Pass	9701
1000	1840	1	RMS	1840	-46.89	-13	Pass	841
1840	1920	1	RMS	1850.4	23.3	60	Pass	401
1920	3000	1	RMS	2648	-46.39	-13	Pass	1081
3000	12000	1	RMS	3701	-33.22	-13	Pass	9001
12000	20000	1	RMS	19998	-22.69	-13	Pass	8001




1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.07	-13	Pass	2986
30	1000	0.1	RMS	995.7	-61.7	-13	Pass	9701
1000	1840	1	RMS	1840	-47.28	-13	Pass	841
1840	1920	1	RMS	1850.4	22.69	60	Pass	401
1920	3000	1	RMS	2645	-46.34	-13	Pass	1081
3000	12000	1	RMS	3701	-34.44	-13	Pass	9001
12000	20000	1	RMS	19998	-22.72	-13	Pass	8001




1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.92	-13	Pass	2986
30	1000	0.1	RMS	907.9	-61.75	-13	Pass	9701
1000	1840	1	RMS	1840	-50.25	-13	Pass	841
1840	1920	1	RMS	1877.8	22.4	60	Pass	401
1920	3000	1	RMS	2641	-46.35	-13	Pass	1081
3000	12000	1	RMS	3756	-36.46	-13	Pass	9001
12000	20000	1	RMS	19994	-22.71	-13	Pass	8001




1.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.03	-13	Pass	2986
30	1000	0.1	RMS	943.2	-61.76	-13	Pass	9701
1000	1840	1	RMS	1840	-50.22	-13	Pass	841
1840	1920	1	RMS	1877.8	21.69	60	Pass	401
1920	3000	1	RMS	2643	-46.38	-13	Pass	1081
3000	12000	1	RMS	3756	-36.76	-13	Pass	9001
12000	20000	1	RMS	19998	-22.71	-13	Pass	8001




1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.86	-13	Pass	2986
30	1000	0.1	RMS	928.9	-61.65	-13	Pass	9701
1000	1840	1	RMS	1838	-50.26	-13	Pass	841
1840	1920	1	RMS	1905.4	22.89	60	Pass	401
1920	3000	1	RMS	2640	-46.39	-13	Pass	1081
3000	12000	1	RMS	3811	-29.36	-13	Pass	9001
12000	20000	1	RMS	19999	-22.68	-13	Pass	8001




1.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.46	-13	Pass	2986
30	1000	0.1	RMS	950.4	-61.81	-13	Pass	9701
1000	1840	1	RMS	1839	-50.26	-13	Pass	841
1840	1920	1	RMS	1905.4	22.3	60	Pass	401
1920	3000	1	RMS	2641	-46.41	-13	Pass	1081
3000	12000	1	RMS	3811	-30.07	-13	Pass	9001
12000	20000	1	RMS	20000	-22.69	-13	Pass	8001




1.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.79	-13	Pass	2986
30	1000	0.1	RMS	919.3	-61.59	-13	Pass	9701
1000	1840	1	RMS	1840	-47.55	-13	Pass	841
1840	1920	1	RMS	1850.6	23.41	60	Pass	401
1920	3000	1	RMS	2644	-46.4	-13	Pass	1081
3000	12000	1	RMS	3701	-30.4	-13	Pass	9001
12000	20000	1	RMS	19997	-22.74	-13	Pass	8001




1.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.73	-13	Pass	2986
30	1000	0.1	RMS	946.2	-61.68	-13	Pass	9701
1000	1840	1	RMS	1840	-47.86	-13	Pass	841
1840	1920	1	RMS	1850.6	22.91	60	Pass	401
1920	3000	1	RMS	2650	-46.4	-13	Pass	1081
3000	12000	1	RMS	3701	-31.48	-13	Pass	9001
12000	20000	1	RMS	19997	-22.68	-13	Pass	8001




1.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.66	-13	Pass	2986
30	1000	0.1	RMS	927.7	-61.72	-13	Pass	9701
1000	1840	1	RMS	1840	-50.14	-13	Pass	841
1840	1920	1	RMS	1875.6	22.52	60	Pass	401
1920	3000	1	RMS	2651	-46.41	-13	Pass	1081
3000	12000	1	RMS	3751	-36.59	-13	Pass	9001
12000	20000	1	RMS	19998	-22.74	-13	Pass	8001




1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.17	-13	Pass	2986
30	1000	0.1	RMS	923.3	-61.87	-13	Pass	9701
1000	1840	1	RMS	1839	-50.24	-13	Pass	841
1840	1920	1	RMS	1875.6	21.77	60	Pass	401
1920	3000	1	RMS	2642	-46.4	-13	Pass	1081
3000	12000	1	RMS	5627	-37.76	-13	Pass	9001
12000	20000	1	RMS	19999	-22.7	-13	Pass	8001




1.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.35	-13	Pass	2986
30	1000	0.1	RMS	934.7	-61.74	-13	Pass	9701
1000	1840	1	RMS	1840	-50.28	-13	Pass	841
1840	1920	1	RMS	1900.6	22.27	60	Pass	401
1920	3000	1	RMS	2653	-46.4	-13	Pass	1081
3000	12000	1	RMS	3801	-35.02	-13	Pass	9001
12000	20000	1	RMS	20000	-22.66	-13	Pass	8001




1.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.89	-13	Pass	2986
30	1000	0.1	RMS	937.8	-61.75	-13	Pass	9701
1000	1840	1	RMS	1840	-50.28	-13	Pass	841
1840	1920	1	RMS	1900.6	21.65	60	Pass	401
1920	3000	1	RMS	2653	-46.42	-13	Pass	1081
3000	12000	1	RMS	3801	-36.13	-13	Pass	9001
12000	20000	1	RMS	19999	-22.62	-13	Pass	8001




1.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.39	-13	Pass	2986
30	1000	0.1	RMS	954.6	-61.72	-13	Pass	9701
1000	1840	1	RMS	1838	-43.4	-13	Pass	841
1840	1920	1	RMS	1850.8	22.85	60	Pass	401
1920	3000	1	RMS	2641	-46.36	-13	Pass	1081
3000	12000	1	RMS	3702	-30.82	-13	Pass	9001
12000	20000	1	RMS	20000	-22.64	-13	Pass	8001




1.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.39	-13	Pass	2986
30	1000	0.1	RMS	902.5	-61.81	-13	Pass	9701
1000	1840	1	RMS	1838	-43.54	-13	Pass	841
1840	1920	1	RMS	1850.8	22.42	60	Pass	401
1920	3000	1	RMS	2641	-46.37	-13	Pass	1081
3000	12000	1	RMS	3702	-31.87	-13	Pass	9001
12000	20000	1	RMS	19996	-22.67	-13	Pass	8001




1.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.74	-13	Pass	2986
30	1000	0.1	RMS	900.6	-61.77	-13	Pass	9701
1000	1840	1	RMS	1839	-50.18	-13	Pass	841
1840	1920	1	RMS	1873.4	21.96	60	Pass	401
1920	3000	1	RMS	2645	-46.39	-13	Pass	1081
3000	12000	1	RMS	5620	-36.9	-13	Pass	9001
12000	20000	1	RMS	19999	-22.67	-13	Pass	8001




1.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.87	-13	Pass	2986
30	1000	0.1	RMS	940.8	-61.74	-13	Pass	9701
1000	1840	1	RMS	1840	-50.24	-13	Pass	841
1840	1920	1	RMS	1873.4	21.18	60	Pass	401
1920	3000	1	RMS	2642	-46.39	-13	Pass	1081
3000	12000	1	RMS	5620	-37.63	-13	Pass	9001
12000	20000	1	RMS	19998	-22.66	-13	Pass	8001




1.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.68	-13	Pass	2986
30	1000	0.1	RMS	920.7	-61.73	-13	Pass	9701
1000	1840	1	RMS	1840	-50.28	-13	Pass	841
1840	1920	1	RMS	1895.8	21.36	60	Pass	401
1920	3000	1	RMS	2645	-46.36	-13	Pass	1081
3000	12000	1	RMS	3792	-37.89	-13	Pass	9001
12000	20000	1	RMS	19998	-22.63	-13	Pass	8001




1.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.13	-13	Pass	2986
30	1000	0.1	RMS	921.9	-61.48	-13	Pass	9701
1000	1840	1	RMS	1839	-50.25	-13	Pass	841
1840	1920	1	RMS	1895.8	20.91	60	Pass	401
1920	3000	1	RMS	2642	-46.29	-13	Pass	1081
3000	12000	1	RMS	11858	-38.03	-13	Pass	9001
12000	20000	1	RMS	19998	-22.54	-13	Pass	8001




1.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.44	-13	Pass	2986
30	1000	0.1	RMS	925.9	-61.76	-13	Pass	9701
1000	1840	1	RMS	1833	-44.62	-13	Pass	841
1840	1920	1	RMS	1851	22.87	60	Pass	401
1920	3000	1	RMS	2641	-46.32	-13	Pass	1081
3000	12000	1	RMS	3702	-30.05	-13	Pass	9001
12000	20000	1	RMS	19995	-22.62	-13	Pass	8001




1.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.78	-13	Pass	2986
30	1000	0.1	RMS	956.7	-61.71	-13	Pass	9701
1000	1840	1	RMS	1833	-44.6	-13	Pass	841
1840	1920	1	RMS	1851	22.19	60	Pass	401
1920	3000	1	RMS	2641	-46.34	-13	Pass	1081
3000	12000	1	RMS	3702	-31.2	-13	Pass	9001
12000	20000	1	RMS	19997	-22.65	-13	Pass	8001




1.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.24	-13	Pass	2986
30	1000	0.1	RMS	919.2	-61.73	-13	Pass	9701
1000	1840	1	RMS	1835	-49.31	-13	Pass	841
1840	1920	1	RMS	1871	22.01	60	Pass	401
1920	3000	1	RMS	2648	-46.38	-13	Pass	1081
3000	12000	1	RMS	5613	-36.99	-13	Pass	9001
12000	20000	1	RMS	19997	-22.74	-13	Pass	8001




1.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.9	-13	Pass	2986
30	1000	0.1	RMS	914	-61.78	-13	Pass	9701
1000	1840	1	RMS	1835	-47.12	-13	Pass	841
1840	1920	1	RMS	1871	21.31	60	Pass	401
1920	3000	1	RMS	2642	-46.41	-13	Pass	1081
3000	12000	1	RMS	5613	-37.79	-13	Pass	9001
12000	20000	1	RMS	20000	-22.63	-13	Pass	8001




1.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.09	-13	Pass	2986
30	1000	0.1	RMS	934.9	-61.52	-13	Pass	9701
1000	1840	1	RMS	1839	-50.22	-13	Pass	841
1840	1920	1	RMS	1891	21.59	60	Pass	401
1920	3000	1	RMS	2647	-46.43	-13	Pass	1081
3000	12000	1	RMS	3782	-35.37	-13	Pass	9001
12000	20000	1	RMS	19999	-22.69	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.93	-13	Pass	2986
30	1000	0.1	RMS	953.6	-61.7	-13	Pass	9701
1000	1840	1	RMS	1839	-50.23	-13	Pass	841
1840	1920	1	RMS	1891	21.01	60	Pass	401
1920	3000	1	RMS	2638	-46.35	-13	Pass	1081
3000	12000	1	RMS	3782	-36.44	-13	Pass	9001
12000	20000	1	RMS	19996	-22.69	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.95	-13	Pass	2986
30	1000	0.1	RMS	933.1	-61.27	-13	Pass	9701
1000	1700	1	RMS	1700	-45.81	-13	Pass	701
1700	1765	1	RMS	1710.238	24.11	60	Pass	401
1765	3000	1	RMS	2649	-45.58	-13	Pass	1236
3000	12000	1	RMS	3421	-31.61	-13	Pass	9001
12000	20000	1	RMS	19993	-22.53	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.79	-13	Pass	2986
30	1000	0.1	RMS	904.4	-61.39	-13	Pass	9701
1000	1700	1	RMS	1700	-46.16	-13	Pass	701
1700	1765	1	RMS	1710.238	23.46	60	Pass	401
1765	3000	1	RMS	2652	-45.62	-13	Pass	1236
3000	12000	1	RMS	3421	-32	-13	Pass	9001
12000	20000	1	RMS	19999	-22.59	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.62	-13	Pass	2986
30	1000	0.1	RMS	933.5	-61.42	-13	Pass	9701
1000	1700	1	RMS	1699	-49.94	-13	Pass	701
1700	1765	1	RMS	1732.013	24.2	60	Pass	401
1765	3000	1	RMS	2641	-45.6	-13	Pass	1236
3000	12000	1	RMS	3464	-31.14	-13	Pass	9001
12000	20000	1	RMS	19997	-22.64	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.88	-13	Pass	2986
30	1000	0.1	RMS	943.4	-61.36	-13	Pass	9701
1000	1700	1	RMS	1697	-49.93	-13	Pass	701
1700	1765	1	RMS	1732.013	23.5	60	Pass	401
1765	3000	1	RMS	2647	-45.61	-13	Pass	1236
3000	12000	1	RMS	3464	-31.78	-13	Pass	9001
12000	20000	1	RMS	19999	-22.65	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.9	-13	Pass	2986
30	1000	0.1	RMS	926.4	-61.22	-13	Pass	9701
1000	1700	1	RMS	1695	-50.02	-13	Pass	701
1700	1765	1	RMS	1753.788	23.31	60	Pass	401
1765	3000	1	RMS	2650	-45.56	-13	Pass	1236
3000	12000	1	RMS	3508	-32.1	-13	Pass	9001
12000	20000	1	RMS	20000	-22.46	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.99	-13	Pass	2986
30	1000	0.1	RMS	927.4	-61.25	-13	Pass	9701
1000	1700	1	RMS	1697	-50.06	-13	Pass	701
1700	1765	1	RMS	1753.788	22.59	60	Pass	401
1765	3000	1	RMS	2650	-45.61	-13	Pass	1236
3000	12000	1	RMS	3508	-32.78	-13	Pass	9001
12000	20000	1	RMS	19999	-22.56	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.97	-13	Pass	2986
30	1000	0.1	RMS	934.1	-61.36	-13	Pass	9701
1000	1700	1	RMS	1700	-45.62	-13	Pass	701
1700	1765	1	RMS	1710.238	24.17	60	Pass	401
1765	3000	1	RMS	2652	-45.53	-13	Pass	1236
3000	12000	1	RMS	3420	-31.44	-13	Pass	9001
12000	20000	1	RMS	19996	-22.65	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56	-13	Pass	2986
30	1000	0.1	RMS	927.1	-61.41	-13	Pass	9701
1000	1700	1	RMS	1700	-46.16	-13	Pass	701
1700	1765	1	RMS	1710.238	23.53	60	Pass	401
1765	3000	1	RMS	2650	-45.59	-13	Pass	1236
3000	12000	1	RMS	3420	-32.03	-13	Pass	9001
12000	20000	1	RMS	19998	-22.61	-13	Pass	8001




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.96	-13	Pass	2986
30	1000	0.1	RMS	927.2	-61.26	-13	Pass	9701
1000	1700	1	RMS	1698	-49.9	-13	Pass	701
1700	1765	1	RMS	1731.2	24.29	60	Pass	401
1765	3000	1	RMS	2643	-45.58	-13	Pass	1236
3000	12000	1	RMS	3462	-32.79	-13	Pass	9001
12000	20000	1	RMS	19999	-22.51	-13	Pass	8001




2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.58	-13	Pass	2986
30	1000	0.1	RMS	936.2	-61.32	-13	Pass	9701
1000	1700	1	RMS	1698	-49.97	-13	Pass	701
1700	1765	1	RMS	1731.2	23.63	60	Pass	401
1765	3000	1	RMS	2650	-45.55	-13	Pass	1236
3000	12000	1	RMS	3463	-33.51	-13	Pass	9001
12000	20000	1	RMS	19997	-22.59	-13	Pass	8001




2.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.46	-13	Pass	2986
30	1000	0.1	RMS	897.5	-61.48	-13	Pass	9701
1000	1700	1	RMS	1700	-49.98	-13	Pass	701
1700	1765	1	RMS	1752.163	23.39	60	Pass	401
1765	3000	1	RMS	2648	-45.57	-13	Pass	1236
3000	12000	1	RMS	3504	-33.21	-13	Pass	9001
12000	20000	1	RMS	19998	-22.6	-13	Pass	8001




2.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.46	-13	Pass	2986
30	1000	0.1	RMS	927.8	-61.48	-13	Pass	9701
1000	1700	1	RMS	1700	-50.04	-13	Pass	701
1700	1765	1	RMS	1752.325	22.67	60	Pass	401
1765	3000	1	RMS	2651	-45.55	-13	Pass	1236
3000	12000	1	RMS	3504	-33.86	-13	Pass	9001
12000	20000	1	RMS	20000	-22.62	-13	Pass	8001




2.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.16	-13	Pass	2986
30	1000	0.1	RMS	909.5	-61.4	-13	Pass	9701
1000	1700	1	RMS	1700	-46.06	-13	Pass	701
1700	1765	1	RMS	1710.4	24.37	60	Pass	401
1765	3000	1	RMS	2639	-45.54	-13	Pass	1236
3000	12000	1	RMS	3421	-30.36	-13	Pass	9001
12000	20000	1	RMS	20000	-22.58	-13	Pass	8001




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.84	-13	Pass	2986
30	1000	0.1	RMS	932.8	-61.29	-13	Pass	9701
1000	1700	1	RMS	1700	-46.64	-13	Pass	701
1700	1765	1	RMS	1710.4	23.82	60	Pass	401
1765	3000	1	RMS	2643	-45.61	-13	Pass	1236
3000	12000	1	RMS	3421	-30.94	-13	Pass	9001
12000	20000	1	RMS	19995	-22.54	-13	Pass	8001




2.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.44	-13	Pass	2986
30	1000	0.1	RMS	924.3	-61.36	-13	Pass	9701
1000	1700	1	RMS	1700	-49.87	-13	Pass	701
1700	1765	1	RMS	1730.388	24.56	60	Pass	401
1765	3000	1	RMS	2644	-45.57	-13	Pass	1236
3000	12000	1	RMS	3461	-31.47	-13	Pass	9001
12000	20000	1	RMS	19994	-22.47	-13	Pass	8001




2.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.2	-13	Pass	2986
30	1000	0.1	RMS	948.2	-61.17	-13	Pass	9701
1000	1700	1	RMS	1700	-49.9	-13	Pass	701
1700	1765	1	RMS	1730.388	23.76	60	Pass	401
1765	3000	1	RMS	2650	-45.57	-13	Pass	1236
3000	12000	1	RMS	3461	-31.85	-13	Pass	9001
12000	20000	1	RMS	19999	-22.54	-13	Pass	8001




2.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.21	-13	Pass	2986
30	1000	0.1	RMS	891.9	-61.34	-13	Pass	9701
1000	1700	1	RMS	1698	-49.99	-13	Pass	701
1700	1765	1	RMS	1750.375	23.74	60	Pass	401
1765	3000	1	RMS	2640	-45.53	-13	Pass	1236
3000	12000	1	RMS	3501	-32.28	-13	Pass	9001
12000	20000	1	RMS	19999	-22.54	-13	Pass	8001




2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.17	-13	Pass	2986
30	1000	0.1	RMS	824.9	-61.45	-13	Pass	9701
1000	1700	1	RMS	1698	-50.03	-13	Pass	701
1700	1765	1	RMS	1750.375	23.12	60	Pass	401
1765	3000	1	RMS	2659	-45.63	-13	Pass	1236
3000	12000	1	RMS	3501	-32.8	-13	Pass	9001
12000	20000	1	RMS	20000	-22.65	-13	Pass	8001




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.5	-13	Pass	2986
30	1000	0.1	RMS	905.3	-61.29	-13	Pass	9701
1000	1700	1	RMS	1700	-46.78	-13	Pass	701
1700	1765	1	RMS	1710.563	24.72	60	Pass	401
1765	3000	1	RMS	2651	-45.52	-13	Pass	1236
3000	12000	1	RMS	3421	-29.77	-13	Pass	9001
12000	20000	1	RMS	19999	-22.52	-13	Pass	8001




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.19	-13	Pass	2986
30	1000	0.1	RMS	948.3	-61.38	-13	Pass	9701
1000	1700	1	RMS	1700	-47.1	-13	Pass	701
1700	1765	1	RMS	1710.563	24.02	60	Pass	401
1765	3000	1	RMS	2643	-45.59	-13	Pass	1236
3000	12000	1	RMS	3421	-30.31	-13	Pass	9001
12000	20000	1	RMS	19997	-22.63	-13	Pass	8001




2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.47	-13	Pass	2986
30	1000	0.1	RMS	933.4	-61.4	-13	Pass	9701
1000	1700	1	RMS	1698	-49.95	-13	Pass	701
1700	1765	1	RMS	1728.113	24.96	60	Pass	401
1765	3000	1	RMS	2649	-45.56	-13	Pass	1236
3000	12000	1	RMS	3456	-30.42	-13	Pass	9001
12000	20000	1	RMS	20000	-22.56	-13	Pass	8001




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.46	-13	Pass	2986
30	1000	0.1	RMS	955.4	-61.44	-13	Pass	9701
1000	1700	1	RMS	1697	-49.95	-13	Pass	701
1700	1765	1	RMS	1728.113	24.33	60	Pass	401
1765	3000	1	RMS	2644	-45.52	-13	Pass	1236
3000	12000	1	RMS	3456	-31.19	-13	Pass	9001
12000	20000	1	RMS	20000	-22.6	-13	Pass	8001




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.38	-13	Pass	2986
30	1000	0.1	RMS	974.6	-61.44	-13	Pass	9701
1000	1700	1	RMS	1700	-49.93	-13	Pass	701
1700	1765	1	RMS	1745.663	23.88	60	Pass	401
1765	3000	1	RMS	2643	-45.53	-13	Pass	1236
3000	12000	1	RMS	3491	-31.11	-13	Pass	9001
12000	20000	1	RMS	19994	-22.65	-13	Pass	8001




2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.94	-13	Pass	2986
30	1000	0.1	RMS	924.9	-61.39	-13	Pass	9701
1000	1700	1	RMS	1700	-49.99	-13	Pass	701
1700	1765	1	RMS	1745.663	23.18	60	Pass	401
1765	3000	1	RMS	2641	-45.52	-13	Pass	1236
3000	12000	1	RMS	3491	-31.76	-13	Pass	9001
12000	20000	1	RMS	19995	-22.64	-13	Pass	8001




2.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.51	-13	Pass	2986
30	1000	0.1	RMS	943.3	-61.4	-13	Pass	9701
1000	1700	1	RMS	1697	-40.03	-13	Pass	701
1700	1765	1	RMS	1710.888	24.19	60	Pass	401
1765	3000	1	RMS	2646	-45.55	-13	Pass	1236
3000	12000	1	RMS	3422	-30.42	-13	Pass	9001
12000	20000	1	RMS	19998	-22.57	-13	Pass	8001




2.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.95	-13	Pass	401
0.15	30	0.01	RMS	0.17	-58.03	-13	Pass	2986
30	1000	0.1	RMS	931.5	-61.35	-13	Pass	9701
1000	1700	1	RMS	1698	-41.62	-13	Pass	701
1700	1765	1	RMS	1710.888	23.63	60	Pass	401
1765	3000	1	RMS	2647	-45.6	-13	Pass	1236
3000	12000	1	RMS	3422	-30.97	-13	Pass	9001
12000	20000	1	RMS	20000	-22.55	-13	Pass	8001




2.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.59	-13	Pass	2986
30	1000	0.1	RMS	925.4	-61.41	-13	Pass	9701
1000	1700	1	RMS	1699	-49.19	-13	Pass	701
1700	1765	1	RMS	1725.838	24.8	60	Pass	401
1765	3000	1	RMS	2647	-45.58	-13	Pass	1236
3000	12000	1	RMS	3452	-31.33	-13	Pass	9001
12000	20000	1	RMS	19991	-22.58	-13	Pass	8001




2.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.78	-13	Pass	2986
30	1000	0.1	RMS	892.3	-61.35	-13	Pass	9701
1000	1700	1	RMS	1699	-48.54	-13	Pass	701
1700	1765	1	RMS	1725.838	23.6	60	Pass	401
1765	3000	1	RMS	2650	-45.67	-13	Pass	1236
3000	12000	1	RMS	3452	-31.79	-13	Pass	9001
12000	20000	1	RMS	19999	-22.63	-13	Pass	8001




2.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.74	-13	Pass	2986
30	1000	0.1	RMS	911.6	-61.38	-13	Pass	9701
1000	1700	1	RMS	1697	-50.1	-13	Pass	701
1700	1765	1	RMS	1740.788	23.35	60	Pass	401
1765	3000	1	RMS	1767	-34.68	-13	Pass	1236
3000	12000	1	RMS	3482	-31.38	-13	Pass	9001
12000	20000	1	RMS	20000	-22.59	-13	Pass	8001




2.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.46	-13	Pass	2986
30	1000	0.1	RMS	900.7	-61.43	-13	Pass	9701
1000	1700	1	RMS	1698	-50.1	-13	Pass	701
1700	1765	1	RMS	1740.788	22.64	60	Pass	401
1765	3000	1	RMS	1767	-34.43	-13	Pass	1236
3000	12000	1	RMS	3482	-32.13	-13	Pass	9001
12000	20000	1	RMS	20000	-22.68	-13	Pass	8001




2.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.8	-13	Pass	2986
30	1000	0.1	RMS	926.2	-61.42	-13	Pass	9701
1000	1700	1	RMS	1693	-42.37	-13	Pass	701
1700	1765	1	RMS	1711.05	23.94	60	Pass	401
1765	3000	1	RMS	2650	-45.66	-13	Pass	1236
3000	12000	1	RMS	3422	-30.19	-13	Pass	9001
12000	20000	1	RMS	19999	-22.64	-13	Pass	8001




2.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.18	-13	Pass	2986
30	1000	0.1	RMS	922	-61.3	-13	Pass	9701
1000	1700	1	RMS	1693	-44.51	-13	Pass	701
1700	1765	1	RMS	1711.05	23.26	60	Pass	401
1765	3000	1	RMS	2642	-45.66	-13	Pass	1236
3000	12000	1	RMS	3422	-30.91	-13	Pass	9001
12000	20000	1	RMS	19997	-22.6	-13	Pass	8001




2.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.71	-13	Pass	2986
30	1000	0.1	RMS	921.4	-61.38	-13	Pass	9701
1000	1700	1	RMS	1697	-49.65	-13	Pass	701
1700	1765	1	RMS	1723.563	24.57	60	Pass	401
1765	3000	1	RMS	2647	-45.69	-13	Pass	1236
3000	12000	1	RMS	3447	-30.48	-13	Pass	9001
12000	20000	1	RMS	20000	-22.58	-13	Pass	8001




2.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.26	-13	Pass	2986
30	1000	0.1	RMS	906.4	-61.19	-13	Pass	9701
1000	1700	1	RMS	1688	-49.66	-13	Pass	701
1700	1765	1	RMS	1723.563	23.82	60	Pass	401
1765	3000	1	RMS	2641	-45.68	-13	Pass	1236
3000	12000	1	RMS	3447	-31.36	-13	Pass	9001
12000	20000	1	RMS	19999	-22.6	-13	Pass	8001




2.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.14	-13	Pass	2986
30	1000	0.1	RMS	917.7	-61.29	-13	Pass	9701
1000	1700	1	RMS	1700	-47.81	-13	Pass	701
1700	1765	1	RMS	1736.075	23.73	60	Pass	401
1765	3000	1	RMS	1772	-33.82	-13	Pass	1236
3000	12000	1	RMS	3472	-31.02	-13	Pass	9001
12000	20000	1	RMS	20000	-22.68	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.7	-13	Pass	2986
30	1000	0.1	RMS	935.8	-61.32	-13	Pass	9701
1000	1700	1	RMS	1700	-47.37	-13	Pass	701
1700	1765	1	RMS	1736.075	23.01	60	Pass	401
1765	3000	1	RMS	1772	-33.45	-13	Pass	1236
3000	12000	1	RMS	3472	-31.41	-13	Pass	9001
12000	20000	1	RMS	20000	-22.61	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.28	-13	Pass	2986
30	814	0.1	RMS	769.6	-60.82	-13	Pass	7841
814	860	0.1	RMS	824.2	20.03	60	Pass	461
860	1000	0.1	RMS	943.7	-60.42	-13	Pass	1401
1000	3000	1	RMS	2644	-44.72	-13	Pass	2001
3000	10000	1	RMS	9950	-40.18	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.44	-13	Pass	2986
30	814	0.1	RMS	790.7	-60.83	-13	Pass	7841
814	860	0.1	RMS	824.3	18.95	60	Pass	461
860	1000	0.1	RMS	943.4	-60.57	-13	Pass	1401
1000	3000	1	RMS	2645	-44.79	-13	Pass	2001
3000	10000	1	RMS	9951	-40.23	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.15	-13	Pass	2986
30	814	0.1	RMS	812.9	-60.89	-13	Pass	7841
814	860	0.1	RMS	836.1	20.02	60	Pass	461
860	1000	0.1	RMS	919.9	-60.27	-13	Pass	1401
1000	3000	1	RMS	2641	-44.75	-13	Pass	2001
3000	10000	1	RMS	9948	-40.24	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.74	-13	Pass	2986
30	814	0.1	RMS	803.9	-60.83	-13	Pass	7841
814	860	0.1	RMS	836.1	19.09	60	Pass	461
860	1000	0.1	RMS	930.1	-60.46	-13	Pass	1401
1000	3000	1	RMS	2644	-44.75	-13	Pass	2001
3000	10000	1	RMS	9968	-40.22	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.42	-13	Pass	2986
30	814	0.1	RMS	813.6	-60.78	-13	Pass	7841
814	860	0.1	RMS	847.8	20.01	60	Pass	461
860	1000	0.1	RMS	915.9	-60.44	-13	Pass	1401
1000	3000	1	RMS	2639	-44.74	-13	Pass	2001
3000	10000	1	RMS	9970	-40.19	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.3	-13	Pass	2986
30	814	0.1	RMS	811.2	-60.82	-13	Pass	7841
814	860	0.1	RMS	847.9	19.03	60	Pass	461
860	1000	0.1	RMS	926.9	-60.51	-13	Pass	1401
1000	3000	1	RMS	2641	-44.77	-13	Pass	2001
3000	10000	1	RMS	9956	-40.18	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.8	-13	Pass	2986
30	814	0.1	RMS	813.2	-60.76	-13	Pass	7841
814	860	0.1	RMS	824.2	20.17	60	Pass	461
860	1000	0.1	RMS	918	-60.4	-13	Pass	1401
1000	3000	1	RMS	2640	-44.73	-13	Pass	2001
3000	10000	1	RMS	9954	-40.18	-13	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.35	-13	Pass	2986
30	814	0.1	RMS	795.1	-60.85	-13	Pass	7841
814	860	0.1	RMS	824.2	19.26	60	Pass	461
860	1000	0.1	RMS	956	-60.49	-13	Pass	1401
1000	3000	1	RMS	2644	-44.75	-13	Pass	2001
3000	10000	1	RMS	9963	-40.22	-13	Pass	7001




3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.43	-13	Pass	2986
30	814	0.1	RMS	803.8	-60.83	-13	Pass	7841
814	860	0.1	RMS	835.2	20.34	60	Pass	461
860	1000	0.1	RMS	880.7	-60.31	-13	Pass	1401
1000	3000	1	RMS	2647	-44.71	-13	Pass	2001
3000	10000	1	RMS	9953	-40.15	-13	Pass	7001




3.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.61	-13	Pass	2986
30	814	0.1	RMS	812.6	-60.92	-13	Pass	7841
814	860	0.1	RMS	835.2	19.28	60	Pass	461
860	1000	0.1	RMS	936.2	-60.45	-13	Pass	1401
1000	3000	1	RMS	2641	-44.74	-13	Pass	2001
3000	10000	1	RMS	9957	-40.2	-13	Pass	7001




3.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.71	-13	Pass	2986
30	814	0.1	RMS	813.4	-60.75	-13	Pass	7841
814	860	0.1	RMS	846.2	20.32	60	Pass	461
860	1000	0.1	RMS	922.9	-60.39	-13	Pass	1401
1000	3000	1	RMS	2644	-44.73	-13	Pass	2001
3000	10000	1	RMS	9951	-40.21	-13	Pass	7001




3.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.24	-13	Pass	2986
30	814	0.1	RMS	813.2	-60.82	-13	Pass	7841
814	860	0.1	RMS	846.2	19.48	60	Pass	461
860	1000	0.1	RMS	891.6	-60.46	-13	Pass	1401
1000	3000	1	RMS	2641	-44.76	-13	Pass	2001
3000	10000	1	RMS	9954	-40.22	-13	Pass	7001




3.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.31	-13	Pass	2986
30	814	0.1	RMS	813.4	-60.72	-13	Pass	7841
814	860	0.1	RMS	824.3	20.52	60	Pass	461
860	1000	0.1	RMS	931	-60.38	-13	Pass	1401
1000	3000	1	RMS	2640	-44.69	-13	Pass	2001
3000	10000	1	RMS	9952	-40.18	-13	Pass	7001




3.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.98	-13	Pass	2986
30	814	0.1	RMS	809.3	-60.71	-13	Pass	7841
814	860	0.1	RMS	824.3	19.48	60	Pass	461
860	1000	0.1	RMS	926.4	-60.49	-13	Pass	1401
1000	3000	1	RMS	2647	-44.78	-13	Pass	2001
3000	10000	1	RMS	9951	-40.21	-13	Pass	7001




3.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.83	-13	Pass	2986
30	814	0.1	RMS	794.7	-60.85	-13	Pass	7841
814	860	0.1	RMS	834.3	20.56	60	Pass	461
860	1000	0.1	RMS	931.1	-60.51	-13	Pass	1401
1000	3000	1	RMS	2646	-44.77	-13	Pass	2001
3000	10000	1	RMS	9954	-40.17	-13	Pass	7001




3.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2986
30	814	0.1	RMS	813.1	-60.82	-13	Pass	7841
814	860	0.1	RMS	834.3	19.84	60	Pass	461
860	1000	0.1	RMS	929	-60.61	-13	Pass	1401
1000	3000	1	RMS	2647	-44.72	-13	Pass	2001
3000	10000	1	RMS	9956	-40.24	-13	Pass	7001




3.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.24	-13	Pass	2986
30	814	0.1	RMS	792.6	-60.78	-13	Pass	7841
814	860	0.1	RMS	844.3	20.7	60	Pass	461
860	1000	0.1	RMS	934.7	-60.42	-13	Pass	1401
1000	3000	1	RMS	2641	-44.65	-13	Pass	2001
3000	10000	1	RMS	9952	-40.17	-13	Pass	7001




3.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.76	-13	Pass	2986
30	814	0.1	RMS	812.8	-60.7	-13	Pass	7841
814	860	0.1	RMS	844.3	20	60	Pass	461
860	1000	0.1	RMS	940.5	-60.46	-13	Pass	1401
1000	3000	1	RMS	2644	-44.75	-13	Pass	2001
3000	10000	1	RMS	9955	-40.16	-13	Pass	7001




3.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.48	-13	Pass	2986
30	814	0.1	RMS	803.9	-60.74	-13	Pass	7841
814	860	0.1	RMS	824.6	21.36	60	Pass	461
860	1000	0.1	RMS	935.6	-60.35	-13	Pass	1401
1000	3000	1	RMS	2643	-44.75	-13	Pass	2001
3000	10000	1	RMS	9961	-40.25	-13	Pass	7001




3.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.78	-13	Pass	2986
30	814	0.1	RMS	809.5	-60.84	-13	Pass	7841
814	860	0.1	RMS	824.6	20.52	60	Pass	461
860	1000	0.1	RMS	908.2	-60.52	-13	Pass	1401
1000	3000	1	RMS	2645	-44.77	-13	Pass	2001
3000	10000	1	RMS	9959	-40.25	-13	Pass	7001




3.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.59	-13	Pass	2986
30	814	0.1	RMS	800.7	-60.8	-13	Pass	7841
814	860	0.1	RMS	832.1	21.2	60	Pass	461
860	1000	0.1	RMS	899.8	-60.48	-13	Pass	1401
1000	3000	1	RMS	2642	-44.73	-13	Pass	2001
3000	10000	1	RMS	9958	-40.17	-13	Pass	7001




3.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.9	-13	Pass	2986
30	814	0.1	RMS	796.2	-60.85	-13	Pass	7841
814	860	0.1	RMS	832.1	20.22	60	Pass	461
860	1000	0.1	RMS	918.5	-60.47	-13	Pass	1401
1000	3000	1	RMS	2645	-44.73	-13	Pass	2001
3000	10000	1	RMS	9954	-40.22	-13	Pass	7001




3.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.62	-13	Pass	2986
30	814	0.1	RMS	807.6	-60.73	-13	Pass	7841
814	860	0.1	RMS	839.6	21.57	60	Pass	461
860	1000	0.1	RMS	936.5	-60.52	-13	Pass	1401
1000	3000	1	RMS	2640	-44.76	-13	Pass	2001
3000	10000	1	RMS	9967	-40.22	-13	Pass	7001



3.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.3	-13	Pass	2986
30	814	0.1	RMS	812.1	-60.77	-13	Pass	7841
814	860	0.1	RMS	839.6	20.73	60	Pass	461
860	1000	0.1	RMS	919.7	-60.5	-13	Pass	1401
1000	3000	1	RMS	2641	-44.75	-13	Pass	2001
3000	10000	1	RMS	9966	-40.15	-13	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.98	-25	Pass	2986
30	1000	0.1	RMS	928.6	-60.06	-25	Pass	9701
1000	2490	1	RMS	2490	-41.98	-25	Pass	1491
2490	2580	1	RMS	2500.35	23.94	60	Pass	401
2580	3000	1	RMS	2638	-44.4	-25	Pass	421
3000	12000	1	RMS	5001	-45.69	-25	Pass	9001
12000	26000	1	RMS	25014	-35.44	-25	Pass	14001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.66	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.81	-25	Pass	2986
30	1000	0.1	RMS	926.1	-60.18	-25	Pass	9701
1000	2490	1	RMS	2490	-42.85	-25	Pass	1491
2490	2580	1	RMS	2500.35	23.18	60	Pass	401
2580	3000	1	RMS	2643	-44.41	-25	Pass	421
3000	12000	1	RMS	5001	-42.66	-25	Pass	9001
12000	26000	1	RMS	25015	-36.22	-25	Pass	14001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.9	-25	Pass	2986
30	1000	0.1	RMS	917.6	-60.09	-25	Pass	9701
1000	2490	1	RMS	2490	-45.56	-25	Pass	1491
2490	2580	1	RMS	2532.75	24.01	60	Pass	401
2580	3000	1	RMS	2640	-44.42	-25	Pass	421
3000	12000	1	RMS	5066	-54.99	-25	Pass	9001
12000	26000	1	RMS	25013	-36.19	-25	Pass	14001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.92	-25	Pass	2986
30	1000	0.1	RMS	908.8	-60.04	-25	Pass	9701
1000	2490	1	RMS	2490	-45.59	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.35	60	Pass	401
2580	3000	1	RMS	2646	-44.44	-25	Pass	421
3000	12000	1	RMS	5066	-57.05	-25	Pass	9001
12000	26000	1	RMS	25009	-36.2	-25	Pass	14001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.13	-25	Pass	2986
30	1000	0.1	RMS	889.7	-56.8	-25	Pass	9701
1000	2490	1	RMS	2490	-45.58	-25	Pass	1491
2490	2580	1	RMS	2565.375	23.53	60	Pass	401
2580	3000	1	RMS	2580	-43.83	-25	Pass	421
3000	12000	1	RMS	5131	-52.02	-25	Pass	9001
12000	26000	1	RMS	25010	-36.2	-25	Pass	14001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.51	-25	Pass	2986
30	1000	0.1	RMS	949.5	-60.18	-25	Pass	9701
1000	2490	1	RMS	2487	-45.61	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.98	60	Pass	401
2580	3000	1	RMS	2580	-44.02	-25	Pass	421
3000	12000	1	RMS	5131	-55.14	-25	Pass	9001
12000	26000	1	RMS	25011	-36.14	-25	Pass	14001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.93	-25	Pass	2986
30	1000	0.1	RMS	926.4	-60.12	-25	Pass	9701
1000	2490	1	RMS	2483	-41.28	-25	Pass	1491
2490	2580	1	RMS	2500.575	24.68	60	Pass	401
2580	3000	1	RMS	2640	-44.4	-25	Pass	421
3000	12000	1	RMS	5001	-38.96	-25	Pass	9001
12000	26000	1	RMS	25021	-36.29	-25	Pass	14001




4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.13	-25	Pass	2986
30	1000	0.1	RMS	927.2	-60.18	-25	Pass	9701
1000	2490	1	RMS	2483	-39.29	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.68	60	Pass	401
2580	3000	1	RMS	2639	-44.4	-25	Pass	421
3000	12000	1	RMS	5001	-41.23	-25	Pass	9001
12000	26000	1	RMS	25016	-36.23	-25	Pass	14001




4.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.25	-25	Pass	2986
30	1000	0.1	RMS	913.2	-60.19	-25	Pass	9701
1000	2490	1	RMS	2489	-45.56	-25	Pass	1491
2490	2580	1	RMS	2530.5	24.65	60	Pass	401
2580	3000	1	RMS	2640	-44.41	-25	Pass	421
3000	12000	1	RMS	5061	-44.45	-25	Pass	9001
12000	26000	1	RMS	25011	-36.23	-25	Pass	14001




4.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.38	-25	Pass	2986
30	1000	0.1	RMS	918.5	-60.12	-25	Pass	9701
1000	2490	1	RMS	2489	-45.67	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.79	60	Pass	401
2580	3000	1	RMS	2650	-44.4	-25	Pass	421
3000	12000	1	RMS	5061	-45.19	-25	Pass	9001
12000	26000	1	RMS	25015	-36.18	-25	Pass	14001




4.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.17	-25	Pass	2986
30	1000	0.1	RMS	917.4	-60.1	-25	Pass	9701
1000	2490	1	RMS	2490	-45.6	-25	Pass	1491
2490	2580	1	RMS	2560.65	24.87	60	Pass	401
2580	3000	1	RMS	2642	-44.4	-25	Pass	421
3000	12000	1	RMS	5121	-47.3	-25	Pass	9001
12000	26000	1	RMS	25012	-36.12	-25	Pass	14001




4.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.42	-25	Pass	2986
30	1000	0.1	RMS	930.7	-60.2	-25	Pass	9701
1000	2490	1	RMS	2488	-45.62	-25	Pass	1491
2490	2580	1	RMS	2560.65	24.06	60	Pass	401
2580	3000	1	RMS	2646	-44.42	-25	Pass	421
3000	12000	1	RMS	5121	-47.44	-25	Pass	9001
12000	26000	1	RMS	25019	-36.23	-25	Pass	14001




4.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56	-25	Pass	2986
30	1000	0.1	RMS	902.2	-60.2	-25	Pass	9701
1000	2490	1	RMS	2487	-32.85	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.79	60	Pass	401
2580	3000	1	RMS	2642	-44.42	-25	Pass	421
3000	12000	1	RMS	5002	-48.81	-25	Pass	9001
12000	26000	1	RMS	25008	-36.22	-25	Pass	14001




4.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.97	-25	Pass	2986
30	1000	0.1	RMS	917.7	-60.2	-25	Pass	9701
1000	2490	1	RMS	2488	-34.9	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.1	60	Pass	401
2580	3000	1	RMS	2641	-44.42	-25	Pass	421
3000	12000	1	RMS	5002	-52.32	-25	Pass	9001
12000	26000	1	RMS	25013	-36.25	-25	Pass	14001




4.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.77	-25	Pass	2986
30	1000	0.1	RMS	958.1	-60.13	-25	Pass	9701
1000	2490	1	RMS	2488	-45.55	-25	Pass	1491
2490	2580	1	RMS	2528.25	24.6	60	Pass	401
2580	3000	1	RMS	2640	-44.43	-25	Pass	421
3000	12000	1	RMS	5057	-41.16	-25	Pass	9001
12000	26000	1	RMS	25012	-36.2	-25	Pass	14001




4.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.45	-25	Pass	2986
30	1000	0.1	RMS	939.6	-60.2	-25	Pass	9701
1000	2490	1	RMS	2488	-45.54	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.79	60	Pass	401
2580	3000	1	RMS	2644	-44.42	-25	Pass	421
3000	12000	1	RMS	5057	-42.32	-25	Pass	9001
12000	26000	1	RMS	25013	-36.28	-25	Pass	14001




4.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53	-25	Pass	401
0.15	30	0.01	RMS	0.16	-56.31	-25	Pass	2986
30	1000	0.1	RMS	962.2	-60.07	-25	Pass	9701
1000	2490	1	RMS	2490	-45.59	-25	Pass	1491
2490	2580	1	RMS	2555.925	25	60	Pass	401
2580	3000	1	RMS	2582	-34.5	-25	Pass	421
3000	12000	1	RMS	5112	-46.94	-25	Pass	9001
12000	26000	1	RMS	25009	-36.15	-25	Pass	14001




4.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.51	-25	Pass	2986
30	1000	0.1	RMS	927.4	-60.24	-25	Pass	9701
1000	2490	1	RMS	2489	-45.67	-25	Pass	1491
2490	2580	1	RMS	2555.925	24.14	60	Pass	401
2580	3000	1	RMS	2582	-34.79	-25	Pass	421
3000	12000	1	RMS	5112	-49.41	-25	Pass	9001
12000	26000	1	RMS	25012	-36.17	-25	Pass	14001




4.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.07	-25	Pass	2986
30	1000	0.1	RMS	951.5	-60.18	-25	Pass	9701
1000	2490	1	RMS	2483	-33.26	-25	Pass	1491
2490	2580	1	RMS	2501.025	23.69	60	Pass	401
2580	3000	1	RMS	2646	-44.43	-25	Pass	421
3000	12000	1	RMS	5002	-44.73	-25	Pass	9001
12000	26000	1	RMS	25015	-36.25	-25	Pass	14001




4.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.92	-25	Pass	2986
30	1000	0.1	RMS	927.1	-60.11	-25	Pass	9701
1000	2490	1	RMS	2483	-35.23	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.99	60	Pass	401
2580	3000	1	RMS	2650	-44.41	-25	Pass	421
3000	12000	1	RMS	5002	-47.37	-25	Pass	9001
12000	26000	1	RMS	25011	-36.08	-25	Pass	14001




4.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.76	-25	Pass	2986
30	1000	0.1	RMS	929.8	-60.07	-25	Pass	9701
1000	2490	1	RMS	2490	-41.26	-25	Pass	1491
2490	2580	1	RMS	2526	25.18	60	Pass	401
2580	3000	1	RMS	2647	-44.4	-25	Pass	421
3000	12000	1	RMS	5052	-41.64	-25	Pass	9001
12000	26000	1	RMS	25013	-36.19	-25	Pass	14001




4.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.46	-25	Pass	2986
30	1000	0.1	RMS	929.5	-60.14	-25	Pass	9701
1000	2490	1	RMS	2490	-42.2	-25	Pass	1491
2490	2580	1	RMS	2526	24.28	60	Pass	401
2580	3000	1	RMS	2648	-44.4	-25	Pass	421
3000	12000	1	RMS	5052	-42.08	-25	Pass	9001
12000	26000	1	RMS	25013	-36.27	-25	Pass	14001




4.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.68	-25	Pass	2986
30	1000	0.1	RMS	918.9	-60.07	-25	Pass	9701
1000	2490	1	RMS	2489	-45.64	-25	Pass	1491
2490	2580	1	RMS	2550.975	24.62	60	Pass	401
2580	3000	1	RMS	2587	-41.88	-25	Pass	421
3000	12000	1	RMS	5102	-51.19	-25	Pass	9001
12000	26000	1	RMS	25017	-36.27	-25	Pass	14001



4.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.98	-25	Pass	2986
30	1000	0.1	RMS	933.5	-60.16	-25	Pass	9701
1000	2490	1	RMS	2489	-45.58	-25	Pass	1491
2490	2580	1	RMS	2551.2	23.77	60	Pass	401
2580	3000	1	RMS	2587	-40.61	-25	Pass	421
3000	12000	1	RMS	5102	-52.21	-25	Pass	9001
12000	26000	1	RMS	25012	-36.22	-25	Pass	14001



5. LTE_Band66


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.93	-13	Pass	2986
30	1000	0.1	RMS	918	-60.07	-13	Pass	9701
1000	1700	1	RMS	1700	-44.08	-13	Pass	701
1700	1790	1	RMS	1710.35	25.48	60	Pass	401
1790	3000	1	RMS	2639	-44.32	-13	Pass	1211
3000	12000	1	RMS	3421	-30.28	-13	Pass	9001
12000	20000	1	RMS	19998	-22.48	-13	Pass	8001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.7	-13	Pass	2986
30	1000	0.1	RMS	937.9	-61.38	-13	Pass	9701
1000	1700	1	RMS	1700	-46.41	-13	Pass	701
1700	1790	1	RMS	1710.35	23.29	60	Pass	401
1790	3000	1	RMS	2641	-45.86	-13	Pass	1211
3000	12000	1	RMS	3421	-32.46	-13	Pass	9001
12000	20000	1	RMS	20000	-22.48	-13	Pass	8001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.29	-13	Pass	2986
30	1000	0.1	RMS	887.5	-61.28	-13	Pass	9701
1000	1700	1	RMS	1698	-50.19	-13	Pass	701
1700	1790	1	RMS	1744.55	23.36	60	Pass	401
1790	3000	1	RMS	2636	-45.82	-13	Pass	1211
3000	12000	1	RMS	3489	-31.55	-13	Pass	9001
12000	20000	1	RMS	19998	-22.43	-13	Pass	8001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.03	-13	Pass	2986
30	1000	0.1	RMS	900.8	-61.24	-13	Pass	9701
1000	1700	1	RMS	1700	-50.25	-13	Pass	701
1700	1790	1	RMS	1744.55	22.6	60	Pass	401
1790	3000	1	RMS	2656	-45.86	-13	Pass	1211
3000	12000	1	RMS	3489	-32.28	-13	Pass	9001
12000	20000	1	RMS	19996	-22.51	-13	Pass	8001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.47	-13	Pass	2986
30	1000	0.1	RMS	951.9	-61.27	-13	Pass	9701
1000	1700	1	RMS	1698	-50.23	-13	Pass	701
1700	1790	1	RMS	1778.75	22.84	60	Pass	401
1790	3000	1	RMS	2644	-45.86	-13	Pass	1211
3000	12000	1	RMS	3558	-35.61	-13	Pass	9001
12000	20000	1	RMS	19995	-22.54	-13	Pass	8001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.47	-13	Pass	2986
30	1000	0.1	RMS	920.7	-61.25	-13	Pass	9701
1000	1700	1	RMS	1609	-50.29	-13	Pass	701
1700	1790	1	RMS	1778.75	22.1	60	Pass	401
1790	3000	1	RMS	2649	-45.85	-13	Pass	1211
3000	12000	1	RMS	3558	-36.02	-13	Pass	9001
12000	20000	1	RMS	19993	-22.49	-13	Pass	8001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57	-13	Pass	2986
30	1000	0.1	RMS	917.2	-61.22	-13	Pass	9701
1000	1700	1	RMS	1700	-45.3	-13	Pass	701
1700	1790	1	RMS	1710.125	23.9	60	Pass	401
1790	3000	1	RMS	2649	-45.84	-13	Pass	1211
3000	12000	1	RMS	3420	-31.8	-13	Pass	9001
12000	20000	1	RMS	19998	-22.58	-13	Pass	8001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.95	-13	Pass	2986
30	1000	0.1	RMS	928.2	-61.25	-13	Pass	9701
1000	1700	1	RMS	1700	-45.14	-13	Pass	701
1700	1790	1	RMS	1710.35	23.35	60	Pass	401
1790	3000	1	RMS	2645	-45.76	-13	Pass	1211
3000	12000	1	RMS	3420	-32.23	-13	Pass	9001
12000	20000	1	RMS	19993	-22.44	-13	Pass	8001




5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.06	-13	Pass	2986
30	1000	0.1	RMS	935.2	-61.32	-13	Pass	9701
1000	1700	1	RMS	1699	-50.2	-13	Pass	701
1700	1790	1	RMS	1743.65	23.28	60	Pass	401
1790	3000	1	RMS	2639	-45.86	-13	Pass	1211
3000	12000	1	RMS	3487	-33.38	-13	Pass	9001
12000	20000	1	RMS	19998	-22.48	-13	Pass	8001




5.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.57	-13	Pass	2986
30	1000	0.1	RMS	963.5	-61.07	-13	Pass	9701
1000	1700	1	RMS	1699	-50.25	-13	Pass	701
1700	1790	1	RMS	1743.65	22.53	60	Pass	401
1790	3000	1	RMS	2645	-45.83	-13	Pass	1211
3000	12000	1	RMS	3487	-33.96	-13	Pass	9001
12000	20000	1	RMS	19997	-22.53	-13	Pass	8001




5.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.72	-13	Pass	2986
30	1000	0.1	RMS	935.9	-61.21	-13	Pass	9701
1000	1700	1	RMS	1700	-50.23	-13	Pass	701
1700	1790	1	RMS	1777.175	22.97	60	Pass	401
1790	3000	1	RMS	2644	-45.78	-13	Pass	1211
3000	12000	1	RMS	3554	-36.17	-13	Pass	9001
12000	20000	1	RMS	19998	-22.4	-13	Pass	8001




5.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.02	-13	Pass	2986
30	1000	0.1	RMS	899.9	-61.18	-13	Pass	9701
1000	1700	1	RMS	1697	-50.28	-13	Pass	701
1700	1790	1	RMS	1777.175	22.36	60	Pass	401
1790	3000	1	RMS	2646	-45.87	-13	Pass	1211
3000	12000	1	RMS	3554	-36.53	-13	Pass	9001
12000	20000	1	RMS	19998	-22.47	-13	Pass	8001




5.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.81	-13	Pass	2986
30	1000	0.1	RMS	914.9	-61.21	-13	Pass	9701
1000	1700	1	RMS	1700	-46.16	-13	Pass	701
1700	1790	1	RMS	1710.35	24.33	60	Pass	401
1790	3000	1	RMS	2655	-45.79	-13	Pass	1211
3000	12000	1	RMS	3421	-30.51	-13	Pass	9001
12000	20000	1	RMS	19996	-22.55	-13	Pass	8001




5.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.31	-13	Pass	2986
30	1000	0.1	RMS	925.9	-61.25	-13	Pass	9701
1000	1700	1	RMS	1700	-46.7	-13	Pass	701
1700	1790	1	RMS	1710.35	23.56	60	Pass	401
1790	3000	1	RMS	2646	-45.76	-13	Pass	1211
3000	12000	1	RMS	3421	-31.32	-13	Pass	9001
12000	20000	1	RMS	19999	-22.45	-13	Pass	8001




5.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.46	-13	Pass	2986
30	1000	0.1	RMS	914.6	-61.29	-13	Pass	9701
1000	1700	1	RMS	1584	-50.23	-13	Pass	701
1700	1790	1	RMS	1742.75	23.54	60	Pass	401
1790	3000	1	RMS	2644	-45.75	-13	Pass	1211
3000	12000	1	RMS	3486	-32.03	-13	Pass	9001
12000	20000	1	RMS	20000	-22.41	-13	Pass	8001




5.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.14	-13	Pass	2986
30	1000	0.1	RMS	935.7	-61.05	-13	Pass	9701
1000	1700	1	RMS	1700	-50.25	-13	Pass	701
1700	1790	1	RMS	1742.75	22.84	60	Pass	401
1790	3000	1	RMS	2642	-45.84	-13	Pass	1211
3000	12000	1	RMS	3486	-32.47	-13	Pass	9001
12000	20000	1	RMS	19999	-22.48	-13	Pass	8001




5.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.68	-13	Pass	2986
30	1000	0.1	RMS	939.3	-61.18	-13	Pass	9701
1000	1700	1	RMS	1699	-50.26	-13	Pass	701
1700	1790	1	RMS	1775.375	23.23	60	Pass	401
1790	3000	1	RMS	1793	-43.92	-13	Pass	1211
3000	12000	1	RMS	3551	-35.03	-13	Pass	9001
12000	20000	1	RMS	20000	-22.42	-13	Pass	8001




5.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.49	-13	Pass	2986
30	1000	0.1	RMS	936.5	-61.27	-13	Pass	9701
1000	1700	1	RMS	1698	-50.24	-13	Pass	701
1700	1790	1	RMS	1775.375	22.67	60	Pass	401
1790	3000	1	RMS	1793	-44.27	-13	Pass	1211
3000	12000	1	RMS	3551	-35.59	-13	Pass	9001
12000	20000	1	RMS	19999	-22.41	-13	Pass	8001




5.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58	-13	Pass	2986
30	1000	0.1	RMS	923.3	-61.25	-13	Pass	9701
1000	1700	1	RMS	1693	-40.32	-13	Pass	701
1700	1790	1	RMS	1710.575	24.53	60	Pass	401
1790	3000	1	RMS	2642	-45.82	-13	Pass	1211
3000	12000	1	RMS	3421	-30.05	-13	Pass	9001
12000	20000	1	RMS	19999	-22.49	-13	Pass	8001




5.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.21	-13	Pass	2986
30	1000	0.1	RMS	903.7	-61.29	-13	Pass	9701
1000	1700	1	RMS	1693	-41.79	-13	Pass	701
1700	1790	1	RMS	1710.575	23.87	60	Pass	401
1790	3000	1	RMS	2641	-45.84	-13	Pass	1211
3000	12000	1	RMS	3421	-30.56	-13	Pass	9001
12000	20000	1	RMS	19999	-22.55	-13	Pass	8001




5.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.17	-13	Pass	2986
30	1000	0.1	RMS	922.3	-61.28	-13	Pass	9701
1000	1700	1	RMS	1695	-50.23	-13	Pass	701
1700	1790	1	RMS	1740.5	23.74	60	Pass	401
1790	3000	1	RMS	2650	-45.83	-13	Pass	1211
3000	12000	1	RMS	3481	-30.77	-13	Pass	9001
12000	20000	1	RMS	19993	-22.53	-13	Pass	8001




5.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.62	-13	Pass	2986
30	1000	0.1	RMS	948.5	-61.17	-13	Pass	9701
1000	1700	1	RMS	1698	-50.27	-13	Pass	701
1700	1790	1	RMS	1740.5	23.15	60	Pass	401
1790	3000	1	RMS	2643	-45.84	-13	Pass	1211
3000	12000	1	RMS	3481	-31.25	-13	Pass	9001
12000	20000	1	RMS	19998	-22.47	-13	Pass	8001




5.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.14	-13	Pass	2986
30	1000	0.1	RMS	912.4	-61.21	-13	Pass	9701
1000	1700	1	RMS	1699	-50.23	-13	Pass	701
1700	1790	1	RMS	1770.65	23.53	60	Pass	401
1790	3000	1	RMS	1806	-44.3	-13	Pass	1211
3000	12000	1	RMS	3541	-33.65	-13	Pass	9001
12000	20000	1	RMS	19997	-22.49	-13	Pass	8001




5.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.19	-13	Pass	2986
30	1000	0.1	RMS	942.8	-61.21	-13	Pass	9701
1000	1700	1	RMS	1699	-50.23	-13	Pass	701
1700	1790	1	RMS	1770.65	22.93	60	Pass	401
1790	3000	1	RMS	1806	-44.84	-13	Pass	1211
3000	12000	1	RMS	3541	-34.1	-13	Pass	9001
12000	20000	1	RMS	19993	-22.5	-13	Pass	8001




5.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.91	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.13	-13	Pass	2986
30	1000	0.1	RMS	903.7	-61.17	-13	Pass	9701
1000	1700	1	RMS	1698	-37.64	-13	Pass	701
1700	1790	1	RMS	1710.8	24.08	60	Pass	401
1790	3000	1	RMS	2649	-45.86	-13	Pass	1211
3000	12000	1	RMS	3422	-30.73	-13	Pass	9001
12000	20000	1	RMS	20000	-22.5	-13	Pass	8001




5.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.21	-13	Pass	2986
30	1000	0.1	RMS	923.6	-61.32	-13	Pass	9701
1000	1700	1	RMS	1698	-39.45	-13	Pass	701
1700	1790	1	RMS	1710.8	23.48	60	Pass	401
1790	3000	1	RMS	2645	-45.75	-13	Pass	1211
3000	12000	1	RMS	3422	-31.12	-13	Pass	9001
12000	20000	1	RMS	19999	-22.6	-13	Pass	8001




5.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.81	-13	Pass	2986
30	1000	0.1	RMS	909.9	-61.2	-13	Pass	9701
1000	1700	1	RMS	1685	-49.99	-13	Pass	701
1700	1790	1	RMS	1738.25	23.61	60	Pass	401
1790	3000	1	RMS	2645	-45.84	-13	Pass	1211
3000	12000	1	RMS	3477	-31.81	-13	Pass	9001
12000	20000	1	RMS	19998	-22.58	-13	Pass	8001




5.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.93	-13	Pass	2986
30	1000	0.1	RMS	909.8	-61.11	-13	Pass	9701
1000	1700	1	RMS	1685	-50.05	-13	Pass	701
1700	1790	1	RMS	1738.25	22.85	60	Pass	401
1790	3000	1	RMS	2646	-45.84	-13	Pass	1211
3000	12000	1	RMS	3477	-32.71	-13	Pass	9001
12000	20000	1	RMS	19989	-22.46	-13	Pass	8001




5.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.95	-13	Pass	2986
30	1000	0.1	RMS	922.8	-61.26	-13	Pass	9701
1000	1700	1	RMS	1700	-50.22	-13	Pass	701
1700	1790	1	RMS	1765.925	23.18	60	Pass	401
1790	3000	1	RMS	1792	-23.27	-13	Pass	1211
3000	12000	1	RMS	3532	-34.3	-13	Pass	9001
12000	20000	1	RMS	19998	-22.43	-13	Pass	8001




5.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.48	-13	Pass	2986
30	1000	0.1	RMS	938.7	-61.22	-13	Pass	9701
1000	1700	1	RMS	1584	-50.27	-13	Pass	701
1700	1790	1	RMS	1765.925	22.51	60	Pass	401
1790	3000	1	RMS	1792	-24.58	-13	Pass	1211
3000	12000	1	RMS	3532	-34.76	-13	Pass	9001
12000	20000	1	RMS	19999	-22.42	-13	Pass	8001




5.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.51	-13	Pass	2986
30	1000	0.1	RMS	934	-61.18	-13	Pass	9701
1000	1700	1	RMS	1693	-39.83	-13	Pass	701
1700	1790	1	RMS	1711.025	23.93	60	Pass	401
1790	3000	1	RMS	2648	-45.81	-13	Pass	1211
3000	12000	1	RMS	3422	-30.46	-13	Pass	9001
12000	20000	1	RMS	19994	-22.47	-13	Pass	8001




5.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.65	-13	Pass	2986
30	1000	0.1	RMS	922.2	-61.29	-13	Pass	9701
1000	1700	1	RMS	1693	-41.4	-13	Pass	701
1700	1790	1	RMS	1711.025	23.31	60	Pass	401
1790	3000	1	RMS	2642	-45.83	-13	Pass	1211
3000	12000	1	RMS	3422	-31	-13	Pass	9001
12000	20000	1	RMS	19997	-22.53	-13	Pass	8001




5.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.19	-13	Pass	2986
30	1000	0.1	RMS	910.9	-61.13	-13	Pass	9701
1000	1700	1	RMS	1700	-37.52	-13	Pass	701
1700	1790	1	RMS	1736	23.74	60	Pass	401
1790	3000	1	RMS	2641	-45.84	-13	Pass	1211
3000	12000	1	RMS	3472	-31.29	-13	Pass	9001
12000	20000	1	RMS	19995	-22.48	-13	Pass	8001




5.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.35	-13	Pass	2986
30	1000	0.1	RMS	932.8	-61.24	-13	Pass	9701
1000	1700	1	RMS	1700	-38.91	-13	Pass	701
1700	1790	1	RMS	1736	22.77	60	Pass	401
1790	3000	1	RMS	2647	-45.83	-13	Pass	1211
3000	12000	1	RMS	3472	-32.09	-13	Pass	9001
12000	20000	1	RMS	19998	-22.47	-13	Pass	8001




5.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.95	-13	Pass	2986
30	1000	0.1	RMS	925.4	-61.05	-13	Pass	9701
1000	1700	1	RMS	1690	-49.03	-13	Pass	701
1700	1790	1	RMS	1761.2	23.15	60	Pass	401
1790	3000	1	RMS	1797	-22.19	-13	Pass	1211
3000	12000	1	RMS	3522	-33.24	-13	Pass	9001
12000	20000	1	RMS	19995	-22.55	-13	Pass	8001



5.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.33	-13	Pass	2986
30	1000	0.1	RMS	936.4	-61.24	-13	Pass	9701
1000	1700	1	RMS	1690	-48.97	-13	Pass	701
1700	1790	1	RMS	1761.2	22.5	60	Pass	401
1790	3000	1	RMS	1797	-21.88	-13	Pass	1211
3000	12000	1	RMS	3522	-33.79	-13	Pass	9001
12000	20000	1	RMS	20000	-22.44	-13	Pass	8001



--BLANK BELOW--