


Annex A.5 Spurious Emission at Antenna Terminals

GPRS

1.GPRS_GSM850


1.1. GPRS Spurious Emission at Antenna Terminals_Part22-24(Channel:128)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-38.63	-13	25.63	Pass	401
0.15	30	0.01	Peak	0.17	-41.77	-13	28.77	Pass	5971
30	500	0.1	Peak	460.2	-42.88	-13	29.88	Pass	9401
500	1000	0.1	Peak	824.1	32.75	-13	-45.75	N/A	10001
1000	10000	1	Peak	8099	-18.58	-13	5.58	Pass	18001




1.2. GPRS Spurious Emission at Antenna Terminals_Part22-24(Channel:190)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-38.67	-13	25.67	Pass	401
0.15	30	0.01	Peak	0.15	-37.04	-13	24.04	Pass	5971
30	500	0.1	Peak	410.7	-42.21	-13	29.21	Pass	9401
500	1000	0.1	Peak	836.7	32.78	-13	-45.78	N/A	10001
1000	10000	1	Peak	8067	-18.27	-13	5.27	Pass	18001



1.3. GPRS Spurious Emission at Antenna Terminals_Part22-24(Channel:251)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.21	-13	25.21	Pass	401
0.15	30	0.01	Peak	0.15	-40.9	-13	27.9	Pass	5971
30	500	0.1	Peak	493.2	-42.24	-13	29.24	Pass	9401
500	1000	0.1	Peak	848.8	32.91	-13	-45.91	N/A	10001
1000	10000	1	Peak	7568	-18.68	-13	5.68	Pass	18001



2. GPRS_PCS


2.1. GPRS Spurious Emission at Antenna Terminals_Part22-24(Channel:512)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.32	-13	31.32	Pass	401
0.15	30	0.01	Peak	0.15	-45.58	-13	32.58	Pass	5971
30	1000	0.1	Peak	838.8	-46.58	-13	33.58	Pass	19401
1000	3000	1	Peak	1850	29.47	-13	-42.47	N/A	4001
3000	20000	1	Peak	19952	-36.07	-13	23.07	Pass	34001




2.2. GPRS Spurious Emission at Antenna Terminals_Part22-24(Channel:661)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-44	-13	31	Pass	401
0.15	30	0.01	Peak	0.15	-47.21	-13	34.21	Pass	5971
30	1000	0.1	Peak	724.4	-46.34	-13	33.34	Pass	19401
1000	3000	1	Peak	1880	29.55	-13	-42.55	N/A	4001
3000	20000	1	Peak	19351	-36.18	-13	23.18	Pass	34001



2.3. GPRS Spurious Emission at Antenna Terminals_Part22-24(Channel:810)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.65	-13	30.65	Pass	401
0.15	30	0.01	Peak	0.17	-46.6	-13	33.6	Pass	5971
30	1000	0.1	Peak	924.6	-46.49	-13	33.49	Pass	19401
1000	3000	1	Peak	1910	28.24	-13	-41.24	N/A	4001
3000	20000	1	Peak	19945	-36.19	-13	23.19	Pass	34001




EGPRS

1. EGPRS_GSM850


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(Channel:128)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.62	-13	24.62	Pass	401
0.15	30	0.01	Peak	0.15	-40.31	-13	27.31	Pass	5971
30	500	0.1	Peak	491.2	-42.26	-13	29.26	Pass	9401
500	1000	0.1	Peak	824.3	28.45	-13	-41.45	N/A	10001
1000	10000	1	Peak	9977	-18.8	-13	5.8	Pass	18001




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(Channel:190)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-36.59	-13	23.59	Pass	401
0.15	30	0.01	Peak	0.15	-39.82	-13	26.82	Pass	5971
30	500	0.1	Peak	496.7	-41.95	-13	28.95	Pass	9401
500	1000	0.1	Peak	836.6	30.2	-13	-43.2	N/A	10001
1000	10000	1	Peak	7565	-19.3	-13	6.3	Pass	18001



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(Channel:251)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-37.76	-13	24.76	Pass	401
0.15	30	0.01	Peak	0.15	-39.68	-13	26.68	Pass	5971
30	500	0.1	Peak	450.3	-42.52	-13	29.52	Pass	9401
500	1000	0.1	Peak	848.8	30.15	-13	-43.15	N/A	10001
1000	10000	1	Peak	8099	-18.62	-13	5.62	Pass	18001



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(Channel:512)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.99	-13	31.99	Pass	401
0.15	30	0.01	Peak	0.15	-45.91	-13	32.91	Pass	5971
30	1000	0.1	Peak	906.8	-46.59	-13	33.59	Pass	19401
1000	3000	1	Peak	1851	27.84	-13	-40.84	N/A	4001
3000	20000	1	Peak	19948	-35.94	-13	22.94	Pass	34001




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(Channel:661)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.45	-13	30.45	Pass	401
0.15	30	0.01	Peak	0.15	-47.19	-13	34.19	Pass	5971
30	1000	0.1	Peak	881.5	-46.73	-13	33.73	Pass	19401
1000	3000	1	Peak	1880	29.46	-13	-42.46	N/A	4001
3000	20000	1	Peak	19976	-36.28	-13	23.28	Pass	34001



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(Channel:810)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-62.94	-13	49.94	Pass	401
0.15	30	0.01	Peak	0.22	-58.79	-13	45.79	Pass	5971
30	1000	0.1	Peak	704.8	-48.21	-13	35.21	Pass	19401
1000	3000	1	Peak	1910	30.08	-13	-43.08	N/A	4001
3000	20000	1	Peak	19936	-37.37	-13	24.37	Pass	34001




LTE

1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.94	-13	41.94	Pass	401
0.15	30	0.01	RMS	0.15	-57.65	-13	44.65	Pass	5971
30	1000	0.1	RMS	937.4	-61.36	-13	48.36	Pass	19401
1000	1840	1	RMS	1840	-48.84	-13	35.84	Pass	1681
1840	1920	1	RMS	1850.2	23.55	60	36.45	Pass	401
1920	3000	1	RMS	2683	-46.99	-13	33.99	Pass	2161
3000	12000	1	RMS	11946.5	-37.73	-13	24.73	Pass	18001
12000	20000	1	RMS	19932.5	-24.57	-13	11.57	Pass	16001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.27	-13	42.27	Pass	401
0.15	30	0.01	RMS	0.15	-58.35	-13	45.35	Pass	5971
30	1000	0.1	RMS	898.65	-61.37	-13	48.37	Pass	19401
1000	1840	1	RMS	1840	-48.81	-13	35.81	Pass	1681
1840	1920	1	RMS	1850.2	22.68	60	37.32	Pass	401
1920	3000	1	RMS	2678.5	-47.06	-13	34.06	Pass	2161
3000	12000	1	RMS	11955	-37.72	-13	24.72	Pass	18001
12000	20000	1	RMS	19954.5	-24.71	-13	11.71	Pass	16001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.19	-13	42.19	Pass	401
0.15	30	0.01	RMS	0.15	-57.6	-13	44.6	Pass	5971
30	1000	0.1	RMS	899.6	-61.51	-13	48.51	Pass	19401
1000	1840	1	RMS	1839.5	-50.13	-13	37.13	Pass	1681
1840	1920	1	RMS	1879.6	22.75	60	37.25	Pass	401
1920	3000	1	RMS	2696.5	-47.08	-13	34.08	Pass	2161
3000	12000	1	RMS	11955.5	-37.69	-13	24.69	Pass	18001
12000	20000	1	RMS	19939.5	-24.64	-13	11.64	Pass	16001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.76	-13	41.76	Pass	401
0.15	30	0.01	RMS	0.15	-58.5	-13	45.5	Pass	5971
30	1000	0.1	RMS	889.3	-61.5	-13	48.5	Pass	19401
1000	1840	1	RMS	1833	-50.16	-13	37.16	Pass	1681
1840	1920	1	RMS	1879.6	21.98	60	38.02	Pass	401
1920	3000	1	RMS	2681.5	-47.05	-13	34.05	Pass	2161
3000	12000	1	RMS	11952.5	-37.62	-13	24.62	Pass	18001
12000	20000	1	RMS	19936	-24.69	-13	11.69	Pass	16001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.32	-13	42.32	Pass	401
0.15	30	0.01	RMS	0.15	-58.21	-13	45.21	Pass	5971
30	1000	0.1	RMS	920.35	-61.28	-13	48.28	Pass	19401
1000	1840	1	RMS	1839.5	-50.11	-13	37.11	Pass	1681
1840	1920	1	RMS	1908.8	23.5	60	36.5	Pass	401
1920	3000	1	RMS	2674.5	-46.99	-13	33.99	Pass	2161
3000	12000	1	RMS	11952.5	-37.79	-13	24.79	Pass	18001
12000	20000	1	RMS	19947.5	-24.69	-13	11.69	Pass	16001




**1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.69	-13	41.69	Pass	401
0.15	30	0.01	RMS	0.15	-58.36	-13	45.36	Pass	5971
30	1000	0.1	RMS	902.5	-61.41	-13	48.41	Pass	19401
1000	1840	1	RMS	1838	-50.13	-13	37.13	Pass	1681
1840	1920	1	RMS	1908.8	22.73	60	37.27	Pass	401
1920	3000	1	RMS	2697	-46.97	-13	33.97	Pass	2161
3000	12000	1	RMS	11960.5	-37.76	-13	24.76	Pass	18001
12000	20000	1	RMS	19943	-24.64	-13	11.64	Pass	16001




**1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.49	-13	42.49	Pass	401
0.15	30	0.01	RMS	0.15	-58.09	-13	45.09	Pass	5971
30	1000	0.1	RMS	894.7	-61.32	-13	48.32	Pass	19401
1000	1840	1	RMS	1840	-48.84	-13	35.84	Pass	1681
1840	1920	1	RMS	1850.2	23.51	60	36.49	Pass	401
1920	3000	1	RMS	2673	-47.08	-13	34.08	Pass	2161
3000	12000	1	RMS	11945.5	-37.71	-13	24.71	Pass	18001
12000	20000	1	RMS	19935	-24.72	-13	11.72	Pass	16001




**1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.57	-13	42.57	Pass	401
0.15	30	0.01	RMS	0.15	-58.65	-13	45.65	Pass	5971
30	1000	0.1	RMS	901.6	-61.29	-13	48.29	Pass	19401
1000	1840	1	RMS	1840	-48.91	-13	35.91	Pass	1681
1840	1920	1	RMS	1850.2	22.78	60	37.22	Pass	401
1920	3000	1	RMS	2676.5	-47.03	-13	34.03	Pass	2161
3000	12000	1	RMS	11952	-37.73	-13	24.73	Pass	18001
12000	20000	1	RMS	19930	-24.59	-13	11.59	Pass	16001




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.78	-13	41.78	Pass	401
0.15	30	0.01	RMS	0.15	-57.67	-13	44.67	Pass	5971
30	1000	0.1	RMS	844.6	-61.22	-13	48.22	Pass	19401
1000	1840	1	RMS	1838.5	-50.17	-13	37.17	Pass	1681
1840	1920	1	RMS	1878.8	22.58	60	37.42	Pass	401
1920	3000	1	RMS	2675.5	-47.04	-13	34.04	Pass	2161
3000	12000	1	RMS	11947	-37.7	-13	24.7	Pass	18001
12000	20000	1	RMS	19957	-24.65	-13	11.65	Pass	16001




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.53	-13	42.53	Pass	401
0.15	30	0.01	RMS	0.15	-58.94	-13	45.94	Pass	5971
30	1000	0.1	RMS	911.4	-61.42	-13	48.42	Pass	19401
1000	1840	1	RMS	1838	-50.14	-13	37.14	Pass	1681
1840	1920	1	RMS	1878.8	21.8	60	38.2	Pass	401
1920	3000	1	RMS	2697.5	-47.06	-13	34.06	Pass	2161
3000	12000	1	RMS	11946.5	-37.73	-13	24.73	Pass	18001
12000	20000	1	RMS	19950	-24.63	-13	11.63	Pass	16001




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.6	-13	42.6	Pass	401
0.15	30	0.01	RMS	0.15	-57.46	-13	44.46	Pass	5971
30	1000	0.1	RMS	881.25	-61.41	-13	48.41	Pass	19401
1000	1840	1	RMS	1837.5	-50.13	-13	37.13	Pass	1681
1840	1920	1	RMS	1907.2	23.94	60	36.06	Pass	401
1920	3000	1	RMS	2677	-47.06	-13	34.06	Pass	2161
3000	12000	1	RMS	11952	-37.67	-13	24.67	Pass	18001
12000	20000	1	RMS	19942.5	-24.7	-13	11.7	Pass	16001




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.47	-13	42.47	Pass	401
0.15	30	0.01	RMS	0.15	-56.57	-13	43.57	Pass	5971
30	1000	0.1	RMS	880.1	-61.39	-13	48.39	Pass	19401
1000	1840	1	RMS	1839	-50.09	-13	37.09	Pass	1681
1840	1920	1	RMS	1907.2	23.11	60	36.89	Pass	401
1920	3000	1	RMS	2679	-46.99	-13	33.99	Pass	2161
3000	12000	1	RMS	11944.5	-37.76	-13	24.76	Pass	18001
12000	20000	1	RMS	19931	-24.65	-13	11.65	Pass	16001




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.5	-13	42.5	Pass	401
0.15	30	0.01	RMS	0.15	-58.29	-13	45.29	Pass	5971
30	1000	0.1	RMS	902.2	-61.51	-13	48.51	Pass	19401
1000	1840	1	RMS	1840	-49.22	-13	36.22	Pass	1681
1840	1920	1	RMS	1850.4	23.65	60	36.35	Pass	401
1920	3000	1	RMS	2690	-46.95	-13	33.95	Pass	2161
3000	12000	1	RMS	11949	-37.64	-13	24.64	Pass	18001
12000	20000	1	RMS	19956	-24.69	-13	11.69	Pass	16001




**1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.2	-13	42.2	Pass	401
0.15	30	0.01	RMS	0.15	-56.79	-13	43.79	Pass	5971
30	1000	0.1	RMS	889.05	-61.38	-13	48.38	Pass	19401
1000	1840	1	RMS	1840	-49.46	-13	36.46	Pass	1681
1840	1920	1	RMS	1850.4	22.8	60	37.2	Pass	401
1920	3000	1	RMS	2694.5	-47.08	-13	34.08	Pass	2161
3000	12000	1	RMS	11948	-37.75	-13	24.75	Pass	18001
12000	20000	1	RMS	19935.5	-24.72	-13	11.72	Pass	16001




**1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.21	-13	42.21	Pass	401
0.15	30	0.01	RMS	0.15	-57.68	-13	44.68	Pass	5971
30	1000	0.1	RMS	994.45	-61.42	-13	48.42	Pass	19401
1000	1840	1	RMS	1833	-50.12	-13	37.12	Pass	1681
1840	1920	1	RMS	1877.8	22.81	60	37.19	Pass	401
1920	3000	1	RMS	2674	-47.05	-13	34.05	Pass	2161
3000	12000	1	RMS	11941	-37.61	-13	24.61	Pass	18001
12000	20000	1	RMS	19950.5	-24.67	-13	11.67	Pass	16001




**1.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.27	-13	41.27	Pass	401
0.15	30	0.01	RMS	0.155	-58.19	-13	45.19	Pass	5971
30	1000	0.1	RMS	891.85	-61.26	-13	48.26	Pass	19401
1000	1840	1	RMS	1839	-50.15	-13	37.15	Pass	1681
1840	1920	1	RMS	1877.8	22.12	60	37.88	Pass	401
1920	3000	1	RMS	2698	-47.08	-13	34.08	Pass	2161
3000	12000	1	RMS	11949.5	-37.58	-13	24.58	Pass	18001
12000	20000	1	RMS	19933	-24.66	-13	11.66	Pass	16001




1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.63	-13	41.63	Pass	401
0.15	30	0.01	RMS	0.155	-58.45	-13	45.45	Pass	5971
30	1000	0.1	RMS	887.15	-61.39	-13	48.39	Pass	19401
1000	1840	1	RMS	1839.5	-50.05	-13	37.05	Pass	1681
1840	1920	1	RMS	1905.4	23.95	60	36.05	Pass	401
1920	3000	1	RMS	2672	-47.06	-13	34.06	Pass	2161
3000	12000	1	RMS	11948	-37.7	-13	24.7	Pass	18001
12000	20000	1	RMS	19937.5	-24.67	-13	11.67	Pass	16001




**1.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.61	-13	41.61	Pass	401
0.15	30	0.01	RMS	0.155	-58.22	-13	45.22	Pass	5971
30	1000	0.1	RMS	875.55	-61.25	-13	48.25	Pass	19401
1000	1840	1	RMS	1838	-50.16	-13	37.16	Pass	1681
1840	1920	1	RMS	1905.4	23.29	60	36.71	Pass	401
1920	3000	1	RMS	2675	-47.08	-13	34.08	Pass	2161
3000	12000	1	RMS	11945	-37.75	-13	24.75	Pass	18001
12000	20000	1	RMS	19943	-24.65	-13	11.65	Pass	16001




1.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.7	-13	42.7	Pass	401
0.15	30	0.01	RMS	0.15	-57.99	-13	44.99	Pass	5971
30	1000	0.1	RMS	856.2	-61.39	-13	48.39	Pass	19401
1000	1840	1	RMS	1840	-48.96	-13	35.96	Pass	1681
1840	1920	1	RMS	1850.6	23.57	60	36.43	Pass	401
1920	3000	1	RMS	2679	-47.05	-13	34.05	Pass	2161
3000	12000	1	RMS	11953	-37.73	-13	24.73	Pass	18001
12000	20000	1	RMS	19937.5	-24.74	-13	11.74	Pass	16001




1.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.02	-13	42.02	Pass	401
0.15	30	0.01	RMS	0.155	-57.7	-13	44.7	Pass	5971
30	1000	0.1	RMS	911.15	-61.46	-13	48.46	Pass	19401
1000	1840	1	RMS	1833	-48.72	-13	35.72	Pass	1681
1840	1920	1	RMS	1850.6	22.94	60	37.06	Pass	401
1920	3000	1	RMS	2670.5	-47.05	-13	34.05	Pass	2161
3000	12000	1	RMS	11931	-37.68	-13	24.68	Pass	18001
12000	20000	1	RMS	19944	-24.69	-13	11.69	Pass	16001




1.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.43	-13	41.43	Pass	401
0.15	30	0.01	RMS	0.15	-58.72	-13	45.72	Pass	5971
30	1000	0.1	RMS	921.75	-61.33	-13	48.33	Pass	19401
1000	1840	1	RMS	1840	-50.09	-13	37.09	Pass	1681
1840	1920	1	RMS	1875.6	23.01	60	36.99	Pass	401
1920	3000	1	RMS	2676.5	-47.06	-13	34.06	Pass	2161
3000	12000	1	RMS	11954	-37.71	-13	24.71	Pass	18001
12000	20000	1	RMS	19941.5	-24.72	-13	11.72	Pass	16001




1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.65	-13	43.65	Pass	401
0.15	30	0.01	RMS	0.15	-57.67	-13	44.67	Pass	5971
30	1000	0.1	RMS	913.2	-61.54	-13	48.54	Pass	19401
1000	1840	1	RMS	1839	-50.13	-13	37.13	Pass	1681
1840	1920	1	RMS	1875.6	22.25	60	37.75	Pass	401
1920	3000	1	RMS	2676	-47.11	-13	34.11	Pass	2161
3000	12000	1	RMS	11945.5	-37.76	-13	24.76	Pass	18001
12000	20000	1	RMS	19940	-24.61	-13	11.61	Pass	16001




1.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.42	-13	41.42	Pass	401
0.15	30	0.01	RMS	0.165	-57.95	-13	44.95	Pass	5971
30	1000	0.1	RMS	912.4	-61.4	-13	48.4	Pass	19401
1000	1840	1	RMS	1839	-50.06	-13	37.06	Pass	1681
1840	1920	1	RMS	1900.6	23.32	60	36.68	Pass	401
1920	3000	1	RMS	2697	-47.07	-13	34.07	Pass	2161
3000	12000	1	RMS	11955.5	-37.7	-13	24.7	Pass	18001
12000	20000	1	RMS	19947.5	-24.66	-13	11.66	Pass	16001




1.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.06	-13	42.06	Pass	401
0.15	30	0.01	RMS	0.155	-58.33	-13	45.33	Pass	5971
30	1000	0.1	RMS	881.5	-61.31	-13	48.31	Pass	19401
1000	1840	1	RMS	1840	-50.11	-13	37.11	Pass	1681
1840	1920	1	RMS	1900.6	22.54	60	37.46	Pass	401
1920	3000	1	RMS	2695	-47.04	-13	34.04	Pass	2161
3000	12000	1	RMS	11951	-37.66	-13	24.66	Pass	18001
12000	20000	1	RMS	19931.5	-24.69	-13	11.69	Pass	16001




1.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.9	-13	41.9	Pass	401
0.15	30	0.01	RMS	0.15	-56.4	-13	43.4	Pass	5971
30	1000	0.1	RMS	890.9	-61.39	-13	48.39	Pass	19401
1000	1840	1	RMS	1837.5	-43.19	-13	30.19	Pass	1681
1840	1920	1	RMS	1850.8	23.62	60	36.38	Pass	401
1920	3000	1	RMS	2674	-47.05	-13	34.05	Pass	2161
3000	12000	1	RMS	11946	-37.78	-13	24.78	Pass	18001
12000	20000	1	RMS	19951	-24.66	-13	11.66	Pass	16001




1.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.44	-13	42.44	Pass	401
0.15	30	0.01	RMS	0.15	-57.39	-13	44.39	Pass	5971
30	1000	0.1	RMS	886.6	-61.44	-13	48.44	Pass	19401
1000	1840	1	RMS	1837.5	-43.66	-13	30.66	Pass	1681
1840	1920	1	RMS	1850.8	23.01	60	36.99	Pass	401
1920	3000	1	RMS	2678	-47.08	-13	34.08	Pass	2161
3000	12000	1	RMS	11944.5	-37.79	-13	24.79	Pass	18001
12000	20000	1	RMS	19932	-24.69	-13	11.69	Pass	16001




1.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.12	-13	43.12	Pass	401
0.15	30	0.01	RMS	0.15	-57.18	-13	44.18	Pass	5971
30	1000	0.1	RMS	884.5	-61.36	-13	48.36	Pass	19401
1000	1840	1	RMS	1840	-50.06	-13	37.06	Pass	1681
1840	1920	1	RMS	1873.4	23.02	60	36.98	Pass	401
1920	3000	1	RMS	2675.5	-47.08	-13	34.08	Pass	2161
3000	12000	1	RMS	11954	-37.83	-13	24.83	Pass	18001
12000	20000	1	RMS	19939.5	-24.67	-13	11.67	Pass	16001




1.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.39	-13	42.39	Pass	401
0.15	30	0.01	RMS	0.15	-57.32	-13	44.32	Pass	5971
30	1000	0.1	RMS	943.75	-61.56	-13	48.56	Pass	19401
1000	1840	1	RMS	1840	-50.05	-13	37.05	Pass	1681
1840	1920	1	RMS	1873.4	22.23	60	37.77	Pass	401
1920	3000	1	RMS	2678.5	-47.07	-13	34.07	Pass	2161
3000	12000	1	RMS	11938.5	-37.79	-13	24.79	Pass	18001
12000	20000	1	RMS	19944.5	-24.71	-13	11.71	Pass	16001




1.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.49	-13	42.49	Pass	401
0.15	30	0.01	RMS	0.15	-57.55	-13	44.55	Pass	5971
30	1000	0.1	RMS	875	-61.31	-13	48.31	Pass	19401
1000	1840	1	RMS	1831.5	-50.18	-13	37.18	Pass	1681
1840	1920	1	RMS	1895.8	22.97	60	37.03	Pass	401
1920	3000	1	RMS	2681	-47.09	-13	34.09	Pass	2161
3000	12000	1	RMS	11949.5	-37.78	-13	24.78	Pass	18001
12000	20000	1	RMS	19933.5	-24.7	-13	11.7	Pass	16001




1.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.54	-13	42.54	Pass	401
0.15	30	0.01	RMS	0.155	-58.08	-13	45.08	Pass	5971
30	1000	0.1	RMS	893.05	-61.1	-13	48.1	Pass	19401
1000	1840	1	RMS	1840	-50.14	-13	37.14	Pass	1681
1840	1920	1	RMS	1895.8	22.33	60	37.67	Pass	401
1920	3000	1	RMS	2671	-47.1	-13	34.1	Pass	2161
3000	12000	1	RMS	11943	-37.81	-13	24.81	Pass	18001
12000	20000	1	RMS	19941	-24.67	-13	11.67	Pass	16001




**1.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.94	-13	41.94	Pass	401
0.15	30	0.01	RMS	0.15	-57.7	-13	44.7	Pass	5971
30	1000	0.1	RMS	867.55	-61.32	-13	48.32	Pass	19401
1000	1840	1	RMS	1833.5	-45.54	-13	32.54	Pass	1681
1840	1920	1	RMS	1851	23.58	60	36.42	Pass	401
1920	3000	1	RMS	2673.5	-47.09	-13	34.09	Pass	2161
3000	12000	1	RMS	11948.5	-37.76	-13	24.76	Pass	18001
12000	20000	1	RMS	19952	-24.69	-13	11.69	Pass	16001




1.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.21	-13	42.21	Pass	401
0.15	30	0.01	RMS	0.155	-57.83	-13	44.83	Pass	5971
30	1000	0.1	RMS	913.15	-61.3	-13	48.3	Pass	19401
1000	1840	1	RMS	1833.5	-45.63	-13	32.63	Pass	1681
1840	1920	1	RMS	1851	22.85	60	37.15	Pass	401
1920	3000	1	RMS	2686.5	-47.05	-13	34.05	Pass	2161
3000	12000	1	RMS	11949.5	-37.77	-13	24.77	Pass	18001
12000	20000	1	RMS	19938.5	-24.72	-13	11.72	Pass	16001




1.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.51	-13	41.51	Pass	401
0.15	30	0.01	RMS	0.155	-57.91	-13	44.91	Pass	5971
30	1000	0.1	RMS	875.7	-61.37	-13	48.37	Pass	19401
1000	1840	1	RMS	1835.5	-47.71	-13	34.71	Pass	1681
1840	1920	1	RMS	1871	23	60	37	Pass	401
1920	3000	1	RMS	2677.5	-47.04	-13	34.04	Pass	2161
3000	12000	1	RMS	11948.5	-37.71	-13	24.71	Pass	18001
12000	20000	1	RMS	19937	-24.63	-13	11.63	Pass	16001




1.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.35	-13	42.35	Pass	401
0.15	30	0.01	RMS	0.15	-57.36	-13	44.36	Pass	5971
30	1000	0.1	RMS	881.5	-61.47	-13	48.47	Pass	19401
1000	1840	1	RMS	1835.5	-47.58	-13	34.58	Pass	1681
1840	1920	1	RMS	1871	22.15	60	37.85	Pass	401
1920	3000	1	RMS	2700.5	-47.07	-13	34.07	Pass	2161
3000	12000	1	RMS	11956.5	-37.71	-13	24.71	Pass	18001
12000	20000	1	RMS	19942.5	-24.7	-13	11.7	Pass	16001




**1.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.18	-13	42.18	Pass	401
0.15	30	0.01	RMS	0.155	-58.19	-13	45.19	Pass	5971
30	1000	0.1	RMS	888.5	-61.27	-13	48.27	Pass	19401
1000	1840	1	RMS	1837.5	-50.06	-13	37.06	Pass	1681
1840	1920	1	RMS	1891	22.77	60	37.23	Pass	401
1920	3000	1	RMS	2675	-47.04	-13	34.04	Pass	2161
3000	12000	1	RMS	11955.5	-37.72	-13	24.72	Pass	18001
12000	20000	1	RMS	19948.5	-24.7	-13	11.7	Pass	16001



1.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.88	-13	42.88	Pass	401
0.15	30	0.01	RMS	0.15	-57.44	-13	44.44	Pass	5971
30	1000	0.1	RMS	962.85	-61.19	-13	48.19	Pass	19401
1000	1840	1	RMS	1837.5	-49.85	-13	36.85	Pass	1681
1840	1920	1	RMS	1891	21.96	60	38.04	Pass	401
1920	3000	1	RMS	2669.5	-47.04	-13	34.04	Pass	2161
3000	12000	1	RMS	11954	-37.79	-13	24.79	Pass	18001
12000	20000	1	RMS	19954.5	-24.6	-13	11.6	Pass	16001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.44	-13	41.44	Pass	401
0.15	30	0.01	RMS	0.155	-59.31	-13	46.31	Pass	5971
30	1000	0.1	RMS	892.5	-61.44	-13	48.44	Pass	19401
1000	1700	1	RMS	1700	-49.45	-13	36.45	Pass	1401
1700	1765	1	RMS	1710.238	23.06	60	36.94	Pass	401
1765	3000	1	RMS	2674	-46.75	-13	33.75	Pass	2471
3000	12000	1	RMS	11949	-37.57	-13	24.57	Pass	18001
12000	20000	1	RMS	19957.5	-24.58	-13	11.58	Pass	16001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.08	-13	41.08	Pass	401
0.15	30	0.01	RMS	0.15	-56.94	-13	43.94	Pass	5971
30	1000	0.1	RMS	904.5	-61.43	-13	48.43	Pass	19401
1000	1700	1	RMS	1700	-49.77	-13	36.77	Pass	1401
1700	1765	1	RMS	1710.238	22.2	60	37.8	Pass	401
1765	3000	1	RMS	2672.5	-46.77	-13	33.77	Pass	2471
3000	12000	1	RMS	11958.5	-37.8	-13	24.8	Pass	18001
12000	20000	1	RMS	19944	-24.63	-13	11.63	Pass	16001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.97	-13	42.97	Pass	401
0.15	30	0.01	RMS	0.16	-58.86	-13	45.86	Pass	5971
30	1000	0.1	RMS	890.3	-61.41	-13	48.41	Pass	19401
1000	1700	1	RMS	1584.5	-50.59	-13	37.59	Pass	1401
1700	1765	1	RMS	1732.013	22.83	60	37.17	Pass	401
1765	3000	1	RMS	2674.5	-46.83	-13	33.83	Pass	2471
3000	12000	1	RMS	11953	-37.69	-13	24.69	Pass	18001
12000	20000	1	RMS	19962.5	-24.67	-13	11.67	Pass	16001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.89	-13	42.89	Pass	401
0.15	30	0.01	RMS	0.15	-57.65	-13	44.65	Pass	5971
30	1000	0.1	RMS	865.3	-61.46	-13	48.46	Pass	19401
1000	1700	1	RMS	1559	-50.61	-13	37.61	Pass	1401
1700	1765	1	RMS	1732.013	22.03	60	37.97	Pass	401
1765	3000	1	RMS	2680	-46.81	-13	33.81	Pass	2471
3000	12000	1	RMS	11951	-37.65	-13	24.65	Pass	18001
12000	20000	1	RMS	19942	-24.58	-13	11.58	Pass	16001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.38	-13	41.38	Pass	401
0.15	30	0.01	RMS	0.15	-58.09	-13	45.09	Pass	5971
30	1000	0.1	RMS	910.9	-61.13	-13	48.13	Pass	19401
1000	1700	1	RMS	1564.5	-50.6	-13	37.6	Pass	1401
1700	1765	1	RMS	1753.788	22.4	60	37.6	Pass	401
1765	3000	1	RMS	2693	-46.82	-13	33.82	Pass	2471
3000	12000	1	RMS	11953	-37.79	-13	24.79	Pass	18001
12000	20000	1	RMS	19953.5	-24.69	-13	11.69	Pass	16001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.69	-13	42.69	Pass	401
0.15	30	0.01	RMS	0.15	-57.66	-13	44.66	Pass	5971
30	1000	0.1	RMS	915.85	-61.46	-13	48.46	Pass	19401
1000	1700	1	RMS	1698.5	-50.61	-13	37.61	Pass	1401
1700	1765	1	RMS	1753.788	21.68	60	38.32	Pass	401
1765	3000	1	RMS	2691.5	-46.83	-13	33.83	Pass	2471
3000	12000	1	RMS	11949	-37.75	-13	24.75	Pass	18001
12000	20000	1	RMS	19941.5	-24.69	-13	11.69	Pass	16001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56	-13	43	Pass	401
0.15	30	0.01	RMS	0.155	-57.65	-13	44.65	Pass	5971
30	1000	0.1	RMS	892.2	-61.24	-13	48.24	Pass	19401
1000	1700	1	RMS	1700	-49.93	-13	36.93	Pass	1401
1700	1765	1	RMS	1710.238	22.98	60	37.02	Pass	401
1765	3000	1	RMS	2672.5	-46.81	-13	33.81	Pass	2471
3000	12000	1	RMS	11958.5	-37.71	-13	24.71	Pass	18001
12000	20000	1	RMS	19951.5	-24.6	-13	11.6	Pass	16001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.74	-13	40.74	Pass	401
0.15	30	0.01	RMS	0.15	-58.18	-13	45.18	Pass	5971
30	1000	0.1	RMS	902.25	-61.26	-13	48.26	Pass	19401
1000	1700	1	RMS	1700	-50.02	-13	37.02	Pass	1401
1700	1765	1	RMS	1710.238	22.3	60	37.7	Pass	401
1765	3000	1	RMS	2680.5	-46.87	-13	33.87	Pass	2471
3000	12000	1	RMS	11960.5	-37.72	-13	24.72	Pass	18001
12000	20000	1	RMS	19951.5	-24.65	-13	11.65	Pass	16001




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.84	-13	40.84	Pass	401
0.15	30	0.01	RMS	0.155	-58.13	-13	45.13	Pass	5971
30	1000	0.1	RMS	897.25	-61.25	-13	48.25	Pass	19401
1000	1700	1	RMS	1698.5	-50.58	-13	37.58	Pass	1401
1700	1765	1	RMS	1731.2	22.71	60	37.29	Pass	401
1765	3000	1	RMS	2689	-46.83	-13	33.83	Pass	2471
3000	12000	1	RMS	11948	-37.77	-13	24.77	Pass	18001
12000	20000	1	RMS	19943.5	-24.64	-13	11.64	Pass	16001




2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.69	-13	42.69	Pass	401
0.15	30	0.01	RMS	0.15	-56.81	-13	43.81	Pass	5971
30	1000	0.1	RMS	927.8	-61.47	-13	48.47	Pass	19401
1000	1700	1	RMS	1593	-50.62	-13	37.62	Pass	1401
1700	1765	1	RMS	1731.2	21.84	60	38.16	Pass	401
1765	3000	1	RMS	2681.5	-46.84	-13	33.84	Pass	2471
3000	12000	1	RMS	11949.5	-37.74	-13	24.74	Pass	18001
12000	20000	1	RMS	19945	-24.64	-13	11.64	Pass	16001




**2.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.42	-13	42.42	Pass	401
0.15	30	0.01	RMS	0.16	-57.22	-13	44.22	Pass	5971
30	1000	0.1	RMS	854.85	-61.4	-13	48.4	Pass	19401
1000	1700	1	RMS	1563	-50.59	-13	37.59	Pass	1401
1700	1765	1	RMS	1752.163	22.43	60	37.57	Pass	401
1765	3000	1	RMS	2673.5	-46.81	-13	33.81	Pass	2471
3000	12000	1	RMS	11956	-37.77	-13	24.77	Pass	18001
12000	20000	1	RMS	19920	-24.71	-13	11.71	Pass	16001




2.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.71	-13	42.71	Pass	401
0.15	30	0.01	RMS	0.15	-57.89	-13	44.89	Pass	5971
30	1000	0.1	RMS	892	-61.56	-13	48.56	Pass	19401
1000	1700	1	RMS	1580.5	-50.58	-13	37.58	Pass	1401
1700	1765	1	RMS	1752.163	21.7	60	38.3	Pass	401
1765	3000	1	RMS	2696.5	-46.84	-13	33.84	Pass	2471
3000	12000	1	RMS	11938	-37.56	-13	24.56	Pass	18001
12000	20000	1	RMS	19933	-24.64	-13	11.64	Pass	16001




2.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.91	-13	42.91	Pass	401
0.15	30	0.01	RMS	0.15	-57.93	-13	44.93	Pass	5971
30	1000	0.1	RMS	898.6	-61.47	-13	48.47	Pass	19401
1000	1700	1	RMS	1699.5	-50.03	-13	37.03	Pass	1401
1700	1765	1	RMS	1710.4	23.05	60	36.95	Pass	401
1765	3000	1	RMS	2692.5	-46.81	-13	33.81	Pass	2471
3000	12000	1	RMS	11951	-37.68	-13	24.68	Pass	18001
12000	20000	1	RMS	19946	-24.62	-13	11.62	Pass	16001




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.36	-13	41.36	Pass	401
0.15	30	0.01	RMS	0.15	-58.03	-13	45.03	Pass	5971
30	1000	0.1	RMS	862.25	-61.43	-13	48.43	Pass	19401
1000	1700	1	RMS	1700	-50.15	-13	37.15	Pass	1401
1700	1765	1	RMS	1710.4	22.22	60	37.78	Pass	401
1765	3000	1	RMS	2670.5	-46.84	-13	33.84	Pass	2471
3000	12000	1	RMS	11949.5	-37.66	-13	24.66	Pass	18001
12000	20000	1	RMS	19953	-24.66	-13	11.66	Pass	16001




2.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.25	-13	41.25	Pass	401
0.15	30	0.01	RMS	0.155	-57.76	-13	44.76	Pass	5971
30	1000	0.1	RMS	895.65	-61.45	-13	48.45	Pass	19401
1000	1700	1	RMS	1697.5	-50.62	-13	37.62	Pass	1401
1700	1765	1	RMS	1730.388	22.67	60	37.33	Pass	401
1765	3000	1	RMS	2686.5	-46.76	-13	33.76	Pass	2471
3000	12000	1	RMS	11944	-37.67	-13	24.67	Pass	18001
12000	20000	1	RMS	19954.5	-24.69	-13	11.69	Pass	16001




2.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.37	-13	42.37	Pass	401
0.15	30	0.01	RMS	0.155	-58.4	-13	45.4	Pass	5971
30	1000	0.1	RMS	883.55	-61.4	-13	48.4	Pass	19401
1000	1700	1	RMS	1573	-50.59	-13	37.59	Pass	1401
1700	1765	1	RMS	1730.388	21.99	60	38.01	Pass	401
1765	3000	1	RMS	2673.5	-46.79	-13	33.79	Pass	2471
3000	12000	1	RMS	11959.5	-37.69	-13	24.69	Pass	18001
12000	20000	1	RMS	19960.5	-24.64	-13	11.64	Pass	16001




2.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.47	-13	41.47	Pass	401
0.15	30	0.01	RMS	0.15	-57.98	-13	44.98	Pass	5971
30	1000	0.1	RMS	892.3	-61.46	-13	48.46	Pass	19401
1000	1700	1	RMS	1566	-50.55	-13	37.55	Pass	1401
1700	1765	1	RMS	1750.375	22.66	60	37.34	Pass	401
1765	3000	1	RMS	2697	-46.77	-13	33.77	Pass	2471
3000	12000	1	RMS	11940	-37.69	-13	24.69	Pass	18001
12000	20000	1	RMS	19936	-24.65	-13	11.65	Pass	16001




2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.47	-13	42.47	Pass	401
0.15	30	0.01	RMS	0.155	-59.31	-13	46.31	Pass	5971
30	1000	0.1	RMS	910.9	-61.43	-13	48.43	Pass	19401
1000	1700	1	RMS	1567.5	-50.61	-13	37.61	Pass	1401
1700	1765	1	RMS	1750.375	22.05	60	37.95	Pass	401
1765	3000	1	RMS	2675.5	-46.82	-13	33.82	Pass	2471
3000	12000	1	RMS	11958.5	-37.79	-13	24.79	Pass	18001
12000	20000	1	RMS	19956	-24.65	-13	11.65	Pass	16001




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.06	-13	42.06	Pass	401
0.15	30	0.01	RMS	0.15	-58.38	-13	45.38	Pass	5971
30	1000	0.1	RMS	899.55	-61.24	-13	48.24	Pass	19401
1000	1700	1	RMS	1697.5	-49.38	-13	36.38	Pass	1401
1700	1765	1	RMS	1710.563	23.13	60	36.87	Pass	401
1765	3000	1	RMS	2681.5	-46.73	-13	33.73	Pass	2471
3000	12000	1	RMS	11942	-37.69	-13	24.69	Pass	18001
12000	20000	1	RMS	19941	-24.68	-13	11.68	Pass	16001




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.46	-13	41.46	Pass	401
0.15	30	0.01	RMS	0.15	-57.89	-13	44.89	Pass	5971
30	1000	0.1	RMS	888.5	-61.36	-13	48.36	Pass	19401
1000	1700	1	RMS	1697.5	-49.57	-13	36.57	Pass	1401
1700	1765	1	RMS	1710.563	22.2	60	37.8	Pass	401
1765	3000	1	RMS	2681	-46.81	-13	33.81	Pass	2471
3000	12000	1	RMS	11942	-37.73	-13	24.73	Pass	18001
12000	20000	1	RMS	19937	-24.59	-13	11.59	Pass	16001




**2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21,
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.42	-13	42.42	Pass	401
0.15	30	0.01	RMS	0.15	-58.14	-13	45.14	Pass	5971
30	1000	0.1	RMS	886.15	-61.36	-13	48.36	Pass	19401
1000	1700	1	RMS	1574	-50.57	-13	37.57	Pass	1401
1700	1765	1	RMS	1728.113	22.74	60	37.26	Pass	401
1765	3000	1	RMS	2688.5	-46.77	-13	33.77	Pass	2471
3000	12000	1	RMS	11969	-37.72	-13	24.72	Pass	18001
12000	20000	1	RMS	19957.5	-24.66	-13	11.66	Pass	16001




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.09	-13	42.09	Pass	401
0.15	30	0.01	RMS	0.16	-57.88	-13	44.88	Pass	5971
30	1000	0.1	RMS	893.4	-61.2	-13	48.2	Pass	19401
1000	1700	1	RMS	1571	-50.58	-13	37.58	Pass	1401
1700	1765	1	RMS	1728.113	22.09	60	37.91	Pass	401
1765	3000	1	RMS	2684	-46.78	-13	33.78	Pass	2471
3000	12000	1	RMS	11951.5	-37.76	-13	24.76	Pass	18001
12000	20000	1	RMS	19919.5	-24.63	-13	11.63	Pass	16001




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.69	-13	41.69	Pass	401
0.15	30	0.01	RMS	0.15	-58.18	-13	45.18	Pass	5971
30	1000	0.1	RMS	890.35	-61.5	-13	48.5	Pass	19401
1000	1700	1	RMS	1569.5	-50.58	-13	37.58	Pass	1401
1700	1765	1	RMS	1745.5	22.86	60	37.14	Pass	401
1765	3000	1	RMS	2686.5	-46.77	-13	33.77	Pass	2471
3000	12000	1	RMS	11948	-37.68	-13	24.68	Pass	18001
12000	20000	1	RMS	19945.5	-24.66	-13	11.66	Pass	16001




2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.51	-13	41.51	Pass	401
0.15	30	0.01	RMS	0.155	-58.64	-13	45.64	Pass	5971
30	1000	0.1	RMS	890.75	-61.47	-13	48.47	Pass	19401
1000	1700	1	RMS	1584.5	-50.56	-13	37.56	Pass	1401
1700	1765	1	RMS	1745.5	22.07	60	37.93	Pass	401
1765	3000	1	RMS	2695	-46.81	-13	33.81	Pass	2471
3000	12000	1	RMS	11948	-37.69	-13	24.69	Pass	18001
12000	20000	1	RMS	19935	-24.61	-13	11.61	Pass	16001




2.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.97	-13	41.97	Pass	401
0.15	30	0.01	RMS	0.155	-57.39	-13	44.39	Pass	5971
30	1000	0.1	RMS	884.55	-61.45	-13	48.45	Pass	19401
1000	1700	1	RMS	1697.5	-45.5	-13	32.5	Pass	1401
1700	1765	1	RMS	1710.888	23.11	60	36.89	Pass	401
1765	3000	1	RMS	2694.5	-46.81	-13	33.81	Pass	2471
3000	12000	1	RMS	11943	-37.83	-13	24.83	Pass	18001
12000	20000	1	RMS	19948	-24.63	-13	11.63	Pass	16001




2.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.42	-13	42.42	Pass	401
0.15	30	0.01	RMS	0.155	-58.09	-13	45.09	Pass	5971
30	1000	0.1	RMS	877.5	-61.29	-13	48.29	Pass	19401
1000	1700	1	RMS	1697.5	-45.92	-13	32.92	Pass	1401
1700	1765	1	RMS	1710.888	22.43	60	37.57	Pass	401
1765	3000	1	RMS	2692	-46.79	-13	33.79	Pass	2471
3000	12000	1	RMS	11944.5	-37.7	-13	24.7	Pass	18001
12000	20000	1	RMS	19918	-24.7	-13	11.7	Pass	16001




2.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.96	-13	40.96	Pass	401
0.15	30	0.01	RMS	0.16	-58.75	-13	45.75	Pass	5971
30	1000	0.1	RMS	862.55	-61.46	-13	48.46	Pass	19401
1000	1700	1	RMS	1699	-46.72	-13	33.72	Pass	1401
1700	1765	1	RMS	1725.838	22.82	60	37.18	Pass	401
1765	3000	1	RMS	2674	-46.76	-13	33.76	Pass	2471
3000	12000	1	RMS	11947	-37.68	-13	24.68	Pass	18001
12000	20000	1	RMS	19930	-24.67	-13	11.67	Pass	16001




2.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.71	-13	42.71	Pass	401
0.15	30	0.01	RMS	0.15	-55.63	-13	42.63	Pass	5971
30	1000	0.1	RMS	866.35	-61.5	-13	48.5	Pass	19401
1000	1700	1	RMS	1699.5	-47.06	-13	34.06	Pass	1401
1700	1765	1	RMS	1725.838	22.02	60	37.98	Pass	401
1765	3000	1	RMS	2675.5	-46.81	-13	33.81	Pass	2471
3000	12000	1	RMS	11956.5	-37.7	-13	24.7	Pass	18001
12000	20000	1	RMS	19933.5	-24.66	-13	11.66	Pass	16001




2.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.56	-13	42.56	Pass	401
0.15	30	0.01	RMS	0.16	-57.86	-13	44.86	Pass	5971
30	1000	0.1	RMS	908.25	-61.27	-13	48.27	Pass	19401
1000	1700	1	RMS	1568	-50.6	-13	37.6	Pass	1401
1700	1765	1	RMS	1740.788	23	60	37	Pass	401
1765	3000	1	RMS	1767.5	-28.51	-13	15.51	Pass	2471
3000	12000	1	RMS	11949	-37.69	-13	24.69	Pass	18001
12000	20000	1	RMS	19955	-24.65	-13	11.65	Pass	16001




2.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.95	-13	42.95	Pass	401
0.15	30	0.01	RMS	0.16	-58.26	-13	45.26	Pass	5971
30	1000	0.1	RMS	892.45	-61.2	-13	48.2	Pass	19401
1000	1700	1	RMS	1698.5	-50.61	-13	37.61	Pass	1401
1700	1765	1	RMS	1740.788	22.28	60	37.72	Pass	401
1765	3000	1	RMS	1767.5	-29.22	-13	16.22	Pass	2471
3000	12000	1	RMS	11945.5	-37.75	-13	24.75	Pass	18001
12000	20000	1	RMS	19967	-24.71	-13	11.71	Pass	16001




**2.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31,
Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.54	-13	42.54	Pass	401
0.15	30	0.01	RMS	0.16	-58.49	-13	45.49	Pass	5971
30	1000	0.1	RMS	920	-61.45	-13	48.45	Pass	19401
1000	1700	1	RMS	1693	-49.21	-13	36.21	Pass	1401
1700	1765	1	RMS	1711.05	23.15	60	36.85	Pass	401
1765	3000	1	RMS	2676	-46.61	-13	33.61	Pass	2471
3000	12000	1	RMS	11954	-37.68	-13	24.68	Pass	18001
12000	20000	1	RMS	19943	-24.69	-13	11.69	Pass	16001




2.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.96	-13	42.96	Pass	401
0.15	30	0.01	RMS	0.16	-57.29	-13	44.29	Pass	5971
30	1000	0.1	RMS	917.85	-61.46	-13	48.46	Pass	19401
1000	1700	1	RMS	1693.5	-49.45	-13	36.45	Pass	1401
1700	1765	1	RMS	1711.05	22.18	60	37.82	Pass	401
1765	3000	1	RMS	2690.5	-46.77	-13	33.77	Pass	2471
3000	12000	1	RMS	11944.5	-37.74	-13	24.74	Pass	18001
12000	20000	1	RMS	19934.5	-24.73	-13	11.73	Pass	16001




2.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.53	-13	41.53	Pass	401
0.15	30	0.01	RMS	0.15	-56.97	-13	43.97	Pass	5971
30	1000	0.1	RMS	882.6	-61.42	-13	48.42	Pass	19401
1000	1700	1	RMS	1697	-50.02	-13	37.02	Pass	1401
1700	1765	1	RMS	1723.563	22.61	60	37.39	Pass	401
1765	3000	1	RMS	2666.5	-46.8	-13	33.8	Pass	2471
3000	12000	1	RMS	11953.5	-37.64	-13	24.64	Pass	18001
12000	20000	1	RMS	19927.5	-24.68	-13	11.68	Pass	16001




2.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.23	-13	42.23	Pass	401
0.15	30	0.01	RMS	0.155	-58.27	-13	45.27	Pass	5971
30	1000	0.1	RMS	894.15	-61.32	-13	48.32	Pass	19401
1000	1700	1	RMS	1697	-50.05	-13	37.05	Pass	1401
1700	1765	1	RMS	1723.563	21.92	60	38.08	Pass	401
1765	3000	1	RMS	2673	-46.77	-13	33.77	Pass	2471
3000	12000	1	RMS	11961.5	-37.82	-13	24.82	Pass	18001
12000	20000	1	RMS	19939.5	-24.64	-13	11.64	Pass	16001




**2.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.61	-13	43.61	Pass	401
0.15	30	0.01	RMS	0.15	-56.88	-13	43.88	Pass	5971
30	1000	0.1	RMS	909.85	-61.47	-13	48.47	Pass	19401
1000	1700	1	RMS	1700	-48.48	-13	35.48	Pass	1401
1700	1765	1	RMS	1736.075	23.01	60	36.99	Pass	401
1765	3000	1	RMS	1771.5	-29.7	-13	16.7	Pass	2471
3000	12000	1	RMS	11945	-37.71	-13	24.71	Pass	18001
12000	20000	1	RMS	19937.5	-24.68	-13	11.68	Pass	16001



2.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.83	-13	41.83	Pass	401
0.15	30	0.01	RMS	0.15	-57.67	-13	44.67	Pass	5971
30	1000	0.1	RMS	889.4	-61.37	-13	48.37	Pass	19401
1000	1700	1	RMS	1700	-48.67	-13	35.67	Pass	1401
1700	1765	1	RMS	1736.075	22.18	60	37.82	Pass	401
1765	3000	1	RMS	1771.5	-30.35	-13	17.35	Pass	2471
3000	12000	1	RMS	11938.5	-37.64	-13	24.64	Pass	18001
12000	20000	1	RMS	19935	-24.7	-13	11.7	Pass	16001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.22	-13	41.22	Pass	401
0.15	30	0.01	RMS	0.16	-57.36	-13	44.36	Pass	5971
30	814	0.1	RMS	813.95	-61.68	-13	48.68	Pass	15681
814	860	0.1	RMS	824.25	21.72	60	38.28	Pass	921
860	1000	0.1	RMS	882.75	-61.72	-13	48.72	Pass	2801
1000	3000	1	RMS	2472.5	-44.94	-13	31.94	Pass	4001
3000	10000	1	RMS	7597.5	-40.52	-13	27.52	Pass	14001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.59	-13	42.59	Pass	401
0.15	30	0.01	RMS	0.15	-57.82	-13	44.82	Pass	5971
30	814	0.1	RMS	808.05	-61.74	-13	48.74	Pass	15681
814	860	0.1	RMS	824.25	20.71	60	39.29	Pass	921
860	1000	0.1	RMS	867.6	-61.72	-13	48.72	Pass	2801
1000	3000	1	RMS	2473	-45.54	-13	32.54	Pass	4001
3000	10000	1	RMS	7579.5	-40.52	-13	27.52	Pass	14001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.03	-13	42.03	Pass	401
0.15	30	0.01	RMS	0.15	-57.92	-13	44.92	Pass	5971
30	814	0.1	RMS	787.4	-61.8	-13	48.8	Pass	15681
814	860	0.1	RMS	836.05	21.64	60	38.36	Pass	921
860	1000	0.1	RMS	932.05	-61.75	-13	48.75	Pass	2801
1000	3000	1	RMS	2508	-44.85	-13	31.85	Pass	4001
3000	10000	1	RMS	7586.5	-40.49	-13	27.49	Pass	14001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.98	-13	41.98	Pass	401
0.15	30	0.01	RMS	0.15	-58.61	-13	45.61	Pass	5971
30	814	0.1	RMS	781.4	-61.79	-13	48.79	Pass	15681
814	860	0.1	RMS	836.05	20.69	60	39.31	Pass	921
860	1000	0.1	RMS	876.5	-61.76	-13	48.76	Pass	2801
1000	3000	1	RMS	2508	-45.76	-13	32.76	Pass	4001
3000	10000	1	RMS	7585.5	-40.56	-13	27.56	Pass	14001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.19	-13	42.19	Pass	401
0.15	30	0.01	RMS	0.155	-58	-13	45	Pass	5971
30	814	0.1	RMS	792.2	-61.76	-13	48.76	Pass	15681
814	860	0.1	RMS	847.85	21.48	60	38.52	Pass	921
860	1000	0.1	RMS	925.9	-61.51	-13	48.51	Pass	2801
1000	3000	1	RMS	2543.5	-44.02	-13	31.02	Pass	4001
3000	10000	1	RMS	7593	-40.55	-13	27.55	Pass	14001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55	-13	42	Pass	401
0.15	30	0.01	RMS	0.15	-57.73	-13	44.73	Pass	5971
30	814	0.1	RMS	807.7	-61.59	-13	48.59	Pass	15681
814	860	0.1	RMS	847.85	20.44	60	39.56	Pass	921
860	1000	0.1	RMS	893.85	-61.69	-13	48.69	Pass	2801
1000	3000	1	RMS	1695.5	-44.19	-13	31.19	Pass	4001
3000	10000	1	RMS	7591.5	-40.49	-13	27.49	Pass	14001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.56	-13	42.56	Pass	401
0.15	30	0.01	RMS	0.15	-57.59	-13	44.59	Pass	5971
30	814	0.1	RMS	813.2	-61.63	-13	48.63	Pass	15681
814	860	0.1	RMS	824.25	21.82	60	38.18	Pass	921
860	1000	0.1	RMS	908.65	-61.55	-13	48.55	Pass	2801
1000	3000	1	RMS	2472.5	-44.74	-13	31.74	Pass	4001
3000	10000	1	RMS	7604	-40.53	-13	27.53	Pass	14001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.45	-13	42.45	Pass	401
0.15	30	0.01	RMS	0.15	-57.32	-13	44.32	Pass	5971
30	814	0.1	RMS	751	-61.7	-13	48.7	Pass	15681
814	860	0.1	RMS	824.25	20.91	60	39.09	Pass	921
860	1000	0.1	RMS	891.3	-61.74	-13	48.74	Pass	2801
1000	3000	1	RMS	2472.5	-45.45	-13	32.45	Pass	4001
3000	10000	1	RMS	7594	-40.48	-13	27.48	Pass	14001




3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.32	-13	42.32	Pass	401
0.15	30	0.01	RMS	0.15	-58.79	-13	45.79	Pass	5971
30	814	0.1	RMS	800.85	-61.8	-13	48.8	Pass	15681
814	860	0.1	RMS	835.25	21.56	60	38.44	Pass	921
860	1000	0.1	RMS	880.4	-61.72	-13	48.72	Pass	2801
1000	3000	1	RMS	2505.5	-45.41	-13	32.41	Pass	4001
3000	10000	1	RMS	7604.5	-40.57	-13	27.57	Pass	14001




3.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.77	-13	42.77	Pass	401
0.15	30	0.01	RMS	0.15	-58.4	-13	45.4	Pass	5971
30	814	0.1	RMS	746.2	-61.58	-13	48.58	Pass	15681
814	860	0.1	RMS	835.25	20.51	60	39.49	Pass	921
860	1000	0.1	RMS	890.9	-61.69	-13	48.69	Pass	2801
1000	3000	1	RMS	2506	-46.09	-13	33.09	Pass	4001
3000	10000	1	RMS	7582	-40.56	-13	27.56	Pass	14001




3.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.93	-13	41.93	Pass	401
0.15	30	0.01	RMS	0.15	-58.11	-13	45.11	Pass	5971
30	814	0.1	RMS	779.75	-61.81	-13	48.81	Pass	15681
814	860	0.1	RMS	846.25	21.6	60	38.4	Pass	921
860	1000	0.1	RMS	914.65	-61.71	-13	48.71	Pass	2801
1000	3000	1	RMS	1692.5	-44.06	-13	31.06	Pass	4001
3000	10000	1	RMS	7581	-40.52	-13	27.52	Pass	14001




3.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.89	-13	42.89	Pass	401
0.15	30	0.01	RMS	0.16	-58.47	-13	45.47	Pass	5971
30	814	0.1	RMS	790.35	-61.86	-13	48.86	Pass	15681
814	860	0.1	RMS	846.25	20.49	60	39.51	Pass	921
860	1000	0.1	RMS	918.25	-61.69	-13	48.69	Pass	2801
1000	3000	1	RMS	1692.5	-44.69	-13	31.69	Pass	4001
3000	10000	1	RMS	7599.5	-40.54	-13	27.54	Pass	14001




3.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.58	-13	42.58	Pass	401
0.15	30	0.01	RMS	0.15	-57.24	-13	44.24	Pass	5971
30	814	0.1	RMS	809.8	-61.56	-13	48.56	Pass	15681
814	860	0.1	RMS	824.35	21.8	60	38.2	Pass	921
860	1000	0.1	RMS	898.1	-61.66	-13	48.66	Pass	2801
1000	3000	1	RMS	2473	-44.09	-13	31.09	Pass	4001
3000	10000	1	RMS	7588	-40.5	-13	27.5	Pass	14001




3.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.33	-13	42.33	Pass	401
0.15	30	0.01	RMS	0.15	-57.36	-13	44.36	Pass	5971
30	814	0.1	RMS	806.9	-61.69	-13	48.69	Pass	15681
814	860	0.1	RMS	824.35	21.04	60	38.96	Pass	921
860	1000	0.1	RMS	901.65	-61.75	-13	48.75	Pass	2801
1000	3000	1	RMS	2473	-45.26	-13	32.26	Pass	4001
3000	10000	1	RMS	7585	-40.44	-13	27.44	Pass	14001




3.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.81	-13	42.81	Pass	401
0.15	30	0.01	RMS	0.15	-58.36	-13	45.36	Pass	5971
30	814	0.1	RMS	813.45	-61.89	-13	48.89	Pass	15681
814	860	0.1	RMS	834.35	21.76	60	38.24	Pass	921
860	1000	0.1	RMS	882.05	-61.57	-13	48.57	Pass	2801
1000	3000	1	RMS	2503	-45.15	-13	32.15	Pass	4001
3000	10000	1	RMS	7585	-40.57	-13	27.57	Pass	14001




3.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.27	-13	42.27	Pass	401
0.15	30	0.01	RMS	0.15	-57.31	-13	44.31	Pass	5971
30	814	0.1	RMS	812.3	-61.42	-13	48.42	Pass	15681
814	860	0.1	RMS	834.35	20.93	60	39.07	Pass	921
860	1000	0.1	RMS	912.8	-61.48	-13	48.48	Pass	2801
1000	3000	1	RMS	2503	-45.92	-13	32.92	Pass	4001
3000	10000	1	RMS	7595.5	-40.58	-13	27.58	Pass	14001




3.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.3	-13	42.3	Pass	401
0.15	30	0.01	RMS	0.155	-58.16	-13	45.16	Pass	5971
30	814	0.1	RMS	813.25	-61.8	-13	48.8	Pass	15681
814	860	0.1	RMS	844.3	21.51	60	38.49	Pass	921
860	1000	0.1	RMS	903.15	-61.73	-13	48.73	Pass	2801
1000	3000	1	RMS	1688.5	-43.01	-13	30.01	Pass	4001
3000	10000	1	RMS	7590.5	-40.59	-13	27.59	Pass	14001




3.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.21	-13	42.21	Pass	401
0.15	30	0.01	RMS	0.155	-58.26	-13	45.26	Pass	5971
30	814	0.1	RMS	790.55	-61.84	-13	48.84	Pass	15681
814	860	0.1	RMS	844.35	20.87	60	39.13	Pass	921
860	1000	0.1	RMS	890.45	-61.66	-13	48.66	Pass	2801
1000	3000	1	RMS	1688.5	-43.87	-13	30.87	Pass	4001
3000	10000	1	RMS	7586	-40.56	-13	27.56	Pass	14001




3.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.26	-13	42.26	Pass	401
0.15	30	0.01	RMS	0.15	-57.66	-13	44.66	Pass	5971
30	814	0.1	RMS	807	-61.01	-13	48.01	Pass	15681
814	860	0.1	RMS	824.6	21.93	60	38.07	Pass	921
860	1000	0.1	RMS	881.4	-61.69	-13	48.69	Pass	2801
1000	3000	1	RMS	2474	-44.36	-13	31.36	Pass	4001
3000	10000	1	RMS	9978.5	-40.49	-13	27.49	Pass	14001




3.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.69	-13	42.69	Pass	401
0.15	30	0.01	RMS	0.155	-58.02	-13	45.02	Pass	5971
30	814	0.1	RMS	807	-61.56	-13	48.56	Pass	15681
814	860	0.1	RMS	824.6	21.08	60	38.92	Pass	921
860	1000	0.1	RMS	885.75	-61.75	-13	48.75	Pass	2801
1000	3000	1	RMS	2474	-45.13	-13	32.13	Pass	4001
3000	10000	1	RMS	9994	-40.43	-13	27.43	Pass	14001




3.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.36	-13	41.36	Pass	401
0.15	30	0.01	RMS	0.15	-57.2	-13	44.2	Pass	5971
30	814	0.1	RMS	814	-57.02	-13	44.02	Pass	15681
814	860	0.1	RMS	832.1	21.98	60	38.02	Pass	921
860	1000	0.1	RMS	879.05	-61.5	-13	48.5	Pass	2801
1000	3000	1	RMS	2496.5	-45.79	-13	32.79	Pass	4001
3000	10000	1	RMS	9252	-40.46	-13	27.46	Pass	14001




3.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.73	-13	42.73	Pass	401
0.15	30	0.01	RMS	0.15	-57.08	-13	44.08	Pass	5971
30	814	0.1	RMS	813.95	-59.2	-13	46.2	Pass	15681
814	860	0.1	RMS	832.1	20.78	60	39.22	Pass	921
860	1000	0.1	RMS	913.6	-61.74	-13	48.74	Pass	2801
1000	3000	1	RMS	2684.5	-46.31	-13	33.31	Pass	4001
3000	10000	1	RMS	9997	-40.39	-13	27.39	Pass	14001




3.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.92	-13	42.92	Pass	401
0.15	30	0.01	RMS	0.15	-57.99	-13	44.99	Pass	5971
30	814	0.1	RMS	783.75	-61.61	-13	48.61	Pass	15681
814	860	0.1	RMS	839.6	21.65	60	38.35	Pass	921
860	1000	0.1	RMS	924.85	-61.7	-13	48.7	Pass	2801
1000	3000	1	RMS	2519	-44.73	-13	31.73	Pass	4001
3000	10000	1	RMS	9989.5	-40.48	-13	27.48	Pass	14001



3.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.82	-13	41.82	Pass	401
0.15	30	0.01	RMS	0.165	-57.57	-13	44.57	Pass	5971
30	814	0.1	RMS	813.55	-61.79	-13	48.79	Pass	15681
814	860	0.1	RMS	839.6	20.54	60	39.46	Pass	921
860	1000	0.1	RMS	901.5	-61.7	-13	48.7	Pass	2801
1000	3000	1	RMS	2518.5	-45.41	-13	32.41	Pass	4001
3000	10000	1	RMS	9988.5	-40.37	-13	27.37	Pass	14001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.81	-25	30.81	Pass	401
0.15	30	0.01	RMS	0.155	-58.66	-25	33.66	Pass	5971
30	1000	0.1	RMS	880.7	-61.55	-25	36.55	Pass	19401
1000	2490	1	RMS	2490	-46.14	-25	21.14	Pass	2981
2490	2580	1	RMS	2500.35	22.95	60	37.05	Pass	401
2580	3000	1	RMS	2671	-47.16	-25	22.16	Pass	841
3000	12000	1	RMS	11953.5	-60.9	-25	35.9	Pass	18001
12000	26000	1	RMS	25546	-38.23	-25	13.23	Pass	28001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.55	-25	29.55	Pass	401
0.15	30	0.01	RMS	0.15	-58.17	-25	33.17	Pass	5971
30	1000	0.1	RMS	857.05	-61.48	-25	36.48	Pass	19401
1000	2490	1	RMS	2490	-46.63	-25	21.63	Pass	2981
2490	2580	1	RMS	2500.35	22.2	60	37.8	Pass	401
2580	3000	1	RMS	2678.5	-47.15	-25	22.15	Pass	841
3000	12000	1	RMS	11947	-60.93	-25	35.93	Pass	18001
12000	26000	1	RMS	25557.5	-37.74	-25	12.74	Pass	28001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.58	-25	30.58	Pass	401
0.15	30	0.01	RMS	0.15	-57.47	-25	32.47	Pass	5971
30	1000	0.1	RMS	877.75	-61.4	-25	36.4	Pass	19401
1000	2490	1	RMS	2444.5	-47.34	-25	22.34	Pass	2981
2490	2580	1	RMS	2532.75	22.92	60	37.08	Pass	401
2580	3000	1	RMS	2684	-47.13	-25	22.13	Pass	841
3000	12000	1	RMS	11946.5	-60.86	-25	35.86	Pass	18001
12000	26000	1	RMS	25542.5	-37.82	-25	12.82	Pass	28001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.37	-25	30.37	Pass	401
0.15	30	0.01	RMS	0.15	-57.86	-25	32.86	Pass	5971
30	1000	0.1	RMS	882.2	-61.49	-25	36.49	Pass	19401
1000	2490	1	RMS	2449	-47.47	-25	22.47	Pass	2981
2490	2580	1	RMS	2532.75	21.98	60	38.02	Pass	401
2580	3000	1	RMS	2695.5	-47.16	-25	22.16	Pass	841
3000	12000	1	RMS	11952	-60.98	-25	35.98	Pass	18001
12000	26000	1	RMS	25565.5	-37.75	-25	12.75	Pass	28001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.97	-25	30.97	Pass	401
0.15	30	0.01	RMS	0.155	-58.28	-25	33.28	Pass	5971
30	1000	0.1	RMS	858.8	-61.49	-25	36.49	Pass	19401
1000	2490	1	RMS	2442	-47.38	-25	22.38	Pass	2981
2490	2580	1	RMS	2565.375	23.14	60	36.86	Pass	401
2580	3000	1	RMS	2687.5	-47.06	-25	22.06	Pass	841
3000	12000	1	RMS	11957.5	-60.91	-25	35.91	Pass	18001
12000	26000	1	RMS	25570	-37.8	-25	12.8	Pass	28001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.58	-25	30.58	Pass	401
0.15	30	0.01	RMS	0.15	-57.77	-25	32.77	Pass	5971
30	1000	0.1	RMS	891.4	-61.38	-25	36.38	Pass	19401
1000	2490	1	RMS	2431	-47.38	-25	22.38	Pass	2981
2490	2580	1	RMS	2565.375	22.32	60	37.68	Pass	401
2580	3000	1	RMS	2689	-47.16	-25	22.16	Pass	841
3000	12000	1	RMS	11947.5	-60.92	-25	35.92	Pass	18001
12000	26000	1	RMS	25541.5	-37.69	-25	12.69	Pass	28001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.97	-25	28.97	Pass	401
0.15	30	0.01	RMS	0.15	-58.08	-25	33.08	Pass	5971
30	1000	0.1	RMS	872.2	-61.55	-25	36.55	Pass	19401
1000	2490	1	RMS	2490	-46.49	-25	21.49	Pass	2981
2490	2580	1	RMS	2500.575	23.18	60	36.82	Pass	401
2580	3000	1	RMS	2678	-47.14	-25	22.14	Pass	841
3000	12000	1	RMS	11963.5	-60.9	-25	35.9	Pass	18001
12000	26000	1	RMS	25545	-37.7	-25	12.7	Pass	28001




**4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.97	-25	30.97	Pass	401
0.15	30	0.01	RMS	0.15	-58.14	-25	33.14	Pass	5971
30	1000	0.1	RMS	887.9	-61.6	-25	36.6	Pass	19401
1000	2490	1	RMS	2490	-46.59	-25	21.59	Pass	2981
2490	2580	1	RMS	2500.575	22.47	60	37.53	Pass	401
2580	3000	1	RMS	2672	-47.15	-25	22.15	Pass	841
3000	12000	1	RMS	11961.5	-60.91	-25	35.91	Pass	18001
12000	26000	1	RMS	25522.5	-37.78	-25	12.78	Pass	28001




4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.49	-25	30.49	Pass	401
0.15	30	0.01	RMS	0.15	-58.05	-25	33.05	Pass	5971
30	1000	0.1	RMS	884.05	-61.58	-25	36.58	Pass	19401
1000	2490	1	RMS	2430	-47.44	-25	22.44	Pass	2981
2490	2580	1	RMS	2530.5	23.03	60	36.97	Pass	401
2580	3000	1	RMS	2687	-47.14	-25	22.14	Pass	841
3000	12000	1	RMS	11951	-60.88	-25	35.88	Pass	18001
12000	26000	1	RMS	25579.5	-37.7	-25	12.7	Pass	28001




4.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.89	-25	30.89	Pass	401
0.15	30	0.01	RMS	0.165	-58.63	-25	33.63	Pass	5971
30	1000	0.1	RMS	874.55	-61.46	-25	36.46	Pass	19401
1000	2490	1	RMS	2436.5	-47.31	-25	22.31	Pass	2981
2490	2580	1	RMS	2530.5	22.07	60	37.93	Pass	401
2580	3000	1	RMS	2682.5	-47.17	-25	22.17	Pass	841
3000	12000	1	RMS	11951.5	-60.85	-25	35.85	Pass	18001
12000	26000	1	RMS	25546.5	-37.7	-25	12.7	Pass	28001




4.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.3	-25	30.3	Pass	401
0.15	30	0.01	RMS	0.15	-57.24	-25	32.24	Pass	5971
30	1000	0.1	RMS	863.1	-61.51	-25	36.51	Pass	19401
1000	2490	1	RMS	2433	-47.42	-25	22.42	Pass	2981
2490	2580	1	RMS	2560.65	23.31	60	36.69	Pass	401
2580	3000	1	RMS	2587	-46.79	-25	21.79	Pass	841
3000	12000	1	RMS	11957	-60.89	-25	35.89	Pass	18001
12000	26000	1	RMS	25548.5	-37.77	-25	12.77	Pass	28001




4.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.7	-25	29.7	Pass	401
0.15	30	0.01	RMS	0.17	-58.9	-25	33.9	Pass	5971
30	1000	0.1	RMS	878.4	-61.33	-25	36.33	Pass	19401
1000	2490	1	RMS	2449.5	-47.47	-25	22.47	Pass	2981
2490	2580	1	RMS	2560.65	22.35	60	37.65	Pass	401
2580	3000	1	RMS	2586.5	-46.92	-25	21.92	Pass	841
3000	12000	1	RMS	11945	-60.94	-25	35.94	Pass	18001
12000	26000	1	RMS	25548	-37.72	-25	12.72	Pass	28001




4.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-56.16	-25	31.16	Pass	401
0.15	30	0.01	RMS	0.15	-58.49	-25	33.49	Pass	5971
30	1000	0.1	RMS	872.55	-61.62	-25	36.62	Pass	19401
1000	2490	1	RMS	2487.5	-35.71	-25	10.71	Pass	2981
2490	2580	1	RMS	2500.8	23.31	60	36.69	Pass	401
2580	3000	1	RMS	2689	-47.11	-25	22.11	Pass	841
3000	12000	1	RMS	11959	-60.96	-25	35.96	Pass	18001
12000	26000	1	RMS	25545.5	-37.72	-25	12.72	Pass	28001




4.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.68	-25	31.68	Pass	401
0.15	30	0.01	RMS	0.15	-57.89	-25	32.89	Pass	5971
30	1000	0.1	RMS	873.05	-61.54	-25	36.54	Pass	19401
1000	2490	1	RMS	2487.5	-37.63	-25	12.63	Pass	2981
2490	2580	1	RMS	2500.8	22.45	60	37.55	Pass	401
2580	3000	1	RMS	2687	-47.15	-25	22.15	Pass	841
3000	12000	1	RMS	11952	-60.92	-25	35.92	Pass	18001
12000	26000	1	RMS	25551.5	-37.75	-25	12.75	Pass	28001




4.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.4	-25	29.4	Pass	401
0.15	30	0.01	RMS	0.15	-56.28	-25	31.28	Pass	5971
30	1000	0.1	RMS	876.1	-61.38	-25	36.38	Pass	19401
1000	2490	1	RMS	2433	-47.43	-25	22.43	Pass	2981
2490	2580	1	RMS	2528.25	23.06	60	36.94	Pass	401
2580	3000	1	RMS	2688	-47.15	-25	22.15	Pass	841
3000	12000	1	RMS	11948.5	-60.88	-25	35.88	Pass	18001
12000	26000	1	RMS	25566.5	-37.74	-25	12.74	Pass	28001




4.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.19	-25	30.19	Pass	401
0.15	30	0.01	RMS	0.155	-58.65	-25	33.65	Pass	5971
30	1000	0.1	RMS	863.15	-61.54	-25	36.54	Pass	19401
1000	2490	1	RMS	2429	-47.44	-25	22.44	Pass	2981
2490	2580	1	RMS	2528.25	22.06	60	37.94	Pass	401
2580	3000	1	RMS	2675	-47.13	-25	22.13	Pass	841
3000	12000	1	RMS	11947	-60.97	-25	35.97	Pass	18001
12000	26000	1	RMS	25541.5	-37.62	-25	12.62	Pass	28001




4.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.66	-25	30.66	Pass	401
0.15	30	0.01	RMS	0.165	-57.84	-25	32.84	Pass	5971
30	1000	0.1	RMS	920.05	-61.31	-25	36.31	Pass	19401
1000	2490	1	RMS	2426.5	-46.61	-25	21.61	Pass	2981
2490	2580	1	RMS	2555.925	23.31	60	36.69	Pass	401
2580	3000	1	RMS	2582.5	-31.92	-25	6.92	Pass	841
3000	12000	1	RMS	11961.5	-61	-25	36	Pass	18001
12000	26000	1	RMS	25511	-37.76	-25	12.76	Pass	28001




4.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.32	-25	30.32	Pass	401
0.15	30	0.01	RMS	0.155	-57.07	-25	32.07	Pass	5971
30	1000	0.1	RMS	912.45	-61.5	-25	36.5	Pass	19401
1000	2490	1	RMS	2456.5	-47.4	-25	22.4	Pass	2981
2490	2580	1	RMS	2555.925	22.37	60	37.63	Pass	401
2580	3000	1	RMS	2582.5	-31.49	-25	6.49	Pass	841
3000	12000	1	RMS	11938.5	-60.92	-25	35.92	Pass	18001
12000	26000	1	RMS	25578	-37.78	-25	12.78	Pass	28001




4.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.37	-25	30.37	Pass	401
0.15	30	0.01	RMS	0.155	-58.99	-25	33.99	Pass	5971
30	1000	0.1	RMS	904.45	-61.44	-25	36.44	Pass	19401
1000	2490	1	RMS	2483.5	-40.18	-25	15.18	Pass	2981
2490	2580	1	RMS	2501.025	23.2	60	36.8	Pass	401
2580	3000	1	RMS	2676.5	-47.17	-25	22.17	Pass	841
3000	12000	1	RMS	11957	-60.92	-25	35.92	Pass	18001
12000	26000	1	RMS	25531.5	-37.78	-25	12.78	Pass	28001




4.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.34	-25	30.34	Pass	401
0.15	30	0.01	RMS	0.155	-57.19	-25	32.19	Pass	5971
30	1000	0.1	RMS	868.15	-61.52	-25	36.52	Pass	19401
1000	2490	1	RMS	2483	-42.01	-25	17.01	Pass	2981
2490	2580	1	RMS	2501.025	22.38	60	37.62	Pass	401
2580	3000	1	RMS	2673.5	-47.14	-25	22.14	Pass	841
3000	12000	1	RMS	11949.5	-60.9	-25	35.9	Pass	18001
12000	26000	1	RMS	25535	-37.8	-25	12.8	Pass	28001




4.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.01	-25	30.01	Pass	401
0.15	30	0.01	RMS	0.15	-57.32	-25	32.32	Pass	5971
30	1000	0.1	RMS	899.7	-61.36	-25	36.36	Pass	19401
1000	2490	1	RMS	2490	-46.72	-25	21.72	Pass	2981
2490	2580	1	RMS	2526	22.96	60	37.04	Pass	401
2580	3000	1	RMS	2676.5	-47.18	-25	22.18	Pass	841
3000	12000	1	RMS	11948.5	-60.92	-25	35.92	Pass	18001
12000	26000	1	RMS	25574.5	-37.69	-25	12.69	Pass	28001




4.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.29	-25	30.29	Pass	401
0.15	30	0.01	RMS	0.15	-57.93	-25	32.93	Pass	5971
30	1000	0.1	RMS	902.1	-61.48	-25	36.48	Pass	19401
1000	2490	1	RMS	2490	-44.58	-25	19.58	Pass	2981
2490	2580	1	RMS	2526	21.96	60	38.04	Pass	401
2580	3000	1	RMS	2580	-46.87	-25	21.87	Pass	841
3000	12000	1	RMS	11954.5	-60.91	-25	35.91	Pass	18001
12000	26000	1	RMS	25543.5	-37.61	-25	12.61	Pass	28001




4.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.37	-25	30.37	Pass	401
0.15	30	0.01	RMS	0.15	-58.36	-25	33.36	Pass	5971
30	1000	0.1	RMS	842.65	-61.49	-25	36.49	Pass	19401
1000	2490	1	RMS	2434	-47.4	-25	22.4	Pass	2981
2490	2580	1	RMS	2550.975	23.24	60	36.76	Pass	401
2580	3000	1	RMS	2586.5	-33.95	-25	8.95	Pass	841
3000	12000	1	RMS	11968.5	-60.96	-25	35.96	Pass	18001
12000	26000	1	RMS	25565.5	-37.78	-25	12.78	Pass	28001



4.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.52	-25	30.52	Pass	401
0.15	30	0.01	RMS	0.15	-59.01	-25	34.01	Pass	5971
30	1000	0.1	RMS	904.35	-61.54	-25	36.54	Pass	19401
1000	2490	1	RMS	2437	-47.41	-25	22.41	Pass	2981
2490	2580	1	RMS	2550.975	22.14	60	37.86	Pass	401
2580	3000	1	RMS	2586.5	-33.58	-25	8.58	Pass	841
3000	12000	1	RMS	11957	-60.94	-25	35.94	Pass	18001
12000	26000	1	RMS	25587.5	-37.81	-25	12.81	Pass	28001



--BLANK BELOW--