



## **STC Test Report**

**Date:** 2015-06-13

**Page 1 of 17**

**No.:** DM119794

**Applicant:** WGI Innovations, Ltd.  
602 Fountain Parkway, Grand Prairie, TX 75050

**Manufacturer:** WGI Innovations, Ltd.  
602 Fountain Parkway, Grand Prairie, TX 75050

**Description of Sample(s):** Submitted sample(s) said to be  
Product: E-Game Call  
Brand Name: FLEXTONE  
Model Number: FLX500  
FCC ID: YTT-FLXRMU


**Date Sample(s) Received:** 2015-06-05

**Date Tested:** 2015-06-09 to 2015-06-11

**Investigation Requested:** Perform ElectroMagnetic Interference measurement in accordance with FCC 47CFR [Codes of Federal Regulations] Part 15: 2014 and ANSI C63.4: 2014 for FCC Certification.

**Conclusion(s):** The submitted product COMPLIED with the requirements of Federal Communications Commission [FCC] Rules and Regulations Part 15. The tests were performed in accordance with the standards described above and on Section 2.2 in this Test Report.

**Remark(s):** For additional model(s) details, please page 3.



LONG Yun Jian, Along  
Authorized Signatory  
ElectroMagnetic Compatibility Department  
For and on behalf of  
STC (Dongguan) Company Limited

**STC (Dongguan) Company Limited**

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)  
Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.  
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



## **STC Test Report**

**Date: 2015-06-13**

**Page 2 of 17**

**No.: DM119794**

### **CONTENT:**

Cover  
Content

Page 1 of 17

Page 2 of 17

### **1.0 General Details**

1.1 Equipment Under Test [EUT]

Page 3 of 17

1.2 Description of EUT Operation

Page 3 of 17

1.3 Date of Order

Page 3 of 17

1.4 Submitted Sample

Page 3 of 17

1.5 Test Duration

Page 3 of 17

1.6 Country of Origin

Page 3 of 17

### **2.0 Technical Details**

2.1 Investigations Requested

Page 4 of 17

2.2 Test Standards and Results Summary

Page 4 of 17

### **3.0 Test Results**

3.1 Emission

Page 5-8 of 17

3.2 Bandwidth Measurement

Page 9-13 of 17

### **Appendix A**

List of Measurement Equipment

Page 14 of 17

### **Appendix B**

Photographs

Page 15-17 of 17

### **STC (Dongguan) Company Limited**

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)  
Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.  
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



## **STC Test Report**

**Date: 2015-06-13**

**Page 3 of 17**

**No.: DM119794**

### **1.0 General Details**

#### **1.1 Equipment Under Test [EUT] Description of Sample(s)**

|                          |                             |
|--------------------------|-----------------------------|
| Product:                 | E-Game Call                 |
| Manufacturer:            | WGI Innovations, Ltd.       |
| Brand Name:              | FLEXTONE                    |
| Model Number:            | FLX500                      |
| Additional Model Number: | FLX1000                     |
| Rating:                  | 4.5Vd.c. ("AA" battery × 3) |

#### **1.2 Description of EUT Operation**

The Equipment Under Test (EUT) is a HD GAME CALL of WGI Innovations, Ltd. The transmitter is a periodically operated transmitter. It is pulse transmitter. The RF signal was modulated by IC, the type of modulation used is FSK.

#### **1.3 Date of Order**

2015-06-05

#### **1.4 Submitted Sample(s):**

1 Sample

#### **1.5 Test Duration**

2015-06-09 to 2015-06-11

#### **1.6 Country of Origin**

China

**STC (Dongguan) Company Limited**

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)  
Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.  
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



## **STC Test Report**

**Date: 2015-06-13**

**Page 4 of 17**

**No.: DM119794**

### **2.0 Technical Details**

#### **2.1 Investigations Requested**

Perform Electromagnetic Interference measurements in accordance with FCC 47CFR [Codes of Federal Regulations] Part 15: 2014 Regulations and ANSI C63.4:2009 for FCC Certification.

#### **2.2 Test Standards and Results Summary Tables**

| <b>EMISSION<br/>Results Summary</b>                       |                  |                 |                     |                                     |                          |                          |
|-----------------------------------------------------------|------------------|-----------------|---------------------|-------------------------------------|--------------------------|--------------------------|
| Test Condition                                            | Test Requirement | Test Method     | Class /<br>Severity | Test Result                         |                          |                          |
|                                                           |                  |                 |                     | Pass                                | Fail                     | N/A                      |
| Field Strength of<br>Fundamental &<br>Harmonics Emissions | FCC 47CFR 15.249 | ANSI C63.4:2009 | N/A                 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Radiated Emissions                                        | FCC 47CFR 15.209 | ANSI C63.4:2009 | N/A                 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Note: N/A - Not Applicable

### **STC (Dongguan) Company Limited**

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)  
Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.  
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



## **STC Test Report**

**Date: 2015-06-13**

**Page 5 of 17**

**No.: DM119794**

### **3.0 Test Results**

#### **3.1 Emission**

##### **3.1.1 Radiated Emissions**

|                    |                                     |
|--------------------|-------------------------------------|
| Test Requirement:  | FCC 47CFR 15.249 & FCC 47CFR 15.209 |
| Test Method:       | ANSI C63.4:2009                     |
| Test Date:         | 2015-06-11                          |
| Mode of Operation: | Communication mode                  |

#### **Test Method:**

The sample was placed 0.8m above the ground plane of semi-anechoic Chamber\*. Measurements in both horizontal and vertical polarities were performed. During the test, each emission was maximized by: having the EUT continuously working, investigated all operating modes, considered typical configuration to obtain worst position, manipulating interconnecting cables, rotating turntable, varying antenna height from 1m to 4m in both horizontal and vertical polarizations. The emissions worst-case are shown in Test Results of the following pages.

\*: Semi-anechoic chamber located on the STC (Dongguan) Company Ltd. 68 Fumin Nan Road, Dalang, Dongguan, Guangdong, PRC with a metal ground plane filed with the FCC pursuant to section 2.948 of the FCC rules, with Registration Number: 629686.

**STC (Dongguan) Company Limited**

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)  
Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.  
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



## STC Test Report

Date: 2015-06-13

Page 6 of 17

No.: DM119794

### Spectrum Analyzer Setting:

9KHz – 30MHz (Pk & Av)

RBW: 10kHz  
VBW: 30kHz  
Sweep: Auto  
Span: Fully capture the emissions being measured  
Trace: Max. hold


30MHz – 1GHz (QP)

RBW: 120kHz  
VBW: 120kHz  
Sweep: Auto  
Span: Fully capture the emissions being measured  
Trace: Max. hold

Above 1GHz (Pk & Av)

RBW: 3MHz  
VBW: 3MHz  
Sweep: Auto  
Span: Fully capture the emissions being measured  
Trace: Max. hold

### Test Setup:



- Absorbers placed on top of the ground plane are for measurements above 1000MHz only.
- Measurements between 30MHz to 1000MHz made with Bi-log antennas, above 1000MHz horn antennas are used, 9kHz to 30MHz loop antennas are used.

### STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)  
Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.  
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



## STC Test Report

Date: 2015-06-13

Page 7 of 17

No.: DM119794

**Limits for Field Strength of Fundamental & Harmonics Emissions [FCC 47CFR 15.249]:**

| Frequency Range of Fundamental<br>[MHz] | Field Strength of Fundamental Emission<br>[microvolts/meter] | Field Strength of Harmonics Emission<br>[microvolts/meter] |
|-----------------------------------------|--------------------------------------------------------------|------------------------------------------------------------|
| 902-928                                 | 50,000 [Quasi-Peak]                                          | 500 [Average]                                              |
| 2400-2483.5                             | 50,000 [Average]                                             | 500 [Average]                                              |

**Results of Tx mode (30MHz- 1.8GHz): Pass**

| Field Strength of Fundamental Emissions<br>Quasi-Peak |                              |                             |                          |                        |                   |                  |
|-------------------------------------------------------|------------------------------|-----------------------------|--------------------------|------------------------|-------------------|------------------|
| Frequency<br>MHz                                      | Measured Level @3m<br>dBμV/m | Correction Factor<br>dBμV/m | Field Strength<br>dBμV/m | Field Strength<br>μV/m | Limit @3m<br>μV/m | E-Field Polarity |
| 915.00                                                | 63.4                         | 26.2                        | 89.6                     | 30,199.5               | 50,000            | Vertical         |

| Field Strength of Harmonics Emission<br>Peak Value |                              |                             |                          |                        |                   |                  |
|----------------------------------------------------|------------------------------|-----------------------------|--------------------------|------------------------|-------------------|------------------|
| Frequency<br>MHz                                   | Measured Level @3m<br>dBμV/m | Correction Factor<br>dBμV/m | Field Strength<br>dBμV/m | Field Strength<br>μV/m | Limit @3m<br>μV/m | E-Field Polarity |
| 1830.0                                             | 15.4                         | 35.2                        | 50.6                     | 338.8                  | 5,000             | Vertical         |
| 2745.0                                             | 14.5                         | 37.4                        | 51.9                     | 393.6                  | 5,000             | Vertical         |

| Field Strength of Harmonics Emission<br>Average Value |                              |                             |                          |                        |                   |                  |
|-------------------------------------------------------|------------------------------|-----------------------------|--------------------------|------------------------|-------------------|------------------|
| Frequency<br>MHz                                      | Measured Level @3m<br>dBμV/m | Correction Factor<br>dBμV/m | Field Strength<br>dBμV/m | Field Strength<br>μV/m | Limit @3m<br>μV/m | E-Field Polarity |
| 1830.0                                                | 3.3                          | 35.2                        | 38.5                     | 84.1                   | 500               | Vertical         |
| 2745.0                                                | 2.4                          | 37.4                        | 39.8                     | 97.7                   | 500               | Vertical         |

**Remarks:**

No additional spurious emissions found between lowest internal used/generated frequency and 30 MHz

Calculated measurement uncertainty    (9kHz - 30MHz): 3.3dB  
                                                           (30MHz – 1GHz): 4.6dB  
                                                           (1GHz - 26GHz): 4.4dB

Emissions in the vertical and horizontal polarizations have been investigated and the worst-case test results are recorded in this report.

**STC (Dongguan) Company Limited**

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)  
 Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.  
 For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.





## **STC Test Report**

**Date: 2015-06-13**

**Page 9 of 17**

**No.: DM119794**

### **3.2 20dB Bandwidth of Fundamental Emission**

|                    |                   |
|--------------------|-------------------|
| Test Requirement:  | FCC 47 CFR 15.249 |
| Test Method:       | ANSI C63.4:2009   |
| Test Date:         | 2015-06-10        |
| Mode of Operation: | Tx mode           |

#### **Test Method:**

The bandwidth is measured at an amplitude level reduced from the reference level by a specified ratio. The reference level is the level of the highest amplitude signal observed from the transmitter at the fundamental frequency. Once the reference level is established, the equipment is conditioned with typical modulating signal to produce the worst-case (i.e. the widest) bandwidth.

#### **Test Setup:**

As Test Setup of clause 3.1.1 in this test report.

**STC (Dongguan) Company Limited**

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)  
Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.  
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



## STC Test Report

Date: 2015-06-13


Page 10 of 17

No.: DM119794

### Limits for 20dB Bandwidth of Fundamental Emission:

| Frequency Range<br>[MHz] | 20dB Bandwidth<br>[MHz] |
|--------------------------|-------------------------|
| 915.0                    | 0.320                   |

### 20dB Bandwidth of Fundamental Emission



BMP

Date: 10.JUN.2015 15:00:15

### STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)  
Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.  
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



## STC Test Report

Date: 2015-06-13

Page 11 of 17

No.: DM119794


### Band-edge Compliance of RF Conducted Emissions Measurement:

#### Limit :

Emissions radiated outside of the specified frequency bands, except t for harmonics, shall be attenuated by at least 50 dB below the level of the fundamental or to the general radiated emission limits in §115.209, whichever is the lesser attenuation.

| Frequency Range                | Radiated Emission Attenuated below the Fundamental |
|--------------------------------|----------------------------------------------------|
| [MHz]                          | [dB]                                               |
| 902 – Lowest Fundamental (915) | 51.11                                              |

### Band-edge Compliance of RF Conducted Emissions (Lowest)



BMP

Date: 10.JUN.2015 14:57:44

### STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)  
Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.  
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



## STC Test Report

Date: 2015-06-13


Page 12 of 17

No.: DM119794

### Band-edge Compliance of RF Conducted Emissions Measurement:

| Frequency Range                 | Radiated Emission Attenuated below the Fundamental |
|---------------------------------|----------------------------------------------------|
| [MHz]                           | [dB]                                               |
| Highest Fundamental (915) - 928 | 51.87                                              |

### Band-edge Compliance of RF Conducted Emissions (Highest)



BMP

Date: 10.JUN.2015 14:56:52

### STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)  
Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.  
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



## **STC Test Report**

Date: 2015-06-13

Page 13 of 17

No.: DM119794

### **Band-edge Compliance of RF Radiated Emissions Measurement:**

#### **Limit :**

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement. Attenuation below the general limits specified in Section 15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in Section 15.205(a), must also comply with the radiated emission limits specified in Section 15.209(a) (see Section 5.205(c)).

### **Result: Band-edge Compliance of RF Radiated Emissions (Lowest)**

| Field Strength of Band-edge Compliance<br>Quasi-Peak |                       |                      |                   |              |              |                     |
|------------------------------------------------------|-----------------------|----------------------|-------------------|--------------|--------------|---------------------|
| Frequency                                            | Measured<br>Level @3m | Correction<br>Factor | Field<br>Strength | Limit<br>@3m | Margin       | E-Field<br>Polarity |
| MHz                                                  | dB $\mu$ V            | dB/m                 | dB $\mu$ V/m      | dB $\mu$ V/m | dB $\mu$ V/m |                     |
| 902.0                                                | 12.8                  | 26.1                 | 38.9              | 46.0         | 7.1          | Vertical            |

### **Result: Band-edge Compliance of RF Radiated Emissions (Highest)**

| Field Strength of Band-edge Compliance<br>Quasi-Peak |                       |                      |                   |              |              |                     |
|------------------------------------------------------|-----------------------|----------------------|-------------------|--------------|--------------|---------------------|
| Frequency                                            | Measured<br>Level @3m | Correction<br>Factor | Field<br>Strength | Limit<br>@3m | Margin       | E-Field<br>Polarity |
| MHz                                                  | dB $\mu$ V            | dB/m                 | dB $\mu$ V/m      | dB $\mu$ V/m | dB $\mu$ V/m |                     |
| 928.0                                                | 13.1                  | 26.2                 | 39.3              | 46.0         | 6.7          | Vertical            |

### **STC (Dongguan) Company Limited**

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)  
Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.  
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



## STC Test Report

**Date: 2015-06-13**

**Page 14 of 17**

**No.: DM119794**

### Appendix A

#### List of Measurement Equipment

| EQP NO. | DESCRIPTION                                  | MANUFACTURER              | MODEL NO.        | SERIAL NO.     | LAST CAL   | DUE CAL    |
|---------|----------------------------------------------|---------------------------|------------------|----------------|------------|------------|
| EMD004  | LISN                                         | ROHDE & SCHWARZ           | ESH3-Z5          | 100102         | 2015.3.24  | 2016.3.24  |
| EMD022  | EMI Test Receiver                            | ROHDE & SCHWARZ           | ESCS30           | 100314         | 2015.3.24  | 2016.3.24  |
| EMD035  | EMI Test Receiver                            | ROHDE & SCHWARZ           | ESCI             | 100441         | 2015.3.24  | 2016.3.24  |
| EMD036  | EMI Test Receiver                            | ROHDE & SCHWARZ           | ESIB 26          | 100388         | 2015.3.24  | 2016.3.24  |
| EMD041  | TWO-LINE V-NETWORK                           | ROHDE & SCHWARZ           | ENV216           | 100261         | 2015.3.24  | 2016.3.24  |
| EMD061  | Biconilog Antenna                            | ETS.LINDGREN              | 3142C            | 00060439       | 2014.11.29 | 2016.11.29 |
| EMD062  | Double-Ridged Waveguide (1GHz – 18GHz)       | ETS.LINDGREN              | 3117             | 00075933       | 2014.11.15 | 2015.11.15 |
| EMD084  | MULTI-DVICE CONTROLLER                       | ETS.LINDGREN              | 2090             | 00060107       | N/A        | N/A        |
| EMD088  | Video Contol Unit                            | ETS.LINDGREN              | Y21953A          | 2601073        | N/A        | N/A        |
| EMD093  | Monitor                                      | ViewSonic                 | VA9036           | Q8X064201876   | N/A        | N/A        |
| EMD102  | Intelligent Frequency                        | Ainuo Instrument Co., Ltd | AN97005SS        | 79707454       | N/A        | N/A        |
| EMD103  | Intelligent Frequency                        | Ainuo Instrument Co., Ltd | AN97005SS        | 79707455       | N/A        | N/A        |
| EMD105  | FACT-3 EMC Chamber                           | ETS.LINDGREN              | FACT-3           | 3803           | N/A        | N/A        |
| EMD106  | Shielding Room #1                            | ETS.LINDGREN              | RFD-100          | 3802           | N/A        | N/A        |
|         | 100V Insertion Unit                          | ROHDE & SCHWARZ           | URV5-Z4          | 100464         | 2015.3.24  | 2016.3.24  |
| EMD113  | Pre-Amplifier                                | ROHDE & SCHWARZ           | N/A              | 1129588        | 2015.3.24  | 2016.3.24  |
| EMD124  | Loop Antenna                                 | ETS-Lindgren              | 6502             | 00104905       | 2014.04.28 | 2016.04.28 |
| EMD131  | Standard Gain Horn Antenna (18GHz – 26.5GHz) | Chengdu AINFO Inc.        | JTXLB-42-15-C-KF | J2021100721001 | 2013.04.09 | 2016.04.09 |

Remarks:-

N/A Not Applicable or Not Available

#### STC (Dongguan) Company Limited

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)  
Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.  
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



## **STC Test Report**

Date: 2015-06-13

Page 15 of 17

No.: DM119794

### **Appendix B**

#### **Photographs of EUT**

**Front View of the product**




**Rear View of the product**




**Inside View of the product**



**Inner Circuit Top View**



**Inner Circuit Bottom View**



**Inner Circuit Bottom View**



### **STC (Dongguan) Company Limited**

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)  
Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.  
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



## **STC Test Report**


**Date: 2015-06-13**

**Page 16 of 17**


**No.: DM119794**

### **Photographs of EUT**

**Measurement of Radiated Emission Test Set Up**



**Measurement of Radiated Emission Test Set Up**



### **STC (Dongguan) Company Limited**

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)  
Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.  
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.



## **STC Test Report**


**Date: 2015-06-13**

**Page 17 of 17**

**No.: DM119794**

**Photographs of EUT**

**Measurement of Radiated Emission Test Set Up**



**\*\*\*\*\* End of Test Report \*\*\*\*\***

**STC (Dongguan) Company Limited**

68 Fumin Nan Road, Dalang, Dongguan, China. (Zip Code : 523 770)  
Tel : (86 769) 8111 9888 Fax : (86 769) 8111 6222 E-mail : dgstc@dgstc.org Homepage : www.dgstc.org

This report shall not be reproduced unless with prior written approval from STC (Dongguan) Company Limited.  
For Conditions of Issuance of this test report, please refer to the overleaf or Homepage.