

LABEL LOCATION

The label is affixed on the side panel of the charging spot as shown below.
The label material is PVC with a permanent adhesive.




Label with FCC ID:YTYBETTERPLACE00 will be placed here

WM Installation


WM CS Label identification

APPENIX C

1. The placement of additional labels/stickers should be placed in specified area ONLY , see below:



Better Place, Inc. Confidential



REV.	ECO No.	DESCRIPTION	APPROVED	DATE
01	-	INITIAL RELEASE	LIOR	23-NOV-2010

NOTES:

1. DESCRIPTION AND APPLICATION:
LABEL FOR USE IN CS.
2. APPLICABLE DOCUMENTS:
RoHS - RESTRICTION OF HAZARDOUS SUBSTANCES
3. REQUIREMENTS:

3.1. GENERAL:

3.1.1. USE DXF FOR DETAILED DIMENSIONS AND PRINTING CHARACTERS, AND GRAPHICS. USE FONT "Myriad Pro"

3.1.2. PRINT COLORED LAYERS ON LEXAN.
LAYERS ARE ALIGNED ACCORDING TO CENTERLINES.

3.1.3. PART SHALL BE CLEAN AND FREE OF ALL FOREIGN MATTER.

3.1.4. PART SHALL BE FREE OF FRAYED AND RAGGED EDGES

3.1.5. SAMPLE PARTS SHALL BE SUBMITTED TO BETTER PLACE FOR APPROVAL BEFORE PROCEEDING WITH PRODUCTION RUN.

3.2. ADHESIVE QUALITY

3.2.1. PURCHASING CYCLE SHALL NOT EXCEED (6) MONTHS SUPPLY TO AVOID CURE IN STORAGE BEFORE USE.

3.2.2. VENDOR SHALL SUPPLY WRITTEN CERTIFICATION (WITH EACH PACKAGE) WITH DATE OF ADHESIVE CERTIFICATE DATE SHALL BE NO MORE THAN SIX (6) MONTHS PRIOR TO RECEIPT OF PARTS.

3.3. PACKAGING:

3.3.1. PARTS SHALL BE ADEQUATELY PACKED TO PREVENT DAMAGE, WITH A DATE CODE, PART NUMBER, AND ISSUE LETTER MARKED ON BACKING PAPER OR PACKAGE.

3.3.2. EACH 10 PCS SHOULD BE SEPERATED BY A CARTON, TO AVOID DEFORMATION OF PARTS.

4. MATERIAL: 3M 7872

5. STORAGE

5.1. TEMPRATURE RANGE: -20 TO 85C.

5.2. MINIMUM SHELF-LIFE BEFORE CURING OCCURS: ONE (1) YEAR FROM DATE OF CERTIFICATION.

6. VENDOR WILL PROVIDE FOR 1st ARTICLE INSPECTION:

6.1 5 IDENTIFIED ITEMS.

6.2 MATERIALS COC.

6.3 FULL DIMENSION INSPECTION REPORT

7. EXCEPTIONS: NO CHANGE SHALL BE ALLOWED ON PRODUCTION MATERIAL, REGARDLESS OF WHETHER SUCH CHANGE AFFECTS REQUIREMENTS SPECIFIED, WITHOUT PRIOR EXPLICIT WRITTEN APPROVAL.

	NAME	DATE	TOLERANCES UNLESS SPECIFIED OTHERWISE:		MATERIAL: SEE NOTE 4	
DESIGNED	LIOR	23-NOV-2010	LINEAR	±0.2	DESCRIPTION: WM TECHNICAL FCC LABEL - US	
DRAWN	LIOR	23-NOV-2010				
CHECKED	DALIT B.	23-NOV-2010				
APPVL	ZEEV Y.	23-NOV-2010	ANGULAR	±0.2°		
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BETTER PLACE ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF BETTER PLACE IS PROHIBITED.			DIMENSIONS IN MM		PART NO.: 591-0011-01	
			SCALE 1:1	DWG SIZE A3	CAD FILE: 591-0011-01 WM Technical Fcc Label - US.dxf	
			DO NOT MEASURE ON DRAWING		PRODUCT: BP V1.0 - WALL MOUNT	REV. 01
			SHEET 1	OF 1		