



802.11ac20_5500MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:51:50

802.11ac20_5580MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:53:10

802.11ac20_5700MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:54:28

802.11ac20_5720MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:56:05

802.11ac40_5510MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:57:34

802.11ac40_5550MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:58:52

802.11ac40_5670MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:00:18

802.11ac40_5710MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:03:55

802.11ax20_5500MHz_RU_Full




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:06:55

802.11ax20_5580MHz_RU_Full




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:08:12

802.11ax20_5700MHz_RU_Full




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:09:37

802.11ax20_5720MHz_RU_Full




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:11:18

802.11ax40_5510MHz_RU_Full




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:12:50

802.11ax40_5550MHz_RU_Full




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:13:47

802.11ax40_5670MHz_RU_Full



ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:15:00


802.11ax40_5710MHz_RU_Full



ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:16:24


5725-5850MHz

802.11a_5745MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:18:20

802.11a_5785MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:19:41

802.11a_5825MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:20:52

802.11ac20_5745MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:22:08

802.11ac20_5785MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:23:26

802.11ac20_5825MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:24:38

802.11ac40_5755MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:25:45

802.11ac40_5795MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:44:50

802.11ax20_5745MHz_RU_Full




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 17:05:23

802.11ax20_5785MHz_RU_Full




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 29.JUN.2026 09:15:04

802.11ax20_5825MHz_RU_Full




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 29.JUN.2026 09:16:25

802.11ax40_5755MHz_RU_Full



ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 29.JUN.2026 09:17:38

802.11ax40_5795MHz_RU_Full



ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 29.JUN.2026 09:18:54

Appendix A.3.3: Maximum Conducted Output Power

5150-5250MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	FCC AV Limit (dBm)	EIRP[dBm]	IC EIRP Limit (dBm)	Verdict
802.11a	5180	12.51	24	16.97	22.43	Pass
	5200	12.34	24	16.8	22.38	Pass
	5240	12.51	24	16.97	22.41	Pass
802.11ac20	5180	12.55	24	17.01	22.61	Pass
	5200	12.44	24	16.9	22.67	Pass
	5240	12.38	24	16.84	22.65	Pass
802.11ac40	5190	12.86	24	17.32	23.00	Pass
	5230	12.85	24	17.31	23.00	Pass
802.11ax20_RU_Full	5180	11.72	24	16.18	22.82	Pass
	5200	11.54	24	16	22.84	Pass
	5240	11.54	24	16	22.83	Pass
802.11ax40_RU_Full	5190	13.2	24	17.66	23.00	Pass
	5230	12.95	24	17.41	23.00	Pass

5250-5350MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	FCC AV Limit (dBm)	IC AV Limit (dBm)	EIRP[dBm]	IC EIRP Limit [dBm]	Verdict
802.11a	5260	11.82	24	23.39	16.28	29.39	Pass
	5300	12.42	24	23.42	16.88	29.42	Pass
	5320	12.44	24	23.44	16.9	29.44	Pass
802.11ac20	5260	11.77	24	23.64	16.23	29.64	Pass
	5300	12.27	24	23.62	16.73	29.62	Pass
	5320	12.73	24	23.62	17.19	29.62	Pass
802.11ac40	5270	13.21	24	24.00	17.67	30.00	Pass
	5310	13.55	24	24.00	18.01	30.00	Pass
802.11ax20_RU_Full	5260	11.54	24	23.84	16	29.84	Pass
	5300	12.19	24	23.83	16.65	29.83	Pass
	5320	12.87	24	23.83	17.33	29.83	Pass
802.11ax40_RU_Full	5270	12.85	24	24.00	17.31	30.00	Pass
	5310	13.24	24	24.00	17.7	30.00	Pass

5470-5725MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	FCC AV Limit (dBm)	IC AV Limit (dBm)	EIRP[dBm]	IC EIRP Limit [dBm]	Verdict
802.11a	5500	11.53	24	23.41	15.99	29.41	Pass
	5580	9.83	24	23.42	14.29	29.42	Pass
	5700	9.96	24	23.41	14.42	29.41	Pass
	5720	9.38	24	23.41	13.84	29.41	Pass
802.11ac20	5500	13.11	24	23.64	17.57	29.64	Pass
	5580	10.95	24	23.62	15.41	29.62	Pass
	5700	11.19	24	23.61	15.65	29.61	Pass
	5720	10.47	24	23.64	14.93	29.64	Pass
802.11ac40	5510	12.8	24	24.00	17.26	30.00	Pass
	5550	11.79	24	24.00	16.25	30.00	Pass
	5670	11.79	24	24.00	16.25	30.00	Pass
	5710	11.41	24	24.00	15.87	30.00	Pass
802.11ax20_RU_Full	5500	11.64	24	23.82	16.1	29.82	Pass
	5580	9.79	24	23.81	14.25	29.81	Pass
	5700	9.73	24	23.82	14.19	29.82	Pass
	5720	9.14	24	23.82	13.6	29.82	Pass
802.11ax40_RU_Full	5510	12.75	24	24.00	17.21	30.00	Pass
	5550	11.52	24	24.00	15.98	30.00	Pass
	5670	11.33	24	24.00	15.79	30.00	Pass
	5710	11.14	24	24.00	15.6	30.00	Pass

5725-5850MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5745	10.81	30	Pass
	5785	11.72	30	Pass
	5825	11.3	30	Pass
802.11ac20	5745	10.91	30	Pass
	5785	11.7	30	Pass
	5825	11.53	30	Pass
802.11ac40	5755	12.25	30	Pass
	5795	12.61	30	Pass
802.11ax20_RU_Full	5745	11.15	30	Pass
	5785	13.69	30	Pass
	5825	13.09	30	Pass
802.11ax40_RU_Full	5755	12.62	30	Pass
	5795	12.2	30	Pass

Note 1:
EIRP = Average Output Power + Antenna gain

Note 2:
The antenna gain in the frequency band of 5150–5250 MHz is 4.46 dBi[#].
The antenna gain in the frequency band of 5250–5350 MHz is 4.46 dBi[#].
The antenna gain in the frequency band of 5470–5725 MHz is 4.46 dBi[#].
The antenna gain in the frequency band of 5725–5850 MHz is 4.46 dBi[#].

Appendix A.3.4: Power Spectral Density

5150-5250MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	FCC Limit (dBm/MHz)	EIRP PSD (dBm/MHz)	IC EIRP Limit (dBm/MHz)	Verdict
802.11a	5180	-3.56	2.77	-0.79	11	3.67	10	Pass
	5200	-4.16	2.77	-1.39	11	3.07	10	Pass
	5240	-4.72	2.77	-1.95	11	2.51	10	Pass
802.11ac20	5180	-3.87	2.85	-1.02	11	3.44	10	Pass
	5200	-4.51	2.85	-1.66	11	2.8	10	Pass
	5240	-4.96	2.85	-2.11	11	2.35	10	Pass
802.11ac40	5190	-5.14	3.03	-2.11	11	2.35	10	Pass
	5230	-5.73	3.03	-2.70	11	1.76	10	Pass
802.11ax20_RU_Full	5180	-4.67	3.48	-1.19	11	3.27	10	Pass
	5200	-5.29	3.48	-1.81	11	2.65	10	Pass
	5240	-5.71	3.48	-2.23	11	2.23	10	Pass
802.11ax40_RU_Full	5190	-5.81	3.50	-2.31	11	2.15	10	Pass
	5230	-6.42	3.50	-2.92	11	1.54	10	Pass

Note 1: Result = Reading + Duty Cycle Factor
Note 2: EIRP PSD = Result + Antenna gain
Note 3: The antenna gain in the frequency band of 5150–5250 MHz is 4.46 dBi[#].

5250-5350MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5260	-3.53	2.77	-0.76	11	Pass
	5300	-3.16	2.77	-0.39	11	Pass
	5320	-3.06	2.77	-0.29	11	Pass
802.11ac20	5260	-3.91	2.85	-1.06	11	Pass
	5300	-3.52	2.85	-0.67	11	Pass
	5320	-3.34	2.85	-0.49	11	Pass
802.11ac40	5270	-4.83	3.03	-1.80	11	Pass
	5310	-4.37	3.03	-1.34	11	Pass
802.11ax20_RU_Full	5260	-4.52	3.48	-1.04	11	Pass
	5300	-4.17	3.48	-0.69	11	Pass
	5320	-4.07	3.48	-0.59	11	Pass
802.11ax40_RU_Full	5270	-5.49	3.50	-1.99	11	Pass
	5310	-5.00	3.50	-1.50	11	Pass

Note: Result = Reading + Duty Cycle Factor

5470-5725MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5500	-2.47	2.77	0.30	11	Pass
	5580	-4.24	2.77	-1.47	11	Pass
	5700	-4.33	2.77	-1.56	11	Pass
	5720	-3.98	2.77	-1.21	11	Pass
802.11ac20	5500	-1.58	2.85	1.27	11	Pass
	5580	-3.40	2.85	-0.55	11	Pass
	5700	-3.28	2.85	-0.43	11	Pass
	5720	-2.98	2.85	-0.13	11	Pass
802.11ac40	5510	-4.05	3.50	-0.55	11	Pass
	5550	-4.60	3.50	-1.10	11	Pass
	5670	-5.25	3.50	-1.75	11	Pass
	5710	-5.32	3.50	-1.82	11	Pass
802.11ax20_RU_Full	5500	-3.65	3.48	-0.17	11	Pass
	5580	-5.38	3.48	-1.90	11	Pass
	5700	-5.43	3.48	-1.95	11	Pass
	5720	-5.06	3.48	-1.58	11	Pass
802.11ax40_RU_Full	5510	-4.74	3.50	-1.24	11	Pass
	5550	-5.86	3.50	-2.36	11	Pass
	5670	-6.02	3.50	-2.52	11	Pass
	5710	-6.11	3.50	-2.61	11	Pass


Note: Result = Reading + Duty Cycle Factor

5725-5850MHz


Mode	Test Frequency (MHz)	Reading (dBm/500kHz)	Duty Cycle Factor(dB)	Result (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
802.11a	5745	-6.10	2.77	-3.33	30	Pass
	5785	-5.52	2.77	-2.75	30	Pass
	5825	-5.74	2.77	-2.97	30	Pass
802.11ac20	5745	-6.50	2.85	-3.65	30	Pass
	5785	-5.89	2.85	-3.04	30	Pass
	5825	-5.74	2.85	-2.89	30	Pass
802.11ac40	5755	-6.91	3.03	-3.88	30	Pass
	5795	-6.66	3.03	-3.63	30	Pass
802.11ax20_RU_Full	5745	-7.26	3.48	-3.78	30	Pass
	5785	-4.50	3.48	-1.02	30	Pass
802.11ax20_RU_Full	5825	-4.97	3.48	-1.49	30	Pass
802.11ax40_RU_Full	5755	-7.69	3.50	-4.19	30	Pass
	5795	-7.94	3.50	-4.44	30	Pass

Note: Result = Reading + Duty Cycle Factor


5150-5250MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:02:27




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:04:06




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:05:59



ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:10:28




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:12:07




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:13:40

802.11ac40_5190MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:15:07

802.11ac40_5230MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:17:05

802.11ax20_5180MHz_RU_Full




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:19:33

802.11ax20_5200MHz_RU_Full




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:21:51

802.11ax20_5240MHz_RU_Full



ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:23:36


802.11ax40_5190MHz_RU_Full



ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:25:08


5250-5350MHz

802.11ax40_5230MHz_RU_Full




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:26:32

802.11a_5260MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:29:03

802.11a_5300MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:30:10

802.11a_5320MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:31:14

802.11ac20_5260MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:32:35

802.11ac20_5300MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:33:43

802.11ac20_5320MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:34:51

802.11ac40_5270MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:36:08

802.11ac40_5310MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:37:18

802.11ax20_5260MHz_RU_Full




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:39:38

802.11ax20_5300MHz_RU_Full




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:40:56

802.11ax20_5320MHz_RU_Full




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:42:13

802.11ax40_5270MHz_RU_Full




802.11ax40_5310MHz_RU_Full




5470-5725MHz


802.11a_5500MHz




802.11a_5580MHz




802.11a_5700MHz



802.11a_5720MHz




802.11ac20_5500MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:52:39

802.11ac20_5580MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:53:57

802.11ac20_5700MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:55:17

802.11ac20_5720MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:57:01

802.11ac40_5510MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:58:12

802.11ac40_5550MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 15:59:30

802.11ac40_5670MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:00:51

802.11ac40_5710MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:04:37

802.11ax20_5500MHz_RU_Full




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:07:42

802.11ax20_5580MHz_RU_Full




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:08:58

802.11ax20_5700MHz_RU_Full




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:10:27

802.11ax20_5720MHz_RU_Full




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:12:15

802.11ax40_5510MHz_RU_Full




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:13:27

802.11ax40_5550MHz_RU_Full




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:14:25

802.11ax40_5670MHz_RU_Full



ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:15:32


802.11ax40_5710MHz_RU_Full



ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:17:05


5725-5850MHz

802.11a_5745MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:19:04

802.11a_5785MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:20:28

802.11a_5825MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:21:32

802.11ac20_5745MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:22:53

802.11ac20_5785MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:24:14

802.11ac20_5825MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:25:18

802.11ac40_5755MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:26:18

802.11ac40_5795MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27.JUN.2026 16:45:21

802.11ax20_5745MHz_RU_Full




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 27,JUN,2026 17:06:08

802.11ax20_5785MHz_RU_Full




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 29,JUN,2026 09:15:48

802.11ax20_5825MHz_RU_Full




ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 29,JUN,2026 09:17:01

802.11ax40_5755MHz_RU_Full



ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 29,JUN,2026 09:18:06

802.11ax40_5795MHz_RU_Full



ProjectNo.:2604U27448E-RF Tester:Allen Qin
Date: 29,JUN,2026 09:19:23

Appendix A.3.5: Duty Cycle

5150-5250MHz

Mode	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11a	5200	5.476	10.357	52.87	2.77	183	0.200
802.11ac20	5200	5.378	10.357	51.93	2.85	186	0.200
802.11ac40	5190	5.150	10.342	49.80	3.03	194	0.200
802.11ax20_RU_Full	5200	4.643	10.347	44.87	3.48	215	0.300
802.11ax40_RU_Full	5190	4.623	10.347	44.68	3.50	216	0.300

5250-5350MHz

Mode	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11a	5300	5.471	10.342	52.90	2.77	183	0.200
802.11ac20	5300	5.378	10.357	51.93	2.85	186	0.200
802.11ac40	5270	5.150	10.342	49.80	3.03	194	0.200
802.11ax20_RU_Full	5300	4.644	10.347	44.88	3.48	215	0.300
802.11ax40_RU_Full	5270	4.627	10.347	44.72	3.50	216	0.300

5470-5725MHz





Mode	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11a	5580	5.471	10.342	52.90	2.77	183	0.200
802.11ac20	5580	5.373	10.357	51.88	2.85	186	0.200
802.11ac40	5550	4.623	10.347	44.68	3.50	216	0.300
802.11ax20_RU_Full	5580	4.643	10.347	44.87	3.48	215	0.300
802.11ax40_RU_Full	5550	4.623	10.342	44.70	3.50	216	0.300

5725-5850MHz



Mode	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11a	5785	5.476	10.352	52.90	2.77	183	0.200
802.11ac20	5785	5.378	10.357	51.93	2.85	186	0.200
802.11ac40	5755	5.145	10.342	49.75	3.03	194	0.200
802.11ax20_RU_Full	5745	4.638	10.337	44.87	3.48	216	0.300
802.11ax40_RU_Full	5755	4.623	10.347	44.68	3.50	216	0.300

Duty Cycle = Ton/(Ton+Toff)*100%


5150-5250MHz



5250-5350MHz




802.11ac20_5300MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
 Date: 27.JUN.2026 14:42:02

802.11ac40_5270MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
 Date: 27.JUN.2026 14:43:08

802.11ax20_5300MHz_RU_Full



ProjectNo.:2604U27448E-RF Tester:Allen Qin
 Date: 27.JUN.2026 14:45:57


802.11ax40_5270MHz_RU_Full



ProjectNo.:2604U27448E-RF Tester:Allen Qin
 Date: 27.JUN.2026 14:46:33


5470-5725MHz

802.11a_5580MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
 Date: 27.JUN.2026 14:51:02

802.11ac20_5580MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
 Date: 27.JUN.2026 14:51:55

802.11ac40_5550MHz



ProjectNo.:2604U27448E-RF Tester:Allen Qin
 Date: 27.JUN.2026 14:52:31


802.11ax20_5580MHz_RU_Full



ProjectNo.:2604U27448E-RF Tester:Allen Qin
 Date: 27.JUN.2026 14:53:44


5725-5850MHz

802.11ax40_5550MHz_RU_Full




ProjectNo.:2604U27448E-RF Tester:Allen Qin
 Date: 27.JUN.2026 14:54:18

802.11a_5785MHz




ProjectNo.:2604U27448E-RF Tester:Allen Qin
 Date: 27.JUN.2026 14:55:34

802.11ac20_5785MHz





ProjectNo.:2604U27448E-RF Tester:Allen Qin
 Date: 27.JUN.2026 14:56:09

802.11ac40_5755MHz



ProjectNo.:2604U27448E-RF Tester:Allen Qin
 Date: 27.JUN.2026 14:56:44



***** END *****