



5150-5250MHz

802.11a\_5180MHz




ProjectNo.:2601T59274E-RF Tester:Barry Peng  
Date: 22.AUG.2026 17:07:44

802.11a\_5200MHz




ProjectNo.:2601T59274E-RF Tester:Barry Peng  
Date: 22.AUG.2026 17:09:19

802.11a\_5240MHz




ProjectNo.:2601T59274E-RF Tester:Barry Peng  
Date: 22.AUG.2026 17:10:51

802.11ac20\_5180MHz




ProjectNo.:2601T59274E-RF Tester:Barry Peng  
Date: 22.AUG.2026 17:30:03

802.11ac20\_5200MHz




ProjectNo.:2601T59274E-RF Tester:Barry Peng  
Date: 22.AUG.2026 17:31:38

802.11ac20\_5240MHz




ProjectNo.:2601T59274E-RF Tester:Barry Peng  
Date: 22.AUG.2026 17:33:22

802.11ac40\_5190MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 22.AUG.2026 17:35:47

802.11ac40\_5230MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 22.AUG.2026 17:37:16

802.11ax20\_5180MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 22.AUG.2026 17:23:45

802.11ax20\_5200MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 22.AUG.2026 17:25:21

802.11ax20\_5240MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 22.AUG.2026 17:26:45

802.11ax40\_5190MHz\_RU\_Full



ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 22.AUG.2026 17:18:32

802.11ax40\_5230MHz\_RU\_Full



ProjectNo.:2601T59274E-RF Tester:Barry Peng  
Date: 22 JUL 2026 17:21:02

**Emission Bandwidth****Test Information:**

|             |            |              |                       |
|-------------|------------|--------------|-----------------------|
| Sample No.: | 3M9F-1     | Test Date:   | 2026/06/26~2026/06/29 |
| Test Site:  | RF         | Test Mode:   | Transmitting          |
| Tester:     | Barry Feng | Test Result: | Pass                  |

**Environmental Conditions:**

|                      |      |                              |    |                        |       |
|----------------------|------|------------------------------|----|------------------------|-------|
| Temperature:<br>(°C) | 23.6 | Relative<br>Humidity:<br>(%) | 48 | ATM Pressure:<br>(kPa) | 100.8 |
|----------------------|------|------------------------------|----|------------------------|-------|

**Test Data:****26dB Emission Bandwidth  
5150-5250MHz**

| Mode               | Test Frequency (MHz) | Result (MHz)  |
|--------------------|----------------------|---------------|
| 802.11a            | 5180                 | 22.008        |
|                    | 5200                 | 22.121        |
|                    | 5240                 | 22.310        |
| 802.11ac20         | 5180                 | 22.383        |
|                    | 5200                 | 22.370        |
|                    | 5240                 | 22.139        |
| 802.11ac40         | 5190                 | 41.241        |
|                    | 5230                 | 41.041        |
| 802.11ax20_RU_Full | 5180                 | 22.736        |
|                    | 5200                 | 22.776        |
|                    | 5240                 | 22.689        |
| 802.11ax40_RU_Full | 5190                 | <b>41.642</b> |
|                    | 5230                 | 41.341        |

**5250-5350MHz**

| Mode               | Test Frequency (MHz) | Result (MHz)  |
|--------------------|----------------------|---------------|
| 802.11a            | 5260                 | 22.008        |
|                    | 5300                 | 22.250        |
|                    | 5320                 | 22.383        |
| 802.11ac20         | 5260                 | 22.426        |
|                    | 5300                 | 22.702        |
|                    | 5320                 | 22.445        |
| 802.11ac40         | 5270                 | 41.041        |
|                    | 5310                 | 41.241        |
| 802.11ax20_RU_Full | 5260                 | 22.551        |
|                    | 5300                 | 22.714        |
|                    | 5320                 | 23.238        |
| 802.11ax40_RU_Full | 5270                 | <b>41.642</b> |
|                    | 5310                 | 41.341        |

**5470-5725MHz**


| <b>Mode</b>        | <b>Test Frequency<br/>(MHz)</b> | <b>Result<br/>(MHz)</b> |
|--------------------|---------------------------------|-------------------------|
| 802.11a            | 5500                            | 21.994                  |
|                    | 5600                            | 22.044                  |
|                    | 5700                            | 21.994                  |
|                    | 5720                            | 22.144                  |
| 802.11ac20         | 5500                            | 22.366                  |
|                    | 5600                            | 22.532                  |
|                    | 5700                            | 22.518                  |
|                    | 5720                            | 22.595                  |
| 802.11ac40         | 5510                            | 41.141                  |
|                    | 5590                            | 41.341                  |
|                    | 5670                            | 41.441                  |
|                    | 5710                            | 41.542                  |
| 802.11ax20_RU_Full | 5500                            | 22.539                  |
|                    | 5600                            | 22.419                  |
|                    | 5700                            | 22.613                  |
|                    | 5720                            | 22.878                  |
| 802.11ax40_RU_Full | 5510                            | <b>41.842</b>           |
|                    | 5590                            | 41.441                  |
|                    | 5670                            | 41.542                  |
|                    | 5710                            | 41.742                  |

**6dB Emission Bandwidth  
5725-5850MHz**


| Mode               | Test Frequency (MHz) | Result (MHz)  | Limit (MHz) | Verdict |
|--------------------|----------------------|---------------|-------------|---------|
| 802.11a            | 5745                 | 16.517        | 0.5         | Pass    |
|                    | 5785                 | 16.567        | 0.5         | Pass    |
|                    | 5825                 | 16.567        | 0.5         | Pass    |
| 802.11ac20         | 5745                 | 17.718        | 0.5         | Pass    |
|                    | 5785                 | 17.718        | 0.5         | Pass    |
|                    | 5825                 | 17.768        | 0.5         | Pass    |
| 802.11ac40         | 5755                 | 36.537        | 0.5         | Pass    |
|                    | 5795                 | 36.537        | 0.5         | Pass    |
| 802.11ax20_RU_Full | 5745                 | 19.169        | 0.5         | Pass    |
|                    | 5785                 | 19.169        | 0.5         | Pass    |
|                    | 5825                 | 19.169        | 0.5         | Pass    |
| 802.11ax40_RU_Full | 5755                 | <b>38.338</b> | 0.5         | Pass    |
|                    | 5795                 | 38.238        | 0.5         | Pass    |

5150-5250MHz


802.11a\_5180MHz




802.11a\_5200MHz




802.11a\_5240MHz




802.11ac20\_5180MHz




802.11ac20\_5200MHz



802.11ac20\_5240MHz




802.11ac40\_5190MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:39:22

802.11ac40\_5230MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:40:13

802.11ax20\_5180MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 26.JUN.2026 23:09:37

802.11ax20\_5200MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 26.JUN.2026 23:11:56

802.11ax20\_5240MHz\_RU\_Full



ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 26.JUN.2026 23:14:18


802.11ax40\_5190MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:35:28

5250-5350MHz


802.11ax40\_5230MHz\_RU\_Full




802.11a\_5260MHz




802.11a\_5300MHz




802.11a\_5320MHz




802.11ac20\_5260MHz



802.11ac20\_5300MHz




802.11ac20\_5320MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:02:02

802.11ac40\_5270MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:50:16

802.11ac40\_5310MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:52:03

802.11ax20\_5260MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 26.JUN.2026 23:41:22

802.11ax20\_5300MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 26.JUN.2026 23:43:54

802.11ax20\_5320MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 26.JUN.2026 23:46:24

802.11ax40\_5270MHz\_RU\_Full



ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:43:55


802.11ax40\_5310MHz\_RU\_Full



ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:44:53


5470-5725MHz

802.11a\_5500MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:11:01

802.11a\_5600MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:12:49

802.11a\_5700MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:14:38

802.11a\_5720MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:16:29

802.11ac20\_5500MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:41:39

802.11ac20\_5600MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:43:21

802.11ac20\_5700MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:45:04

802.11ac20\_5720MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:46:44

802.11ac40\_5510MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:55:35

802.11ac40\_5590MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:50:49

802.11ac40\_5670MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:52:16

802.11ac40\_5710MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:53:43

802.11ax20\_5500MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:19:08

802.11ax20\_5600MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:23:51

802.11ax20\_5700MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:25:40

802.11ax20\_5720MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:27:41

802.11ax40\_5510MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:30:25

802.11ax40\_5590MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:31:54

802.11ax40\_5670MHz\_RU\_Full



ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:33:27


802.11ax40\_5710MHz\_RU\_Full



ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:39:23


5725-5850MHz

802.11a\_5745MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:06:55

802.11a\_5785MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:08:13

802.11a\_5825MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:09:16

802.11ac20\_5745MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:16:14

802.11ac20\_5785MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:18:39

802.11ac20\_5825MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:20:37

802.11ac40\_5755MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:21:59

802.11ac40\_5795MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:22:31

802.11ax20\_5745MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:10:54

802.11ax20\_5785MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:12:01

802.11ax20\_5825MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:13:13

802.11ax40\_5755MHz\_RU\_Full



ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:14:23

802.11ax40\_5795MHz\_RU\_Full



ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:14:56

**99% Occupied Bandwidth****Test Information:**

|             |            |              |                       |
|-------------|------------|--------------|-----------------------|
| Sample No.: | 3M9F-1     | Test Date:   | 2026/06/26~2026/06/29 |
| Test Site:  | RF         | Test Mode:   | Transmitting          |
| Tester:     | Barry Feng | Test Result: | N/A                   |

**Environmental Conditions:**

|                      |      |                              |    |                        |       |
|----------------------|------|------------------------------|----|------------------------|-------|
| Temperature:<br>(°C) | 23.6 | Relative<br>Humidity:<br>(%) | 48 | ATM Pressure:<br>(kPa) | 100.8 |
|----------------------|------|------------------------------|----|------------------------|-------|

**Test Data:****5150-5250MHz**

| Mode               | Test Frequency (MHz) | 99% OBW (MHz) |
|--------------------|----------------------|---------------|
| 802.11a            | 5180                 | 17.000        |
|                    | 5200                 | 17.000        |
|                    | 5240                 | 17.050        |
| 802.11ac20         | 5180                 | 17.950        |
|                    | 5200                 | 18.050        |
|                    | 5240                 | 18.050        |
| 802.11ac40         | 5190                 | 36.600        |
|                    | 5230                 | 36.700        |
| 802.11ax20_RU_Full | 5180                 | 19.200        |
|                    | 5200                 | 19.150        |
|                    | 5240                 | 19.200        |
| 802.11ax40_RU_Full | 5190                 | <b>38.000</b> |
|                    | 5230                 | <b>38.000</b> |

**Note:**

The 99% Occupied Bandwidth have not fall into the band 5250-5350MHz, please refer to the test plots of 99% Occupied Bandwidth.

**5250-5350MHz**

| Mode               | Test Frequency (MHz) | 99% OBW (MHz) |
|--------------------|----------------------|---------------|
| 802.11a            | 5260                 | 16.950        |
|                    | 5300                 | 17.050        |
|                    | 5320                 | 17.050        |
| 802.11ac20         | 5260                 | 18.050        |
|                    | 5300                 | 18.050        |
|                    | 5320                 | 18.050        |
| 802.11ac40         | 5270                 | 36.600        |
|                    | 5310                 | 36.600        |
| 802.11ax20_RU_Full | 5260                 | 19.200        |
|                    | 5300                 | 19.150        |
|                    | 5320                 | 19.250        |
| 802.11ax40_RU_Full | 5270                 | <b>38.000</b> |
|                    | 5310                 | <b>38.000</b> |

**5470-5725MHz**

| <b>Mode</b>        | <b>Test Frequency<br/>(MHz)</b> | <b>99% OBW<br/>(MHz)</b> |
|--------------------|---------------------------------|--------------------------|
| 802.11a            | 5500                            | 17.000                   |
|                    | 5600                            | 17.050                   |
|                    | 5700                            | 17.050                   |
|                    | 5720                            | 17.000                   |
| 802.11ac20         | 5500                            | 18.000                   |
|                    | 5600                            | 18.050                   |
|                    | 5700                            | 18.050                   |
|                    | 5720                            | 18.050                   |
| 802.11ac40         | 5510                            | 36.700                   |
|                    | 5590                            | 36.700                   |
|                    | 5670                            | 36.800                   |
|                    | 5710                            | 36.700                   |
| 802.11ax20_RU_Full | 5500                            | 19.200                   |
|                    | 5600                            | 19.200                   |
|                    | 5700                            | 19.200                   |
|                    | 5720                            | 19.200                   |
| 802.11ax40_RU_Full | 5510                            | 37.900                   |
|                    | 5590                            | <b>38.000</b>            |
|                    | 5670                            | <b>38.000</b>            |
|                    | 5710                            | <b>38.000</b>            |

**5725-5850MHz**


| <b>Mode</b>        | <b>Test Frequency<br/>(MHz)</b> | <b>99% OBW<br/>(MHz)</b> |
|--------------------|---------------------------------|--------------------------|
| 802.11a            | 5745                            | 16.950                   |
|                    | 5785                            | 17.050                   |
|                    | 5825                            | 16.950                   |
| 802.11ac20         | 5745                            | 18.000                   |
|                    | 5785                            | 18.000                   |
|                    | 5825                            | 18.000                   |
| 802.11ac40         | 5755                            | 36.700                   |
|                    | 5795                            | 36.800                   |
| 802.11ax20_RU_Full | 5745                            | 19.150                   |
|                    | 5785                            | 19.200                   |
|                    | 5825                            | 19.200                   |
| 802.11ax40_RU_Full | 5755                            | <b>37.900</b>            |
|                    | 5795                            | <b>37.900</b>            |

**Note:**

**The 99% Occupied Bandwidth have not fall into the band 5470-5725MHz, please refer to the test plots of 99% Occupied Bandwidth.**


5150-5250MHz

802.11a\_5180MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 26.JUN.2026 23:00:56

802.11a\_5200MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 26.JUN.2026 23:03:14

802.11a\_5240MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 26.JUN.2026 23:06:05

802.11ac20\_5180MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 26.JUN.2026 23:21:18

802.11ac20\_5200MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 26.JUN.2026 23:23:24

802.11ac20\_5240MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 26.JUN.2026 23:25:52

802.11ac40\_5190MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 26.JUN.2026 23:28:24

802.11ac40\_5230MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 26.JUN.2026 23:30:11

802.11ax20\_5180MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 26.JUN.2026 23:09:56

802.11ax20\_5200MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 26.JUN.2026 23:12:12

802.11ax20\_5240MHz\_RU\_Full



ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 26.JUN.2026 23:14:36


802.11ax40\_5190MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 26.JUN.2026 23:16:57

5250-5350MHz


802.11ax40\_5230MHz\_RU\_Full




802.11a\_5260MHz




802.11a\_5300MHz




802.11a\_5320MHz




802.11ac20\_5260MHz



802.11ac20\_5300MHz




802.11ac20\_5320MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:02:19

802.11ac40\_5270MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:05:03

802.11ac40\_5310MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:07:44

802.11ax20\_5260MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 26.JUN.2026 23:41:39

802.11ax20\_5300MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 26.JUN.2026 23:44:10

802.11ax20\_5320MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 26.JUN.2026 23:46:41

802.11ax40\_5270MHz\_RU\_Full



ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 26.JUN.2026 23:51:14


802.11ax40\_5310MHz\_RU\_Full



ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 26.JUN.2026 23:53:14


5470-5725MHz

802.11a\_5500MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:11:21

802.11a\_5600MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:13:06

802.11a\_5700MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:15:00

802.11a\_5720MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:16:48

802.11ac20\_5500MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:42:00

802.11ac20\_5600MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:43:38

802.11ac20\_5700MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:45:27

802.11ac20\_5720MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:47:03

802.11ac40\_5510MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:55:46

802.11ac40\_5590MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:50:59

802.11ac40\_5670MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:52:24

802.11ac40\_5710MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:53:50

802.11ax20\_5500MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:19:28

802.11ax20\_5600MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:24:09

802.11ax20\_5700MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:26:02

802.11ax20\_5720MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:28:00

802.11ax40\_5510MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:30:36

802.11ax40\_5590MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:32:05

802.11ax40\_5670MHz\_RU\_Full



ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:33:35


802.11ax40\_5710MHz\_RU\_Full



ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 27.JUN.2026 00:39:31


5725-5850MHz

802.11a\_5745MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:07:14

802.11a\_5785MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:08:36

802.11a\_5825MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:09:31

802.11ac20\_5745MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:16:34

802.11ac20\_5785MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:19:03

802.11ac20\_5825MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:20:53

802.11ac40\_5755MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:22:06

802.11ac40\_5795MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:22:38

802.11ax20\_5745MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:11:14

802.11ax20\_5785MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:12:24

802.11ax20\_5825MHz\_RU\_Full




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:13:28

802.11ax40\_5755MHz\_RU\_Full



ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:14:31

802.11ax40\_5795MHz\_RU\_Full



ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 29.JUN.2026 19:15:03

**Maximum Conducted Output Power****Test Information:**

|             |            |              |                       |
|-------------|------------|--------------|-----------------------|
| Sample No.: | 3M9F-1     | Test Date:   | 2026/06/26~2026/08/22 |
| Test Site:  | RF         | Test Mode:   | Transmitting          |
| Tester:     | Barry Feng | Test Result: | Pass                  |

**Environmental Conditions:**

|                      |         |                              |       |                        |             |
|----------------------|---------|------------------------------|-------|------------------------|-------------|
| Temperature:<br>(°C) | 23.6-25 | Relative<br>Humidity:<br>(%) | 48-53 | ATM Pressure:<br>(kPa) | 100.8-101.2 |
|----------------------|---------|------------------------------|-------|------------------------|-------------|

**Test Data:****5150-5250MHz**

| Mode               | Test Frequency (MHz) | Average Output Power(dBm) |           | Antenna Gain# (dBi) | EIRP (dBm)   |          | Verdict |
|--------------------|----------------------|---------------------------|-----------|---------------------|--------------|----------|---------|
|                    |                      | Result                    | FCC Limit |                     | Result       | IC Limit |         |
| 802.11a            | 5180                 | 13.39                     | 23.98     | 5.94                | 19.33        | 22.30    | Pass    |
|                    | 5200                 | 13.34                     | 23.98     | 5.94                | 19.28        | 22.30    | Pass    |
|                    | 5240                 | 13.81                     | 23.98     | 5.94                | 19.75        | 22.32    | Pass    |
| 802.11ac20         | 5180                 | 13.46                     | 23.98     | 5.94                | 19.40        | 22.54    | Pass    |
|                    | 5200                 | 13.35                     | 23.98     | 5.94                | 19.29        | 22.56    | Pass    |
|                    | 5240                 | 13.88                     | 23.98     | 5.94                | 19.82        | 22.56    | Pass    |
| 802.11ac40         | 5190                 | 13.32                     | 23.98     | 5.94                | 19.26        | 23.01    | Pass    |
|                    | 5230                 | 13.82                     | 23.98     | 5.94                | 19.76        | 23.01    | Pass    |
| 802.11ax20_RU_Full | 5180                 | 13.45                     | 23.98     | 5.94                | 19.39        | 22.83    | Pass    |
|                    | 5200                 | 13.48                     | 23.98     | 5.94                | 19.42        | 22.82    | Pass    |
|                    | 5240                 | <b>13.94</b>              | 23.98     | 5.94                | <b>19.88</b> | 22.83    | Pass    |
| 802.11ax40_RU_Full | 5190                 | 13.46                     | 23.98     | 5.94                | 19.40        | 23.01    | Pass    |
|                    | 5230                 | 13.89                     | 23.98     | 5.94                | 19.83        | 23.01    | Pass    |

**5250-5350MHz**

| Mode               | Test Frequency (MHz) | Average Output Power(dBm) |           |          | Antenna Gain# (dBi) | EIRP (dBm)   |          | Verdict |
|--------------------|----------------------|---------------------------|-----------|----------|---------------------|--------------|----------|---------|
|                    |                      | Result                    | FCC Limit | IC Limit |                     | Result       | IC Limit |         |
| 802.11a            | 5260                 | 15.19                     | 23.98     | 23.29    | 5.94                | 21.13        | 29.29    | Pass    |
|                    | 5300                 | 15.59                     | 23.98     | 23.32    | 5.94                | 21.53        | 29.32    | Pass    |
|                    | 5320                 | 15.50                     | 23.98     | 23.32    | 5.94                | 21.44        | 29.32    | Pass    |
| 802.11ac20         | 5260                 | 15.18                     | 23.98     | 23.56    | 5.94                | 21.12        | 29.56    | Pass    |
|                    | 5300                 | 15.63                     | 23.98     | 23.56    | 5.94                | 21.57        | 29.56    | Pass    |
|                    | 5320                 | 15.48                     | 23.98     | 23.56    | 5.94                | 21.42        | 29.56    | Pass    |
| 802.11ac40         | 5270                 | 15.13                     | 23.98     | 23.98    | 5.94                | 21.07        | 29.98    | Pass    |
|                    | 5310                 | 15.48                     | 23.98     | 23.98    | 5.94                | 21.42        | 29.98    | Pass    |
| 802.11ax20_RU_Full | 5260                 | 15.22                     | 23.98     | 23.83    | 5.94                | 21.16        | 29.83    | Pass    |
|                    | 5300                 | <b>15.71</b>              | 23.98     | 23.82    | 5.94                | <b>21.65</b> | 29.82    | Pass    |
|                    | 5320                 | 15.57                     | 23.98     | 23.84    | 5.94                | 21.51        | 29.84    | Pass    |
| 802.11ax40_RU_Full | 5270                 | 15.25                     | 23.98     | 23.98    | 5.94                | 21.19        | 29.98    | Pass    |
|                    | 5310                 | 15.58                     | 23.98     | 23.98    | 5.94                | 21.52        | 29.98    | Pass    |

**5470-5725MHz**

| Mode                   | Test Frequency (MHz) | Average Output Power(dBm) |           |          | Antenna Gain# (dBi) | EIRP (dBm)   |          | Verdict |
|------------------------|----------------------|---------------------------|-----------|----------|---------------------|--------------|----------|---------|
|                        |                      | Result                    | FCC Limit | IC Limit |                     | Result       | IC Limit |         |
| 802.11a                | 5500                 | 13.10                     | 23.98     | 23.30    | 5.94                | 19.04        | 29.30    | Pass    |
|                        | 5600                 | 12.37                     | 23.98     | 23.32    | 5.94                | 18.31        | 29.32    | Pass    |
|                        | 5700                 | 13.83                     | 23.98     | 23.32    | 5.94                | 19.77        | 29.32    | Pass    |
|                        | 5720                 | 12.89                     | 23.98     | 23.30    | 5.94                | 18.83        | 29.30    | Pass    |
| 802.11ac20             | 5500                 | 13.15                     | 23.98     | 23.55    | 5.94                | 19.09        | 29.55    | Pass    |
|                        | 5600                 | 12.46                     | 23.98     | 23.56    | 5.94                | 18.40        | 29.56    | Pass    |
|                        | 5700                 | 13.81                     | 23.98     | 23.56    | 5.94                | 19.75        | 29.56    | Pass    |
|                        | 5720                 | 12.83                     | 23.98     | 23.56    | 5.94                | 18.77        | 29.56    | Pass    |
| 802.11ac40             | 5510                 | 13.05                     | 23.98     | 23.98    | 5.94                | 18.99        | 29.98    | Pass    |
|                        | 5590                 | 12.46                     | 23.98     | 23.98    | 5.94                | 18.40        | 29.98    | Pass    |
|                        | 5670                 | 13.83                     | 23.98     | 23.98    | 5.94                | 19.77        | 29.98    | Pass    |
|                        | 5710                 | 13.43                     | 23.98     | 23.98    | 5.94                | 19.37        | 29.98    | Pass    |
| 802.11ax20<br>_RU_Full | 5500                 | 13.24                     | 23.98     | 23.83    | 5.94                | 19.18        | 29.83    | Pass    |
|                        | 5600                 | 12.48                     | 23.98     | 23.83    | 5.94                | 18.42        | 29.83    | Pass    |
|                        | 5700                 | 13.85                     | 23.98     | 23.83    | 5.94                | 19.79        | 29.83    | Pass    |
|                        | 5720                 | 12.84                     | 23.98     | 23.83    | 5.94                | 18.78        | 29.83    | Pass    |
| 802.11ax40<br>_RU_Full | 5510                 | 13.07                     | 23.98     | 23.98    | 5.94                | 19.01        | 29.98    | Pass    |
|                        | 5590                 | 12.48                     | 23.98     | 23.98    | 5.94                | 18.42        | 29.98    | Pass    |
|                        | 5670                 | <b>13.93</b>              | 23.98     | 23.98    | 5.94                | <b>19.87</b> | 29.98    | Pass    |
|                        | 5710                 | 13.51                     | 23.98     | 23.98    | 5.94                | 19.45        | 29.98    | Pass    |

**5725-5850MHz**

| Mode               | Test Frequency (MHz) | Average Output Power(dBm) | Limit (dBm) | Verdict |
|--------------------|----------------------|---------------------------|-------------|---------|
| 802.11a            | 5745                 | 14.40                     | 30          | Pass    |
|                    | 5785                 | 14.32                     | 30          | Pass    |
|                    | 5825                 | 13.66                     | 30          | Pass    |
| 802.11ac20         | 5745                 | 14.41                     | 30          | Pass    |
|                    | 5785                 | 14.37                     | 30          | Pass    |
|                    | 5825                 | 13.72                     | 30          | Pass    |
| 802.11ac40         | 5755                 | 14.56                     | 30          | Pass    |
|                    | 5795                 | 14.16                     | 30          | Pass    |
| 802.11ax20_RU_Full | 5745                 | 14.53                     | 30          | Pass    |
|                    | 5785                 | 14.44                     | 30          | Pass    |
| 802.11ax20_RU_Full | 5825                 | 13.74                     | 30          | Pass    |
| 802.11ax40_RU_Full | 5755                 | <b>14.69</b>              | 30          | Pass    |
|                    | 5795                 | 14.23                     | 30          | Pass    |

**Note: EIRP = Average Output Power + Antenna gain<sup>#</sup>**

**Power Spectral Density****Test Information:**

|             |            |              |                       |
|-------------|------------|--------------|-----------------------|
| Sample No.: | 3M9F-1     | Test Date:   | 2026/06/26~2026/08/22 |
| Test Site:  | RF         | Test Mode:   | Transmitting          |
| Tester:     | Barry Feng | Test Result: | Pass                  |

**Environmental Conditions:**

|                      |         |                              |       |                        |             |
|----------------------|---------|------------------------------|-------|------------------------|-------------|
| Temperature:<br>(°C) | 23.6-25 | Relative<br>Humidity:<br>(%) | 48-53 | ATM Pressure:<br>(kPa) | 100.8-101.2 |
|----------------------|---------|------------------------------|-------|------------------------|-------------|

**Test Data:****5150-5250MHz**

| Mode               | Test Frequency (MHz) | Reading (dBm/MHz) | Duty Cycle Factor(dB) | Result (dBm/MHz) | FCC Limit (dBm/MHz) | EIRP PSD (dBm/MHz) | IC Limit (dBm/MHz) | Verdict |
|--------------------|----------------------|-------------------|-----------------------|------------------|---------------------|--------------------|--------------------|---------|
| 802.11a            | 5180                 | 2.22              | 0.13                  | 2.35             | 11                  | 8.29               | 10                 | Pass    |
|                    | 5200                 | 2.47              | 0.13                  | 2.60             | 11                  | 8.54               | 10                 | Pass    |
|                    | 5240                 | 2.79              | 0.13                  | <b>2.92</b>      | 11                  | 8.86               | 10                 | Pass    |
| 802.11ac20         | 5180                 | 2.23              | 0.12                  | 2.35             | 11                  | 8.29               | 10                 | Pass    |
|                    | 5200                 | 1.98              | 0.12                  | 2.10             | 11                  | 8.04               | 10                 | Pass    |
|                    | 5240                 | 2.37              | 0.12                  | 2.49             | 11                  | 8.43               | 10                 | Pass    |
| 802.11ac40         | 5190                 | -0.97             | 0.13                  | -0.84            | 11                  | 5.10               | 10                 | Pass    |
|                    | 5230                 | -0.72             | 0.13                  | -0.59            | 11                  | 5.35               | 10                 | Pass    |
| 802.11ax20_RU_Full | 5180                 | 1.89              | 0.15                  | 2.04             | 11                  | 7.98               | 10                 | Pass    |
|                    | 5200                 | 2.05              | 0.15                  | 2.20             | 11                  | 8.14               | 10                 | Pass    |
|                    | 5240                 | 2.49              | 0.15                  | 2.64             | 11                  | 8.58               | 10                 | Pass    |
| 802.11ax40_RU_Full | 5190                 | -1.22             | 0.15                  | -1.07            | 11                  | 4.87               | 10                 | Pass    |
|                    | 5230                 | -0.87             | 0.15                  | -0.72            | 11                  | 5.22               | 10                 | Pass    |

**5250-5350MHz**

| Mode               | Test Frequency (MHz) | Reading (dBm/MHz) | Duty Cycle Factor(dB) | Result (dBm/MHz) | Limit (dBm/MHz) | Verdict |
|--------------------|----------------------|-------------------|-----------------------|------------------|-----------------|---------|
| 802.11a            | 5260                 | 3.96              | 0.13                  | 4.09             | 11              | Pass    |
|                    | 5300                 | 4.34              | 0.13                  | <b>4.47</b>      | 11              | Pass    |
|                    | 5320                 | 4.20              | 0.13                  | 4.33             | 11              | Pass    |
| 802.11ac20         | 5260                 | 3.78              | 0.12                  | 3.90             | 11              | Pass    |
|                    | 5300                 | 4.12              | 0.12                  | 4.24             | 11              | Pass    |
|                    | 5320                 | 4.03              | 0.12                  | 4.15             | 11              | Pass    |
| 802.11ac40         | 5270                 | 0.67              | 0.13                  | 0.80             | 11              | Pass    |
|                    | 5310                 | 0.98              | 0.13                  | 1.11             | 11              | Pass    |
| 802.11ax20_RU_Full | 5260                 | 3.56              | 0.15                  | 3.71             | 11              | Pass    |
|                    | 5300                 | 4.28              | 0.15                  | 4.43             | 11              | Pass    |
|                    | 5320                 | 3.78              | 0.15                  | 3.93             | 11              | Pass    |
| 802.11ax40_RU_Full | 5270                 | 0.48              | 0.15                  | 0.63             | 11              | Pass    |
|                    | 5310                 | 0.91              | 0.15                  | 1.06             | 11              | Pass    |

**5470-5725MHz**

| Mode               | Test Frequency (MHz) | Reading (dBm/MHz) | Duty Cycle Factor(dB) | Result (dBm/MHz) | Limit (dBm/MHz) | Verdict |
|--------------------|----------------------|-------------------|-----------------------|------------------|-----------------|---------|
| 802.11a            | 5500                 | 2.33              | 0.13                  | 2.46             | 11              | Pass    |
|                    | 5600                 | 1.19              | 0.13                  | 1.32             | 11              | Pass    |
|                    | 5700                 | 2.62              | 0.13                  | 2.75             | 11              | Pass    |
|                    | 5720                 | 2.75              | 0.13                  | <b>2.88</b>      | 11              | Pass    |
| 802.11ac20         | 5500                 | 1.91              | 0.12                  | 2.03             | 11              | Pass    |
|                    | 5600                 | 1.07              | 0.12                  | 1.19             | 11              | Pass    |
|                    | 5700                 | 2.51              | 0.12                  | 2.63             | 11              | Pass    |
|                    | 5720                 | 2.51              | 0.12                  | 2.63             | 11              | Pass    |
| 802.11ac40         | 5510                 | -1.16             | 0.13                  | -1.03            | 11              | Pass    |
|                    | 5590                 | -2.04             | 0.13                  | -1.91            | 11              | Pass    |
|                    | 5670                 | -0.24             | 0.13                  | -0.11            | 11              | Pass    |
|                    | 5710                 | -0.38             | 0.13                  | -0.25            | 11              | Pass    |
| 802.11ax20_RU_Full | 5500                 | 1.82              | 0.15                  | 1.97             | 11              | Pass    |
|                    | 5600                 | 0.78              | 0.15                  | 0.93             | 11              | Pass    |
|                    | 5700                 | 2.26              | 0.15                  | 2.41             | 11              | Pass    |
|                    | 5720                 | 2.41              | 0.15                  | 2.56             | 11              | Pass    |
| 802.11ax40_RU_Full | 5510                 | -1.44             | 0.15                  | -1.29            | 11              | Pass    |
|                    | 5590                 | -2.18             | 0.15                  | -2.03            | 11              | Pass    |
|                    | 5670                 | -0.68             | 0.15                  | -0.53            | 11              | Pass    |
|                    | 5710                 | -0.80             | 0.15                  | -0.65            | 11              | Pass    |


**5725-5850MHz**

| Mode               | Test Frequency (MHz) | Reading (dBm/500kHz) | Duty Cycle Factor(dB) | Result (dBm/500kHz) | Limit (dBm/500kHz) | Verdict |
|--------------------|----------------------|----------------------|-----------------------|---------------------|--------------------|---------|
| 802.11a            | 5745                 | -0.79                | 0.13                  | -0.66               | 30                 | Pass    |
|                    | 5785                 | -0.68                | 0.13                  | <b>-0.55</b>        | 30                 | Pass    |
|                    | 5825                 | -1.64                | 0.13                  | -1.51               | 30                 | Pass    |
| 802.11ac20         | 5745                 | -0.75                | 0.12                  | -0.63               | 30                 | Pass    |
|                    | 5785                 | -1.14                | 0.12                  | -1.02               | 30                 | Pass    |
|                    | 5825                 | -1.56                | 0.12                  | -1.44               | 30                 | Pass    |
| 802.11ac40         | 5755                 | -3.78                | 0.13                  | -3.65               | 30                 | Pass    |
|                    | 5795                 | -4.06                | 0.13                  | -3.93               | 30                 | Pass    |
| 802.11ax20_RU_Full | 5745                 | -1.03                | 0.15                  | -0.88               | 30                 | Pass    |
|                    | 5785                 | -1.12                | 0.15                  | -0.97               | 30                 | Pass    |
|                    | 5825                 | -2.20                | 0.15                  | -2.05               | 30                 | Pass    |
| 802.11ax40_RU_Full | 5755                 | -4.06                | 0.15                  | -3.91               | 30                 | Pass    |
|                    | 5795                 | -4.42                | 0.15                  | -4.27               | 30                 | Pass    |

**Result = Reading + Duty Cycle Factor**


5150-5250MHz

802.11a\_5180MHz




ProjectNo.: 2601T59274E-RF Tester: Barry Peng  
Date: 22.JUL.2026 16:28:19

802.11a\_5200MHz




ProjectNo.: 2601T59274E-RF Tester: Barry Peng  
Date: 22.JUL.2026 16:29:05

802.11a\_5240MHz




ProjectNo.: 2601T59274E-RF Tester: Barry Peng  
Date: 22.JUL.2026 16:29:33

802.11ac20\_5180MHz




ProjectNo.: 2601T59274E-RF Tester: Barry Peng  
Date: 22.JUL.2026 16:47:59

802.11ac20\_5200MHz




ProjectNo.: 2601T59274E-RF Tester: Barry Peng  
Date: 22.JUL.2026 16:48:16

802.11ac20\_5240MHz




ProjectNo.: 2601T59274E-RF Tester: Barry Peng  
Date: 22.JUL.2026 16:48:32

802.11ac40\_5190MHz




ProjectNo.: 2601T59274E-RFD Tester: Barry Feng  
Date: 22.AUG.2026 16:52:29

802.11ac40\_5230MHz




ProjectNo.: 2601T59274E-RFD Tester: Barry Feng  
Date: 22.AUG.2026 16:52:48

802.11ax20\_5180MHz\_RU\_Full




ProjectNo.: 2601T59274E-RFD Tester: Barry Feng  
Date: 22.AUG.2026 16:36:45

802.11ax20\_5200MHz\_RU\_Full




ProjectNo.: 2601T59274E-RFD Tester: Barry Feng  
Date: 22.AUG.2026 16:37:04

802.11ax20\_5240MHz\_RU\_Full




ProjectNo.: 2601T59274E-RFD Tester: Barry Feng  
Date: 22.AUG.2026 16:37:42

802.11ax40\_5190MHz\_RU\_Full



ProjectNo.: 2601T59274E-RFD Tester: Barry Feng  
Date: 22.AUG.2026 16:43:21


802.11ax40\_5230MHz\_RU\_Full



ProjectNo.: 2601T59274E-RF Tester: Barry Peng  
Date: 22 JUL 2026 16:43:42


5250-5350MHz

802.11a\_5260MHz




ProjectNo.: 2601T59274E-RF Tester: Barry Peng  
Date: 22 JUL 2026 16:29:56

802.11a\_5300MHz




ProjectNo.: 2601T59274E-RF Tester: Barry Peng  
Date: 22 JUL 2026 16:30:17

802.11a\_5320MHz




ProjectNo.: 2601T59274E-RF Tester: Barry Peng  
Date: 22 JUL 2026 16:30:44

802.11ac20\_5260MHz




ProjectNo.: 2601T59274E-RF Tester: Barry Peng  
Date: 22 JUL 2026 16:48:50

802.11ac20\_5300MHz




ProjectNo.: 2601T59274E-RF Tester: Barry Peng  
Date: 22 JUL 2026 16:49:08

### 802.11ac20\_5320MHz




ProjectNo.: 2601T59274E-RFD Tester: Barry Feng  
Date: 22.AUG.2026 16:49:25

### 802.11ac40\_5270MHz




ProjectNo.: 2601T59274E-RFD Tester: Barry Feng  
Date: 22.AUG.2026 16:53:04

### 802.11ac40\_5310MHz




ProjectNo.: 2601T59274E-RFD Tester: Barry Feng  
Date: 22.AUG.2026 16:53:23

### 802.11ax20\_5260MHz\_RU\_Full




ProjectNo.: 2601T59274E-RFD Tester: Barry Feng  
Date: 22.AUG.2026 16:58:01

### 802.11ax20\_5300MHz\_RU\_Full




ProjectNo.: 2601T59274E-RFD Tester: Barry Feng  
Date: 22.AUG.2026 16:38:23

### 802.11ax20\_5320MHz\_RU\_Full




ProjectNo.: 2601T59274E-RFD Tester: Barry Feng  
Date: 22.AUG.2026 16:38:42

802.11ax40\_5270MHz\_RU\_Full



ProjectNo.:2601T59274E-RF Tester:Barry Peng  
Date: 22.JUL.2026 16:44:13


802.11ax40\_5310MHz\_RU\_Full



ProjectNo.:2601T59274E-RF Tester:Barry Peng  
Date: 22.JUL.2026 16:44:39


5470-5725MHz

802.11a\_5500MHz




ProjectNo.:2601T59274E-RF Tester:Barry Peng  
Date: 22.JUL.2026 16:31:22

802.11a\_5600MHz




ProjectNo.:2601T59274E-RF Tester:Barry Peng  
Date: 22.JUL.2026 16:31:55

802.11a\_5700MHz




ProjectNo.:2601T59274E-RF Tester:Barry Peng  
Date: 22.JUL.2026 16:32:19

802.11a\_5720MHz




ProjectNo.:2601T59274E-RF Tester:Barry Peng  
Date: 22.JUL.2026 16:32:50

802.11ac20\_5500MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 22.AUG.2026 16:49:42

802.11ac20\_5600MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 22.AUG.2026 16:49:58

802.11ac20\_5700MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 22.AUG.2026 16:50:14

802.11ac20\_5720MHz




ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 22.AUG.2026 16:50:42

802.11ac40\_5510MHz



ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 22.AUG.2026 16:53:40

802.11ac40\_5590MHz



ProjectNo.:2601T59274E-RF Tester:Barry Feng  
Date: 22.AUG.2026 16:53:56