



7-18GHz_Vertical_Peak_5GWiFi_B1_A_ANT0_5240MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT0-5240

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10480.000	2.25	58.57	60.82	68.20	-7.38 Peak
2 17943.630	12.92	48.66	61.58	74.00	-12.42 Peak


7-18GHz_Vertical_Average_5GWiFi_B1_A_ANT0_5240MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT0-5240

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.19	33.17	46.36	54.00	-7.64	Average


1-7GHz_Horizontal_5GWiFi_B1_A_ANT1_5240MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT1-5240

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6675.250	-1.37	49.02	47.65	68.20	-20.55 Peak


1-7GHz_Vertical_5GWiFi_B1_A_ANT1_5240MHz



Condition : Vertical
 Project No. : 2501X39127E-RF
 Tester : Leon Guo
 Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band1-A_ANT1-5240

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6467.500	-1.19	49.44	48.25	68.20	-19.95	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B1_A_ANT1_5240MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT1-5240

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10480.000	2.25	62.65	64.90	68.20	-3.30 Peak
2 17942.250	12.91	48.31	61.22	74.00	-12.78 Peak


7-18GHz_Horizontal_Average_5GWiFi_B1_A_ANT1_5240MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT1-5240

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 17998.630	13.19	33.17	46.36	54.00	-7.64 Average


7-18GHz_Vertical_Peak_5GWiFi_B1_A_ANT1_5240MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT1-5240

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10480.000	2.25	65.58	67.83	68.20	-0.37 Peak
2 17983.500	13.11	48.15	61.26	74.00	-12.74 Peak


7-18GHz_Vertical_Average_5GWiFi_B1_A_ANT1_5240MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT1-5240

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17989.000	13.14	33.25	46.39	54.00	-7.61	Average


1-7GHz_Horizontal_5GWiFi_B1_A_ANT2_5240MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT2-5240

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6452.500	-1.19	48.98	47.79	68.20	-20.41 Peak


1-7GHz_Vertical_5GWiFi_B1_A_ANT2_5240MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT2-5240

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6735.250	-1.47	49.66	48.19	68.20	-20.01 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B1_A_ANT2_5240MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT2-5240

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10480.000	2.25	62.59	64.84	68.20	-3.36 Peak
2 17968.380	13.05	47.84	60.89	74.00	-13.11 Peak


7-18GHz_Horizontal_Average_5GWiFi_B1_A_ANT2_5240MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT2-5240

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 17993.130	13.17	33.09	46.26	54.00	-7.74 Average


7-18GHz_Vertical_Peak_5GWiFi_B1_A_ANT2_5240MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT2-5240

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 10480.000	2.25	65.57	67.82	68.20	-0.38	Peak
2 17961.500	13.01	48.22	61.23	74.00	-12.77	Peak


7-18GHz_Vertical_Average_5GWiFi_B1_A_ANT2_5240MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT2-5240

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17990.380	13.15	33.09	46.24	54.00	-7.76	Average


1-7GHz_Horizontal_5GWiFi_B1_AC20_5240MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5240

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6989.500	-1.20	49.09	47.89	68.20	-20.31	Peak


1-7GHz_Vertical_5GWiFi_B1_AC20_5240MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5240

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6457.750	-1.18	49.29	48.11	68.20	-20.09 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B1_AC20_5240MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5240

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10480.000	2.25	62.87	65.12	68.20	-3.08 Peak
2 17950.500	12.95	48.38	61.33	74.00	-12.67 Peak


7-18GHz_Horizontal_Average_5GWiFi_B1_AC20_5240MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5240

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.19	33.09	46.28	54.00	-7.72	Average


7-18GHz_Vertical_Peak_5GWiFi_B1_AC20_5240MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5240

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10480.000	2.25	65.68	67.93	68.20	-0.27 Peak
2 17986.250	13.12	47.89	61.01	74.00	-12.99 Peak


7-18GHz_Vertical_Average_5GWiFi_B1_AC20_5240MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5240

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17976.630	13.09	33.07	46.16	54.00	-7.84	Average


1-7GHz_Horizontal_5GWiFi_B1_AC40_5230MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5230

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6578.500	-1.31	48.74	47.43	68.20	-20.77 Peak


1-7GHz_Vertical_5GWiFi_B1_AC40_5230MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5230

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6477.250	-1.19	49.41	48.22	68.20	-19.98	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B1_AC40_5230MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5230

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10460.000	2.32	62.25	64.57	68.20	-3.63 Peak
2 17890.000	12.52	49.46	61.98	74.00	-12.02 Peak


7-18GHz_Horizontal_Average_5GWiFi_B1_AC40_5230MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5230

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	13.18	33.15	46.33	54.00	-7.67	Average


7-18GHz_Vertical_Peak_5GWiFi_B1_AC40_5230MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5230

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10460.000	2.32	65.36	67.68	68.20	-0.52 Peak
2 17961.500	13.01	48.86	61.87	74.00	-12.13 Peak


7-18GHz_Vertical_Average_5GWiFi_B1_AC40_5230MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5230

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	13.18	33.15	46.33	54.00	-7.67	Average


1-7GHz_Horizontal_5GWiFi_B1_AC80_5210MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6459.250	-1.19	48.48	47.29	68.20	-20.91	Peak


1-7GHz_Vertical_5GWiFi_B1_AC80_5210MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6979.000	-1.14	48.82	47.68	68.20	-20.52	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B1_AC80_5210MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10420.000	2.48	59.22	61.70	68.20	-6.50 Peak
2 17984.880	13.12	48.99	62.11	74.00	-11.89 Peak


7-18GHz_Horizontal_Average_5GWiFi_B1_AC80_5210MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	13.18	32.97	46.15	54.00	-7.85	Average


7-18GHz_Vertical_Peak_5GWiFi_B1_AC80_5210MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10420.000	2.48	60.63	63.11	68.20	-5.09 Peak
2 17920.250	12.80	48.28	61.08	74.00	-12.92 Peak


7-18GHz_Vertical_Average_5GWiFi_B1_AC80_5210MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17993.130	13.17	32.84	46.01	54.00	-7.99	Average


1-7GHz_Horizontal_5GWiFi_B1_AX20_5240MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5240

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6454.750	-1.18	49.23	48.05	68.20	-20.15 Peak


1-7GHz_Vertical_5GWiFi_B1_AX20_5240MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5240

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6763.000	-1.50	49.64	48.14	68.20	-20.06 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B1_AX20_5240MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5240

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10480.000	2.25	62.72	64.97	68.20	-3.23 Peak
2 17928.500	12.85	48.46	61.31	74.00	-12.69 Peak


7-18GHz_Horizontal_Average_5GWiFi_B1_AX20_5240MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5240

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17993.130	13.17	33.08	46.25	54.00	-7.75	Average


7-18GHz_Vertical_Peak_5GWiFi_B1_AX20_5240MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5240

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10480.000	2.25	65.29	67.54	68.20	-0.66 Peak
2 17932.630	12.87	48.83	61.70	74.00	-12.30 Peak


7-18GHz_Vertical_Average_5GWiFi_B1_AX20_5240MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5240

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	13.18	32.90	46.08	54.00	-7.92	Average


1-7GHz_Horizontal_5GWiFi_B1_AX40_5230MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5230

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6486.250	-1.18	48.79	47.61	68.20	-20.59 Peak


1-7GHz_Vertical_5GWiFi_B1_AX40_5230MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5230

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6489.250	-1.20	49.05	47.85	68.20	-20.35 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B1_AX40_5230MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5230

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10460.000	2.32	62.17	64.49	68.20	-3.71 Peak
2 17883.130	12.39	49.25	61.64	74.00	-12.36 Peak


7-18GHz_Horizontal_Average_5GWiFi_B1_AX40_5230MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5230

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	13.18	33.03	46.21	54.00	-7.79	Average


7-18GHz_Vertical_Peak_5GWiFi_B1_AX40_5230MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5230

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10460.000	2.32	65.02	67.34	68.20	-0.86 Peak
2 17957.380	12.99	47.90	60.89	74.00	-13.11 Peak


7-18GHz_Vertical_Average_5GWiFi_B1_AX40_5230MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5230

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	13.18	32.92	46.10	54.00	-7.90	Average


1-7GHz_Horizontal_5GWiFi_B1_AX80_5210MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6982.750	-1.16	48.80	47.64	68.20	-20.56 Peak


1-7GHz_Vertical_5GWiFi_B1_AX80_5210MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6771.250	-1.52	48.95	47.43	68.20	-20.77 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B1_AX80_5210MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10420.000	2.48	59.38	61.86	68.20	-6.34 Peak
2 17912.000	12.76	48.13	60.89	74.00	-13.11 Peak


7-18GHz_Horizontal_Average_5GWiFi_B1_AX80_5210MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.940	13.20	32.96	46.16	54.00	-7.84	Average


7-18GHz_Vertical_Peak_5GWiFi_B1_AX80_5210MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 10420.000	2.48	60.45	62.93	68.20	-5.27	Peak
2 17890.000	12.52	49.05	61.57	74.00	-12.43	Peak


7-18GHz_Vertical_Average_5GWiFi_B1_AX80_5210MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17997.250	13.19	32.93	46.12	54.00	-7.88	Average


1-7GHz_Horizontal_5GWiFi_Band2_A_ANT0_5320MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5320

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6670.000	-1.34	49.02	47.68	68.20	-20.52	Peak


1-7GHz_Vertical_5GWiFi_Band2_A_ANT0_5320MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5320

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6546.250	-1.24	48.78	47.54	68.20	-20.66	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_A_ANT0_5320MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5320

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.59	56.49	59.08	74.00	-14.92	Peak
2	17890.000	12.52	48.64	61.16	74.00	-12.84	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_A_ANT0_5320MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5320

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.59	44.25	46.84	54.00	-7.16	Average
2	17986.250	13.12	32.96	46.08	54.00	-7.92	Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_A_ANT0_5320MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.59	59.04	61.63	74.00	-12.37	Peak
2	17914.750	12.77	47.92	60.69	74.00	-13.31	Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_A_ANT0_5320MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5320

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.59	46.37	48.96	54.00	-5.04	Average
2	17976.630	13.09	32.86	45.95	54.00	-8.05	Average


1-7GHz_Horizontal_5GWiFi_Band2_A_ANT1_5320MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5320

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6956.500	-1.01	48.76	47.75	68.20	-20.45	Peak


1-7GHz_Vertical_5GWiFi_Band2_A_ANT1_5320MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6757.750	-1.47	48.80	47.33	68.20	-20.87	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_A_ANT1_5320MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5320

Freq		Factor	Read Level	Level	Limit	Over	Remark
			dBuV	dBuV/m	dBuV/m	Limit	
MHz		dB/m				dB	
1	10640.000	2.59	62.02	64.61	74.00	-9.39	Peak
2	17990.380	13.15	48.11	61.26	74.00	-12.74	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_A_ANT1_5320MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.59	48.74	51.33	54.00	-2.67	Average
2	17998.630	13.19	33.20	46.39	54.00	-7.61	Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_A_ANT1_5320MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5320

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.59	64.18	66.77	74.00	-7.23	Peak
2	17956.000	12.98	48.26	61.24	74.00	-12.76	Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_A_ANT1_5320MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.59	50.85	53.44	54.00	-0.56	Average
2	17984.880	13.12	32.92	46.04	54.00	-7.96	Average


1-7GHz_Horizontal_5GWiFi_Band2_A_ANT2_5320MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT2-5320

		Read		Limit	Over	Remark
Freq	Factor	Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6874.000	-1.36	48.74	47.38	68.20	-20.82 Peak


1-7GHz_Vertical_5GWiFi_Band2_A_ANT2_5320MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT2-5320

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6632.500	-1.26	48.67	47.41	68.20	-20.79	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_A_ANT2_5320MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT2-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.59	64.27	66.86	74.00	-7.14	Peak
2	17962.880	13.01	48.00	61.01	74.00	-12.99	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_A_ANT2_5320MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT2-5320

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.59	48.86	51.45	54.00	-2.55	Average
2	17998.960	13.19	32.87	46.06	54.00	-7.94	Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_A_ANT2_5320MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT2-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.59	66.59	69.18	74.00	-4.82	Peak
2	17940.880	12.91	49.05	61.96	74.00	-12.04	Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_A_ANT2_5320MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT2-5320

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.59	50.91	53.50	54.00	-0.50	Average
2	17995.880	13.18	32.76	45.94	54.00	-8.06	Average


1-7GHz_Horizontal_5GWiFi_Band2_AC20_5320MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6445.000	-1.18	48.72	47.54	68.20	-20.66	Peak


1-7GHz_Vertical_5GWiFi_Band2_AC20_5320MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6453.250	-1.19	48.62	47.43	68.20	-20.77	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_AC20_5320MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.59	63.41	66.00	74.00	-8.00	Peak
2	17907.880	12.75	48.29	61.04	74.00	-12.96	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_AC20_5320MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.59	48.85	51.44	54.00	-2.56	Average
2	17995.880	13.18	32.90	46.08	54.00	-7.92	Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_AC20_5320MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.59	65.69	68.28	74.00	-5.72	Peak
2	17958.750	12.99	48.35	61.34	74.00	-12.66	Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_AC20_5320MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.59	50.98	53.57	54.00	-0.43	Average
2	17994.500	13.17	32.71	45.88	54.00	-8.12	Average


1-7GHz_Horizontal_5GWiFi_Band2_AC40_5270MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6325.000	-1.72	50.04	48.32	68.20	-19.88	Peak


1-7GHz_Vertical_5GWiFi_Band2_AC40_5270MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6459.250	-1.19	48.94	47.75	68.20	-20.45	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_AC40_5270MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10540.000	2.18	61.84	64.02	68.20	-4.18	Peak
2	17969.750	13.06	48.73	61.79	74.00	-12.21	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_AC40_5270MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17967.000	13.03	33.06	46.09	54.00	-7.91	Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_AC40_5270MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10540.000	2.18	65.19	67.37	68.20	-0.83	Peak
2	17971.130	13.06	47.87	60.93	74.00	-13.07	Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_AC40_5270MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq		Factor	Read	Limit	Over	Remark
			Level	Level	Line	
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB
1 17998.630		13.19	33.01	46.20	54.00	-7.80 Average


1-7GHz_Horizontal_5GWiFi_Band2_AC80_5290MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6460.750	-1.17	49.73	48.56	68.20	-19.64	Peak


1-7GHz_Vertical_5GWiFi_Band2_AC80_5290MHz



Condition : Vertical
 Project No. : 2501X39127E-RF
 Tester : Leon Guo
 Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band2-AC80-5290

	Freq	Factor	Read	Limit	Over	Remark
			Level	Level	Line	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6657.250	-1.25	50.11	48.86	68.20	-19.34 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_AC80_5290MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10580.000	2.18	55.41	57.59	68.20	-10.61	Peak
2	17920.250	12.80	49.25	62.05	74.00	-11.95	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_AC80_5290MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17994.500	13.17	32.82	45.99	54.00	-8.01	Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_AC80_5290MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10580.000	2.18	56.76	58.94	68.20	-9.26	Peak
2	17989.000	13.14	47.63	60.77	74.00	-13.23	Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_AC80_5290MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17995.880	13.18	33.16	46.34	54.00	-7.66	Average


1-7GHz_Horizontal_5GWiFi_Band2_AC160_5250MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC160-5250

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6463.750	-1.18	48.54	47.36	68.20	-20.84	Peak


1-7GHz_Vertical_5GWiFi_Band2_AC160_5250MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC160-5250

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
		MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6390.250	-1.34	49.48	48.14	68.20	-20.06	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_AC160_5250MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC160-5250

Freq		Factor	Read Level	Level	Limit	Over	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10500.000	2.18	53.53	55.71	68.20	-12.49	Peak
2	17987.630	13.13	47.81	60.94	74.00	-13.06	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_AC160_5250MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC160-5250

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17995.880	13.18	32.82	46.00	54.00	-8.00	Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_AC160_5250MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC160-5250

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10500.000	2.18	54.91	57.09	68.20	-11.11	Peak
2	17968.380	13.05	49.26	62.31	74.00	-11.69	Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_AC160_5250MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC160-5250

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17998.580	13.20	32.89	46.09	54.00	-7.91	Average


1-7GHz_Horizontal_5GWiFi_Band2_AX20_5320MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6933.250	-1.10	48.46	47.36	68.20	-20.84	Peak


1-7GHz_Vertical_5GWiFi_Band2_AX20_5320MHz



Condition : Vertical
 Project No. : 2501X39127E-RF
 Tester : Leon Guo
 Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band2-AX20-5320

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6612.250	-1.33	49.51	48.18	68.20	-20.02	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_AX20_5320MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.59	63.25	65.84	74.00	-8.16	Peak
2	17971.130	13.06	47.97	61.03	74.00	-12.97	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_AX20_5320MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.59	48.64	51.23	54.00	-2.77	Average
2	17995.880	13.18	32.90	46.08	54.00	-7.92	Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_AX20_5320MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.59	65.47	68.06	74.00	-5.94	Peak
2	17979.380	13.10	48.91	62.01	74.00	-11.99	Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_AX20_5320MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.59	50.82	53.41	54.00	-0.59	Average
2	17990.380	13.15	32.92	46.07	54.00	-7.93	Average


1-7GHz_Horizontal_5GWiFi_Band2_AX40_5270MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5270

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6536.500	-1.24	48.60	47.36	68.20	-20.84	Peak


1-7GHz_Vertical_5GWiFi_Band2_AX40_5270MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5270

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6463.000	-1.18	49.03	47.85	68.20	-20.35	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_AX40_5270MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5270

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10540.000	2.18	61.59	63.77	68.20	-4.43	Peak
2	17950.500	12.95	48.48	61.43	74.00	-12.57	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_AX40_5270MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5270

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.20	33.23	46.43	54.00	-7.57	Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_AX40_5270MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5270

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10540.000	2.18	65.07	67.25	68.20	-0.95	Peak
2	17954.630	12.97	49.08	62.05	74.00	-11.95	Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_AX40_5270MHz



Condition : Vertical
 Project No. : 2501X39127E-RF
 Tester : Leon Guo
 Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
 Note : 5GWiFi-Band2-AX40-5270

	Freq	Factor	Read	Limit	Over	Remark
			Level	Level	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	17998.630	13.19	32.83	46.02	54.00	-7.98 Average


1-7GHz_Horizontal_5GWiFi_Band2_AX80_5290MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

		Read		Limit	Over	Remark
Freq	Factor	Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6874.750	-1.36	49.28	47.92	68.20	-20.28 Peak


1-7GHz_Vertical_5GWiFi_Band2_AX80_5290MHz



Condition : Vertical
 Project No. : 2501X39127E-RF
 Tester : Leon Guo
 Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band2-AX80-5290

		Read		Limit	Over	Remark
Freq	Factor	Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6411.250	-1.23	48.75	47.52	68.20	-20.68	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_AX80_5290MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10580.000	2.18	54.98	57.16	68.20	-11.04	Peak
2	17964.250	13.02	49.25	62.27	74.00	-11.73	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_AX80_5290MHz



Condition : Horizontal
 Project No. : 2501X39127E-RF
 Tester : Leon Guo
 Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
 Note : 5GWiFi-Band2-AX80-5290

	Freq	Factor	Read	Limit	Over	Remark
			Level	Level	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	17994.500	13.17	32.95	46.12	54.00	-7.88 Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_AX80_5290MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq		Factor	Read Level	Level	Limit	Over	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10580.000	2.18	55.96	58.14	68.20	-10.06	Peak
2	17953.250	12.97	48.19	61.16	74.00	-12.84	Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_AX80_5290MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17982.130	13.10	32.83	45.93	54.00	-8.07	Average


1-7GHz_Horizontal_5GWiFi_Band2_AX160_5250MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX160-5250

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6468.250	-1.18	48.99	47.81	68.20	-20.39	Peak


1-7GHz_Vertical_5GWiFi_Band2_AX160_5250MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX160-5250

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6449.500	-1.19	48.39	47.20	68.20	-21.00	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_AX160_5250MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10500.000	2.18	54.37	56.55	68.20	-11.65	Peak
2	17939.500	12.90	48.88	61.78	74.00	-12.22	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_AX160_5250MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AX160-5250

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17998.230	13.20	32.94	46.14	54.00	-7.86	Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_AX160_5250MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX160-5250

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10500.000	2.18	54.74	56.92	68.20	-11.28	Peak
2 17971.130	13.06	48.65	61.71	74.00	-12.29	Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_AX160_5250MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AX160-5250

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17998.580	13.19	33.01	46.20	54.00	-7.80	Average


1-7GHz_Horizontal_5GWiFi_Band3_A_ANT0_5700MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5700

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6463.000	-1.18	49.22	48.04	68.20	-20.16 Peak


1-7GHz_Vertical_5GWiFi_Band3_A_ANT0_5700MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5700

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6931.000	-1.12	48.67	47.55	68.20	-20.65 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_A_ANT0_5700MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5700

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11400.000	3.32	62.75	66.07	74.00	-7.93	Peak
2	17932.630	12.87	47.89	60.76	74.00	-13.24	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_A_ANT0_5700MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5700

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11400.000	3.32	47.47	50.79	54.00	-3.21	Average
2 17998.630	13.19	32.89	46.08	54.00	-7.92	Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_A_ANT0_5700MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5700

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11400.000	3.32	65.82	69.14	74.00	-4.86	Peak
2	17997.250	13.19	47.88	61.07	74.00	-12.93	Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_A_ANT0_5700MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5700

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11400.000	3.32	49.98	53.30	54.00	-0.70	Average
2 17998.630	13.19	32.93	46.12	54.00	-7.88	Average


1-7GHz_Horizontal_5GWiFi_Band3_A_ANT1_5580MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5580

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6985.750	-1.18	48.31	47.13	68.20	-21.07 Peak


1-7GHz_Vertical_5GWiFi_Band3_A_ANT1_5580MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5580

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6544.000	-1.24	49.07	47.83	68.20	-20.37 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_A_ANT1_5580MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5580

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11160.000	3.50	61.99	65.49	74.00	-8.51 Peak
2 17995.880	13.18	47.71	60.89	74.00	-13.11 Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_A_ANT1_5580MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5580

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11160.000	3.50	47.67	51.17	54.00	-2.83	Average
2 17986.250	13.12	33.00	46.12	54.00	-7.88	Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_A_ANT1_5580MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5580

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11160.000	3.50	65.15	68.65	74.00	-5.35 Peak
2 17936.750	12.89	47.74	60.63	74.00	-13.37 Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_A_ANT1_5580MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5580

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11160.000	3.50	50.08	53.58	54.00	-0.42	Average
2 17995.880	13.18	33.13	46.31	54.00	-7.69	Average


1-7GHz_Horizontal_5GWiFi_Band3_A_ANT2_5580MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT2-5580

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6443.500	-1.19	48.84	47.65	68.20	-20.55 Peak


1-7GHz_Vertical_5GWiFi_Band3_A_ANT2_5580MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT2-5580

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6370.750	-1.51	49.29	47.78	68.20	-20.42	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_A_ANT2_5580MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT2-5580

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11160.000	3.50	62.31	65.81	74.00	-8.19 Peak
2 17954.630	12.97	47.78	60.75	74.00	-13.25 Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_A_ANT2_5580MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT2-5580

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11160.000	3.50	47.50	51.00	54.00	-3.00	Average
2 17993.130	13.17	33.02	46.19	54.00	-7.81	Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_A_ANT2_5580MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT2-5580

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 11160.000	3.50	65.49	68.99	74.00	-5.01 Peak
2 17989.000	13.14	47.97	61.11	74.00	-12.89 Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_A_ANT2_5580MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT2-5580

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11160.000	3.50	49.96	53.46	54.00	-0.54	Average
2 17990.380	13.15	32.92	46.07	54.00	-7.93	Average


1-7GHz_Horizontal_5GWiFi_Band3_AC20_5580MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5580

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	
MHz	dB/m				
1 6459.250	-1.19	48.81	47.62	68.20	-20.58 Peak


1-7GHz_Vertical_5GWiFi_Band3_AC20_5580MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5580

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6457.000	-1.18	48.67	47.49	68.20	-20.71 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_AC20_5580MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5580

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11160.000	3.50	62.47	65.97	74.00	-8.03 Peak
2 17925.750	12.84	48.63	61.47	74.00	-12.53 Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_AC20_5580MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5580

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11160.000	3.50	47.54	51.04	54.00	-2.96	Average
2 17998.630	13.19	33.11	46.30	54.00	-7.70	Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_AC20_5580MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5580

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11160.000	3.50	65.68	69.18	74.00	-4.82	Peak
2 17936.750	12.89	48.78	61.67	74.00	-12.33	Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_AC20_5580MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5580

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11160.000	3.50	49.95	53.45	54.00	-0.55	Average
2 17993.130	13.17	32.92	46.09	54.00	-7.91	Average


1-7GHz_Horizontal_5GWiFi_Band3_AC40_5550MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5550

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6995.500	-1.24	48.50	47.26	68.20 -20.94 Peak


1-7GHz_Vertical_5GWiFi_Band3_AC40_5550MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5550

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6516.250	-1.21	48.54	47.33	68.20	-20.87	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_AC40_5550MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5550

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11100.000	3.34	61.72	65.06	74.00	-8.94 Peak
2 17917.500	12.79	47.93	60.72	74.00	-13.28 Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_AC40_5550MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5550

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11100.000	3.34	47.87	51.21	54.00	-2.79	Average
2	17990.380	13.15	33.15	46.30	54.00	-7.70	Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_AC40_5550MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5550

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11100.000	3.34	64.25	67.59	74.00	-6.41 Peak
2 17931.250	12.86	48.44	61.30	74.00	-12.70 Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_AC40_5550MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5550

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11100.000	3.34	50.09	53.43	54.00	-0.57	Average
2 17998.630	13.19	32.96	46.15	54.00	-7.85	Average


1-7GHz_Horizontal_5GWiFi_Band3_AC80_5690MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5690

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6457.000	-1.18	48.62	47.44	68.20	-20.76 Peak


1-7GHz_Vertical_5GWiFi_Band3_AC80_5690MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5690

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6475.000	-1.18	48.80	47.62	68.20	-20.58 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_AC80_5690MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5690

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11380.000	3.36	61.18	64.54	74.00	-9.46 Peak
2 17990.380	13.15	47.85	61.00	74.00	-13.00 Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_AC80_5690MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5690

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11380.000	3.36	45.43	48.79	54.00	-5.21	Average
2 17995.880	13.18	32.99	46.17	54.00	-7.83	Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_AC80_5690MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5690

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11380.000	3.36	62.35	65.71	74.00	-8.29 Peak
2 17946.380	12.93	48.55	61.48	74.00	-12.52 Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_AC80_5690MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5690

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11380.000	3.36	46.91	50.27	54.00	-3.73	Average
2 17995.880	13.18	33.02	46.20	54.00	-7.80	Average


1-7GHz_Horizontal_5GWiFi_Band3_AC160_5570MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6473.500	-1.19	49.50	48.31	68.20	-19.89 Peak


1-7GHz_Vertical_5GWiFi_Band3_AC160_5570MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6892.750	-1.36	48.85	47.49	68.20	-20.71 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_AC160_5570MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11140.000	3.44	53.40	56.84	74.00	-17.16	Peak
2 17855.630	11.88	49.72	61.60	74.00	-12.40	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_AC160_5570MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11140.000	3.44	40.31	43.75	54.00	-10.25	Average
2 17998.630	13.19	33.06	46.25	54.00	-7.75	Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_AC160_5570MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11140.000	3.44	54.74	58.18	74.00	-15.82 Peak
2 17902.380	12.72	48.67	61.39	74.00	-12.61 Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_AC160_5570MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11140.000	3.44	42.18	45.62	54.00	-8.38	Average
2 17979.380	13.10	33.02	46.12	54.00	-7.88	Average


1-7GHz_Horizontal_5GWiFi_Band3_AX20_5580MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5580

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6418.750	-1.23	48.92	47.69	68.20	-20.51 Peak


1-7GHz_Vertical_5GWiFi_Band3_AX20_5580MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5580

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6502.000	-1.20	48.77	47.57	68.20	-20.63 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_AX20_5580MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5580

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11160.000	3.50	62.08	65.58	74.00	-8.42 Peak
2 17962.880	13.01	47.74	60.75	74.00	-13.25 Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_AX20_5580MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5580

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11160.000	3.50	47.41	50.91	54.00	-3.09	Average
2 17995.880	13.18	33.16	46.34	54.00	-7.66	Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_AX20_5580MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5580

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11160.000	3.50	65.16	68.66	74.00	-5.34 Peak
2 17913.380	12.77	48.77	61.54	74.00	-12.46 Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_AX20_5580MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5580

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11160.000	3.50	49.87	53.37	54.00	-0.63	Average
2 17998.630	13.19	33.02	46.21	54.00	-7.79	Average


1-7GHz_Horizontal_5GWiFi_Band3_AX40_5550MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5550

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6583.000	-1.34	49.10	47.76	68.20	-20.44 Peak


1-7GHz_Vertical_5GWiFi_Band3_AX40_5550MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5550

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6562.000	-1.28	48.65	47.37	68.20	-20.83 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_AX40_5550MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5550

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11100.000	3.34	62.07	65.41	74.00	-8.59 Peak
2 17975.250	13.08	48.80	61.88	74.00	-12.12 Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_AX40_5550MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5550

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11100.000	3.34	47.96	51.30	54.00	-2.70	Average
2 17998.630	13.19	33.22	46.41	54.00	-7.59	Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_AX40_5550MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5550

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11100.000	3.34	64.61	67.95	74.00	-6.05	Peak
2 18000.000	13.20	47.98	61.18	74.00	-12.82	Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_AX40_5550MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5550

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11100.000	3.34	50.18	53.52	54.00	-0.48	Average
2 17998.630	13.19	33.09	46.28	54.00	-7.72	Average


1-7GHz_Horizontal_5GWiFi_Band3_AX80_5690MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5690

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6274.750	-2.00	50.25	48.25	68.20	-19.95 Peak


1-7GHz_Vertical_5GWiFi_Band3_AX80_5690MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5690

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6843.250	-1.39	49.26	47.87	68.20	-20.33	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_AX80_5690MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5690

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 11380.000	3.36	62.21	65.57	74.00	-8.43 Peak
2 17984.880	13.12	47.90	61.02	74.00	-12.98 Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_AX80_5690MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5690

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11380.000	3.36	46.02	49.38	54.00	-4.62	Average
2 17991.750	13.16	33.20	46.36	54.00	-7.64	Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_AX80_5690MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5690

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11380.000	3.36	64.38	67.74	74.00	-6.26 Peak
2 17995.880	13.18	48.33	61.51	74.00	-12.49 Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_AX80_5690MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5690

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11380.000	3.36	47.54	50.90	54.00	-3.10	Average
2 17989.000	13.14	32.99	46.13	54.00	-7.87	Average


1-7GHz_Horizontal_5GWiFi_Band3_AX160_5570MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX160-5570

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6439.750	-1.19	48.86	47.67	68.20	-20.53 Peak


1-7GHz_Vertical_5GWiFi_Band3_AX160_5570MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX160-5570

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6018.250	-2.85	51.27	48.42	68.20	-19.78 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_AX160_5570MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX160-5570

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11140.000	3.44	53.70	57.14	74.00	-16.86 Peak
2 17946.380	12.93	49.06	61.99	74.00	-12.01 Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_AX160_5570MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX160-5570

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11140.000	3.44	40.22	43.66	54.00	-10.34	Average
2 17989.000	13.14	33.27	46.41	54.00	-7.59	Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_AX160_5570MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX160-5570

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 11140.000	3.44	54.33	57.77	74.00	-16.23 Peak
2 17946.380	12.93	48.87	61.80	74.00	-12.20 Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_AX160_5570MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX160-5570

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11140.000	3.44	41.32	44.76	54.00	-9.24	Average
2 17997.250	13.19	32.97	46.16	54.00	-7.84	Average


1-7GHz_Horizontal_5GWiFi_B4_A_ANT0_5745MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5745

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6635.500	-1.25	49.21	47.96	68.20	-20.24 Peak


1-7GHz_Vertical_5GWiFi_B4_A_ANT0_5745MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5745

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6481.000	-1.19	49.28	48.09	68.20	-20.11 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_A_ANT0_5745MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5745

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11490.000	3.54	58.18	61.72	74.00	-12.28 Peak
2 17965.630	13.03	48.49	61.52	74.00	-12.48 Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_A_ANT0_5745MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5745

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11490.000	3.54	44.90	48.44	54.00	-5.56	Average
2 17984.880	13.12	33.13	46.25	54.00	-7.75	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_A_ANT0_5745MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11490.000	3.54	62.47	66.01	74.00	-7.99	Peak
2	17978.000	13.10	48.61	61.71	74.00	-12.29	Peak


7-18GHz_Vertical_Average_5GWiFi_B4_A_ANT0_5745MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5745

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11490.000	3.54	50.07	53.61	54.00	-0.39	Average
2 17984.880	13.12	33.10	46.22	54.00	-7.78	Average


1-7GHz_Horizontal_5GWiFi_B4_A_ANT1_5825MHz



Condition : Horizontal
 Project No. : 2501X39127E-RF
 Tester : Leon Guo
 Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band4-A_ANT1-5825

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6458.606	-1.18	49.02	47.84	68.20	-20.36	Peak


1-7GHz_Vertical_5GWiFi_B4_A_ANT1_5825MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6167.908	-2.52	50.83	48.31	68.20 -19.89 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_A_ANT1_5825MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.43	58.75	62.18	74.00	-11.82	Peak
2 17957.220	12.99	48.70	61.69	74.00	-12.31	Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_A_ANT1_5825MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.43	45.70	49.13	54.00	-4.87	Average
2 17997.550	13.19	33.20	46.39	54.00	-7.61	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_A_ANT1_5825MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.43	63.70	67.13	74.00	-6.87 Peak
2 17975.550	13.08	48.23	61.31	74.00	-12.69 Peak


7-18GHz_Vertical_Average_5GWiFi_B4_A_ANT1_5825MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.43	50.28	53.71	54.00	-0.29	Average
2 17998.330	13.20	33.05	46.25	54.00	-7.75	Average


1-7GHz_Horizontal_5GWiFi_B4_A_ANT2_5825MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT2-5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6382.598	-1.41	48.94	47.53	68.20	-20.67 Peak


1-7GHz_Vertical_5GWiFi_B4_A_ANT2_5825MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT2-5825

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6983.332	-1.16	48.80	47.64	68.20	-20.56 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_A_ANT2_5825MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT2-5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.43	55.82	59.25	74.00	-14.75 Peak
2 17910.770	12.76	49.09	61.85	74.00	-12.15 Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_A_ANT2_5825MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT2-5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.43	43.41	46.84	54.00	-7.16	Average
2 17995.110	13.18	33.14	46.32	54.00	-7.68	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_A_ANT2_5825MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT2-5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.43	59.02	62.45	74.00	-11.55 Peak
2 17963.330	13.01	48.10	61.11	74.00	-12.89 Peak


7-18GHz_Vertical_Average_5GWiFi_B4_A_ANT2_5825MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT2-5825

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.43	46.36	49.79	54.00	-4.21	Average
2 17998.780	13.19	33.03	46.22	54.00	-7.78	Average


1-7GHz_Horizontal_5GWiFi_B4_AC20_5745MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5745

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6923.992	-1.16	48.68	47.52	68.20	-20.68 Peak


1-7GHz_Vertical_5GWiFi_B4_AC20_5745MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5745

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6872.652	-1.36	49.07	47.71	68.20	-20.49 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_AC20_5745MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5745

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11490.000	3.54	59.19	62.73	74.00	-11.27 Peak
2 17979.220	13.09	48.35	61.44	74.00	-12.56 Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_AC20_5745MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5745

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11490.000	3.54	46.60	50.14	54.00	-3.86	Average
2 17998.780	13.19	33.30	46.49	54.00	-7.51	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_AC20_5745MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5745

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11490.000	3.54	64.49	68.03	74.00	-5.97 Peak
2 17993.890	13.18	48.12	61.30	74.00	-12.70 Peak


7-18GHz_Vertical_Average_5GWiFi_B4_AC20_5745MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5745

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11490.000	3.54	50.28	53.82	54.00	-0.18	Average
2 17996.330	13.18	32.94	46.12	54.00	-7.88	Average


1-7GHz_Horizontal_5GWiFi_B4_AC40_5755MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5755

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6556.000	-1.26	48.99	47.73	68.20	-20.47 Peak


1-7GHz_Vertical_5GWiFi_B4_AC40_5755MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6998.500	-1.25	48.83	47.58	68.20	-20.62	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_AC40_5755MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5755

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11510.000	3.53	58.89	62.42	74.00	-11.58	Peak
2 17997.250	13.19	48.06	61.25	74.00	-12.75	Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_AC40_5755MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5755

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11510.000	3.53	45.73	49.26	54.00	-4.74	Average
2 17993.130	13.17	33.11	46.28	54.00	-7.72	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_AC40_5755MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5755

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11510.000	3.53	63.42	66.95	74.00	-7.05 Peak
2 17945.000	12.92	48.53	61.45	74.00	-12.55 Peak


7-18GHz_Vertical_Average_5GWiFi_B4_AC40_5755MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5755

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11510.000	3.53	49.99	53.52	54.00	-0.48	Average
2 17995.880	13.18	33.08	46.26	54.00	-7.74	Average


1-7GHz_Horizontal_5GWiFi_B4_AC80_5775MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6526.000	-1.22	49.47	48.25	68.20	-19.95 Peak


1-7GHz_Vertical_5GWiFi_B4_AC80_5775MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6760.000	-1.48	49.94	48.46	68.20	-19.74 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_AC80_5775MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11550.000	3.37	55.90	59.27	74.00	-14.73	Peak
2	17866.630	12.09	48.73	60.82	74.00	-13.18	Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_AC80_5775MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11550.000	3.37	43.10	46.47	54.00	-7.53	Average
2	17998.630	13.19	33.28	46.47	54.00	-7.53	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_AC80_5775MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.37	59.91	63.28	74.00	-10.72 Peak
2 17973.880	13.08	48.29	61.37	74.00	-12.63 Peak


7-18GHz_Vertical_Average_5GWiFi_B4_AC80_5775MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.37	46.38	49.75	54.00	-4.25	Average
2 17997.250	13.19	32.97	46.16	54.00	-7.84	Average


1-7GHz_Horizontal_5GWiFi_B4_AX20_5745MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5745

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6769.750	-1.52	48.84	47.32	68.20	-20.88	Peak


1-7GHz_Vertical_5GWiFi_B4_AX20_5745MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6916.000	-1.24	48.74	47.50	68.20	-20.70	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_AX20_5745MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5745

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11490.000	3.54	58.97	62.51	74.00	-11.49	Peak
2 17990.380	13.15	48.20	61.35	74.00	-12.65	Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_AX20_5745MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5745

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11490.000	3.54	45.98	49.52	54.00	-4.48	Average
2 17998.450	13.20	33.12	46.32	54.00	-7.68	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_AX20_5745MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5745

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11490.000	3.54	64.39	67.93	74.00	-6.07	Peak
2 17986.250	13.12	49.93	63.05	74.00	-10.95	Peak


7-18GHz_Vertical_Average_5GWiFi_B4_AX20_5745MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5745

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11490.000	3.54	50.23	53.77	54.00	-0.23	Average
2 17989.000	13.14	33.19	46.33	54.00	-7.67	Average


1-7GHz_Horizontal_5GWiFi_B4_AX40_5755MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6562.000	-1.28	48.93	47.65	68.20	-20.55	Peak


1-7GHz_Vertical_5GWiFi_B4_AX40_5755MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6950.500	-0.97	49.14	48.17	68.20	-20.03	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_AX40_5755MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5755

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11510.000	3.53	58.36	61.89	74.00	-12.11 Peak
2 17907.880	12.75	48.91	61.66	74.00	-12.34 Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_AX40_5755MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5755

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11510.000	3.53	45.60	49.13	54.00	-4.87	Average
2 17998.630	13.19	33.18	46.37	54.00	-7.63	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_AX40_5755MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5755

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11510.000	3.53	63.68	67.21	74.00	-6.79	Peak
2 17971.130	13.06	48.21	61.27	74.00	-12.73	Peak


7-18GHz_Vertical_Average_5GWiFi_B4_AX40_5755MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5755

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11510.000	3.53	49.55	53.08	54.00	-0.92	Average
2 17993.130	13.17	33.10	46.27	54.00	-7.73	Average


1-7GHz_Horizontal_5GWiFi_B4_AX80_5775MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6594.250	-1.37	49.09	47.72	68.20	-20.48 Peak


1-7GHz_Vertical_5GWiFi_B4_AX80_5775MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6470.500	-1.19	49.68	48.49	68.20	-19.71 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_AX80_5775MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.37	55.71	59.08	74.00	-14.92	Peak
2 17983.500	13.11	48.40	61.51	74.00	-12.49	Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_AX80_5775MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.37	42.89	46.26	54.00	-7.74	Average
2 17998.950	13.19	33.41	46.60	54.00	-7.40	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_AX80_5775MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.37	60.75	64.12	74.00	-9.88	Peak
2 17914.750	12.77	48.53	61.30	74.00	-12.70	Peak

7-18GHz_Vertical_Average_5GWiFi_B4_AX80_5775MHz




Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.37	46.78	50.15	54.00	-3.85	Average
2 17994.500	13.17	33.11	46.28	54.00	-7.72	Average

18-40GHz (Listed with the margin test plot)


18-40GHz_Horizontal_5GWiFi_B4_AC20_5745MHz



Condition : Horizontal
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5745

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 36513.000	25.28	37.32	62.60	77.70	-15.10	peak

18-40GHz_Vertical_5GWiFi_B4_AC20_5745MHz



Condition : Vertical
Project No. : 2501X39127E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5745

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 36537.750	25.25	36.60	61.85	77.70	-15.85	peak

RF Conducted data

Please refer to Annex "Appendix C" for detail test data.

RF EXPOSURE EVALUATION

MAXIMUM PERMISSIBLE EXPOSURE (MPE)

Applicable Standard

According to subpart §1.1310, systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the Commission's guidelines.

Limits for Maximum Permissible Exposure (MPE) (§1.1310, §2.1091)

(B) Limits for General Population/Uncontrolled Exposure				
Frequency Range (MHz)	Electric Field Strength (V/m)	Magnetic Field Strength (A/m)	Power Density (mW/cm ²)	Averaging Time (minutes)
0.3–1.34	614	1.63	*(100)	30
1.34–30	824/f	2.19/f	*(180/f ²)	30
30–300	27.5	0.073	0.2	30
300–1500	/	/	f/1500	30
1500–100,000	/	/	1.0	30

f = frequency in MHz; * = Plane-wave equivalent power density;

According to §1.1310 and §2.1091 RF exposure is calculated.

Result

Calculation formula:

Prediction of power density at the distance of the applicable MPE limit

$S = PG/4\pi R^2$ = power density (in appropriate units, e.g. mW/cm²);

P = power input to the antenna (in appropriate units, e.g., mW);

G = power gain of the antenna in the direction of interest relative to an isotropic radiator, the power gain factor, is normally numeric gain;

R = distance to the center of radiation of the antenna (appropriate units, e.g., cm);

For simultaneously transmit system, the calculated power density should comply with:

$$\sum_i \frac{S_i}{S_{Limit,i}} \leq 1$$

Calculated Data:

For worst case:

Mode	Frequency (MHz)	Antenna Gain [#]		Max Tune-up Power [#]		Evaluation Distance (cm)	Power Density (mW/cm ²)	MPE Limit (mW/cm ²)
		(dBi)	(numeric)	(dBm)	(mW)			
2.4G Wi-Fi	2412-2462	8.01	6.32	24.0	251.19	20	0.3158	1.0
5G Wi-Fi	5180-5240	9.77	9.48	21.0	125.89	20	0.2374	1.0
	5260-5320	9.77	9.48	18.5	70.79	20	0.1335	1.0
	5500-5720	9.77	9.48	18.0	63.10	20	0.1190	1.0
	5745-5825	9.77	9.48	21.5	141.25	20	0.2664	1.0
	5815-5885	9.77	9.48	21.5	141.25	20	0.2664	1.0

Note:

- 1) The tune up conducted power and antenna gain was declared by the applicant.
- 2) The antenna gain should be the directional gain.
- 3) The 2.4G Wi-Fi and 5G Wi-Fi can simultaneous transmitting.

Simultaneous transmitting consideration (worst case):

The ratio= $MPE_{2.4G\ Wi-Fi}/limit + MPE_{5G\ Wi-Fi}/limit = 0.3158/1.0 + 0.2664/1.0 = 0.582 < 1.0$,
so simultaneous exposure is compliant.

To maintain compliance with the FCC's RF exposure guidelines, place the equipment at least 20cm from nearby persons.

Result: Compliant.

EUT PHOTOGRAPHS

Please refer to the attachment 2501X39127E-RF-EXP External photo and 2501X39127E-RF-INP Internal photo.

TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2501X39127E-RF-TSPC Test Setup photo.

******* END OF REPORT *******