

Report No.: 2401259035RFC-3
Appendix A

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRF(us)	Detection(Yes / No)
1	1	5300	57	1	938	Y
1	2	5300	76	1	698	Y
1	3	5300	86	1	618	Y
1	4	5300	99	1	538	Y
1	5	5300	61	1	878	Y
1	6	5300	18	1	3066	Y
1	7	5300	83	1	638	Y
1	8	5300	58	1	918	Y
1	9	5300	63	1	838	Y
1	10	5300	62	1	858	Y
1	11	5300	67	1	798	Y
1	12	5300	74	1	718	N
1	13	5300	92	1	578	Y
1	14	5300	89	1	598	Y
1	15	5300	95	1	558	Y
1	16	5300	21	1	2536	Y
1	17	5300	55	1	966	Y
1	18	5300	64	1	827	N
1	19	5300	22	1	2501	Y
1	20	5300	21	1	2595	Y
1	21	5300	48	1	1114	Y
1	22	5300	41	1	1302	Y
1	23	5300	18	1	3045	N
1	24	5300	33	1	1624	Y
1	25	5300	19	1	2878	Y
1	26	5300	52	1	1027	Y
1	27	5300	22	1	2485	Y
1	28	5300	33	1	1600	Y
1	29	5300	46	1	1172	Y
1	30	5300	45	1	1177	N

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRF(us)	Detection(Yes / No)
1	1	5500	57	1	938	Y
1	2	5500	76	1	698	Y
1	3	5500	86	1	618	Y
1	4	5500	99	1	538	Y
1	5	5500	61	1	878	N
1	6	5500	18	1	3066	Y
1	7	5500	83	1	638	N
1	8	5500	58	1	918	Y
1	9	5500	63	1	838	Y
1	10	5500	62	1	858	N
1	11	5500	67	1	798	Y
1	12	5500	74	1	718	Y
1	13	5500	92	1	578	Y
1	14	5500	89	1	598	Y
1	15	5500	95	1	558	Y
1	16	5500	21	1	2536	Y
1	17	5500	55	1	966	N
1	18	5500	64	1	827	Y
1	19	5500	22	1	2501	N
1	20	5500	21	1	2595	Y
1	21	5500	48	1	1114	Y
1	22	5500	41	1	1302	Y
1	23	5500	18	1	3045	Y
1	24	5500	33	1	1624	Y
1	25	5500	19	1	2878	Y
1	26	5500	52	1	1027	Y
1	27	5500	22	1	2485	Y
1	28	5500	33	1	1600	Y
1	29	5500	46	1	1172	Y
1	30	5500	45	1	1177	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRF(us)	Detection(Yes / No)
1	1	5310	57	1	938	Y
1	2	5310	76	1	698	Y
1	3	5310	86	1	618	Y
1	4	5310	99	1	538	Y
1	5	5310	61	1	878	N
1	6	5310	18	1	3066	Y
1	7	5310	83	1	638	Y
1	8	5310	58	1	918	Y
1	9	5310	63	1	838	Y
1	10	5310	62	1	858	N
1	11	5310	67	1	798	Y
1	12	5310	74	1	718	Y
1	13	5310	92	1	578	Y
1	14	5310	89	1	598	Y
1	15	5310	95	1	558	Y
1	16	5310	21	1	2536	Y
1	17	5310	55	1	966	Y
1	18	5310	64	1	827	Y
1	19	5310	22	1	2501	Y
1	20	5310	21	1	2595	N
1	21	5310	48	1	1114	Y
1	22	5310	41	1	1302	Y
1	23	5310	18	1	3045	Y
1	24	5310	33	1	1624	Y
1	25	5310	19	1	2878	Y
1	26	5310	52	1	1027	N
1	27	5310	22	1	2485	Y
1	28	5310	33	1	1600	Y
1	29	5310	46	1	1172	N
1	30	5310	45	1	1177	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRF(us)	Detection(Yes / No)
1	1	5510	57	1	938	Y
1	2	5510	76	1	698	Y
1	3	5510	86	1	618	Y
1	4	5510	99	1	538	Y
1	5	5510	61	1	878	N
1	6	5510	18	1	3066	Y
1	7	5510	83	1	638	Y
1	8	5510	58	1	918	Y
1	9	5510	63	1	838	Y
1	10	5510	62	1	858	Y
1	11	5510	67	1	798	Y
1	12	5510	74	1	718	Y
1	13	5510	92	1	578	Y
1	14	5510	89	1	598	Y
1	15	5510	95	1	558	N
1	16	5510	21	1	2536	Y
1	17	5510	55	1	966	Y
1	18	5510	64	1	827	Y
1	19	5510	22	1	2501	N
1	20	5510	21	1	2595	Y
1	21	5510	48	1	1114	Y
1	22	5510	41	1	1302	Y
1	23	5510	18	1	3045	N
1	24	5510	33	1	1624	Y
1	25	5510	19	1	2878	Y
1	26	5510	52	1	1027	Y
1	27	5510	22	1	2485	Y
1	28	5510	33	1	1600	N
1	29	5510	46	1	1172	Y
1	30	5510	45	1	1177	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRF(us)	Detection(Yes / No)
1	1	5290	57	1	938	Y
1	2	5290	76	1	698	Y
1	3	5290	86	1	618	Y
1	4	5290	99	1	538	Y
1	5	5290	61	1	878	N
1	6	5290	18	1	3066	Y
1	7	5290	83	1	638	Y
1	8	5290	58	1	918	Y
1	9	5290	63	1	838	Y
1	10	5290	62	1	858	Y
1	11	5290	67	1	798	Y
1	12	5290	74	1	718	N
1	13	5290	92	1	578	Y
1	14	5290	89	1	598	Y
1	15	5290	95	1	558	Y
1	16	5290	21	1	2536	Y
1	17	5290	55	1	966	Y
1	18	5290	64	1	827	N
1	19	5290	22	1	2501	Y
1	20	5290	21	1	2595	Y
1	21	5290	48	1	1114	Y
1	22	5290	41	1	1302	N
1	23	5290	18	1	3045	N
1	24	5290	33	1	1624	Y
1	25	5290	19	1	2878	Y
1	26	5290	52	1	1027	Y
1	27	5290	22	1	2485	Y
1	28	5290	33	1	1600	Y
1	29	5290	46	1	1172	Y
1	30	5290	45	1	1177	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRF(us)	Detection(Yes / No)
1	1	5530	57	1	938	Y
1	2	5530	76	1	698	Y
1	3	5530	86	1	618	Y
1	4	5530	99	1	538	N
1	5	5530	61	1	878	Y
1	6	5530	18	1	3066	Y
1	7	5530	83	1	638	Y
1	8	5530	58	1	918	Y
1	9	5530	63	1	838	Y
1	10	5530	62	1	858	Y
1	11	5530	67	1	798	Y
1	12	5530	74	1	718	Y
1	13	5530	92	1	578	Y
1	14	5530	89	1	598	Y
1	15	5530	95	1	558	Y
1	16	5530	21	1	2536	Y
1	17	5530	55	1	966	Y
1	18	5530	64	1	827	N
1	19	5530	22	1	2501	Y
1	20	5530	21	1	2595	Y
1	21	5530	48	1	1114	N
1	22	5530	41	1	1302	N
1	23	5530	18	1	3045	Y
1	24	5530	33	1	1624	Y
1	25	5530	19	1	2878	Y
1	26	5530	52	1	1027	Y
1	27	5530	22	1	2485	N
1	28	5530	33	1	1600	Y
1	29	5530	46	1	1172	Y
1	30	5530	45	1	1177	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRF(us)	Detection(Yes / No)
1	1	5250	57	1	938	Y
1	2	5250	76	1	698	Y
1	3	5250	86	1	618	Y
1	4	5250	99	1	538	Y
1	5	5250	61	1	878	Y
1	6	5250	18	1	3066	Y
1	7	5250	83	1	638	Y
1	8	5250	58	1	918	N
1	9	5250	63	1	838	Y
1	10	5250	62	1	858	Y
1	11	5250	67	1	798	Y
1	12	5250	74	1	718	Y
1	13	5250	92	1	578	N
1	14	5250	89	1	598	Y
1	15	5250	95	1	558	Y
1	16	5250	21	1	2536	Y
1	17	5250	55	1	966	Y
1	18	5250	64	1	827	Y
1	19	5250	22	1	2501	Y
1	20	5250	21	1	2595	Y
1	21	5250	48	1	1114	N
1	22	5250	41	1	1302	Y
1	23	5250	18	1	3045	Y
1	24	5250	33	1	1624	Y
1	25	5250	19	1	2878	Y
1	26	5250	52	1	1027	Y
1	27	5250	22	1	2485	Y
1	28	5250	33	1	1600	N
1	29	5250	46	1	1172	Y
1	30	5250	45	1	1177	N

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRF(us)	Detection(Yes / No)
1	1	5570	57	1	938	Y
1	2	5570	76	1	698	Y
1	3	5570	86	1	618	Y
1	4	5570	99	1	538	N
1	5	5570	61	1	878	Y
1	6	5570	18	1	3066	Y
1	7	5570	83	1	638	Y
1	8	5570	58	1	918	Y
1	9	5570	63	1	838	Y</

Report No.: 2401259035RFC-3
Appendix B

Radar Type	Trial #	Freq(MHz)	Number Pluse per Burst	Pulse Width(us)	PRI(us)	Detection(Yes / No)
2	1	5300	26	3.20	179	Y
2	2	5300	23	1.10	207	Y
2	3	5300	24	2.10	230	N
2	4	5300	29	4.80	200	Y
2	5	5300	28	3.90	214	Y
2	6	5300	26	2.90	222	Y
2	7	5300	26	3.20	204	Y
2	8	5300	25	2.50	192	Y
2	9	5300	26	3.10	164	Y
2	10	5300	23	1.20	156	Y
2	11	5300	27	3.90	210	Y
2	12	5300	29	4.60	201	N
2	13	5300	26	3.20	162	Y
2	14	5300	25	2.20	197	Y
2	15	5300	29	4.50	163	Y
2	16	5300	26	3.00	203	Y
2	17	5300	29	5.00	168	Y
2	18	5300	25	2.40	217	Y
2	19	5300	26	2.90	191	Y
2	20	5300	25	2.30	166	Y
2	21	5300	27	3.70	150	Y
2	22	5300	25	2.20	176	Y
2	23	5300	29	4.90	195	N
2	24	5300	26	2.90	202	Y
2	25	5300	25	2.50	178	Y
2	26	5300	23	1.10	206	Y
2	27	5300	27	3.80	155	Y
2	28	5300	29	4.70	157	Y
2	29	5300	25	2.40	224	Y
2	30	5300	28	4.20	159	Y

Radar Type	Trial #	Freq(MHz)	Number Pluse per Burst	Pulse Width(us)	PRI(us)	Detection(Yes / No)
2	1	5500	26	3.20	179	Y
2	2	5500	23	1.10	207	Y
2	3	5500	24	2.10	230	Y
2	4	5500	29	4.80	200	Y
2	5	5500	28	3.90	214	Y
2	6	5500	26	2.90	222	N
2	7	5500	26	3.20	204	Y
2	8	5500	25	2.50	192	Y
2	9	5500	26	3.10	164	Y
2	10	5500	23	1.20	156	Y
2	11	5500	27	3.90	210	Y
2	12	5500	29	4.60	201	Y
2	13	5500	26	3.20	162	Y
2	14	5500	25	2.20	197	Y
2	15	5500	29	4.50	163	Y
2	16	5500	26	3.00	203	Y
2	17	5500	29	5.00	168	N
2	18	5500	25	2.40	217	Y
2	19	5500	25	2.30	166	Y
2	20	5500	27	3.70	150	N
2	21	5500	25	2.20	176	Y
2	22	5500	29	4.90	195	Y
2	23	5500	26	2.90	202	Y
2	24	5500	25	2.50	178	Y
2	25	5500	23	1.10	206	N
2	26	5500	27	3.80	155	Y
2	27	5500	29	4.70	157	Y
2	28	5500	25	2.40	224	Y
2	29	5500	25	2.40	224	Y
2	30	5500	28	4.20	159	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
2	1	5310	26	3.20	179	Y
2	2	5310	23	1.10	207	Y
2	3	5310	24	2.10	230	Y
2	4	5310	29	4.80	200	Y
2	5	5310	28	3.90	214	Y
2	6	5310	26	2.90	222	Y
2	7	5310	26	3.20	204	Y
2	8	5310	25	2.50	192	Y
2	9	5310	26	3.10	164	Y
2	10	5310	23	1.20	156	Y
2	11	5310	27	3.90	210	Y
2	12	5310	29	4.60	201	N
2	13	5310	26	3.20	162	Y
2	14	5310	25	2.20	197	Y
2	15	5310	29	4.50	163	Y
2	16	5310	26	3.00	203	Y
2	17	5310	29	5.00	168	N
2	18	5310	25	2.40	217	Y
2	19	5310	26	2.90	191	Y
2	20	5310	25	2.30	166	Y
2	21	5310	27	3.70	150	Y
2	22	5310	25	2.20	176	Y
2	23	5310	29	4.90	195	Y
2	24	5310	26	2.90	202	Y
2	25	5310	25	2.50	178	N
2	26	5310	23	1.10	206	Y
2	27	5310	27	3.80	155	N
2	28	5310	29	4.70	157	Y
2	29	5310	25	2.40	224	Y
2	30	5310	28	4.20	159	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
2	1	5510	26	3.20	179	Y
2	2	5510	23	1.10	207	Y
2	3	5510	24	2.10	230	N
2	4	5510	29	4.80	200	Y
2	5	5510	28	3.90	214	Y
2	6	5510	26	2.90	222	Y
2	7	5510	26	3.20	204	Y
2	8	5510	25	2.50	192	Y
2	9	5510	26	3.10	164	Y
2	10	5510	23	1.20	156	Y
2	11	5510	27	3.90	210	Y
2	12	5510	29	4.60	201	Y
2	13	5510	26	3.20	162	Y
2	14	5510	25	2.20	197	Y
2	15	5510	29	4.50	163	Y
2	16	5510	26	3.00	203	Y
2	17	5510	29	5.00	168	N
2	18	5510	25	2.40	217	N
2	19	5510	26	2.90	191	Y
2	20	5510	25	2.30	166	Y
2	21	5510	27	3.70	150	Y
2	22	5510	25	2.20	176	Y
2	23	5510	29	4.90	195	Y
2	24	5510	26	2.90	202	Y
2	25	5510	25	2.50	178	N
2	26	5510	23	1.10	206	Y
2	27	5510	27	3.80	155	Y
2	28	5510	29	4.70	157	Y
2	29	5510	25	2.40	224	Y
2	30	5510	28	4.20	159	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
2	1	5290	26	3.20	179	Y
2	2	5290	23	1.10	207	Y
2	3	5290	24	2.10	230	Y
2	4	5290	29	4.80	200	Y
2	5	5290	28	3.90	214	Y
2	6	5290	26	2.90	222	Y
2	7	5290	26	3.20	204	Y
2	8	5290	25	2.50	192	Y
2	9	5290	26	3.10	164	Y
2	10	5290	23	1.20	156	Y
2	11	5290	27	3.90	210	N
2	12	5290	29	4.60	201	Y
2	13	5290	26	3.20	162	Y
2	14	5290	25	2.20	197	Y
2	15	5290	29	4.50	163	Y
2	16	5290	26	3.00	203	N
2	17	5290	29	5.00	168	Y
2	18	5290	25	2.40	217	Y
2	19	5290	26	2.90	191	Y
2	20	5290	25	2.30	166	Y
2	21	5290	27	3.70	150	Y
2	22	5290	25	2.20	176	Y
2	23	5290	29	4.90	195	Y
2	24	5290	26	2.90	202	N
2	25	5290	25	2.50	178	Y
2	26	5290	23	1.10	206	Y
2	27	5290	27	3.80	155	N
2	28	5290	29	4.70	157	Y
2	29	5290	25	2.40	224	Y
2	30	5290	28	4.20	159	N

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
2	1	5530	26	3.20	179	Y
2	2	5530	23	1.10	207	N
2	3	5530	24	2.10	230	Y
2	4	5530	29	4.80	200	Y
2	5	5530	28	3.90	214	Y
2	6	5530	26	2.90	222	Y
2	7	5530	26	3.20	204	Y
2	8	5530	25	2.50	192	Y
2	9	5530	26	3.10	164	Y
2	10	5530	23	1.20	156	Y
2	11	5530	27	3.90	210	Y
2	12	5530	29	4.60	201	Y
2	13	5530	26	3.20	162	Y
2	14	5530	25	2.20	197	Y
2	15	5530	29	4.50	163	Y
2	16	5530	26	3.00	203	Y
2	17	5530	29	5.00	168	Y
2	18	5530	25	2.40	217	N
2	19	5530	26	2.90	191	Y
2	20	5530	25	2.30	166	Y
2	21	5530	27	3.70	150	Y
2	22	5530	25	2.20	176	Y
2	23	5530	29	4.90	195	Y
2	24	5530	26	2.90	202	Y
2	25	5530	25	2.50	178	Y
2	26	5530	23	1.10	206	N
2	27	5530	27	3.80	155	Y
2	28	5530	29	4.70	157	Y
2	29	5530	25	2.40	224	N
2	30	5530	28	4.20	159	Y

Radar Typ	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(u s)	PRI(us)	Detection(Yes / No)
2	1	5250	26	3.20	179	Y
2	2	5250	23	1.10	207	Y
2	3	5250	24	2.10	230	Y
2	4	5250	29	4.80	200	N
2	5	5250	28	3.90	214	Y
2	6	5250	26	2.90	222	Y
2	7	5250	26	3.20	204	Y
2	8	5250	25	2.50	192	Y
2	9	5250	26	3.10	164	Y
2	10	5250	23	1.20	156	Y
2	11	5250	27	3.90	210	Y
2	12	5250	29	4.60	201	Y
2	13	5250	26	3.20	162	N
2	14	5250	25	2.20	197	Y
2	15	5250	29	4.50	163	Y
2	16	5250	26	3.00	203	Y
2	17	5250	29	5.00	168	Y
2	18	5250	25	2.40	217	N
2	19	5250	26	2.90	191	Y
2	20	5250	25	2.30	166	Y
2	21	5250	27	3.70	150	N
2	22	5250	25	2.20	176	Y
2	23	5250	29	4.90	195	Y
2	24	5250	26	2.90	202	Y
2	25	5250	25	2.50	178	Y
2	26	5250	23	1.10	206	Y
2	27	5250	27	3.80	155	Y
2	28	5250	29	4.70	157	Y
2	29	5250	25	2.40	224	Y
2	30	5250	28	4.20	159	Y

Report No.: 2401259035RFC-3
Appendix C

Radar Type	Trial #	Freq(MHz)	Number Pluse per Burst	Pulse Width(us)	PRI(us)	Detection(Yes / No)
3	1	5300	17	8.20	355	Y
3	2	5300	16	6.10	487	Y
3	3	5300	16	7.10	344	Y
3	4	5300	18	9.80	288	Y
3	5	5300	18	8.90	230	Y
3	6	5300	17	7.90	432	Y
3	7	5300	17	8.20	207	Y
3	8	5300	17	7.50	443	N
3	9	5300	17	8.10	439	Y
3	10	5300	16	6.20	223	N
3	11	5300	18	8.90	208	Y
3	12	5300	18	9.60	463	Y
3	13	5300	17	8.20	441	Y
3	14	5300	16	7.20	323	Y
3	15	5300	18	9.50	297	Y
3	16	5300	17	8.00	412	Y
3	17	5300	18	10.00	324	Y
3	18	5300	17	7.40	271	Y
3	19	5300	17	7.90	349	Y
3	20	5300	16	7.30	409	Y
3	21	5300	18	8.70	373	Y
3	22	5300	16	7.20	254	N
3	23	5300	18	9.90	274	Y
3	24	5300	17	7.90	278	Y
3	25	5300	17	7.50	317	Y
3	26	5300	16	6.10	260	Y
3	27	5300	18	8.80	211	Y
3	28	5300	18	9.70	272	Y
3	29	5300	17	7.40	264	N
3	30	5300	18	9.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number Pluse per Burst	Pulse Width(us)	PRI(us)	Detection(Yes / No)
3	1	5500	17	8.20	355	Y
3	2	5500	16	6.10	487	N
3	3	5500	16	7.10	344	Y
3	4	5500	18	9.80	288	Y
3	5	5500	18	8.90	230	Y
3	6	5500	17	7.90	432	Y
3	7	5500	17	8.20	207	Y
3	8	5500	17	7.50	443	Y
3	9	5500	17	8.10	439	Y
3	10	5500	16	6.20	223	N
3	11	5500	18	8.90	208	Y
3	12	5500	18	9.60	463	N
3	13	5500	17	8.20	441	Y
3	14	5500	16	7.20	323	Y
3	15	5500	18	9.50	297	Y
3	16	5500	17	8.00	412	Y
3	17	5500	18	10.00	324	Y
3	18	5500	17	7.40	271	Y
3	19	5500	17	7.90	349	Y
3	20	5500	16	7.30	409	Y
3	21	5500	18	8.70	373	Y
3	22	5500	16	7.20	254	N
3	23	5500	18	9.90	274	Y
3	24	5500	17	7.90	278	Y
3	25	5500	17	7.50	317	Y
3	26	5500	16	6.10	260	Y
3	27	5500	18	8.80	211	Y
3	28	5500	18	9.70	272	N
3	29	5500	17	7.40	264	Y
3	30	5500	18	9.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
3	1	5310	17	8.20	355	Y
3	2	5310	16	6.10	487	Y
3	3	5310	16	7.10	344	Y
3	4	5310	18	9.80	288	N
3	5	5310	18	8.90	230	Y
3	6	5310	17	7.90	432	Y
3	7	5310	17	8.20	207	Y
3	8	5310	17	7.50	443	Y
3	9	5310	17	8.10	439	Y
3	10	5310	16	6.20	223	Y
3	11	5310	18	8.90	208	Y
3	12	5310	18	9.60	463	N
3	13	5310	17	8.20	441	Y
3	14	5310	16	7.20	323	Y
3	15	5310	18	9.50	297	Y
3	16	5310	17	8.00	412	Y
3	17	5310	18	10.00	324	Y
3	18	5310	17	7.40	271	Y
3	19	5310	17	7.90	349	N
3	20	5310	16	7.30	409	N
3	21	5310	18	8.70	373	Y
3	22	5310	16	7.20	254	Y
3	23	5310	18	9.90	274	Y
3	24	5310	17	7.90	278	Y
3	25	5310	17	7.50	317	N
3	26	5310	16	6.10	260	Y
3	27	5310	18	8.80	211	Y
3	28	5310	18	9.70	272	Y
3	29	5310	17	7.40	264	Y
3	30	5310	18	9.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
3	1	5510	17	8.20	355	Y
3	2	5510	16	6.10	487	Y
3	3	5510	16	7.10	344	Y
3	4	5510	18	9.80	288	Y
3	5	5510	18	8.90	230	Y
3	6	5510	17	7.90	432	Y
3	7	5510	17	8.20	207	Y
3	8	5510	17	7.50	443	N
3	9	5510	17	8.10	439	Y
3	10	5510	16	6.20	223	Y
3	11	5510	18	8.90	208	Y
3	12	5510	18	9.60	463	Y
3	13	5510	17	8.20	441	Y
3	14	5510	16	7.20	323	Y
3	15	5510	18	9.50	297	Y
3	16	5510	17	8.00	412	Y
3	17	5510	18	10.00	324	Y
3	18	5510	17	7.40	271	N
3	19	5510	17	7.90	349	Y
3	20	5510	16	7.30	409	Y
3	21	5510	18	8.70	373	Y
3	22	5510	16	7.20	254	Y
3	23	5510	18	9.90	274	Y
3	24	5510	17	7.90	278	Y
3	25	5510	17	7.50	317	N
3	26	5510	16	6.10	260	Y
3	27	5510	18	8.80	211	Y
3	28	5510	18	9.70	272	Y
3	29	5510	17	7.40	264	N
3	30	5510	18	9.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
3	1	5290	17	8.20	355	Y
3	2	5290	16	6.10	487	Y
3	3	5290	16	7.10	344	Y
3	4	5290	18	9.80	288	Y
3	5	5290	18	8.90	230	Y
3	6	5290	17	7.90	432	Y
3	7	5290	17	8.20	207	Y
3	8	5290	17	7.50	443	Y
3	9	5290	17	8.10	439	N
3	10	5290	16	6.20	223	Y
3	11	5290	18	8.90	208	Y
3	12	5290	18	9.60	463	Y
3	13	5290	17	8.20	441	Y
3	14	5290	16	7.20	323	Y
3	15	5290	18	9.50	297	N
3	16	5290	17	8.00	412	Y
3	17	5290	18	10.00	324	Y
3	18	5290	17	7.40	271	Y
3	19	5290	17	7.90	349	Y
3	20	5290	16	7.30	409	Y
3	21	5290	18	8.70	373	N
3	22	5290	16	7.20	254	N
3	23	5290	18	9.90	274	Y
3	24	5290	17	7.90	278	Y
3	25	5290	17	7.50	317	Y
3	26	5290	16	6.10	260	Y
3	27	5290	18	8.80	211	Y
3	28	5290	18	9.70	272	Y
3	29	5290	17	7.40	264	Y
3	30	5290	18	9.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
3	1	5530	17	8.20	355	Y
3	2	5530	16	6.10	487	Y
3	3	5530	16	7.10	344	Y
3	4	5530	18	9.80	288	Y
3	5	5530	18	8.90	230	Y
3	6	5530	17	7.90	432	Y
3	7	5530	17	8.20	207	N
3	8	5530	17	7.50	443	Y
3	9	5530	17	8.10	439	Y
3	10	5530	16	6.20	223	N
3	11	5530	18	8.90	208	N
3	12	5530	18	9.60	463	Y
3	13	5530	17	8.20	441	Y
3	14	5530	16	7.20	323	Y
3	15	5530	18	9.50	297	Y
3	16	5530	17	8.00	412	Y
3	17	5530	18	10.00	324	Y
3	18	5530	17	7.40	271	Y
3	19	5530	17	7.90	349	Y
3	20	5530	16	7.30	409	Y
3	21	5530	18	8.70	373	N
3	22	5530	16	7.20	254	Y
3	23	5530	18	9.90	274	Y
3	24	5530	17	7.90	278	Y
3	25	5530	17	7.50	317	Y
3	26	5530	16	6.10	260	Y
3	27	5530	18	8.80	211	N
3	28	5530	18	9.70	272	Y
3	29	5530	17	7.40	264	Y
3	30	5530	18	9.20	284	Y

Radar Type	Trial #	req(MHz)	Number of Bursts	Pulse Width(u s)	PR(us)	Detection(Yes / No)
3	1	5250	17	8.20	355	Y
3	2	5250	16	6.10	487	Y
3	3	5250	16	7.10	344	Y
3	4	5250	18	9.80	288	Y
3	5	5250	18	8.90	230	Y
3	6	5250	17	7.90	432	Y
3	7	5250	17	8.20	207	Y
3	8	5250	17	7.50	443	Y
3	9	5250	17	8.10	439	Y
3	10	5250	16	6.20	223	Y
3	11	5250	18	8.90	208	Y
3	12	5250	18	9.60	463	Y
3	13	5250	17	8.20	441	Y
3	14	5250	16	7.20	323	N
3	15	5250	18	9.50	297	Y
3	16	5250	17	8.00	412	Y
3	17	5250	18	10.00	324	Y
3	18	5250	17	7.40	271	Y
3	19	5250	17	7.90	349	Y
3	20	5250	16	7.30	409	Y
3	21	5250	18	8.70	373	N
3	22	5250	16	7.20	254	Y
3	23	5250	18	9.90	274	Y
3	24	5250	17	7.90	278	Y
3	25	5250	17	7.50	317	Y
3	26	5250	16	6.10	260	Y
3	27	5250	18	8.80	211	N
3	28	5250	18	9.70	272	Y
3	29	5250	17	7.40	264	N
3	30	5250	18	9.20	284	Y

Report No.: 2401259035RFC-3
Appendix D

Radar Type	Trial #	Freq(MHz)	Number Pluse per Burst	Pulse Width(u s)	PRI(us)	Detection(Yes / No)
4	1	5300	14	16.00	355	Y
4	2	5300	12	11.30	487	Y
4	3	5300	13	13.50	344	Y
4	4	5300	16	19.40	288	Y
4	5	5300	15	17.50	230	Y
4	6	5300	14	15.30	432	Y
4	7	5300	14	15.90	207	Y
4	8	5300	13	14.30	443	Y
4	9	5300	14	15.80	439	Y
4	10	5300	12	11.50	223	Y
4	11	5300	15	17.40	208	Y
4	12	5300	16	19.00	463	N
4	13	5300	14	16.00	441	Y
4	14	5300	13	13.80	323	Y
4	15	5300	16	18.90	297	Y
4	16	5300	14	15.50	412	Y
4	17	5300	16	19.90	324	Y
4	18	5300	13	14.10	271	N
4	19	5300	14	15.20	349	Y
4	20	5300	13	13.80	409	Y
4	21	5300	15	17.10	373	Y
4	22	5300	13	13.80	254	Y
4	23	5300	16	19.80	274	N
4	24	5300	14	15.30	278	N
4	25	5300	13	14.50	317	Y
4	26	5300	12	11.30	260	Y
4	27	5300	15	17.30	211	Y
4	28	5300	16	19.20	272	N
4	29	5300	13	14.20	264	Y
4	30	5300	15	18.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number Pluse per Burst	Pulse Width(u s)	PRI(us)	Detection(Yes / No)
4	1	5500	14	16.00	355	Y
4	2	5500	12	11.30	487	Y
4	3	5500	13	13.50	344	Y
4	4	5500	16	19.40	288	Y
4	5	5500	15	17.50	230	Y
4	6	5500	14	15.30	432	Y
4	7	5500	14	15.90	207	Y
4	8	5500	13	14.30	443	Y
4	9	5500	14	15.80	439	N
4	10	5500	12	11.50	223	Y
4	11	5500	15	17.40	208	Y
4	12	5500	16	19.00	463	Y
4	13	5500	14	16.00	441	Y
4	14	5500	13	13.80	323	Y
4	15	5500	16	18.90	297	Y
4	16	5500	14	15.50	412	Y
4	17	5500	16	19.90	324	Y
4	18	5500	13	14.10	271	Y
4	19	5500	14	15.20	349	Y
4	20	5500	13	13.80	409	N
4	21	5500	15	17.10	373	Y
4	22	5500	13	13.80	254	Y
4	23	5500	16	19.80	274	Y
4	24	5500	14	15.30	278	Y
4	25	5500	13	14.50	317	N
4	26	5500	12	11.30	260	Y
4	27	5500	15	17.30	211	Y
4	28	5500	16	19.20	272	N
4	29	5500	13	14.20	264	Y
4	30	5500	15	18.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(u s)	PRI(us)	Detection(Yes / No)
4	1	5310	14	16.00	355	Y
4	2	5310	12	11.30	487	N
4	3	5310	13	13.50	344	Y
4	4	5310	16	19.40	288	Y
4	5	5310	15	17.50	230	Y
4	6	5310	14	15.30	432	Y
4	7	5310	14	15.90	207	N
4	8	5310	13	14.30	443	Y
4	9	5310	14	15.80	439	Y
4	10	5310	12	11.50	223	Y
4	11	5310	15	17.40	208	Y
4	12	5310	16	19.00	463	Y
4	13	5310	14	16.00	441	Y
4	14	5310	13	13.80	323	Y
4	15	5310	16	18.90	297	Y
4	16	5310	14	15.50	412	Y
4	17	5310	16	19.90	324	N
4	18	5310	13	14.10	271	Y
4	19	5310	14	15.20	349	Y
4	20	5310	13	13.80	409	Y
4	21	5310	15	17.10	373	Y
4	22	5310	13	13.80	254	Y
4	23	5310	16	19.80	274	Y
4	24	5310	14	15.30	278	Y
4	25	5310	13	14.50	317	Y
4	26	5310	12	11.30	260	N
4	27	5310	15	17.30	211	Y
4	28	5310	16	19.20	272	Y
4	29	5310	13	14.20	264	Y
4	30	5310	15	18.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(u s)	PRI(us)	Detection(Yes / No)
4	1	5510	14	16.00	355	Y
4	2	5510	12	11.30	487	Y
4	3	5510	13	13.50	344	N
4	4	5510	16	19.40	288	Y
4	5	5510	15	17.50	230	Y
4	6	5510	14	15.30	432	Y
4	7	5510	14	15.90	207	Y
4	8	5510	13	14.30	443	Y
4	9	5510	14	15.80	439	Y
4	10	5510	12	11.50	223	Y
4	11	5510	15	17.40	208	Y
4	12	5510	16	19.00	463	Y
4	13	5510	14	16.00	441	Y
4	14	5510	13	13.80	323	N
4	15	5510	16	18.90	297	Y
4	16	5510	14	15.50	412	Y
4	17	5510	16	19.90	324	N
4	18	5510	13	14.10	271	Y
4	19	5510	14	15.20	349	Y
4	20	5510	13	13.80	409	Y
4	21	5510	15	17.10	373	Y
4	22	5510	13	13.80	254	Y
4	23	5510	16	19.80	274	Y
4	24	5510	14	15.30	278	N
4	25	5510	13	14.50	317	Y
4	26	5510	12	11.30	260	Y
4	27	5510	15	17.30	211	Y
4	28	5510	16	19.20	272	Y
4	29	5510	13	14.20	264	Y
4	30	5510	15	18.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(u s)	PRI(us)	Detection(Yes / No)
4	1	5290	14	16.00	355	Y
4	2	5290	12	11.30	487	Y
4	3	5290	13	13.50	344	Y
4	4	5290	16	19.40	288	Y
4	5	5290	15	17.50	230	Y
4	6	5290	14	15.30	432	Y
4	7	5290	14	15.90	207	Y
4	8	5290	13	14.30	443	Y
4	9	5290	14	15.80	439	Y
4	10	5290	12	11.50	223	N
4	11	5290	15	17.40	208	Y
4	12	5290	16	19.00	463	Y
4	13	5290	14	16.00	441	Y
4	14	5290	13	13.80	323	Y
4	15	5290	16	18.90	297	Y
4	16	5290	14	15.50	412	Y
4	17	5290	16	19.90	324	Y
4	18	5290	13	14.10	271	Y
4	19	5290	14	15.20	349	N
4	20	5290	13	13.80	409	Y
4	21	5290	15	17.10	373	Y
4	22	5290	13	13.80	254	Y
4	23	5290	16	19.80	274	Y
4	24	5290	14	15.30	278	Y
4	25	5290	13	14.50	317	N
4	26	5290	12	11.30	260	Y
4	27	5290	15	17.30	211	Y
4	28	5290	16	19.20	272	Y
4	29	5290	13	14.20	264	N
4	30	5290	15	18.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(u s)	PRI(us)	Detection(Yes / No)
4	1	5530	14	16.00	355	Y
4	2	5530	12	11.30	487	Y
4	3	5530	13	13.50	344	N
4	4	5530	16	19.40	288	Y
4	5	5530	15	17.50	230	Y
4	6	5530	14	15.30	432	Y
4	7	5530	14	15.90	207	Y
4	8	5530	13	14.30	443	Y
4	9	5530	14	15.80	439	Y
4	10	5530	12	11.50	223	Y
4	11	5530	15	17.40	208	Y
4	12	5530	16	19.00	463	Y
4	13	5530	14	16.00	441	N
4	14	5530	13	13.80	323	Y
4	15	5530	16	18.90	297	Y
4	16	5530	14	15.50	412	Y
4	17	5530	16	19.90	324	Y
4	18	5530	13	14.10	271	Y
4	19	5530	14	15.20	349	N
4	20	5530	13	13.80	409	Y
4	21	5530	15	17.10	373	Y
4	22	5530	13	13.80	254	Y
4	23	5530	16	19.80	274	Y
4	24	5530	14	15.30	278	N
4	25	5530	13	14.50	317	N
4	26	5530	12	11.30	260	Y
4	27	5530	15	17.30	211	Y
4	28	5530	16	19.20	272	Y
4	29	5530	13	14.20	264	Y
4	30	5530	15	18.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(u s)	PRI(us)	Detection(Yes / No)
4	1	5250	14	16.00	355	Y
4	2	5250	12	11.30	487	Y
4	3	5250	13	13.50	344	Y
4	4	5250	16	19.40	288	Y
4	5	5250	15	17.50	230	N
4	6	5250	14	15.30	432	Y
4	7	5250	14	15.90	207	Y
4	8	5250	13	14.30	443	Y
4	9	5250	14	15.80	439	Y
4	10	5250	12	11.50	223	Y
4	11	5250	15	17.40	208	Y
4	12	5250	16	19.00	463	Y
4	13	5250	14	16.00	441	Y
4	14	5250	13	13.80	323	Y
4	15	5250	16	18.90	297	Y
4	16	5250	14	15.50	412	N
4	17	5250	16	19.90	324	Y
4	18	5250	13	14.10	271	Y
4	19	5250	14	15.20	349	Y
4	20	5250	13	13.80	409	N
4	21	5250	15	17.10	373	Y
4	22	5250	13	13.80	254	Y
4	23	5250	16	19.80	274	Y
4	24	5250	14	15.30	278	Y
4	25	5250	13	14.50	317	Y
4	26	5250	12	11.30	260	N
4	27	5250	15	17.30	211	Y
4	28	5250	16	19.20	272	Y
4	29	5250	13	14.20	264	Y
4	30	5250	15	18.20	284	Y

Report No.: 2401259035RFC-3
Appendix E.1

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Burst Period(s)	Center Frequency(GHz)	Detection(Yes / No)
5	1	5300	15	0.8	5.3	Y
5	2	5300	8	1.5	5.3	Y
5	3	5300	11	1.091	5.3	Y
5	4	5300	20	0.6	5.3	Y
5	5	5300	17	0.706	5.3	N
5	6	5300	14	0.857	5.3	Y
5	7	5300	15	0.8	5.3	Y
5	8	5300	12	1	5.3	Y
5	9	5300	14	0.857	5.3	Y
5	10	5300	8	1.5	5.3	Y
5	11	5300	17	0.706	5.304	N
5	12	5300	19	0.632	5.305	Y
5	13	5300	15	0.8	5.303	Y
5	14	5300	12	1	5.302	Y
5	15	5300	19	0.632	5.305	Y
5	16	5300	14	0.857	5.302	Y
5	17	5300	20	0.6	5.306	Y
5	18	5300	12	1	5.302	Y
5	19	5300	14	0.857	5.302	Y
5	20	5300	12	1	5.302	Y
5	21	5300	16	0.75	5.296	Y
5	22	5300	12	1	5.299	Y
5	23	5300	20	0.6	5.294	Y
5	24	5300	14	0.857	5.298	Y
5	25	5300	13	0.923	5.298	Y
5	26	5300	8	1.5	5.3	Y
5	27	5300	17	0.706	5.296	Y
5	28	5300	19	0.632	5.295	Y
5	29	5300	12	1	5.298	N
5	30	5300	18	0.667	5.296	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Burst Period(s)	Center Frequency(GHz)	Detection(Yes / No)
5	1	5500	15	0.8	5.3	Y
5	2	5500	8	1.5	5.3	Y
5	3	5500	11	1.091	5.3	Y
5	4	5500	20	0.6	5.3	N
5	5	5500	17	0.706	5.3	Y
5	6	5500	14	0.857	5.3	Y
5	7	5500	15	0.8	5.3	Y
5	8	5500	12	1	5.3	Y
5	9	5500	14	0.857	5.3	Y
5	10	5500	8	1.5	5.3	Y
5	11	5500	17	0.706	5.304	Y
5	12	5500	19	0.632	5.305	Y
5	13	5500	15	0.8	5.303	Y
5	14	5500	12	1	5.302	Y
5	15	5500	19	0.632	5.305	Y
5	16	5500	14	0.857	5.302	N
5	17	5500	20	0.6	5.306	Y
5	18	5500	12	1	5.302	Y
5	19	5500	14	0.857	5.302	Y
5	20	5500	12	1	5.302	Y
5	21	5500	16	0.75	5.296	Y
5	22	5500	12	1	5.299	Y
5	23	5500	20	0.6	5.294	Y
5	24	5500	14	0.857	5.298	Y
5	25	5500	13	0.923	5.298	Y
5	26	5500	8	1.5	5.3	Y
5	27	5500	17	0.706	5.296	N
5	28	5500	19	0.632	5.295	N
5	29	5500	12	1	5.298	Y
5	30	5500	18	0.667	5.296	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Burst Period(s)	Center Frequency(GHz)	Detection(Yes / No)
5	1	5310	15	0.8	5.3	Y
5	2	5310	8	1.5	5.3	Y
5	3	5310	11	1.091	5.3	Y
5	4	5310	20	0.6	5.3	Y
5	5	5310	17	0.706	5.3	Y
5	6	5310	14	0.857	5.3	Y
5	7	5310	15	0.8	5.3	Y
5	8	5310	12	1	5.3	Y
5	9	5310	14	0.857	5.3	Y
5	10	5310	8	1.5	5.3	N
5	11	5310	17	0.706	5.304	Y
5	12	5310	19	0.632	5.305	Y
5	13	5310	15	0.8	5.303	Y
5	14	5310	12	1	5.302	Y
5	15	5310	19	0.632	5.305	Y
5	16	5310	14	0.857	5.302	Y
5	17	5310	20	0.6	5.306	Y
5	18	5310	12	1	5.302	N
5	19	5310	14	0.857	5.302	Y
5	20	5310	12	1	5.302	Y
5	21	5310	16	0.75	5.296	Y
5	22	5310	12	1	5.299	Y
5	23	5310	20	0.6	5.294	Y
5	24	5310	14	0.857	5.298	Y
5	25	5310	13	0.923	5.298	N
5	26	5310	8	1.5	5.3	Y
5	27	5310	17	0.706	5.296	Y
5	28	5310	19	0.632	5.295	Y
5	29	5310	12	1	5.298	N
5	30	5310	18	0.667	5.296	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Burst Period(s)	Center Frequency(GHz)	Detection(Yes / No)
5	1	5510	15	0.8	5.3	Y
5	2	5510	8	1.5	5.3	Y
5	3	5510	11	1.091	5.3	Y
5	4	5510	20	0.6	5.3	Y
5	5	5510	17	0.706	5.3	Y
5	6	5510	14	0.857	5.3	N
5	7	5510	15	0.8	5.3	Y
5	8	5510	12	1	5.3	Y
5	9	5510	14	0.857	5.3	Y
5	10	5510	8	1.5	5.3	Y
5	11	5510	17	0.706	5.304	Y
5	12	5510	19	0.632	5.305	Y
5	13	5510	15	0.8	5.303	Y
5	14	5510	12	1	5.302	Y
5	15	5510	19	0.632	5.305	Y
5	16	5510	14	0.857	5.302	Y
5	17	5510	20	0.6	5.306	Y
5	18	5510	12	1	5.302	N
5	19	5510	14	0.857	5.302	Y
5	20	5510	12	1	5.302	Y
5	21	5510	16	0.75	5.296	Y
5	22	5510	12	1	5.299	Y
5	23	5510	20	0.6	5.294	Y
5	24	5510	14	0.857	5.298	Y
5	25	5510	13	0.923	5.298	Y
5	26	5510	8	1.5	5.3	N
5	27	5510	17	0.706	5.296	Y
5	28	5510	19	0.632	5.295	Y
5	29	5510	12	1	5.298	Y
5	30	5510	18	0.667	5.296	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Burst Period(s)	Center Frequency(GHz)	Detection(Yes / No)
5	1	5290	15	0.8	5.3	Y
5	2	5290	8	1.5	5.3	Y
5	3	5290	11	1.091	5.3	Y
5	4	5290	20	0.6	5.3	N
5	5	5290	17	0.706	5.3	Y
5	6	5290	14	0.857	5.3	Y
5	7	5290	15	0.8	5.3	Y
5	8	5290	12	1	5.3	Y
5	9	5290	14	0.857	5.3	Y
5	10	5290	8	1.5	5.3	Y
5	11	5290	17	0.706	5.304	Y
5	12	5290	19	0.632	5.305	N
5	13	5290	15	0.8	5.303	Y
5	14	5290	12	1	5.302	Y
5	15	5290	19	0.632	5.305	Y
5	16	5290	14	0.857	5.302	Y
5	17	5290	20	0.6	5.306	Y
5	18	5290	12	1	5.302	Y
5	19	5290	14	0.857	5.302	Y
5	20	5290	12	1	5.302	N
5	21	5290	16	0.75	5.296	Y
5	22	5290	12	1	5.299	Y
5	23	5290	20	0.6	5.294	Y
5	24	5290	14	0.857	5.298	Y
5	25	5290	13	0.923	5.298	N
5	26	5290	8	1.5	5.3	Y
5	27	5290	17	0.706	5.296	Y
5	28	5290	19	0.632	5.295	Y
5	29	5290	12	1	5.298	Y
5	30	5290	18	0.667	5.296	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Burst Period(s)	Center Frequency(GHz)	Detection(Yes / No)
5	1	5530	15	0.8	5.3	Y
5	2	5530	8	1.5	5.3	Y
5	3	5530	11	1.091	5.3	Y
5	4	5530	20	0.6	5.3	Y
5	5	5530	17	0.706	5.3	Y
5	6	5530	14	0.857	5.3	Y
5	7	5530	15	0.8	5.3	Y
5	8	5530	12	1	5.3	Y
5	9	5530	14	0.857	5.3	N
5	10	5530	8	1.5	5.3	Y
5	11	5530	17	0.706	5.304	Y
5	12	5530	19	0.632	5.305	Y
5	13	5530	15	0.8	5.303	Y
5	14	5530	12	1	5.302	Y
5	15	5530	19	0.632	5.305	Y
5	16	5530	14	0.857	5.302	Y
5	17	5530	20	0.6	5.306	Y
5	18	5530	12	1	5.302	Y
5	19	5530	14	0.857	5.302	Y
5	20	5530	12	1	5.302	N
5	21	5530	16	0.75	5.296	Y
5	22	5530	12	1	5.299	Y
5	23	5530	20	0.6	5.294	Y
5	24	5530	14	0.857	5.298	Y
5	25	5530	13	0.923	5.298	Y
5	26	5530	8	1.5	5.3	Y
5	27	5530	17	0.706	5.296	Y
5	28	5530	19	0.632	5.295	Y
5	29	5530	12	1	5.298	N
5	30	5530	18	0.667	5.296	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Burst Period(s)	CenterFrequency(GHz)	Detection(Yes / No)
5	1	5250	15	0.8	5.3	Y
5	2	5250	8	1.5	5.3	Y
5	3	5250	11	1.0909	5.3	Y
5	4	5250	20	0.6	5.3	Y
5	5	5250	17	0.7059	5.3	N
5	6	5250	14	0.8571	5.3	Y
5	7	5250	15	0.8	5.3	Y
5	8	5250	12	1	5.3	Y
5	9	5250	14	0.8571	5.3	Y
5	10	5250	8	1.5	5.3	Y
5	11	5250	17	0.7059	5.304	Y
5	12	5250	19	0.6316	5.305	N
5	13	5250	15	0.8	5.303	Y
5	14	5250	12	1	5.302	N
5	15	5250	19	0.6316	5.305	Y
5	16	5250	14	0.8571	5.302	Y
5	17	5250	20	0.6	5.306	Y
5	18	5250	12	1	5.302	Y
5	19	5250	14	0.8571	5.302	Y
5	20	5250	12	1	5.302	Y
5	21	5250	16	0.75	5.296	Y
5	22	5250	12	1	5.299	Y
5	23	5250	20	0.6	5.294	N
5	24	5250	14	0.8571	5.298	Y
5	25	5250	13	0.9231	5.298	Y
5	26	5250	8	1.5	5.3	Y
5	27	5250	17	0.7059	5.296	Y
5	28	5250	19	0.6316	5.295	Y
5	29	5250	12	1	5.298	N
5	30	5250	18	0.6667	5.296	Y

Report No.: 2401259035RFC-3
Appendix E.2

[illegible]

Trial ID	Radial Type	Number of Bursts		Burst Period(s)	Waveform lengths (ns)	Center Frequency (GHz)						
		1	5				10	12	15	20	25	30
1	Burst ID	Burst Offset (us)	Pulse Width (ns)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)				
		0	630185	77.3	13	2	1065			1477		
		1	32674	51.9	9	1	1074					
		2	226294	63.8	13	1	1384					
		3	412767	96.6	13	3	1282			1786	1843	
		4	611152	85.5	13	1	1769			1213	1729	
		5	8789	73.2	13	2	1198			1549		
		6	201912	77.7	13	3	1637			1819		
		7	295250	68.4	13	1	1387				1114	
		8	388564	76.1	13	2	1000			1352		
		9	176493	53.4	9	1	1147					
		10	775983	87.6	13	3	1433			1665	1394	
		11	270824	94.4	13	1	1070			1426	1935	
		12	564843	77.1	13	2	1294			1671		
		13	735683	86.5	13	1	1512					
2	5	145262	93.1	13	1	1444			1130	1468		
3	Burst ID	Burst Offset (us)	Pulse Width (ns)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)				
		0	453020	77	5	2	1886			1527		
		1	1015643	99.4	5	3	1401			2262	1257	
		2	1370398	67.4	5	2	1531			1403		
		3	245489	73.6	5	2	1449					
		4	400113	65.1	5	1	1432					
		5	705852	83.8	5	2	1556			1262	1419	
		6	1335913	65.5	5	1	1543					
		7	290406	98.7	5	2	1548			1786	1728	
		8	0		1.060991	12	5.5					
		Burst 10	Burst Offset (us)	Pulse Width (ns)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)			
		0	409565	73.9	9	2	1808			1538		
		1	672992	69.5	9	2	1117			1649		
		2	938562	59.1	9	1	1651					
		3	113259	84.6	9	3	1976			1026	1271	
4	270726	95.5	9	1	1963			1388				
5	641212	69.9	9	2	1308			1351				
6	903714	89.6	9	2	1338			1514	1573			
7	80881	61.1	9	1	1023							
8	344067	88.3	9	2	1810			1530	1838			
9	609331	53.7	9	1	1597							
10	815142	91.3	9	3	1961			1108	1001			
4	5	0		0.5	12	5.5						
5	Burst ID	Burst Offset (us)	Pulse Width (ns)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)				
		0	29541	68	19	2	1339			1335		
		1	171821	58.7	19	1	1261					
		2	316229	75.3	19	2	1136			1640		
		3	46184	56.4	19	1	1753					
		4	8617	92	19	2	1166			1708	1159	
		5	155995	57.7	19	1	1013					
		6	299328	59.5	19	1	1072					
		7	431177		19	1	1476					
		8	387921	82.8	19	2	1993			1197		
		9	135674	82.8	19	2	1983			1005		
		10	279268	88	19	3	1061			1928	1101	
		11	424270	62.3	19	1	1207			1617	1223	
		12	570132	70.4	19	2	1526			1360		
		13	117439	95.3	19	3	1171			1955	1715	
14	262502	81.9	19	2	1699			1545				
15	406373	98	19	2	1793			1699	1082			
16	555328	69.5	19	1	1767							
17	97299	85.4	19	3	1011			1637	1425			
18	244065	61	19	1	1678			1445	1355			
19	300012	67.3	19	2	1091			1218				
5	5	17	0.7058824	12	5.5							
6	Burst ID	Burst Offset (us)	Pulse Width (ns)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)				
		0	629614	67.9	9	2	1320			1132		
		1	166386	62.3	9	1	1057					
		2	267719	53	9	1	1360					
		3	436784	74.3	9	3	1900			1153	1346	
		4	606289	77.1	9	2	1166			1646		
		5	71610	83.9	9	3	1278			1232	1439	
		6	245638	99.1	9	2	1249			1384	1393	
		7	416555	81.8	9	1	1833			1676		
		8	588736	70.3	9	1	1075					
		9	54371	52.3	9	1	1116			1996		1796
		10	225175	62.3	9	2	1225			1815		
		11	394835	90.6	9	3	1884			1465	1132	
		12	985261	90.6	9	3	1561			1040	1134	
		13	33041	96.3	9	2	1596			1813	1792	
14	203957	97.6	9	3	1365			1073	1361			
15	372812	84.7	9	3	1021			1718	1854			
16	544060	96.7	9	1	1150			1244	1988			
6	5	14	0.8571429	12	5.5							
7	Burst ID	Burst Offset (us)	Pulse Width (ns)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)				
		0	15438	92.9	12	3	1085			1554	1407	
1	222480	67.7	12	2	1744			1747				

Trial ID	Rad. Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)	Number of Pulses per Burst			
						PR-1 (us)	PR-2 (us)	PR-3 (us)	
1	Type 5	15	15	0.8	12	5, 31	-	-	
		Burst ID	Burst Offset (us)	Pulse Width (ns)	Chirp Width (MHz)	Number of Pulses per Burst	PR-1 (us)	PR-2 (us)	PR-3 (us)
		0	626185	77.8	13	2	1665	-	1477
		1	126674	51.9	13	1	1074	-	-
		2	226294	63.8	13	1	1584	-	-
		3	412970	96.0	13	3	1882	1286	1841
		4	611152	85.9	13	2	1795	1215	1729
		5	87890	73.7	13	2	1198	1549	-
		6	201047	72.2	13	2	1837	1819	-
		7	265230	68.4	13	1	1387	-	-
		8	885864	96.3	13	2	2000	1153	-
		9	783784	53.2	13	1	1147	-	-
		10	174553	85.7	13	3	1433	1695	-
		11	370834	76.3	13	2	1670	1429	1835
		12	564863	77.6	13	2	1294	1671	-
2	Type 5	15	15	0.8	12	5, 31	-	-	
		Burst ID	Burst Offset (us)	Pulse Width (ns)	Chirp Width (MHz)	Number of Pulses per Burst	PR-1 (us)	PR-2 (us)	PR-3 (us)
		0	653202	75	9	2	1880	1527	-
		1	1015643	99.4	9	2	1401	1282	1257
		2	1376798	67.4	9	2	1531	1403	-
		3	245489	65.9	9	2	1449	1941	-
		4	699113	65.9	9	1	1432	-	-
		5	970852	83.8	9	3	1356	1292	1415
		6	1335913	65.5	9	1	1543	-	-
		7	200468	98.4	9	2	1548	1706	1728
3	Type 5	11	11	0.090901	12	5, 31	-	-	
		Burst ID	Burst Offset (us)	Pulse Width (ns)	Chirp Width (MHz)	Number of Pulses per Burst	PR-1 (us)	PR-2 (us)	PR-3 (us)
		0	409565	73.8	9	2	1806	1538	-
		2	938562	51.9	9	0	1117	1649	-
		3	113269	84.0	9	3	1676	1032	1271
		4	376729	65.9	9	1	1963	1386	1388
		5	641212	68	9	2	1368	1351	1517
		6	903714	89.6	9	0	1338	1514	1834
		7	80861	86.9	9	1	1022	1665	-
		8	344067	88.3	9	0	1810	1330	1378
		9	609531	53.7	9	1	1597	-	-
		10	871542	90.3	9	3	1961	1106	1001
4	Type 5	10	10	0.6	12	5, 31	-	-	
		Burst ID	Burst Offset (us)	Pulse Width (ns)	Chirp Width (MHz)	Number of Pulses per Burst	PR-1 (us)	PR-2 (us)	PR-3 (us)
		0	26541	68.1	19	2	1339	1355	-
		1	171821	58.7	19	2	1251	-	-
		2	216229	75.3	19	2	1136	1640	-
		3	416964	56.4	19	1	1753	-	-
		4	8677	92.7	12	1	1196	1708	1155
		5	153995	57.7	19	1	1013	-	-
		6	299238	59.5	19	1	1072	-	-
7	431777	82	19	2	1968	1360	-		
8	387671	82	19	2	1963	1197	-		
9	135674	82.8	19	2	1883	1005	-		
10	276928	88	19	3	1061	1628	1101		
11	424279	53.2	19	1	1207	1967	1777		
12	570132	70.4	19	0	1526	1390	-		
13	1117439	95.3	19	3	1171	1955	1775		
14	282950	81.9	19	0	1690	1543	1855		
15	406572	86.9	19	1	1975	1169	1063		
16	553238	65	19	1	1767	-	-		
17	97279	91.4	19	3	1011	1637	1421		
18	244965	53.2	19	0	1678	1445	1323		
19	390012	67.3	19	2	1091	1218	-		
5	Type 5	17	17	0.0758804	12	5, 31	-	-	
		Burst ID	Burst Offset (us)	Pulse Width (ns)	Chirp Width (MHz)	Number of Pulses per Burst	PR-1 (us)	PR-2 (us)	PR-3 (us)
		0	629614	67.9	10	2	1320	1133	-
		1	196356	62.3	10	1	1957	-	-
		2	267719	50	11	1	1592	-	-
		3	435784	83.3	10	3	1900	1153	1346
		4	608289	77.1	10	2	1160	1464	-
		5	75610	83.9	10	3	1278	1232	1455
		6	245538	91.6	10	2	1940	1384	1829
		7	716355	81.8	10	2	1833	1674	-
		8	588736	50.3	10	1	1075	-	-
		9	445571	80.7	10	1	1110	1908	1756
		10	925715	71.3	10	0	1525	1813	-
		11	1394825	97.5	10	3	1884	1465	1135
		12	565361	90.0	10	3	1561	1040	1354
13	33943	88.8	10	1	1596	1153	1292		
14	203957	97.6	10	3	1365	1077	1361		
15	373812	84.7	10	2	1021	1718	1851		
16	544060	96.7	10	2	1150	1244	1985		
6	Type 5	14	14	0.8571429	12	5, 31	-	-	
		Burst ID	Burst Offset (us)	Pulse Width (ns)	Chirp Width (MHz)	Number of Pulses per Burst	PR-1 (us)	PR-2 (us)	PR-3 (us)
		0	15438	92.9	12	3	1985	1564	1407
1	122489	67.7	12	2	1744	1747	-		

Trial ID	Radar Type	Burst			Waveform	Length (m)	Center Frequency (GHz)	Pulse		
		Type	Number of Bursts	Burst Period (s)				Width (μs)	Rate (1/s)	Power (dBm)
1	5	Burst	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	630185	77.8	10	3	1966	1477	-
			1	52074	51.9	13	3	1074	-	-
			2	259294	63.8	13	1	1584	-	-
			3	417976	96.6	13	3	1682	1786	1843
			3	611152	85.9	9	3	1763	1215	1729
			5	8780	73.7	13	2	1198	1540	-
			6	201917	77.2	13	2	1837	1819	-
			8	285530	68.4	13	2	1587	1881	1114
			8	388564	76.7	13	2	2000	1152	-
			9	783794	53.2	13	1	1147	-	-
			10	177933	85.2	13	3	1433	1693	1691
			11	370804	94.5	9	3	1670	1428	1935
			12	564893	77.6	13	2	1294	1671	-
			13	719583	65.7	13	1	1512	-	-
2	5	Burst	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			14	154262	92.5	10	3	1444	1130	1468
			15	85.5	12	5.51	-	-	-	-
			0	653026	76	3	3	1880	1527	-
			1	1015643	99.4	3	3	1401	1202	1257
			2	1379368	67.4	3	2	1531	1403	-
			3	245489	73.6	3	2	1449	1041	-
			5	609112	65.9	9	1	1432	-	-
			7	970552	83.8	3	3	1356	1290	1419
			6	1335913	65.5	3	1	1543	-	-
			7	260406	68.6	4	3	1548	1796	1728
			16	11.0509091	12	5.51	-	-	-	-
			0	409565	73.8	3	2	1806	1538	-
			1	873992	69.5	3	2	1117	1649	-
			3	5	Burst	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst
2	938562	51.9				3	1	1651	-	-
3	112129	84.0				3	3	1976	1308	1271
3	379726	99.5				10	10	1903	1492	1388
3	646808	68				9	2	1308	1351	-
6	960714	89.6				6	3	1338	1514	1573
8	83863	81.3				9	3	1022	1686	-
3	344057	88.3				3	3	1810	1330	1838
9	609333	53.7				3	1	1597	-	-
10	871542	91.3				3	3	1961	1106	1001
10	80	0.5				12	5.51	-	-	-
0	26541	68.1				10	2	1339	1356	-
1	171821	58.7	19	1	1251	-	-			
2	316229	75.3	19	2	1136	1640	-			
3	461864	56.4	19	1	1753	-	-			
4	8677	99.7	2	3	1196	1708	1159			
5	153992	57.7	19	1	1013	-	-			
6	299238	59.5	19	1	1072	-	-			
7	443177	80	19	2	1462	1360	-			
8	3834761	82	9	2	1993	1397	-			
9	135674	82.8	19	2	1883	1005	-			
10	279928	88	19	3	1061	1928	1101			
11	424276	98.2	19	3	1207	1957	1223			
12	570132	70.4	19	2	1526	1380	-			
13	117439	95.3	19	3	1171	1955	1775			
14	262504	81.9	19	2	1690	1545	-			
15	406871	98.3	19	3	1673	1169	1062			
16	553328	65.3	19	1	1767	-	-			
17	97499	85.4	19	3	1041	1617	1425			
18	744995	91.6	19	3	1878	1445	1325			
19	390012	87.3	19	2	1091	1128	-			
4	5	Burst	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	620614	67.9	16	2	1320	1133	-
			1	198556	62.3	16	1	1957	-	-
			2	287719	53.3	16	2	1973	1169	-
			3	436784	90	16	3	1900	1153	1346
			4	698269	77.1	16	2	1166	1646	-
			5	75610	83.9	16	3	1278	1232	1459
			6	245638	92	16	2	1284	1284	1039
			7	416355	81.8	16	2	1833	1677	-
			8	588736	50.3	16	1	1075	-	-
			9	44571	87.1	16	1	1118	1996	1796
			10	225121	70.3	16	2	1252	1813	-
			11	394825	97.5	16	3	1884	1465	1132
			12	565361	90.6	16	3	1561	1040	1354
			13	132841	98.5	16	1	1596	1184	1792
14	203957	97.6	16	3	1365	1073	1361			
15	373812	84.7	16	3	1021	1718	1854			
16	544069	99.7	16	3	1150	1244	1988			
5	5	Burst	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	15438	92.9	13	3	1082	1564	1407
			1	222489	67.7	12	2	1744	1747	-

7	Type 5	15	0.8	12	5.3	2	430731	65.8	12	1	1092	-	-
						3	637784	56.3	12	1	1851	-	-
						4	845342	53.7	12	1	1727	-	-
						5	196720	83.5	12	3	1679	1930	1025
						6	404955	65.8	12	1	1519	-	-
						7	610711	85.9	12	3	1134	1034	1808
						8	818057	78.3	12	2	1608	1926	-
						9	171459	81.5	12	2	1891	1714	-
						10	377969	89.4	12	3	1310	1504	1827
						11	586975	63.4	12	1	1568	-	-
						12	792834	69.6	12	2	1307	1925	-
						13	146044	74.5	12	2	1264	1846	-
						8	Type 5	12	1	12	5.3	0	329022
1	521718	96.7	13	3	1829							1799	1154
2	114223	98.5	13	3	1923							1386	1865
3	112450	73.3	13	2	1908							1318	-
4	306283	55.8	13	1	1688							-	-
5	500239	55.4	13	1	1145							-	-
6	690922	85.3	13	2	1336							1504	1820
7	88645	79.4	13	2	1344							1893	-
8	282508	65.7	13	1	1476							-	-
9	475842	68.6	13	2	1008							1028	-
10	667887	77.7	13	2	1972							1835	-
11	64845	79.6	13	2	1882							1331	-
12	257725	94.9	13	3	1830							1070	1349
9	Type 5	14	0.8571429	12	5.3	0	425233	61.4	13	1	1451	-	-
						1	643395	90.6	13	3	1233	1562	1887
						2	8571429	12	5.3				
						3	51446	52.6	10	1	1210	-	-
						4	292096	84.1	10	3	1314	1725	1529
						5	533989	97.7	10	3	1139	1868	1805
						6	775584	97.3	10	3	1341	1446	1755
						7	21542	98.8	10	3	1544	1386	1302
						8	263385	72.2	10	2	1771	1184	-
						9	955881	67.6	10	2	1173	1027	-
						10	747058	75.7	10	2	1029	1871	-
						11	989976	66.9	10	1	1798	-	-
						12	234024	64.2	10	1	1138	-	-
10	Type 5	17	0.7058824	16	5.3039	0	475207	78.8	10	2	1784	1694	-
						1	713825	87.5	10	3	1511	1712	1683
						2	8571429	12	5.3				
						3	823112	54.1	13	1	1415	-	-
						4	174965	50.7	13	1	1221	-	-
						5	382216	52.3	13	1	1974	-	-
						6	387395	99.8	13	2	1558	1696	1949
						7	796897	68.4	13	2	1014	1099	-
						8	149042	80.8	13	2	1736	1505	-
						9	356750	62.5	13	1	1778	-	-
						10	563824	74.8	13	2	1149	1204	-
						11	772314	50.8	13	1	1049	-	-
						12	123796	54	13	1	1417	-	-
11	Type 5	19	0.6315789	12	5.5051	0	331215	63	13	1	1730	-	-
						1	574492	91.8	13	3	1143	1270	1347
						2	744805	79.3	13	2	1274	1992	-
						3	98172	64.3	13	1	1937	-	-
						4	535615	63.4	6	1	1043	-	-
						5	898698	52	6	1	1863	-	-
						6	1259235	97.2	6	3	1973	1603	1583
						7	127106	78.7	6	2	1466	1743	-
						8	460358	74.2	6	2	1280	1219	-
						9	852409	88.7	6	3	1292	1934	1273
						10	1217152	54.3	6	1	1991	-	-
						11	82296	95.4	6	3	1580	1555	1791
						12	Type 5	19	0.6315789	12	5.5051	0	209249
1	378386	97.4	16	3	1942							1754	1613
2	548411	91.7	16	3	1999							1702	1462
3	17733	66.2	16	1	1393							-	-
4	187952	70.8	16	2	1968							1821	-
5	359277	52.3	16	1	1740							-	-
6	528886	78.9	16	2	1308							1984	-
7	700166	70.9	16	2	1050							1358	-
8	167197	75.6	16	2	1437							1430	-
9	338262	59.1	16	1	1697							-	-
10	508324	77	16	2	1397							1304	-
11	678699	67.9	16	2	1803							1083	-
12	146031	81.2	16	2	1720							1932	-

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	263736	98.9	19	3	1381	1680	1488
1	416469	82.3	19	2	1716	1853	-
2	567902	86.7	19	3	1211	1400	1919
3	92979	89.7	19	3	1861	1008	1282
4	245135	98.9	19	3	1307	1194	1461
5	397699	71.1	19	2	1921	1789	-
6	551431	55.9	19	1	1947	-	-
7	74413	67.9	19	2	1350	1372	-
8	265539	84.4	19	3	1263	1107	1443
9	380056	58.8	19	1	1715	-	-
10	533408	65.6	19	1	1017	-	-
11	55547	78.5	19	2	1911	1704	-
12	207876	82.3	19	2	1845	1089	-
13	359771	90.1	19	3	1938	1071	1266
14	511297	90.2	19	3	1989	1089	1950
15	39803	83.1	19	2	1943	1406	-
16	189552	58.8	19	1	1742	-	-
17	341899	77	19	2	1187	1657	-
18	495737	55	19	1	1012	-	-
13 Type 5	15	0.8	12	5, 3022	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	22911	58.1	13	1	1929	-	-
1	216473	59.1	13	1	1910	-	-
2	410054	59.9	13	1	1971	-	-
3	603671	60.2	13	1	1812	-	-
4	794160	95.9	13	3	1399	1906	1608
5	192251	78.9	13	2	1628	1859	-
6	385590	78.5	13	2	1238	1917	-
7	579862	53.8	13	1	1763	-	-
8	773423	64.7	13	1	1800	-	-
9	168898	61.4	13	1	1360	-	-
10	361606	83.2	13	2	1692	1858	-
11	553866	84.7	13	3	1533	1677	1638
12	747241	88.7	13	3	1703	1528	1058
13	144710	78.3	13	2	1258	1951	-
14	337856	69.3	13	2	1731	1717	-
14 Type 5	12	1	12	5, 5015	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	664275	75.3	10	2	1994	1612	-
1	967886	56.3	10	1	1456	-	-
2	133118	67.7	10	2	1812	1185	-
3	393746	55.6	10	1	1337	-	-
4	635093	75.2	10	2	1421	1267	-
5	876993	76.3	10	2	1359	1305	-
6	121278	85.7	10	3	1347	1382	1924
7	362696	98.4	10	3	1873	1550	1249
8	604342	86.4	10	3	1779	1439	1046
9	846453	83.6	10	3	1059	1031	1452
10	91871	63.3	10	1	1328	-	-
11	333050	92.4	10	3	1412	1673	1322
15 Type 5	19	0.6315789	12	5, 5047	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	361323	93.3	18	3	1983	1912	1535
1	515261	69.1	18	2	1102	1794	-
2	39025	86.9	18	3	1044	1152	1148
3	195900	84.9	18	3	1894	1948	1118
4	343941	72.3	18	2	1094	1916	-
5	497624	51.7	18	1	1447	-	-
6	20219	58.3	18	1	1429	-	-
7	172999	60.8	18	1	1979	-	-
8	325872	57.1	18	1	1641	-	-
9	475841	88.9	18	3	1886	1964	1489
10	1489	72	18	2	1999	1297	-
11	153647	90.9	18	3	1261	1566	1370
12	307096	59.8	18	1	1552	-	-
13	438804	70	18	2	1759	1291	-
14	610798	67.2	18	2	1625	1881	-
15	134759	91.2	18	3	1382	1832	1661
16	288306	56.5	18	1	1483	-	-
17	441296	51.2	18	1	1237	-	-
18	592780	74.1	18	2	1471	1245	-
16 Type 5	14	0.8571429	12	5, 5023	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	158286	76.9	12	2	1110	1140	-
1	366024	50.2	12	1	1316	-	-
2	573452	62.9	12	1	1520	-	-
3	789619	64.7	12	3	1902	1902	1902
4	132455	83.8	12	3	1410	1097	1621
5	340207	65.4	12	1	1944	-	-
6	548208	53.2	12	1	1024	-	-
7	755333	51.7	12	1	1603	-	-
8	107117	78.7	12	2	804	1168	-
9	314500	72.4	12	2	1030	1343	-
10	822447	53.8	12	1	1227	-	-
11	728517	73.6	12	2	1524	1553	-
12	81611	66.7	12	2	1722	1122	-
13	288948	82.5	12	2	1404	1019	-
17 Type 5	29	0.6	12	5, 5055	-	-	-

Y

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	263736	98.9	19	3	1381	1680	1488
1	416469	82.3	19	2	1716	1853	-
2	567902	86.7	19	3	1211	1400	1919
3	92979	89.7	19	3	1861	1008	1282
4	245135	98.9	19	3	1307	1194	1461
5	397699	71.1	19	2	1921	1789	-
6	551431	55.9	19	1	1947	-	-
7	74413	67.9	19	2	1350	1372	-
8	265539	84.4	19	3	1263	1107	1443
9	380056	58.8	19	1	1715	-	-
10	533408	65.6	19	1	1017	-	-
11	55547	78.5	19	2	1911	1704	-
12	207876	82.3	19	2	1845	1089	-
13	359771	90.1	19	3	1938	1071	1266
14	511297	90.2	19	3	1989	1089	1950
15	39803	83.1	19	2	1943	1406	-
16	189552	58.8	19	1	1742	-	-
17	341899	77	19	2	1187	1657	-
18	495737	55	19	1	1012	-	-
13 Type 5	15	0.8	12	5, 5027	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	22911	58.1	13	1	1929	-	-
1	216473	59.1	13	1	1910	-	-
2	410054	59.9	13	1	1971	-	-
3	603671	60.2	13	1	1812	-	-
4	794160	95.9	13	3	1399	1906	1608
5	192251	78.9	13	2	1628	1859	-
6	385590	78.5	13	2	1238	1917	-
7	579862	53.8	13	1	1763	-	-
8	773423	64.7	13	1	1800	-	-
9	168898	61.4	13	1	1360	-	-
10	361606	83.2	13	2	1692	1858	-
11	553866	84.7	13	3	1533	1677	1638
12	747241	88.7	13	3	1703	1528	1058
13	144710	78.3	13	2	1258	1951	-
14	337856	69.3	13	2	1731	1717	-
14 Type 5	12	1	12	5, 5015	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	664275	75.3	10	2	1994	1612	-
1	967886	56.3	10	1	1456	-	-
2	133118	67.7	10	2	1812	1185	-
3	393746	55.6	10	1	1337	-	-
4	635093	75.2	10	2	1421	1267	-
5	876993	76.3	10	2	1359	1305	-
6	121278	85.7	10	3	1347	1382	1924
7	362696	98.4	10	3	1873	1550	1249
8	604342	86.4	10	3	1779	1439	1046
9	846453	83.6	10	3	1059	1031	1452
10	91871	63.3	10	1	1328	-	-
11	333050	92.4	10	3	1412	1673	1322
15 Type 5	19	0.6315789	12	5, 5047	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	361323	93.3	18	3	1983	1912	1535
1	515261	69.1	18	2	1102	1794	-
2	39025	86.9	18	3	1044	1152	1148
3	195900	84.9	18	3	1894	1948	1118
4	343941	72.3	18	2	1094	1916	-
5	497624	51.7	18	1	1447	-	-
6	20219	58.3	18	1	1429	-	-
7	172999	60.8	18	1	1979	-	-
8	325872	57.1	18	1	1641	-	-
9	475841	88.9	18	3	1886	1964	1489
10	1489	72	18	2	1999	1297	-
11	153647	90.9	18	3	1261	1566	1370
12	307096	59.8	18	1	1552	-	-
13	438804	70	18	2	1759	1291	-
14	610798	67.2	18	2	1625	1881	-
15	134759	91.2	18	3	1382	1832	1661
16	288306	56.5	18	1	1483	-	-
17	441296	51.2	18	1	1237	-	-
18	592780	74.1	18	2	1471	1245	-
16 Type 5	14	0.8571429	12	5, 5023	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	158286	76.9	12	2	1110	1140	-
1	366024	50.2	12	1	1316	-	-
2	573452	62.9	12	1	1520	-	-
3	789619	64.7	12	3	1902	1902	1902
4	132455	83.8	12	3	1410	1097	1621
5	340207	65.4	12	1	1944	-	-
6	548208	53.2	12	1	1024	-	-
7	755333	51.7	12	1	1603	-	-
8	107117	78.7	12	2	804	1168	-
9	314500	72.4	12	2	1030	1343	-
10	822447	53.8	12	1	1227	-	-
11	728517	73.6	12	2	1524	1553	-
12	81611	66.7	12	2	1722	1122	-
13	288948	82.5	12	2	1404	1019	-
17 Type 5	29	0.6	12	5, 5055	-	-	-

Y

Y

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	263736	98.9	19	3	1381	1680	1488
1	116459	82.3	19	2	1718	1853	-
2	267902	86.7	19	3	1211	1400	1919
3	429779	89.7	19	3	1861	1080	1282
4	345155	98.9	19	3	1607	1184	1641
5	367609	71.1	19	2	1921	1789	-
6	351431	55.9	19	1	1947	-	-
7	74413	67.7	19	2	1350	1372	-
8	226539	84.4	19	12	1203	1107	1443
9	380056	58.6	19	1	1715	-	-
10	533408	65.8	19	1	1017	-	-
11	55547	78.3	19	3	1911	-	1704
12	203770	82.3	19	3	1845	1686	-
13	359771	90.1	19	3	1938	1071	1265
14	515292	90.2	19	3	1989	1080	1950
15	28803	83.4	19	3	1943	1406	-
16	189652	58.8	19	1	1742	-	-
17	341809	77.7	19	2	1187	1657	-
18	495737	65.9	19	2	1012	-	-
19	15	0	0.9	12	5.3127	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	22911	58.2	13	1	1926	-	-
1	316473	52.1	13	1	1910	-	-
2	410094	59.9	13	1	1971	-	-
3	632671	60.2	13	1	1812	-	-
4	734163	65.9	13	12	1296	-	-
5	192251	79.9	13	3	1626	1906	1608
6	385590	78.5	13	2	1238	-	1917
7	278982	53.4	13	1	1163	-	-
8	712323	69.1	13	2	1800	-	-
9	188988	61.4	13	1	1390	-	-
10	301606	83.2	13	2	1692	1858	-
11	653869	88.7	13	13	1533	-	-
12	747241	84.7	13	3	1703	1528	1058
13	144710	78.3	13	2	1238	1951	-
14	537856	69.1	13	2	1731	1717	-
15	15	0	0.9	12	5.3115	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	964575	75.3	10	3	1994	1612	-
1	907880	58.3	10	1	1456	-	-
2	151316	67.7	10	2	1617	1185	-
3	203746	55.6	10	1	1237	-	-
4	635063	65.9	10	2	1412	-	-
5	676963	75.3	10	2	1359	1305	-
6	121278	85.7	10	3	1547	1362	1924
7	363986	86.7	10	16	1673	1555	1249
8	604342	88.4	10	3	1779	1439	1404
9	864653	93.6	10	3	1059	1031	1450
10	91871	63.5	10	1	1328	-	-
11	133050	62.4	10	2	1412	1673	1322
15	15	0.6315789	12	5.3147	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	361323	93.3	18	3	1983	1912	1535
1	515261	69.1	18	3	1102	1794	-
2	360255	86.0	18	3	1044	1152	1148
3	195980	84.3	18	3	1980	1888	1118
4	434941	72.3	18	2	1094	1916	-
5	497624	51.7	18	1	1447	-	-
6	20319	58.3	18	1	1429	-	-
7	172999	60.8	18	19	1978	-	-
8	352857	57.1	18	1	1641	-	-
9	675841	88.9	18	3	1886	1964	1489
10	1489	77.7	18	3	1969	1297	-
11	153647	90.9	18	3	1201	1566	1370
12	307066	59.9	18	1	1552	-	-
13	538894	70.9	18	2	1759	1291	-
14	610778	67.7	18	16	1626	-	-
15	134759	61.2	18	3	1382	1832	1661
16	288306	56.5	18	1	1483	-	-
17	441299	51.7	18	1	1217	-	-
18	392780	72.4	18	2	1471	1245	-
15	14	0.8571428	12	5.3123	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	185280	76.9	19	2	1110	1140	-
1	369034	50.3	19	1	1316	-	-
2	573432	62.9	19	1	1520	-	-
3	780619	64.3	19	2	1902	-	-
4	129455	83.8	19	3	1410	1097	1621
5	340207	65.4	19	1	1944	-	-
6	548208	53.4	19	3	1024	-	-
7	755333	51.7	19	1	1603	-	-
8	107117	78.7	19	2	1804	1168	-
9	314500	72.4	19	2	1030	1343	-
10	522447	53.4	19	1	1217	-	-
11	728517	73.6	19	2	1524	1553	-
12	81611	66.7	19	2	1722	1122	-
13	288648	62.9	19	2	1404	1019	-
17	15	0	0.9	12	5.3155	-	-

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	345766	87.6	20	3	1565	1055	1840
1	490019	85.2	20	3	1735	1541	1408
2	39073	84.8	20	3	1534	1889	1463
3	183923	77.9	20	2	1749	1460	-
4	398777	76.5	20	2	1318	1485	-
5	474728	69.9	20	1	1540	-	-
6	21394	83	20	2	1080	1010	-
7	165992	80.4	20	2	1824	1752	-
8	310973	67.5	20	2	1192	1181	-
9	456884	62.1	20	1	1495	-	-
10	3515	86.4	20	3	1773	1966	1263
11	147928	84.3	20	3	1593	1188	1788
12	293255	76.9	20	2	1298	1537	-
13	436922	95.8	20	3	1192	1298	1844
14	584015	55.2	20	1	1644	-	-
15	130832	59	20	1	1402	-	-
16	274684	94.5	20	3	1296	1700	1283
17	418579	91.9	20	3	1970	1978	1165
18	563464	85.2	20	3	1732	1551	1189
19	112787	68.5	20	2	1038	1224	-
18 Type 5	12	1	12	5, 5015	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	429224	86.4	10	3	1259	1918	1455
1	670241	92.2	10	3	1598	1719	1893
2	912880	80.4	10	2	1816	1899	-
3	138903	54.3	10	1	1335	-	-
4	400824	53.1	10	4	100824	53.1	1303
5	641915	69.4	10	2	1503	1546	-
6	883823	69.1	10	2	1279	1639	-
7	128373	100	10	3	1375	1438	1595
8	370379	79.6	10	2	1239	1705	-
9	611194	88.4	10	3	1374	1579	1623
10	855665	53.3	10	1	1016	-	-
11	98897	65.3	10	1	1709	-	-
19 Type 5	14	0.8571429	12	5, 5023	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	292143	55.3	12	1	1920	-	-
1	499633	58.3	12	1	1797	-	-
2	706377	72.3	12	2	1610	1039	-
3	58989	84.8	12	3	1131	1761	1721
4	286101	82.5	12	4	186101	82.5	1431
5	474469	63.3	12	1	1095	-	-
6	680544	80	12	2	1119	1913	-
7	335319	90.3	12	3	1680	1853	1123
8	240319	91.1	12	2	1539	1783	1772
9	447400	96.6	12	3	1525	1036	1385
10	654516	82.7	12	2	1710	1990	-
11	8083	50.7	12	1	1234	-	-
12	215435	78.4	12	2	1047	1109	-
13	421325	99.5	12	3	1299	1965	1869
20 Type 5	12	1	12	5, 5015	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	733725	88.6	10	3	1501	1067	1927
1	977882	57.4	10	1	1723	-	-
2	221197	96.9	10	3	1086	1658	1324
3	462915	69.7	10	2	1751	1945	-
4	705071	77.9	10	2	1642	1317	-
5	947923	62	10	1	1866	-	-
6	191272	88.4	10	3	1997	1077	1366
7	432561	97.3	10	3	1790	1896	1367
8	674004	96.2	10	3	1391	1787	1672
9	915842	95.4	10	3	1020	1892	1414
10	182176	54.8	10	1	1084	-	-
11	403553	80.4	10	2	1850	1436	-
21 Type 5	16	0.75	12	5, 5065	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	483470	74.7	15	2	1619	1611	-
1	669072	57.1	15	1	1560	-	-
2	98810	91.9	15	3	1392	1475	1276
3	279014	83.1	15	2	1808	1723	-
4	462536	50.7	15	1	1003	-	-
5	642324	79.2	15	2	1574	1600	-
6	78631	58.7	15	1	1186	-	-
7	257785	71	15	2	1521	1567	-
8	438554	79	15	2	1777	1960	-
9	620397	68.5	15	2	1284	1428	-
10	54310	73.5	15	2	1944	1352	-
11	235506	70.5	15	2	1864	1115	-
12	417036	76.6	15	2	1045	1300	-
13	597974	81.2	15	2	1160	1675	-
14	32086	61.8	15	1	1277	-	-
15	212751	94.9	15	3	1450	1206	1860
22 Type 5	12	1	12	5, 5089	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	526149	78.5	9	2	1653	1698	-
1	767135	89.8	9	3	1174	1962	1167
2	12953	59.4	9	1	1982	-	-

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	345766	87.6	20	3	1565	1055	1840
1	490019	85.2	20	3	1735	1541	1408
2	39073	84.8	20	3	1534	1889	1463
3	183923	77.9	20	2	1749	1460	-
4	398777	76.5	20	2	1318	1485	-
5	474728	69.9	20	1	1540	-	-
6	21394	83	20	2	1080	1010	-
7	165992	80.4	20	2	1824	1752	-
8	310973	67.5	20	2	1192	1181	-
9	456884	62.1	20	1	1495	-	-
10	3515	86.4	20	3	1773	1966	1263
11	147928	84.3	20	3	1593	1188	1788
12	293255	76.9	20	2	1298	1537	-
13	436922	95.8	20	3	1192	1298	1844
14	584015	55.2	20	1	1644	-	-
15	130832	59	20	1	1402	-	-
16	274684	94.5	20	3	1296	1700	1283
17	418579	91.9	20	3	1970	1978	1165
18	563464	85.2	20	3	1732	1551	1189
19	112787	68.5	20	2	1038	1224	-
18 Type 5	12	1	12	5, 5015	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	429224	86.4	10	3	1259	1918	1455
1	670241	92.2	10	3	1598	1719	1893
2	912880	80.4	10	2	1816	1899	-
3	138903	54.3	10	1	1335	-	-
4	400824	53.1	10	4	100824	53.1	1303
5	641915	69.4	10	2	1503	1546	-
6	883823	69.1	10	2	1279	1639	-
7	128373	100	10	3	1375	1438	1595
8	370379	79.6	10	2	1239	1705	-
9	611194	88.4	10	3	1374	1579	1623
10	855665	53.3	10	1	1016	-	-
11	98897	65.3	10	1	1709	-	-
19 Type 5	14	0.8571429	12	5, 5023	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	292143	55.3	12	1	1920	-	-
1	499633	58.3	12	1	1797	-	-
2	706377	72.3	12	2	1610	1039	-
3	58989	84.8	12	3	1131	1761	1721
4	286101	82.5	12	4	186101	82.5	1431
5	474469	63.3	12	1	1095	-	-
6	680544	80	12	2	1119	1913	-
7	335319	90.3	12	3	1680	1853	1123
8	240319	91.1	12	2	1539	1783	1772
9	447400	96.6	12	3	1525	1036	1385
10	654516	82.7	12	2	1710	1990	-
11	8083	50.7	12	1	1234	-	-
12	215435	78.4	12	2	1047	1109	-
13	421325	99.5	12	3	1299	1965	1869
20 Type 5	12	1	12	5, 5015	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	733725	88.6	10	3	1501	1067	1927
1	977882	57.4	10	1	1723	-	-
2	221197	96.9	10	3	1086	1658	1324
3	462915	69.7	10	2	1751	1945	-
4	705071	77.9	10	2	1642	1317	-
5	947923	62	10	1	1866	-	-
6	191272	88.4	10	3	1997	1077	1366
7	432561	97.3	10	3	1790	1896	1367
8	674004	96.2	10	3	1391	1787	1672
9	915842	95.4	10	3	1020	1892	1414
10	182176	54.8	10	1	1084	-	-
11	403553	80.4	10	2	1850	1436	-
21 Type 5	16	0.75	12	5, 5065	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	483470	74.7	15	2	1619	1611	-
1	669072	57.1	15	1	1560	-	-
2	98810	91.9	15	3	1392	1475	1276
3	279014	83.1	15	2	1808	1723	-
4	462536	50.7	15	1	1003	-	-
5	642324	79.2	15	2	1574	1600	-
6	78631	58.7	15	1	1186	-	-
7	257785	71	15	2	1521	1567	-
8	438554	79	15	2	1777	1960	-
9	620397	68.5	15	2	1284	1428	-
10	54310	73.5	15	2	1944	1352	-
11	235506	70.5	15	2	1864	1115	-
12	417036	76.6	15	2	1045	1300	-
13	597974	81.2	15	2	1160	1675	-
14	32086	61.8	15	1	1277	-	-
15	212751	94.9	15	3	1450	1206	1860
22 Type 5	12	1	12	5, 5089	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	526149	78.5	9	2	1653	1698	-
1	767135	89.8	9	3	1174	1962	1167
2	12953	59.4	9	1	1982	-	-

	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	345766	87.6	20	3	1565	1055	1840	
	1	490019	85.2	20	3	1735	1541	1408	
	2	39073	84.8	20	3	1534	1889	1463	
	3	183923	77.9	20	2	1749	1460		
	4	238177	76.5	20	3	1518	1485		
	5	474728	69.0	20	2	1540			
	6	213994	83.0	20	2	1080	1010		
	7	105992	80.4	20	2	1824	1732		
	8	310973	82.1	20	3	1794	1484		
	9	456884	67.1	20	2	1495			
	10	35115	86.4	20	3	1773	1969	1263	
	11	147529	82.3	20	3	1363	1488	1788	
	12	293205	76.9	20	2	1226	1537		
	13	436922	95.8	20	3	1192	1208	1844	
	14	584015	55.9	20	1	1644			
	15	130832	59.6	20	1	1402			
	16	274684	94.5	20	3	1296	1700	1283	
	17	418579	91.0	20	3	1670	1928	1165	
18	563484	85.2	20	2	1732	1551	1889		
19	117287	69.3	20	2	1038	1224			
18 Type 5	12	1	12	5, 3115					
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	429204	86.4	10	3	1259	1918	1455	
	1	670241	92.2	10	3	1598	1719	1895	
	2	912880	84.1	10	2	1816	1899		
	3	158603	54.1	10	2	1335			
	4	400824	53.1	10	1	1303			
	5	541915	69.4	10	2	1503	1546		
	6	893822	69.1	10	2	1279	1628		
	7	128273	100.1	10	3	1375	1438	1595	
	8	370379	79.6	10	2	1839	1079		
	9	611194	88.4	10	3	1374	1579	1923	
	0	855965	53.2	10	1	1016			
	11	98897	65.3	10	1	1709			
	19 Type 5	14	0. 8571429	12	5, 3123				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	290143	55.3	13	1	1920		
		1	499633	58.3	13	1	1797		
		2	706317	58.2	13	2	1010	1039	
		3	58889	84.8	13	2	1131	1761	1721
		4	266161	82.5	13	2	1875	1431	
		5	174469	83.0	13	2	1095		
6		588344	90.3	13	1	1119	1913		
7		388319	90.3	13	3	1660	1853	1123	
8		240319	91.1	13	3	1539	1783	1172	
9		417480	96.6	13	2	1059	1935	1385	
10		654516	82.7	13	2	1710	1990		
11		80983	50.7	13	1	1234			
12	219483	78.4	13	2	1047	1100			
13	821393	99.1	13	2	1299	1905	1869		
20 Type 5	12	1	12	5, 3115					
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	733725	88.6	10	3	1501	1067	1927	
	1	977882	57.4	10	1	1723			
	2	221197	96.6	10	2	1098	1658	1324	
	3	482015	69.2	10	2	1751	1945		
	4	705071	77.9	10	2	1642	1317		
	5	547923	62.0	10	1	1866			
	6	191273	88.4	10	3	1997	1077	1396	
	7	433561	92.2	10	3	1790	1896	1867	
	8	674094	96.2	10	3	1391	1787	1072	
	9	913842	65.4	10	3	1020	1892	1414	
	10	162178	95.8	10	1	1084			
	11	103553	80.4	10	2	1850	1430		
	21 Type 5	16	0. 75	12	5, 3065				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	884070	74.7	15	2	1619	1611	
		1	966072	57.1	15	1	1560		
		2	98810	91.9	15	3	1393	1473	1278
		3	379994	83.1	15	2	1809	1772	
		4	462536	50.7	15	1	1003		
		5	542424	79.2	15	2	1574	1600	
6		7983	70.7	15	1	1186			
7		257785	71	15	2	1521	1567		
8		438554	79.5	15	2	1777	1990		
9		603097	68.6	15	2	1884	1428		
10		543110	73.3	15	2	1904	1552		
11		235500	70.6	15	3	1864	1115		
12	417036	70.5	15	2	1945	1300			
13	597074	81.7	15	1	1160	1675			
14	32086	61.8	15	1	1277				
15	212751	94.0	15	1	1450	1209	1860		
22 Type 5	12	1	13	5, 3080					
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	526149	78.5	5	2	1653	1698		
	1	767153	88.9	5	2	1174	1965	1167	
	2	129055	59.9	5	1	1982			

		3	254612	79.6	9	2	1633	1890	
		4	496588	76	9	2	1112	1811	
		5	797278	53.4	9	1	1141		
		6	980872	80.9	9	2	1220	1053	
		7	225249	61.6	9	1	1724		
		8	467279	53.4	9	1	1901		
		9	709220	59.9	9	1	1379		
		10	951847	60.4	9	1	1453		
		11	194839	91.4	9	3	1768	1726	1227
23 Type 5		20	0.6	12	5.3045				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	261858	77	20	2	1191	1363		
	1	407646	58.1	20	1	1248			
	2	552319	62.1	20	1	1836			
	3	99107	76.9	20	2	1334	1236		
	4	243514	80	20	2	1914	1852		
	5	389444	52	20	1	1701			
	6	531093	88.6	20	3	1693	1995	1903	
	7	81159	72.9	20	2	1922	1387		
	8	225245	98.5	20	3	1839	1746	1389	
	9	371696	57.9	20	1	1193			
	10	514197	95.9	20	3	1659	1870	1060	
	11	63561	53.5	20	1	1162			
	12	207510	92	20	3	1745	1654	1458	
	13	353638	57.3	20	1	1834			
	14	497515	70.5	20	2	1684	1586		
	15	45553	70	20	2	1042	1664		
	16	108621	84	20	3	1765	1630	1176	
	17	335330	76.1	20	2	1557	1057		
	18	478825	93.2	20	3	1985	1018	1340	
	19	27594	96.8	20	3	1760	1614	1817	
24 Type 5		14	0.8571429	12	5.3077				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	247117	50.1	12	1	1841			
	1	453362	93.3	12	3	1590	1081	1413	
	2	660875	68.8	12	2	1707	1577		
	3	14140	56.3	12	1	1056			
	4	220734	86	12	3	1953	1108	1987	
	5	429367	75.2	12	2	1572	1539		
	6	636981	54.4	12	1	1517			
	7	843157	71.1	12	2	1329	1243		
	8	165585	76.2	12	2	1940	1770		
	9	403231	89.2	12	2	1098	1299		
	10	610202	79.7	12	2	1588	1214		
	11	815229	90.9	12	3	1615	1862	1601	
	12	170867	68.7	12	1	1727	1441		
	13	377306	67.4	12	2	1872	1313		
25 Type 5		13	0.9230769	12	5.3081				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	628071	94	11	3	1643	1748	1941	
	1	853391	70.8	11	2	1177	1201		
	2	156223	56.3	11	1	1006			
	3	178734	96.7	11	3	1220	1163	1332	
	4	601331	90.6	11	3	1217	1582	1498	
	5	825462	74.5	11	2	1569	1281		
	6	129265	92.6	11	3	1065	1669	1224	
	7	351161	89	11	3	1493	1135	1380	
	8	573425	96.5	11	3	1607	1822	1602	
	9	798431	70.5	11	2	1411	1178		
	10	100737	94	11	3	1009	1629	1956	
	11	324661	55.8	11	1	1290			
	12	546278	87.7	11	3	1435	1963	1164	
26 Type 5		8	1.5	12	5.3105				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	1253842	68.6	5	2	1306	1161		
	1	119486	83.1	5	2	1420	1315		
	2	482938	69.9	5	2	1087			
	3	845641	77.7	5	2	1776	1158		
	4	1208428	77.4	5	2	1793	1510		
	5	74748	66.8	5	2	1576	1323		
	6	138300	63.7	5	2	1353			
	7	800152	91.2	5	3	1409	1681	1275	
27 Type 5		17	0.7058824	12	5.3061				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	545865	83.6	16	3	1632	1195	1000	
	1	14067	89.4	16	3	1173	1627	1656	
	2	184953	55.8	16	1	1532			
	3	353739	90.9	16	3	1981	1554	1998	
	4	526388	54.7	16	1	1825			
	5	694806	97.7	16	3	1734	1202	1250	
	6	163568	67.5	16	2	1571	1434		
	7	333410	96.7	16	2	1589	1469	1268	
	8	504006	68.3	16	2	1750	1954		
	9	675297	78.3	16	2	1591	1082		
	10	142860	55	16	1	1427			
	11	312479	84.9	16	3	1129	1936	1199	
	12	482953	74.6	16	2	1959	1856		
	13	655022	63.3	16	1	1885			
	14	121457	99.8	16	3	1035	1515	1120	
	15	292606	63.6	16	1	1647			
	16	461322	87.3	16	3	1931	1051	1831	
28 Type 5		19	0.6315789	12	5.3049				

Y

	3	254612	79.6	9	2	1633	1890	
	4	496588	76	9	2	1112	1811	
	5	797278	53.4	9	1	1141		
	6	980872	80.9	9	2	1220	1053	
	7	225249	61.6	9	1	1724		
	8	467279	53.4	9	1	1901		
	9	709220	59.9	9	1	1379		
	10	951847	60.4	9	1	1453		
	11	194839	91.4	9	3	1768	1726	1227
23 Type 5	20	0.6	12	5.4945				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
0	261858	77	20	2	1191	1363		
1	407646	58.1	20	1	1248			
2	552319	62.1	20	1	1836			
3	99107	76.9	20	2	1334	1236		
4	243514	80	20	2	1914	1852		
5	389444	52	20	1	1701			
6	531093	88.6	20	3	1693	1995	1905	
7	81159	72.9	20	2	1922	1387		
8	225245	98.5	20	3	1839	1746	1389	
9	371696	57.9	20	1	1193			
10	514197	95.9	20	3	1659	1870	1066	
11	63561	53.5	20	1	1162			
12	207510	92	20	3	1745	1654	1458	
13	353638	57.3	20	1	1834			
14	497515	70.5	20	2	1684	1586		
15	45553	70	20	2	1042	1664		
16	189821	84	20	3	1765	1630	1176	
17	335330	76.1	20	2	1557	1057		
18	478825	93.2	20	3	1985	1018	1340	
19	27594	96.8	20	3	1760	1614	1817	
24 Type 5	14	0.8571429	12	5.4977				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
0	247117	50.1	12	1	1841			
1	453362	93.3	12	3	1590	1081	1413	
2	660875	68.8	12	2	1707	1577		
3	14140	56.3	12	1	1056			
4	220734	86	12	3	1953	1108	1987	
5	429367	75.2	12	2	1572	1539		
6	636981	54.4	12	1	1517			
7	843157	71.1	12	2	1329	1243		
8	165585	76.2	12	2	1940	1770		
9	403231	89.2	12	2	1098	1299		
10	610202	79.7	12	2	1588	1214		
11	815229	90.9	12	3	1615	1862	1601	
12	170867	68.7	12	1	1727	1441		
13	377306	67.4	12	2	1872	1313		
25 Type 5	13	0.9230769	12	5.4981				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
0	628071	94	11	3	1643	1748	1941	
1	853391	70.8	11	2	1177	1201		
2	156223	56.3	11	1	1006			
3	178734	96.7	11	3	1220	1163	1332	
4	601331	90.6	11	3	1217	1582	1498	
5	825462	74.5	11	2	1569	1281		
6	129265	92.6	11	3	1065	1669	1224	
7	351161	89	11	3	1493	1135	1380	
8	573425	96.5	11	3	1607	1822	1602	
9	798431	70.5	11	2	1411	1178		
10	100737	94	11	3	1009	1629	1956	
11	324661	55.8	11	1	1290			
12	546278	87.7	11	3	1435	1963	1164	
26 Type 5	8	1.5	12	5.5005				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
0	1253842	68.6	5	2	1306	1161		
1	119486	83.1	5	2	1420	1315		
2	482938	69.9	5	1	1087			
3	845641	77.7	5	2	1776	1158		
4	1208428	77.4	5	2	1793	1510		
5	74748	66.8	5	2	1576	1323		
6	138300	63.7	5	2	1353			
7	800152	91.2	5	3	1409	1681	1275	
27 Type 5	17	0.7058824	12	5.4961				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
0	545885	83.6	16	3	1632	1195	1000	
1	13067	99.9	16	3	1172	1627	1656	
2	194053	55.8	16	1	1528			
3	357579	90.9	16	3	1981	1524	1998	
4	526386	54.7	16	1	1825			
5	690498	97.7	16	1	1734	1202	1250	
6	165588	67.7	16	1	1571	1434		
7	330410	96.7	16	3	1589	1469	1268	
8	500000	68.3	16	2	1750	1954		
9	675297	78.3	16	1	1981	1982		
10	125890	85.8	16	1	1427			
11	212479	84.9	16	3	1129	1939	1199	
12	482953	74.5	16	2	1939	1856		
13	659292	63.6	16	1	1885			
14	214757	99.8	16	3	1035	1515	1120	
15	292906	63.6	16	1	1647			
16	641222	92.7	16	3	1851	1651	1831	
28 Type 5	19	0.6315789	12	5.4949				

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	565136	85.6	19	3	1946	1078	1015
1	899701	88.9	19	2	1029	1780	-
2	243121	54.2	19	1	1111	-	-
3	396034	61.2	19	1	1104	-	-
4	546023	97.1	19	3	1137	1969	1100
5	70998	98.3	19	3	1142	1699	1822
6	224093	62.4	19	1	1655	-	-
7	376127	80.2	19	2	1126	1769	-
8	527884	87.5	19	3	1216	1448	1179
9	52247	85.8	19	3	1847	1348	1472
10	204582	88.1	19	3	1023	1124	1631
11	357941	65.3	19	1	1848	-	-
12	510977	52.5	19	1	1470	-	-
13	33698	52.3	19	1	1312	-	-
14	186023	74.1	19	2	1915	1200	-
15	339327	54.9	19	1	1479	-	-
16	491053	76.2	19	2	1376	1502	-
17	14858	60.4	19	1	1758	-	-
18	167387	81.5	1	1	5.2985	1491	1103

N

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	565136	85.6	19	3	1946	1078	1015
1	899701	88.9	19	2	1029	1780	-
2	243121	54.2	19	1	1111	-	-
3	396034	61.2	19	1	1104	-	-
4	546023	97.1	19	3	1137	1969	1100
5	70998	98.3	19	3	1142	1699	1822
6	224093	62.4	19	1	1655	-	-
7	376127	80.2	19	2	1126	1769	-
8	527884	87.5	19	3	1216	1448	1179
9	52247	85.8	19	3	1847	1348	1472
10	204582	88.1	19	3	1023	1124	1631
11	357941	65.3	19	1	1848	-	-
12	510977	52.5	19	1	1470	-	-
13	33698	52.3	19	1	1312	-	-
14	186023	74.1	19	2	1915	1200	-
15	339327	54.9	19	1	1479	-	-
16	491053	76.2	19	2	1376	1502	-
17	14858	60.4	19	1	1758	-	-
18	167387	81.5	1	2	5.4985	1491	1103

Y

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	507709	50.5	10	1	1857	-	-
1	65249	55.7	10	1	1246	-	-
2	989003	85.8	10	3	1774	1002	1967
3	235634	76.9	10	2	1125	1474	-
4	477673	75.1	10	2	1254	1052	-
5	181212	92.3	10	3	1812	92.3	180
6	960895	78.1	10	2	1301	1757	-
7	205370	92.2	10	3	1898	1252	1713
8	409400	89	10	3	1260	1706	1411
9	689253	70.9	10	2	1578	1620	-
10	932305	63.1	10	1	1782	-	-
11	178211	55.3	10	1	1522	-	-

Y

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	507709	50.5	10	1	1857	-	-
1	65249	55.7	10	1	1246	-	-
2	989003	85.8	10	3	1774	1002	1967
3	235634	76.9	10	2	1125	1474	-
4	477673	75.1	10	2	1254	1052	-
5	181212	92.3	10	3	1812	92.3	180
6	960895	78.1	10	2	1301	1757	-
7	205370	92.2	10	3	1898	1252	1713
8	409400	89	10	3	1260	1706	1411
9	689253	70.9	10	2	1578	1620	-
10	932305	63.1	10	1	1782	-	-
11	178211	55.3	10	1	1522	-	-

Y

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	277485	83.4	17	3	1454	1205	1801
1	437880	97.3	17	3	1319	1826	1633
2	398443	90.4	17	3	1079	1980	1674
3	37088	91.8	17	3	1563	1151	1809
4	257251	98.2	17	3	1876	1977	1766
5	419802	59.5	17	1	1052	-	-
6	580724	80	17	2	1253	1137	-
7	77366	86.5	17	3	1054	1128	1828
8	238032	91.1	17	3	1105	1599	1442
9	398905	93.5	17	3	1867	1373	1087
10	562025	60.7	17	1	1033	-	-
11	57684	67.2	17	2	1288	1405	-
12	219983	61.8	17	2	1385	1667	-
13	379234	79.4	17	2	1933	1667	-
14	540896	81.4	17	2	1096	1464	-
15	37916	65.7	17	1	1496	-	-
16	198734	76	17	2	1733	1255	-
17	359754	81	17	2	1326	1668	-

Y

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	277485	83.4	17	3	1454	1205	1801
1	437880	97.3	17	3	1319	1826	1633
2	398443	90.4	17	3	1079	1980	1674
3	37088	91.8	17	3	1563	1151	1809
4	257251	98.2	17	3	1876	1977	1766
5	419802	59.5	17	1	1052	-	-
6	580724	80	17	2	1253	1137	-
7	77366	86.5	17	3	1054	1128	1828
8	238032	91.1	17	3	1105	1599	1442
9	398905	93.5	17	3	1867	1373	1087
10	562025	60.7	17	1	1033	-	-
11	57684	67.2	17	2	1288	1405	-
12	219983	61.8	17	2	1385	1667	-
13	379234	79.4	17	2	1933	1667	-
14	540896	81.4	17	2	1096	1464	-
15	37916	65.7	17	1	1496	-	-
16	198734	76	17	2	1733	1255	-
17	359754	81	17	2	1326	1668	-

Y

Trial ID	Radar Type	Number of Bursts	Burst Period(s)	Halfbeam Length(m)	Center Frequency(GHz)	Result
1	Type 5	15	0.8	12	5.29	Y
0	636185	77.8	13	2	1665	1477
1	32674	51.9	13	1	1074	-
2	226294	63.8	13	1	1584	-
3	417976	96.8	13	3	1082	1786
4	611152	85.9	13	3	1795	1215
5	8789	73.7	13	2	1198	1549
6	201917	77.2	13	2	1837	1819
7	395530	68.4	13	2	1587	1114
8	588564	76.7	13	2	2000	1155
9	783794	53.2	13	1	1147	-
10	177653	85.7	13	3	1433	1695
11	370524	94.3	13	3	1670	1426
12	564893	77.6	13	2	1294	1671
13	179983	65.7	13	1	1512	-
14	154962	93.5	13	3	1444	1130

Y

Trial ID	Radar Type	Number of Bursts	Burst Period(s)	Halfbeam Length(m)	Center Frequency(GHz)	Result
1	Type 5	15	0.8	12	5.53	Y
0	636185	77.8	13	2	1665	1477
1	32674	51.9	13	1	1074	-
2	226294	63.8	13	1	1584	-
3	417976	96.8	13	3	1082	1786
4	611152	85.9	13	3	1795	1215
5	8789	73.7	13	2	1198	1549
6	201917	77.2	13	2	1837	1819
7	395530	68.4	13	2	1587	1114
8	588564	76.7	13	2	2000	1155
9	783794	53.2	13	1	1147	-
10	177653	85.7	13	3	1433	1695
11	370524	94.3	13	3	1670	1426
12	564893	77.6	13	2	1294	1671
13	179983	65.7	13	1	1512	-
14	154962	93.5	13	3	1444	1130

Y

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	653020	75	5	2	1880	1527	-
1	1015643	99.4	5	3	1401	1262	1257
2	1379398	67.4	5	2	1531	1403	-
3	245489	73.6	5	2	1449	1941	-
4	699113	65.9	5	1	1432	-	-
5	970852	83.8	5	3	1356	1292	1410
6	1335913	65.5	5	1	1543	-	-
7	200406	98.6	5	3	1548	1796	1728

N

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	653020	75	5	2	1880	1527	-
1	1015643	99.4	5	3	1401	1262	1257
2	1379398	67.4	5	2	1531	1403	-
3	245489	73.6	5	2	1449	1941	-
4	699113	65.9	5	1	1432	-	-
5	970852	83.8	5	3	1356	1292	1410
6	1335913	65.5	5	1	1543	-	-
7	200406	98.6	5	3	1548	1796	1728

Y

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	409565	73.8	9	2	1806	1538	-

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	409565	73.8	9	2	1806	1538	-

Y

	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	565136	85.6	19	3	1946	1078	1015	
1	899701	88.9	19	2	1029	1780		
2	243121	54.2	19	1	1111			
3	396034	61.2	19	1	1104			
4	546023	97.1	19	3	1157	1969	1100	
5	70998	98.3	19	3	1142	1699	1822	
6	224093	62.4	19	1	1655			
7	376127	80.2	19	2	1126	1769		
8	527884	87.5	19	3	1216	1448	1179	
9	52247	85.8	19	3	1847	1348	1472	
10	204582	88.1	19	3	1023	1124	1631	
11	357941	65.3	19	1	1848			
12	510977	55.3	19	1	1470			
13	338988	52.3	19	1	1312			
14	186052	74.1	19	2	1915	1200		
15	339327	54.9	19	1	1479			
16	491053	76.2	19	2	1578	1502		
17	14858	60.4	19	1	1758			
18	471282	51.9	19	1	1494	1103		

		1	673692	69.5	9	2	1117	1649	
		2	938562	51.9	9	1	1651	-	
		3	113209	84.5	9	3	1329	1032	1271
		4	376726	95.4	9	3	1060	1903	1388
		5	641212	68	9	2	1368	1351	-
		6	903714	89.6	9	3	1338	1514	1573
		7	80863	81.9	9	2	1022	1689	-
		8	344067	88.3	9	3	1810	1330	1838
		9	609331	53.7	9	1	1597	-	-
		10	871542	91.3	9	2	1961	1106	1001
4	Type 5	20	0.6	12	5.29				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	26341	68.1	19	2	1339	1355	-	
	1	171821	58.7	19	1	1251	-	-	
	2	316229	75.3	19	2	1136	1640	-	
	3	461864	56.4	19	1	1753	-	-	
	4	86771	99.7	19	3	1196	1708	1159	
	5	153995	57.7	19	1	1013	-	-	
	6	296238	59.5	19	1	1072	-	-	
	7	443177	80	19	2	1482	1369	-	
	8	387671	82	19	2	1093	1197	-	
	9	135674	82.8	19	2	1883	1005	-	
	10	279928	88	19	3	1061	1928	1101	
	11	424279	93.2	19	3	1207	1907	1223	
	12	570132	70.4	19	2	1326	1360	-	
	13	117439	95.3	19	3	1171	1955	1775	
	14	262502	81.9	19	2	1690	1545	-	
	15	406573	98.5	19	3	1075	1169	1063	
	16	553328	65	19	1	1767	-	-	
	17	99799	85.4	19	3	1011	1637	1425	
	18	244095	91.6	19	3	1878	1443	1325	
	19	390012	67.3	19	2	1091	1218	-	
5	Type 5	17	0.7058824	12	5.57				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	629614	67.9	16	2	1320	1133	-	
	1	96856	62.3	16	1	1957	-	-	
	2	267719	53.3	16	1	1592	-	-	
	3	436784	90	16	3	1900	1153	1346	
	4	608289	77.1	16	2	1166	1646	-	
	5	75610	83.9	16	3	1278	1232	1450	
	6	245638	89.1	16	3	1240	1384	1939	
	7	416355	81.8	16	2	1833	1676	-	
	8	388736	59.3	16	1	1075	-	-	
	9	54571	87.1	16	3	1116	1996	1756	
	10	225175	71.3	16	2	1225	1815	-	
	11	294825	97.5	16	3	1984	1465	1123	
	12	565361	90.6	16	3	1561	1040	1354	
	13	33643	86.3	16	3	1596	1183	1792	
	14	203957	97.6	16	3	1365	1073	1361	
	15	372812	84.7	16	3	1021	1718	1854	
	16	544090	99.7	16	3	1150	1244	1988	
6	Type 5	14	0.8571429	12	5.57				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	15438	92.9	12	3	1085	1564	1407	
	1	222486	67.7	12	2	1744	1747	-	
	2	430731	65.8	12	1	1092	-	-	
	3	637784	56.3	12	1	1854	-	-	
	4	845342	53.7	12	1	1727	-	-	
	5	196720	83.5	12	3	1679	1930	1025	
	6	404953	65.8	12	1	1519	-	-	
	7	610711	85.9	12	3	1134	1034	1808	
	8	818057	76.3	12	2	1606	1926	-	
	9	171459	81.5	12	2	1891	1714	-	
	10	272969	89.4	12	3	1310	1584	1827	
	11	586875	63.4	12	1	1568	-	-	
	12	792834	69.6	12	2	1307	1925	-	
	13	146041	74.5	12	2	1264	1846	-	
7	Type 5	13	0.8	12	5.29				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	329022	96.6	13	3	1182	1609	1581	
	1	521718	96.7	13	3	1829	1799	1154	
	2	714222	86.5	13	3	1923	1396	1865	
	3	112450	73.3	13	2	1908	1318	-	
	4	309283	55.8	13	1	1698	-	-	
	5	500239	55.4	13	1	1451	-	-	
	6	690932	85.3	13	3	1336	1504	1820	
	7	88645	79.4	13	2	1344	1893	-	
	8	285038	65.7	13	1	1476	-	-	
	9	475842	68.6	13	2	1008	1028	-	
	10	667887	77.7	13	2	1972	1835	-	
	11	64845	79.6	13	2	1882	1331	-	
	12	297735	94.9	13	2	1573	1070	1349	
	13	452335	61.4	13	1	1451	-	-	
	14	643395	90.6	13	3	1233	1562	1887	
8	Type 5	12	1	12	5.33				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	51446	52.6	10	1	1210	-	-	
	1	292696	84.1	10	3	1314	1725	1529	
	2	533989	97.7	10	2	1159	1868	1805	
	3	775564	97.3	10	3	1341	1446	1755	
	4	21542	98.8	10	3	1544	1386	1302	
	5	263385	72.2	10	2	1771	1184	-	

N

		1	673692	69.5	9	2	1117	1649	
		2	938562	51.9	9	1	1651	-	
		3	113209	84.5	9	3	1329	1032	1271
		4	376726	95.4	9	3	1060	1903	1388
		5	641212	68	9	2	1368	1351	-
		6	903714	89.6	9	3	1338	1514	1573
		7	80863	81.9	9	2	1022	1689	-
		8	344067	88.3	9	3	1810	1330	1838
		9	609331	53.7	9	1	1597	-	-
		10	871542	91.3	9	2	1961	1106	1001
4	Type 5	20	0.6	12	5.53				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	26341	68.1	19	2	1339	1355	-	
	1	171821	58.7	19	1	1251	-	-	
	2	316229	75.3	19	2	1136	1640	-	
	3	461864	56.4	19	1	1753	-	-	
	4	86771	99.7	19	3	1196	1708	1159	
	5	153995	57.7	19	1	1013	-	-	
	6	296238	59.5	19	1	1072	-	-	
	7	443177	80	19	2	1482	1369	-	
	8	387671	82	19	2	1093	1197	-	
	9	135674	82.8	19	2	1883	1005	-	
	10	279928	88	19	3	1061	1928	1101	
	11	424279	93.2	19	3	1207	1907	1223	
	12	570132	70.4	19	2	1326	1360	-	
	13	117439	95.3	19	3	1171	1955	1775	
	14	262502	81.9	19	2	1690	1545	-	
	15	406573	98.5	19	3	1075	1169	1063	
	16	553328	65	19	1	1767	-	-	
	17	99799	85.4	19	3	1011	1637	1425	
	18	244095	91.6	19	3	1878	1443	1325	
	19	390012	67.3	19	2	1091	1218	-	
5	Type 5	17	0.7058824	12	5.53				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	629614	67.9	16	2	1320	1133	-	
	1	96856	62.3	16	1	1957	-	-	
	2	267719	53.3	16	1	1592	-	-	
	3	436784	90	16	3	1900	1153	1346	
	4	608289	77.1	16	2	1166	1646	-	
	5	75610	83.9	16	3	1278	1232	1450	
	6	245638	89.1	16	3	1240	1384	1939	
	7	416355	81.8	16	2	1833	1676	-	
	8	388736	59.3	16	1	1075	-	-	
	9	54571	87.1	16	3	1116	1996	1756	
	10	225175	71.3	16	2	1225	1815	-	
	11	294825	97.5	16	3	1984	1465	1123	
	12	565361	90.6	16	3	1561	1040	1354	
	13	33643	86.3	16	3	1596	1183	1792	
	14	203957	97.6	16	3	1365	1073	1361	
	15	372812	84.7	16	3	1021	1718	1854	
	16	544090	99.7	16	3	1150	1244	1988	
6	Type 5	14	0.8571429	12	5.53				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	15438	92.9	12	3	1085	1564	1407	
	1	222486	67.7	12	2	1744	1747	-	
	2	430731	65.8	12	1	1092	-	-	
	3	637784	56.3	12	1	1851	-	-	
	4	845342	53.7	12	1	1727	-	-	
	5	196720	83.5	12	3	1679	1930	1025	
	6	404953	65.8	12	1	1519	-	-	
	7	610711	85.9	12	3	1134	1034	1808	
	8	818057	76.3	12	2	1606	1926	-	
	9	171459	81.5	12	2	1891	1714	-	
	10	272969	89.4	12	3	1310	1584	1827	
	11	586875	63.4	12	1	1568	-	-	
	12	792834	69.6	12	2	1307	1925	-	
	13	146041	74.5	12	2	1264	1846	-	
7	Type 5	13	0.8	12	5.29				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	329022	96.6	13	3	1182	1609	1581	
	1	521174	96.1	13	3	1829	1799	1154	
	2	714222	86.5	13	3	1623	1390	1865	
	3	112450	79.3	13	2	1608	1318	-	
	4	206282	55.8	13	1	1088	-	-	
	5	500239	55.4	13	1	1145	-	-	
	6	669093	85.3	13	3	1336	1504	1820	
	7	88645	70.4	13	2	1344	1893	-	
	8	292598	65.2	13	1	1476	-	-	
	9	475842	68.6	13	2	1098	1008	-	
	10	667887	77.7	13	2	1972	1835	-	
	11	68481	79.0	13	3	1882	1331	1885	
	12	257255	94.6	13	3	1830	1070	1349	
	13	452339	91.4	13	1	1451	-	-	
	14	643395	60.6	13	2	1233	1562	1887	
8	Type 5	12	0.7	12	5.53				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	53446	52.6	10	3	1410	-	-	
	1	262696	84.1	10	3	1314	1725	1529	
	2	533869	97.7	10	3	1139	1868	1805	
	3	725564	97.3	10	3	1341	1440	1755	
	4	21454	68.8	10	3	1544	1386	1802	
	5	263385	72.2	10	2	1771	1184	-	

		6	505581	67.6	10	2	1175	1027	
		7	747058	75.7	10	2	1026	1871	
		8	989976	69.3	10	1	1788	-	
		9	234024	64.2	10	1	1138	-	
		10	475207	78.8	10	2	1784	1604	
		11	715863	87.5	10	3	1511	1712	1683
	9 Type 5	14	0.8571429		12	5.29			
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	862112	54.1	13	1	1415	-	-	
	1	174965	50.7	13	1	1495	-	-	
	2	382216	52.3	13	1	1974	-	-	
	3	587305	99.8	13	3	1558	1606	1940	
	4	796897	68.4	13	2	1014	1099	-	
	5	149042	80.8	13	2	1236	1305	-	
	6	356730	62.5	13	1	1778	-	-	
	7	563824	74.8	13	2	1149	1204	-	
	8	772314	50.8	13	1	1049	-	-	
	9	123796	54	13	1	1417	-	-	
	10	331215	63	13	1	1730	-	-	
	11	537402	91.8	13	3	1143	1270	1347	
	12	744805	79.3	13	2	1274	1992	-	
	13	98172	64.3	13	1	1937	-	-	
	10 Type 5	8	1.5	12	5.29				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	535615	63.4	6	1	1043	-	-	
	1	898668	52	6	1	1863	-	-	
	2	1259235	97.2	6	3	1973	1605	1383	
	3	127106	78.7	6	3	1466	1743	-	
	4	490358	74.2	6	3	1280	1219	-	
	5	852409	88.7	6	3	1293	1934	1273	
	6	1217152	54.3	6	1	1991	-	-	
	7	82296	95.4	6	3	1380	1555	1791	
	11 Type 5	17	0.7058824	12	5.2939				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	209249	73.7	16	2	1208	1497	-	
	1	378386	97.4	16	3	1942	1754	1613	
	2	548411	91.7	16	3	1999	1702	1462	
	3	31733	96.2	16	1	1393	-	-	
	4	187952	70.8	16	2	1968	1821	-	
	5	359277	52.3	16	1	1740	-	-	
	6	528886	78.9	16	2	1308	1984	-	
	7	700166	70.9	16	2	1050	1358	-	
	8	167197	75.6	16	2	1437	1430	-	
	9	338262	59.1	16	1	1697	-	-	
	10	508324	77	16	2	1397	1304	-	
	11	678689	67.9	16	3	1803	1083	-	
	12	146031	81.2	16	2	1720	1932	-	
	13	316923	78.7	16	2	1247	1121	-	
	14	488056	63.3	16	2	1634	-	-	
	15	657326	68.9	16	2	1849	1423	-	
	16	125599	59.3	16	1	1093	-	-	
	12 Type 5	19	0.6315789	12	5.2576				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	263736	98.9	19	3	1381	1680	1488	
	1	416459	82.3	19	2	1716	1855	-	
	2	567962	86.7	19	3	1211	1400	1919	
	3	92979	89.7	19	3	1861	1088	1282	
	4	245155	98.6	19	3	1507	1194	1461	
	5	397699	71.1	19	2	1921	1789	-	
	6	551431	55.9	19	1	1947	-	-	
	7	74413	67.9	19	3	1350	1372	-	
	8	226559	84.4	19	3	1203	1107	1443	
	9	380056	58.8	19	1	1715	-	-	
	10	533498	65.8	19	1	1017	-	-	
	11	55547	78.5	19	2	1911	1704	-	
	12	267876	82.3	19	2	1845	1686	-	
	13	339771	90.1	19	3	1938	1071	1266	
	14	511297	90.2	19	3	1989	1089	1950	
	15	36803	83.1	19	2	1943	1406	-	
	16	189652	58.8	19	1	1742	-	-	
	17	241809	77	19	2	1187	1657	-	
	18	495737	55	19	1	1012	-	-	
	13 Type 5	15	0.8	12	5.2927				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	22911	58.1	13	1	1929	-	-	
	1	216473	52.1	13	1	1910	-	-	
	2	410094	59.9	13	1	1971	-	-	
	3	603671	69.2	13	2	1912	-	-	
	4	794160	95.9	13	3	1399	1906	1608	
	5	192251	79.9	13	2	1626	1859	-	
	6	385380	78.3	13	2	1238	1917	-	
	7	579862	53.8	13	1	1763	-	-	
	8	773423	64.7	13	1	1800	-	-	
	9	168898	61.4	13	1	1390	-	-	
	10	261698	83.2	13	3	1692	1858	-	
	11	553866	84.7	13	3	1533	1677	1638	
	12	747241	88.7	13	3	1703	1528	1058	
	13	144710	78.3	13	2	1258	1951	-	
	14	337859	69.3	13	1	1731	1717	-	
	14 Type 5	12	1	12	5.5315				

Y

		6	505581	67.6	10	2	1175	1027	
		7	747058	75.7	10	2	1026	1871	
		8	989976	69.3	10	1	1788	-	
		9	234024	64.2	10	1	1138	-	
		10	475207	78.8	10	2	1784	1604	
		11	715823	87.5	10	3	1511	1712	1683
	9 Type 5	14	0.8571429		12	5.53			
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	862112	54.1	13	1	1415	-	-	
	1	174965	50.7	13	1	1495	-	-	
	2	382216	52.3	13	1	1974	-	-	
	3	587305	99.8	13	3	1558	1606	1949	
	4	796897	68.4	13	2	1014	1099	-	
	5	149042	80.8	13	2	1236	1305	-	
	6	356730	62.5	13	1	1778	-	-	
	7	563824	74.8	13	2	1149	1204	-	
	8	772314	50.8	13	1	1049	-	-	
	9	123796	54	13	1	1417	-	-	
	10	331215	63	13	1	1730	-	-	
	11	537402	91.8	13	3	1143	1270	1347	
	12	744805	79.3	13	2	1274	1992	-	
	13	98172	64.3	13	1	1937	-	-	
	10 Type 5	8	1.5	12	5.53				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	535615	63.4	6	1	1043	-	-	
	1	898668	52	6	1	1863	-	-	
	2	1259235	97.2	6	3	1973	1605	1383	
	3	127106	78.7	6	3	1466	1743	-	
	4	490358	74.2	6	3	1280	1219	-	
	5	852409	88.7	6	3	1293	1934	1273	
	6	1217152	54.3	6	1	1991	-	-	
	7	82296	95.4	6	3	1380	1555	1791	
	11 Type 5	17	0.7058824	12	5.5339				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	209249	73.7	16	2	1208	1497	-	
	1	378386	97.4	16	3	1942	1754	1613	
	2	548411	91.7	16	3	1999	1702	1462	
	3	31733	96.2	16	1	1393	-	-	
	4	187952	70.8	16	2	1968	1821	-	
	5	359277	52.3	16	1	1740	-	-	
	6	528886	78.9	16	2	1308	1984	-	
	7	700166	70.9	16	2	1050	1358	-	
	8	167197	75.6	16	2	1437	1430	-	
	9	338262	59.1	16	1	1697	-	-	
	10	508324	77	16	2	1397	1304	-	
	11	678689	67.9	16	3	1803	1083	-	
	12	146031	81.2	16	2	1720	1932	-	
	13	316923	78.7	16	2	1247	1121	-	
	14	488056	63.3	16	1	1634	-	-	
	15	657326	68.9	16	2	1849	1423	-	
	16	125599	59.3	16	1	1093	-	-	
	12 Type 5	19	0.6315789	12	5.5351				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	263736	98.9	19	3	1381	1680	1488	
	1	416459	82.3	19	2	1716	1855	-	
	2	567962	86.7	19	3	1211	1400	1919	
	3	92979	89.7	19	3	1861	1088	1282	
	4	245155	98.6	19	3	1507	1194	1461	
	5	397699	71.1	19	2	1921	1789	-	
	6	551431	55.9	19	1	1947	-	-	
	7	74413	67.9	19	3	1350	1372	-	
	8	226559	84.4	19	3	1203	1107	1443	
	9	380056	58.8	19	1	1715	-	-	
	10	533498	65.8	19	1	1017	-	-	
	11	55547	78.5	19	2	1911	1704	-	
	12	267876	82.3	19	2	1845	1686	-	
	13	339771	90.1	19	3	1938	1071	1266	
	14	511297	90.2	19	3	1989	1089	1950	
	15	36803	83.1	19	2	1943	1406	-	
	16	189652	58.8	19	1	1742	-	-	
	17	241809	77	19	2	1187	1657	-	
	18	495737	55	19	1	1012	-	-	
	13 Type 5	15	0.8	12	5.5307				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	22911	58.1	13	1	1929	-	-	
	1	216473	52.1	13	1	1910	-	-	
	2	410404	59.9	13	1	1971	-	-	
	3	60671	69.2	13	1	1912	-	-	
	4	79196	95.9	13	3	1399	1900	1608	
	5	192251	79.9	13	2	1628	1819	-	
	6	485206	78.1	13	2	1438	1917	-	
	7	47986	83.8	13	2	1763	1763	-	
	8	774233	64.1	13	1	1800	-	-	
	9	168886	61.7	13	1	1390	-	-	
	10	26106	83.3	13	3	1662	1838	-	
	11	55396	84.7	13	3	1533	1677	1638	
	12	747241	88.7	13	3	1703	1508	1058	
	13	144710	78.3	13	2	1538	1951	-	
	14	33566	69.3	13	2	1731	1717	-	
	14 Type 5	13	0.8	12	5.5315				

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	664275	75.3	10	2	1994	1612	-
1	907889	56.3	10	1	1456	-	-
2	151316	67.7	10	2	1617	1185	-
3	393746	55.6	10	1	1337	-	-
4	635903	75.3	10	2	1421	1267	-
5	876993	76.3	10	2	1359	1305	-
6	121278	85.7	10	3	1547	1362	1924
7	362696	98.4	10	3	1872	1550	1249
8	604342	86.4	10	3	1779	1439	1046
9	846453	93.6	10	3	1059	1001	1452
10	91871	63.3	10	1	1328	-	-
11	333060	92.4	10	2	1412	1673	1322
15 Type 5 10 0.6315799 12 5.2947							
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	361323	93.3	18	3	1983	1912	1535
1	515261	69.1	18	2	1102	1294	-
2	39025	86.9	18	3	1044	1152	1148
3	190900	84.9	18	3	1894	1948	1118
4	343941	72.3	18	2	1094	1916	-
5	497624	51.7	18	1	1447	-	-
6	20319	58.3	18	1	1429	-	-
7	172999	60.8	18	1	1979	-	-
8	358673	57.1	18	1	1641	-	-
9	473841	88.9	18	3	1886	1964	1489
10	1489	72	18	2	1909	1297	-
11	153647	90.9	18	3	1261	1566	1370
12	207096	59.8	18	1	1552	-	-
13	458804	70	18	2	1759	1291	-
14	610798	67.2	18	2	1625	1881	-
15	134759	91.2	18	3	1382	1832	1661
16	298306	56.3	18	1	1483	-	-
17	441296	51.2	18	1	1237	-	-
18	592780	74.1	18	2	1471	1245	-
16 Type 5 14 0.8571429 12 5.2922							
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	158286	76.9	12	2	1110	1140	-
1	369024	59.2	12	1	1316	-	-
2	374562	62.9	12	1	1320	-	-
3	780619	64.7	12	1	1902	-	-
4	123455	83.8	12	3	1410	1097	1621
5	240207	65.4	12	1	1024	-	-
6	548208	53.2	12	1	1024	-	-
7	755333	51.7	12	1	1603	-	-
8	107117	78.7	12	2	1804	1188	-
9	145800	72.4	12	2	14500	1343	-
10	524447	53.8	12	1	1327	-	-
11	728517	73.6	12	2	1524	1553	-
12	81611	66.7	12	2	1722	1129	-
13	288948	82.5	12	2	1404	1019	-
17 Type 5 20 0.6 12 5.2955							
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	345766	87.6	20	3	1565	1053	1840
1	490019	85.2	20	3	1735	1541	1408
2	39073	84.8	20	3	1534	1889	1463
3	183923	77.9	20	3	1749	1480	-
4	328777	76.3	20	2	1518	1483	-
5	474728	60.9	20	1	1540	-	-
6	21394	83	20	2	1080	1010	-
7	165992	80.4	20	2	1824	1752	-
8	310973	67.5	20	2	1764	1181	-
9	456884	62.1	20	1	1495	-	-
10	3513	86.4	20	3	1773	1986	1263
11	147928	84.3	20	3	1931	1188	1786
12	293225	76.9	20	2	1226	1537	-
13	436992	95.8	20	3	1192	1208	1844
14	584015	55.2	20	1	1444	-	-
15	130832	59	20	1	1402	-	-
16	274684	94.5	20	3	1296	1700	1283
17	418579	91.9	20	3	1970	1978	1165
18	563464	85.2	20	3	1732	1551	1189
19	112787	69.5	20	2	1038	1224	-
18 Type 5 12 1 12 5.2915							
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	429224	86.4	10	3	1259	1918	1455
1	670241	92.2	10	3	1598	1719	1895
2	912880	80.4	10	2	1816	1899	-
3	138603	54.3	10	1	1355	-	-
4	409824	53.1	10	1	1303	-	-
5	641915	69.4	10	2	1503	1546	-
6	883823	69.1	10	2	1279	1639	-
7	128373	100	10	3	1373	1438	1593
8	370379	79.6	10	2	1239	1705	-
9	611194	88.4	10	3	1374	1579	1623
10	855965	53.3	10	1	1016	-	-
11	98897	65.3	10	1	1709	-	-
19 Type 5 14 0.8571429 12 5.2923							
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	664275	75.3	10	2	1994	1612	-
1	907889	56.3	10	1	1456	-	-
2	151316	67.7	10	2	1617	1185	-
3	393746	55.6	10	1	1337	-	-
4	635903	75.3	10	2	1421	1267	-
5	876993	76.3	10	2	1359	1305	-
6	121278	85.7	10	3	1547	1362	1924
7	362696	98.4	10	3	1872	1550	1249
8	604342	86.4	10	3	1779	1439	1046
9	846453	93.6	10	3	1059	1001	1452
10	91871	63.3	10	1	1328	-	-
11	333060	92.4	10	2	1412	1673	1322
13 Type 5 10 0.6315799 12 5.2947							
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	361323	93.3	18	3	1983	1912	1535
1	515261	69.1	18	2	1102	1294	-
2	39025	86.9	18	3	1044	1152	1148
3	190900	84.9	18	3	1894	1948	1118
4	343941	72.3	18	2	1094	1916	-
5	497624	51.7	18	1	1447	-	-
6	20319	58.3	18	1	1429	-	-
7	172999	60.8	18	1	1979	-	-
8	358673	57.1	18	1	1641	-	-
9	473841	88.9	18	3	1886	1964	1489
10	1489	72	18	2	1909	1297	-
11	153647	90.9	18	3	1261	1566	1370
12	207096	59.8	18	1	1552	-	-
13	458804	70	18	2	1759	1291	-
14	610798	67.2	18	2	1625	1881	-
15	134759	91.2	18	3	1382	1832	1661
16	298306	56.5	18	1	1483	-	-
17	441296	51.2	18	1	1237	-	-
18	592780	74.1	18	2	1471	1245	-
16 Type 5 14 0.8571429 12 5.2922							
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	158286	76.9	12	2	1110	1140	-
1	369024	59.2	12	1	1316	-	-
2	374562	62.9	12	1	1320	-	-
3	780619	64.7	12	1	1902	-	-
4	123455	83.8	12	3	1410	1097	1621
5	240207	65.4	12	1	1944	-	-
6	548208	53.2	12	1	1024	-	-
7	755333	51.7	12	1	1603	-	-
8	107117	78.7	12	2	1804	1188	-
9	145800	72.4	12	2	1030	1343	-
10	524447	53.8	12	1	1327	-	-
11	728517	73.6	12	2	1504	1553	-
12	81611	66.7	12	2	1722	1129	-
13	288948	82.5	12	2	1404	1019	-
17 Type 5 20 0.6 12 5.2955							
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	345766	87.6	20	3	1565	1053	1840
1	490019	85.2	20	3	1735	1541	1408
2	39073	84.8	20	3	1534	1889	1463
3	183923	77.9	20	3	1749	1480	-
4	328777	76.5	20	2	1518	1483	-
5	474728	60.9	20	1	1540	-	-
6	21394	83	20	2	1080	1010	-
7	165992	80.4	20	2	1824	1752	-
8	310973	67.5	20	2	1764	1181	-
9	456884	62.1	20	1	1495	-	-
10	3513	86.4	20	3	1773	1966	1283
11	147928	84.3	20	3	1931	1188	1786
12	293225	76.9	20	2	1226	1537	-
13	436992	95.8	20	3	1192	1208	1844
14	584015	55.2	20	1	1444	-	-
15	130832	59	20	1	1402	-	-
16	274684	94.5	20	3	1296	1700	1283
17	418579	91.9	20	3	1970	1978	1165
18	563464	85.2	20	3	1732	1551	1189
19	112787	69.5	20	2	1038	1224	-
18 Type 5 12 1 12 5.2915							
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	429224	86.4	10	3	1250	1918	1455
1	670241	92.2	10	3	1598	1719	1895
2	912880	80.4	10	2	1816	1899	-
3	138603	54.3	10	1	1355	-	-
4	409824	53.1	10	1	1303	-	-
5	641915	69.4	10	2	1503	1546	-
6	883823	69.1	10	2	1279	1639	-
7	128373	100	10	3	1373	1438	1595
8	370379	79.6	10	2	1239	1705	-
9	611194	88.4	10	3	1374	1579	1623
10	855965	53.3	10	1	1016	-	-
11	98897	65.3	10	1	1709	-	-
19 Type 5 14 0.8571429 12 5.2922							
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)

		0	292143	55.3	12	1	1920	-	-
		1	499633	58.3	12	1	1797	-	-
		2	798377	72.3	12	2	1807	1039	-
		3	58989	84.8	12	3	1131	1781	1721
		4	266161	82.5	12	2	1875	1431	-
		5	474469	63.3	12	1	1095	-	-
		6	680544	80	12	2	1119	1913	-
		7	33519	90.3	12	3	1660	1853	1123
		8	240319	91.1	12	3	1539	1783	1172
		9	447480	98.3	12	3	1555	1038	1385
		10	654516	82.7	12	2	1710	1990	-
		11	8083	50.7	12	1	1234	-	-
		12	215435	78.4	12	2	1047	1109	-
		13	421325	99.3	12	3	1299	1985	1869
20 Type 5		14	5.2915		12	5.2915			
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)	
	0	732725	88.6	10	3	1501	1067	1921	
	1	977882	57.4	10	1	1723	-	-	
	2	221197	96.6	10	3	1086	1658	1324	
	3	462915	69.7	10	2	1751	1945	-	
	4	705071	77.9	10	2	1642	1317	-	
	5	947923	62	10	1	1866	-	-	
	6	191373	88.4	10	3	1997	1077	1360	
	7	432561	97.3	10	3	1790	1896	1367	
	8	674094	96.2	10	3	1391	1787	1672	
	9	915842	95.4	10	3	1020	1892	1414	
	10	162176	54.8	10	1	1084	-	-	
	11	403553	89.4	10	2	1850	1436	-	
21 Type 5		16	0.73	12	5.2985				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)	
	0	483470	74.7	15	2	1619	1611	-	
	1	660722	57.1	15	1	1560	-	-	
	2	98810	91.9	15	3	1362	1475	1276	
	3	279914	83.1	15	2	1809	1772	-	
	4	462536	56.7	15	1	1003	-	-	
	5	642324	79.2	15	2	1574	1600	-	
	6	76831	58.7	15	1	1186	-	-	
	7	257785	71	15	2	1521	1567	-	
	8	438534	79	15	2	1777	1960	-	
	9	620397	68.5	15	2	1284	1428	-	
	10	54310	73.5	15	2	1904	1352	-	
	11	235596	70.5	15	2	1864	1113	-	
	12	417038	78.6	15	2	1045	1300	-	
	13	597974	81.2	15	2	1160	1675	-	
	14	32086	61.8	15	1	1277	-	-	
	15	212751	94.9	15	2	1450	1206	1860	
22 Type 5		12		12	5.2889				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)	
	0	526149	78.5	9	2	1653	1698	-	
	1	767135	89.8	9	2	1174	1962	1167	
	2	12955	59.4	9	1	1982	-	-	
	3	254612	79.6	9	2	1633	1890	-	
	4	496588	76	9	2	1112	1811	-	
	5	739728	53.6	9	1	1144	-	-	
	6	980872	80.9	9	2	1220	1053	-	
	7	225249	61.6	9	1	1724	-	-	
	8	467279	53.4	9	1	1901	-	-	
	9	709720	59.9	9	1	1379	-	-	
	10	951847	60.4	9	1	1453	-	-	
	11	194839	91.4	9	2	1768	1726	1227	
23 Type 5		20	0.6	12	5.5245				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)	
	0	261858	77	20	2	1191	1363	-	
	1	407946	58.1	20	2	1248	-	-	
	2	552319	62.1	20	1	1836	-	-	
	3	99107	76.9	20	2	1334	1236	-	
	4	243514	80	20	2	1914	1852	-	
	5	389464	52	20	1	1701	-	-	
	6	531093	88.6	20	3	1693	1995	1905	
	7	81159	72.9	20	2	1922	1387	-	
	8	225245	68.5	20	3	1839	1746	1389	
	9	371906	57.9	20	1	1193	-	-	
	10	514197	95.9	20	3	1659	1870	1066	
	11	63591	53.5	20	1	1192	-	-	
	12	205210	82	20	2	1745	1654	1458	
	13	353638	57.3	20	1	1834	-	-	
	14	497515	70.5	20	2	1684	1586	-	
	15	45553	70	20	2	1942	1664	-	
	16	189821	84	20	3	1765	1630	1176	
	17	335330	76.1	20	2	1557	1057	-	
	18	478825	93.2	20	3	1985	1018	1340	
	19	27594	96.8	20	3	1760	1614	1817	
24 Type 5		14	0.8571429	12	5.5277				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)	
	0	247117	50.1	12	1	1841	-	-	
	1	453362	93.5	12	3	1590	1081	1413	
	2	660875	68.8	12	2	1707	1577	-	
	3	14140	56.3	12	1	1056	-	-	
	4	220734	86	12	2	1953	1108	1987	
	5	428367	75.2	12	2	1572	1536	-	
	6	636681	54.4	12	1	1517	-	-	
	7	843157	71.1	12	2	1329	1243	-	

		0	292143	55.3	12	1	1920	-	-
		1	499633	58.3	12	1	1797	-	-
		2	798377	72.3	12	2	1810	1039	-
		3	58989	84.8	12	3	1131	1781	1721
		4	266161	82.5	12	2	1875	1431	-
		5	474469	63.3	12	1	1095	-	-
		6	680544	80	12	2	1119	1913	-
		7	33519	90.3	12	3	1660	1853	1123
		8	240319	91.1	12	3	1539	1783	1172
		9	447480	98.3	12	3	1555	1038	1385
		10	654516	82.7	12	2	1710	1990	-
		11	8083	50.7	12	1	1234	-	-
		12	215435	78.4	12	2	1047	1109	-
		13	421325	99.3	12	3	1299	1985	1869
20 Type 5		14	5.5315		12	5.5315			
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)	
	0	732725	88.6	10	3	1501	1067	1927	
	1	977882	57.4	10	1	1723	-	-	
	2	221197	96.6	10	3	1086	1658	1324	
	3	462915	69.7	10	2	1751	1945	-	
	4	705071	77.9	10	2	1642	1317	-	
	5	947923	62	10	1	1866	-	-	
	6	191373	88.4	10	3	1997	1077	1360	
	7	432561	97.3	10	3	1790	1896	1367	
	8	674094	96.2	10	3	1391	1787	1672	
	9	915842	95.4	10	3	1020	1892	1414	
	10	162176	54.8	10	1	1084	-	-	
	11	403553	89.4	10	2	1850	1436	-	
21 Type 5		16	0.75	12	5.5260				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)	
	0	483470	74.7	15	2	1619	1611	-	
	1	660722	57.1	15	1	1560	-	-	
	2	98810	91.9	15	3	1362	1475	1276	
	3	279914	83.1	15	2	1809	1772	-	
	4	462536	56.7	15	1	1003	-	-	
	5	642324	79.2	15	2	1574	1600	-	
	6	76831	58.7	15	1	1186	-	-	
	7	257785	71	15	2	1521	1567	-	
	8	438554	79	15	2	1777	1960	-	
	9	620397	68.5	15	2	1284	1428	-	
	10	54310	73.5	15	2	1904	1352	-	
	11	235596	70.5	15	2	1864	1113	-	
	12	417038	78.6	15	2	1045	1300	-	
	13	597974	81.2	15	2	1160	1675	-	
	14	32086	61.8	15	1	1277	-	-	
	15	212751	94.9	15	2	1450	1206	1860	
22 Type 5		12		12	5.5289				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)	
	0	526149	78.5	9	2	1653	1698	-	
	1	767135	89.8	9	2	1174	1962	1167	
	2	12955	59.4	9	1	1982	-	-	
	3	254612	79.6	9	2	1633	1890	-	
	4	496588	76	9	2	1112	1811	-	
	5	739728	53.6	9	1	1144	-	-	
	6	980872	80.9	9	2	1220	1053	-	
	7	225249	61.6	9	1	1724	-	-	
	8	467279	53.4	9	1	1901	-	-	
	9	709720	59.9	9	1	1379	-	-	
	10	951847	60.4	9	1	1453	-	-	
	11	194839	91.4	9	2	1768	1726	1227	
23 Type 5		20	0.6	12	5.5245				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)	
	0	261858	77	20	2	1191	1363	-	
	1	407946	58.1	20	2	1248	-	-	
	2	552319	62.1	20	1	1836	-	-	
	3	99107	76.9	20	2	1334	1236	-	
	4	243514	80	20	2	1914	1852	-	
	5	389464	52	20	1	1701	-	-	
	6	531093	88.6	20	3	1693	1995	1905	
	7	81159	72.9	20	2	1922	1387	-	
	8	225245	68.5	20		1829	1746	1389	
	9	371968	57.9	20	1	1193	-	-	
	10	514197	95.9	20	3	1659	1870	1066	
	11	43561	55.2	20	1	1183	-	-	
	12	207510	92	20	3	1745	1654	1458	
	13	355638	67.9	20	1	1834	-	-	
	14	492515	70.5	20	2	1684	1586	-	
	15	45553	70	20	2	1842	1664	-	
	16	188283	84	20	2	1765	1630	1176	
	17	335330	76.1	20	2	1557	1057	-	
	18	478682	93.4	20	3	1985	1018	1340	
	19	25594	96.8	20	3	1700	1514	1817	
24 Type 5		14	0.8571429	12	5.5277				
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)	
	0	247117	90.1	12	1	1941	-	-	
	1	453962	50.5	12	3	1590	1081	1413	
	2	668075	68.8	12	2	1701	1577	-	
	3	114181	58.7	12	1	1562	-	-	
	4	220734	86	12	3	1953	1108	1987	
	5	428367	75.2	12	2	1572	1536	-	
	6	638981	54.7	12	1	1617	-	-	
	7	843517	91.1	12	2	1329	1243	-	

		8	195585	76.2	12	2	1940	1770	
		9	403231	80.2	12	2	1098	1209	
		10	610202	78.7	12	2	1098	1214	
		11	815220	90.9	12	3	1615	1802	1601
		12	170267	68.7	12	2	1377	1441	
		13	377300	67.4	12	2	1872	1313	
25 Type 5		13	0.920709		12	5.5281			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)		
0	628071	94	11	3	1643	1748	1941		
1	853301	70.8	11	3	1173	1201			
2	156293	56.3	11	1	1006	-	-		
3	378734	96.7	11	3	1230	1163	1332		
4	601331	90.6	11	3	1217	1382	1498		
5	825462	74.5	11	2	1069	1281			
6	128205	92.6	11	3	1065	1609	1222		
7	351161	89	11	3	1493	1135	1380		
8	573425	96.5	11	3	1607	1802			
9	798431	70.5	11	2	1141	1178			
10	100727	94	11	2	1009	1620	1956		
11	324661	55.8	11	1	1290	-	-		
12	546278	87.7	11	3	1435	1963	1164		
26 Type 5		8	1.5	12	5.5905				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)		
0	1253842	68.6	5	2	1306	1161			
1	119486	83.1	5	2	1420	1315			
2	482958	60.9	5	1	1087	-	-		
3	845641	77.7	5	2	1776	1158			
4	1208428	77.4	5	2	1793	1310			
5	74748	66.8	5	2	1576	1323			
6	438300	63.7	5	1	1333	-	-		
7	800152	91.2	5	1	1409	1681	1275		
27 Type 5		17	0.7058894		12	5.5281			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)		
0	543865	83.6	16	3	1632	1195	1000		
1	14097	89.4	16	3	1173	1627	1656		
2	184953	55.8	16	1	1532	-	-		
3	353729	90.9	16	3	1981	1554	1998		
4	536388	54.7	16	1	1825	-	-		
5	694806	97.7	16	3	1734	1202	1250		
6	163568	67.5	16	2	1571	1434			
7	333410	96.7	16	3	1589	1469	1268		
8	524006	68.2	16	3	1550	1954			
9	675297	78.3	16	2	1591	1082			
10	142890	55	16	1	1427	-	-		
11	312479	84.9	16	3	1129	1936	1199		
12	482953	74.6	16	2	1826	1856			
13	655029	63.3	16	1	1885	-	-		
14	121457	99.8	16	3	1035	1515	1120		
15	292609	63.6	16	1	1647	-	-		
16	461322	87.3	16	3	1931	1051	1831		
28 Type 5		19	0.6315789		12	5.5224			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)		
0	565136	85.6	19	3	1946	1078	1013		
1	89970	68.6	19	2	1029	1780			
2	243121	54.2	19	1	1111	-	-		
3	396034	61.2	19	1	1104	-	-		
4	546253	97.1	19	3	1157	1969	1100		
5	70998	98.3	19	3	1142	1699	1622		
6	224093	62.4	19	1	1655	-	-		
7	276127	80.2	19	2	1126	1769			
8	527806	87.5	19	3	1216	1448	1170		
9	52247	85.8	19	3	1847	1348	1472		
10	204362	88.1	19	3	1023	1124	1631		
11	357941	65.3	19	1	1848	-	-		
12	510977	52.5	19	1	1470	-	-		
13	33698	52.3	19	1	1312	-	-		
14	186023	74.1	19	2	1915	1200			
15	339327	54.9	19	1	1479	-	-		
16	491053	76.2	19	2	1376	1502			
17	14858	60.4	19	1	1738	-	-		
18	167387	81.5	19	2	1491	1103			
29 Type 5		12	12	12	5.5285				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)		
0	507709	50.5	10	1	1857	-	-		
1	750249	55.7	10	1	1246	-	-		
2	989003	85.8	10	3	1774	1002	1967		
3	235634	76.9	10	2	1125	1474			
4	477673	75.1	10	2	1254	1052			
5	718312	92.3	10	3	1180	1486	1492		
6	960895	78.1	10	2	1301	1757			
7	205370	92.2	10	3	1898	1252	1713		
8	446940	89	10	3	1260	1706	1411		
9	689225	70.9	10	2	1578	1620			
10	932305	63.1	10	1	1782	-	-		
11	176231	53.3	10	1	1522	-	-		
30 Type 5		18	0.6066667		12	5.5257			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)		
0	277485	83.4	17	3	1454	1205	1801		

		8	195585	76.2	12	2	1940	1770	
		9	403231	80.2	12	2	1098	1209	
		10	610202	78.7	12	2	1098	1214	
		11	815220	90.9	12	3	1615	1802	1601
		12	170267	68.7	12	2	1377	1441	
		13	377300	67.4	12	2	1872	1313	
25 Type 5		13	0.9230768		12	5.5281			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)		
0	628071	94	11	3	1643	1748	1941		
1	853301	70.8	11	3	1173	1201			
2	156293	56.3	11	1	1006	-	-		
3	378734	96.7	11	3	1230	1163	1332		
4	601331	90.6	11	3	1217	1382	1498		
5	825462	74.5	11	2	1069	1281			
6	128205	92.6	11	3	1065	1609	1222		
7	351161	89	11	3	1493	1135	1380		
8	573425	96.5	11	3	1607	1802			
9	798431	70.5	11	2	1141	1178			
10	100737	94	11	2	1009	1620	1956		
11	324661	55.8	11	1	1290	-	-		
12	546278	87.7	11	3	1435	1963	1164		
26 Type 5		8	1.5	12	5.5305				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)		
0	1253842	68.6	5	2	1306	1161			
1	119486	83.1	5	2	1420	1315			
2	482958	60.9	5	1	1087	-	-		
3	845641	77.7	5	2	1776	1158			
4	1208428	77.4	5	2	1793	1310			
5	74748	66.8	5	2	1576	1323			
6	438300	63.7	5	1	1333	-	-		
7	800152	91.2	5	1	1409	1681	1275		
27 Type 5		17	0.7058894		12	5.5261			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)		
0	545865	83.6	16	3	1632	1195	1000		
1	14097	89.4	16	3	1173	1627	1656		
2	184953	55.8	16	1	1532	-	-		
3	353729	90.9	16	3	1981	1554	1998		
4	536388	54.7	16	1	1825	-	-		
5	694806	97.7	16	3	1734	1202	1250		
6	163568	67.5	16	2	1571	1434			
7	333410	96.7	16	3	1589	1469	1268		
8	524006	68.2	16	3	1550	1954			
9	675297	78.3	16	2	1591	1082			
10	142890	55	16	1	1427	-	-		
11	312479	84.9	16	3	1129	1936	1199		
12	482953	74.6	16	2	1826	1856			
13	655029	63.3	16	1	1885	-	-		
14	121457	99.8	16	3	1035	1515	1120		
15	292609	63.6	16	1	1647	-	-		
16	461322	87.3	16	3	1931	1051	1831		
28 Type 5		19	0.6315789		12	5.5249			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)		
0	565136	85.6	19	3	1946	1078	1013		
1	89970	68.6	19	2	1029	1780			
2	243121	54.2	19	1	1111	-	-		
3	396034	61.2	19	1	1104	-	-		
4	546253	97.1	19	3	1157	1969	1100		
5	70998	98.3	19	3	1142	1699	1622		
6	224093	62.4	19	1	1655	-	-		
7	276127	80.2	19	2	1126	1769			
8	527806	87.5	19	3	1216	1448	1170		
9	52247	85.8	19	3	1847	1348	1472		
10	204362	88.1	19	3	1023	1124	1631		
11	357941	65.3	19	1	1848	-	-		
12	510977	52.5	19	1	1470	-	-		
13	33698	52.3	19	1	1312	-	-		
14	186023	74.1	19	2	1915	1200			
15	339327	54.9	19	1	1479	-	-		
16	491053	76.2	19	2	1376	1502			
17	14858	60.4	19	1	1738	-	-		
18	167387	81.5	19	2	1491	1103			
29 Type 5		12	12	12	5.5285				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)		
0	507709	50.5	10	1	1857	-	-		
1	756249	55.7	10	1	1248	-	-		
2	988003	85.6	10	3	1774	1002	1067		
3	235634	78.3	10	3	1124	1125	1414		
4	477675	75.1	10	2	1554	1052			
5	718132	92.3	10	3	1180	1448	1492		
6	986096	78.1	10	2	1201	1757			
7	205370	92.2	10	3	1098	1252	1713		
8	446025	79.9	10	3	1260	1700	1411		
9	889249	80.0	10	2	1578	1626			
10	623205	63.6	10	1	1782	-	-		
11	176231	55.3	10	1	1522	-	-		
30 Type 5		18	0.6666667		12	5.5257			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)		
0	277485	83.4	17	3	1454	1205	1801		

	1	437880	97.3	17	3	1319	1826	1635
	2	598445	90.4	17	3	1079	1986	1674
	3	97088	91.8	17	3	1363	1151	1852
	4	257251	98.2	17	3	1876	1977	1766
	5	419893	59.5	17	1	1952	-	-
	6	580734	80	17	2	1253	1132	-
	7	77369	86.5	17	3	1054	1128	1828
	8	238032	91.1	17	3	1105	1599	1442
	9	398605	93.5	17	3	1867	1373	1087
	10	963025	69.7	17	1	1033	-	-
	11	57684	67.2	17	2	1288	1405	-
	12	219083	61.8	17	1	1585	-	-
	13	375234	79.4	17	2	1533	1667	-
	14	54986	81.4	17	2	1096	1464	-
	15	37916	65.7	17	1	1496	-	-
	16	198704	76	17	2	1733	1255	-
	17	359734	81	17	2	1326	1688	-

	1	437880	97.3	17	3	1319	1826	1635
	2	598445	90.4	17	3	1079	1986	1674
	3	97088	91.8	17	3	1363	1151	1852
	4	257251	98.2	17	3	1876	1977	1766
	5	419893	59.5	17	1	1952	-	-
	6	580734	80	17	2	1253	1132	-
	7	77369	86.5	17	3	1054	1128	1828
	8	238032	91.1	17	3	1105	1599	1442
	9	398605	93.5	17	3	1867	1373	1087
	10	963025	69.7	17	1	1033	-	-
	11	57684	67.2	17	2	1288	1405	-
	12	219083	61.8	17	1	1585	-	-
	13	375234	79.4	17	2	1533	1667	-
	14	54986	81.4	17	2	1096	1464	-
	15	37916	65.7	17	1	1496	-	-
	16	198704	76	17	2	1733	1255	-
	17	359734	81	17	2	1326	1688	-

	1	437880	97.3	17	3	1319	1826	1635
	2	598445	90.4	17	3	1079	1986	1674
	3	97088	91.8	17	3	1363	1151	1852
	4	257251	98.2	17	3	1876	1977	1766
	5	419893	59.5	17	1	1952	-	-
	6	580734	80	17	2	1253	1132	-
	7	77369	86.5	17	3	1054	1128	1828
	8	238032	91.1	17	3	1105	1599	1442
	9	398605	93.5	17	3	1867	1373	1087
	10	963025	69.7	17	1	1033	-	-
	11	57684	67.2	17	2	1288	1405	-
	12	219083	61.8	17	1	1585	-	-
	13	375234	79.4	17	2	1533	1667	-
	14	54986	81.4	17	2	1096	1464	-
	15	37916	65.7	17	1	1496	-	-
	16	198704	76	17	2	1733	1255	-
	17	359734	81	17	2	1326	1688	-

	1	437880	97.3	17	3	1319	1826	1635
	2	598445	90.4	17	3	1079	1986	1674
	3	97088	91.8	17	3	1363	1151	1852
	4	257251	98.2	17	3	1876	1977	1766
	5	419893	59.5	17	1	1952	-	-
	6	580734	80	17	2	1253	1132	-
	7	77369	86.5	17	3	1054	1128	1828
	8	238032	91.1	17	3	1105	1599	1442
	9	398605	93.5	17	3	1867	1373	1087
	10	963025	69.7	17	1	1033	-	-
	11	57684	67.2	17	2	1288	1405	-
	12	219083	61.8	17	1	1585	-	-
	13	375234	79.4	17	2	1533	1667	-
	14	54986	81.4	17	2	1096	1464	-
	15	37916	65.7	17	1	1496	-	-
	16	198704	76	17	2	1733	1255	-
	17	359734	81	17	2	1326	1688	-

Report No.: 2401259035RFC-3
Appendix F

Radar Type	Trial #	Freq(MHz)	Pluse Width(us)	PRF(us)	Pluse Per Hop	Hoppin g Rate (Hz)	Hopping Sequence Length(ms)	Visible Freque ncy Number	Detectio n(Yes / No)
6	1	5300	1	333.3	9.00	0.3333	300	30	Y
6	2	5300	1	333.3	9.00	0.3333	300	24	Y
6	3	5300	1	333.3	9.00	0.3333	300	30	Y
6	4	5300	1	333.3	9.00	0.3333	300	27	Y
6	5	5300	1	333.3	9.00	0.3333	300	30	Y
6	6	5300	1	333.3	9.00	0.3333	300	28	N
6	7	5300	1	333.3	9.00	0.3333	300	28	Y
6	8	5300	1	333.3	9.00	0.3333	300	32	Y
6	9	5300	1	333.3	9.00	0.3333	300	28	Y
6	10	5300	1	333.3	9.00	0.3333	300	29	Y
6	11	5300	1	333.3	9.00	0.3333	300	26	Y
6	12	5300	1	333.3	9.00	0.3333	300	24	Y
6	13	5300	1	333.3	9.00	0.3333	300	24	Y
6	14	5300	1	333.3	9.00	0.3333	300	28	Y
6	15	5300	1	333.3	9.00	0.3333	300	27	Y
6	16	5300	1	333.3	9.00	0.3333	300	29	Y
6	17	5300	1	333.3	9.00	0.3333	300	25	Y
6	18	5300	1	333.3	9.00	0.3333	300	30	Y
6	19	5300	1	333.3	9.00	0.3333	300	30	N
6	20	5300	1	333.3	9.00	0.3333	300	29	Y
6	21	5300	1	333.3	9.00	0.3333	300	25	N
6	22	5300	1	333.3	9.00	0.3333	300	25	Y
6	23	5300	1	333.3	9.00	0.3333	300	19	Y
6	24	5300	1	333.3	9.00	0.3333	300	25	Y
6	25	5300	1	333.3	9.00	0.3333	300	28	Y
6	26	5300	1	333.3	9.00	0.3333	300	27	Y
6	27	5300	1	333.3	9.00	0.3333	300	24	N
6	28	5300	1	333.3	9.00	0.3333	300	25	Y
6	29	5300	1	333.3	9.00	0.3333	300	33	Y
6	30	5300	1	333.3	9.00	0.3333	300	24	Y
Radar Type	Trial #	Freq(MHz)	Pluse Width(us)	PRF(us)	Pluse Per Hop	Hoppin g Rate (Hz)	Hopping Sequence Length(ms)	Visible Freque ncy Number	Detectio n(Yes / No)
6	1	5500	1	333.3	9	0.3333	300	30	Y
6	2	5500	1	333.3	9	0.3333	300	24	N
6	3	5500	1	333.3	9	0.3333	300	30	Y
6	4	5500	1	333.3	9	0.3333	300	27	Y
6	5	5500	1	333.3	9	0.3333	300	30	Y
6	6	5500	1	333.3	9	0.3333	300	28	Y
6	7	5500	1	333.3	9	0.3333	300	28	Y
6	8	5500	1	333.3	9	0.3333	300	32	Y
6	9	5500	1	333.3	9	0.3333	300	28	Y
6	10	5500	1	333.3	9	0.3333	300	29	Y
6	11	5500	1	333.3	9	0.3333	300	26	Y
6	12	5500	1	333.3	9	0.3333	300	24	Y
6	13	5500	1	333.3	9	0.3333	300	24	N
6	14	5500	1	333.3	9	0.3333	300	28	Y
6	15	5500	1	333.3	9	0.3333	300	27	Y
6	16	5500	1	333.3	9	0.3333	300	25	Y
6	17	5500	1	333.3	9	0.3333	300	25	Y
6	18	5500	1	333.3	9	0.3333	300	30	Y
6	19	5500	1	333.3	9	0.3333	300	30	Y
6	20	5500	1	333.3	9	0.3333	300	29	Y
6	21	5500	1	333.3	9	0.3333	300	23	Y
6	22	5500	1	333.3	9	0.3333	300	25	Y
6	23	5500	1	333.3	9	0.3333	300	19	Y
6	24	5500	1	333.3	9	0.3333	300	25	Y
6	25	5500	1	333.3	9	0.3333	300	26	Y
6	26	5500	1	333.3	9	0.3333	300	28	Y
6	27	5500	1	333.3	9	0.3333	300	27	N
6	28	5500	1	333.3	9	0.3333	300	24	Y
6	29	5500	1	333.3	9	0.3333	300	33	Y
6	30	5500	1	333.3	9	0.3333	300	24	Y

Radar Type	Trial #	Freq(MHz)	Pluse Width(us)	PRF(us)	Pluse Per Hop	Hoppin g Rate (Hz)	Hopping Sequence Length(ms)	Visible Freque ncy Number	Detectio n(Yes / No)
6	1	5310	1	333.3	9	0.3333	300	30	Y
6	2	5310	1	333.3	9	0.3333	300	24	Y
6	3	5310	1	333.3	9	0.3333	300	30	Y
6	4	5310	1	333.3	9	0.3333	300	27	N
6	5	5310	1	333.3	9	0.3333	300	30	Y
6	6	5310	1	333.3	9	0.3333	300	28	N
6	7	5310	1	333.3	9	0.3333	300	28	Y
6	8	5310	1	333.3	9	0.3333	300	32	Y
6	9	5310	1	333.3	9	0.3333	300	28	Y
6	10	5310	1	333.3	9	0.3333	300	29	Y
6	11	5310	1	333.3	9	0.3333	300	26	Y
6	12	5310	1	333.3	9	0.3333	300	24	Y
6	13	5310	1	333.3	9	0.3333	300	24	Y
6	14	5310	1	333.3	9	0.3333	300	26	Y
6	15	5310	1	333.3	9	0.3333	300	27	N
6	16	5310	1	333.3	9	0.3333	300	28	Y
6	17	5310	1	333.3	9	0.3333	300	25	Y
6	18	5310	1	333.3	9	0.3333	300	30	Y
6	19	5310	1	333.3	9	0.3333	300	30	Y
6	20	5310	1	333.3	9	0.3333	300	29	N
6	21	5310	1	333.3	9	0.3333	300	25	Y
6	22	5310	1	333.3	9	0.3333	300	25	Y
6	23	5310	1	333.3	9	0.3333	300	19	Y
6	24	5310	1	333.3	9	0.3333	300	25	Y
6	25	5310	1	333.3	9	0.3333	300	26	Y
6	26	5310	1	333.3	9	0.3333	300	27	N
6	27	5310	1	333.3	9	0.3333	300	24	Y
6	28	5310	1	333.3	9	0.3333	300	25	Y
6	29	5310	1	333.3	9	0.3333	300	33	Y
6	30	5310	1	333.3	9	0.3333	300	24	N
Radar Type	Trial #	Freq(MHz)	Pluse Width(us)	PRF(us)	Pluse Per Hop	Hoppin g Rate (Hz)	Hopping Sequence Length(ms)	Visible Freque ncy Number	Detectio n(Yes / No)
6	1	5510	1	333.3	9	0.3333	300	30	Y
6	2	5510	1	333.3	9	0.3333	300	24	Y
6	3	5510	1	333.3	9	0.3333	300	30	Y
6	4	5510	1	333.3	9	0.3333	300	27	Y
6	5	5510	1	333.3	9	0.3333	300	30	N
6	6	5510	1	333.3	9	0.3333	300	28	Y
6	7	5510	1	333.3	9	0.3333	300	28	Y
6	8	5510	1	333.3	9	0.3333	300	32	Y
6	9	5510	1	333.3	9	0.3333	300	28	Y
6	10	5510	1	333.3	9	0.3333	300	29	Y
6	11	5510	1	333.3	9	0.3333	300	26	N
6	12	5510	1	333.3	9	0.3333	300	24	Y
6	13	5510	1	333.3	9	0.3333	300	24	Y
6	14	5510	1	333.3	9	0.3333	300	28	Y
6	15	5510	1	333.3	9	0.3333	300	27	N
6	16	5510	1	333.3	9	0.3333	300	29	N
6	17	5510	1	333.3	9	0.3333	300	25	Y
6	18	5510	1	333.3	9	0.3333	300	30	Y
6	19	5510	1	333.3	9	0.3333	300	30	N
6	20	5510	1	333.3	9	0.3333	300	29	Y
6	21	5510	1	333.3	9	0.3333	300	23	N
6	22	5510	1	333.3	9	0.3333	300	25	Y
6	23	5510	1	333.3	9	0.3333	300	19	Y
6	24	5510	1	333.3	9	0.3333	300	25	Y
6	25	5510	1	333.3	9	0.3333	300	28	Y
6	26	5510	1	333.3	9	0.3333	300	27	Y
6	27	5510	1	333.3	9	0.3333	300	24	Y
6	28	5510	1	333.3	9	0.3333	300	25	Y
6	29	5510	1	333.3	9	0.3333	300	33	Y
6	30	5510	1	333.3	9	0.3333	300	24	Y

Radar Type	Trial #	Freq(MHz)	Pluse Width(us)	PRF(us)	Pluse Per Hop	Hoppin g Rate (Hz)	Hopping Sequence Length(ms)	Visible Freque ncy Number	Detectio n(Yes / No)
6	1	5290	1	333.3	9	0.3333	300	30	Y
	2	5290	1	333.3	9	0.3333	300	24	Y
	3	5290	1	333.3	9	0.3333	300	30	N
	4	5290	1	333.3	9	0.3333	300	27	Y
	5	5290	1	333.3	9	0.3333	300	30	Y
	6	5290	1	333.3	9	0.3333	300	28	N
	7	5290	1	333.3	9	0.3333	300	28	Y
	8	5290	1	333.3	9	0.3333	300	32	Y
	9	5290	1	333.3	9	0.3333	300	28	Y
	10	5290	1	333.3	9	0.3333	300	29	Y
	11	5290	1	333.3	9	0.3333	300	26	Y
	12	5290	1	333.3	9	0.3333	300	24	Y
	13	5290	1	333.3	9	0.3333	300	24	Y
	14	5290	1	333.3	9	0.3333	300	28	Y
	15	5290	1	333.3	9	0.3333	300	27	Y
	16	5290	1	333.3	9	0.3333	300	29	Y
	17	5290	1	333.3	9	0.3333	300	25	Y
	18	5290	1	333.3	9	0.3333	300	30	Y
	19	5290	1	333.3	9	0.3333	300	30	Y
	20	5290	1	333.3	9	0.3333	300	29	N
	21	5290	1	333.3	9	0.3333	300	25	Y
	22	5290	1	333.3	9	0.3333	300	25	Y
	23	5290	1	333.3	9	0.3333	300	19	N
	24	5290	1	333.3	9	0.3333	300	25	Y
	25	5290	1	333.3	9	0.3333	300	28	Y
	26	5290	1	333.3	9	0.3333	300	27	N
	27	5290	1	333.3	9	0.3333	300	24	Y
	28	5290	1	333.3	9	0.3333	300	25	Y
	29	5290	1	333.3	9	0.3333	300	33	Y
	30	5290	1	333.3	9	0.3333	300	24	Y
Radar Type	Trial #	Freq(MHz)	Pluse Width(us)	PRF(us)	Pluse Per Hop	Hoppin g Rate (Hz)	Hopping Sequence Length(ms)	Visible Freque ncy Number	Detectio n(Yes / No)
6	1	5530	1	333.3	9	0.3333	300	30	Y
	2	5530	1	333.3	9	0.3333	300	24	Y
	3	5530	1	333.3	9	0.3333	300	30	N
	4	5530	1	333.3	9	0.3333	300	27	Y
	5	5530	1	333.3	9	0.3333	300	30	Y
	6	5530	1	333.3	9	0.3333	300	28	N
	7	5530	1	333.3	9	0.3333	300	28	Y
	8	5530	1	333.3	9	0.3333	300	32	Y
	9	5530	1	333.3	9	0.3333	300	28	Y
	10	5530	1	333.3	9	0.3333	300	29	Y
	11	5530	1	333.3	9	0.3333	300	26	N
	12	5530	1	333.3	9	0.3333	300	24	Y
	13	5530	1	333.3	9	0.3333	300	24	Y
	14	5530	1	333.3	9	0.3333	300	28	Y
	15	5530	1	333.3	9	0.3333	300	27	Y
	16	5530	1	333.3	9	0.3333	300	29	Y
	17	5530	1	333.3	9	0.3333	300	25	Y
	18	5530	1	333.3	9	0.3333	300	30	Y
	19	5530	1	333.3	9	0.3333	300	30	Y
	20	5530	1	333.3	9	0.3333	300	29	N
	21	5530	1	333.3	9	0.3333	300	25	Y
	22	5530	1	333.3	9	0.3333	300	25	Y
	23	5530	1	333.3	9	0.3333	300	19	Y
	24	5530	1	333.3	9	0.3333	300	25	Y
	25	5530	1	333.3	9	0.3333	300	28	Y
	26	5530	1	333.3	9	0.3333	300	27	Y
	27	5530	1	333.3	9	0.3333	300	24	Y
	28	5530	1	333.3	9	0.3333	300	25	Y
	29	5530	1	333.3	9	0.3333	300	33	Y
	30	5530	1	333.3	9	0.3333	300	24	Y