

Left Band edge_Vertical_Peak_802.11ax20_5745MHz



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5631.659	-6.00	65.63	59.63	68.20	-8.57	Peak
2	5668.281	-5.85	66.22	60.37	81.77	-21.40	Peak
3	5719.605	-5.58	76.23	70.65	110.69	-40.04	Peak
4	5724.094	-5.54	78.97	73.43	120.13	-46.70	Peak


Right Band edge_Horizontal_Peak_802.11ax20_5825MHz



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5853.716	-4.69	68.20	63.51	113.73	-50.22	Peak
2	5858.604	-4.67	66.23	61.56	109.79	-48.23	Peak
3	5911.920	-4.50	65.95	61.45	77.85	-16.40	Peak
4	5942.669	-4.49	65.85	61.36	68.20	-6.84	Peak


Right Band edge_Vertical_Peak_802.11ax20_5825MHz



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.614	-4.70	76.40	71.70	120.80	-49.10	Peak
2	5856.861	-4.67	72.33	67.66	110.28	-42.62	Peak
3	5886.016	-4.56	66.53	61.97	97.02	-35.05	Peak
4	5949.554	-4.48	66.03	61.55	68.20	-6.65	Peak


Left Band edge_Horizontal_Peak_802.11ax40_5755MHz



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5610.973	-6.13	65.19	59.06	68.20	-9.14	Peak
2	5698.857	-5.78	68.89	63.11	104.36	-41.25	Peak
3	5717.967	-5.60	74.82	69.22	110.23	-41.01	Peak
4	5723.926	-5.54	75.23	69.69	119.75	-50.06	Peak


Left Band edge_Vertical_Peak_802.11ax40_5755MHz



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5645.281	-5.93	65.56	59.63	68.20	-8.57	Peak
2	5698.254	-5.78	74.82	69.04	103.91	-34.87	Peak
3	5718.230	-5.60	83.04	77.44	110.31	-32.87	Peak
4	5724.005	-5.54	83.46	77.92	119.93	-42.01	Peak


Right Band edge_Horizontal_Peak_802.11ax40_5795MHz



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.040	-4.70	66.42	61.72	122.11	-60.39	Peak
2	5857.889	-4.67	67.03	62.36	109.99	-47.63	Peak
3	5900.703	-4.51	66.10	61.59	86.14	-24.55	Peak
4	5928.816	-4.50	66.48	61.98	68.20	-6.22	Peak


Right Band edge_Vertical_Peak_802.11ax40_5795MHz



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5852.665	-4.69	73.14	68.45	116.12	-47.67	Peak
2	5857.705	-4.67	72.89	68.22	110.04	-41.82	Peak
3	5877.865	-4.59	69.38	64.79	103.07	-38.28	Peak
4	5943.490	-4.49	66.38	61.89	68.20	-6.31	Peak


Left Band edge_Horizontal_Peak_802.11ax80_5775MHz



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5628.469	-6.03	65.43	59.40	68.20	-8.80	Peak
2	5679.781	-5.82	68.50	62.68	90.28	-27.60	Peak
3	5711.406	-5.66	70.53	64.87	108.40	-43.53	Peak
4	5721.500	-5.57	70.58	65.01	114.22	-49.21	Peak


Left Band edge_Vertical_Peak_802.11ax80_5775MHz



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5648.781	-5.90	67.94	62.04	68.20	-6.16	Peak
2	5699.344	-5.78	73.93	68.15	104.72	-36.57	Peak
3	5715.875	-5.63	78.46	72.83	109.65	-36.82	Peak
4	5723.063	-5.55	76.52	70.97	117.78	-46.81	Peak


Right Band edge_Horizontal_Peak_802.11ax80_5775MHz



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5852.378	-4.69	74.90	70.21	116.78	-46.57	Peak
2	5858.087	-4.67	72.76	68.09	109.93	-41.84	Peak
3	5878.675	-4.59	67.47	62.88	102.47	-39.59	Peak
4	5931.409	-4.49	66.14	61.65	68.20	-6.55	Peak


Right Band edge_Vertical_Peak_802.11ax80_5775MHz



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5853.869	-4.68	80.82	76.14	113.38	-37.24	Peak
2	5857.975	-4.67	79.51	74.84	109.97	-35.13	Peak
3	5875.103	-4.61	73.87	69.26	105.12	-35.86	Peak
4	5943.475	-4.49	66.23	61.74	68.20	-6.46	Peak


Left Band edge_Horizontal_Peak_802.11be20_5745MHz



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE20-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5618.335	-6.09	65.74	59.65	68.20	-8.55	Peak
2	5691.152	-5.80	65.95	60.15	98.68	-38.53	Peak
3	5719.486	-5.58	67.66	62.08	110.66	-48.58	Peak
4	5723.571	-5.54	72.43	66.89	118.94	-52.05	Peak


Left Band edge_Vertical_Peak_802.11be20_5745MHz



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE20-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5628.524	-6.03	66.35	60.32	68.20	-7.88	Peak
2	5694.478	-5.78	66.27	60.49	101.13	-40.64	Peak
3	5718.370	-5.59	76.54	70.95	110.34	-39.39	Peak
4	5723.334	-5.55	79.24	73.69	118.40	-44.71	Peak


Right Band edge_Horizontal_Peak_802.11be20_5825MHz



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.422	-4.70	68.67	63.97	121.24	-57.27	Peak
2	5856.542	-4.67	66.26	61.59	110.37	-48.78	Peak
3	5917.487	-4.49	65.92	61.43	73.74	-12.31	Peak
4	5945.219	-4.49	65.98	61.49	68.20	-6.71	Peak


Right Band edge_Vertical_Peak_802.11be20_5825MHz



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.486	-4.70	73.93	69.23	121.09	-51.86	Peak
2	5859.220	-4.66	71.94	67.28	109.62	-42.34	Peak
3	5904.567	-4.50	66.58	62.08	83.28	-21.20	Peak
4	5948.598	-4.48	66.63	62.15	68.20	-6.05	Peak


Left Band edge_Horizontal_Peak_802.11be40_5755MHz



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE40-5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5619.819	-6.08	65.23	59.15	68.20	-9.05	Peak
2	5699.724	-5.78	67.70	61.92	105.00	-43.08	Peak
3	5719.989	-5.58	77.39	71.81	110.80	-38.99	Peak
4	5720.540	-5.57	77.84	72.27	112.03	-39.76	Peak


Left Band edge_Vertical_Peak_802.11be40_5755MHz



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE40-5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5609.870	-6.14	65.71	59.57	68.20	-8.63	Peak
2	5691.534	-5.79	74.87	69.08	98.96	-29.88	Peak
3	5716.051	-5.62	82.34	76.72	109.70	-32.98	Peak
4	5720.540	-5.57	84.25	78.68	112.03	-33.35	Peak


Right Band edge_Horizontal_Peak_802.11be40_5795MHz



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.092	-4.70	67.53	62.83	121.99	-59.16	Peak
2	5855.526	-4.68	66.75	62.07	110.65	-48.58	Peak
3	5887.000	-4.55	66.39	61.84	96.29	-34.45	Peak
4	5932.465	-4.49	66.20	61.71	68.20	-6.49	Peak


Right Band edge_Vertical_Peak_802.11be40_5795MHz



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.171	-4.70	73.06	68.36	121.81	-53.45	Peak
2	5858.545	-4.67	72.07	67.40	109.81	-42.41	Peak
3	5880.123	-4.58	69.14	64.56	101.39	-36.83	Peak
4	5938.949	-4.49	66.30	61.81	68.20	-6.39	Peak


Left Band edge_Horizontal_Peak_802.11be80_5775MHz



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5624.906	-6.04	66.02	59.98	68.20	-8.22	Peak
2	5688.719	-5.81	67.42	61.61	96.88	-35.27	Peak
3	5719.906	-5.58	69.79	64.21	110.77	-46.56	Peak
4	5721.000	-5.57	70.59	65.02	113.08	-48.06	Peak


Left Band edge_Vertical_Peak_802.11be80_5775MHz



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5648.594	-5.90	67.41	61.51	68.20	-6.69	Peak
2	5698.063	-5.78	72.80	67.02	103.77	-36.75	Peak
3	5715.375	-5.63	75.20	69.57	109.51	-39.94	Peak
4	5720.750	-5.57	76.62	71.05	112.51	-41.46	Peak


Right Band edge_Horizontal_Peak_802.11be80_5775MHz



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5853.503	-4.68	72.83	68.15	114.21	-46.06	Peak
2	5861.069	-4.67	72.96	68.29	109.10	-40.81	Peak
3	5876.341	-4.60	67.08	62.48	104.20	-41.72	Peak
4	5933.350	-4.49	65.88	61.39	68.20	-6.81	Peak

Right Band edge_Vertical_Peak_802.11be80_5775MHz




Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.156	-4.70	81.89	77.19	121.84	-44.65	Peak
2	5863.403	-4.65	79.55	74.90	108.44	-33.54	Peak
3	5877.494	-4.59	72.06	67.47	103.35	-35.88	Peak
4	5926.487	-4.49	66.54	62.05	68.20	-6.15	Peak

1-18GHz (Listed with the worst case test plot)
18-40GHz (Only Listed with the worst harmonic margin test plot)


1-7GHz_Horizontal_802.11a_ANT0



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT0-5200

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6975.250	-1.07	49.06	47.99	68.20	-20.21	Peak


1-7GHz_Vertical_802.11a_ANT0



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT0-5200

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6463.000	-1.18	49.48	48.30	68.20	-19.90	Peak


7-18GHz_Horizontal_Peak_802.11a_ANT0



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT0-5200

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10400.000	2.47	53.60	56.07	68.20	-12.13	Peak
2	17953.250	9.34	48.62	57.96	74.00	-16.04	Peak


7-18GHz_Horizontal_Average_802.11a_ANT0



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT0-5200

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17997.250	9.55	37.14	46.69	54.00	-7.31	Average


7-18GHz_Vertical_Peak_802.11a_ANT0



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT0-5200

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10400.000	2.47	58.75	61.22	68.20	-6.98	Peak
2	17923.000	9.20	48.30	57.50	74.00	-16.50	Peak


7-18GHz_Vertical_Average_802.11a_ANT0



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT0-5200

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17995.880	9.54	37.10	46.64	54.00	-7.36	Average


1-7GHz_Horizontal_802.11a_ANT1



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT1-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6415.750	-1.19	48.68	47.49	68.20	-20.71	Peak


1-7GHz_Vertical_802.11a_ANT1



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT1-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6433.000	-1.18	48.59	47.41	68.20	-20.79	Peak


7-18GHz_Horizontal_Peak_802.11a_ANT1



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT1-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10360.000	2.48	53.68	56.16	68.20	-12.04	Peak
2	17989.000	9.51	48.21	57.72	74.00	-16.28	Peak


7-18GHz_Horizontal_Average_802.11a_ANT1



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT1-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17991.750	9.52	36.97	46.49	54.00	-7.51	Average


7-18GHz_Vertical_Peak_802.11a_ANT1



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT1-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10360.000	2.48	53.95	56.43	68.20	-11.77	Peak
2	17986.250	9.49	50.12	59.61	74.00	-14.39	Peak


7-18GHz_Vertical_Average_802.11a_ANT1



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT1-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17998.630	9.55	37.23	46.78	54.00	-7.22	Average


1-7GHz_Horizontal_802.11a_ANT2



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT2-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6328.000	-1.68	49.52	47.84	68.20	-20.36	Peak


1-7GHz_Vertical_802.11a_ANT2



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT2-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6693.250	-1.47	48.80	47.33	68.20	-20.87	Peak


7-18GHz_Horizontal_Peak_802.11a_ANT2



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT2-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10360.000	2.48	53.82	56.30	68.20	-11.90	Peak
2	17960.130	9.38	49.26	58.64	74.00	-15.36	Peak


7-18GHz_Horizontal_Average_802.11a_ANT2



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT2-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17994.500	9.53	37.14	46.67	54.00	-7.33	Average


7-18GHz_Vertical_Peak_802.11a_ANT2



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT2-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10360.000	2.48	58.51	60.99	68.20	-7.21	Peak
2	17971.130	9.43	48.05	57.48	74.00	-16.52	Peak


7-18GHz_Vertical_Average_802.11a_ANT2



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT2-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17998.630	9.56	37.33	46.89	54.00	-7.11	Average


1-7GHz_Horizontal_802.11ac VHT20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6930.250	-1.07	48.57	47.50	68.20	-20.70	Peak


1-7GHz_Vertical_802.11ac VHT20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6390.250	-1.31	49.79	48.48	68.20	-19.72	Peak


7-18GHz_Horizontal_Peak_802.11ac VHT20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10360.000	2.48	54.24	56.72	68.20	-11.48	Peak
2	17983.500	9.48	47.88	57.36	74.00	-16.64	Peak


7-18GHz_Horizontal_Average_802.11ac VHT20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17998.630	9.55	37.17	46.72	54.00	-7.28	Average


7-18GHz_Vertical_Peak_802.11ac VHT20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10360.000	2.48	56.73	59.21	68.20	-8.99	Peak
2	17989.000	9.51	48.28	57.79	74.00	-16.21	Peak


7-18GHz_Vertical_Average_802.11ac VHT20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17980.750	9.48	37.22	46.70	54.00	-7.30	Average


1-7GHz_Horizontal_802.11ac VHT40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5230

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6989.500	-1.15	48.19	47.04	68.20	-21.16	Peak


1-7GHz_Vertical_802.11ac VHT40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5230

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6484.000	-1.20	49.55	48.35	68.20	-19.85	Peak


7-18GHz_Horizontal_Peak_802.11ac VHT40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5230

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10460.000	2.26	54.55	56.81	68.20	-11.39	Peak
2	17960.130	9.38	48.29	57.67	74.00	-16.33	Peak


7-18GHz_Horizontal_Average_802.11ac VHT40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5230

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17987.630	9.50	37.21	46.71	54.00	-7.29	Average


7-18GHz_Vertical_Peak_802.11ac VHT40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5230

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10460.000	2.26	56.22	58.48	68.20	-9.72	Peak
2	17949.130	9.32	48.59	57.91	74.00	-16.09	Peak


7-18GHz_Vertical_Average_802.11ac VHT40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5230

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17949.130	9.32	37.14	46.46	54.00	-7.54	Average


1-7GHz_Horizontal_802.11ac VHT80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6478.000	-1.18	49.63	48.45	68.20	-19.75	Peak


1-7GHz_Vertical_802.11ac VHT80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6454.000	-1.18	48.27	47.09	68.20	-21.11	Peak


7-18GHz_Horizontal_Peak_802.11ac VHT80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10420.000	2.40	53.32	55.72	68.20	-12.48	Peak
2	17961.500	9.38	48.08	57.46	74.00	-16.54	Peak


7-18GHz_Horizontal_Average_802.11ac VHT80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17975.250	9.45	37.01	46.46	54.00	-7.54	Average


7-18GHz_Vertical_Peak_802.11ac VHT80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10420.000	2.40	53.54	55.94	68.20	-12.26	Peak
2	17980.750	9.48	48.66	58.14	74.00	-15.86	Peak


7-18GHz_Vertical_Average_802.11ac VHT80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17980.750	9.48	36.94	46.42	54.00	-7.58	Average


1-7GHz_Horizontal_802.11ax HEW20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6468.250	-1.17	48.29	47.12	68.20	-21.08	Peak


1-7GHz_Vertical_802.11ax HEW20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6768.250	-1.52	49.32	47.80	68.20	-20.40	Peak


7-18GHz_Horizontal_Peak_802.11ax HEW20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10360.000	2.48	54.27	56.75	68.20	-11.45	Peak
2	17982.130	9.47	48.37	57.84	74.00	-16.16	Peak


7-18GHz_Horizontal_Average_802.11ax HEW20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17980.750	9.48	36.70	46.18	54.00	-7.82	Average


7-18GHz_Vertical_Peak_802.11ax HEW20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10360.000	2.48	60.22	62.70	68.20	-5.50	Peak
2	17979.380	9.47	48.12	57.59	74.00	-16.41	Peak


7-18GHz_Vertical_Average_802.11ax HEW20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17998.630	9.55	37.05	46.60	54.00	-7.40	Average


1-7GHz_Horizontal_802.11ax HEW40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5190

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6478.000	-1.18	48.22	47.04	68.20	-21.16	Peak


1-7GHz_Vertical_802.11ax HEW40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5190

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6484.750	-1.20	49.39	48.19	68.20	-20.01	Peak


7-18GHz_Horizontal_Peak_802.11ax HEW40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5190

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10380.000	2.48	53.48	55.96	68.20	-12.24	Peak
2	17968.380	9.42	48.48	57.90	74.00	-16.10	Peak


7-18GHz_Horizontal_Average_802.11ax HEW40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5190

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17998.630	9.56	36.75	46.31	54.00	-7.69	Average


7-18GHz_Vertical_Peak_802.11ax HEW40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5190

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10380.000	2.48	55.47	57.95	68.20	-10.25	Peak
2	17976.630	9.46	48.31	57.77	74.00	-16.23	Peak


7-18GHz_Vertical_Average_802.11ax HEW40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5190

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17991.750	9.52	37.18	46.70	54.00	-7.30	Average


1-7GHz_Horizontal_802.11ax HEW80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6445.000	-1.17	48.77	47.60	68.20	-20.60	Peak


1-7GHz_Vertical_802.11ax HEW80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6440.500	-1.18	49.14	47.96	68.20	-20.24	Peak


7-18GHz_Horizontal_Peak_802.11ax HEW80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10420.000	2.40	54.12	56.52	68.20	-11.68	Peak
2	17956.000	9.36	47.93	57.29	74.00	-16.71	Peak


7-18GHz_Horizontal_Average_802.11ax HEW80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17998.250	9.56	36.77	46.33	54.00	-7.67	Average


7-18GHz_Vertical_Peak_802.11ax HEW80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10420.000	2.40	53.85	56.25	68.20	-11.95	Peak
2	18000.000	9.56	48.11	57.67	74.00	-16.33	Peak


7-18GHz_Vertical_Average_802.11ax HEW80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17997.250	9.55	36.94	46.49	54.00	-7.51	Average


1-7GHz_Horizontal_802.11be EHT20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE20-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6472.750	-1.18	48.76	47.58	68.20	-20.62	Peak


1-7GHz_Vertical_802.11be EHT20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE20-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6526.000	-1.22	48.98	47.76	68.20	-20.44	Peak


7-18GHz_Horizontal_Peak_802.11be EHT20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE20-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10360.000	2.48	54.71	57.19	68.20	-11.01	Peak
2	17960.130	9.38	48.18	57.56	74.00	-16.44	Peak


7-18GHz_Horizontal_Average_802.11be EHT20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band1-BE20-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17998.630	9.55	37.07	46.62	54.00	-7.38	Average


7-18GHz_Vertical_Peak_802.11be EHT20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE20-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10360.000	2.48	60.38	62.86	68.20	-5.34	Peak
2	17983.500	9.48	49.27	58.75	74.00	-15.25	Peak


7-18GHz_Vertical_Average_802.11be EHT20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band1-BE20-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17972.500	9.44	37.02	46.46	54.00	-7.54	Average


1-7GHz_Horizontal_802.11be EHT40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE40-5230

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6530.500	-1.23	48.82	47.59	68.20	-20.61	Peak


1-7GHz_Vertical_802.11be EHT40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE40-5230

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6767.500	-1.51	48.92	47.41	68.20	-20.79	Peak


7-18GHz_Horizontal_Peak_802.11be EHT40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE40-5230

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10460.000	2.26	54.14	56.40	68.20	-11.80	Peak
2	17980.750	9.48	47.96	57.44	74.00	-16.56	Peak


7-18GHz_Horizontal_Average_802.11be EHT40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band1-BE40-5230

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17998.630	9.55	36.88	46.43	54.00	-7.57	Average


7-18GHz_Vertical_Peak_802.11be EHT40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE40-5230

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10460.000	2.26	55.78	58.04	68.20	-10.16	Peak
2	17895.500	9.01	48.59	57.60	74.00	-16.40	Peak


7-18GHz_Vertical_Average_802.11be EHT40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band1-BE40-5230

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17962.880	9.39	37.00	46.39	54.00	-7.61	Average


1-7GHz_Horizontal_802.11be EHT80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE80-5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6462.250	-1.18	49.50	48.32	68.20	-19.88	Peak


1-7GHz_Vertical_802.11be EHT80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE80-5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6457.000	-1.18	48.25	47.07	68.20	-21.13	Peak


7-18GHz_Horizontal_Peak_802.11be EHT80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE80-5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10420.000	2.40	53.83	56.23	68.20	-11.97	Peak
2	17962.880	9.39	48.82	58.21	74.00	-15.79	Peak


7-18GHz_Horizontal_Average_802.11be EHT80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band1-BE80-5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17965.630	9.40	37.17	46.57	54.00	-7.43	Average


7-18GHz_Vertical_Peak_802.11be EHT80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE80-5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10420.000	2.40	54.62	57.02	68.20	-11.18	Peak
2	17969.750	9.42	48.44	57.86	74.00	-16.14	Peak


7-18GHz_Vertical_Average_802.11be EHT80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band1-BE80-5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17991.750	9.52	36.81	46.33	54.00	-7.67	Average


1-7GHz_Horizontal_802.11a_ANT0



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6994.750	-1.18	48.33	47.15	68.20	-21.05	Peak


1-7GHz_Vertical_802.11a_ANT0



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6475.750	-1.18	49.11	47.93	68.20	-20.27	Peak


7-18GHz_Horizontal_Peak_802.11a_ANT0



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	54.43	57.00	74.00	-17.00	Peak
2	17962.880	13.07	48.73	61.80	74.00	-12.20	Peak


7-18GHz_Horizontal_Average_802.11a_ANT0



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	40.59	43.16	54.00	-10.84	Average
2	17994.500	13.23	34.05	47.28	54.00	-6.72	Average


7-18GHz_Vertical_Peak_802.11a_ANT0



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	57.64	60.21	74.00	-13.79	Peak
2	17990.380	13.21	48.20	61.41	74.00	-12.59	Peak


7-18GHz_Vertical_Average_802.11a_ANT0



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	42.88	45.45	54.00	-8.55	Average
2	17994.500	13.23	34.02	47.25	54.00	-6.75	Average


1-7GHz_Horizontal_802.11a_ANT1



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6469.000	-1.18	48.73	47.55	68.20	-20.65	Peak


1-7GHz_Vertical_802.11a_ANT1



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6958.000	-0.96	48.27	47.31	68.20	-20.89	Peak


7-18GHz_Horizontal_Peak_802.11a_ANT1



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	54.32	56.89	74.00	-17.11	Peak
2	17979.380	13.16	48.98	62.14	74.00	-11.86	Peak


7-18GHz_Horizontal_Average_802.11a_ANT1



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	40.95	43.52	54.00	-10.48	Average
2	17991.750	13.22	33.99	47.21	54.00	-6.79	Average


7-18GHz_Vertical_Peak_802.11a_ANT1



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	57.48	60.05	74.00	-13.95	Peak
2	17972.500	13.13	48.37	61.50	74.00	-12.50	Peak


7-18GHz_Vertical_Average_802.11a_ANT1



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	43.16	45.73	54.00	-8.27	Average
2	17994.500	13.23	34.00	47.23	54.00	-6.77	Average


1-7GHz_Horizontal_802.11a_ANT2



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT2-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6446.500	-1.16	48.86	47.70	68.20	-20.50	Peak


1-7GHz_Vertical_802.11a_ANT2



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT2-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6271.750	-2.00	49.50	47.50	68.20	-20.70	Peak


7-18GHz_Horizontal_Peak_802.11a_ANT2



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT2-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	57.14	59.71	74.00	-14.29	Peak
2	17991.750	13.22	48.86	62.08	74.00	-11.92	Peak


7-18GHz_Horizontal_Average_802.11a_ANT2



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT2-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	43.57	46.14	54.00	-7.86	Average
2	17984.880	13.18	34.02	47.20	54.00	-6.80	Average


7-18GHz_Vertical_Peak_802.11a_ANT2



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT2-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	60.21	62.78	74.00	-11.22	Peak
2	17984.880	13.18	47.92	61.10	74.00	-12.90	Peak


7-18GHz_Vertical_Average_802.11a_ANT2



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT2-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	46.42	48.99	54.00	-5.01	Average
2	17980.750	13.17	34.05	47.22	54.00	-6.78	Average


1-7GHz_Horizontal_802.11ac VHT20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6475.000	-1.18	48.39	47.21	68.20	-20.99	Peak


1-7GHz_Vertical_802.11ac VHT20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6961.000	-0.98	48.48	47.50	68.20	-20.70	Peak


7-18GHz_Horizontal_Peak_802.11ac VHT20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	55.98	58.55	74.00	-15.45	Peak
2	17964.250	13.08	48.22	61.30	74.00	-12.70	Peak


7-18GHz_Horizontal_Average_802.11ac VHT20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	42.24	44.81	54.00	-9.19	Average
2	17997.250	13.25	33.99	47.24	54.00	-6.76	Average


7-18GHz_Vertical_Peak_802.11ac VHT20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	59.13	61.70	74.00	-12.30	Peak
2	17998.250	13.26	48.70	61.96	74.00	-12.04	Peak


7-18GHz_Vertical_Average_802.11ac VHT20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	45.05	47.62	54.00	-6.38	Average
2	17998.630	13.26	33.98	47.24	54.00	-6.76	Average


1-7GHz_Horizontal_802.11ac VHT40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6454.750	-1.17	48.89	47.72	68.20	-20.48	Peak


1-7GHz_Vertical_802.11ac VHT40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6478.000	-1.18	49.20	48.02	68.20	-20.18	Peak


7-18GHz_Horizontal_Peak_802.11ac VHT40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10620.000	2.39	53.72	56.11	74.00	-17.89	Peak
2	17987.630	13.19	48.29	61.48	74.00	-12.52	Peak


7-18GHz_Horizontal_Average_802.11ac VHT40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10620.000	2.39	41.54	43.93	54.00	-10.07	Average
2	17954.630	13.03	34.63	47.66	54.00	-6.34	Average


7-18GHz_Vertical_Peak_802.11ac VHT40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10620.000	2.39	55.86	58.25	74.00	-15.75	Peak
2	17940.880	12.96	48.24	61.20	74.00	-12.80	Peak


7-18GHz_Vertical_Average_802.11ac VHT40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10620.000	2.39	43.35	45.74	54.00	-8.26	Average
2	17998.630	13.25	34.40	47.65	54.00	-6.35	Average


1-7GHz_Horizontal_802.11ac VHT80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6445.750	-1.16	48.61	47.45	68.20	-20.75	Peak


1-7GHz_Vertical_802.11ac VHT80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6772.000	-1.53	49.50	47.97	68.20	-20.23	Peak


7-18GHz_Horizontal_Peak_802.11ac VHT80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10580.000	2.18	53.12	55.30	68.20	-12.90	Peak
2	17995.880	13.24	48.74	61.98	74.00	-12.02	Peak


7-18GHz_Horizontal_Average_802.11ac VHT80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17998.250	13.26	34.69	47.95	54.00	-6.05	Average


7-18GHz_Vertical_Peak_802.11ac VHT80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10580.000	2.18	54.69	56.87	68.20	-11.33	Peak
2	17890.000	12.57	48.61	61.18	74.00	-12.82	Peak


7-18GHz_Vertical_Average_802.11ac VHT80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17972.500	13.13	34.79	47.92	54.00	-6.08	Average


1-7GHz Horizontal 802.11ac VHT160



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6743.500	-1.44	48.48	47.04	68.20	-21.16	Peak


1-7GHz Vertical 802.11ac VHT160



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6483.250	-1.18	48.56	47.38	68.20	-20.82	Peak


7-18GHz Horizontal Peak 802.11ac VHT160



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10500.000	2.12	53.57	55.69	68.20	-12.51	Peak
2	17971.130	9.43	47.81	57.24	74.00	-16.76	Peak


7-18GHz Horizontal Average 802.11ac VHT160



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band2-AC160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17997.250	9.55	37.89	47.44	54.00	-6.56	Average


7-18GHz Horizontal Peak 802.11ac VHT160



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10500.000	2.12	53.80	55.92	68.20	-12.28	Peak
2	17850.130	8.18	49.42	57.60	74.00	-16.40	Peak


7-18GHz Vertical Peak 802.11ac VHT160



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band2-AC160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17980.750	9.48	38.09	47.57	54.00	-6.43	Average


1-7GHz_Horizontal_802.11ax HEW20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6479.500	-1.19	48.99	47.80	68.20	-20.40	Peak


1-7GHz_Vertical_802.11ax HEW20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6526.750	-1.22	48.55	47.33	68.20	-20.87	Peak


7-18GHz_Horizontal_Peak_802.11ax HEW20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	56.49	59.06	74.00	-14.94	Peak
2	17998.630	13.26	48.63	61.89	74.00	-12.11	Peak


7-18GHz_Horizontal_Average_802.11ax HEW20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	42.85	45.42	54.00	-8.58	Average
2	17998.630	13.26	33.94	47.20	54.00	-6.80	Average


7-18GHz_Vertical_Peak_802.11ax HEW20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	59.62	62.19	74.00	-11.81	Peak
2	17997.250	13.25	48.35	61.60	74.00	-12.40	Peak


7-18GHz_Vertical_Average_802.11ax HEW20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	45.78	48.35	54.00	-5.65	Average
2	17995.880	13.24	33.99	47.23	54.00	-6.77	Average


1-7GHz_Horizontal_802.11ax HEW40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6443.500	-1.18	49.18	48.00	68.20	-20.20	Peak


1-7GHz_Vertical_802.11ax HEW40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6450.250	-1.17	49.12	47.95	68.20	-20.25	Peak


7-18GHz_Horizontal_Peak_802.11ax HEW40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10620.000	2.39	54.09	56.48	74.00	-17.52	Peak
2	17907.880	12.80	48.37	61.17	74.00	-12.83	Peak


7-18GHz_Horizontal_Average_802.11ax HEW40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10620.000	2.39	41.67	44.06	54.00	-9.94	Average
2	17990.380	13.21	34.40	47.61	54.00	-6.39	Average


7-18GHz_Vertical_Peak_802.11ax HEW40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10620.000	2.39	56.24	58.63	74.00	-15.37	Peak
2	17976.630	13.15	48.45	61.60	74.00	-12.40	Peak


7-18GHz_Vertical_Average_802.11ax HEW40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10620.000	2.39	43.45	45.84	54.00	-8.16	Average
2	17984.880	13.18	34.40	47.58	54.00	-6.42	Average


1-7GHz_Horizontal_802.11ax HEW80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6441.250	-1.18	49.19	48.01	68.20	-20.19	Peak


1-7GHz_Vertical_802.11ax HEW80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6449.500	-1.17	49.30	48.13	68.20	-20.07	Peak


7-18GHz_Horizontal_Peak_802.11ax HEW80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10580.000	2.18	54.07	56.25	68.20	-11.95	Peak
2	17969.750	13.11	48.97	62.08	74.00	-11.92	Peak


7-18GHz_Horizontal_Average_802.11ax HEW80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17997.250	13.25	34.65	47.90	54.00	-6.10	Average


7-18GHz_Vertical_Peak_802.11ax HEW80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10580.000	2.18	55.48	57.66	68.20	-10.54	Peak
2	17982.130	13.16	48.00	61.16	74.00	-12.84	Peak


7-18GHz_Vertical_Average_802.11ax HEW80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17971.130	13.12	34.81	47.93	54.00	-6.07	Average


1-7GHz_Horizontal_802.11ax HEW160



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6471.250	-1.19	48.81	47.62	68.20	-20.58	Peak


1-7GHz_Vertical_802.11ax HEW160



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6453.250	-1.18	48.75	47.57	68.20	-20.63	Peak


7-18GHz_Horizontal_Peak_802.11ax HEW160



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10500.000	2.12	54.76	56.88	68.20	-11.32	Peak
2	17887.250	8.86	48.60	57.46	74.00	-16.54	Peak


7-18GHz_Horizontal_Average_802.11ax HEW160



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AX160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17987.630	9.50	36.74	46.24	54.00	-7.76	Average


7-18GHz_Vertical_Peak_802.11ax HEW160



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10500.000	2.12	54.35	56.47	68.20	-11.73	Peak
2	17982.130	9.47	48.69	58.16	74.00	-15.84	Peak


7-18GHz_Vertical_Average_802.11ax HEW160



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AX160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17967.000	9.41	37.09	46.50	54.00	-7.50	Average


1-7GHz_Horizontal_802.11be EHT20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6484.000	-1.20	49.46	48.26	68.20	-19.94	Peak


1-7GHz_Vertical_802.11be EHT20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6273.250	-1.97	50.38	48.41	68.20	-19.79	Peak


7-18GHz_Horizontal_Peak_802.11be EHT20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	56.28	58.85	74.00	-15.15	Peak
2	17892.750	12.61	49.29	61.90	74.00	-12.10	Peak


7-18GHz_Horizontal_Average_802.11be EHT20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band2-BE20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	43.56	46.13	54.00	-7.87	Average
2	17991.750	13.22	34.07	47.29	54.00	-6.71	Average


7-18GHz_Vertical_Peak_802.11be EHT20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	59.44	62.01	74.00	-11.99	Peak
2	17929.880	12.91	49.22	62.13	74.00	-11.87	Peak


7-18GHz_Vertical_Average_802.11be EHT20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band2-BE20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	46.35	48.92	54.00	-5.08	Average
2	17997.250	13.25	34.09	47.34	54.00	-6.66	Average


1-7GHz_Horizontal_802.11be EHT40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE40-5310

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6850.750	-1.34	48.65	47.31	68.20	-20.89	Peak


1-7GHz_Vertical_802.11be EHT40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE40-5310

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6388.750	-1.31	48.47	47.16	68.20	-21.04	Peak


7-18GHz_Horizontal_Peak_802.11be EHT40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE40-5310

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10620.000	2.39	53.87	56.26	74.00	-17.74	Peak
2	17954.630	13.03	48.66	61.69	74.00	-12.31	Peak


7-18GHz_Horizontal_Average_802.11be EHT40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band2-BE40-5310

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10620.000	2.39	41.59	43.98	54.00	-10.02	Average
2	17997.250	13.25	34.27	47.52	54.00	-6.48	Average


7-18GHz_Vertical_Peak_802.11be EHT40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE40-5310

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10620.000	2.39	56.02	58.41	74.00	-15.59	Peak
2	17918.880	12.84	48.30	61.14	74.00	-12.86	Peak


7-18GHz_Vertical_Average_802.11be EHT40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band2-BE40-5310

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10620.000	2.39	43.40	45.79	54.00	-8.21	Average
2	17998.630	13.25	34.28	47.53	54.00	-6.47	Average


1-7GHz_Horizontal_802.11be EHT80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6468.250	-1.17	48.46	47.29	68.20	-20.91	Peak


1-7GHz_Vertical_802.11be EHT80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6272.500	-1.99	49.09	47.10	68.20	-21.10	Peak


7-18GHz_Horizontal_Peak_802.11be EHT80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10580.000	2.18	53.78	55.96	68.20	-12.24	Peak
2	17998.630	13.26	48.81	62.07	74.00	-11.93	Peak


7-18GHz_Horizontal_Average_802.11be EHT80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band2-BE80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17954.630	13.03	34.88	47.91	54.00	-6.09	Average


7-18GHz_Vertical_Peak_802.11be EHT80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10580.000	2.18	55.21	57.39	68.20	-10.81	Peak
2	17913.380	12.82	49.76	62.58	74.00	-11.42	Peak


7-18GHz_Vertical_Average_802.11be EHT80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band2-BE80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17995.880	13.24	34.71	47.95	54.00	-6.05	Average


1-7GHz_Horizontal_802.11be EHT160



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6360.250	-1.58	49.17	47.59	68.20	-20.61	Peak


1-7GHz_Vertical_802.11be EHT160



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6694.750	-1.49	48.62	47.13	68.20	-21.07	Peak


7-18GHz_Horizontal_Peak_802.11be EHT160



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10500.000	2.12	54.54	56.66	68.20	-11.54	Peak
2	17931.250	9.25	49.07	58.32	74.00	-15.68	Peak


7-18GHz_Horizontal_Average_802.11be EHT160



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band2-BE160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17995.880	9.54	36.92	46.46	54.00	-7.54	Average


7-18GHz_Horizontal_Peak_802.11be EHT160



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10500.000	2.12	54.12	56.24	68.20	-11.96	Peak
2	17951.880	9.34	48.12	57.46	74.00	-16.54	Peak


7-18GHz_Vertical_Peak_802.11be EHT160



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading: RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band2-BE160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17967.000	9.41	36.99	46.40	54.00	-7.60	Average


1-7GHz_Horizontal_802.11a_ANT0



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6451.000	-1.17	48.41	47.24	68.20	-20.96	Peak


1-7GHz_Vertical_802.11a_ANT0



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6455.500	-1.17	48.80	47.63	68.20	-20.57	Peak


7-18GHz_Horizontal_Peak_802.11a_ANT0



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11200.000	3.61	58.41	62.02	74.00	-11.98	Peak
2	17949.130	13.00	48.88	61.88	74.00	-12.12	Peak


7-18GHz_Horizontal_Average_802.11a_ANT0



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11200.000	3.61	45.36	48.97	54.00	-5.03	Average
2	17984.880	13.18	34.45	47.63	54.00	-6.37	Average


7-18GHz_Vertical_Peak_802.11a_ANT0



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11200.000	3.61	61.55	65.16	74.00	-8.84	Peak
2	17910.630	12.80	48.23	61.03	74.00	-12.97	Peak


7-18GHz_Vertical_Average_802.11a_ANT0



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11200.000	3.61	48.27	51.88	54.00	-2.12	Average
2	17991.750	13.22	34.04	47.26	54.00	-6.74	Average


1-7GHz_Horizontal_802.11a_ANT1



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6531.250	-1.23	48.86	47.63	68.20	-20.57	Peak


1-7GHz_Vertical_802.11a_ANT1



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6487.750	-1.20	48.25	47.05	68.20	-21.15	Peak


7-18GHz_Horizontal_Peak_802.11a_ANT1



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11200.000	3.61	58.15	61.76	74.00	-12.24	Peak
2	17929.880	12.91	48.60	61.51	74.00	-12.49	Peak


7-18GHz_Horizontal_Average_802.11a_ANT1



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11200.000	3.61	44.69	48.30	54.00	-5.70	Average
2	17998.630	13.25	33.75	47.00	54.00	-7.00	Average


7-18GHz_Vertical_Peak_802.11a_ANT1



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11200.000	3.61	61.28	64.89	74.00	-9.11	Peak
2	17991.750	13.22	48.36	61.58	74.00	-12.42	Peak


7-18GHz_Vertical_Average_802.11a_ANT1



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11200.000	3.61	47.57	51.18	54.00	-2.82	Average
2	17995.880	13.24	33.93	47.17	54.00	-6.83	Average


1-7GHz_Horizontal_802.11a_ANT2



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT2-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6467.500	-1.18	49.06	47.88	68.20	-20.32	Peak


1-7GHz_Vertical_802.11a_ANT2



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT2-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6374.500	-1.44	49.05	47.61	68.20	-20.59	Peak


7-18GHz_Horizontal_Peak_802.11a_ANT2



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT2-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11200.000	3.61	59.37	62.98	74.00	-11.02	Peak
2	17976.630	13.15	48.51	61.66	74.00	-12.34	Peak


7-18GHz_Horizontal_Average_802.11a_ANT2



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT2-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11200.000	3.61	46.16	49.77	54.00	-4.23	Average
2	17962.880	13.07	34.14	47.21	54.00	-6.79	Average


7-18GHz_Vertical_Peak_802.11a_ANT2



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT2-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11200.000	3.61	62.54	66.15	74.00	-7.85	Peak
2	17997.250	13.25	48.55	61.80	74.00	-12.20	Peak


7-18GHz_Vertical_Average_802.11a_ANT2



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT2-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11200.000	3.61	49.02	52.63	54.00	-1.37	Average
2	17987.630	13.19	34.00	47.19	54.00	-6.81	Average


1-7GHz_Horizontal_802.11ac VHT20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6510.250	-1.20	48.77	47.57	68.20	-20.63	Peak


1-7GHz_Vertical_802.11ac VHT20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6268.750	-2.03	49.52	47.49	68.20	-20.71	Peak


7-18GHz_Horizontal_Peak_802.11ac VHT20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11200.000	3.61	59.23	62.84	74.00	-11.16	Peak
2	17890.000	12.57	48.97	61.54	74.00	-12.46	Peak


7-18GHz_Horizontal_Average_802.11ac VHT20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11200.000	3.61	46.04	49.65	54.00	-4.35	Average
2	17998.630	13.25	34.06	47.31	54.00	-6.69	Average


7-18GHz_Vertical_Peak_802.11ac VHT20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11200.000	3.61	62.35	65.96	74.00	-8.04	Peak
2	17979.380	13.16	49.17	62.33	74.00	-11.67	Peak


7-18GHz_Vertical_Average_802.11ac VHT20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11200.000	3.61	48.98	52.59	54.00	-1.41	Average
2	17987.630	13.19	34.40	47.59	54.00	-6.41	Average


1-7GHz_Horizontal_802.11ac VHT40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6307.750	-1.69	49.10	47.41	68.20	-20.79	Peak


1-7GHz_Vertical_802.11ac VHT40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6458.500	-1.18	49.14	47.96	68.20	-20.24	Peak


7-18GHz_Horizontal_Peak_802.11ac VHT40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11340.000	3.47	55.17	58.64	74.00	-15.36	Peak
2	17998.630	13.25	48.05	61.30	74.00	-12.70	Peak


7-18GHz_Horizontal_Average_802.11ac VHT40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11340.000	3.47	43.20	46.67	54.00	-7.33	Average
2	17989.000	13.20	33.75	46.95	54.00	-7.05	Average


7-18GHz_Vertical_Peak_802.11ac VHT40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11340.000	3.47	58.32	61.79	74.00	-12.21	Peak
2	17960.130	13.06	48.87	61.93	74.00	-12.07	Peak


7-18GHz_Vertical_Average_802.11ac VHT40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11340.000	3.47	46.08	49.55	54.00	-4.45	Average
2	17939.500	12.96	34.15	47.11	54.00	-6.89	Average


1-7GHz_Horizontal_802.11ac VHT80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5610

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6403.000	-1.21	48.49	47.28	68.20	-20.92	Peak


1-7GHz_Vertical_802.11ac VHT80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5610

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6542.500	-1.24	48.41	47.17	68.20	-21.03	Peak


7-18GHz_Horizontal_Peak_802.11ac VHT80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5610

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11220.000	3.60	54.91	58.51	74.00	-15.49	Peak
2	17956.000	13.04	48.63	61.67	74.00	-12.33	Peak


7-18GHz_Horizontal_Average_802.11ac VHT80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5610

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11220.000	3.60	41.16	44.76	54.00	-9.24	Average
2	17978.000	13.15	33.90	47.05	54.00	-6.95	Average


7-18GHz_Vertical_Peak_802.11ac VHT80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5610

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11220.000	3.60	55.89	59.49	74.00	-14.51	Peak
2	17967.000	13.09	48.13	61.22	74.00	-12.78	Peak


7-18GHz_Vertical_Average_802.11ac VHT80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5610

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11220.000	3.60	42.54	46.14	54.00	-7.86	Average
2	17991.750	13.22	33.77	46.99	54.00	-7.01	Average


1-7GHz_Horizontal_802.11ac VHT160



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6541.000	-1.25	49.20	47.95	68.20	-20.25	Peak


1-7GHz_Vertical_802.11ac VHT160



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6517.750	-1.22	48.46	47.24	68.20	-20.96	Peak


7-18GHz_Horizontal_Peak_802.11ac VHT160



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11140.000	3.45	52.65	56.10	74.00	-17.90	Peak
2	17940.880	12.96	48.59	61.55	74.00	-12.45	Peak


7-18GHz_Horizontal_Average_802.11ac VHT160



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11140.000	3.45	42.06	45.51	54.00	-8.49	Average
2	17994.500	13.23	34.01	47.24	54.00	-6.76	Average


7-18GHz_Vertical_Peak_802.11ac VHT160



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11140.000	3.45	53.17	56.62	74.00	-17.38	Peak
2	17965.630	13.08	48.30	61.38	74.00	-12.62	Peak


7-18GHz_Vertical_Average_802.11ac VHT160



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11140.000	3.45	42.39	45.84	54.00	-8.16	Average
2	17991.750	13.22	33.99	47.21	54.00	-6.79	Average


1-7GHz_Horizontal_802.11ax HEW20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6467.500	-1.18	48.68	47.50	68.20	-20.70	Peak


1-7GHz_Vertical_802.11ax HEW20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6460.750	-1.17	48.07	46.90	68.20	-21.30	Peak


7-18GHz_Horizontal_Peak_802.11ax HEW20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11200.000	3.61	58.17	61.78	74.00	-12.22	Peak
2	17984.880	13.18	48.68	61.86	74.00	-12.14	Peak


7-18GHz_Horizontal_Average_802.11ax HEW20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11200.000	3.61	45.89	49.50	54.00	-4.50	Average
2	17968.380	13.11	34.08	47.19	54.00	-6.81	Average


7-18GHz_Vertical_Peak_802.11ax HEW20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11200.000	3.61	61.31	64.92	74.00	-9.08	Peak
2	17979.380	13.16	48.36	61.52	74.00	-12.48	Peak


7-18GHz_Vertical_Average_802.11ax HEW20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11200.630	3.61	48.78	52.39	54.00	-1.61	Average
2	17990.380	13.21	34.29	47.50	54.00	-6.50	Average


1-7GHz_Horizontal_802.11ax HEW40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6528.250	-1.22	49.13	47.91	68.20	-20.29	Peak


1-7GHz_Vertical_802.11ax HEW40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6461.500	-1.18	49.50	48.32	68.20	-19.88	Peak


7-18GHz_Horizontal_Peak_802.11ax HEW40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11340.000	3.47	55.60	59.07	74.00	-14.93	Peak
2	17910.630	12.80	49.21	62.01	74.00	-11.99	Peak


7-18GHz_Horizontal_Average_802.11ax HEW40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11340.000	3.47	44.04	47.51	54.00	-6.49	Average
2	17991.750	13.22	33.92	47.14	54.00	-6.86	Average


7-18GHz_Vertical_Peak_802.11ax HEW40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11340.000	3.47	58.72	62.19	74.00	-11.81	Peak
2	17971.130	13.12	48.34	61.46	74.00	-12.54	Peak


7-18GHz_Vertical_Average_802.11ax HEW40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11340.000	3.47	46.98	50.45	54.00	-3.55	Average
2	17989.000	13.20	34.14	47.34	54.00	-6.66	Average


1-7GHz_Horizontal_802.11ax HEW80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5610

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6835.750	-1.44	48.84	47.40	68.20	-20.80	Peak


1-7GHz_Vertical_802.11ax HEW80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5610

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6473.500	-1.18	48.85	47.67	68.20	-20.53	Peak


7-18GHz_Horizontal_Peak_802.11ax HEW80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5610

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11220.000	3.60	54.64	58.24	74.00	-15.76	Peak
2	17925.750	12.89	48.05	60.94	74.00	-13.06	Peak


7-18GHz_Horizontal_Average_802.11ax HEW80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5610

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11220.000	3.60	42.07	45.67	54.00	-8.33	Average
2	17993.130	13.23	33.95	47.18	54.00	-6.82	Average


7-18GHz_Vertical_Peak_802.11ax HEW80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5610

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11220.000	3.60	55.51	59.11	74.00	-14.89	Peak
2	17917.500	12.84	49.46	62.30	74.00	-11.70	Peak


7-18GHz_Vertical_Average_802.11ax HEW80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5610

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11220.000	3.60	43.45	47.05	54.00	-6.95	Average
2	17965.630	13.08	34.10	47.18	54.00	-6.82	Average


1-7GHz_Horizontal_802.11ax HEW160



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX160-5570

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6454.750	-1.17	49.11	47.94	68.20	-20.26	Peak


1-7GHz_Vertical_802.11ax HEW160



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX160-5570

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6451.000	-1.17	48.64	47.47	68.20	-20.73	Peak


7-18GHz_Horizontal_Peak_802.11ax HEW160



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX160-5570

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11140.000	3.45	52.98	56.43	74.00	-17.57	Peak
2	17971.130	13.12	48.52	61.64	74.00	-12.36	Peak


7-18GHz_Horizontal_Average_802.11ax HEW160



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AX160-5570

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11140.000	3.45	40.72	44.17	54.00	-9.83	Average
2	17997.250	13.25	34.27	47.52	54.00	-6.48	Average


7-18GHz_Vertical_Peak_802.11ax HEW160



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX160-5570

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11140.000	3.45	53.53	56.98	74.00	-17.02	Peak
2	17994.500	13.23	47.85	61.08	74.00	-12.92	Peak


7-18GHz_Vertical_Average_802.11ax HEW160



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AX160-5570

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11140.000	3.45	41.14	44.59	54.00	-9.41	Average
2	17998.630	13.26	33.91	47.17	54.00	-6.83	Average


1-7GHz_Horizontal_802.11be EHT20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE20-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6462.250	-1.18	48.57	47.39	68.20	-20.81	Peak


1-7GHz_Vertical_802.11be EHT20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE20-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6400.750	-1.21	48.45	47.24	68.20	-20.96	Peak


7-18GHz_Horizontal_Peak_802.11be EHT20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE20-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11200.000	3.61	58.25	61.86	74.00	-12.14	Peak
2	17907.880	12.80	48.85	61.65	74.00	-12.35	Peak


7-18GHz_Horizontal_Average_802.11be EHT20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band3-BE20-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11200.000	3.61	45.94	49.55	54.00	-4.45	Average
2	17998.630	13.26	33.81	47.07	54.00	-6.93	Average


7-18GHz_Vertical_Peak_802.11be EHT20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE20-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11200.000	3.61	61.43	65.04	74.00	-8.96	Peak
2	17972.500	13.13	48.32	61.45	74.00	-12.55	Peak


7-18GHz_Vertical_Average_802.11be EHT20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band3-BE20-5600

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11200.000	3.61	48.87	52.48	54.00	-1.52	Average
2	17998.630	13.25	34.03	47.28	54.00	-6.72	Average


1-7GHz_Horizontal_802.11be EHT40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6354.250	-1.63	48.97	47.34	68.20	-20.86	Peak


1-7GHz_Vertical_802.11be EHT40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6392.500	-1.28	48.52	47.24	68.20	-20.96	Peak


7-18GHz_Horizontal_Peak_802.11be EHT40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11340.000	3.47	55.17	58.64	74.00	-15.36	Peak
2	17960.130	13.06	48.46	61.52	74.00	-12.48	Peak


7-18GHz_Horizontal_Average_802.11be EHT40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band3-BE40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11340.000	3.47	43.69	47.16	54.00	-6.84	Average
2	17989.000	13.20	33.98	47.18	54.00	-6.82	Average


7-18GHz_Vertical_Peak_802.11be EHT40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11340.000	3.47	58.35	61.82	74.00	-12.18	Peak
2	17989.000	13.20	48.09	61.29	74.00	-12.71	Peak


7-18GHz_Vertical_Average_802.11be EHT40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band3-BE40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11340.000	3.47	46.58	50.05	54.00	-3.95	Average
2	17973.880	13.13	34.12	47.25	54.00	-6.75	Average


1-7GHz_Horizontal_802.11be EHT80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE80-5610

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6453.250	-1.18	48.97	47.79	68.20	-20.41	Peak


1-7GHz_Vertical_802.11be EHT80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE80-5610

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6963.250	-1.00	48.22	47.22	68.20	-20.98	Peak


7-18GHz_Horizontal_Peak_802.11be EHT80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE80-5610

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11220.000	3.60	54.46	58.06	74.00	-15.94	Peak
2	17994.500	13.23	48.35	61.58	74.00	-12.42	Peak


7-18GHz_Horizontal_Average_802.11be EHT80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band3-BE80-5610

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11220.000	3.60	41.65	45.25	54.00	-8.75	Average
2	17994.500	13.23	33.74	46.97	54.00	-7.03	Average


7-18GHz_Vertical_Peak_802.11be EHT80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE80-5610

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11220.000	3.60	55.37	58.97	74.00	-15.03	Peak
2	17991.750	13.22	47.67	60.89	74.00	-13.11	Peak


7-18GHz_Vertical_Average_802.11be EHT80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band3-BE80-5610

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11220.000	3.60	43.02	46.62	54.00	-7.38	Average
2	17975.250	13.14	34.29	47.43	54.00	-6.57	Average


1-7GHz_Horizontal_802.11be EHT160



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE160-5570

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6865.000	-1.34	49.89	48.55	68.20	-19.65	Peak


1-7GHz_Vertical_802.11be EHT160



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE160-5570

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6590.500	-1.34	49.08	47.74	68.20	-20.46	Peak


7-18GHz_Horizontal_Peak_802.11be EHT160



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE160-5570

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11140.000	3.45	52.96	56.41	74.00	-17.59	Peak
2	17895.500	12.67	48.16	60.83	74.00	-13.17	Peak


7-18GHz_Horizontal_Average_802.11be EHT160



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band3-BE160-5570

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11140.000	3.45	40.34	43.79	54.00	-10.21	Average
2	17997.250	13.25	33.61	46.86	54.00	-7.14	Average


7-18GHz_Vertical_Peak_802.11be EHT160



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE160-5570

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11140.000	3.45	53.48	56.93	74.00	-17.07	Peak
2	17940.880	12.96	49.20	62.16	74.00	-11.84	Peak


7-18GHz_Vertical_Average_802.11be EHT160



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band3-BE160-5570

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11140.000	3.45	40.67	44.12	54.00	-9.88	Average
2	17982.130	13.16	34.18	47.34	54.00	-6.66	Average


1-7GHz_Horizontal_802.11a_ANT0



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6957.250	-0.96	48.23	47.27	68.20	-20.93	Peak


1-7GHz_Vertical_802.11a_ANT0



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6982.000	-1.10	48.51	47.41	68.20	-20.79	Peak


7-18GHz_Horizontal_Peak_802.11a_ANT0



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	59.14	62.60	74.00	-11.40	Peak
2	17973.880	13.13	48.31	61.44	74.00	-12.56	Peak


7-18GHz_Horizontal_Average_802.11a_ANT0



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	46.08	49.54	54.00	-4.46	Average
2	17982.130	13.16	34.04	47.20	54.00	-6.80	Average


7-18GHz_Vertical_Peak_802.11a_ANT0



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	62.32	65.78	74.00	-8.22	Peak
2	17986.250	13.18	48.26	61.44	74.00	-12.56	Peak


7-18GHz_Vertical_Average_802.11a_ANT0



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	49.26	52.72	54.00	-1.28	Average
2	17991.750	13.22	33.96	47.18	54.00	-6.82	Average


1-7GHz_Horizontal_802.11a_ANT1



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6347.500	-1.67	49.09	47.42	68.20	-20.78	Peak


1-7GHz_Vertical_802.11a_ANT1



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6856.000	-1.35	49.78	48.43	68.20	-19.77	Peak


7-18GHz_Horizontal_Peak_802.11a_ANT1



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	58.32	61.78	74.00	-12.22	Peak
2	17920.250	12.85	48.92	61.77	74.00	-12.23	Peak


7-18GHz_Horizontal_Average_802.11a_ANT1



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	46.01	49.47	54.00	-4.53	Average
2	17998.630	13.25	33.94	47.19	54.00	-6.81	Average


7-18GHz_Vertical_Peak_802.11a_ANT1



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	61.45	64.91	74.00	-9.09	Peak
2	17998.630	13.26	48.74	62.00	74.00	-12.00	Peak


7-18GHz_Vertical_Average_802.11a_ANT1



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	49.24	52.70	54.00	-1.30	Average
2	17990.380	13.21	34.00	47.21	54.00	-6.79	Average


1-7GHz_Horizontal_802.11a_ANT2



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT2-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6760.750	-1.47	49.29	47.82	68.20	-20.38	Peak


1-7GHz_Vertical_802.11a_ANT2



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT2-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6448.750	-1.17	49.14	47.97	68.20	-20.23	Peak


7-18GHz_Horizontal_Peak_802.11a_ANT2



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT2-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	58.75	62.21	74.00	-11.79	Peak
2	17986.250	13.18	48.34	61.52	74.00	-12.48	Peak


7-18GHz_Horizontal_Average_802.11a_ANT2



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT2-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	46.04	49.50	54.00	-4.50	Average
2	17995.880	13.24	33.88	47.12	54.00	-6.88	Average


7-18GHz_Vertical_Peak_802.11a_ANT2



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT2-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	61.97	65.43	74.00	-8.57	Peak
2	17939.500	12.96	48.62	61.58	74.00	-12.42	Peak


7-18GHz_Vertical_Average_802.11a_ANT2



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT2-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	49.18	52.64	54.00	-1.36	Average
2	17998.630	13.26	33.94	47.20	54.00	-6.80	Average


1-7GHz_Horizontal_802.11ac VHT20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6997.750	-1.19	48.87	47.68	68.20	-20.52	Peak


1-7GHz_Vertical_802.11ac VHT20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6454.750	-1.17	49.10	47.93	68.20	-20.27	Peak


7-18GHz_Horizontal_Peak_802.11ac VHT20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	59.07	62.53	74.00	-11.47	Peak
2	17949.130	13.00	48.69	61.69	74.00	-12.31	Peak


7-18GHz_Horizontal_Average_802.11ac VHT20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	45.95	49.41	54.00	-4.59	Average
2	17965.630	13.08	34.10	47.18	54.00	-6.82	Average


7-18GHz_Vertical_Peak_802.11ac VHT20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	62.21	65.67	74.00	-8.33	Peak
2	17892.750	12.61	48.99	61.60	74.00	-12.40	Peak


7-18GHz_Vertical_Average_802.11ac VHT20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	49.14	52.60	54.00	-1.40	Average
2	17980.750	13.17	34.04	47.21	54.00	-6.79	Average


1-7GHz_Horizontal_802.11ac VHT40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6402.250	-1.20	49.70	48.50	68.20	-19.70	Peak


1-7GHz_Vertical_802.11ac VHT40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6364.750	-1.53	48.85	47.32	68.20	-20.88	Peak


7-18GHz_Horizontal_Peak_802.11ac VHT40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11590.000	3.24	57.12	60.36	74.00	-13.64	Peak
2	17956.000	13.04	48.91	61.95	74.00	-12.05	Peak


7-18GHz_Horizontal_Average_802.11ac VHT40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11590.000	3.24	45.31	48.55	54.00	-5.45	Average
2	17997.250	13.25	34.29	47.54	54.00	-6.46	Average


7-18GHz_Vertical_Peak_802.11ac VHT40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11590.000	3.24	60.29	63.53	74.00	-10.47	Peak
2	17995.880	13.24	49.07	62.31	74.00	-11.69	Peak


7-18GHz_Vertical_Average_802.11ac VHT40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11590.000	3.24	48.48	51.72	54.00	-2.28	Average
2	17987.630	13.19	34.36	47.55	54.00	-6.45	Average


1-7GHz_Horizontal_802.11ac VHT80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6477.250	-1.18	48.56	47.38	68.20	-20.82	Peak


1-7GHz_Vertical_802.11ac VHT80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6682.000	-1.40	49.32	47.92	68.20	-20.28	Peak


7-18GHz_Horizontal_Peak_802.11ac VHT80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11550.000	3.44	55.25	58.69	74.00	-15.31	Peak
2	17997.250	13.25	47.99	61.24	74.00	-12.76	Peak


7-18GHz_Horizontal_Average_802.11ac VHT80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11550.000	3.44	43.51	46.95	54.00	-7.05	Average
2	17990.380	13.21	34.77	47.98	54.00	-6.02	Average


7-18GHz_Vertical_Peak_802.11ac VHT80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11550.000	3.44	58.34	61.78	74.00	-12.22	Peak
2	17939.500	12.96	49.01	61.97	74.00	-12.03	Peak


7-18GHz_Vertical_Average_802.11ac VHT80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11550.000	3.44	46.63	50.07	54.00	-3.93	Average
2	17987.630	13.19	34.74	47.93	54.00	-6.07	Average


1-7GHz_Horizontal_802.11ax HEW20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6487.750	-1.20	48.32	47.12	68.20	-21.08	Peak


1-7GHz_Vertical_802.11ax HEW20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6423.250	-1.20	49.19	47.99	68.20	-20.21	Peak


7-18GHz_Horizontal_Peak_802.11ax HEW20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	58.64	62.10	74.00	-11.90	Peak
2	17907.880	12.80	48.81	61.61	74.00	-12.39	Peak


7-18GHz_Horizontal_Average_802.11ax HEW20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	46.06	49.52	54.00	-4.48	Average
2	17968.380	13.11	34.02	47.13	54.00	-6.87	Average


7-18GHz_Vertical_Peak_802.11ax HEW20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	61.81	65.27	74.00	-8.73	Peak
2	17979.380	13.16	48.20	61.36	74.00	-12.64	Peak


7-18GHz_Vertical_Average_802.11ax HEW20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	49.22	52.68	54.00	-1.32	Average
2	17975.250	13.14	34.02	47.16	54.00	-6.84	Average


1-7GHz_Horizontal_802.11ax HEW40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6903.250	-1.28	49.07	47.79	68.20	-20.41	Peak


1-7GHz_Vertical_802.11ax HEW40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6567.250	-1.29	48.87	47.58	68.20	-20.62	Peak


7-18GHz_Horizontal_Peak_802.11ax HEW40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11590.000	3.24	57.42	60.66	74.00	-13.34	Peak
2	17965.630	13.08	48.90	61.98	74.00	-12.02	Peak


7-18GHz_Horizontal_Average_802.11ax HEW40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11590.000	3.24	45.78	49.02	54.00	-4.98	Average
2	17975.250	13.14	34.38	47.52	54.00	-6.48	Average


7-18GHz_Vertical_Peak_802.11ax HEW40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11590.000	3.24	60.57	63.81	74.00	-10.19	Peak
2	17946.380	12.99	48.28	61.27	74.00	-12.73	Peak


7-18GHz_Vertical_Average_802.11ax HEW40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11590.000	3.24	48.93	52.17	54.00	-1.83	Average
2	17991.750	13.22	34.29	47.51	54.00	-6.49	Average


1-7GHz_Horizontal_802.11ax HEW80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6447.250	-1.16	49.39	48.23	68.20	-19.97	Peak


1-7GHz_Vertical_802.11ax HEW80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6470.500	-1.18	48.08	46.90	68.20	-21.30	Peak


7-18GHz_Horizontal_Peak_802.11ax HEW80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11550.000	3.44	55.91	59.35	74.00	-14.65	Peak
2	17942.250	12.97	49.19	62.16	74.00	-11.84	Peak


7-18GHz_Horizontal_Average_802.11ax HEW80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11550.000	3.44	44.15	47.59	54.00	-6.41	Average
2	17998.630	13.25	34.70	47.95	54.00	-6.05	Average


7-18GHz_Vertical_Peak_802.11ax HEW80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11550.000	3.44	59.08	62.52	74.00	-11.48	Peak
2	17998.250	13.26	49.10	62.36	74.00	-11.64	Peak


7-18GHz_Vertical_Average_802.11ax HEW80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11550.000	3.44	47.29	50.73	54.00	-3.27	Average
2	17990.380	13.21	34.73	47.94	54.00	-6.06	Average


1-7GHz_Horizontal_802.11be EHT20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6475.000	-1.18	48.88	47.70	68.20	-20.50	Peak


1-7GHz_Vertical_802.11be EHT20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6466.000	-1.18	49.44	48.26	68.20	-19.94	Peak


7-18GHz_Horizontal_Peak_802.11be EHT20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	58.69	62.15	74.00	-11.85	Peak
2	17971.130	13.12	48.65	61.77	74.00	-12.23	Peak


7-18GHz_Horizontal_Average_802.11be EHT20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band4-BE20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	46.24	49.70	54.00	-4.30	Average
2	17995.880	13.24	33.99	47.23	54.00	-6.77	Average


7-18GHz_Vertical_Peak_802.11be EHT20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	61.85	65.31	74.00	-8.69	Peak
2	17984.880	13.18	48.83	62.01	74.00	-11.99	Peak


7-18GHz_Vertical_Average_802.11be EHT20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band4-BE20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	49.39	52.85	54.00	-1.15	Average
2	17987.630	13.19	33.99	47.18	54.00	-6.82	Average


1-7GHz_Horizontal_802.11be EHT40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6472.000	-1.18	48.68	47.50	68.20	-20.70	Peak


7-18GHz_Horizontal_Peak_802.11be EHT40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11590.000	3.24	56.79	60.03	74.00	-13.97	Peak
2	17998.630	13.26	48.78	62.04	74.00	-11.96	Peak


7-18GHz_Horizontal_Average_802.11be EHT40



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band4-BE40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11590.000	3.24	45.25	48.49	54.00	-5.51	Average
2	17976.630	13.15	34.37	47.52	54.00	-6.48	Average


7-18GHz_Vertical_Peak_802.11be EHT40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11590.000	3.24	59.98	63.22	74.00	-10.78	Peak
2	17925.750	12.89	48.54	61.43	74.00	-12.57	Peak


7-18GHz_Vertical_Average_802.11be EHT40



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band4-BE40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11590.000	3.24	48.36	51.60	54.00	-2.40	Average
2	17995.880	13.24	34.30	47.54	54.00	-6.46	Average


1-7GHz_Horizontal_802.11be EHT80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6459.250	-1.18	48.82	47.64	68.20	-20.56	Peak


1-7GHz_Vertical_802.11be EHT80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6510.250	-1.20	48.51	47.31	68.20	-20.89	Peak


7-18GHz_Horizontal_Peak_802.11be EHT80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11550.000	3.44	55.02	58.46	74.00	-15.54	Peak
2	17962.880	13.07	48.59	61.66	74.00	-12.34	Peak


7-18GHz_Horizontal_Average_802.11be EHT80



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band4-BE80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11550.000	3.44	43.39	46.83	54.00	-7.17	Average
2	17969.750	13.11	34.81	47.92	54.00	-6.08	Average


7-18GHz_Vertical_Peak_802.11be EHT80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11550.000	3.44	58.13	61.57	74.00	-12.43	Peak
2	17993.130	13.23	48.09	61.32	74.00	-12.68	Peak


7-18GHz_Vertical_Average_802.11be EHT80



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band4-BE80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11550.000	3.44	46.54	49.98	54.00	-4.02	Average
2	17994.500	13.23	34.71	47.94	54.00	-6.06	Average


18-40GHz_Horizontal_802.11be EHT20



Condition : Horizontal
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	39879.000	23.81	37.50	61.31	83.50	-22.19	peak

18-40GHz_Vertical_802.11be EHT20



Condition : Vertical
Project No. : 2601P12244E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	39700.250	23.82	37.83	61.65	83.50	-21.85	Peak

RF Conducted data

26dB attenuated below the channel power

Test Information:

Sample No.:	3GAV-5	Test Date:	2026/03/24-2026/04/10
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.5~25.2	Relative Humidity: (%)	50~52	ATM Pressure: (kPa)	101.2~101.5


5150-5250MHz

Mode	Antenna	Test Frequency (MHz)	Result (dBm)	Limit (dBm)	Verdict
802.11a	Ant 0	5180	-35.15	-12.15	Pass
		5200	-39.99	-12.18	Pass
		5240	-45.45	-11.93	Pass
	Ant 1	5180	-37.42	-11.92	Pass
		5200	-42.90	-12.04	Pass
		5240	-46.66	-11.70	Pass
	Ant 2	5180	-44.89	-11.83	Pass
		5200	-40.81	-11.88	Pass
		5240	-46.50	-11.69	Pass
802.11ac20	Ant 0	5180	-36.51	-21.13	Pass
		5200	-38.03	-21.15	Pass
		5240	-37.32	-21.39	Pass
	Ant 1	5180	-39.97	-20.96	Pass
		5200	-36.44	-21.06	Pass
		5240	-38.42	-20.81	Pass
	Ant 2	5180	-38.90	-21.05	Pass
		5200	-38.96	-21.14	Pass
		5240	-38.47	-20.84	Pass
802.11ac40	Ant 0	5190	-38.45	-19.91	Pass
		5230	-41.07	-19.57	Pass
	Ant 1	5190	-36.84	-18.57	Pass
		5230	-37.81	-18.52	Pass
	Ant 2	5190	-37.36	-18.62	Pass
		5230	-38.02	-18.60	Pass
802.11ac80	Ant 0	5210	-36.58	-18.46	Pass
	Ant 1	5210	-30.91	-18.79	Pass
	Ant 2	5210	-36.24	-18.85	Pass
802.11ax20_RU_FULL	Ant 0	5180	-38.42	-21.00	Pass
		5200	-38.50	-21.11	Pass
		5240	-42.17	-20.85	Pass
	Ant 1	5180	-36.33	-20.98	Pass
		5200	-37.45	-20.83	Pass

Mode	Antenna	Test Frequency (MHz)	Result (dBm)	Limit (dBm)	Verdict
802.11ax20_RU_FULL	Ant 1	5240	-39.43	-20.57	Pass
	Ant 2	5180	-38.99	-20.82	Pass
		5200	-38.35	-20.87	Pass
		5240	-43.39	-20.60	Pass
802.11ax40_RU_FULL	Ant 0	5190	-27.69	-18.38	Pass
		5230	-24.86	-18.42	Pass
	Ant 1	5190	-24.13	-18.30	Pass
		5230	-41.84	-18.20	Pass
	Ant 2	5190	-27.26	-18.37	Pass
		5230	-27.27	-18.28	Pass
802.11ax80_RU_FULL	Ant 0	5210	-21.91	-18.76	Pass
	Ant 1	5210	-21.12	-18.55	Pass
	Ant 2	5210	-21.95	-18.59	Pass
802.11be20_RU_FULL	Ant 0	5180	-32.68	-20.50	Pass
		5200	-34.39	-21.55	Pass
		5240	-39.05	-21.24	Pass
	Ant 1	5180	-38.33	-21.38	Pass
		5200	-38.84	-21.16	Pass
		5240	-41.47	-21.19	Pass
	Ant 2	5180	-37.42	-20.38	Pass
		5200	-39.46	-21.25	Pass
		5240	-41.85	-20.98	Pass
802.11be40_RU_FULL	Ant 0	5190	-27.08	-18.49	Pass
		5230	-25.24	-18.40	Pass
	Ant 1	5190	-29.00	-18.28	Pass
		5230	-43.11	-18.21	Pass
	Ant 2	5190	-25.10	-18.42	Pass
		5230	-27.15	-18.26	Pass
802.11be80_RU_FULL	Ant 0	5210	-24.31	-18.60	Pass
	Ant 1	5210	**-21.08**	-18.43	Pass
	Ant 2	5210	-21.60	-18.49	Pass


5150-5250MHz

802.11a_5180MHz_Ant 0




ProjectNo.:2601P12244E-RF Tester:Kungfumaster Liang
Date: 24.MAR.2026 06:48:23

802.11a_5200MHz_Ant 0




ProjectNo.:2601P12244E-RF Tester:Kungfumaster Liang
Date: 24.MAR.2026 06:49:08

802.11a_5240MHz_Ant 0




ProjectNo.:2601P12244E-RF Tester:Kungfumaster Liang
Date: 24.MAR.2026 06:49:49

802.11a_5180MHz_Ant 1




ProjectNo.:2601P12244E-RF Tester:Kungfumaster Liang
Date: 24.MAR.2026 07:06:32

802.11a_5200MHz_Ant 1




ProjectNo.:2601P12244E-RF Tester:Kungfumaster Liang
Date: 24.MAR.2026 07:07:11

802.11a_5240MHz_Ant 1




ProjectNo.:2601P12244E-RF Tester:Kungfumaster Liang
Date: 24.MAR.2026 07:07:52

802.11a_5180MHz_Ant 2




ProjectNo.:2601P12244E-RF Tester:Kungfumaster Liang
Date: 24.MAR.2026 07:23:34

802.11a_5200MHz_Ant 2




ProjectNo.:2601P12244E-RF Tester:Kungfumaster Liang
Date: 24.MAR.2026 07:24:07

802.11a_5240MHz_Ant 2




ProjectNo.:2601P12244E-RF Tester:Kungfumaster Liang
Date: 24.MAR.2026 07:24:50

802.11ac20_5180MHz_Ant 0




ProjectNo.:2601P12244E-RF Tester:Kungfumaster Liang
Date: 24.MAR.2026 06:50:53

802.11ac20_5200MHz_Ant 0



ProjectNo.:2601P12244E-RF Tester:Kungfumaster Liang
Date: 24.MAR.2026 06:51:36

802.11ac20_5240MHz_Ant 0



ProjectNo.:2601P12244E-RF Tester:Kungfumaster Liang
Date: 24.MAR.2026 06:52:16