



7-18GHz_Horizontal_Peak_802.11be-eh80_5775MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE80-5775

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.44	52.63	56.07	74.00	-17.93 Peak
2 17957.380	13.04	48.46	61.50	74.00	-12.50 Peak


7-18GHz_Horizontal_Average_802.11be-cht80_5775MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band4-BE80-5775

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.44	40.25	43.69	54.00	-10.31	Average
2 17994.500	13.23	34.23	47.46	54.00	-6.54	Average


7-18GHz_Vertical_Peak_802.11be-eh80_5775MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE80-5775

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.44	53.06	56.50	74.00	-17.50 Peak
2 17995.880	13.24	47.94	61.18	74.00	-12.82 Peak

7-18GHz_Vertical_Average_802.11be-cht80_5775MHz




Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band4-BE80-5775

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.44	40.48	43.92	54.00	-10.08	Average
2 17984.880	13.18	34.39	47.57	54.00	-6.43	Average

18-40GHz (Only Listed with the worst harmonic margin test plot)


18-40GHz_Horizontal_802.11ac_VHT160_5570MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 39265.750	23.92	37.48	61.40	83.50	-22.10	Peak

18-40GHz_Vertical_802.11ac_VHT160_5570MHz




Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 38792.750	23.92	37.63	61.55	83.50	-21.95	Peak

Band Edge


Left Band edge Horizontal Peak 802.11a 5180MHz Ant0



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT0-5180

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5147.223	-7.45	77.44	69.99	74.00	-4.01 Peak
2	5150.000	-7.45	76.78	69.33	74.00	-4.67 Peak


Left Band edge_Horizontal_Average_802.11a_5180MHz_Ant0



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT0-5180

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5149.998	-7.45	57.12	49.67	54.00	-4.33	Average
2 5150.000	-7.45	57.01	49.56	54.00	-4.44	Average


Left Band edge_Vertical_Peak_802.11a_5180MHz_Ant0



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT0-5180

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5149.998	-7.45	68.31	60.86	74.00	-13.14	Peak
2 5150.000	-7.45	67.92	60.47	74.00	-13.53	Peak


Left Band edge_Vertical_Average_802.11a_5180MHz_Ant0



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT0-5180

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5149.720	-7.45	52.22	44.77	54.00	-9.23	Average
2 5150.000	-7.45	52.13	44.68	54.00	-9.32	Average


Right Band edge_Horizontal_Peak_802.11a_5240MHz_Ant0



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT0-5240

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	63.15	56.39	74.00	-17.61 Peak
2	5444.237	-6.34	65.75	59.41	74.00	-14.59 Peak


Right Band edge_Horizontal_Average_802.11a_5240MHz_Ant0



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT0-5240

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	52.39	45.63	54.00	-8.37 Average
2	5360.030	-6.73	52.81	46.08	54.00	-7.92 Average


Right Band edge_Vertical_Peak_802.11a_5240MHz_Ant0



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT0-5240

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	64.36	57.60	74.00	-16.40 Peak
2	5456.848	-6.28	65.58	59.30	74.00	-14.70 Peak


Right Band edge_Vertical_Average_802.11a_5240MHz_Ant0



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT0-5240

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	51.54	44.78	54.00	-9.22 Average
2	5458.928	-6.28	52.17	45.89	54.00	-8.11 Average


Left Band edge_Horizontal_Peak_802.11a_5180MHz_Ant1



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT1-5180

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5149.813	-7.45	78.48	71.03	74.00	-2.97	Peak
2 5150.000	-7.45	75.90	68.45	74.00	-5.55	Peak


Left Band edge_Horizontal_Average_802.11a_5180MHz_Ant1



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT1-5180

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5149.998	-7.45	59.47	52.02	54.00	-1.98	Average
2 5150.000	-7.45	59.41	51.96	54.00	-2.04	Average


Left Band edge_Vertical_Peak_802.11a_5180MHz_Ant1



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT1-5180

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5149.350	-7.45	70.40	62.95	74.00	-11.05	Peak
2 5150.000	-7.45	66.26	58.81	74.00	-15.19	Peak


Left Band edge_Vertical_Average_802.11a_5180MHz_Ant1



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT1-5180

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5148.888	-7.45	53.18	45.73	54.00	-8.27 Average
2	5150.000	-7.45	52.92	45.47	54.00	-8.53 Average


Right Band edge_Horizontal_Peak_802.11a_5240MHz_Ant1



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT1-5240

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	64.48	57.72	74.00	-16.28 Peak
2	5456.067	-6.28	65.39	59.11	74.00	-14.89 Peak


Right Band edge_Horizontal_Average_802.11a_5240MHz_Ant1



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT1-5240

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	52.47	45.71	54.00	-8.29 Average
2	5359.965	-6.73	53.42	46.69	54.00	-7.31 Average


Right Band edge_Vertical_Peak_802.11a_5240MHz_Ant1



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT1-5240

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	63.43	56.67	74.00	-17.33 Peak
2	5455.645	-6.28	65.19	58.91	74.00	-15.09 Peak


Right Band edge_Vertical_Average_802.11a_5240MHz_Ant1



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT1-5240

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	51.56	44.80	54.00	-9.20 Average
2	5458.375	-6.28	52.13	45.85	54.00	-8.15 Average


Left Band edge_Horizontal_Peak_802.11a_5180MHz_Ant2



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT2-5180

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5148.147	-7.45	78.28	70.83	74.00	-3.17 Peak
2	5150.000	-7.45	71.69	64.24	74.00	-9.76 Peak


Left Band edge_Horizontal_Average_802.11a_5180MHz_Ant2



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT2-5180

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5149.072	-7.45	59.03	51.58	54.00	-2.42	Average
2 5150.000	-7.45	57.99	50.54	54.00	-3.46	Average


Left Band edge_Vertical_Peak_802.11a_5180MHz_Ant2



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT2-5180

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5147.408	-7.45	67.12	59.67	74.00	-14.33	Peak
2 5150.000	-7.45	66.79	59.34	74.00	-14.66	Peak


Left Band edge_Vertical_Average_802.11a_5180MHz_Ant2



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT2-5180

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5149.998	-7.45	52.22	44.77	54.00	-9.23 Average
2	5150.000	-7.45	52.16	44.71	54.00	-9.29 Average


Right Band edge_Horizontal_Peak_802.11a_5240MHz_Ant2



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT2-5240

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	63.10	56.34	74.00	-17.66 Peak
2	5424.152	-6.46	65.99	59.53	74.00	-14.47 Peak


Right Band edge_Horizontal_Average_802.11a_5240MHz_Ant2



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT2-5240

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	52.57	45.81	54.00	-8.19 Average
2	5360.030	-6.73	53.90	47.17	54.00	-6.83 Average


Right Band edge_Vertical_Peak_802.11a_5240MHz_Ant2



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT2-5240

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	66.09	59.33	74.00	-14.67 Peak
2	5449.308	-6.31	66.39	60.08	74.00	-13.92 Peak


Right Band edge_Vertical_Average_802.11a_5240MHz_Ant2



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT2-5240

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	51.56	44.80	54.00	-9.20 Average
2	5459.317	-6.26	52.17	45.91	54.00	-8.09 Average


Left Band edge_Horizontal_Peak_802.11ac-vht20_5180MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5148.610	-7.45	74.84	67.39	74.00	-6.61	Peak
2 5150.000	-7.45	70.13	62.68	74.00	-11.32	Peak


Left Band edge_Horizontal_Average_802.11ac-vht20_5180MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5149.813	-7.45	58.49	51.04	54.00	-2.96	Average
2 5150.000	-7.45	58.02	50.57	54.00	-3.43	Average


Left Band edge_Vertical_Peak_802.11ac-vht20_5180MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5146.112	-7.45	66.33	58.88	74.00	-15.12	Peak
2 5150.000	-7.45	65.00	57.55	74.00	-16.45	Peak


Left Band edge_Vertical_Average_802.11ac-vht20_5180MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5149.905	-7.45	52.39	44.94	54.00	-9.06 Average
2	5150.000	-7.45	52.32	44.87	54.00	-9.13 Average


Right Band edge_Horizontal_Peak_802.11ac-vht20_5240MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5240

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	63.17	56.41	74.00	-17.59 Peak
2	5352.100	-6.76	66.41	59.65	74.00	-14.35 Peak


Right Band edge_Horizontal_Average_802.11ac-vht20_5240MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5240

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	
1	5350.000	-6.76	52.58	45.82	54.00	-8.18 Average
2	5440.110	-6.37	53.04	46.67	54.00	-7.33 Average


Right Band edge_Vertical_Peak_802.11ac-vht20_5240MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5240

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	63.74	56.98	74.00	-17.02	Peak
2 5457.107	-6.28	65.26	58.98	74.00	-15.02	Peak


Right Band edge_Vertical_Average_802.11ac-vht20_5240MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5240

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	51.49	44.73	54.00	-9.27 Average
2	5459.058	-6.26	52.24	45.98	54.00	-8.02 Average


Left Band edge_Horizontal_Peak_802.11ac-vht40_5190MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5190

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1	5147.900	-7.45	72.40	64.95	74.00	-9.05 Peak
2	5150.000	-7.45	71.96	64.51	74.00	-9.49 Peak


Left Band edge_Horizontal_Average_802.11ac-vht40_5190MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5190

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5149.990	-7.45	59.61	52.16	54.00	-1.84 Average
2	5150.000	-7.45	59.55	52.10	54.00	-1.90 Average


Left Band edge_Vertical_Peak_802.11ac-vht40_5190MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5190

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 4896.625	-7.61	65.15	57.54	74.00	-16.46	Peak
2 5150.000	-7.45	63.12	55.67	74.00	-18.33	Peak


Left Band edge_Vertical_Average_802.11ac-vht40_5190MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5190

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5149.705	-7.45	52.56	45.11	54.00	-8.89 Average
2	5150.000	-7.45	52.00	44.55	54.00	-9.45 Average


Right Band edge_Horizontal_Peak_802.11ac-vht40_5230MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5230

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	64.37	57.61	74.00	-16.39 Peak
2	5444.250	-6.34	66.02	59.68	74.00	-14.32 Peak


Right Band edge_Horizontal_Average_802.11ac-vht40_5230MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5230

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	53.96	47.20	54.00	-6.80 Average
2	5350.065	-6.76	54.00	47.24	54.00	-6.76 Average


Right Band edge_Vertical_Peak_802.11ac-vht40_5230MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5230

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	63.28	56.52	74.00	-17.48	Peak
2 5456.325	-6.28	65.35	59.07	74.00	-14.93	Peak


Right Band edge_Vertical_Average_802.11ac-vht40_5230MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5230

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	51.87	45.11	54.00	-8.89 Average
2	5452.965	-6.29	52.52	46.23	54.00	-7.77 Average


Left Band edge_Horizontal_Peak_802.11ac-vht80_5210MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5148.600	-7.45	71.54	64.09	74.00	-9.91	Peak
2 5150.000	-7.45	68.05	60.60	74.00	-13.40	Peak


Left Band edge_Horizontal_Average_802.11ac-vht80_5210MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5148.400	-7.45	60.00	52.55	54.00	-1.45	Average
2 5150.000	-7.45	59.60	52.15	54.00	-1.85	Average


Left Band edge_Vertical_Peak_802.11ac-vht80_5210MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5149.600	-7.45	64.93	57.48	74.00	-16.52	Peak
2 5150.000	-7.45	62.38	54.93	74.00	-19.07	Peak


Left Band edge_Vertical_Average_802.11ac-vht80_5210MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
1	5149.000	-7.45	53.58	46.13	54.00	-7.87 Average
2	5150.000	-7.45	52.95	45.50	54.00	-8.50 Average


Right Band edge_Horizontal_Peak_802.11ac-vht80_5210MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	63.49	56.73	74.00	-17.27 Peak
2	5427.560	-6.44	65.12	58.68	74.00	-15.32 Peak


Right Band edge_Horizontal_Average_802.11ac-vht80_5210MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	52.86	46.10	54.00	-7.90 Average
2	5454.080	-6.29	53.38	47.09	54.00	-6.91 Average


Right Band edge_Vertical_Peak_802.11ac-vht80_5210MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	62.96	56.20	74.00	-17.80 Peak
2	5352.200	-6.76	65.95	59.19	74.00	-14.81 Peak


Right Band edge_Vertical_Average_802.11ac-vht80_5210MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	52.48	45.72	54.00	-8.28 Average
2	5444.720	-6.33	53.56	47.23	54.00	-6.77 Average


Left Band edge_Horizontal_Peak_802.11be-cht20_5180MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE20-5180

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5148.147	-7.45	79.71	72.26	74.00	-1.74	Peak
2 5150.000	-7.45	77.10	69.65	74.00	-4.35	Peak


Left Band edge_Horizontal_Average_802.11be-eh20_5180MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-BE20-5180

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5149.627	-7.45	59.85	52.40	54.00	-1.60 Average
2	5150.000	-7.45	59.10	51.65	54.00	-2.35 Average


Left Band edge_Vertical_Peak_802.11be-cht20_5180MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE20-5180

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5149.165	-7.45	69.59	62.14	74.00	-11.86	Peak
2 5150.000	-7.45	66.09	58.64	74.00	-15.36	Peak


Left Band edge_Vertical_Average_802.11be-eh20_5180MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-BE20-5180

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5149.627	-7.45	53.12	45.67	54.00	-8.33 Average
2	5150.000	-7.45	52.69	45.24	54.00	-8.76 Average


Right Band edge_Horizontal_Peak_802.11be-eh20_5240MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE20-5240

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	62.88	56.12	74.00	-17.88 Peak
2	5360.192	-6.73	66.35	59.62	74.00	-14.38 Peak


Right Band edge_Horizontal_Average_802.11be-cht20_5240MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-BE20-5240

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	52.91	46.15	54.00	-7.85 Average
2	5359.998	-6.73	54.70	47.97	54.00	-6.03 Average


Right Band edge_Vertical_Peak_802.11be-eh20_5240MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE20-5240

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	63.32	56.56	74.00	-17.44 Peak
2	5459.058	-6.26	65.04	58.78	74.00	-15.22 Peak


Right Band edge_Vertical_Average_802.11be-cht20_5240MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-BE20-5240

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	51.47	44.71	54.00	-9.29 Average
2	5458.342	-6.28	52.04	45.76	54.00	-8.24 Average


Left Band edge_Horizontal_Peak_802.11be-eh40_5190MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE40-5190

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5149.420	-7.45	72.59	65.14	74.00	-8.86	Peak
2 5150.000	-7.45	69.98	62.53	74.00	-11.47	Peak


Left Band edge_Horizontal_Average_802.11be-eh40_5190MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band1-BE40-5190

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5149.800	-7.45	59.98	52.53	54.00	-1.47	Average
2 5150.000	-7.45	59.79	52.34	54.00	-1.66	Average


Left Band edge_Vertical_Peak_802.11be-cht40_5190MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE40-5190

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5146.380	-7.45	65.55	58.10	74.00	-15.90	Peak
2 5150.000	-7.45	64.33	56.88	74.00	-17.12	Peak


Left Band edge_Vertical_Average_802.11be-eh40_5190MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band1-BE40-5190

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5149.325	-7.45	52.44	44.99	54.00	-9.01 Average
2	5150.000	-7.45	52.39	44.94	54.00	-9.06 Average


Right Band edge_Horizontal_Peak_802.11be-eh40_5230MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE40-5230

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	63.82	57.06	74.00	-16.94 Peak
2	5455.240	-6.29	65.40	59.11	74.00	-14.89 Peak


Right Band edge_Horizontal_Average_802.11be-cht40_5230MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band1-BE40-5230

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	53.56	46.80	54.00	-7.20 Average
2	5429.900	-6.43	53.62	47.19	54.00	-6.81 Average


Right Band edge_Vertical_Peak_802.11be-eh40_5230MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE40-5230

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	62.49	55.73	74.00	-18.27 Peak
2	5352.970	-6.75	65.92	59.17	74.00	-14.83 Peak


Right Band edge_Vertical_Average_802.11be-cht40_5230MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band1-BE40-5230

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	51.82	45.06	54.00	-8.94 Average
2	5446.000	-6.33	52.61	46.28	54.00	-7.72 Average


Left Band edge_Horizontal_Peak_802.11be-cht80_5210MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE80-5210

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5149.500	-7.45	71.31	63.86	74.00	-10.14	Peak
2 5150.000	-7.45	68.00	60.55	74.00	-13.45	Peak


Left Band edge_Horizontal_Average_802.11be-eh80_5210MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band1-BE80-5210

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5148.900	-7.45	60.18	52.73	54.00	-1.27 Average
2	5150.000	-7.45	60.09	52.64	54.00	-1.36 Average


Left Band edge_Vertical_Peak_802.11be-cht80_5210MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE80-5210

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 4871.600	-7.70	65.49	57.79	74.00	-16.21	Peak
2 5150.000	-7.45	63.02	55.57	74.00	-18.43	Peak


Left Band edge_Vertical_Average_802.11be-eh80_5210MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band1-BE80-5210

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5144.000	-7.46	53.00	45.54	54.00	-8.46	Average
2 5150.000	-7.45	52.73	45.28	54.00	-8.72	Average


Right Band edge_Horizontal_Peak_802.11be-eh80_5210MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE80-5210

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	63.33	56.57	74.00	-17.43 Peak
2	5428.040	-6.44	65.25	58.81	74.00	-15.19 Peak


Right Band edge_Horizontal_Average_802.11be-cht80_5210MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band1-BE80-5210

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	52.36	45.60	54.00	-8.40 Average
2	5453.480	-6.29	52.94	46.65	54.00	-7.35 Average


Right Band edge_Vertical_Peak_802.11be-eh80_5210MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE80-5210

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	63.55	56.79	74.00	-17.21 Peak
2	5446.600	-6.33	65.19	58.86	74.00	-15.14 Peak


Right Band edge_Vertical_Average_802.11be-cht80_5210MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band1-BE80-5210

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	52.22	45.46	54.00	-8.54 Average
2	5456.560	-6.28	52.78	46.50	54.00	-7.50 Average


Left Band edge_Horizontal_Peak_802.11a_5260MHz_Ant0



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5260

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	4972.730	-7.47	65.50	58.03	74.00	-15.97	Peak
2	5150.000	-7.45	64.16	56.71	74.00	-17.29	Peak


Left Band edge_Horizontal_Average_802.11a_5260MHz_Ant0



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5260

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5140.010	-7.46	52.48	45.02	54.00	-8.98 Average
2	5150.000	-7.45	52.09	44.64	54.00	-9.36 Average


Left Band edge_Vertical_Peak_802.11a_5260MHz_Ant0



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5260

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	4722.220	-7.79	65.87	58.08	74.00	-15.92 Peak
2	5150.000	-7.45	63.12	55.67	74.00	-18.33 Peak


Left Band edge_Vertical_Average_802.11a_5260MHz_Ant0



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5260

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5046.120	-7.29	51.58	44.29	54.00	-9.71	Average
2 5150.000	-7.45	51.43	43.98	54.00	-10.02	Average


Right Band edge_Horizontal_Peak_802.11a_5320MHz_Ant0



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5320

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	72.42	65.66	74.00	-8.34 Peak
2	5350.357	-6.76	78.33	71.57	74.00	-2.43 Peak


Right Band edge_Horizontal_Average_802.11a_5320MHz_Ant0



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	56.24	49.48	54.00	-4.52 Average
2	5350.650	-6.76	56.38	49.62	54.00	-4.38 Average


Right Band edge_Vertical_Peak_802.11a_5320MHz_Ant0



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5320

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	63.57	56.81	74.00	-17.19	Peak
2 5350.380	-6.76	68.09	61.33	74.00	-12.67	Peak


Right Band edge_Vertical_Average_802.11a_5320MHz_Ant0



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5320

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	51.70	44.94	54.00	-9.06 Average
2	5458.065	-6.28	52.09	45.81	54.00	-8.19 Average


Left Band edge_Horizontal_Peak_802.11a_5260MHz_Ant1



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5260

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5101.675	-7.47	65.35	57.88	74.00	-16.12	Peak
2	5150.000	-7.45	63.64	56.19	74.00	-17.81	Peak


Left Band edge_Horizontal_Average_802.11a_5260MHz_Ant1



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5260

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5140.112	-7.46	54.36	46.90	54.00	-7.10 Average
2	5150.000	-7.45	52.87	45.42	54.00	-8.58 Average


Left Band edge_Vertical_Peak_802.11a_5260MHz_Ant1



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5260

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5039.458	-7.29	64.59	57.30	74.00	-16.70 Peak
2	5150.000	-7.45	62.24	54.79	74.00	-19.21 Peak


Left Band edge_Vertical_Average_802.11a_5260MHz_Ant1



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5260

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5010.040	-7.29	51.59	44.30	54.00	-9.70 Average
2	5150.000	-7.45	51.57	44.12	54.00	-9.88 Average


Right Band edge_Horizontal_Peak_802.11a_5320MHz_Ant1



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	75.46	68.70	74.00	-5.30	Peak
2	5353.800	-6.75	79.48	72.73	74.00	-1.27	Peak


Right Band edge_Horizontal_Average_802.11a_5320MHz_Ant1



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	58.16	51.40	54.00	-2.60 Average
2	5350.402	-6.76	58.30	51.54	54.00	-2.46 Average


Right Band edge_Vertical_Peak_802.11a_5320MHz_Ant1



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5320

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	63.94	57.18	74.00	-16.82	Peak
2 5351.482	-6.76	67.69	60.93	74.00	-13.07	Peak


Right Band edge_Vertical_Average_802.11a_5320MHz_Ant1



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	51.98	45.22	54.00	-8.78 Average
2	5458.200	-6.28	52.12	45.84	54.00	-8.16 Average


Left Band edge_Horizontal_Peak_802.11a_5260MHz_Ant2



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT2-5260

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5140.010	-7.46	65.71	58.25	74.00	-15.75	Peak
2	5150.000	-7.45	63.74	56.29	74.00	-17.71	Peak


Left Band edge_Horizontal_Average_802.11a_5260MHz_Ant2



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT2-5260

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5139.908	-7.46	56.31	48.85	54.00	-5.15 Average
2	5150.000	-7.45	52.81	45.36	54.00	-8.64 Average


Left Band edge_Vertical_Peak_802.11a_5260MHz_Ant2



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT2-5260

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5058.317	-7.31	65.11	57.80	74.00	-16.20 Peak
2	5150.000	-7.45	63.18	55.73	74.00	-18.27 Peak


Left Band edge_Vertical_Average_802.11a_5260MHz_Ant2



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT2-5260

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5048.683	-7.28	51.55	44.27	54.00	-9.73	Average
2 5150.000	-7.45	51.45	44.00	54.00	-10.00	Average


Right Band edge_Horizontal_Peak_802.11a_5320MHz_Ant2



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT2-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	71.49	64.73	74.00	-9.27	Peak
2	5351.257	-6.76	78.17	71.41	74.00	-2.59	Peak


Right Band edge_Horizontal_Average_802.11a_5320MHz_Ant2



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT2-5320

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	57.80	51.04	54.00	-2.96 Average
2	5350.178	-6.76	58.40	51.64	54.00	-2.36 Average


Right Band edge_Vertical_Peak_802.11a_5320MHz_Ant2



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT2-5320

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	64.42	57.66	74.00	-16.34 Peak
2	5355.735	-6.74	68.46	61.72	74.00	-12.28 Peak


Right Band edge_Vertical_Average_802.11a_5320MHz_Ant2



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT2-5320

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	52.21	45.45	54.00	-8.55	Average
2 5453.272	-6.29	52.17	45.88	54.00	-8.12	Average


Left Band edge_Horizontal_Peak_802.11ac-vht20_5260MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5260

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5026.440	-7.28	65.42	58.14	74.00	-15.86	Peak
2	5150.000	-7.45	62.92	55.47	74.00	-18.53	Peak


Left Band edge_Horizontal_Average_802.11ac-vht20_5260MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5260

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5140.010	-7.46	56.33	48.87	54.00	-5.13	Average
2 5150.000	-7.45	52.80	45.35	54.00	-8.65	Average


Left Band edge_Vertical_Peak_802.11ac-vht20_5260MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5260

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5065.185	-7.34	64.45	57.11	74.00	-16.89 Peak
2	5150.000	-7.45	62.72	55.27	74.00	-18.73 Peak


Left Band edge_Vertical_Average_802.11ac-vht20_5260MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5260

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	Line	Limit	
1	5046.428	-7.29	51.55	44.26	54.00	-9.74 Average
2	5150.000	-7.45	51.37	43.92	54.00	-10.08 Average


Right Band edge_Horizontal_Peak_802.11ac-vht20_5320MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	71.84	65.08	74.00	-8.92	Peak
2	5350.920	-6.76	78.81	72.05	74.00	-1.95	Peak


Right Band edge_Horizontal_Average_802.11ac-vht20_5320MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	57.34	50.58	54.00	-3.42	Average
2 5350.717	-6.76	58.53	51.77	54.00	-2.23	Average


Right Band edge_Vertical_Peak_802.11ac-vht20_5320MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	64.68	57.92	74.00	-16.08 Peak
2	5352.315	-6.76	68.61	61.85	74.00	-12.15 Peak


Right Band edge_Vertical_Average_802.11ac-vht20_5320MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	52.20	45.44	54.00	-8.56 Average
2	5459.888	-6.26	52.16	45.90	54.00	-8.10 Average


Left Band edge_Horizontal_Peak_802.11ac-vht40_5270MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1	5036.340	-7.28	64.99	57.71	74.00	-16.29 Peak
2	5150.000	-7.45	63.86	56.41	74.00	-17.59 Peak


Left Band edge_Horizontal_Average_802.11ac-vht40_5270MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5149.740	-7.45	54.60	47.15	54.00	-6.85 Average
2	5150.000	-7.45	54.54	47.09	54.00	-6.91 Average


Left Band edge_Vertical_Peak_802.11ac-vht40_5270MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1	4847.235	-7.77	65.77	58.00	74.00	-16.00 Peak
2	5150.000	-7.45	62.05	54.60	74.00	-19.40 Peak


Left Band edge_Vertical_Average_802.11ac-vht40_5270MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1	5149.635	-7.45	52.20	44.75	54.00	-9.25 Average
2	5150.000	-7.45	52.10	44.65	54.00	-9.35 Average


Right Band edge_Horizontal_Peak_802.11ac-vht40_5310MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	70.84	64.08	74.00	-9.92	Peak
2 5350.725	-6.76	72.41	65.65	74.00	-8.35	Peak


Right Band edge_Horizontal_Average_802.11ac-vht40_5310MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	58.50	51.74	54.00	-2.26 Average
2	5350.050	-6.76	58.58	51.82	54.00	-2.18 Average


Right Band edge_Vertical_Peak_802.11ac-vht40_5310MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	63.33	56.57	74.00	-17.43	Peak
2 5453.350	-6.29	65.56	59.27	74.00	-14.73	Peak


Right Band edge_Vertical_Average_802.11ac-vht40_5310MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	51.94	45.18	54.00	-8.82 Average
2	5459.275	-6.26	52.57	46.31	54.00	-7.69 Average


Left Band edge_Horizontal_Peak_802.11ac-vht80_5290MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5049.450	-7.28	65.56	58.28	74.00	-15.72	Peak
2 5150.000	-7.45	63.27	55.82	74.00	-18.18	Peak


Left Band edge_Horizontal_Average_802.11ac-vht80_5290MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 4873.780	-7.68	54.16	46.48	54.00	-7.52	Average
2 5150.000	-7.45	52.78	45.33	54.00	-8.67	Average


Left Band edge_Vertical_Peak_802.11ac-vht80_5290MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 4939.560	-7.63	65.42	57.79	74.00	-16.21	Peak
2 5150.000	-7.45	63.44	55.99	74.00	-18.01	Peak


Left Band edge_Vertical_Average_802.11ac-vht80_5290MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5015.790	-7.29	53.21	45.92	54.00	-8.08	Average
2	5150.000	-7.45	52.63	45.18	54.00	-8.82	Average


Right Band edge_Horizontal_Peak_802.11ac-vht80_5290MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	66.84	60.08	74.00	-13.92 Peak
2	5351.850	-6.76	70.96	64.20	74.00	-9.80 Peak


Right Band edge_Horizontal_Average_802.11ac-vht80_5290MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	
1	5350.000	-6.76	58.74	51.98	54.00	-2.02 Average
2	5350.020	-6.76	58.79	52.03	54.00	-1.97 Average


Right Band edge_Vertical_Peak_802.11ac-vht80_5290MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	63.23	56.47	74.00	-17.53 Peak
2	5438.400	-6.37	65.32	58.95	74.00	-15.05 Peak


Right Band edge_Vertical_Average_802.11ac-vht80_5290MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	52.55	45.79	54.00	-8.21 Average
2	5450.880	-6.31	53.48	47.17	54.00	-6.83 Average


Left Band edge_Horizontal_Peak_802.11ac-vht160_5250MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC160-5250

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5134.040	-7.46	67.46	60.00	74.00	-14.00	Peak
2 5150.000	-7.45	64.19	56.74	74.00	-17.26	Peak


Left Band edge_Horizontal_Average_802.11ac-vht160_5250MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band1-AC160-5250

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5117.870	-7.47	58.02	50.55	54.00	-3.45 Average
2	5150.000	-7.45	56.68	49.23	54.00	-4.77 Average


Left Band edge_Vertical_Peak_802.11ac-vht160_5250MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC160-5250

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	4888.740	-7.64	65.61	57.97	74.00	-16.03 Peak
2	5150.000	-7.45	62.70	55.25	74.00	-18.75 Peak


Left Band edge_Vertical_Average_802.11ac-vht160_5250MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band1-AC160-5250

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5147.020	-7.45	54.12	46.67	54.00	-7.33 Average
2	5150.000	-7.45	53.29	45.84	54.00	-8.16 Average


Right Band edge_Horizontal_Peak_802.11ac-vht160_5250MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	63.77	57.01	74.00	-16.99	Peak
2	5398.640	-6.62	69.49	62.87	74.00	-11.13	Peak


Right Band edge_Horizontal_Average_802.11ac-vht160_5250MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band1-AC160-5250

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	55.82	49.06	54.00	-4.94 Average
2	5397.200	-6.63	59.53	52.90	54.00	-1.10 Average


Right Band edge_Vertical_Peak_802.11ac-vht160_5250MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC160-5250

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5350.000	-6.76	63.30	56.54	74.00	-17.46 Peak
2 5456.840	-6.28	65.18	58.90	74.00	-15.10 Peak


Right Band edge_Vertical_Average_802.11ac-vht160_5250MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band1-AC160-5250

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	53.42	46.66	54.00	-7.34	Average
2 5452.480	-6.29	54.67	48.38	54.00	-5.62	Average


Left Band edge_Horizontal_Peak_802.11be-cht20_5260MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE20-5260

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5140.215	-7.46	65.65	58.19	74.00	-15.81	Peak
2	5150.000	-7.45	62.73	55.28	74.00	-18.72	Peak


Left Band edge_Horizontal_Average_802.11be-eh20_5260MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-BE20-5260

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5140.010	-7.46	56.09	48.63	54.00	-5.37	Average
2 5150.000	-7.45	52.84	45.39	54.00	-8.61	Average


Left Band edge_Vertical_Peak_802.11be-cht20_5260MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE20-5260

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 4911.640	-7.61	65.11	57.50	74.00	-16.50	Peak
2 5150.000	-7.45	62.68	55.23	74.00	-18.77	Peak


Left Band edge_Vertical_Average_802.11be-eh20_5260MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-BE20-5260

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5044.993	-7.28	51.73	44.45	54.00	-9.55 Average
2	5150.000	-7.45	51.64	44.19	54.00	-9.81 Average


Right Band edge_Horizontal_Peak_802.11be-eh20_5320MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	74.40	67.64	74.00	-6.36	Peak
2	5350.920	-6.76	79.53	72.77	74.00	-1.23	Peak


Right Band edge_Horizontal_Average_802.11be-cht20_5320MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-BE20-5320

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	57.85	51.09	54.00	-2.91 Average
2	5350.785	-6.76	59.36	52.60	54.00	-1.40 Average


Right Band edge_Vertical_Peak_802.11be-eh20_5320MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE20-5320

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	66.72	59.96	74.00	-14.04	Peak
2 5350.830	-6.76	70.97	64.21	74.00	-9.79	Peak


Right Band edge_Vertical_Average_802.11be-cht20_5320MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-BE20-5320

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	52.57	45.81	54.00	-8.19 Average
2	5351.663	-6.76	52.91	46.15	54.00	-7.85 Average


Left Band edge_Horizontal_Peak_802.11be-ht40_5270MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE40-5270

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 4934.280	-7.63	65.30	57.67	74.00	-16.33	Peak
2 5150.000	-7.45	65.07	57.62	74.00	-16.38	Peak


Left Band edge_Horizontal_Average_802.11be-eh40_5270MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-BE40-5270

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5149.845	-7.45	55.61	48.16	54.00	-5.84 Average
2	5150.000	-7.45	55.58	48.13	54.00	-5.87 Average


Left Band edge_Vertical_Peak_802.11be-cht40_5270MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE40-5270

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 4910.235	-7.61	65.26	57.65	74.00	-16.35	Peak
2 5150.000	-7.45	62.59	55.14	74.00	-18.86	Peak


Left Band edge_Vertical_Average_802.11be-eh40_5270MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-BE40-5270

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5020.380	-7.28	52.22	44.94	54.00	-9.06 Average
2	5150.000	-7.45	52.06	44.61	54.00	-9.39 Average


Right Band edge_Horizontal_Peak_802.11be-eh40_5310MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE40-5310

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	73.59	66.83	74.00	-7.17 Peak
2	5353.250	-6.75	74.69	67.94	74.00	-6.06 Peak


Right Band edge_Horizontal_Average_802.11be-cht40_5310MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-BE40-5310

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	59.51	52.75	54.00	-1.25 Average
2	5350.075	-6.76	59.70	52.94	54.00	-1.06 Average


Right Band edge_Vertical_Peak_802.11be-eh40_5310MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE40-5310

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	63.36	56.60	74.00	-17.40	Peak
2 5445.125	-6.33	65.86	59.53	74.00	-14.47	Peak


Right Band edge_Vertical_Average_802.11be-cht40_5310MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-BE40-5310

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	52.12	45.36	54.00	-8.64	Average
2 5448.925	-6.31	52.72	46.41	54.00	-7.59	Average


Left Band edge_Horizontal_Peak_802.11be-ht80_5290MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5134.370	-7.46	65.27	57.81	74.00	-16.19 Peak
2	5150.000	-7.45	62.92	55.47	74.00	-18.53 Peak


Left Band edge_Horizontal_Average_802.11be-eh80_5290MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band2-BE80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	4874.000	-7.68	53.55	45.87	54.00	-8.13 Average
2	5150.000	-7.45	52.47	45.02	54.00	-8.98 Average


Left Band edge_Vertical_Peak_802.11be-cht80_5290MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5069.690	-7.36	64.92	57.56	74.00	-16.44	Peak
2 5150.000	-7.45	62.64	55.19	74.00	-18.81	Peak


Left Band edge_Vertical_Average_802.11be-eh80_5290MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band2-BE80-5290

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1	4863.110	-7.71	52.89	45.18	54.00	-8.82 Average
2	5150.000	-7.45	52.28	44.83	54.00	-9.17 Average


Right Band edge_Horizontal_Peak_802.11be-eh80_5290MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	68.62	61.86	74.00	-12.14 Peak
2	5354.790	-6.74	70.83	64.09	74.00	-9.91 Peak


Right Band edge_Horizontal_Average_802.11be-cht80_5290MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band2-BE80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	58.76	52.00	54.00	-2.00 Average
2	5352.000	-6.76	58.90	52.14	54.00	-1.86 Average


Right Band edge_Vertical_Peak_802.11be-eh80_5290MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE80-5290

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	63.52	56.76	74.00	-17.24 Peak
2	5445.450	-6.33	65.62	59.29	74.00	-14.71 Peak


Right Band edge_Vertical_Average_802.11be-cht80_5290MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band2-BE80-5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	52.31	45.55	54.00	-8.45 Average
2	5459.670	-6.26	53.01	46.75	54.00	-7.25 Average


Left Band edge_Horizontal_Peak_802.11be-eh160_5250MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE160-5250

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5130.300	-7.47	67.80	60.33	74.00	-13.67 Peak
2	5150.000	-7.45	65.35	57.90	74.00	-16.10 Peak


Left Band edge_Horizontal_Average_802.11be-cht160_5250MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-BE160-5250

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5148.890	-7.45	56.61	49.16	54.00	-4.84 Average
2	5150.000	-7.45	55.61	48.16	54.00	-5.84 Average


Left Band edge_Vertical_Peak_802.11be-eh160_5250MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE160-5250

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	4938.020	-7.63	65.28	57.65	74.00	-16.35 Peak
2	5150.000	-7.45	63.63	56.18	74.00	-17.82 Peak


Left Band edge_Vertical_Average_802.11be-eh160_5250MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-BE160-5250

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5057.810	-7.31	53.05	45.74	54.00	-8.26 Average
2	5150.000	-7.45	52.69	45.24	54.00	-8.76 Average


Right Band edge_Horizontal_Peak_802.11be-ht160_5250MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE160-5250

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	63.65	56.89	74.00	-17.11 Peak
2	5398.080	-6.62	71.24	64.62	74.00	-9.38 Peak


Right Band edge_Horizontal_Average_802.11be-eh160_5250MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-BE160-5250

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	56.60	49.84	54.00	-4.16 Average
2	5397.360	-6.63	58.76	52.13	54.00	-1.87 Average


Right Band edge_Vertical_Peak_802.11be-cht160_5250MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-BE160-5250

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5350.000	-6.76	62.54	55.78	74.00	-18.22 Peak
2 5443.200	-6.35	65.56	59.21	74.00	-14.79 Peak


Right Band edge_Vertical_Average_802.11be-eh160_5250MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-BE160-5250

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	52.68	45.92	54.00	-8.08 Average
2	5448.280	-6.31	53.45	47.14	54.00	-6.86 Average


Left Band edge_Horizontal_Peak_802.11a_5500MHz_Ant0



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5500

	Freq	Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	64.98	58.72	74.00	-15.28	Peak
2	5468.706	-6.23	66.49	60.26	68.20	-7.94	Peak
3	5470.000	-6.22	63.11	56.89	68.20	-11.31	Peak


Left Band edge_Horizontal_Average_802.11a_5500MHz_Ant0



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5500

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	53.19	46.93	54.00	-7.07	Average


Left Band edge_Vertical_Peak_802.11a_5500MHz_Ant0



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	64.11	57.85	74.00	-16.15 Peak
2 5466.241	-6.24	66.04	59.80	68.20	-8.40 Peak
3 5470.000	-6.22	63.85	57.63	68.20	-10.57 Peak


Left Band edge_Vertical_Average_802.11a_5500MHz_Ant0



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5500

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	51.66	45.40	54.00	-8.60 Average


Right Band edge_Horizontal_802.11a_5700MHz_Ant0



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5700

	Freq Factor		Read		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	65.96	60.42	68.20	-7.78	Peak
2	5725.716	-5.53	72.56	67.03	68.20	-1.17	Peak


Right Band edge_Vertical_802.11a_5700MHz_Ant0



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5700

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5725.000	-5.54	64.61	59.07	68.20	-9.13 Peak
2	5728.275	-5.49	68.97	63.48	68.20	-4.72 Peak


Left Band edge_Horizontal_Peak_802.11a_5500MHz_Ant1



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	64.73	58.47	74.00	-15.53 Peak
2 5468.828	-6.23	69.64	63.41	68.20	-4.79 Peak
3 5470.000	-6.22	65.26	59.04	68.20	-9.16 Peak


Left Band edge_Horizontal_Average_802.11a_5500MHz_Ant1



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5500

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	53.81	47.55	54.00	-6.45 Average


Left Band edge_Vertical_Peak_802.11a_5500MHz_Ant1



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5500

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	63.27	57.01	74.00	-16.99	Peak
2	5465.247	-6.25	65.04	58.79	68.20	-9.41	Peak
3	5470.000	-6.22	64.14	57.92	68.20	-10.28	Peak


Left Band edge_Vertical_Average_802.11a_5500MHz_Ant1



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5500

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	51.75	45.49	54.00	-8.51	Average


Right Band edge_Horizontal_802.11a_5700MHz_Ant1



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5700

	Freq Factor		Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	67.51	61.97	68.20	-6.23	Peak
2	5728.491	-5.49	72.18	66.69	68.20	-1.51	Peak


Right Band edge_Vertical_802.11a_5700MHz_Ant1



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5700

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5725.000	-5.54	63.92	58.38	68.20	-9.82 Peak
2	5737.163	-5.41	65.69	60.28	68.20	-7.92 Peak


Left Band edge_Horizontal_Peak_802.11a_5500MHz_Ant2



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT2-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	63.84	57.58	74.00	-16.42 Peak
2 5469.119	-6.23	68.38	62.15	68.20	-6.05 Peak
3 5470.000	-6.22	64.94	58.72	68.20	-9.48 Peak


Left Band edge_Horizontal_Average_802.11a_5500MHz_Ant2



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT2-5500

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	53.75	47.49	54.00	-6.51	Average


Left Band edge_Vertical_Peak_802.11a_5500MHz_Ant2



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT2-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	62.98	56.72	74.00	-17.28 Peak
2 5460.822	-6.26	65.67	59.41	68.20	-8.79 Peak
3 5470.000	-6.22	63.93	57.71	68.20	-10.49 Peak


Left Band edge_Vertical_Average_802.11a_5500MHz_Ant2



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT2-5500

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	51.69	45.43	54.00	-8.57	Average


Right Band edge_Horizontal_802.11a_5700MHz_Ant2



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT2-5700

	Freq Factor		Read		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	69.83	64.29	68.20	-3.91	Peak
2	5725.744	-5.53	72.01	66.48	68.20	-1.72	Peak


Right Band edge_Vertical_802.11a_5700MHz_Ant2



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT2-5700

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5725.000	-5.54	63.53	57.99	68.20	-10.21	Peak
2 5728.856	-5.49	65.75	60.26	68.20	-7.94	Peak


Left Band edge_Horizontal_Peak_802.11ac-vht20_5500MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	64.06	57.80	74.00	-16.20 Peak
2 5464.712	-6.25	68.64	62.39	68.20	-5.81 Peak
3 5470.000	-6.22	64.43	58.21	68.20	-9.99 Peak


Left Band edge_Horizontal_Average_802.11ac-vht20_5500MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5500

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	54.08	47.82	54.00	-6.18	Average


Left Band edge_Vertical_Peak_802.11ac-vht20_5500MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	63.74	57.48	74.00	-16.52 Peak
2 5465.547	-6.25	66.18	59.93	68.20	-8.27 Peak
3 5470.000	-6.22	63.18	56.96	68.20	-11.24 Peak


Left Band edge_Vertical_Average_802.11ac-vht20_5500MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5500

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	51.70	45.44	54.00	-8.56	Average


Right Band edge_Horizontal_802.11ac-vht20_5700MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

	Freq Factor		Read	Limit	Over	Remark
	Level	Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5725.000	-5.54	69.72	64.18	68.20	-4.02 Peak
2	5729.353	-5.49	72.17	66.68	68.20	-1.52 Peak


Right Band edge_Vertical_802.11ac-vht20_5700MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5725.000	-5.54	63.58	58.04	68.20	-10.16	Peak
2 5726.859	-5.51	65.82	60.31	68.20	-7.89	Peak


Left Band edge_Horizontal_Peak_802.11ac-vht40_5510MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	65.52	59.26	74.00	-14.74	Peak
2	5469.179	-6.23	72.01	65.78	68.20	-2.42	Peak
3	5470.000	-6.22	66.60	60.38	68.20	-7.82	Peak


Left Band edge_Horizontal_Average_802.11ac-vht40_5510MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	54.12	47.86	54.00	-6.14	Average


Left Band edge_Vertical_Peak_802.11ac-vht40_5510MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	62.40	56.14	74.00	-17.86	Peak
2	5462.529	-6.25	65.09	58.84	68.20	-9.36	Peak
3	5470.000	-6.22	62.99	56.77	68.20	-11.43	Peak


Left Band edge_Vertical_Average_802.11ac-vht40_5510MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	52.01	45.75	54.00	-8.25 Average


Right Band edge_Horizontal_802.11ac-vht40_5670MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	63.02	57.48	68.20	-10.72	Peak
2	5726.772	-5.51	66.46	60.95	68.20	-7.25	Peak


Right Band edge_Vertical_802.11ac-vht40_5670MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	63.16	57.62	68.20	-10.58	Peak
2	5738.905	-5.39	65.51	60.12	68.20	-8.08	Peak


Left Band edge_Horizontal_Peak_802.11ac-vht80_5530MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	66.29	60.03	74.00	-13.97 Peak
2 5464.248	-6.25	71.68	65.43	68.20	-2.77 Peak
3 5470.000	-6.22	67.53	61.31	68.20	-6.89 Peak


Left Band edge_Horizontal_Average_802.11ac-vht80_5530MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	57.16	50.90	54.00	-3.10 Average


Left Band edge_Vertical_Peak_802.11ac-vht80_5530MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	64.52	58.26	74.00	-15.74 Peak
2 5468.922	-6.23	66.16	59.93	68.20	-8.27 Peak
3 5470.000	-6.22	63.59	57.37	68.20	-10.83 Peak


Left Band edge_Vertical_Average_802.11ac-vht80_5530MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	53.92	47.66	54.00	-6.34 Average


Right Band edge_Horizontal_802.11ac-vht80_5610MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5610

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level			
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	63.59	58.05	68.20	-10.15	Peak
2	5727.596	-5.50	66.48	60.98	68.20	-7.22	Peak


Right Band edge_Vertical_802.11ac-vht80_5610MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5610

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5725.000	-5.54	63.73	58.19	68.20	-10.01	Peak
2 5733.885	-5.45	65.94	60.49	68.20	-7.71	Peak


Left Band edge_Horizontal_Peak_802.11ac-vht160_5570MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	65.51	59.25	74.00	-14.75 Peak
2 5468.725	-6.23	71.77	65.54	68.20	-2.66 Peak
3 5470.000	-6.22	67.29	61.07	68.20	-7.13 Peak


Left Band edge_Horizontal_Average_802.11ac-vht160_5570MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	57.45	51.19	54.00	-2.81	Average


Left Band edge_Vertical_Peak_802.11ac-vht160_5570MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	63.02	56.76	74.00	-17.24 Peak
2 5464.844	-6.25	65.56	59.31	68.20	-8.89 Peak
3 5470.000	-6.22	63.22	57.00	68.20	-11.20 Peak


Left Band edge_Vertical_Average_802.11ac-vht160_5570MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	54.44	48.18	54.00	-5.82 Average


Right Band edge_Horizontal_802.11ac-vht160_5570MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level			
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	65.82	60.28	68.20	-7.92	Peak
2	5726.403	-5.52	71.68	66.16	68.20	-2.04	Peak


Right Band edge_Vertical_802.11ac-vht160_5570MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5725.000	-5.54	64.35	58.81	68.20	-9.39 Peak
2	5733.072	-5.45	65.97	60.52	68.20	-7.68 Peak


Left Band edge_Horizontal_Peak_802.11be-eh20_5500MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE20-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	63.62	57.36	74.00	-16.64 Peak
2 5468.969	-6.23	68.65	62.42	68.20	-5.78 Peak
3 5470.000	-6.22	66.11	59.89	68.20	-8.31 Peak


Left Band edge_Horizontal_Average_802.11be-eh20_5500MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-BE20-5500

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	54.08	47.82	54.00	-6.18	Average


Left Band edge_Vertical_Peak_802.11be-cht20_5500MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE20-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	62.23	55.97	74.00	-18.03 Peak
2 5465.190	-6.25	65.93	59.68	68.20	-8.52 Peak
3 5470.000	-6.22	64.12	57.90	68.20	-10.30 Peak


Left Band edge_Vertical_Average_802.11be-eh20_5500MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-BE20-5500

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	51.66	45.40	54.00	-8.60 Average


Right Band edge_Horizontal_802.11be-eh20_5700MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE20-5700

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	72.23	66.69	68.20	-1.51 Peak
2	5725.200	-5.53	72.69	67.16	68.20	-1.04 Peak


Right Band edge_Vertical_802.11be-eh20_5700MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE20-5700

	Freq Factor		Read		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	63.31	57.77	68.20	-10.43	Peak
2	5726.916	-5.51	67.09	61.58	68.20	-6.62	Peak


Left Band edge_Horizontal_Peak_802.11be-eh40_5510MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE40-5510

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	63.42	57.16	74.00	-16.84	Peak
2	5469.939	-6.22	72.88	66.66	68.20	-1.54	Peak
3	5470.000	-6.22	66.10	59.88	68.20	-8.32	Peak


Left Band edge_Horizontal_Average_802.11be-eh40_5510MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band3-BE40-5510

	Freq Factor		Read Level		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	54.13	47.87	54.00	-6.13	Average


Left Band edge_Vertical_Peak_802.11be-cht40_5510MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE40-5510

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	62.78	56.52	74.00	-17.48	Peak
2	5465.379	-6.25	65.14	58.89	68.20	-9.31	Peak
3	5470.000	-6.22	63.69	57.47	68.20	-10.73	Peak


Left Band edge_Vertical_Average_802.11be-eh40_5510MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band3-BE40-5510

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	51.87	45.61	54.00	-8.39 Average


Right Band edge_Horizontal_802.11be-eh40_5670MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE40-5670

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	63.84	58.30	68.20	-9.90 Peak
2	5727.549	-5.50	66.07	60.57	68.20	-7.63 Peak


Right Band edge_Vertical_802.11be-eh40_5670MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	64.35	58.81	68.20	-9.39	Peak
2	5739.595	-5.39	65.94	60.55	68.20	-7.65	Peak


Left Band edge_Horizontal_Peak_802.11be-cht80_5530MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE80-5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	66.36	60.10	74.00	-13.90 Peak
2 5468.787	-6.23	72.27	66.04	68.20	-2.16 Peak
3 5470.000	-6.22	66.06	59.84	68.20	-8.36 Peak


Left Band edge_Horizontal_Average_802.11be-eh80_5530MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band3-BE80-5530

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	57.50	51.24	54.00	-2.76	Average


Left Band edge_Vertical_Peak_802.11be-cht80_5530MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE80-5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	63.76	57.50	74.00	-16.50 Peak
2 5466.323	-6.24	65.96	59.72	68.20	-8.48 Peak
3 5470.000	-6.22	64.00	57.78	68.20	-10.42 Peak


Left Band edge_Vertical_Average_802.11be-eh80_5530MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band3-BE80-5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	53.18	46.92	54.00	-7.08 Average


Right Band edge_Horizontal_802.11be-eh80_5610MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE80-5610

	Freq Factor		Read		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	65.08	59.54	68.20	-8.66	Peak
2	5740.588	-5.38	66.22	60.84	68.20	-7.36	Peak


Right Band edge_Vertical_802.11be-eh80_5610MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE80-5610

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5725.000	-5.54	63.87	58.33	68.20	-9.87	Peak
2 5743.074	-5.35	65.54	60.19	68.20	-8.01	Peak


Left Band edge_Horizontal_Peak_802.11be-eh160_5570MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE160-5570

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	66.83	60.57	74.00	-13.43 Peak
2 5461.638	-6.26	72.33	66.07	68.20	-2.13 Peak
3 5470.000	-6.22	67.28	61.06	68.20	-7.14 Peak


Left Band edge_Horizontal_Average_802.11be-cht160_5570MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-BE160-5570

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	57.83	51.57	54.00	-2.43	Average


Left Band edge_Vertical_Peak_802.11be-eh160_5570MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE160-5570

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	63.44	57.18	74.00	-16.82 Peak
2 5465.519	-6.25	66.03	59.78	68.20	-8.42 Peak
3 5470.000	-6.22	64.48	58.26	68.20	-9.94 Peak


Left Band edge_Vertical_Average_802.11be-ht160_5570MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-BE160-5570

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	53.36	47.10	54.00	-6.90 Average


Right Band edge_Horizontal_802.11be-eh160_5570MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE160-5570

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	67.73	62.19	68.20	-6.01	Peak
2	5726.678	-5.51	71.36	65.85	68.20	-2.35	Peak


Right Band edge_Vertical_802.11be-ght160_5570MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE160-5570

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5725.000	-5.54	64.22	58.68	68.20	-9.52 Peak
2	5727.091	-5.51	65.77	60.26	68.20	-7.94 Peak


Left Band edge_Horizontal_802.11a_5745MHz_Ant0



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5627.384	-6.03	65.31	59.28	68.20	-8.92	Peak
2	5697.090	-5.78	70.94	65.16	103.06	-37.90	Peak
3	5715.045	-5.63	82.66	77.03	109.41	-32.38	Peak
4	5724.118	-5.54	87.69	82.15	120.19	-38.04	Peak


Left Band edge_Vertical_802.11a_5745MHz_Ant0



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5640.090	-5.95	65.35	59.40	68.20	-8.80	Peak
2	5696.757	-5.78	66.55	60.77	102.81	-42.04	Peak
3	5719.368	-5.58	74.04	68.46	110.62	-42.16	Peak
4	5724.806	-5.54	78.67	73.13	121.76	-48.63	Peak


Right Band edge_Horizontal_802.11a_5825MHz_Ant0



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5852.016	-4.69	81.30	76.61	117.60	-40.99	Peak
2	5856.330	-4.67	79.37	74.70	110.43	-35.73	Peak
3	5886.208	-4.56	67.88	63.32	96.88	-33.56	Peak
4	5940.905	-4.48	66.18	61.70	68.20	-6.50	Peak


Right Band edge_Vertical_802.11a_5825MHz_Ant0



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5825

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5852.803	-4.69	71.49	66.80	115.81	-49.01	Peak
2 5855.098	-4.68	69.67	64.99	110.77	-45.78	Peak
3 5893.666	-4.53	66.69	62.16	91.35	-29.19	Peak
4 5929.345	-4.49	66.13	61.64	68.20	-6.56	Peak


Left Band edge_Horizontal_802.11a_5745MHz_Ant1



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5624.890	-6.04	66.63	60.59	68.20	-7.61	Peak
2	5699.489	-5.78	72.30	66.52	104.82	-38.30	Peak
3	5719.652	-5.58	86.18	80.60	110.70	-30.10	Peak
4	5723.381	-5.55	91.55	86.00	118.51	-32.51	Peak


Left Band edge_Vertical_802.11a_5745MHz_Ant1



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5621.019	-6.07	65.66	59.59	68.20	-8.61	Peak
2	5691.984	-5.80	66.50	60.70	99.29	-38.59	Peak
3	5719.652	-5.58	76.30	70.72	110.70	-39.98	Peak
4	5724.854	-5.54	82.76	77.22	121.87	-44.65	Peak


Right Band edge_Horizontal_802.11a_5825MHz_Ant1



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5853.908	-4.68	84.16	79.48	113.29	-33.81	Peak
2	5858.243	-4.67	81.88	77.21	109.89	-32.68	Peak
3	5876.624	-4.60	70.36	65.76	103.99	-38.23	Peak
4	5927.390	-4.49	66.58	62.09	68.20	-6.11	Peak


Right Band edge_Vertical_802.11a_5825MHz_Ant1



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.316	-4.70	78.21	73.51	121.48	-47.97	Peak
2	5857.881	-4.67	74.84	70.17	109.99	-39.82	Peak
3	5920.165	-4.50	65.88	61.38	71.76	-10.38	Peak
4	5944.263	-4.49	66.40	61.91	68.20	-6.29	Peak


Left Band edge_Horizontal_802.11a_5745MHz_Ant2



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT2-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5624.961	-6.04	66.34	60.30	68.20	-7.90	Peak
2	5694.572	-5.78	78.53	72.75	101.20	-28.45	Peak
3	5719.652	-5.58	88.41	82.83	110.70	-27.87	Peak
4	5724.973	-5.54	96.79	91.25	122.14	-30.89	Peak


Left Band edge_Vertical_802.11a_5745MHz_Ant2



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT2-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5611.376	-6.13	66.04	59.91	68.20	-8.29	Peak
2	5694.311	-5.79	70.37	64.58	101.01	-36.43	Peak
3	5714.380	-5.64	79.56	73.92	109.23	-35.31	Peak
4	5724.854	-5.54	88.23	82.69	121.87	-39.18	Peak


Right Band edge_Horizontal_802.11a_5825MHz_Ant2



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT2-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5852.717	-4.69	88.99	84.30	116.00	-31.70	Peak
2	5855.204	-4.68	84.37	79.69	110.74	-31.05	Peak
3	5884.380	-4.57	73.92	69.35	98.23	-28.88	Peak
4	5933.191	-4.49	66.44	61.95	68.20	-6.25	Peak


Right Band edge_Vertical_802.11a_5825MHz_Ant2



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT2-5825

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5851.039	-4.70	80.33	75.63	119.83	-44.20 Peak
2 5856.627	-4.67	76.73	72.06	110.34	-38.28 Peak
3 5881.660	-4.57	66.92	62.35	100.25	-37.90 Peak
4 5934.360	-4.49	66.16	61.67	68.20	-6.53 Peak


Left Band edge_Horizontal_802.11ac-vht20_5745MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5745

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5623.940	-6.05	66.32	60.27	68.20	-7.93 Peak
2 5696.924	-5.78	74.05	68.27	102.93	-34.66 Peak
3 5718.394	-5.59	81.55	75.96	110.35	-34.39 Peak
4 5724.925	-5.54	89.45	83.91	122.03	-38.12 Peak


Left Band edge_Vertical_802.11ac-vht20_5745MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5623.275	-6.05	65.85	59.80	68.20	-8.40	Peak
2	5675.929	-5.84	66.63	60.79	87.43	-26.64	Peak
3	5719.344	-5.58	75.78	70.20	110.62	-40.42	Peak
4	5724.070	-5.54	78.95	73.41	120.08	-46.67	Peak


Right Band edge_Horizontal_802.11ac-vht20_5825MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.826	-4.70	81.87	77.17	120.32	-43.15	Peak
2	5855.480	-4.68	77.45	72.77	110.67	-37.90	Peak
3	5875.498	-4.61	69.52	64.91	104.83	-39.92	Peak
4	5930.493	-4.49	66.22	61.73	68.20	-6.47	Peak


Right Band edge_Vertical_802.11ac-vht20_5825MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5851.464	-4.69	71.03	66.34	118.86	-52.52 Peak
2	5858.986	-4.66	68.46	63.80	109.68	-45.88 Peak
3	5896.216	-4.52	67.18	62.66	89.46	-26.80 Peak
4	5925.393	-4.49	66.66	62.17	68.20	-6.03 Peak


Left Band edge_Horizontal_802.11ac-vht40_5755MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5635.385	-5.99	66.67	60.68	68.20	-7.52	Peak
2	5699.829	-5.78	77.15	71.37	105.07	-33.70	Peak
3	5719.175	-5.58	85.96	80.38	110.57	-30.19	Peak
4	5721.879	-5.57	89.70	84.13	115.09	-30.96	Peak


Left Band edge_Vertical_802.11ac-vht40_5755MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5625.121	-6.05	65.63	59.58	68.20	-8.62	Peak
2	5699.277	-5.78	67.81	62.03	104.67	-42.64	Peak
3	5717.889	-5.60	74.93	69.33	110.21	-40.88	Peak
4	5722.377	-5.56	78.00	72.44	116.22	-43.78	Peak


Right Band edge_Horizontal_802.11ac-vht40_5795MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5851.720	-4.69	76.34	71.65	118.28	-46.63 Peak
2 5855.237	-4.68	73.13	68.45	110.73	-42.28 Peak
3 5877.209	-4.59	69.60	65.01	103.56	-38.55 Peak
4 5945.853	-4.48	66.57	62.09	68.20	-6.11 Peak


Right Band edge_Vertical_802.11ac-vht40_5795MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5851.589	-4.69	67.17	62.48	118.58	-56.10	Peak
2	5856.209	-4.68	66.28	61.60	110.46	-48.86	Peak
3	5922.752	-4.50	66.33	61.83	69.86	-8.03	Peak
4	5940.970	-4.48	66.21	61.73	68.20	-6.47	Peak


Left Band edge_Horizontal_802.11ac-vht80_5755MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5644.250	-5.93	68.07	62.14	68.20	-6.06	Peak
2	5687.156	-5.80	76.16	70.36	95.73	-25.37	Peak
3	5717.313	-5.62	80.13	74.51	110.05	-35.54	Peak
4	5721.344	-5.57	81.67	76.10	113.87	-37.77	Peak


Left Band edge_Vertical_802.11ac-vht80_5755MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5636.313	-5.98	65.38	59.40	68.20	-8.80	Peak
2	5685.063	-5.82	66.64	60.82	94.18	-33.36	Peak
3	5719.156	-5.58	67.05	61.47	110.56	-49.09	Peak
4	5723.719	-5.54	67.07	61.53	119.28	-57.75	Peak


Right Band edge_Horizontal_802.11ac-vht80_5795MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5851.478	-4.69	88.90	84.21	118.83	-34.62	Peak
2	5855.331	-4.68	83.32	78.64	110.71	-32.07	Peak
3	5876.003	-4.61	75.05	70.44	104.45	-34.01	Peak
4	5941.028	-4.48	66.08	61.60	68.20	-6.60	Peak


Right Band edge_Vertical_802.11ac-vht80_5795MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5850.212	-4.70	78.29	73.59	121.72	-48.13 Peak
2 5869.056	-4.62	72.07	67.45	106.86	-39.41 Peak
3 5875.440	-4.61	67.26	62.65	104.87	-42.22 Peak
4 5949.690	-4.48	66.57	62.09	68.20	-6.11 Peak


Left Band edge_Horizontal_802.11be-eh20_5745MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE20-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5637.145	-5.97	66.69	60.72	68.20	-7.48	Peak
2	5699.370	-5.78	74.84	69.06	104.74	-35.68	Peak
3	5719.581	-5.58	89.12	83.54	110.68	-27.14	Peak
4	5722.004	-5.56	91.85	86.29	115.37	-29.08	Peak


Left Band edge_Vertical_802.11be-eh20_5745MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE20-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5625.413	-6.05	65.71	59.66	68.20	-8.54	Peak
2	5698.373	-5.79	66.93	61.14	104.00	-42.86	Peak
3	5719.842	-5.58	76.77	71.19	110.76	-39.57	Peak
4	5722.265	-5.56	79.87	74.31	115.97	-41.66	Peak


Right Band edge_Horizontal_802.11be-eh20_5825MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.083	-4.70	86.58	81.88	122.01	-40.13	Peak
2	5855.374	-4.68	81.90	77.22	110.70	-33.48	Peak
3	5875.752	-4.61	71.90	67.29	104.64	-37.35	Peak
4	5926.072	-4.49	66.58	62.09	68.20	-6.11	Peak


Right Band edge_Vertical_802.11be-eh20_5825MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.083	-4.70	75.69	70.99	122.01	-51.02	Peak
2	5855.055	-4.68	71.98	67.30	110.78	-43.48	Peak
3	5916.723	-4.49	66.74	62.25	74.30	-12.05	Peak
4	5942.924	-4.49	66.52	62.03	68.20	-6.17	Peak


Left Band edge_Horizontal_802.11be-eh40_5755MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE40-5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5647.092	-5.90	67.01	61.11	68.20	-7.09	Peak
2	5697.361	-5.78	77.50	71.72	103.26	-31.54	Peak
3	5717.022	-5.62	90.90	85.28	109.97	-24.69	Peak
4	5721.774	-5.57	93.61	88.04	114.85	-26.81	Peak


Left Band edge_Vertical_802.11be-ght40_5755MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE40-5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5641.606	-5.94	66.09	60.15	68.20	-8.05	Peak
2	5699.960	-5.78	69.38	63.60	105.17	-41.57	Peak
3	5716.261	-5.62	79.24	73.62	109.75	-36.13	Peak
4	5724.976	-5.54	78.55	73.01	122.15	-49.14	Peak


Right Band edge_Horizontal_802.11be-eh40_5795MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5852.087	-4.69	78.07	73.38	117.44	-44.06	Peak
2	5864.635	-4.64	74.99	70.35	108.10	-37.75	Peak
3	5876.894	-4.60	71.19	66.59	103.79	-37.20	Peak
4	5948.005	-4.49	66.59	62.10	68.20	-6.10	Peak


Right Band edge_Vertical_802.11be-eh40_5795MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE40-5795

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5851.772	-4.69	69.40	64.71	118.16	-53.45 Peak
2 5856.261	-4.67	67.44	62.77	110.45	-47.68 Peak
3 5878.206	-4.59	66.73	62.14	102.82	-40.68 Peak
4 5940.865	-4.48	66.66	62.18	68.20	-6.02 Peak


Left Band edge_Horizontal_802.11be-ght80_5755MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5647.125	-5.90	68.07	62.17	68.20	-6.03	Peak
2	5681.125	-5.82	75.90	70.08	91.27	-21.19	Peak
3	5713.375	-5.64	79.05	73.41	108.95	-35.54	Peak
4	5721.969	-5.57	81.56	75.99	115.29	-39.30	Peak


Left Band edge_Vertical_802.11be-eh80_5755MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5647.844	-5.90	65.65	59.75	68.20	-8.45	Peak
2	5676.219	-5.84	66.98	61.14	87.64	-26.50	Peak
3	5718.781	-5.59	66.60	61.01	110.46	-49.45	Peak
4	5720.594	-5.57	67.39	61.82	112.15	-50.33	Peak


Right Band edge_Horizontal_802.11be-eh80_5795MHz



Condition : Horizontal
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5853.025	-4.69	87.56	82.87	115.30	-32.43	Peak
2	5860.956	-4.67	84.82	80.15	109.13	-28.98	Peak
3	5876.594	-4.60	77.94	73.34	104.02	-30.68	Peak
4	5937.063	-4.49	66.58	62.09	68.20	-6.11	Peak

Right Band edge_Vertical_802.11be-eh80_5795MHz



Condition : Vertical
Project No. : 2601R15111E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE80-5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5853.166	-4.69	75.33	70.64	114.98	-44.34 Peak
2 5861.350	-4.65	74.00	69.35	109.02	-39.67 Peak
3 5876.875	-4.60	67.31	62.71	103.81	-41.10 Peak
4 5929.862	-4.49	66.44	61.95	68.20	-6.25 Peak

RF Conducted data**Test Information:**

Sample No.:	3ITP-8	Test Date:	2026/04/12~2026/07/02
Test Site:	RF	Test Mode:	Transmitting
Tester:	Ethan Bu	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.1-25.2	Relative Humidity: (%)	45-48	ATM Pressure: (kPa)	100.9-101.2
----------------------	-----------	------------------------------	-------	------------------------	-------------

Emission Bandwidth**26dB Emission Bandwidth
5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5180	28.168
		5200	33.682
		5240	34.653
	Chain 1	5180	25.002
		5200	25.448
		5240	25.044
	Chain 2	5180	27.657
		5200	25.602
		5240	26.353
802.11ac20	Chain 0	5180	19.670
		5200	19.069
		5240	19.019
	Chain 1	5180	19.701
		5200	19.019
		5240	18.969
	Chain 2	5180	25.138
		5200	20.525
		5240	18.969
802.11ac40	Chain 0	5190	38.739
		5230	38.839
	Chain 1	5190	38.539
		5230	38.438
	Chain 2	5190	38.438
		5230	38.438
802.11ac80	Chain 0	5210	80.481
	Chain 1	5210	79.480
	Chain 2	5210	81.882
802.11be20_RU_Full	Chain 0	5180	20.106
		5200	23.413
		5240	20.090

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11be20_RU_Full	Chain 1	5180	19.870
		5200	19.970
		5240	19.870
	Chain 2	5180	20.698
		5200	23.468
		5240	21.431
802.11be40_RU_Full	Chain 0	5190	39.840
		5230	39.740
	Chain 1	5190	40.240
		5230	39.640
	Chain 2	5190	39.840
		5230	39.640
802.11be80_RU_Full	Chain 0	5210	80.481
	Chain 1	5210	80.681
	Chain 2	5210	80.481

5250-5350MHz

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5260	24.906
		5300	22.890
		5320	24.923
	Chain 1	5260	19.019
		5300	25.692
		5320	25.331
	Chain 2	5260	24.866
		5300	26.283
		5320	26.279
802.11ac20	Chain 0	5260	19.069
		5300	19.119
		5320	23.812
	Chain 1	5260	19.019
		5300	21.711
		5320	19.169

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11ac20	Chain 2	5260	19.069
		5300	19.169
		5320	21.189
802.11ac40	Chain 0	5270	38.639
		5310	40.340
	Chain 1	5270	38.438
		5310	38.539
	Chain 2	5270	38.539
		5310	38.639
802.11ac80	Chain 0	5290	84.885
	Chain 1	5290	79.680
	Chain 2	5290	79.480
802.11ac160	Chain 0	5250	162.162
	Chain 1	5250	163.764
	Chain 2	5250	163.363
802.11be20_RU_Full	Chain 0	5260	20.190
		5300	25.379
		5320	22.960
	Chain 1	5260	19.970
		5300	20.140
		5320	19.970
	Chain 2	5260	19.970
		5300	19.920
		5320	20.130
802.11be40_RU_Full	Chain 0	5270	39.540
		5310	39.840
	Chain 1	5270	39.640
		5310	39.640
	Chain 2	5270	39.640
		5310	39.640
802.11be80_RU_Full	Chain 0	5290	80.481
	Chain 1	5290	80.481
	Chain 2	5290	80.481
802.11be160_RU_FULL	Chain 0	5250	163.363
	Chain 1	5250	165.365
	Chain 2	5250	162.963

5470-5725MHz

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5500	22.070
		5600	19.970
		5700	24.351
		5720	22.310
	Chain 1	5500	20.483
		5600	18.869
		5700	19.620
		5720	18.469
	Chain 2	5500	19.419
		5600	18.519
		5700	19.069
		5720	18.469
802.11ac20	Chain 0	5500	19.970
		5600	19.019
		5700	20.543
		5720	18.969
	Chain 1	5500	22.512
		5600	18.969
		5700	20.369
		5720	18.969
	Chain 2	5500	24.357
		5600	18.969
		5700	22.853
		5720	19.019
802.11ac40	Chain 0	5510	41.942
		5590	38.639
		5670	39.139
		5710	38.639
	Chain 1	5510	38.438
		5590	38.338
		5670	38.539
		5710	38.238

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11ac40	Chain 2	5510	38.539
		5590	38.338
		5670	38.539
		5710	38.438
802.11ac80	Chain 0	5530	82.883
		5610	79.680
		5690	79.480
	Chain 1	5530	86.286
		5610	79.480
		5690	79.480
	Chain 2	5530	79.480
		5610	79.279
		5690	79.279
802.11ac160	Chain 0	5570	164.565
	Chain 1	5570	162.963
	Chain 2	5570	165.766
802.11be20_RU_Full	Chain 0	5500	20.544
		5600	19.970
		5700	21.346
		5720	19.970
	Chain 1	5500	20.557
		5600	19.920
		5700	22.879
		5720	19.920
	Chain 2	5500	25.033
		5600	19.970
		5700	21.086
		5720	19.970
802.11be40_RU_Full	Chain 0	5510	39.740
		5590	39.740
		5670	39.840
		5710	39.640

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11be40_RU_Full	Chain 1	5510	41.942
		5590	39.640
		5670	42.442
		5710	39.640
	Chain 2	5510	39.640
		5590	39.740
		5670	44.945
		5710	39.740
802.11be80_RU_Full	Chain 0	5530	80.681
		5610	80.481
		5690	80.481
	Chain 1	5530	80.481
		5610	80.481
		5690	80.481
	Chain 2	5530	80.481
		5610	80.481
		5690	80.481
802.11be160_RU_FULL	Chain 0	5570	168.969
	Chain 1	5570	169.369
	Chain 2	5570	171.371


**6dB Emission Bandwidth
5725-5850MHz**

Mode	Antenna	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11a	Chain 0	5745	16.416	0.5	Pass
		5785	16.366	0.5	Pass
		5825	16.416	0.5	Pass
	Chain 1	5745	16.416	0.5	Pass
		5785	16.416	0.5	Pass
		5825	16.416	0.5	Pass
	Chain 2	5745	16.366	0.5	Pass
		5785	16.366	0.5	Pass
		5825	16.366	0.5	Pass
802.11ac20	Chain 0	5745	17.267	0.5	Pass
		5785	17.017	0.5	Pass
		5825	17.017	0.5	Pass
	Chain 1	5745	17.217	0.5	Pass
		5785	16.867	0.5	Pass
		5825	17.267	0.5	Pass
	Chain 2	5745	17.618	0.5	Pass
		5785	17.367	0.5	Pass
		5825	17.267	0.5	Pass
802.11ac40	Chain 0	5755	35.335	0.5	Pass
		5795	35.335	0.5	Pass
	Chain 1	5755	35.235	0.5	Pass
		5795	35.335	0.5	Pass
	Chain 2	5755	35.235	0.5	Pass
		5795	35.335	0.5	Pass
802.11ac80	Chain 0	5775	75.476	0.5	Pass
	Chain 1	5775	75.476	0.5	Pass
	Chain 2	5775	75.476	0.5	Pass
802.11be20_RU_Full	Chain 0	5745	18.819	0.5	Pass
		5785	18.769	0.5	Pass
		5825	18.919	0.5	Pass

Mode	Antenna	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11be20_RU_Full	Chain 1	5745	18.869	0.5	Pass
		5785	18.969	0.5	Pass
		5825	18.969	0.5	Pass
	Chain 2	5745	18.919	0.5	Pass
		5785	18.919	0.5	Pass
		5825	18.919	0.5	Pass
802.11be40_RU_Full	Chain 0	5755	35.335	0.5	Pass
		5795	35.335	0.5	Pass
	Chain 1	5755	35.836	0.5	Pass
		5795	35.435	0.5	Pass
	Chain 2	5755	35.235	0.5	Pass
		5795	35.936	0.5	Pass
802.11be80_RU_Full	Chain 0	5775	76.677	0.5	Pass
	Chain 1	5775	76.677	0.5	Pass
	Chain 2	5775	75.476	0.5	Pass


5150-5250MHz

802.11a_5180MHz_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 18:28:10

802.11a_5200MHz_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 18:30:04

802.11a_5240MHz_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 18:32:07

802.11a_5180MHz_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 19:15:55

802.11a_5200MHz_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 19:17:33

802.11a_5240MHz_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 19:20:45

802.11a_5180MHz_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 19:24:39

802.11a_5200MHz_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 19:27:01

802.11a_5240MHz_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 19:29:15

802.11ac20_5180MHz_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 20:24:12

802.11ac20_5200MHz_Chain 0



ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 20:26:33

802.11ac20_5240MHz_Chain 0



ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 20:28:12