



802.11ac20_5745MHz_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 22:54:43

802.11ac20_5785MHz_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 22:56:02

802.11ac20_5825MHz_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 22:57:11

802.11ac20_5745MHz_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 22:02:21

802.11ac20_5785MHz_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 22:03:47

802.11ac20_5825MHz_Chain 2



ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 22:04:56


802.11ac40_5755MHz_Chain 0



ProjectNo.:2601R15111E-RF Tester:Ethan Bu

Date: 12.APR.2026 22:45:27


802.11ac40_5795MHz_Chain 0



ProjectNo.:2601R15111E-RF Tester:Ethan Bu

Date: 12.APR.2026 22:46:10


802.11ac40_5755MHz_Chain 1



ProjectNo.:2601R15111E-RF Tester:Ethan Bu

Date: 12.APR.2026 22:52:07


802.11ac40_5795MHz_Chain 1



ProjectNo.:2601R15111E-RF Tester:Ethan Bu

Date: 12.APR.2026 22:53:01


802.11ac40_5755MHz_Chain 2



ProjectNo.:2601R15111E-RF Tester:Ethan Bu

Date: 12.APR.2026 22:07:35


802.11ac40_5795MHz_Chain 2



ProjectNo.:2601R15111E-RF Tester:Ethan Bu

Date: 12.APR.2026 22:08:17


802.11ac80_5775MHz_Chain 0



ProjectNo.:2601R15111E-RF Tester:Ethan Bu

Date: 12.APR.2026 22:48:47


802.11ac80_5775MHz_Chain 1



ProjectNo.:2601R15111E-RF Tester:Ethan Bu

Date: 12.APR.2026 22:50:46


802.11ac80_5775MHz_Chain 2



ProjectNo.:2601R15111E-RF Tester:Ethan Bu

Date: 12.APR.2026 22:11:25


802.11be20_5745MHz_RU_Full_Chain 0



ProjectNo.:2601R15111E-RF Tester:Ethan Bu

Date: 12.APR.2026 22:36:03


802.11be20_5785MHz_RU_Full_Chain 0



ProjectNo.:2601R15111E-RF Tester:Ethan Bu

Date: 12.APR.2026 22:37:21


802.11be20_5825MHz_RU_Full_Chain 0



ProjectNo.:2601R15111E-RF Tester:Ethan Bu


Date: 12.APR.2026 22:38:23

802.11be20_5745MHz_RU_Full_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 13.APR.2026 20:21:10

802.11be20_5785MHz_RU_Full_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 13.APR.2026 20:23:31

802.11be20_5825MHz_RU_Full_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 13.APR.2026 20:36:10

802.11be20_5745MHz_RU_Full_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 22:15:10

802.11be20_5785MHz_RU_Full_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 22:16:44

802.11be20_5825MHz_RU_Full_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 22:18:07

802.11be40_5755MHz_RU_Full_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 22:31:22

802.11be40_5795MHz_RU_Full_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 22:32:53

802.11be40_5755MHz_RU_Full_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 13.APR.2026 21:00:03

802.11be40_5795MHz_RU_Full_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 13.APR.2026 21:01:48

802.11be40_5755MHz_RU_Full_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 22:23:06

802.11be40_5795MHz_RU_Full_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 22:23:47

802.11be80_5775MHz_RU_Full_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 22:29:27

802.11be80_5775MHz_RU_Full_Chain 1



ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 13.APR.2026 21:03:25

802.11be80_5775MHz_RU_Full_Chain 2



ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 22:25:15

Maximum Conducted Output Power**For FCC****5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Above 30 degrees Antenna Gain(dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11a	Chain 0	5180	17.92	28.86	2.6	20.52	21	Pass
		5200	17.79	28.86	2.6	20.39	21	Pass
		5240	17.95	28.86	2.6	20.55	21	Pass
	Chain 1	5180	17.94	28.84	2.3	20.24	21	Pass
		5200	17.6	28.84	2.3	19.90	21	Pass
		5240	17.9	28.84	2.3	20.20	21	Pass
	Chain 2	5180	17.88	28.86	2.6	20.48	21	Pass
		5200	17.85	28.86	2.6	20.45	21	Pass
		5240	17.98	28.86	2.6	20.58	21	Pass
802.11ac20	Chain 0	5180	12.87	28.86	2.6	15.47	21	Pass
		5200	12.99	28.86	2.6	15.59	21	Pass
		5240	13.02	28.86	2.6	15.62	21	Pass
	Chain 1	5180	12.33	28.84	2.3	14.63	21	Pass
		5200	12.31	28.84	2.3	14.61	21	Pass
		5240	12.52	28.84	2.3	14.82	21	Pass
	Chain 2	5180	12.91	28.86	2.6	15.51	21	Pass
		5200	12.66	28.86	2.6	15.26	21	Pass
		5240	13.09	28.86	2.6	15.69	21	Pass
	Chain 0+Chain 1 +Chain 2	5180	17.48	24.08	/	19.99	21	Pass
		5200	17.43	24.08	/	19.94	21	Pass
		5240	17.66	24.08	/	20.17	21	Pass
802.11ac40	Chain 0	5190	12.64	28.86	2.6	15.24	21	Pass
		5230	12.63	28.86	2.6	15.23	21	Pass
	Chain 1	5190	12.52	28.84	2.3	14.82	21	Pass
		5230	12.68	28.84	2.3	14.98	21	Pass
	Chain 2	5190	12.93	28.86	2.6	15.53	21	Pass
		5230	13.06	28.86	2.6	15.66	21	Pass
	Chain 0+Chain 1 +Chain 2	5190	17.47	24.08	/	19.98	21	Pass
		5230	17.57	24.08	/	20.07	21	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Above 30 degrees Antenna Gain(dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11ac80	Chain 0	5210	12.45	28.86	2.6	15.05	21	Pass
	Chain 1	5210	12.09	28.84	2.3	14.39	21	Pass
	Chain 2	5210	12.21	28.86	2.6	14.81	21	Pass
	Chain 0 +Chain 1 +Chain 2	5210	17.02	24.08	/	19.53	21	Pass
802.11be20 _RU_Full	Chain 0	5180	12.98	28.86	2.6	15.58	21	Pass
		5200	12.95	28.86	2.6	15.55	21	Pass
		5240	13.27	28.86	2.6	15.87	21	Pass
	Chain 1	5180	12.62	28.84	2.3	14.92	21	Pass
		5200	12.57	28.84	2.3	14.87	21	Pass
		5240	12.7	28.84	2.3	15.00	21	Pass
	Chain 2	5180	13.33	28.86	2.6	15.93	21	Pass
		5200	13.27	28.86	2.6	15.87	21	Pass
		5240	13.67	28.86	2.6	16.27	21	Pass
	Chain 0 +Chain 1 +Chain 2	5180	17.76	24.08	/	20.27	21	Pass
		5200	17.71	24.08	/	20.22	21	Pass
		5240	18.00	24.08	/	20.52	21	Pass
802.11be40 _RU_Full	Chain 0	5190	12.84	28.86	2.6	15.44	21	Pass
		5230	12.92	28.86	2.6	15.52	21	Pass
	Chain 1	5190	12.25	28.84	2.3	14.55	21	Pass
		5230	12.47	28.84	2.3	14.77	21	Pass
	Chain 2	5190	13.05	28.86	2.6	15.65	21	Pass
		5230	13.24	28.86	2.6	15.84	21	Pass
	Chain 0 +Chain 1 +Chain 2	5190	17.50	24.08	/	20.01	21	Pass
		5230	17.66	24.08	/	20.17	21	Pass
802.11be80 _RU_Full	Chain 0	5210	12.74	28.86	2.6	15.34	21	Pass
	Chain 1	5210	12.37	28.84	2.3	14.67	21	Pass
	Chain 2	5210	12.40	28.86	2.6	15.00	21	Pass
	Chain 0 +Chain 1 +Chain 2	5210	17.28	24.08	/	19.78	21	Pass

5250-5350MHz TPC H

Mode	Antenna	Test Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)	Antenna gain(dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11a	Chain 0	5260	20.18	22.84	7.14	27.32	30	Pass
		5300	19.93	22.84	7.14	27.07	30	Pass
		5320	20.01	22.84	7.14	27.15	30	Pass
	Chain 1	5260	20.12	22.63	7.16	27.28	30	Pass
		5300	19.50	22.82	7.16	26.66	30	Pass
		5320	19.45	22.82	7.16	26.61	30	Pass
	Chain 2	5260	20.11	22.84	7.14	27.25	30	Pass
		5300	19.57	22.84	7.14	26.71	30	Pass
		5320	19.39	22.84	7.14	26.53	30	Pass
802.11ac20	Chain 0	5260	10.97	22.66	7.14	18.11	30	Pass
		5300	10.45	22.67	7.14	17.59	30	Pass
		5320	10.42	22.84	7.14	17.56	30	Pass
	Chain 1	5260	10.18	22.63	7.16	17.34	30	Pass
		5300	9.97	22.82	7.16	17.13	30	Pass
		5320	9.91	22.67	7.16	17.07	30	Pass
	Chain 2	5260	9.89	22.66	7.14	17.03	30	Pass
		5300	9.19	22.69	7.14	16.33	30	Pass
		5320	9.06	22.84	7.14	16.20	30	Pass
	Chain 0+Chain 1 +Chain 2	5260	15.14	16.71	11.92	27.06	30	Pass
		5300	14.67	16.72	11.92	26.59	30	Pass
		5320	14.60	16.72	11.92	26.52	30	Pass
802.11ac40	Chain 0	5270	11.61	22.84	7.14	18.75	30	Pass
		5310	11.42	22.84	7.14	18.56	30	Pass
	Chain 1	5270	11.49	22.82	7.16	18.65	30	Pass
		5310	11.29	22.82	7.16	18.45	30	Pass
	Chain 2	5270	11.01	22.84	7.14	18.15	30	Pass
		5310	10.5	22.84	7.14	17.64	30	Pass
	Chain 0+Chain 1 +Chain 2	5270	16.15	18.06	11.92	28.07	30	Pass
		5310	15.86	18.06	11.92	27.78	30	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)	Antenna gain(dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11ac80	Chain 0	5290	12.21	22.84	7.14	19.35	30	Pass
	Chain 1	5290	12.05	22.82	7.16	19.21	30	Pass
	Chain 2	5290	11.46	22.84	7.14	18.60	30	Pass
	Chain 0+Chain 1 +Chain 2	5290	16.69	18.06	11.92	28.61	30	Pass
802.11ac160	Chain 0	5250	12.33	22.84	7.14	19.47	30	Pass
	Chain 1	5250	12.18	22.82	7.16	19.34	30	Pass
	Chain 2	5250	11.86	22.84	7.14	19.00	30	Pass
	Chain 0+Chain 1 +Chain 2	5250	16.90	18.06	11.92	28.82	30	Pass
802.11be20 _RU_Full	Chain 0	5260	10.63	22.84	7.14	17.77	30	Pass
		5300	10.28	22.84	7.14	17.42	30	Pass
		5320	10.24	22.84	7.14	17.38	30	Pass
	Chain 1	5260	10.44	22.82	7.16	17.60	30	Pass
		5300	10.09	22.82	7.16	17.25	30	Pass
		5320	10.18	22.82	7.16	17.34	30	Pass
	Chain 2	5260	9.73	22.84	7.14	16.87	30	Pass
		5300	9.07	22.84	7.14	16.21	30	Pass
		5320	8.96	22.84	7.14	16.10	30	Pass
	Chain 0+Chain 1 +Chain 2	5260	15.05	18.06	11.92	26.97	30	Pass
		5300	14.62	18.06	11.92	26.54	30	Pass
		5320	14.60	18.06	11.92	26.52	30	Pass
802.11be40 _RU_Full	Chain 0	5270	11.83	22.84	7.14	18.97	30	Pass
		5310	11.58	22.84	7.14	18.72	30	Pass
	Chain 1	5270	11.69	22.82	7.16	18.85	30	Pass
		5310	11.57	22.82	7.16	18.73	30	Pass
	Chain 2	5270	11.70	22.84	7.14	18.84	30	Pass
		5310	11.16	22.84	7.14	18.30	30	Pass
	Chain 0+Chain 1 +Chain 2	5270	16.51	18.06	11.92	28.43	30	Pass
		5310	16.21	18.06	11.92	28.13	30	Pass
802.11be80 _RU_Full	Chain 0	5290	13.19	22.84	7.14	20.33	30	Pass
	Chain 1	5290	12.81	22.82	7.16	19.97	30	Pass
	Chain 2	5290	12.64	22.84	7.14	19.78	30	Pass
	Chain 0+Chain 1 +Chain 2	5290	17.66	18.06	11.92	29.58	30	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)	Antenna gain(dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11be160 _RU_Full	Chain 0	5250	12.72	22.84	7.14	19.86	30	Pass
	Chain 1	5250	12.54	22.82	7.16	19.70	30	Pass
	Chain 2	5250	12.81	22.84	7.14	19.95	30	Pass
	Chain 0+Chain 1 +Chain 2	5250	17.46	18.06	11.92	29.38	30	Pass

5250-5350MHz TPC L

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Antenna gain(dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11a	Chain 0	5260	13.97	7.14	21.11	21.32	Pass
		5300	13.71	7.14	20.85	21.07	Pass
		5320	13.96	7.14	21.10	21.15	Pass
	Chain 1	5260	13.89	7.16	21.05	21.28	Pass
		5300	13.42	7.16	20.58	20.66	Pass
		5320	13.28	7.16	20.44	20.61	Pass
	Chain 2	5260	13.88	7.14	21.02	21.25	Pass
		5300	13.32	7.14	20.46	20.71	Pass
		5320	13.14	7.14	20.28	20.53	Pass
802.11ac20	Chain 0	5260	4.72	7.14	11.86	12.11	Pass
		5300	4.24	7.14	11.38	11.59	Pass
		5320	4.13	7.14	11.27	11.56	Pass
	Chain 1	5260	3.88	7.16	11.04	11.34	Pass
		5300	3.70	7.16	10.86	11.13	Pass
		5320	3.69	7.16	10.85	11.07	Pass
	Chain 2	5260	3.68	7.14	10.82	11.03	Pass
		5300	2.97	7.14	10.11	10.33	Pass
		5320	2.81	7.14	9.95	10.20	Pass
	Chain 0 +Chain 1 +Chain 2	5260	8.89	11.92	20.81	21.06	Pass
		5300	8.44	11.92	20.36	20.59	Pass
		5320	8.35	11.92	20.27	20.52	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power (dBm)	Antenna gain(dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11ac40	Chain 0	5270	5.40	7.14	12.54	12.75	Pass
		5310	5.21	7.14	12.35	12.56	Pass
	Chain 1	5270	5.22	7.16	12.38	12.65	Pass
		5310	5.06	7.16	12.22	12.45	Pass
	Chain 2	5270	4.80	7.14	11.94	12.15	Pass
		5310	4.21	7.14	11.35	11.64	Pass
	Chain 0+Chain 1+Chain 2	5270	9.92	11.92	21.84	22.07	Pass
		5310	9.62	11.92	21.54	21.78	Pass
802.11ac80	Chain 0	5290	5.96	7.14	13.10	13.35	Pass
	Chain 1	5290	5.78	7.16	12.94	13.21	Pass
	Chain 2	5290	5.25	7.14	12.39	12.60	Pass
	Chain 0+Chain 1+Chain 2	5290	10.44	11.92	22.36	22.61	Pass
802.11ac160	Chain 0	5250	6.05	7.14	13.19	13.47	Pass
	Chain 1	5250	5.89	7.16	13.05	13.34	Pass
	Chain 2	5250	5.63	7.14	12.77	13.00	Pass
	Chain 0+Chain 1+Chain 2	5250	10.63	11.92	22.55	22.82	Pass
802.11be20_RU_Full	Chain 0	5260	4.38	7.14	11.52	11.77	Pass
		5300	4.06	7.14	11.20	11.42	Pass
		5320	3.96	7.14	11.10	11.38	Pass
	Chain 1	5260	4.14	7.16	11.30	11.60	Pass
		5300	3.85	7.16	11.01	11.25	Pass
		5320	3.90	7.16	11.06	11.34	Pass
	Chain 2	5260	3.45	7.14	10.59	10.87	Pass
		5300	2.82	7.14	9.96	10.21	Pass
		5320	2.75	7.14	9.89	10.10	Pass
	Chain 0+Chain 1+Chain 2	5260	8.78	11.92	20.70	20.97	Pass
		5300	8.38	11.92	20.30	20.54	Pass
		5320	8.34	11.92	20.26	20.52	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power (dBm)	Antenna gain(dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11be40 _RU_Full	Chain 0	5270	5.54	7.14	12.68	12.97	Pass
		5310	5.30	7.14	12.44	12.72	Pass
	Chain 1	5270	5.47	7.16	12.63	12.85	Pass
		5310	5.37	7.16	12.53	12.73	Pass
	Chain 2	5270	5.42	7.14	12.56	12.84	Pass
		5310	4.95	7.14	12.09	12.30	Pass
	Chain 0+Chain 1 +Chain 2	5270	10.25	11.92	22.17	22.43	Pass
		5310	9.98	11.92	21.90	22.13	Pass
802.11be80 _RU_Full	Chain 0	5290	6.91	7.14	14.05	14.33	Pass
	Chain 1	5290	6.52	7.16	13.68	13.97	Pass
	Chain 2	5290	6.40	7.14	13.54	13.78	Pass
	Chain 0+Chain 1 +Chain 2	5290	11.38	11.92	23.30	23.58	Pass
802.11be160 _RU_Full	Chain 0	5250	6.50	7.14	13.64	13.86	Pass
	Chain 1	5250	6.33	7.16	13.49	13.70	Pass
	Chain 2	5250	6.60	7.14	13.74	13.95	Pass
	Chain 0+Chain 1 +Chain 2	5250	11.25	11.92	23.17	23.38	Pass

5470-5725MHz TPC H

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Antenna gain(dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11a	Chain 0	5500	19.49	22.84	7.14	26.63	30	Pass
		5600	19.82	22.84	7.14	26.96	30	Pass
		5700	19.76	22.84	7.14	26.90	30	Pass
		5720	19.1	22.65	7.14	26.24	30	Pass
	Chain 1	5500	19.52	22.82	7.16	26.68	30	Pass
		5600	19.47	22.60	7.16	26.63	30	Pass
		5700	19.8	22.77	7.16	26.96	30	Pass
		5720	19.22	22.50	7.16	26.38	30	Pass
	Chain 2	5500	18.84	22.74	7.14	25.98	30	Pass
		5600	18.97	22.54	7.14	26.11	30	Pass
		5700	18.5	22.66	7.14	25.64	30	Pass
		5720	17.9	22.52	7.14	25.04	30	Pass
802.11ac20	Chain 0	5500	11.01	22.84	7.14	18.15	30	Pass
		5600	11.01	22.65	7.14	18.15	30	Pass
		5700	10.86	22.84	7.14	18.00	30	Pass
		5720	10.21	22.64	7.14	17.35	30	Pass
	Chain 1	5500	10.52	22.82	7.16	17.68	30	Pass
		5600	10.5	22.62	7.16	17.66	30	Pass
		5700	10.99	22.82	7.16	18.15	30	Pass
		5720	10.42	22.62	7.16	17.58	30	Pass
	Chain 2	5500	10.87	22.84	7.14	18.01	30	Pass
		5600	10.9	22.64	7.14	18.04	30	Pass
		5700	10.49	22.84	7.14	17.63	30	Pass
		5720	9.9	22.65	7.14	17.04	30	Pass
	Chain 0+Chain 1+Chain 2	5500	15.58	18.06	11.92	27.50	30	Pass
		5600	15.58	16.70	11.92	27.50	30	Pass
		5700	15.56	18.06	11.92	27.48	30	Pass
		5720	14.95	16.70	11.92	26.87	30	Pass
802.11ac40	Chain 0	5510	12.68	22.84	7.14	19.82	30	Pass
		5590	12.59	22.84	7.14	19.73	30	Pass
		5670	12.42	22.84	7.14	19.56	30	Pass
		5710	12.24	22.84	7.14	19.38	30	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Antenna gain(dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11ac40	Chain 1	5510	11.87	22.82	7.16	19.03	30	Pass
		5590	11.91	22.82	7.16	19.07	30	Pass
		5670	12.24	22.82	7.16	19.4	30	Pass
		5710	12.26	22.82	7.16	19.42	30	Pass
	Chain 2	5510	12.23	22.84	7.14	19.37	30	Pass
		5590	12.37	22.84	7.14	19.51	30	Pass
		5670	11.81	22.84	7.14	18.95	30	Pass
		5710	11.78	22.84	7.14	18.92	30	Pass
	Chain 0+Chain 1 +Chain 2	5510	17.04	18.06	11.92	28.96	30	Pass
		5590	17.07	18.06	11.92	28.99	30	Pass
		5670	16.94	18.06	11.92	28.86	30	Pass
		5710	16.87	18.06	11.92	28.79	30	Pass
802.11ac80	Chain 0	5530	13.5	22.84	7.16	20.66	30	Pass
		5610	13.38	22.84	7.16	20.54	30	Pass
		5690	13.21	22.84	7.16	20.37	30	Pass
	Chain 1	5530	12.84	22.82	7.14	19.98	30	Pass
		5610	12.78	22.82	7.14	19.92	30	Pass
		5690	13.21	22.82	7.14	20.35	30	Pass
	Chain 2	5530	13.13	22.84	7.16	20.29	30	Pass
		5610	13.24	22.84	7.16	20.4	30	Pass
		5690	12.89	22.84	7.16	20.05	30	Pass
	Chain 0+Chain 1 +Chain 2	5530	17.94	18.06	11.92	29.86	30	Pass
		5610	17.91	18.06	11.92	29.83	30	Pass
		5690	17.88	18.06	11.92	29.80	30	Pass
802.11ac160	Chain 0	5570	13.42	22.84	7.14	20.56	30	Pass
	Chain 1	5570	12.81	22.82	7.16	19.97	30	Pass
	Chain 2	5570	13.24	22.84	7.14	20.38	30	Pass
	Chain 0+Chain 1 +Chain 2	5570	17.94	18.06	11.92	29.86	30	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Antenna gain(dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11be20 _RU_Full	Chain 0	5500	11.12	22.84	7.14	18.26	30	Pass
		5600	10.65	22.84	7.14	17.79	30	Pass
		5700	10.78	22.84	7.14	17.92	30	Pass
		5720	10.53	22.84	7.14	17.67	30	Pass
	Chain 1	5500	10.87	22.82	7.16	18.03	30	Pass
		5600	10.92	22.82	7.16	18.08	30	Pass
		5700	11.16	22.82	7.16	18.32	30	Pass
		5720	10.39	22.82	7.16	17.55	30	Pass
	Chain 2	5500	11.27	22.84	7.14	18.41	30	Pass
		5600	10.84	22.84	7.14	17.98	30	Pass
		5700	10.69	22.84	7.14	17.83	30	Pass
		5720	10.13	22.84	7.14	17.27	30	Pass
	Chain 0+Chain 1 +Chain 2	5500	15.86	18.06	11.92	27.78	30	Pass
		5600	15.58	18.06	11.92	22.74	30	Pass
		5700	15.65	18.06	11.92	27.57	30	Pass
		5720	15.12	18.06	11.92	27.04	30	Pass
802.11be40 _RU_Full	Chain 0	5510	12.86	22.84	7.14	20.00	30	Pass
		5590	12.50	22.84	7.14	19.64	30	Pass
		5670	12.64	22.84	7.14	19.78	30	Pass
		5710	12.5	22.84	7.14	19.64	30	Pass
	Chain 1	5510	12.11	22.82	7.16	19.27	30	Pass
		5590	12.38	22.82	7.16	19.54	30	Pass
		5670	12.87	22.82	7.16	20.03	30	Pass
		5710	12.92	22.82	7.16	20.08	30	Pass
	Chain 2	5510	12.45	22.84	7.14	19.59	30	Pass
		5590	12.03	22.84	7.14	19.17	30	Pass
		5670	11.96	22.84	7.14	19.10	30	Pass
		5710	12.03	22.84	7.14	19.17	30	Pass
	Chain 0+Chain 1 +Chain 2	5510	17.26	18.06	11.92	29.18	30	Pass
		5590	17.08	18.06	11.92	24.24	30	Pass
		5670	17.28	18.06	11.92	29.20	30	Pass
		5710	17.27	18.06	11.92	29.19	30	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)	Antenna gain(dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11be80 _RU_Full	Chain 0	5530	13.24	22.84	7.16	20.40	30	Pass
		5610	13.26	22.84	7.16	20.42	30	Pass
		5690	13.06	22.84	7.16	20.22	30	Pass
	Chain 1	5530	12.48	22.82	7.14	19.62	30	Pass
		5610	12.53	22.82	7.14	19.67	30	Pass
		5690	12.88	22.82	7.14	20.02	30	Pass
	Chain 2	5530	12.89	22.84	7.16	20.05	30	Pass
		5610	12.95	22.84	7.16	20.11	30	Pass
		5690	12.59	22.84	7.16	19.75	30	Pass
	Chain 0+Chain 1 +Chain 2	5530	17.65	18.06	11.92	29.57	30	Pass
		5610	17.69	18.06	11.92	29.61	30	Pass
		5690	17.62	18.06	11.92	29.54	30	Pass
802.11be160 _RU_Full	Chain 0	5570	13.12	22.84	7.14	20.26	30	Pass
	Chain 1	5570	12.65	22.82	7.16	19.81	30	Pass
	Chain 2	5570	13.01	22.84	7.14	20.15	30	Pass
	Chain 0+Chain 1 +Chain 2	5570	17.70	18.06	11.92	29.62	30	Pass

5470-5725MHz TPC L

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Antenna gain(dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11a	Chain 0	5500	13.21	7.14	20.35	20.63	Pass
		5600	13.66	7.14	20.8	20.96	Pass
		5700	13.42	7.14	20.56	20.90	Pass
		5720	12.93	7.14	20.07	20.24	Pass
	Chain 1	5500	13.24	7.16	20.4	20.68	Pass
		5600	13.23	7.16	20.39	20.63	Pass
		5700	13.52	7.16	20.68	20.96	Pass
		5720	12.93	7.16	20.09	20.38	Pass
	Chain 2	5500	12.62	7.14	19.76	19.98	Pass
		5600	12.67	7.14	19.81	20.11	Pass
		5700	12.30	7.14	19.44	19.64	Pass
		5720	11.69	7.14	18.83	19.04	Pass
802.11ac20	Chain 0	5500	4.72	7.14	11.86	12.15	Pass
		5600	4.76	7.14	11.9	12.15	Pass
		5700	4.58	7.14	11.72	12.00	Pass
		5720	3.95	7.14	11.09	11.35	Pass
	Chain 1	5500	4.24	7.16	11.4	11.68	Pass
		5600	4.24	7.16	11.4	11.66	Pass
		5700	4.72	7.16	11.88	12.15	Pass
		5720	4.19	7.16	11.35	11.58	Pass
	Chain 2	5500	4.64	7.14	11.78	12.01	Pass
		5600	4.64	7.14	11.78	12.04	Pass
		5700	4.26	7.14	11.4	11.63	Pass
		5720	3.70	7.14	10.84	11.04	Pass
	Chain 0+Chain 1+Chain 2	5500	9.31	11.92	21.23	21.50	Pass
		5600	9.32	11.92	21.24	21.50	Pass
		5700	9.30	11.92	21.22	21.48	Pass
		5720	8.72	11.92	20.64	20.87	Pass
802.11ac40	Chain 0	5510	6.39	7.14	13.53	13.82	Pass
		5590	6.37	7.14	13.51	13.73	Pass
		5670	6.20	7.14	13.34	13.56	Pass
		5710	5.98	7.14	13.12	13.38	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Antenna gain(dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11ac40	Chain 1	5510	5.62	7.16	12.78	13.03	Pass
		5590	5.64	7.16	12.80	13.07	Pass
		5670	6.03	7.16	13.19	13.40	Pass
		5710	5.99	7.16	13.15	13.42	Pass
	Chain 2	5510	5.98	7.14	13.12	13.37	Pass
		5590	6.07	7.14	13.21	13.51	Pass
		5670	5.53	7.14	12.67	12.95	Pass
		5710	5.56	7.14	12.70	12.92	Pass
	Chain 0+Chain 1 +Chain 2	5510	10.78	11.92	22.70	22.96	Pass
		5590	10.81	11.92	22.73	22.99	Pass
		5670	10.70	11.92	22.62	22.86	Pass
		5710	10.62	11.92	22.54	22.79	Pass
802.11ac80	Chain 0	5530	7.29	7.14	14.43	14.66	Pass
		5610	7.09	7.14	14.23	14.54	Pass
		5690	6.95	7.14	14.09	14.37	Pass
	Chain 1	5530	6.60	7.16	13.76	13.98	Pass
		5610	6.55	7.16	13.71	13.92	Pass
		5690	6.95	7.16	14.11	14.35	Pass
	Chain 2	5530	6.89	7.14	14.03	14.29	Pass
		5610	6.95	7.14	14.09	14.40	Pass
		5690	6.60	7.14	13.74	14.05	Pass
	Chain 0+Chain 1 +Chain 2	5530	11.70	11.92	23.62	23.86	Pass
		5610	11.64	11.92	23.56	23.83	Pass
		5690	11.61	11.92	23.53	23.80	Pass
802.11ac160	Chain 0	5570	7.15	7.14	14.29	14.56	Pass
	Chain 1	5570	6.56	7.16	13.72	13.97	Pass
	Chain 2	5570	7.00	7.14	14.14	14.38	Pass
	Chain 0+Chain 1 +Chain 2	5570	11.68	11.92	23.60	23.86	Pass
802.11be20 _RU_Full	Chain 0	5500	4.87	7.14	12.01	12.26	Pass
		5580	4.89	7.14	12.03	12.29	Pass
		5700	4.51	7.14	11.65	11.92	Pass
		5720	4.27	7.14	11.41	11.67	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Antenna gain(dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11be20 _RU_Full	Chain 1	5500	4.65	7.16	11.81	12.03	Pass
		5580	4.68	7.16	11.84	12.05	Pass
		5700	4.90	7.16	12.06	12.32	Pass
		5720	4.18	7.16	11.34	11.55	Pass
	Chain 2	5500	5.05	7.14	12.19	12.41	Pass
		5580	5.04	7.14	12.18	12.40	Pass
		5700	4.39	7.14	11.53	11.83	Pass
		5720	3.88	7.14	11.02	11.27	Pass
	Chain 0+Chain 1 +Chain 2	5500	9.63	11.92	21.55	21.78	Pass
		5580	9.64	11.92	21.56	21.79	Pass
		5700	9.38	11.92	21.30	21.57	Pass
		5720	8.89	11.92	20.81	21.04	Pass
802.11be40 _RU_Full	Chain 0	5510	6.58	7.14	13.72	14.00	Pass
		5550	6.65	7.14	13.79	14.00	Pass
		5670	6.37	7.14	13.51	13.78	Pass
		5710	6.25	7.14	13.39	13.64	Pass
	Chain 1	5510	5.90	7.16	13.06	13.27	Pass
		5550	6.02	7.16	13.18	13.38	Pass
		5670	6.58	7.16	13.74	14.03	Pass
		5710	6.66	7.16	13.82	14.08	Pass
	Chain 2	5510	6.16	7.14	13.30	13.59	Pass
		5550	6.27	7.14	13.41	13.71	Pass
		5670	5.72	7.14	12.86	13.10	Pass
		5710	5.79	7.14	12.93	13.17	Pass
	Chain 0+Chain 1 +Chain 2	5510	10.99	11.92	22.91	23.18	Pass
		5550	11.09	11.92	23.01	23.25	Pass
		5670	11.01	11.92	22.93	23.20	Pass
		5710	11.02	11.92	22.94	23.19	Pass
802.11be80 _RU_Full	Chain 0	5530	7.02	7.14	14.16	14.40	Pass
		5610	6.99	7.14	14.13	14.42	Pass
		5690	6.81	7.14	13.95	14.22	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Antenna gain(dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11be80 _RU_Full	Chain 1	5530	6.24	7.16	13.40	13.62	Pass
		5610	6.23	7.16	13.39	13.67	Pass
		5690	6.60	7.16	13.76	14.02	Pass
	Chain 2	5530	6.60	7.14	13.74	14.05	Pass
		5610	6.72	7.14	13.86	14.11	Pass
		5690	6.34	7.14	13.48	13.75	Pass
	Chain 0+Chain 1 +Chain 2	5530	11.40	11.92	23.32	23.57	Pass
		5610	11.43	11.92	23.35	23.61	Pass
		5690	11.36	11.92	23.28	23.54	Pass
802.11be160 _RU_Full	Chain 0	5570	6.90	7.14	14.04	14.26	Pass
	Chain 1	5570	6.44	7.16	13.60	13.81	Pass
	Chain 2	5570	6.61	7.14	13.75	14.15	Pass
	Chain 0+Chain 1 +Chain 2	5570	11.43	11.92	23.35	23.62	Pass

For FCC&IC

5725-5850MHz

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	Chain 0	5745	22.13	28.86	Pass
		5785	22.32	28.86	Pass
		5825	22.35	28.86	Pass
	Chain 1	5745	22.22	28.84	Pass
		5785	22.34	28.84	Pass
		5825	22.33	28.84	Pass
	Chain 2	5745	19.38	28.86	Pass
		5785	19.41	28.86	Pass
		5825	19.38	28.86	Pass
802.11ac20	Chain 0	5745	18.28	28.86	Pass
		5785	18.13	28.86	Pass
		5825	18.15	28.86	Pass
	Chain 1	5745	18.23	28.84	Pass
		5785	18.35	28.84	Pass
		5825	18.34	28.84	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11ac20	Chain 2	5745	18.12	28.86	Pass
		5785	18.26	28.86	Pass
		5825	18.22	28.86	Pass
	Chain 0+Chain 1 +Chain 2	5745	22.98	24.08	Pass
		5785	23.02	24.08	Pass
		5825	23.01	24.08	Pass
802.11ac40	Chain 0	5755	17.94	28.86	Pass
		5795	17.91	28.86	Pass
	Chain 1	5755	18.09	28.84	Pass
		5795	18.11	28.84	Pass
	Chain 2	5755	17.81	28.86	Pass
		5795	17.89	28.86	Pass
	Chain 0+Chain 1 +Chain 2	5755	22.72	24.08	Pass
		5795	22.74	24.08	Pass
802.11ac80	Chain 0	5775	15.88	28.86	Pass
	Chain 1	5775	16.11	28.84	Pass
	Chain 2	5775	16.0	28.86	Pass
	Chain 0+Chain 1 +Chain 2	5775	20.77	24.08	Pass
802.11be20_RU_Full	Chain 0	5745	18.56	28.86	Pass
		5785	18.33	28.86	Pass
		5825	18.53	28.86	Pass
	Chain 1	5745	18.08	28.84	Pass
		5785	18.23	28.84	Pass
		5825	18.24	28.84	Pass
	Chain 2	5745	18.4	28.86	Pass
		5785	18.39	28.86	Pass
		5825	18.44	28.86	Pass
	Chain 0+Chain 1 +Chain 2	5745	23.12	24.08	Pass
		5785	23.09	24.08	Pass
		5825	23.18	24.08	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11be40_RU_Full	Chain 0	5755	18.07	28.86	Pass
		5795	18.06	28.86	Pass
	Chain 1	5755	17.86	28.84	Pass
		5795	17.88	28.84	Pass
	Chain 2	5755	17.66	28.86	Pass
		5795	17.77	28.86	Pass
	Chain 0+Chain 1 +Chain 2	5755	22.64	24.08	Pass
		5795	22.68	24.08	Pass
802.11be80_RU_Full	Chain 0	5775	16.21	28.86	Pass
	Chain 1	5775	15.87	28.84	Pass
	Chain 2	5775	16.21	28.86	Pass
	Chain 0+Chain 1 +Chain 2	5775	20.87	24.08	Pass

Note:**EIRP = Average Output Power + Antenna gain**

Note: For 802.11n /be modes, the device support beam-forming function, per KDB 662911 D01 Multiple Transmitter Output v02r01:

$$DirectionalGain = 10 \cdot \log \left[\frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^2}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream;

N_{SS} = the number of independent spatial streams of data;

N_{ANT} = the total number of antennas

$g_{j,k} = 10^{G_k/20}$ if the k_{th} antenna is being fed by spatial stream j , or zero if it is not;

G_k is the gain in dBi of the k_{th} antenna.

Chain 0	Antenna Gain	7.14	dBi	Directional Gain:	11.92	dBi
Chain 1	Antenna Gain	7.16	dBi			
Chain 2	Antenna Gain	7.14	dBi			

For IC

5250-5350MHz

Mode	Antenna	Test Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)	Antenna gain(dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11a	Chain 0	5260	13.61	23.15	7.14	20.75	29.15	Pass
		5300	13.17	23.15	7.14	20.31	29.15	Pass
		5320	13.12	23.15	7.14	20.26	29.15	Pass
	Chain 1	5260	14.11	23.15	7.16	21.27	29.15	Pass
		5300	13.69	23.15	7.16	20.85	29.15	Pass
		5320	13.64	23.15	7.16	20.80	29.15	Pass
	Chain 2	5260	13.96	23.16	7.14	21.10	29.16	Pass
		5300	13.46	23.16	7.14	20.60	29.16	Pass
		5320	13.38	23.16	7.14	20.52	29.16	Pass
802.11ac20	Chain 0	5260	4.51	23.42	7.14	11.65	29.42	Pass
		5300	4.24	23.44	7.14	11.38	29.44	Pass
		5320	4.28	23.43	7.14	11.42	29.43	Pass
	Chain 1	5260	4.11	23.43	7.16	11.27	29.43	Pass
		5300	3.63	23.44	7.16	10.79	29.44	Pass
		5320	3.58	23.44	7.16	10.74	29.44	Pass
	Chain 2	5260	3.95	23.42	7.14	11.09	29.42	Pass
		5300	3.35	23.44	7.14	10.49	29.44	Pass
		5320	3.24	23.43	7.14	10.38	29.43	Pass
	Chain 0 +Chain 1 +Chain 2	5260	8.97	23.42	11.92	20.89	29.42	Pass
		5300	8.53	23.44	11.92	20.45	29.44	Pass
		5320	8.49	23.43	11.92	20.41	29.43	Pass
802.11ac40	Chain 0	5270	6.24	23.98	7.14	13.38	30.00	Pass
		5310	5.84	23.98	7.14	12.98	30.00	Pass
	Chain 1	5270	6.25	23.98	7.16	13.41	30.00	Pass
		5310	5.98	23.98	7.16	13.14	30.00	Pass
	Chain 2	5270	6.14	23.98	7.14	13.28	30.00	Pass
		5310	5.68	23.98	7.14	12.82	30.00	Pass
	Chain 0 +Chain 1 +Chain 2	5270	10.98	23.98	11.92	22.90	30.00	Pass
		5310	10.61	23.98	11.92	22.53	30.00	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)	Antenna gain(dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11ac80	Chain 0	5290	5.64	23.98	7.14	12.78	30.00	Pass
	Chain 1	5290	5.2	23.98	7.16	12.36	30.00	Pass
	Chain 2	5290	5.41	23.98	7.14	12.55	30.00	Pass
	Chain 0+Chain 1 +Chain 2	5290	10.19	23.98	11.92	22.11	30.00	Pass
802.11ac160	Chain 0	5250	5.87	23.98	7.14	13.01	30.00	Pass
	Chain 1	5250	5.84	23.98	7.16	13.00	30.00	Pass
	Chain 2	5250	5.55	23.98	7.14	12.69	30.00	Pass
	Chain 0+Chain 1 +Chain 2	5250	10.53	23.98	11.92	22.45	30.00	Pass
802.11be20 _RU_Full	Chain 0	5260	4.57	23.74	7.14	11.71	29.74	Pass
		5300	4.19	23.76	7.14	11.33	29.76	Pass
		5320	4.24	23.76	7.14	11.38	29.76	Pass
	Chain 1	5260	3.91	23.75	7.16	11.07	29.75	Pass
		5300	3.38	23.75	7.16	10.54	29.75	Pass
		5320	3.42	23.76	7.16	10.58	29.76	Pass
	Chain 2	5260	3.79	23.75	7.14	10.93	29.75	Pass
		5300	3.19	23.76	7.14	10.33	29.76	Pass
		5320	3.11	23.76	7.14	10.25	29.76	Pass
	Chain 0+Chain 1 +Chain 2	5260	8.87	23.74	11.92	20.79	29.74	Pass
		5300	8.38	23.75	11.92	20.30	29.75	Pass
		5320	8.39	23.76	11.92	20.31	29.76	Pass
802.11be40 _RU_Full	Chain 0	5270	5.98	23.98	7.14	13.12	30.00	Pass
		5310	5.93	23.98	7.14	13.07	30.00	Pass
	Chain 1	5270	5.92	23.98	7.16	13.08	30.00	Pass
		5310	5.65	23.98	7.16	12.81	30.00	Pass
	Chain 2	5270	5.21	23.98	7.14	12.35	30.00	Pass
		5310	4.97	23.98	7.14	12.11	30.00	Pass
	Chain 0+Chain 1 +Chain 2	5270	10.49	23.98	11.92	22.41	30.00	Pass
		5310	10.31	23.98	11.92	22.23	30.00	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)	Antenna gain(dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11be80_RU_Full	Chain 0	5290	6.05	23.98	7.14	13.19	30.00	Pass
	Chain 1	5290	5.44	23.98	7.16	12.60	30.00	Pass
	Chain 2	5290	5.38	23.98	7.14	12.52	30.00	Pass
	Chain 0+Chain 1+Chain 2	5290	10.41	23.98	11.92	22.33	30.00	Pass
802.11be160_RU_Full	Chain 0	5250	6.16	23.98	7.14	13.30	30.00	Pass
	Chain 1	5250	5.63	23.98	7.16	12.79	30.00	Pass
	Chain 2	5250	5.67	23.98	7.14	12.81	30.00	Pass
	Chain 0+Chain 1+Chain 2	5250	10.60	23.98	11.92	22.52	30.00	Pass

5470-5725MHz TPC H

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11a	Chain 0	5500	19.49	23.14	26.63	29.14	Pass
		5600	19.82	23.14	26.96	29.14	Pass
		5700	19.76	23.15	26.90	29.15	Pass
		5720	19.1	23.16	26.24	29.16	Pass
	Chain 1	5500	19.52	23.14	26.68	29.14	Pass
		5600	19.47	23.14	26.63	29.14	Pass
		5700	19.8	23.14	26.96	29.14	Pass
		5720	19.22	23.14	26.38	29.14	Pass
	Chain 2	5500	18.84	23.14	25.98	29.14	Pass
		5600	18.97	23.14	26.11	29.14	Pass
		5700	18.5	23.15	25.64	29.15	Pass
		5720	17.9	23.14	25.04	29.14	Pass
802.11ac20	Chain 0	5500	11.01	23.43	18.15	29.43	Pass
		5600	11.01	23.42	18.15	29.42	Pass
		5700	10.86	23.44	18.00	29.44	Pass
		5720	10.21	23.42	17.35	29.42	Pass
	Chain 1	5500	10.52	23.44	17.68	29.44	Pass
		5600	10.5	23.43	17.66	29.43	Pass
		5700	10.99	23.44	18.15	29.44	Pass
		5720	10.42	23.43	17.58	29.43	Pass
	Chain 2	5500	10.87	23.44	18.01	29.44	Pass
		5600	10.9	23.43	18.04	29.43	Pass
		5700	10.49	23.43	17.63	29.43	Pass
		5720	9.9	23.43	17.04	29.43	Pass
	Chain 0+Chain 1+Chain 2	5500	15.58	23.43	27.50	29.43	Pass
		5600	15.58	23.42	27.50	29.42	Pass
		5700	15.56	23.43	27.48	29.43	Pass
		5720	14.95	23.42	26.87	29.42	Pass
802.11ac40	Chain 0	5510	12.68	23.98	19.82	30.00	Pass
		5590	12.59	23.98	19.73	30.00	Pass
		5670	12.42	23.98	19.56	30.00	Pass
		5710	12.24	23.98	19.38	30.00	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11ac40	Chain 1	5510	11.87	23.98	19.03	30.00	Pass
		5590	11.91	23.98	19.07	30.00	Pass
		5670	12.24	23.98	19.40	30.00	Pass
		5710	12.26	23.98	19.42	30.00	Pass
	Chain 2	5510	12.23	23.98	19.37	30.00	Pass
		5590	12.37	23.98	19.51	30.00	Pass
		5670	11.81	23.98	18.95	30.00	Pass
		5710	11.78	23.98	18.92	30.00	Pass
	Chain 0+Chain 1 +Chain 2	5510	17.04	23.98	28.96	30.00	Pass
		5590	17.07	23.98	28.99	30.00	Pass
		5670	16.94	23.98	28.86	30.00	Pass
		5710	16.87	23.98	28.79	30.00	Pass
802.11ac80	Chain 0	5530	13.5	23.98	20.66	30.00	Pass
		5610	13.38	23.98	20.54	30.00	Pass
		5690	13.21	23.98	20.37	30.00	Pass
	Chain 1	5530	12.84	23.98	19.98	30.00	Pass
		5610	12.78	23.98	19.92	30.00	Pass
		5690	13.21	23.98	20.35	30.00	Pass
	Chain 2	5530	13.13	23.98	20.29	30.00	Pass
		5610	13.24	23.98	20.40	30.00	Pass
		5690	12.89	23.98	20.05	30.00	Pass
	Chain 0+Chain 1 +Chain 2	5530	17.94	23.98	29.86	30.00	Pass
		5610	17.91	23.98	29.83	30.00	Pass
		5690	17.88	23.98	29.80	30.00	Pass
802.11ac160	Chain 0	5570	13.42	23.98	20.56	30.00	Pass
	Chain 1	5570	12.81	23.98	19.97	30.00	Pass
	Chain 2	5570	13.24	23.98	20.38	30.00	Pass
	Chain 0+Chain 1 +Chain 2	5570	17.94	23.98	29.86	30.00	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11be20 _RU_Full	Chain 0	5500	11.12	23.76	18.26	29.76	Pass
		5580	11.15	23.75	18.29	29.75	Pass
		5700	10.78	23.75	17.92	29.75	Pass
		5720	10.53	23.75	17.67	29.75	Pass
	Chain 1	5500	10.87	23.76	18.03	29.76	Pass
		5580	10.89	23.75	18.05	29.75	Pass
		5700	11.16	23.76	18.32	29.76	Pass
		5720	10.39	23.75	17.55	29.75	Pass
	Chain 2	5500	11.27	23.76	18.41	29.76	Pass
		5580	11.26	23.75	18.40	29.75	Pass
		5700	10.69	23.76	17.83	29.76	Pass
		5720	10.13	23.76	17.27	29.76	Pass
	Chain 0+Chain 1 +Chain 2	5500	15.86	23.76	27.78	29.76	Pass
		5580	15.87	23.75	27.79	29.75	Pass
		5700	15.65	23.75	27.57	29.75	Pass
		5720	15.12	23.75	27.04	29.75	Pass
802.11be40 _RU_Full	Chain 0	5510	12.86	23.98	20.00	30.00	Pass
		5550	12.86	23.98	20.00	30.00	Pass
		5670	12.64	23.98	19.78	30.00	Pass
		5710	12.5	23.98	19.64	30.00	Pass
	Chain 1	5510	12.11	23.98	19.27	30.00	Pass
		5550	12.22	23.98	19.38	30.00	Pass
		5670	12.87	23.98	20.03	30.00	Pass
		5710	12.92	23.98	20.08	30.00	Pass
	Chain 2	5510	12.45	23.98	19.59	30.00	Pass
		5550	12.57	23.98	19.71	30.00	Pass
		5670	11.96	23.98	19.10	30.00	Pass
		5710	12.03	23.98	19.17	30.00	Pass
	Chain 0+Chain 1 +Chain 2	5510	17.26	23.98	29.18	30.00	Pass
		5550	17.33	23.98	29.25	30.00	Pass
		5670	17.28	23.98	29.20	30.00	Pass
		5710	17.27	23.98	29.19	30.00	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11be80 _RU_Full	Chain 0	5530	13.24	23.98	20.40	30.00	Pass
		5610	13.26	23.98	20.42	30.00	Pass
		5690	13.06	23.98	20.22	30.00	Pass
	Chain 1	5530	12.48	23.98	19.62	30.00	Pass
		5610	12.53	23.98	19.67	30.00	Pass
		5690	12.88	23.98	20.02	30.00	Pass
	Chain 2	5530	12.89	23.98	20.05	30.00	Pass
		5610	12.95	23.98	20.11	30.00	Pass
		5690	12.59	23.98	19.75	30.00	Pass
	Chain 0+Chain 1 +Chain 2	5530	17.65	23.98	29.57	30.00	Pass
		5610	17.69	23.98	29.61	30.00	Pass
		5690	17.62	23.98	29.54	30.00	Pass
802.11be160 _RU_Full	Chain 0	5570	13.12	23.98	20.26	30.00	Pass
	Chain 1	5570	12.65	23.98	19.81	30.00	Pass
	Chain 2	5570	13.01	23.98	20.15	30.00	Pass
	Chain 0+Chain 1 +Chain 2	5570	17.7	23.98	29.62	30.00	Pass

5470-5725MHz TPC L

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Antenna gain(dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11a	Chain 0	5500	13.21	7.14	20.35	20.63	Pass
		5600	13.66	7.14	20.8	20.96	Pass
		5700	13.42	7.14	20.56	20.90	Pass
		5720	12.93	7.14	20.07	20.24	Pass
	Chain 1	5500	13.24	7.16	20.4	20.68	Pass
		5600	13.23	7.16	20.39	20.63	Pass
		5700	13.52	7.16	20.68	20.96	Pass
		5720	12.93	7.16	20.09	20.38	Pass
	Chain 2	5500	12.62	7.14	19.76	19.98	Pass
		5600	12.67	7.14	19.81	20.11	Pass
		5700	12.30	7.14	19.44	19.64	Pass
		5720	11.69	7.14	18.83	19.04	Pass
802.11ac20	Chain 0	5500	4.72	7.14	11.86	12.15	Pass
		5600	4.76	7.14	11.9	12.15	Pass
		5700	4.58	7.14	11.72	12.00	Pass
		5720	3.95	7.14	11.09	11.35	Pass
	Chain 1	5500	4.24	7.16	11.4	11.68	Pass
		5600	4.24	7.16	11.4	11.66	Pass
		5700	4.72	7.16	11.88	12.15	Pass
		5720	4.19	7.16	11.35	11.58	Pass
	Chain 2	5500	4.64	7.14	11.78	12.01	Pass
		5600	4.64	7.14	11.78	12.04	Pass
		5700	4.26	7.14	11.4	11.63	Pass
		5720	3.70	7.14	10.84	11.04	Pass
	Chain 0+Chain 1+Chain 2	5500	9.31	11.92	21.23	21.50	Pass
		5600	9.32	11.92	21.24	21.50	Pass
		5700	9.30	11.92	21.22	21.48	Pass
		5720	8.72	11.92	20.64	20.87	Pass
802.11ac40	Chain 0	5510	6.39	7.14	13.53	13.82	Pass
		5590	6.37	7.14	13.51	13.73	Pass
		5670	6.20	7.14	13.34	13.56	Pass
		5710	5.98	7.14	13.12	13.38	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Antenna gain(dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11ac40	Chain 1	5510	5.62	7.16	12.78	13.03	Pass
		5590	5.64	7.16	12.80	13.07	Pass
		5670	6.03	7.16	13.19	13.40	Pass
		5710	5.99	7.16	13.15	13.42	Pass
	Chain 2	5510	5.98	7.14	13.12	13.37	Pass
		5590	6.07	7.14	13.21	13.51	Pass
		5670	5.53	7.14	12.67	12.95	Pass
		5710	5.56	7.14	12.70	12.92	Pass
	Chain 0+Chain 1 +Chain 2	5510	10.78	11.92	22.70	22.96	Pass
		5590	10.81	11.92	22.73	22.99	Pass
		5670	10.70	11.92	22.62	22.86	Pass
		5710	10.62	11.92	22.54	22.79	Pass
802.11ac80	Chain 0	5530	7.29	7.14	14.43	14.66	Pass
		5610	7.09	7.14	14.23	14.54	Pass
		5690	6.95	7.14	14.09	14.37	Pass
	Chain 1	5530	6.60	7.16	13.76	13.98	Pass
		5610	6.55	7.16	13.71	13.92	Pass
		5690	6.95	7.16	14.11	14.35	Pass
	Chain 2	5530	6.89	7.14	14.03	14.29	Pass
		5610	6.95	7.14	14.09	14.40	Pass
		5690	6.60	7.14	13.74	14.05	Pass
	Chain 0+Chain 1 +Chain 2	5530	11.70	11.92	23.62	23.86	Pass
		5610	11.64	11.92	23.56	23.83	Pass
		5690	11.61	11.92	23.53	23.80	Pass
802.11ac160	Chain 0	5570	7.15	7.14	14.29	14.56	Pass
	Chain 1	5570	6.56	7.16	13.72	13.97	Pass
	Chain 2	5570	7.00	7.14	14.14	14.38	Pass
	Chain 0+Chain 1 +Chain 2	5570	11.68	11.92	23.60	23.86	Pass
802.11be20 _RU_Full	Chain 0	5500	4.87	7.14	12.01	12.26	Pass
		5580	4.89	7.14	12.03	12.29	Pass
		5700	4.51	7.14	11.65	11.92	Pass
		5720	4.27	7.14	11.41	11.67	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Antenna gain(dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11be20 _RU_Full	Chain 1	5500	4.65	7.16	11.81	12.03	Pass
		5580	4.68	7.16	11.84	12.05	Pass
		5700	4.90	7.16	12.06	12.32	Pass
		5720	4.18	7.16	11.34	11.55	Pass
	Chain 2	5500	5.05	7.14	12.19	12.41	Pass
		5580	5.04	7.14	12.18	12.40	Pass
		5700	4.39	7.14	11.53	11.83	Pass
		5720	3.88	7.14	11.02	11.27	Pass
	Chain 0+Chain 1 +Chain 2	5500	9.63	11.92	21.55	21.78	Pass
		5580	9.64	11.92	21.56	21.79	Pass
		5700	9.38	11.92	21.30	21.57	Pass
		5720	8.89	11.92	20.81	21.04	Pass
802.11be40 _RU_Full	Chain 0	5510	6.58	7.14	13.72	14.00	Pass
		5550	6.65	7.14	13.79	14.00	Pass
		5670	6.37	7.14	13.51	13.78	Pass
		5710	6.25	7.14	13.39	13.64	Pass
	Chain 1	5510	5.90	7.16	13.06	13.27	Pass
		5550	6.02	7.16	13.18	13.38	Pass
		5670	6.58	7.16	13.74	14.03	Pass
		5710	6.66	7.16	13.82	14.08	Pass
	Chain 2	5510	6.16	7.14	13.30	13.59	Pass
		5550	6.27	7.14	13.41	13.71	Pass
		5670	5.72	7.14	12.86	13.10	Pass
		5710	5.79	7.14	12.93	13.17	Pass
	Chain 0+Chain 1 +Chain 2	5510	10.99	11.92	22.91	23.18	Pass
		5550	11.09	11.92	23.01	23.25	Pass
		5670	11.01	11.92	22.93	23.20	Pass
		5710	11.02	11.92	22.94	23.19	Pass
802.11be80 _RU_Full	Chain 0	5530	7.02	7.14	14.16	14.40	Pass
		5610	6.99	7.14	14.13	14.42	Pass
		5690	6.81	7.14	13.95	14.22	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Antenna gain(dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11be80_RU_Full	Chain 1	5530	6.24	7.16	13.40	13.62	Pass
		5610	6.23	7.16	13.39	13.67	Pass
		5690	6.60	7.16	13.76	14.02	Pass
	Chain 2	5530	6.60	7.14	13.74	14.05	Pass
		5610	6.72	7.14	13.86	14.11	Pass
		5690	6.34	7.14	13.48	13.75	Pass
	Chain 0+Chain 1+Chain 2	5530	11.40	11.92	23.32	23.57	Pass
		5610	11.43	11.92	23.35	23.61	Pass
		5690	11.36	11.92	23.28	23.54	Pass
802.11be160_RU_Full	Chain 0	5570	6.90	7.14	14.04	14.26	Pass
	Chain 1	5570	6.44	7.16	13.60	13.81	Pass
	Chain 2	5570	6.61	7.14	13.75	14.15	Pass
	Chain 0+Chain 1+Chain 2	5570	11.43	11.92	23.35	23.62	Pass

Note:**EIRP = Average Output Power + Antenna gain**

Note: For 802.11n /be modes, the device support beam-forming function, per KDB 662911 D01 Multiple Transmitter Output v02r01:

$$DirectionalGain = 10 \cdot \log \left[\frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^2}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream;

N_{SS} = the number of independent spatial streams of data;

N_{ANT} = the total number of antennas

$g_{j,k} = 10^{G_k/20}$ if the k_{th} antenna is being fed by spatial stream j , or zero if it is not;

G_k is the gain in dBi of the k_{th} antenna.

Chain 0	Antenna Gain	7.14	dBi	Directional Gain:	11.92	dBi
Chain 1	Antenna Gain	7.16	dBi			
Chain 2	Antenna Gain	7.14	dBi			

Power Spectral Density**For FCC****5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	Chain 0	5180	7.17	0.17	7.34	15.86	Pass
		5200	7.12	0.17	7.29	15.86	Pass
		5240	6.96	0.17	7.13	15.86	Pass
	Chain 1	5180	7.31	0.17	7.48	15.84	Pass
		5200	7.30	0.17	7.47	15.84	Pass
		5240	6.97	0.17	7.14	15.84	Pass
	Chain 2	5180	7.14	0.17	7.31	15.86	Pass
		5200	7.59	0.17	7.76	15.86	Pass
		5240	7.10	0.17	7.27	15.86	Pass
802.11ac20	Chain 0	5180	2.07	0.20	2.27	15.86	Pass
		5200	1.90	0.20	2.10	15.86	Pass
		5240	2.26	0.20	2.46	15.86	Pass
	Chain 1	5180	1.50	0.20	1.70	15.84	Pass
		5200	1.74	0.20	1.94	15.84	Pass
		5240	1.81	0.20	2.01	15.84	Pass
	Chain 2	5180	1.99	0.20	2.19	15.86	Pass
		5200	1.81	0.20	2.01	15.86	Pass
		5240	2.43	0.20	2.63	15.86	Pass
	Chain 0+Chain 1 +Chain 2	5180	6.63	0.20	6.83	11.08	Pass
		5200	6.59	0.20	6.79	11.08	Pass
		5240	6.95	0.20	7.15	11.08	Pass
802.11ac40	Chain 0	5190	-0.96	0.39	-0.57	15.86	Pass
		5230	-0.78	0.39	-0.39	15.86	Pass
	Chain 1	5190	-0.71	0.39	-0.32	15.84	Pass
		5230	-0.09	0.39	0.30	15.84	Pass
	Chain 2	5190	-0.62	0.39	-0.23	15.86	Pass
		5230	-0.28	0.39	0.11	15.86	Pass
	Chain 0+Chain 1 +Chain 2	5190	4.01	0.39	4.40	11.08	Pass
		5230	4.40	0.39	4.79	11.08	Pass
802.11ac80	Chain 0	5210	-3.95	0.76	-3.19	15.86	Pass
	Chain 1	5210	-4.72	0.76	-3.96	15.84	Pass
	Chain 2	5210	-4.51	0.76	-3.75	15.86	Pass
	Chain 0+Chain 1 +Chain 2	5210	0.39	0.76	1.15	11.08	Pass

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11be20_RU_Full	Chain 0	5180	1.95	0.22	2.17	15.86	Pass
		5200	1.89	0.22	2.11	15.86	Pass
		5240	2.28	0.22	2.50	15.86	Pass
	Chain 1	5180	1.64	0.22	1.86	15.84	Pass
		5200	1.91	0.22	2.13	15.84	Pass
		5240	2.01	0.22	2.23	15.84	Pass
	Chain 2	5180	1.94	0.22	2.16	15.86	Pass
		5200	2.23	0.22	2.45	15.86	Pass
		5240	2.74	0.22	2.96	15.86	Pass
	Chain 0+Chain 1 +Chain 2	5180	6.62	0.22	6.84	11.08	Pass
		5200	6.78	0.22	7.00	11.08	Pass
		5240	7.13	0.22	7.35	11.08	Pass
802.11be40_RU_Full	Chain 0	5190	-0.58	0.35	-0.23	15.86	Pass
		5230	-0.59	0.35	-0.24	15.86	Pass
	Chain 1	5190	-0.84	0.35	-0.49	15.84	Pass
		5230	-1.13	0.35	-0.78	15.84	Pass
	Chain 2	5190	0.11	0.35	0.46	15.86	Pass
		5230	-0.18	0.35	0.17	15.86	Pass
	Chain 0+Chain 1 +Chain 2	5190	4.35	0.35	4.70	11.08	Pass
		5230	4.16	0.35	4.51	11.08	Pass
802.11be80_RU_Full	Chain 0	5210	-3.66	0.71	-2.95	15.86	Pass
	Chain 1	5210	-4.21	0.71	-3.50	15.84	Pass
	Chain 2	5210	-4.55	0.71	-3.84	15.86	Pass
	Chain 0+Chain 1 +Chain 2	5210	0.65	0.71	1.36	11.08	Pass

5250-5350MHz

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	Chain 0	5260	9.41	0.17	9.58	9.86	Pass
		5300	9.09	0.17	9.26	9.86	Pass
		5320	9.28	0.17	9.45	9.86	Pass
	Chain 1	5260	9.45	0.17	9.62	9.84	Pass
		5300	8.63	0.17	8.80	9.84	Pass
		5320	8.87	0.17	9.04	9.84	Pass
	Chain 2	5260	9.31	0.17	9.48	9.86	Pass
		5300	8.82	0.17	8.99	9.86	Pass
		5320	8.69	0.17	8.86	9.86	Pass
802.11ac20	Chain 0	5260	-0.14	0.20	0.06	9.86	Pass
		5300	-0.42	0.20	-0.22	9.86	Pass
		5320	-0.41	0.20	-0.21	9.86	Pass
	Chain 1	5260	-0.77	0.20	-0.57	9.84	Pass
		5300	-0.96	0.20	-0.76	9.84	Pass
		5320	-0.91	0.20	-0.71	9.84	Pass
	Chain 2	5260	-1.02	0.20	-0.82	9.86	Pass
		5300	-1.84	0.20	-1.64	9.86	Pass
		5320	-1.90	0.20	-1.70	9.86	Pass
	Chain 0+Chain 1 +Chain 2	5260	4.14	0.20	4.34	5.08	Pass
		5300	3.74	0.20	3.94	5.08	Pass
		5320	3.74	0.20	3.94	5.08	Pass
802.11ac40	Chain 0	5270	-1.88	0.39	-1.49	9.86	Pass
		5310	-2.25	0.39	-1.86	9.86	Pass
	Chain 1	5270	-2.01	0.39	-1.62	9.84	Pass
		5310	-2.17	0.39	-1.78	9.84	Pass
	Chain 2	5270	-2.43	0.39	-2.04	9.86	Pass
		5310	-3.24	0.39	-2.85	9.86	Pass
	Chain 0+Chain 1 +Chain 2	5270	2.67	0.39	3.06	5.08	Pass
		5310	2.24	0.39	2.63	5.08	Pass
802.11ac80	Chain 0	5290	-4.72	0.76	-3.96	9.86	Pass
	Chain 1	5290	-4.85	0.76	-4.09	9.84	Pass
	Chain 2	5290	-5.42	0.76	-4.66	9.86	Pass
	Chain 0+Chain 1 +Chain 2	5290	-0.21	0.76	0.55	5.08	Pass

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11ac160	Chain 0	5250	-7.40	1.12	-6.28	9.86	Pass
	Chain 1	5250	-7.83	1.12	-6.71	9.84	Pass
	Chain 2	5250	-7.94	1.12	-6.82	9.86	Pass
	Chain 0+Chain 1+Chain 2	5250	-2.95	1.12	-1.83	5.08	Pass
802.11be20_RU_Full	Chain 0	5260	-0.38	0.22	-0.16	9.86	Pass
		5300	-0.78	0.22	-0.56	9.86	Pass
		5320	-1.06	0.22	-0.84	9.86	Pass
	Chain 1	5260	-0.70	0.22	-0.48	9.84	Pass
		5300	-1.06	0.22	-0.84	9.84	Pass
		5320	-1.06	0.22	-0.84	9.84	Pass
	Chain 2	5260	-1.13	0.22	-0.91	9.86	Pass
		5300	-1.91	0.22	-1.69	9.86	Pass
		5320	-2.17	0.22	-1.95	9.86	Pass
	Chain 0+Chain 1+Chain 2	5260	4.05	0.22	4.27	5.08	Pass
		5300	3.55	0.22	3.77	5.08	Pass
		5320	3.37	0.22	3.59	5.08	Pass
802.11be40_RU_Full	Chain 0	5270	-1.63	0.35	-1.28	9.86	Pass
		5310	-1.82	0.35	-1.47	9.86	Pass
	Chain 1	5270	-1.61	0.35	-1.26	9.84	Pass
		5310	-1.46	0.35	-1.11	9.84	Pass
	Chain 2	5270	-1.63	0.35	-1.28	9.86	Pass
		5310	-2.07	0.35	-1.72	9.86	Pass
	Chain 0+Chain 1+Chain 2	5270	3.15	0.35	3.50	5.08	Pass
		5310	3.00	0.35	3.35	5.08	Pass
802.11be80_RU_Full	Chain 0	5290	-3.64	0.71	-2.93	9.86	Pass
	Chain 1	5290	-4.26	0.71	-3.55	9.84	Pass
	Chain 2	5290	-3.91	0.71	-3.20	9.86	Pass
	Chain 0+Chain 1+Chain 2	5290	0.84	0.71	1.55	5.08	Pass
802.11be160_RU_FULL	Chain 0	5250	-7.43	1.11	-6.32	9.86	Pass
	Chain 1	5250	-7.64	1.11	-6.53	9.84	Pass
	Chain 2	5250	-6.63	1.11	-5.52	9.86	Pass
	Chain 0+Chain 1+Chain 2	5250	-2.44	1.11	-1.33	5.08	Pass

5470-5725MHz

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	Chain 0	5500	9.02	0.17	9.19	9.86	Pass
		5600	9.07	0.17	9.24	9.86	Pass
		5700	9.04	0.17	9.21	9.86	Pass
		5720	9.19	0.17	9.36	9.86	Pass
	Chain 1	5500	8.83	0.17	9.00	9.84	Pass
		5600	8.85	0.17	9.02	9.84	Pass
		5700	8.98	0.17	9.15	9.84	Pass
		5720	9.44	0.17	9.61	9.84	Pass
	Chain 2	5500	8.25	0.17	8.42	9.86	Pass
		5600	8.42	0.17	8.59	9.86	Pass
		5700	7.80	0.17	7.97	9.86	Pass
		5720	7.92	0.17	8.09	9.86	Pass
802.11ac20	Chain 0	5500	0.29	0.20	0.49	9.86	Pass
		5600	0.07	0.20	0.27	9.86	Pass
		5700	-0.19	0.20	0.01	9.86	Pass
		5720	0.01	0.20	0.21	9.86	Pass
	Chain 1	5500	0.15	0.20	0.35	9.84	Pass
		5600	-0.28	0.20	-0.08	9.84	Pass
		5700	0.23	0.20	0.43	9.84	Pass
		5720	0.46	0.20	0.66	9.84	Pass
	Chain 2	5500	-0.16	0.20	0.04	9.86	Pass
		5600	0.24	0.20	0.44	9.86	Pass
		5700	-0.56	0.20	-0.36	9.86	Pass
		5720	-0.33	0.20	-0.13	9.86	Pass
	Chain 0+Chain 1 +Chain 2	5500	4.87	0.20	5.07	5.08	Pass
		5600	4.79	0.20	4.99	5.08	Pass
		5700	4.61	0.20	4.81	5.08	Pass
		5720	4.83	0.20	5.03	5.08	Pass
802.11ac40	Chain 0	5510	-0.78	0.39	-0.39	9.86	Pass
		5590	-1.41	0.39	-1.02	9.86	Pass
		5670	-1.11	0.39	-0.72	9.86	Pass
		5710	-0.59	0.39	-0.20	9.86	Pass

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11ac40	Chain 1	5510	-1.15	0.39	-0.76	9.84	Pass
		5590	-1.51	0.39	-1.12	9.84	Pass
		5670	-1.25	0.39	-0.86	9.84	Pass
		5710	-0.95	0.39	-0.56	9.84	Pass
	Chain 2	5510	-1.19	0.39	-0.80	9.86	Pass
		5590	-1.26	0.39	-0.87	9.86	Pass
		5670	-1.56	0.39	-1.17	9.86	Pass
		5710	-1.74	0.39	-1.35	9.86	Pass
	Chain 0+Chain 1 +Chain 2	5510	3.74	0.39	4.13	5.08	Pass
		5590	3.38	0.39	3.77	5.08	Pass
		5670	3.47	0.39	3.86	5.08	Pass
		5710	3.70	0.39	4.09	5.08	Pass
802.11ac80	Chain 0	5530	-3.23	0.76	-2.47	9.86	Pass
		5610	-3.12	0.76	-2.36	9.86	Pass
		5690	-3.27	0.76	-2.51	9.86	Pass
	Chain 1	5530	-3.48	0.76	-2.72	9.84	Pass
		5610	-3.68	0.76	-2.92	9.84	Pass
		5690	-3.63	0.76	-2.87	9.84	Pass
	Chain 2	5530	-3.51	0.76	-2.75	9.86	Pass
		5610	-3.28	0.76	-2.52	9.86	Pass
		5690	-3.84	0.76	-3.08	9.86	Pass
	Chain 0+Chain 1 +Chain 2	5530	1.37	0.76	2.13	5.08	Pass
		5610	1.42	0.76	2.18	5.08	Pass
		5690	1.20	0.76	1.96	5.08	Pass
802.11ac160	Chain 0	5570	-6.03	1.12	-4.91	9.84	Pass
	Chain 1	5570	-6.53	1.12	-5.41	9.86	Pass
	Chain 2	5570	-6.32	1.12	-5.20	9.84	Pass
	Chain 0+Chain 1 +Chain 2	5570	-1.52	1.12	-0.40	5.08	Pass

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11be20_RU_Full	Chain 0	5500	-0.20	0.22	0.02	9.86	Pass
		5600	-0.31	0.22	-0.09	9.86	Pass
		5700	-0.43	0.22	-0.21	9.86	Pass
		5720	-0.09	0.22	0.13	9.86	Pass
	Chain 1	5500	-0.09	0.22	0.13	9.84	Pass
		5600	-0.25	0.22	-0.03	9.84	Pass
		5700	-0.41	0.22	-0.19	9.84	Pass
		5720	0.30	0.22	0.52	9.84	Pass
	Chain 2	5500	-0.31	0.22	-0.09	9.86	Pass
		5600	-0.28	0.22	-0.06	9.86	Pass
		5700	-0.42	0.22	-0.20	9.86	Pass
		5720	-0.40	0.22	-0.18	9.86	Pass
	Chain 0+Chain 1 +Chain 2	5500	4.57	0.22	4.79	5.08	Pass
		5600	4.49	0.22	4.71	5.08	Pass
		5700	4.35	0.22	4.57	5.08	Pass
		5720	4.72	0.22	4.94	5.08	Pass
802.11be40_RU_Full	Chain 0	5510	-0.67	0.35	-0.32	9.86	Pass
		5590	-0.80	0.35	-0.45	9.86	Pass
		5670	-0.94	0.35	-0.59	9.86	Pass
		5710	-0.58	0.35	-0.23	9.86	Pass
	Chain 1	5510	-0.73	0.35	-0.38	9.84	Pass
		5590	-1.03	0.35	-0.68	9.84	Pass
		5670	-0.74	0.35	-0.39	9.84	Pass
		5710	-0.27	0.35	0.08	9.84	Pass
	Chain 2	5510	-0.99	0.35	-0.64	9.86	Pass
		5590	-1.46	0.35	-1.11	9.86	Pass
		5670	-1.71	0.35	-1.36	9.86	Pass
		5710	-1.40	0.35	-1.05	9.86	Pass
	Chain 0+Chain 1 +Chain 2	5510	3.98	0.35	4.33	5.08	Pass
		5590	3.68	0.35	4.03	5.08	Pass
		5670	3.66	0.35	4.01	5.08	Pass
		5710	4.05	0.35	4.40	5.08	Pass

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11be80_RU_Full	Chain 0	5530	-3.80	0.71	-3.09	9.86	Pass
		5610	-3.62	0.71	-2.91	9.86	Pass
		5690	-3.67	0.71	-2.96	9.86	Pass
	Chain 1	5530	-4.18	0.71	-3.47	9.84	Pass
		5610	-4.14	0.71	-3.43	9.84	Pass
		5690	-3.70	0.71	-2.99	9.84	Pass
	Chain 2	5530	-4.03	0.71	-3.32	9.86	Pass
		5610	-3.76	0.71	-3.05	9.86	Pass
		5690	-4.02	0.71	-3.31	9.86	Pass
	Chain 0+Chain 1 +Chain 2	5530	0.77	0.71	1.48	5.08	Pass
		5610	0.94	0.71	1.65	5.08	Pass
		5690	0.98	0.71	1.66	5.08	Pass
802.11be160_RU_FULL	Chain 0	5570	-6.89	1.11	-5.78	9.86	Pass
	Chain 1	5570	-7.15	1.11	-6.04	9.84	Pass
	Chain 2	5570	-7.12	1.11	-6.01	9.86	Pass
	Chain 0+Chain 1 +Chain 2	5570	-2.28	1.11	-1.17	5.08	Pass

For FCC&IC

5725-5850MHz


Mode	Antenna	Test Frequency (MHz)	Reading (dBm/500kHz)	Duty Cycle Factor(dB)	Result (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
802.11a	Chain 0	5745	8.49	0.17	8.66	28.86	Pass
		5785	8.58	0.17	8.75	28.86	Pass
		5825	8.62	0.17	8.79	28.86	Pass
	Chain 1	5745	8.63	0.17	8.80	28.84	Pass
		5785	8.59	0.17	8.76	28.84	Pass
		5825	8.53	0.17	8.70	28.84	Pass
	Chain 2	5745	5.62	0.17	5.79	28.86	Pass
		5785	5.68	0.17	5.85	28.86	Pass
		5825	5.99	0.17	6.16	28.86	Pass
802.11ac20	Chain 0	5745	4.52	0.20	4.72	28.86	Pass
		5785	4.10	0.20	4.30	28.86	Pass
		5825	4.17	0.20	4.37	28.86	Pass
	Chain 1	5745	4.70	0.20	4.90	28.84	Pass
		5785	4.59	0.20	4.79	28.84	Pass
		5825	4.56	0.20	4.76	28.84	Pass
	Chain 2	5745	4.21	0.20	4.41	28.86	Pass
		5785	4.29	0.20	4.49	28.86	Pass
		5825	4.35	0.20	4.55	28.86	Pass
	Chain 0+Chain 1 +Chain 2	5745	9.25	0.20	9.45	24.08	Pass
		5785	9.10	0.20	9.30	24.08	Pass
		5825	9.13	0.20	9.33	24.08	Pass
802.11ac40	Chain 0	5755	1.72	0.39	2.11	28.86	Pass
		5795	1.64	0.39	2.03	28.86	Pass
	Chain 1	5755	1.82	0.39	2.21	28.84	Pass
		5795	1.70	0.39	2.09	28.84	Pass
	Chain 2	5755	1.38	0.39	1.77	28.86	Pass
		5795	1.26	0.39	1.65	28.86	Pass
	Chain 0+Chain 1 +Chain 2	5755	6.42	0.39	6.81	24.08	Pass
		5795	6.31	0.39	6.70	24.08	Pass

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/500kHz)	Duty Cycle Factor(dB)	Result (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
802.11ac80	Chain 0	5775	-3.97	0.76	-3.21	28.86	Pass
	Chain 1	5775	-3.34	0.76	-2.58	28.84	Pass
	Chain 2	5775	-3.65	0.76	-2.89	28.86	Pass
	Chain 0+Chain 1 +Chain 2	5775	1.13	0.76	1.89	24.08	Pass
802.11be20 _RU_Full	Chain 0	5745	4.59	0.22	4.81	28.86	Pass
		5785	4.86	0.22	5.08	28.86	Pass
		5825	4.72	0.22	4.94	28.86	Pass
	Chain 1	5745	4.32	0.22	4.54	28.84	Pass
		5785	4.36	0.22	4.58	28.84	Pass
		5825	4.28	0.22	4.50	28.84	Pass
	Chain 2	5745	4.34	0.22	4.56	28.86	Pass
		5785	4.40	0.22	4.62	28.86	Pass
		5825	4.58	0.22	4.80	28.86	Pass
	Chain 0+Chain 1 +Chain 2	5745	9.19	0.22	9.41	24.08	Pass
		5785	9.32	0.22	9.54	24.08	Pass
		5825	9.30	0.22	9.52	24.08	Pass
802.11be40 _RU_Full	Chain 0	5755	1.83	0.35	2.18	28.86	Pass
		5795	1.79	0.35	2.14	28.86	Pass
	Chain 1	5755	1.59	0.35	1.94	28.84	Pass
		5795	1.56	0.35	1.91	28.84	Pass
	Chain 2	5755	1.31	0.35	1.66	28.86	Pass
		5795	1.33	0.35	1.68	28.86	Pass
	Chain 0+Chain 1 +Chain 2	5755	6.35	0.35	6.70	24.08	Pass
		5795	6.34	0.35	6.69	24.08	Pass
802.11be80 _RU_Full	Chain 0	5775	-3.46	0.71	-2.75	28.86	Pass
	Chain 1	5775	-4.00	0.71	-3.29	28.84	Pass
	Chain 2	5775	-3.04	0.71	-2.33	28.86	Pass
	Chain 0+Chain 1 +Chain 2	5775	1.29	0.71	2	24.08	Pass

Result = Reading + Duty Cycle Factor


5150-5250MHz

802.11a_5180MHz_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 00:28:53

802.11a_5200MHz_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 00:29:21

802.11a_5240MHz_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 00:29:47

802.11a_5180MHz_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 01:14:18

802.11a_5200MHz_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 01:14:45

802.11a_5240MHz_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 01:15:10

802.11a_5180MHz_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 01:25:54

802.11a_5200MHz_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 01:26:29

802.11a_5240MHz_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 01:27:03

802.11ac20_5180MHz_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 00:36:13

802.11ac20_5200MHz_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 00:37:03

802.11ac20_5240MHz_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 00:37:29

802.11ac20_5180MHz_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 01:08:33

802.11ac20_5200MHz_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 01:09:26

802.11ac20_5240MHz_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 01:09:56

802.11ac20_5180MHz_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 01:28:55

802.11ac20_5200MHz_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 01:29:29

802.11ac20_5240MHz_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 01:30:07

802.11ac40_5190MHz_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 00:40:53

802.11ac40_5230MHz_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 00:41:25

802.11ac40_5190MHz_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 01:11:31

802.11ac40_5230MHz_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 01:12:01

802.11ac40_5190MHz_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 01:32:58

802.11ac40_5230MHz_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 01:33:50

802.11ac80_5210MHz_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 21:03:30

802.11ac80_5210MHz_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 20:53:11

802.11ac80_5210MHz_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 20:49:33

802.11be20_5180MHz_RU_Full_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 00:45:51

802.11be20_5200MHz_RU_Full_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 00:46:22

802.11be20_5240MHz_RU_Full_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 00:46:53

802.11be20_5180MHz_RU_Full_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 01:06:30

802.11be20_5200MHz_RU_Full_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 01:06:57

802.11be20_5240MHz_RU_Full_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 01:07:24

802.11be20_5180MHz_RU_Full_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 01:37:47

802.11be20_5200MHz_RU_Full_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 01:38:16

802.11be20_5240MHz_RU_Full_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 01:38:45

802.11be40_5190MHz_RU_Full_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 00:50:23

802.11be40_5230MHz_RU_Full_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 00:50:52

802.11be40_5190MHz_RU_Full_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 01:04:24

802.11be40_5230MHz_RU_Full_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 01:04:57

802.11be40_5190MHz_RU_Full_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 01:35:41

802.11be40_5230MHz_RU_Full_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 1.JUL.2026 01:36:13

802.11be80_5210MHz_RU_Full_Chain 0



ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 21:14:34


802.11be80_5210MHz_RU_Full_Chain 1



ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 21:34:04


5250-5350MHz

802.11be80_5210MHz_RU_Full_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 12.APR.2026 21:51:34

802.11a_5260MHz_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 9.JUN.2026 00:31:33

802.11a_5300MHz_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 9.JUN.2026 00:33:09

802.11a_5320MHz_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 9.JUN.2026 00:33:43

802.11a_5260MHz_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 9.JUN.2026 00:33:09

802.11a_5300MHz_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 9.JUN.2026 00:41:00

802.11a_5320MHz_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 9.JUN.2026 00:41:25

802.11a_5260MHz_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 14.APR.2026 00:04:10

802.11a_5300MHz_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 14.APR.2026 00:07:10

802.11a_5320MHz_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 14.APR.2026 00:09:53

802.11ac20_5260MHz_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 13.APR.2026 21:39:24

802.11ac20_5300MHz_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 13.APR.2026 21:41:54

802.11ac20_5320MHz_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 13.APR.2026 21:44:54

802.11ac20_5260MHz_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 13.APR.2026 22:45:21

802.11ac20_5300MHz_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 13.APR.2026 22:47:10

802.11ac20_5320MHz_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 13.APR.2026 22:49:06

802.11ac20_5260MHz_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 14.APR.2026 00:13:15

802.11ac20_5300MHz_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 14.APR.2026 00:15:43

802.11ac20_5320MHz_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 14.APR.2026 00:17:49

802.11ac40_5270MHz_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 13.APR.2026 21:47:43

802.11ac40_5310MHz_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 13.APR.2026 21:49:09

802.11ac40_5270MHz_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 13.APR.2026 22:51:57

802.11ac40_5310MHz_Chain 1




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 13.APR.2026 22:53:14

802.11ac40_5270MHz_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 14.APR.2026 00:20:32

802.11ac40_5310MHz_Chain 2




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 14.APR.2026 00:21:47

802.11ac80_5290MHz_Chain 0




ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 13.APR.2026 21:53:46

802.11ac80_5290MHz_Chain 1



ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 13.APR.2026 22:57:50

802.11ac80_5290MHz_Chain 2



ProjectNo.:2601R15111E-RF Tester:Ethan Bu
Date: 14.APR.2026 00:24:15