

# TEST REPORT

Applicant Name: Grandstream Networks, Inc.  
Address: 126 Brookline Ave., 3rd Floor Boston, MA 02215, USA  
Report Number: 2601R15111E-RF-00A  
FCC ID: YZZGWN7670ELR

## Test Standard (s)

FCC PART 15.407

## Sample Description

Product Type: Long-Range Dual-Band Wi-Fi 7 Access Point  
Model No.: GWN7670ELR  
Multiple Model(s) No.: N/A  
Trade Mark: GRANDSTREAM  
Date Received: 2026-03-23  
Issue Date: 2026-07-06

|              |                   |
|--------------|-------------------|
| Test Result: | Pass <sup>▲</sup> |
|--------------|-------------------|

▲ In the configuration tested, the EUT complied with the standards above.

## Prepared and Checked By:

*Wills Yu*

Wills Yu  
RF Engineer

## Approved By:

*Nancy Wang*

Nancy Wang  
RF Supervisor

Note: The information marked \* is provided by the applicant, the laboratory is not responsible for its authenticity and this information can affect the validity of the result in the test report. Customer model name, addresses, names, trademarks etc. are included.

This report cannot be reproduced except in full, without prior written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This report must not be used by the customer to claim product certification, approval, or endorsement by NVLAP or any agency of the U.S. Government.

This report may contain data that are not covered by the NVLAP accreditation and are marked with an asterisk "▼".

## Bay Area Compliance Laboratories Corp. (Shenzhen)

5F(B-West), 6F, 7F, the 3rd Phase of Wan Li Industrial Building D, Shihua Rd, Futian Free Trade Zone, Shenzhen, China  
Tel: +86-755-33320018 Fax: +86-755-33320008 www.baclcorp.com.cn

## **TABLE OF CONTENTS**

|                                                                     |           |
|---------------------------------------------------------------------|-----------|
| <b>DOCUMENT REVISION HISTORY.....</b>                               | <b>4</b>  |
| <b>GENERAL INFORMATION .....</b>                                    | <b>5</b>  |
| PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT).....             | 5         |
| OBJECTIVE .....                                                     | 5         |
| TEST METHODOLOGY .....                                              | 5         |
| MEASUREMENT UNCERTAINTY .....                                       | 6         |
| TEST FACILITY .....                                                 | 6         |
| <b>SYSTEM TEST CONFIGURATION .....</b>                              | <b>7</b>  |
| DESCRIPTION OF TEST CONFIGURATION .....                             | 7         |
| EUT EXERCISE SOFTWARE .....                                         | 7         |
| EQUIPMENT MODIFICATIONS .....                                       | 7         |
| SUPPORT EQUIPMENT LIST AND DETAILS .....                            | 7         |
| EXTERNAL I/O CABLE .....                                            | 7         |
| <b>SUMMARY OF TEST RESULTS .....</b>                                | <b>8</b>  |
| <b>TEST EQUIPMENT LIST .....</b>                                    | <b>9</b>  |
| <b>APPLICABLE STANDARDS .....</b>                                   | <b>10</b> |
| DFS REQUIREMENT .....                                               | 10        |
| DFS MEASUREMENT SYSTEM.....                                         | 14        |
| SYSTEM BLOCK DIAGRAM.....                                           | 14        |
| CONDUCTED METHOD .....                                              | 15        |
| RADIATED METHOD.....                                                | 16        |
| TEST PROCEDURE .....                                                | 16        |
| <b>TEST RESULTS .....</b>                                           | <b>17</b> |
| DESCRIPTION OF EUT .....                                            | 17        |
| RADAR WAVEFORM CALIBRATION .....                                    | 17        |
| TEST DATA .....                                                     | 17        |
| <b>CHANNEL AVAILABILITY CHECK TIME (CAC).....</b>                   | <b>18</b> |
| TEST PROCEDURE .....                                                | 18        |
| TEST DATA .....                                                     | 18        |
| <b>CHANNEL MOVE TIME AND CHANNEL CLOSING TRANSMISSION TIME.....</b> | <b>19</b> |
| TEST PROCEDURE .....                                                | 19        |
| TEST DATA .....                                                     | 19        |
| <b>NON-OCCUPANCY PERIOD .....</b>                                   | <b>20</b> |
| TEST PROCEDURE .....                                                | 20        |
| TEST DATA .....                                                     | 20        |
| <b>DETECTION BANDWIDTH .....</b>                                    | <b>21</b> |
| TEST PROCEDURE .....                                                | 21        |
| TEST DATA .....                                                     | 21        |
| <b>STATISTICAL PERFORMANCE CHECK .....</b>                          | <b>22</b> |
| TEST PROCEDURE .....                                                | 22        |
| TEST DATA .....                                                     | 22        |
| <b>CHANNEL LOADING .....</b>                                        | <b>23</b> |

|                                                                           |           |
|---------------------------------------------------------------------------|-----------|
| TEST PROCEDURE .....                                                      | 23        |
| TEST DATA .....                                                           | 23        |
| <b>BRIDGE AND/OR MESH MODE.....</b>                                       | <b>24</b> |
| TEST PROCEDURE .....                                                      | 24        |
| TEST DATA .....                                                           | 24        |
| <b>EUT PHOTOGRAPHS.....</b>                                               | <b>25</b> |
| <b>TEST SETUP PHOTOGRAPHS.....</b>                                        | <b>26</b> |
| <b>APPENDIX .....</b>                                                     | <b>27</b> |
| APPENDIX A: DFS DETECTION THRESHOLDS.....                                 | 27        |
| APPENDIX B: CHANNEL LOADING .....                                         | 42        |
| APPENDIX C: CHANNEL AVAILABILITY CHECK TIME.....                          | 45        |
| APPENDIX D: CHANNEL MOVE TIME AND CHANNEL CLOSING TRANSMISSION TIME ..... | 51        |
| APPENDIX E: NON-OCCUPANCY PERIOD.....                                     | 54        |
| APPENDIX F: U-NII DETECTION BANDWIDTH .....                               | 57        |
| APPENDIX G: STATISTICAL PERFORMANCE CHECK .....                           | 61        |

DOCUMENT REVISION HISTORY

| Revision Number | Report Number      | Description of Revision | Date of Revision |
|-----------------|--------------------|-------------------------|------------------|
| 0               | 2601R15111E-RF-00A | Original Report         | 2026-07-06       |

## GENERAL INFORMATION

### Product Description for Equipment under Test (EUT)

|                                    |                                                                                |
|------------------------------------|--------------------------------------------------------------------------------|
| Frequency Range                    | 5GHz Wi-Fi: 5250-5350 MHz; 5470-5725MHz                                        |
| Mode                               | 802.11a/n20/n40/ac20/ac40/ac80/ac160/ax20/ax40/ax80/ax160/be20/be40/be80/be160 |
| Modulation Technique               | OFDM, OFDMA                                                                    |
| Antenna Specification <sup>#</sup> | ANT0: 7.14dBi, ANT1: 7.16dBi, ANT2: 7.14dBi<br>(provided by the applicant)     |
| Voltage Range                      | DC 48V from PoE                                                                |
| Sample serial number               | 3ITP-8 (Assigned by BACL, Shenzhen)                                            |
| Sample/EUT Status                  | Good condition                                                                 |
| Adapter Information                | N/A                                                                            |
|                                    |                                                                                |

### Objective

This test report is in accordance with Part 2-Subpart J, Part 15-Subparts E of the Federal Communications Commission's rules.

The objective is to determine compliance with FCC Part 15, Subpart E, section 15.407 Dynamic Frequency Selection (DFS) for devices operating in the bands 5250-5350 MHz, 5470-5725 MHz.

### Test Methodology

FCC KDB 905462 D02 UNII DFS Compliance Procedures New Rules v02.

Each test item follows test standards and with no deviation.

## Measurement Uncertainty

| Parameter       | Uncertainty                                  |
|-----------------|----------------------------------------------|
| Time            | $\pm 1\%$ ( $k=2$ , 95% level of confidence) |
| Temperature     | $\pm 0.4^{\circ}\text{C}$                    |
| Humidity        | $\pm 2\%$                                    |
| Supply voltages | DC $\pm 0.4\%$ ; AC $\pm 1\%$                |

*Note: The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor  $K$  with the 95% confidence interval. Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.*

## Test Facility

The Test site used by Bay Area Compliance Laboratories Corp. (Shenzhen) to collect test data is located on the 5F(B-West), 6F, 7F, the 3rd Phase of Wan Li Industrial Building D, Shihua Rd, FuTian Free Trade Zone, Shenzhen, China.

The lab has been recognized as the FCC accredited lab under the KDB 974614 D01 and is listed in the FCC Public Access Link (PAL) database, test firm registration No.: 715558, the FCC Designation No. : CN5045.

## SYSTEM TEST CONFIGURATION

### Description of Test Configuration

The EUT was configured for testing in an engineering mode which was provided by the manufacturer.

### EUT Exercise Software

N/A

### Equipment Modifications

No modification was made to the EUT tested.

### Support Equipment List and Details

| Manufacturer | Description | Model           | Serial Number |
|--------------|-------------|-----------------|---------------|
| DELL         | PC          | Vostro 3690     | E569659A9981  |
| Lenovo       | LED display | L2364A          | U310FZR9      |
| DELL         | Keyboard    | KB1421          | E134780       |
| DELL         | Mouse       | WM-100          | Unknown       |
| TP-Link      | WiFi dongle | Unknown         | Unknown       |
| DELL         | Notebook    | DESKTOP-1630AQ3 | 9RVYFH2       |

### External I/O Cable

| Cable Description                   | Length (m) | From Port   | To       |
|-------------------------------------|------------|-------------|----------|
| Unshielded Un-detachable USB Cable  | 1          | WiFi dongle | PC       |
| Unshielded Un-detachable RJ45 Cable | 1          | POE         | Notebook |
| Unshielded detachable AC cable      | 1.5        | Receptacle  | POE      |
| Unshielded detachable RJ45 cable    | 1.5        | POE         | EUT      |

## SUMMARY OF TEST RESULTS

The following result table represents the list of measurements required under the CFR §47 Part 15.407(h), and KDB: 905462 D02 UNII DFS Compliance Procedures New Rules v02

| Items                          | Description of Test                           | Result    |
|--------------------------------|-----------------------------------------------|-----------|
| Detection Bandwidth            | UNII Detection Bandwidth                      | Compliant |
| Performance Requirements Check | Initial Channel Availability Check Time (CAC) | Compliant |
|                                | Radar Burst at the Beginning of the CAC       | Compliant |
|                                | Radar Burst at the End of the CAC             | Compliant |
| In-Service Monitoring          | Channel Move Time                             | Compliant |
|                                | Channel Closing Transmission Time             | Compliant |
|                                | Non-Occupancy Period                          | Compliant |
| Radar Detection                | Statistical Performance Check                 | Compliant |
| Channel Loading                | Channel Loading                               | Compliant |

## TEST EQUIPMENT LIST

| Manufacturer    | Description       | Model    | Serial Number | Calibration Date | Calibration Due Date |
|-----------------|-------------------|----------|---------------|------------------|----------------------|
| Tonscend        | RF control Unit   | JS0806-2 | 19D8060154    | 2025/07/18       | 2026/07/17           |
| Tonscend        | Test software     | JS1120-3 | V3.3.38       | NCR              | NCR                  |
| Rohde & Schwarz | Spectrum Analyzer | FSV40    | 101473        | 2025/09/01       | 2026/08/31           |
| Agilent         | Signal Generator  | N5182B   | MY53052129    | 2026/03/16       | 2027/03/15           |
| Unknown         | 10dB Attenuator   | Unknown  | F-03-EM190    | 2025/06/26       | 2026/06/25           |
| Unknown         | 10dB Attenuator   | Unknown  | F-03-EM122    | 2025/06/26       | 2026/06/25           |
| Unknown         | Power Splitter    | PD2      | 2000-600      | 2025/06/26       | 2026/06/25           |
| Unknown         | 10dB Attenuator   | Unknown  | F-03-EM190    | 2026/06/24       | 2027/06/23           |
| Unknown         | 10dB Attenuator   | Unknown  | F-03-EM122    | 2026/06/24       | 2027/06/23           |
| Unknown         | Power Splitter    | PD2      | 2000-600      | 2026/06/24       | 2027/06/23           |

\* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Shenzhen) attests that all calibrations have been performed in accordance to requirements that traceable to National Primary Standards and International System of Units (SI).

## APPLICABLE STANDARDS

### DFS Requirement

CFR §47 Part 15.407(h)

FCC KDB 905462 D02 UNII DFS Compliance Procedures New Rules v02

**Table 1: Applicability of DFS Requirements Prior to Use of a Channel**

| Requirement                            | Operational Mode |                                |                             |
|----------------------------------------|------------------|--------------------------------|-----------------------------|
|                                        | Master           | Client Without Radar Detection | Client With Radar Detection |
| <i>Non-Occupancy Period</i>            | Yes              | Not required                   | Yes                         |
| <i>DFS Detection Threshold</i>         | Yes              | Not required                   | Yes                         |
| <i>Channel Availability Check Time</i> | Yes              | Not required                   | Not required                |
| <i>U-NII Detection Bandwidth</i>       | Yes              | Not required                   | Yes                         |

**Table 2: Applicability of DFS requirements during normal operation**

| Requirement                              | Operational Mode                             |                                |
|------------------------------------------|----------------------------------------------|--------------------------------|
|                                          | Master Device or Client with Radar Detection | Client Without Radar Detection |
| <i>DFS Detection Threshold</i>           | Yes                                          | Not required                   |
| <i>Channel Closing Transmission Time</i> | Yes                                          | Yes                            |
| <i>Channel Move Time</i>                 | Yes                                          | Yes                            |
| <i>U-NII Detection Bandwidth</i>         | Yes                                          | Not required                   |

| Additional requirements for devices with multiple bandwidth modes                                                                                                                                                                                                                                                                                            | Master Device or Client with Radar Detection | Client Without Radar Detection                       |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|------------------------------------------------------|
| <i>U-NII Detection Bandwidth and Statistical Performance Check</i>                                                                                                                                                                                                                                                                                           | All BW modes must be tested                  | Not required                                         |
| <i>Channel Move Time and Channel Closing Transmission Time</i>                                                                                                                                                                                                                                                                                               | Test using widest BW mode available          | Test using the widest BW mode available for the link |
| <i>All other tests</i>                                                                                                                                                                                                                                                                                                                                       | Any single BW mode                           | Not required                                         |
| <b>Note:</b> Frequencies selected for statistical performance check (Section 7.8.4) should include several frequencies within the radar detection bandwidth and frequencies near the edge of the radar detection bandwidth. For 802.11 devices it is suggested to select frequencies in each of the bonded 20 MHz channels and the channel center frequency. |                                              |                                                      |

**Table 3: DFS Detection Thresholds for Master Devices and Client Devices With Radar Detection**

| Maximum Transmit Power                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Value<br>(See Notes 1, 2, and 3) |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|
| EIRP $\geq$ 200 milliwatt                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | -64 dBm                          |
| EIRP < 200 milliwatt and<br>power spectral density < 10 dBm/MHz                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | -62 dBm                          |
| EIRP < 200 milliwatt that do not meet the power spectral<br>density requirement                                                                                                                                                                                                                                                                                                                                                                                                                                                             | -64 dBm                          |
| <p><b>Note 1:</b> This is the level at the input of the receiver assuming a 0 dBi receive antenna.</p> <p><b>Note 2:</b> Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response.</p> <p><b>Note3:</b> EIRP is based on the highest antenna gain. For MIMO devices refer to KDB Publication 662911 D01.</p> |                                  |

**Table 4: DFS Response Requirement Values**

| Parameter                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Value                                                                                                                 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <i>Non-occupancy period</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Minimum 30 minutes                                                                                                    |
| <i>Channel Availability Check Time</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 60 seconds                                                                                                            |
| <i>Channel Move Time</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 10 seconds<br>See Note 1.                                                                                             |
| <i>Channel Closing Transmission Time</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 200 milliseconds + an<br>aggregate of 60<br>milliseconds over<br>remaining 10 second<br>period.<br>See Notes 1 and 2. |
| <i>U-NII Detection Bandwidth</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Minimum 100% of the U-<br>NII 99% transmission<br>power bandwidth. See<br>Note 3.                                     |
| <p><b>Note 1:</b> <i>Channel Move Time</i> and the <i>Channel Closing Transmission Time</i> should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.</p> <p><b>Note 2:</b> The <i>Channel Closing Transmission Time</i> is comprised of 200 milliseconds starting at the beginning of the <i>Channel Move Time</i> plus any additional intermittent control signals required to facilitate a <i>Channel move</i> (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions.</p> <p><b>Note 3:</b> During the <i>U-NII Detection Bandwidth</i> detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.</p> |                                                                                                                       |

**Table 5 – Short Pulse Radar Test Waveforms**

| Radar Type                                                                                                                                  | Pulse Width (μsec) | PRI (μsec)                                                                                                                                                    | Number of Pulses                                                                                                              | Minimum Percentage of Successful Detection | Minimum Number of Trials |
|---------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|--------------------------|
| 0                                                                                                                                           | 1                  | 1428                                                                                                                                                          | 18                                                                                                                            | See Note 1                                 | See Note 1               |
| 1                                                                                                                                           | 1                  | Test A: 15 unique PRI values randomly selected from the list of 23 PRI values in Table 5a                                                                     | Roundup $\left\{ \left( \frac{1}{360} \right) \cdot \left( \frac{19 \cdot 10^6}{\text{PRI}_{\mu\text{SEC}}} \right) \right\}$ | 60%                                        | 30                       |
|                                                                                                                                             |                    | Test B: 15 unique PRI values randomly selected within the range of 518-3066 μsec, with a minimum increment of 1 μsec, excluding PRI values selected in Test A |                                                                                                                               |                                            |                          |
| 2                                                                                                                                           | 1-5                | 150-230                                                                                                                                                       | 23-29                                                                                                                         | 60%                                        | 30                       |
| 3                                                                                                                                           | 6-10               | 200-500                                                                                                                                                       | 16-18                                                                                                                         | 60%                                        | 30                       |
| 4                                                                                                                                           | 11-20              | 200-500                                                                                                                                                       | 12-16                                                                                                                         | 60%                                        | 30                       |
| Aggregate (Radar Types 1-4)                                                                                                                 |                    |                                                                                                                                                               |                                                                                                                               | 80%                                        | 120                      |
| <b>Note 1:</b> Short Pulse Radar Type 0 should be used for the detection bandwidth test, channel move time, and channel closing time tests. |                    |                                                                                                                                                               |                                                                                                                               |                                            |                          |

A minimum of 30 unique waveforms are required for each of the Short Pulse Radar Types 2 through 4. If more than 30 waveforms are used for Short Pulse Radar Types 2 through 4, then each additional waveform must also be unique and not repeated from the previous waveforms. If more than 30 waveforms are used for Short Pulse Radar Type 1, then each additional waveform is generated with Test B and must also be unique and not repeated from the previous waveforms in Tests A or B.

For example if in Short Pulse Radar Type 1 Test B a PRI of 3066 usec is selected, the number of pulses

would be  $\text{Roundup} \left\{ \left( \frac{1}{360} \right) \cdot \left( \frac{19 \cdot 10^6}{3066} \right) \right\} = \text{Roundup} \{17.2\} = 18.$

**Table 5a - Pulse Repetition Intervals Values for Test A**

| <b>Pulse Repetition Frequency Number</b> | <b>Pulse Repetition Frequency (Pulses Per Second)</b> | <b>Pulse Repetition Interval (Microseconds)</b> |
|------------------------------------------|-------------------------------------------------------|-------------------------------------------------|
| 1                                        | 1930.5                                                | 518                                             |
| 2                                        | 1858.7                                                | 538                                             |
| 3                                        | 1792.1                                                | 558                                             |
| 4                                        | 1730.1                                                | 578                                             |
| 5                                        | 1672.2                                                | 598                                             |
| 6                                        | 1618.1                                                | 618                                             |
| 7                                        | 1567.4                                                | 638                                             |
| 8                                        | 1519.8                                                | 658                                             |
| 9                                        | 1474.9                                                | 678                                             |
| 10                                       | 1432.7                                                | 698                                             |
| 11                                       | 1392.8                                                | 718                                             |
| 12                                       | 1355                                                  | 738                                             |
| 13                                       | 1319.3                                                | 758                                             |
| 14                                       | 1285.3                                                | 778                                             |
| 15                                       | 1253.1                                                | 798                                             |
| 16                                       | 1222.5                                                | 818                                             |
| 17                                       | 1193.3                                                | 838                                             |
| 18                                       | 1165.6                                                | 858                                             |
| 19                                       | 1139                                                  | 878                                             |
| 20                                       | 1113.6                                                | 898                                             |
| 21                                       | 1089.3                                                | 918                                             |
| 22                                       | 1066.1                                                | 938                                             |
| 23                                       | 326.2                                                 | 3066                                            |

The aggregate is the average of the percentage of successful detections of Short Pulse Radar Types 1-4. For example, the following table indicates how to compute the aggregate of percentage of successful detections.

| <b>Radar Type</b>                                    | <b>Number of Trials</b> | <b>Number of Successful Detections</b> | <b>Minimum Percentage of Successful Detection</b> |
|------------------------------------------------------|-------------------------|----------------------------------------|---------------------------------------------------|
| 1                                                    | 35                      | 29                                     | 82.9%                                             |
| 2                                                    | 30                      | 18                                     | 60%                                               |
| 3                                                    | 30                      | 27                                     | 90%                                               |
| 4                                                    | 50                      | 44                                     | 88%                                               |
| Aggregate $(82.9\% + 60\% + 90\% + 88\%)/4 = 80.2\%$ |                         |                                        |                                                   |

**Table 6 – Long Pulse Radar Test Waveform**

| Radar Type | Pulse Width ( $\mu$ sec) | Chirp Width (MHz) | PRI ( $\mu$ sec) | Number of Pulses per <i>Burst</i> | Number of <i>Bursts</i> | Minimum Percentage of Successful Detection | Minimum Number of Trials |
|------------|--------------------------|-------------------|------------------|-----------------------------------|-------------------------|--------------------------------------------|--------------------------|
| 5          | 50-100                   | 5-20              | 1000-2000        | 1-3                               | 8-20                    | 80%                                        | 30                       |


**Table 7 – Frequency Hopping Radar Test Waveform**

| Radar Type | Pulse Width ( $\mu$ sec) | PRI ( $\mu$ sec) | Pulses per Hop | Hopping Rate (kHz) | Hopping Sequence Length (msec) | Minimum Percentage of Successful Detection | Minimum Number of Trials |
|------------|--------------------------|------------------|----------------|--------------------|--------------------------------|--------------------------------------------|--------------------------|
| 6          | 1                        | 333              | 9              | 0.333              | 300                            | 70%                                        | 30                       |


### DFS Measurement System

DFS measurement system consists of two subsystems: (1) The radar signal generating subsystem and (2) the traffic monitoring subsystem.


### System Block Diagram




## Conducted Method



## Setup for Master with injection at the Master




## Setup for Client with injection at the Master



**Setup for Client with injection at the Client**

### Radiated Method



### Test Procedure


A spectrum analyzer is used as a monitor verifies that the EUT status including Channel Closing Transmission Time and Channel Move Time, and does not transmit on a Channel during the Non-Occupancy Period after the diction and Channel move. It is also used to monitor EUT transmissions during the Channel Availability Check Time.

## TEST RESULTS

### Description of EUT

The maximum EIRP is great than 200mW. The calibrated radiated DFS detection threshold level is set to -64 dBm.

### Radar Waveform Calibration



### Test Data

#### Environmental Conditions

|                    |              |
|--------------------|--------------|
| Temperature:       | 24.5~26.3 °C |
| Relative Humidity: | 48~50 %      |
| ATM Pressure:      | 101.2 kPa    |

*The testing was performed by Bonnie Zhang from 2026-05-11 to 2026-05-14.*

*EUT operation mode: Transmitting*

**Test Result: Compliant**

*Please refer to the Appendix.*

## CHANNEL AVAILABILITY CHECK TIME (CAC)

### Test Procedure

#### 1. Initial Channel Availability Check Time

The U-NII devices will be powered on and be instructed to operate on the appropriate U-NII Channel that must incorporate DFS functions. At the same time the UUT is powered on, the spectrum analyzer will be set to zero span and the spectrum analyzer's sweep will be started at the same time power is applied to the U-NII device.

The UUT should not transmit any beacon or data transmissions until at least 1 minute after the completion of the power-on cycle.

Confirm that the UUT initiates transmission on the channel

#### 2. Radar Burst at the Beginning of the Channel Availability Check Time

A single Burst of one of the Short Pulse Radar Types 0-4 will commence within a 6 second window at the beginning of CAC time. Visual indication or measured results on the UUT of successful detection of the radar Burst will be recorded and reported.

#### 3. Radar Burst at the End of the Channel Availability Check Time

A single Burst of one of the Short Pulse Radar Types 0-4 will commence within a 6 second window at the end of CAC time. Visual indication or measured results on the UUT of successful detection of the radar Burst will be recorded and reported.

### Test Data

#### Environmental Conditions

|                    |              |
|--------------------|--------------|
| Temperature:       | 24.5~26.3 °C |
| Relative Humidity: | 48~50 %      |
| ATM Pressure:      | 101.2 kPa    |

*The testing was performed by Bonnie Zhang from 2026-05-11 to 2026-05-14.*

*EUT operation mode: Transmitting*

***Test Result: Compliant***

*Please refer to the Appendix.*

## CHANNEL MOVE TIME AND CHANNEL CLOSING TRANSMISSION TIME

### Test Procedure

Channel Move Time and the Channel Closing Transmission Time should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.

The Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of the Channel Move Time plus any additional intermittent control signals required to facilitate a Channel move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions.

The aggregate channel closing transmission time is calculated as follows:

Aggregate Transmission Time =  $N \times \text{Dwell Time}$

N is the number of spectrum analyzer bins showing a device transmission Dwell Time is the dwell time per bin (i.e.  $\text{Dwell Time} = S/B$ , S is the sweep time and B is the number of bin, i.e. 8192)

### Test Data

#### Environmental Conditions

|                    |              |
|--------------------|--------------|
| Temperature:       | 24.5~26.3 °C |
| Relative Humidity: | 48~50 %      |
| ATM Pressure:      | 101.2 kPa    |

*The testing was performed by Bonnie Zhang from 2026-05-11 to 2026-05-14.*

*EUT operation mode: Transmitting*

***Test Result: Compliant***

*Please refer to the Appendix.*

## NON-OCCUPANCY PERIOD

### Test Procedure

Measure the EUT for more than 30 minutes following the channel close/move time to verify that the EUT does not resume any transmissions on this channel. Provide one plot to demonstrate no transmission on the channel for the non-occupancy period (30 minutes observation time)

### Test Data

#### Environmental Conditions

|                    |              |
|--------------------|--------------|
| Temperature:       | 24.5~26.3 °C |
| Relative Humidity: | 48~50 %      |
| ATM Pressure:      | 101.2 kPa    |

*The testing was performed by Bonnie Zhang from 2026-05-11 to 2026-05-14.*

*EUT operation mode: Transmitting*

***Test Result: Compliant***

*Please refer to the Appendix.*

## DETECTION BANDWIDTH

### Test Procedure

Performed with Type 0 radar waveforms

Starting at the center frequency of the UUT operating Channel, increase the radar frequency in 5 MHz steps, repeating the above test sequence, until the detection rate falls below the *U-NII Detection Bandwidth* criterion specified in Table 4. Repeat this measurement in 1MHz steps at frequencies 5 MHz below where the detection rate begins to fall. Record the highest frequency (denote as  $F_H$ ) at which detection is greater than or equal to the *U-NII Detection Bandwidth* criterion. Recording the detection rate at frequencies above  $F_H$  is not required to demonstrate compliance.

Starting at the center frequency of the UUT operating Channel, decrease the radar frequency in 5 MHz steps, repeating the above test sequence, until the detection rate falls below the *U-NII Detection Bandwidth* criterion specified in Table 4. Repeat this measurement in 1MHz steps at frequencies 5 MHz above where the detection rate begins to fall. Record the lowest frequency (denote as  $F_L$ ) at which detection is greater than or equal to the *U-NII Detection Bandwidth* criterion. Recording the detection rate at frequencies below  $F_L$  is not required to demonstrate compliance

The *U-NII Detection Bandwidth* is calculated as follows:  $U-NII\ Detection\ Bandwidth = F_H - F_L$

The *U-NII Detection Bandwidth* must meet the *U-NII Detection Bandwidth* criterion specified in Table 4. Otherwise, the UUT does not comply with DFS requirements. This is essential to ensure that the UUT is capable of detecting *Radar Waveforms* across the same frequency spectrum that contains the significant energy from the system. In the case that the *U-NII Detection Bandwidth* is greater than or equal to the 99 percent power bandwidth for the measured  $F_H$  and  $F_L$ , the test can be truncated and the *U-NII Detection Bandwidth* can be reported as the measured  $F_H$  and  $F_L$ .

### Test Data

#### Environmental Conditions

|                    |              |
|--------------------|--------------|
| Temperature:       | 24.5~26.3 °C |
| Relative Humidity: | 48~50 %      |
| ATM Pressure:      | 101.2 kPa    |

*The testing was performed by Ethan Bu on 2026-07-01.*

*EUT operation mode: Transmitting*

***Test Result: Compliant***

*Please refer to the Appendix.*

## STATISTICAL PERFORMANCE CHECK

### Test Procedure

The steps below define the procedure to determine the minimum percentage of successful detection requirements found in **Tables 5-7** when a radar burst with a level equal to the *DFS Detection Threshold + 1dB* is generated on the *Operating Channel* of the U-NII device (*In-Service Monitoring*).

- a) One frequency will be chosen from the *Operating Channels* of the UUT within the 5250-5350 MHz or 5470-5725 MHz bands.
- b) In case the UUT is a U-NII device operating as a *Client Device* (with or without Radar Detection), a U-NII device operating as a *Master Device* will be used to allow the UUT (Client device) to *Associate* with the *Master Device*. In case the UUT is a *Master Device*, a U-NII device operating as a *Client Device* will be used and it is assumed that the Client will *Associate* with the UUT (Master). In both cases for conducted tests, the *Radar Waveform* generator will be connected to the *Master Device*. For radiated tests, the emissions of the *Radar Waveform* generator will be directed towards the *Master Device*. If the *Master Device* has antenna gain, the main beam of the antenna will be directed toward the radar emitter. Vertical polarization is used for testing.
- c) Stream the channel loading test file from the *Master Device* to the Client Device on the test *Channel* for the entire period of the test.
- d) At time  $T_0$  the *Radar Waveform* generator sends the individual waveform for each of the Radar Types 1-6 in **Tables 5-7**, at levels defined in **Table 3**, on the *Operating Channel*. An additional 1 dB is added to the radar test signal to ensure it is at or above the *DFS Detection Threshold*, accounting for equipment variations/errors.
- e) Observe the transmissions of the UUT at the end of the Burst on the *Operating Channel* for duration greater than 10 seconds for Radar Type 0 to ensure detection occurs.
- f) Observe the transmissions of the UUT at the end of the Burst on the *Operating Channel* for duration greater than 22 seconds for Long Pulse Radar Type 5 to ensure detection occurs.
- g) In case the UUT is a U-NII device operating as a *Client Device* with *In-Service Monitoring*, perform steps a) to f).

### Test Data

#### Environmental Conditions

|                    |              |
|--------------------|--------------|
| Temperature:       | 24.5~26.3 °C |
| Relative Humidity: | 48~50 %      |
| ATM Pressure:      | 101.2 kPa    |

*The testing was performed by Bonnie Zhang from 2026-05-11 to 2026-05-14.*

*EUT operation mode: Transmitting*

**Test Result: Compliant**

*Please refer to the Appendix.*

## CHANNEL LOADING

### Test Procedure

System testing will be performed with channel-loading using means appropriate to the data types that are used by the unlicensed device. The following requirements apply:

- a) The data file must be of a type that is typical for the device (i.e., MPEG-2, MPEG-4, WAV, MP3, MP4, AVI, etc.) and must generally be transmitting in a streaming mode.
- b) Software to ping the client is permitted to simulate data transfer but must have random ping intervals.
- c) Timing plots are required with calculations demonstrating a minimum channel loading of approximately 17% or greater. For example, channel loading can be estimated by setting the spectrum analyzer for zero span and approximate the Time On/ (Time On + Off Time). This can be done with any appropriate channel BW and modulation type.
- d) Unicast or Multicast protocols are preferable but other protocols may be used. The appropriate protocol used must be described in the test procedures.

### Test Data

#### Environmental Conditions

|                    |              |
|--------------------|--------------|
| Temperature:       | 24.5~26.3 °C |
| Relative Humidity: | 48~50 %      |
| ATM Pressure:      | 101.2 kPa    |

*The testing was performed by Bonnie Zhang from 2026-05-11 to 2026-05-14.*

*EUT operation mode: Transmitting*

***Test Result: Compliant***

*Please refer to the Appendix.*

## BRIDGE AND/OR MESH MODE

### Test Procedure

Networks Access Points with Bridge and/or MESH modes of operation are permitted to operate in the DFS bands but must employ a DFS function. The functionality of the Bridge mode as specified in §15.403(a) must be validated in the DFS test report. Devices operating as relays where they act as master and client must also employ DFS function for the master. The method used to validate the functionality must be documented and validation data must be documented. Bridge mode can be validated by performing a test statistical performance check (Section 7.8.4) on any one of the radar types. This is an abbreviated test to verify DFS functionality. MESH mode operational methodology must be submitted in the application for certification for evaluation by the FCC.

### Test Data

#### Environmental Conditions

|                    |              |
|--------------------|--------------|
| Temperature:       | 24.5~26.3 °C |
| Relative Humidity: | 48~50 %      |
| ATM Pressure:      | 101.2 kPa    |

*The testing was performed by Bonnie Zhang from 2026-05-11 to 2026-05-14.*

*EUT operation mode: Transmitting*

***Test Result: Compliant***

*Please refer to the Appendix.*

## **EUT PHOTOGRAPHS**

---

Please refer to the attachment 2601R15111E-RF-EXP External photo and 2601R15111E-RF-INP Internal photo.

## **TEST SETUP PHOTOGRAPHS**

---


Please refer to the attachment 2601R15111E-RF-TSPB Test Setup photo.


## APPENDIX


### Appendix A: DFS Detection Thresholds Test Result


| Frequency[MHz] | Radar Type | Result[dBm] | Limit[dBm] | Verdict |
|----------------|------------|-------------|------------|---------|
| 5260           | Type0      | -64.05      | -64.00     | PASS    |
|                | Type1      | -64.21      | -64.00     | PASS    |
|                | Type2      | -64.28      | -64.00     | PASS    |
|                | Type3      | -64.31      | -64.00     | PASS    |
|                | Type4      | -64.09      | -64.00     | PASS    |
|                | Type5      | -64.06      | -64.00     | PASS    |
|                | Type6      | -64.13      | -64.00     | PASS    |
| 5500           | Type0      | -64.07      | -64.00     | PASS    |
|                | Type1      | -64.11      | -64.00     | PASS    |
|                | Type2      | -64.28      | -64.00     | PASS    |
|                | Type3      | -64.32      | -64.00     | PASS    |
|                | Type4      | -64.23      | -64.00     | PASS    |
|                | Type5      | -64.47      | -64.00     | PASS    |
|                | Type6      | -64.11      | -64.00     | PASS    |
| 5250           | Type0      | -64.06      | -64.00     | PASS    |
|                | Type1      | -64.02      | -64.00     | PASS    |
|                | Type2      | -64.46      | -64.00     | PASS    |
|                | Type3      | -64.05      | -64.00     | PASS    |
|                | Type4      | -64.45      | -64.00     | PASS    |
|                | Type5      | -64.26      | -64.00     | PASS    |
|                | Type6      | -64.41      | -64.00     | PASS    |
| 5570           | Type0      | -64.35      | -64.00     | PASS    |
|                | Type1      | -64.21      | -64.00     | PASS    |
|                | Type2      | -64.37      | -64.00     | PASS    |
|                | Type3      | -64.41      | -64.00     | PASS    |
|                | Type4      | -64.29      | -64.00     | PASS    |
|                | Type5      | -64.48      | -64.00     | PASS    |
|                | Type6      | -64.10      | -64.00     | PASS    |


Test Graphs








































**Appendix B: Channel Loading  
Test Result**


| Test Mode   | Frequency[MHz] | Result [%] | Limit [%] | Verdict |
|-------------|----------------|------------|-----------|---------|
| 11AX20MIMO  | 5260           | 25.08      | 17        | PASS    |
|             | 5500           | 19.13      | 17        | PASS    |
| 11AX160MIMO | 5250           | 21.35      | 17        | PASS    |
|             | 5570           | 23.51      | 17        | PASS    |


## Test Graphs






## Appendix C: Channel Availability Check Time Test Result







# Beginning of Channel Availability Check Time


11AX20MIMO\_5260




11AX20MIMO\_5500











**Appendix D: Channel Move Time and Channel Closing Transmission Time  
Test Result**

| Test Mode   | Frequency[MHz] | CCTT[ms] | Limit[ms] | CMT[ms] | Limit[ms] | Verdict |
|-------------|----------------|----------|-----------|---------|-----------|---------|
| 11AX20MIMO  | 5260           | 200+11.7 | 200+60    | 864.5   | 10000     | PASS    |
|             | 5500           | 200+11.7 | 200+60    | 743.6   | 10000     | PASS    |
| 11AX160MIMO | 5250           | 200+15.6 | 200+60    | 930.8   | 10000     | PASS    |
|             | 5570           | 200+13   | 200+60    | 1016.6  | 10000     | PASS    |

Test Graphs







**Appendix E: Non-Occupancy Period****Test Result**

| Test Mode   | Frequency[MHz] | Result         | Limit[s]    | Verdict |
|-------------|----------------|----------------|-------------|---------|
| 11AX20MIMO  | 5260           | see test graph | $\geq 1800$ | PASS    |
|             | 5500           | see test graph | $\geq 1800$ | PASS    |
| 11AX160MIMO | 5250           | see test graph | $\geq 1800$ | PASS    |
|             | 5570           | see test graph | $\geq 1800$ | PASS    |

## Test Graphs





**Appendix F: U-NII Detection Bandwidth****Test Result**

| Test Mode   | Frequency[MHz] | FL[MHz] | FH[MHz] | Detection Bandwidth [MHz] | OCB [MHz] | Ratio [%] | Limit [%] | Verdict |
|-------------|----------------|---------|---------|---------------------------|-----------|-----------|-----------|---------|
| 11AX20MIMO  | 5260           | 5248    | 5271    | 23                        | 18.85     | 122.02    | ≥100      | PASS    |
|             | 5500           | 5489    | 5511    | 22                        | 18.85     | 116.71    | ≥100      | PASS    |
| 11AX40MIMO  | 5270           | 5248    | 5292    | 44                        | 37.5      | 117.33    | ≥100      | PASS    |
|             | 5510           | 5488    | 5532    | 44                        | 37.5      | 117.33    | ≥100      | PASS    |
| 11AX80MIMO  | 5290           | 5247    | 5333    | 86                        | 76.8      | 111.98    | ≥100      | PASS    |
|             | 5530           | 5489    | 5573    | 84                        | 76.8      | 109.38    | ≥100      | PASS    |
| 11AX160MIMO | 5250           | 5169    | 5340    | 171                       | 156.0     | 109.62    | ≥100      | PASS    |
|             | 5570           | 5484    | 5652    | 168                       | 156.0     | 107.69    | ≥100      | PASS    |

| Test Mode  | Frequency [MHz] | Radar Freq. | Trial 1 | Trial 2 | Trial 3 | Trial 4 | Trial 5 | Trial 6 | Trial 7 | Trial 8 | Trial 9 | Trial 10 | Ratio (%) |
|------------|-----------------|-------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|-----------|
| 11AX20MIMO | 5260            | 5247        | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0        | 0         |
|            |                 | 5248        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5249        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5250        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5255        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5260        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5265        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5270        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5271        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5272        | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0        | 0         |
|            | 5500            | 5488        | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0        | 0         |
|            |                 | 5489        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5490        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5495        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5500        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5505        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5510        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5511        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5512        | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0        | 0         |
| 11AX40MIMO | 5270            | 5248        | 1       | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0        | 10        |
|            |                 | 5249        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5250        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5255        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5260        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5265        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5270        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5275        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5280        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5285        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5290        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5291        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5292        | 1       | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0        | 10        |
|            | 5510            | 5488        | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0        | 0         |
|            |                 | 5489        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5490        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5495        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5500        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5505        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
|            |                 | 5510        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |


|             |      |      |   |   |   |   |   |   |   |   |   |   |     |
|-------------|------|------|---|---|---|---|---|---|---|---|---|---|-----|
|             |      | 5510 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5515 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5520 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5525 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5530 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5531 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5532 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0   |
| 11AX80MIMO  | 5290 | 5247 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0   |
|             |      | 5248 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5249 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5250 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5255 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5260 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5265 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5270 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5275 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5280 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5285 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5290 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5295 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5300 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5305 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5310 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5315 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5320 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5325 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5330 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5331 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5332 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0   |
|             | 5530 | 5487 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0   |
|             |      | 5488 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5489 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5490 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5495 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5500 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5505 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5510 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5515 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5520 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5525 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5530 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5535 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5540 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5545 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5550 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5555 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5560 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5565 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5570 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5571 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5572 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5573 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0   |
| 11AX160MIMO | 5250 | 5168 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0   |
|             |      | 5169 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5170 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|             |      | 5175 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |

|  |      |      |   |   |   |   |   |   |   |   |   |   |     |
|--|------|------|---|---|---|---|---|---|---|---|---|---|-----|
|  |      | 5180 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5185 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5190 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5195 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5200 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5205 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5210 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5215 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5220 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5225 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5230 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5235 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5240 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5245 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5250 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5255 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5260 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5265 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5270 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5275 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5280 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5285 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5290 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5295 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5300 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5305 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5310 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5315 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5320 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5325 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5330 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5335 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5340 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5341 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10  |
|  | 5570 | 5484 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0   |
|  |      | 5485 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5490 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5495 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5500 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5505 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5510 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5515 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5520 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5525 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5530 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5535 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5540 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5545 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5550 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5555 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5560 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5565 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5570 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5575 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5580 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5585 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5590 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |      | 5595 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |

|  |  |      |   |   |   |   |   |   |   |   |   |   |     |
|--|--|------|---|---|---|---|---|---|---|---|---|---|-----|
|  |  | 5600 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |  | 5605 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |  | 5610 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |  | 5615 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |  | 5620 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |  | 5625 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |  | 5630 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |  | 5635 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |  | 5640 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |  | 5645 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |  | 5650 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100 |
|  |  | 5651 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 90  |
|  |  | 5652 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0   |


## 99% Occupied Bandwidth

802.11ax20\_5600MHz




ProjectNo.:2601R15111E-RF Tester:Ethan Bu  
Date: 1.JUL.2026 01:56:43

802.11ax40\_5590MHz\_RU\_Full




ProjectNo.:2601R15111E-RF Tester:Ethan Bu  
Date: 1.JUL.2026 02:04:10

802.11ax80\_5610MHz\_RU\_Full



ProjectNo.:2601R15111E-RF Tester:Ethan Bu  
Date: 1.JUL.2026 02:10:12

802.11ax160\_5570MHz\_RU\_FULL



ProjectNo.:2601R15111E-RF Tester:Ethan Bu  
Date: 1.JUL.2026 02:14:20

**Appendix G: Statistical Performance check****Test Result**

| TestMode    | Frequency[MHz] | Radar Type | Pass Times | Fail Times | Probability (%) | Limit (%) | Verdict |
|-------------|----------------|------------|------------|------------|-----------------|-----------|---------|
| 11AX20MIMO  | 5260           | Type1      | 23         | 7          | 76.67           | 60        | PASS    |
|             |                | Type2      | 20         | 10         | 66.67           | 60        | PASS    |
|             |                | Type3      | 27         | 3          | 90.00           | 60        | PASS    |
|             |                | Type4      | 27         | 3          | 90.00           | 60        | PASS    |
|             |                | Type 1-4   | ---        | ---        | 80.84           | 80        | PASS    |
|             |                | Type5      | 27         | 3          | 90.00           | 80        | PASS    |
|             | 5500           | Type6      | 26         | 4          | 86.67           | 70        | PASS    |
|             |                | Type1      | 28         | 2          | 93.33           | 60        | PASS    |
|             |                | Type2      | 27         | 3          | 90.00           | 60        | PASS    |
|             |                | Type3      | 27         | 3          | 90.00           | 60        | PASS    |
|             |                | Type4      | 26         | 4          | 86.67           | 60        | PASS    |
|             |                | Type 1-4   | ---        | ---        | 90.00           | 80        | PASS    |
|             |                | Type5      | 25         | 5          | 83.33           | 80        | PASS    |
|             |                | Type6      | 27         | 3          | 90.00           | 70        | PASS    |
| 11AX40MIMO  | 5270           | Type1      | 27         | 3          | 90.00           | 60        | PASS    |
|             |                | Type2      | 25         | 5          | 83.33           | 60        | PASS    |
|             |                | Type3      | 26         | 4          | 86.67           | 60        | PASS    |
|             |                | Type4      | 26         | 4          | 86.67           | 60        | PASS    |
|             |                | Type 1-4   | ---        | ---        | 86.67           | 80        | PASS    |
|             |                | Type5      | 27         | 3          | 90.00           | 80        | PASS    |
|             | 5510           | Type6      | 27         | 3          | 90.00           | 70        | PASS    |
|             |                | Type1      | 28         | 2          | 93.33           | 60        | PASS    |
|             |                | Type2      | 27         | 3          | 90.00           | 60        | PASS    |
|             |                | Type3      | 27         | 3          | 90.00           | 60        | PASS    |
|             |                | Type4      | 27         | 3          | 90.00           | 60        | PASS    |
|             |                | Type 1-4   | ---        | ---        | 90.83           | 80        | PASS    |
|             |                | Type5      | 26         | 4          | 86.67           | 80        | PASS    |
|             |                | Type6      | 26         | 4          | 86.67           | 70        | PASS    |
| 11AX80MIMO  | 5290           | Type1      | 28         | 2          | 93.33           | 60        | PASS    |
|             |                | Type2      | 26         | 4          | 86.67           | 60        | PASS    |
|             |                | Type3      | 28         | 2          | 93.33           | 60        | PASS    |
|             |                | Type4      | 26         | 4          | 86.67           | 60        | PASS    |
|             |                | Type 1-4   | ---        | ---        | 90.00           | 80        | PASS    |
|             |                | Type5      | 26         | 4          | 86.67           | 80        | PASS    |
|             | 5530           | Type6      | 27         | 3          | 90.00           | 70        | PASS    |
|             |                | Type1      | 27         | 3          | 90.00           | 60        | PASS    |
|             |                | Type2      | 26         | 4          | 86.67           | 60        | PASS    |
|             |                | Type3      | 28         | 2          | 93.33           | 60        | PASS    |
|             |                | Type4      | 28         | 2          | 93.33           | 60        | PASS    |
|             |                | Type 1-4   | ---        | ---        | 90.83           | 80        | PASS    |
|             |                | Type5      | 26         | 4          | 86.67           | 80        | PASS    |
|             |                | Type6      | 27         | 3          | 90.00           | 70        | PASS    |
| 11AX160MIMO | 5250           | Type1      | 26         | 4          | 86.67           | 60        | PASS    |
|             |                | Type2      | 23         | 7          | 76.67           | 60        | PASS    |
|             |                | Type3      | 27         | 3          | 90.00           | 60        | PASS    |
|             |                | Type4      | 27         | 3          | 90.00           | 60        | PASS    |
|             |                | Type 1-4   | ---        | ---        | 85.84           | 80        | PASS    |
|             |                | Type5      | 24         | 6          | 80.00           | 80        | PASS    |
|             |                | Type6      | 29         | 1          | 96.67           | 70        | PASS    |
|             | 5570           | Type1      | 28         | 2          | 93.33           | 60        | PASS    |
|             |                | Type2      | 28         | 3          | 93.33           | 60        | PASS    |

|  |  |          |     |     |       |    |      |
|--|--|----------|-----|-----|-------|----|------|
|  |  | Type3    | 27  | 3   | 90.00 | 60 | PASS |
|  |  | Type4    | 25  | 5   | 83.33 | 60 | PASS |
|  |  | Type 1-4 | --- | --- | 90.00 | 80 | PASS |
|  |  | Type5    | 25  | 5   | 83.33 | 80 | PASS |
|  |  | Type6    | 28  | 2   | 93.33 | 70 | PASS |

| Test Mode  | Channel | Radar Type | Trial ID | Pulse width(μs) | PRI(μs) | Pulses per Burst | Detection (1: Yes; 0: No) |
|------------|---------|------------|----------|-----------------|---------|------------------|---------------------------|
| 11AX20MIMO | 5260    | Type1      | 0        | 1.0             | 938.0   | 57               | 0                         |
|            |         | Type1      | 1        | 1.0             | 698.0   | 76               | 1                         |
|            |         | Type1      | 2        | 1.0             | 618.0   | 86               | 1                         |
|            |         | Type1      | 3        | 1.0             | 538.0   | 99               | 0                         |
|            |         | Type1      | 4        | 1.0             | 878.0   | 61               | 1                         |
|            |         | Type1      | 5        | 1.0             | 3066.0  | 18               | 1                         |
|            |         | Type1      | 6        | 1.0             | 638.0   | 83               | 1                         |
|            |         | Type1      | 7        | 1.0             | 918.0   | 58               | 1                         |
|            |         | Type1      | 8        | 1.0             | 838.0   | 63               | 1                         |
|            |         | Type1      | 9        | 1.0             | 858.0   | 62               | 1                         |
|            |         | Type1      | 10       | 1.0             | 798.0   | 67               | 1                         |
|            |         | Type1      | 11       | 1.0             | 718.0   | 74               | 0                         |
|            |         | Type1      | 12       | 1.0             | 578.0   | 92               | 0                         |
|            |         | Type1      | 13       | 1.0             | 598.0   | 89               | 0                         |
|            |         | Type1      | 14       | 1.0             | 558.0   | 95               | 1                         |
|            |         | Type1      | 15       | 1.0             | 2536.0  | 21               | 1                         |
|            |         | Type1      | 16       | 1.0             | 966.0   | 55               | 1                         |
|            |         | Type1      | 17       | 1.0             | 827.0   | 64               | 1                         |
|            |         | Type1      | 18       | 1.0             | 2501.0  | 22               | 1                         |
|            |         | Type1      | 19       | 1.0             | 2595.0  | 21               | 1                         |
|            |         | Type1      | 20       | 1.0             | 1114.0  | 48               | 1                         |
|            |         | Type1      | 21       | 1.0             | 1302.0  | 41               | 1                         |
|            |         | Type1      | 22       | 1.0             | 3045.0  | 18               | 1                         |
|            |         | Type1      | 23       | 1.0             | 1624.0  | 33               | 0                         |
|            |         | Type1      | 24       | 1.0             | 2878.0  | 19               | 1                         |
|            |         | Type1      | 25       | 1.0             | 1027.0  | 52               | 0                         |
|            |         | Type1      | 26       | 1.0             | 2485.0  | 22               | 1                         |
|            |         | Type1      | 27       | 1.0             | 1600.0  | 33               | 1                         |
|            |         | Type1      | 28       | 1.0             | 1172.0  | 46               | 1                         |
|            |         | Type1      | 29       | 1.0             | 1177.0  | 45               | 1                         |
|            |         | Type2      | 0        | 3.2             | 179.0   | 26               | 1                         |
|            |         | Type2      | 1        | 1.1             | 207.0   | 23               | 0                         |
|            |         | Type2      | 2        | 2.1             | 230.0   | 24               | 0                         |
|            |         | Type2      | 3        | 4.8             | 200.0   | 29               | 0                         |
|            |         | Type2      | 4        | 3.9             | 214.0   | 28               | 0                         |
|            |         | Type2      | 5        | 2.9             | 222.0   | 26               | 0                         |
|            |         | Type2      | 6        | 3.2             | 204.0   | 26               | 1                         |
|            |         | Type2      | 7        | 2.5             | 192.0   | 25               | 1                         |
|            |         | Type2      | 8        | 3.1             | 164.0   | 26               | 1                         |
|            |         | Type2      | 9        | 1.2             | 156.0   | 23               | 0                         |
|            |         | Type2      | 10       | 3.9             | 210.0   | 27               | 1                         |
|            |         | Type2      | 11       | 4.6             | 201.0   | 29               | 1                         |
|            |         | Type2      | 12       | 3.2             | 162.0   | 26               | 1                         |
|            |         | Type2      | 13       | 2.2             | 197.0   | 25               | 1                         |
|            |         | Type2      | 14       | 4.5             | 163.0   | 29               | 1                         |
|            |         | Type2      | 15       | 3.0             | 203.0   | 26               | 1                         |
|            |         | Type2      | 16       | 5.0             | 168.0   | 29               | 1                         |
|            |         | Type2      | 17       | 2.4             | 217.0   | 25               | 1                         |
|            |         | Type2      | 18       | 2.9             | 191.0   | 26               | 0                         |
|            |         | Type2      | 19       | 2.3             | 166.0   | 25               | 0                         |
|            |         | Type2      | 20       | 3.7             | 150.0   | 27               | 1                         |
|            |         | Type2      | 21       | 2.2             | 176.0   | 25               | 1                         |
|            |         | Type2      | 22       | 4.9             | 195.0   | 29               | 0                         |
|            |         | Type2      | 23       | 2.9             | 202.0   | 26               | 1                         |
|            |         | Type2      | 24       | 2.5             | 178.0   | 25               | 1                         |
| 11AX20MIMO | 5260    | Type2      | 25       | 1.1             | 206.0   | 23               | 1                         |
|            |         | Type2      | 26       | 3.8             | 155.0   | 27               | 0                         |
|            |         | Type2      | 27       | 4.7             | 157.0   | 29               | 1                         |

|  |       |    |      |       |    |   |
|--|-------|----|------|-------|----|---|
|  | Type2 | 28 | 2.4  | 224.0 | 25 | 1 |
|  | Type2 | 29 | 4.2  | 159.0 | 28 | 1 |
|  | Type3 | 0  | 8.2  | 355.0 | 17 | 1 |
|  | Type3 | 1  | 6.1  | 487.0 | 16 | 1 |
|  | Type3 | 2  | 7.1  | 344.0 | 16 | 1 |
|  | Type3 | 3  | 9.8  | 288.0 | 18 | 1 |
|  | Type3 | 4  | 8.9  | 230.0 | 18 | 1 |
|  | Type3 | 5  | 7.9  | 432.0 | 17 | 1 |
|  | Type3 | 6  | 8.2  | 207.0 | 17 | 0 |
|  | Type3 | 7  | 7.5  | 443.0 | 17 | 1 |
|  | Type3 | 8  | 8.1  | 439.0 | 17 | 1 |
|  | Type3 | 9  | 6.2  | 223.0 | 16 | 1 |
|  | Type3 | 10 | 8.9  | 208.0 | 18 | 1 |
|  | Type3 | 11 | 9.6  | 463.0 | 18 | 1 |
|  | Type3 | 12 | 8.2  | 441.0 | 17 | 1 |
|  | Type3 | 13 | 7.2  | 323.0 | 16 | 1 |
|  | Type3 | 14 | 9.5  | 297.0 | 18 | 1 |
|  | Type3 | 15 | 8.0  | 412.0 | 17 | 0 |
|  | Type3 | 16 | 10.0 | 324.0 | 18 | 0 |
|  | Type3 | 17 | 7.4  | 271.0 | 17 | 1 |
|  | Type3 | 18 | 7.9  | 349.0 | 17 | 1 |
|  | Type3 | 19 | 7.3  | 409.0 | 16 | 1 |
|  | Type3 | 20 | 8.7  | 373.0 | 18 | 1 |
|  | Type3 | 21 | 7.2  | 254.0 | 16 | 1 |
|  | Type3 | 22 | 9.9  | 274.0 | 18 | 1 |
|  | Type3 | 23 | 7.9  | 278.0 | 17 | 1 |
|  | Type3 | 24 | 7.5  | 317.0 | 17 | 1 |
|  | Type3 | 25 | 6.1  | 260.0 | 16 | 1 |
|  | Type3 | 26 | 8.8  | 211.0 | 18 | 1 |
|  | Type3 | 27 | 9.7  | 272.0 | 18 | 1 |
|  | Type3 | 28 | 7.4  | 264.0 | 17 | 1 |
|  | Type3 | 29 | 9.2  | 284.0 | 18 | 1 |
|  | Type4 | 0  | 16.0 | 355.0 | 14 | 1 |
|  | Type4 | 1  | 11.3 | 487.0 | 12 | 1 |
|  | Type4 | 2  | 13.5 | 344.0 | 13 | 1 |
|  | Type4 | 3  | 19.4 | 288.0 | 16 | 1 |
|  | Type4 | 4  | 17.5 | 230.0 | 15 | 1 |
|  | Type4 | 5  | 15.3 | 432.0 | 14 | 1 |
|  | Type4 | 6  | 15.9 | 207.0 | 14 | 1 |
|  | Type4 | 7  | 14.3 | 443.0 | 13 | 1 |
|  | Type4 | 8  | 15.8 | 439.0 | 14 | 1 |
|  | Type4 | 9  | 11.5 | 223.0 | 12 | 0 |
|  | Type4 | 10 | 17.4 | 208.0 | 15 | 1 |
|  | Type4 | 11 | 19.0 | 463.0 | 16 | 0 |
|  | Type4 | 12 | 16.0 | 441.0 | 14 | 1 |
|  | Type4 | 13 | 13.8 | 323.0 | 13 | 1 |
|  | Type4 | 14 | 18.9 | 297.0 | 16 | 1 |
|  | Type4 | 15 | 15.5 | 412.0 | 14 | 1 |
|  | Type4 | 16 | 19.9 | 324.0 | 16 | 1 |
|  | Type4 | 17 | 14.1 | 271.0 | 13 | 1 |
|  | Type4 | 18 | 15.2 | 349.0 | 14 | 1 |
|  | Type4 | 19 | 13.8 | 409.0 | 13 | 1 |
|  | Type4 | 20 | 17.1 | 373.0 | 15 | 1 |
|  | Type4 | 21 | 13.8 | 254.0 | 13 | 1 |
|  | Type4 | 22 | 19.8 | 274.0 | 16 | 1 |
|  | Type4 | 23 | 15.3 | 278.0 | 14 | 1 |
|  | Type4 | 24 | 14.5 | 317.0 | 13 | 1 |
|  | Type4 | 25 | 11.3 | 260.0 | 12 | 0 |
|  | Type4 | 26 | 17.3 | 211.0 | 15 | 1 |
|  | Type4 | 27 | 19.2 | 272.0 | 16 | 1 |
|  | Type4 | 28 | 14.2 | 264.0 | 13 | 1 |

|            |      |       |    |      |        |    |   |
|------------|------|-------|----|------|--------|----|---|
| 11AX20MIMO | 5500 | Type4 | 29 | 18.2 | 284.0  | 15 | 1 |
|            |      | Type1 | 0  | 1.0  | 938.0  | 57 | 1 |
|            |      | Type1 | 1  | 1.0  | 698.0  | 76 | 1 |
|            |      | Type1 | 2  | 1.0  | 618.0  | 86 | 1 |
|            |      | Type1 | 3  | 1.0  | 538.0  | 99 | 1 |
|            |      | Type1 | 4  | 1.0  | 878.0  | 61 | 1 |
|            |      | Type1 | 5  | 1.0  | 3066.0 | 18 | 1 |
|            |      | Type1 | 6  | 1.0  | 638.0  | 83 | 1 |
|            |      | Type1 | 7  | 1.0  | 918.0  | 58 | 1 |
|            |      | Type1 | 8  | 1.0  | 838.0  | 63 | 1 |
|            |      | Type1 | 9  | 1.0  | 858.0  | 62 | 1 |
|            |      | Type1 | 10 | 1.0  | 798.0  | 67 | 1 |
|            |      | Type1 | 11 | 1.0  | 718.0  | 74 | 1 |
|            |      | Type1 | 12 | 1.0  | 578.0  | 92 | 0 |
|            |      | Type1 | 13 | 1.0  | 598.0  | 89 | 1 |
|            |      | Type1 | 14 | 1.0  | 558.0  | 95 | 1 |
|            |      | Type1 | 15 | 1.0  | 2536.0 | 21 | 1 |
|            |      | Type1 | 16 | 1.0  | 966.0  | 55 | 1 |
|            |      | Type1 | 17 | 1.0  | 827.0  | 64 | 1 |
|            |      | Type1 | 18 | 1.0  | 2501.0 | 22 | 1 |
|            |      | Type1 | 19 | 1.0  | 2595.0 | 21 | 1 |
|            |      | Type1 | 20 | 1.0  | 1114.0 | 48 | 1 |
|            |      | Type1 | 21 | 1.0  | 1302.0 | 41 | 1 |
|            |      | Type1 | 22 | 1.0  | 3045.0 | 18 | 1 |
|            |      | Type1 | 23 | 1.0  | 1624.0 | 33 | 1 |
|            |      | Type1 | 24 | 1.0  | 2878.0 | 19 | 0 |
|            |      | Type1 | 25 | 1.0  | 1027.0 | 52 | 1 |
|            |      | Type1 | 26 | 1.0  | 2485.0 | 22 | 1 |
|            |      | Type1 | 27 | 1.0  | 1600.0 | 33 | 1 |
|            |      | Type1 | 28 | 1.0  | 1172.0 | 46 | 1 |
|            |      | Type1 | 29 | 1.0  | 1177.0 | 45 | 1 |
|            |      | Type2 | 0  | 3.2  | 179.0  | 26 | 1 |
|            |      | Type2 | 1  | 1.1  | 207.0  | 23 | 1 |
|            |      | Type2 | 2  | 2.1  | 230.0  | 24 | 1 |
|            |      | Type2 | 3  | 4.8  | 200.0  | 29 | 1 |
|            |      | Type2 | 4  | 3.9  | 214.0  | 28 | 1 |
|            |      | Type2 | 5  | 2.9  | 222.0  | 26 | 1 |
|            |      | Type2 | 6  | 3.2  | 204.0  | 26 | 1 |
|            |      | Type2 | 7  | 2.5  | 192.0  | 25 | 1 |
|            |      | Type2 | 8  | 3.1  | 164.0  | 26 | 1 |
|            |      | Type2 | 9  | 1.2  | 156.0  | 23 | 0 |
|            |      | Type2 | 10 | 3.9  | 210.0  | 27 | 1 |
|            |      | Type2 | 11 | 4.6  | 201.0  | 29 | 1 |
|            |      | Type2 | 12 | 3.2  | 162.0  | 26 | 1 |
|            |      | Type2 | 13 | 2.2  | 197.0  | 25 | 1 |
|            |      | Type2 | 14 | 4.5  | 163.0  | 29 | 1 |
|            |      | Type2 | 15 | 3.0  | 203.0  | 26 | 1 |
|            |      | Type2 | 16 | 5.0  | 168.0  | 29 | 1 |
|            |      | Type2 | 17 | 2.4  | 217.0  | 25 | 1 |
|            |      | Type2 | 18 | 2.9  | 191.0  | 26 | 0 |
|            |      | Type2 | 19 | 2.3  | 166.0  | 25 | 1 |
|            |      | Type2 | 20 | 3.7  | 150.0  | 27 | 1 |
|            |      | Type2 | 21 | 2.2  | 176.0  | 25 | 1 |
|            |      | Type2 | 22 | 4.9  | 195.0  | 29 | 1 |
|            |      | Type2 | 23 | 2.9  | 202.0  | 26 | 1 |
|            |      | Type2 | 24 | 2.5  | 178.0  | 25 | 1 |
|            |      | Type2 | 25 | 1.1  | 206.0  | 23 | 1 |
|            |      | Type2 | 26 | 3.8  | 155.0  | 27 | 0 |
|            |      | Type2 | 27 | 4.7  | 157.0  | 29 | 1 |
|            |      | Type2 | 28 | 2.4  | 224.0  | 25 | 1 |
|            |      | Type2 | 29 | 4.2  | 159.0  | 28 | 1 |

|            |      |       |    |      |       |    |   |
|------------|------|-------|----|------|-------|----|---|
| 11AX20MIMO | 5500 | Type3 | 0  | 8.2  | 355.0 | 17 | 1 |
|            |      | Type3 | 1  | 6.1  | 487.0 | 16 | 1 |
|            |      | Type3 | 2  | 7.1  | 344.0 | 16 | 1 |
|            |      | Type3 | 3  | 9.8  | 288.0 | 18 | 1 |
|            |      | Type3 | 4  | 8.9  | 230.0 | 18 | 1 |
|            |      | Type3 | 5  | 7.9  | 432.0 | 17 | 1 |
|            |      | Type3 | 6  | 8.2  | 207.0 | 17 | 1 |
|            |      | Type3 | 7  | 7.5  | 443.0 | 17 | 1 |
|            |      | Type3 | 8  | 8.1  | 439.0 | 17 | 1 |
|            |      | Type3 | 9  | 6.2  | 223.0 | 16 | 1 |
|            |      | Type3 | 10 | 8.9  | 208.0 | 18 | 1 |
|            |      | Type3 | 11 | 9.6  | 463.0 | 18 | 1 |
|            |      | Type3 | 12 | 8.2  | 441.0 | 17 | 1 |
|            |      | Type3 | 13 | 7.2  | 323.0 | 16 | 1 |
|            |      | Type3 | 14 | 9.5  | 297.0 | 18 | 0 |
|            |      | Type3 | 15 | 8.0  | 412.0 | 17 | 0 |
|            |      | Type3 | 16 | 10.0 | 324.0 | 18 | 1 |
|            |      | Type3 | 17 | 7.4  | 271.0 | 17 | 1 |
|            |      | Type3 | 18 | 7.9  | 349.0 | 17 | 1 |
|            |      | Type3 | 19 | 7.3  | 409.0 | 16 | 1 |
|            |      | Type3 | 20 | 8.7  | 373.0 | 18 | 1 |
|            |      | Type3 | 21 | 7.2  | 254.0 | 16 | 1 |
|            |      | Type3 | 22 | 9.9  | 274.0 | 18 | 1 |
|            |      | Type3 | 23 | 7.9  | 278.0 | 17 | 1 |
|            |      | Type3 | 24 | 7.5  | 317.0 | 17 | 1 |
|            |      | Type3 | 25 | 6.1  | 260.0 | 16 | 1 |
|            |      | Type3 | 26 | 8.8  | 211.0 | 18 | 0 |
|            |      | Type3 | 27 | 9.7  | 272.0 | 18 | 1 |
|            |      | Type3 | 28 | 7.4  | 264.0 | 17 | 1 |
|            |      | Type3 | 29 | 9.2  | 284.0 | 18 | 1 |
|            |      | Type4 | 0  | 16.0 | 355.0 | 14 | 1 |
|            |      | Type4 | 1  | 11.3 | 487.0 | 12 | 1 |
|            |      | Type4 | 2  | 13.5 | 344.0 | 13 | 1 |
|            |      | Type4 | 3  | 19.4 | 288.0 | 16 | 1 |
|            |      | Type4 | 4  | 17.5 | 230.0 | 15 | 1 |
|            |      | Type4 | 5  | 15.3 | 432.0 | 14 | 1 |
|            |      | Type4 | 6  | 15.9 | 207.0 | 14 | 1 |
|            |      | Type4 | 7  | 14.3 | 443.0 | 13 | 1 |
|            |      | Type4 | 8  | 15.8 | 439.0 | 14 | 0 |
|            |      | Type4 | 9  | 11.5 | 223.0 | 12 | 1 |
|            |      | Type4 | 10 | 17.4 | 208.0 | 15 | 1 |
|            |      | Type4 | 11 | 19.0 | 463.0 | 16 | 1 |
|            |      | Type4 | 12 | 16.0 | 441.0 | 14 | 1 |
|            |      | Type4 | 13 | 13.8 | 323.0 | 13 | 1 |
|            |      | Type4 | 14 | 18.9 | 297.0 | 16 | 0 |
|            |      | Type4 | 15 | 15.5 | 412.0 | 14 | 1 |
|            |      | Type4 | 16 | 19.9 | 324.0 | 16 | 1 |
|            |      | Type4 | 17 | 14.1 | 271.0 | 13 | 1 |
|            |      | Type4 | 18 | 15.2 | 349.0 | 14 | 1 |
|            |      | Type4 | 19 | 13.8 | 409.0 | 13 | 1 |
|            |      | Type4 | 20 | 17.1 | 373.0 | 15 | 1 |
|            |      | Type4 | 21 | 13.8 | 254.0 | 13 | 1 |
|            |      | Type4 | 22 | 19.8 | 274.0 | 16 | 1 |
|            |      | Type4 | 23 | 15.3 | 278.0 | 14 | 1 |
|            |      | Type4 | 24 | 14.5 | 317.0 | 13 | 0 |
|            |      | Type4 | 25 | 11.3 | 260.0 | 12 | 1 |
|            |      | Type4 | 26 | 17.3 | 211.0 | 15 | 0 |
|            |      | Type4 | 27 | 19.2 | 272.0 | 16 | 1 |
|            |      | Type4 | 28 | 14.2 | 264.0 | 13 | 1 |
|            |      | Type4 | 29 | 18.2 | 284.0 | 15 | 1 |
| 11AX40MIMO | 5270 | Type1 | 0  | 1.0  | 938.0 | 57 | 1 |

|            |      |       |    |     |        |    |   |
|------------|------|-------|----|-----|--------|----|---|
|            |      | Type1 | 1  | 1.0 | 698.0  | 76 | 1 |
|            |      | Type1 | 2  | 1.0 | 618.0  | 86 | 1 |
|            |      | Type1 | 3  | 1.0 | 538.0  | 99 | 0 |
|            |      | Type1 | 4  | 1.0 | 878.0  | 61 | 1 |
|            |      | Type1 | 5  | 1.0 | 3066.0 | 18 | 1 |
|            |      | Type1 | 6  | 1.0 | 638.0  | 83 | 1 |
|            |      | Type1 | 7  | 1.0 | 918.0  | 58 | 1 |
|            |      | Type1 | 8  | 1.0 | 838.0  | 63 | 1 |
|            |      | Type1 | 9  | 1.0 | 858.0  | 62 | 1 |
|            |      | Type1 | 10 | 1.0 | 798.0  | 67 | 1 |
|            |      | Type1 | 11 | 1.0 | 718.0  | 74 | 1 |
|            |      | Type1 | 12 | 1.0 | 578.0  | 92 | 1 |
|            |      | Type1 | 13 | 1.0 | 598.0  | 89 | 0 |
|            |      | Type1 | 14 | 1.0 | 558.0  | 95 | 0 |
|            |      | Type1 | 15 | 1.0 | 2536.0 | 21 | 1 |
|            |      | Type1 | 16 | 1.0 | 966.0  | 55 | 1 |
|            |      | Type1 | 17 | 1.0 | 827.0  | 64 | 1 |
|            |      | Type1 | 18 | 1.0 | 2501.0 | 22 | 1 |
|            |      | Type1 | 19 | 1.0 | 2595.0 | 21 | 1 |
|            |      | Type1 | 20 | 1.0 | 1114.0 | 48 | 1 |
|            |      | Type1 | 21 | 1.0 | 1302.0 | 41 | 1 |
|            |      | Type1 | 22 | 1.0 | 3045.0 | 18 | 1 |
|            |      | Type1 | 23 | 1.0 | 1624.0 | 33 | 1 |
|            |      | Type1 | 24 | 1.0 | 2878.0 | 19 | 1 |
|            |      | Type1 | 25 | 1.0 | 1027.0 | 52 | 1 |
|            |      | Type1 | 26 | 1.0 | 2485.0 | 22 | 1 |
|            |      | Type1 | 27 | 1.0 | 1600.0 | 33 | 1 |
|            |      | Type1 | 28 | 1.0 | 1172.0 | 46 | 1 |
|            |      | Type1 | 29 | 1.0 | 1177.0 | 45 | 1 |
|            |      | Type2 | 0  | 3.2 | 179.0  | 26 | 1 |
|            |      | Type2 | 1  | 1.1 | 207.0  | 23 | 1 |
|            |      | Type2 | 2  | 2.1 | 230.0  | 24 | 1 |
|            |      | Type2 | 3  | 4.8 | 200.0  | 29 | 0 |
|            |      | Type2 | 4  | 3.9 | 214.0  | 28 | 0 |
|            |      | Type2 | 5  | 2.9 | 222.0  | 26 | 0 |
|            |      | Type2 | 6  | 3.2 | 204.0  | 26 | 1 |
|            |      | Type2 | 7  | 2.5 | 192.0  | 25 | 1 |
|            |      | Type2 | 8  | 3.1 | 164.0  | 26 | 1 |
|            |      | Type2 | 9  | 1.2 | 156.0  | 23 | 1 |
|            |      | Type2 | 10 | 3.9 | 210.0  | 27 | 1 |
|            |      | Type2 | 11 | 4.6 | 201.0  | 29 | 1 |
|            |      | Type2 | 12 | 3.2 | 162.0  | 26 | 1 |
|            |      | Type2 | 13 | 2.2 | 197.0  | 25 | 1 |
|            |      | Type2 | 14 | 4.5 | 163.0  | 29 | 1 |
|            |      | Type2 | 15 | 3.0 | 203.0  | 26 | 1 |
|            |      | Type2 | 16 | 5.0 | 168.0  | 29 | 1 |
| 11AX40MIMO | 5270 | Type2 | 17 | 2.4 | 217.0  | 25 | 1 |
|            |      | Type2 | 18 | 2.9 | 191.0  | 26 | 1 |
|            |      | Type2 | 19 | 2.3 | 166.0  | 25 | 1 |
|            |      | Type2 | 20 | 3.7 | 150.0  | 27 | 1 |
|            |      | Type2 | 21 | 2.2 | 176.0  | 25 | 1 |
|            |      | Type2 | 22 | 4.9 | 195.0  | 29 | 1 |
|            |      | Type2 | 23 | 2.9 | 202.0  | 26 | 0 |
|            |      | Type2 | 24 | 2.5 | 178.0  | 25 | 1 |
|            |      | Type2 | 25 | 1.1 | 206.0  | 23 | 1 |
|            |      | Type2 | 26 | 3.8 | 155.0  | 27 | 1 |
|            |      | Type2 | 27 | 4.7 | 157.0  | 29 | 1 |
|            |      | Type2 | 28 | 2.4 | 224.0  | 25 | 0 |
|            |      | Type2 | 29 | 4.2 | 159.0  | 28 | 1 |
|            |      | Type3 | 0  | 8.2 | 355.0  | 17 | 1 |
|            |      | Type3 | 1  | 6.1 | 487.0  | 16 | 1 |

|            |      |       |    |      |       |    |   |
|------------|------|-------|----|------|-------|----|---|
|            |      | Type3 | 2  | 7.1  | 344.0 | 16 | 1 |
|            |      | Type3 | 3  | 9.8  | 288.0 | 18 | 0 |
|            |      | Type3 | 4  | 8.9  | 230.0 | 18 | 0 |
|            |      | Type3 | 5  | 7.9  | 432.0 | 17 | 1 |
|            |      | Type3 | 6  | 8.2  | 207.0 | 17 | 1 |
|            |      | Type3 | 7  | 7.5  | 443.0 | 17 | 1 |
|            |      | Type3 | 8  | 8.1  | 439.0 | 17 | 1 |
|            |      | Type3 | 9  | 6.2  | 223.0 | 16 | 1 |
|            |      | Type3 | 10 | 8.9  | 208.0 | 18 | 1 |
|            |      | Type3 | 11 | 9.6  | 463.0 | 18 | 1 |
|            |      | Type3 | 12 | 8.2  | 441.0 | 17 | 1 |
|            |      | Type3 | 13 | 7.2  | 323.0 | 16 | 1 |
|            |      | Type3 | 14 | 9.5  | 297.0 | 18 | 0 |
|            |      | Type3 | 15 | 8.0  | 412.0 | 17 | 1 |
|            |      | Type3 | 16 | 10.0 | 324.0 | 18 | 1 |
|            |      | Type3 | 17 | 7.4  | 271.0 | 17 | 1 |
|            |      | Type3 | 18 | 7.9  | 349.0 | 17 | 1 |
|            |      | Type3 | 19 | 7.3  | 409.0 | 16 | 1 |
|            |      | Type3 | 20 | 8.7  | 373.0 | 18 | 1 |
|            |      | Type3 | 21 | 7.2  | 254.0 | 16 | 1 |
|            |      | Type3 | 22 | 9.9  | 274.0 | 18 | 1 |
|            |      | Type3 | 23 | 7.9  | 278.0 | 17 | 1 |
|            |      | Type3 | 24 | 7.5  | 317.0 | 17 | 1 |
|            |      | Type3 | 25 | 6.1  | 260.0 | 16 | 1 |
|            |      | Type3 | 26 | 8.8  | 211.0 | 18 | 0 |
|            |      | Type3 | 27 | 9.7  | 272.0 | 18 | 1 |
|            |      | Type3 | 28 | 7.4  | 264.0 | 17 | 1 |
|            |      | Type3 | 29 | 9.2  | 284.0 | 18 | 1 |
|            |      | Type4 | 0  | 16.0 | 355.0 | 14 | 1 |
|            |      | Type4 | 1  | 11.3 | 487.0 | 12 | 1 |
|            |      | Type4 | 2  | 13.5 | 344.0 | 13 | 1 |
|            |      | Type4 | 3  | 19.4 | 288.0 | 16 | 1 |
|            |      | Type4 | 4  | 17.5 | 230.0 | 15 | 0 |
|            |      | Type4 | 5  | 15.3 | 432.0 | 14 | 1 |
|            |      | Type4 | 6  | 15.9 | 207.0 | 14 | 1 |
|            |      | Type4 | 7  | 14.3 | 443.0 | 13 | 1 |
|            |      | Type4 | 8  | 15.8 | 439.0 | 14 | 1 |
|            |      | Type4 | 9  | 11.5 | 223.0 | 12 | 1 |
|            |      | Type4 | 10 | 17.4 | 208.0 | 15 | 1 |
|            |      | Type4 | 11 | 19.0 | 463.0 | 16 | 0 |
|            |      | Type4 | 12 | 16.0 | 441.0 | 14 | 1 |
|            |      | Type4 | 13 | 13.8 | 323.0 | 13 | 1 |
|            |      | Type4 | 14 | 18.9 | 297.0 | 16 | 1 |
|            |      | Type4 | 15 | 15.5 | 412.0 | 14 | 1 |
|            |      | Type4 | 16 | 19.9 | 324.0 | 16 | 1 |
|            |      | Type4 | 17 | 14.1 | 271.0 | 13 | 1 |
|            |      | Type4 | 18 | 15.2 | 349.0 | 14 | 0 |
|            |      | Type4 | 19 | 13.8 | 409.0 | 13 | 1 |
|            |      | Type4 | 20 | 17.1 | 373.0 | 15 | 1 |
|            |      | Type4 | 21 | 13.8 | 254.0 | 13 | 1 |
|            |      | Type4 | 22 | 19.8 | 274.0 | 16 | 1 |
|            |      | Type4 | 23 | 15.3 | 278.0 | 14 | 1 |
|            |      | Type4 | 24 | 14.5 | 317.0 | 13 | 1 |
|            |      | Type4 | 25 | 11.3 | 260.0 | 12 | 1 |
|            |      | Type4 | 26 | 17.3 | 211.0 | 15 | 1 |
|            |      | Type4 | 27 | 19.2 | 272.0 | 16 | 0 |
|            |      | Type4 | 28 | 14.2 | 264.0 | 13 | 1 |
|            |      | Type4 | 29 | 18.2 | 284.0 | 15 | 1 |
| 11AX40MIMO | 5510 | Type1 | 0  | 1.0  | 938.0 | 57 | 1 |
|            |      | Type1 | 1  | 1.0  | 698.0 | 76 | 1 |
|            |      | Type1 | 2  | 1.0  | 618.0 | 86 | 1 |

|            |      |       |    |     |        |    |   |
|------------|------|-------|----|-----|--------|----|---|
|            |      | Type1 | 3  | 1.0 | 538.0  | 99 | 1 |
|            |      | Type1 | 4  | 1.0 | 878.0  | 61 | 1 |
|            |      | Type1 | 5  | 1.0 | 3066.0 | 18 | 1 |
|            |      | Type1 | 6  | 1.0 | 638.0  | 83 | 1 |
|            |      | Type1 | 7  | 1.0 | 918.0  | 58 | 1 |
|            |      | Type1 | 8  | 1.0 | 838.0  | 63 | 1 |
|            |      | Type1 | 9  | 1.0 | 858.0  | 62 | 1 |
|            |      | Type1 | 10 | 1.0 | 798.0  | 67 | 1 |
|            |      | Type1 | 11 | 1.0 | 718.0  | 74 | 1 |
|            |      | Type1 | 12 | 1.0 | 578.0  | 92 | 1 |
|            |      | Type1 | 13 | 1.0 | 598.0  | 89 | 1 |
|            |      | Type1 | 14 | 1.0 | 558.0  | 95 | 1 |
|            |      | Type1 | 15 | 1.0 | 2536.0 | 21 | 1 |
|            |      | Type1 | 16 | 1.0 | 966.0  | 55 | 1 |
|            |      | Type1 | 17 | 1.0 | 827.0  | 64 | 1 |
|            |      | Type1 | 18 | 1.0 | 2501.0 | 22 | 0 |
|            |      | Type1 | 19 | 1.0 | 2595.0 | 21 | 1 |
|            |      | Type1 | 20 | 1.0 | 1114.0 | 48 | 1 |
|            |      | Type1 | 21 | 1.0 | 1302.0 | 41 | 1 |
|            |      | Type1 | 22 | 1.0 | 3045.0 | 18 | 1 |
|            |      | Type1 | 23 | 1.0 | 1624.0 | 33 | 1 |
|            |      | Type1 | 24 | 1.0 | 2878.0 | 19 | 1 |
|            |      | Type1 | 25 | 1.0 | 1027.0 | 52 | 1 |
|            |      | Type1 | 26 | 1.0 | 2485.0 | 22 | 1 |
|            |      | Type1 | 27 | 1.0 | 1600.0 | 33 | 1 |
|            |      | Type1 | 28 | 1.0 | 1172.0 | 46 | 0 |
|            |      | Type1 | 29 | 1.0 | 1177.0 | 45 | 1 |
|            |      | Type2 | 0  | 3.2 | 179.0  | 26 | 1 |
|            |      | Type2 | 1  | 1.1 | 207.0  | 23 | 1 |
|            |      | Type2 | 2  | 2.1 | 230.0  | 24 | 1 |
|            |      | Type2 | 3  | 4.8 | 200.0  | 29 | 1 |
|            |      | Type2 | 4  | 3.9 | 214.0  | 28 | 1 |
|            |      | Type2 | 5  | 2.9 | 222.0  | 26 | 1 |
|            |      | Type2 | 6  | 3.2 | 204.0  | 26 | 1 |
|            |      | Type2 | 7  | 2.5 | 192.0  | 25 | 1 |
|            |      | Type2 | 8  | 3.1 | 164.0  | 26 | 1 |
|            |      | Type2 | 9  | 1.2 | 156.0  | 23 | 1 |
|            |      | Type2 | 10 | 3.9 | 210.0  | 27 | 1 |
|            |      | Type2 | 11 | 4.6 | 201.0  | 29 | 1 |
|            |      | Type2 | 12 | 3.2 | 162.0  | 26 | 0 |
| 11AX40MIMO | 5510 | Type2 | 13 | 2.2 | 197.0  | 25 | 1 |
|            |      | Type2 | 14 | 4.5 | 163.0  | 29 | 1 |
|            |      | Type2 | 15 | 3.0 | 203.0  | 26 | 1 |
|            |      | Type2 | 16 | 5.0 | 168.0  | 29 | 1 |
|            |      | Type2 | 17 | 2.4 | 217.0  | 25 | 1 |
|            |      | Type2 | 18 | 2.9 | 191.0  | 26 | 1 |
|            |      | Type2 | 19 | 2.3 | 166.0  | 25 | 1 |
|            |      | Type2 | 20 | 3.7 | 150.0  | 27 | 0 |
|            |      | Type2 | 21 | 2.2 | 176.0  | 25 | 1 |
|            |      | Type2 | 22 | 4.9 | 195.0  | 29 | 1 |
|            |      | Type2 | 23 | 2.9 | 202.0  | 26 | 1 |
|            |      | Type2 | 24 | 2.5 | 178.0  | 25 | 1 |
|            |      | Type2 | 25 | 1.1 | 206.0  | 23 | 1 |
|            |      | Type2 | 26 | 3.8 | 155.0  | 27 | 0 |
|            |      | Type2 | 27 | 4.7 | 157.0  | 29 | 1 |
|            |      | Type2 | 28 | 2.4 | 224.0  | 25 | 1 |
|            |      | Type2 | 29 | 4.2 | 159.0  | 28 | 1 |
|            |      | Type3 | 0  | 8.2 | 355.0  | 17 | 1 |
|            |      | Type3 | 1  | 6.1 | 487.0  | 16 | 1 |
|            |      | Type3 | 2  | 7.1 | 344.0  | 16 | 1 |
|            |      | Type3 | 3  | 9.8 | 288.0  | 18 | 1 |

|            |      |       |    |      |       |    |   |
|------------|------|-------|----|------|-------|----|---|
|            |      | Type3 | 4  | 8.9  | 230.0 | 18 | 1 |
|            |      | Type3 | 5  | 7.9  | 432.0 | 17 | 1 |
|            |      | Type3 | 6  | 8.2  | 207.0 | 17 | 1 |
|            |      | Type3 | 7  | 7.5  | 443.0 | 17 | 1 |
|            |      | Type3 | 8  | 8.1  | 439.0 | 17 | 1 |
|            |      | Type3 | 9  | 6.2  | 223.0 | 16 | 1 |
|            |      | Type3 | 10 | 8.9  | 208.0 | 18 | 1 |
|            |      | Type3 | 11 | 9.6  | 463.0 | 18 | 1 |
|            |      | Type3 | 12 | 8.2  | 441.0 | 17 | 0 |
|            |      | Type3 | 13 | 7.2  | 323.0 | 16 | 1 |
|            |      | Type3 | 14 | 9.5  | 297.0 | 18 | 1 |
|            |      | Type3 | 15 | 8.0  | 412.0 | 17 | 1 |
|            |      | Type3 | 16 | 10.0 | 324.0 | 18 | 1 |
|            |      | Type3 | 17 | 7.4  | 271.0 | 17 | 1 |
|            |      | Type3 | 18 | 7.9  | 349.0 | 17 | 1 |
|            |      | Type3 | 19 | 7.3  | 409.0 | 16 | 1 |
|            |      | Type3 | 20 | 8.7  | 373.0 | 18 | 0 |
|            |      | Type3 | 21 | 7.2  | 254.0 | 16 | 0 |
|            |      | Type3 | 22 | 9.9  | 274.0 | 18 | 1 |
|            |      | Type3 | 23 | 7.9  | 278.0 | 17 | 1 |
|            |      | Type3 | 24 | 7.5  | 317.0 | 17 | 1 |
|            |      | Type3 | 25 | 6.1  | 260.0 | 16 | 1 |
|            |      | Type3 | 26 | 8.8  | 211.0 | 18 | 1 |
|            |      | Type3 | 27 | 9.7  | 272.0 | 18 | 1 |
|            |      | Type3 | 28 | 7.4  | 264.0 | 17 | 1 |
|            |      | Type3 | 29 | 9.2  | 284.0 | 18 | 1 |
|            |      | Type4 | 0  | 16.0 | 355.0 | 14 | 1 |
|            |      | Type4 | 1  | 11.3 | 487.0 | 12 | 1 |
|            |      | Type4 | 2  | 13.5 | 344.0 | 13 | 1 |
|            |      | Type4 | 3  | 19.4 | 288.0 | 16 | 1 |
|            |      | Type4 | 4  | 17.5 | 230.0 | 15 | 1 |
|            |      | Type4 | 5  | 15.3 | 432.0 | 14 | 1 |
|            |      | Type4 | 6  | 15.9 | 207.0 | 14 | 1 |
|            |      | Type4 | 7  | 14.3 | 443.0 | 13 | 1 |
|            |      | Type4 | 8  | 15.8 | 439.0 | 14 | 1 |
|            |      | Type4 | 9  | 11.5 | 223.0 | 12 | 1 |
|            |      | Type4 | 10 | 17.4 | 208.0 | 15 | 1 |
| 11AX40MIMO | 5510 | Type4 | 11 | 19.0 | 463.0 | 16 | 1 |
|            |      | Type4 | 12 | 16.0 | 441.0 | 14 | 1 |
|            |      | Type4 | 13 | 13.8 | 323.0 | 13 | 1 |
|            |      | Type4 | 14 | 18.9 | 297.0 | 16 | 0 |
|            |      | Type4 | 15 | 15.5 | 412.0 | 14 | 1 |
|            |      | Type4 | 16 | 19.9 | 324.0 | 16 | 1 |
|            |      | Type4 | 17 | 14.1 | 271.0 | 13 | 1 |
|            |      | Type4 | 18 | 15.2 | 349.0 | 14 | 1 |
|            |      | Type4 | 19 | 13.8 | 409.0 | 13 | 1 |
|            |      | Type4 | 20 | 17.1 | 373.0 | 15 | 1 |
|            |      | Type4 | 21 | 13.8 | 254.0 | 13 | 1 |
|            |      | Type4 | 22 | 19.8 | 274.0 | 16 | 0 |
|            |      | Type4 | 23 | 15.3 | 278.0 | 14 | 0 |
|            |      | Type4 | 24 | 14.5 | 317.0 | 13 | 1 |
|            |      | Type4 | 25 | 11.3 | 260.0 | 12 | 1 |
|            |      | Type4 | 26 | 17.3 | 211.0 | 15 | 1 |
|            |      | Type4 | 27 | 19.2 | 272.0 | 16 | 1 |
|            |      | Type4 | 28 | 14.2 | 264.0 | 13 | 1 |
|            |      | Type4 | 29 | 18.2 | 284.0 | 15 | 1 |
| 11AX80MIMO | 5290 | Type1 | 0  | 1.0  | 938.0 | 57 | 1 |
|            |      | Type1 | 1  | 1.0  | 698.0 | 76 | 1 |
|            |      | Type1 | 2  | 1.0  | 618.0 | 86 | 1 |
|            |      | Type1 | 3  | 1.0  | 538.0 | 99 | 1 |
|            |      | Type1 | 4  | 1.0  | 878.0 | 61 | 1 |

|            |      |       |    |     |        |    |   |
|------------|------|-------|----|-----|--------|----|---|
|            |      | Type1 | 5  | 1.0 | 3066.0 | 18 | 1 |
|            |      | Type1 | 6  | 1.0 | 638.0  | 83 | 1 |
|            |      | Type1 | 7  | 1.0 | 918.0  | 58 | 1 |
|            |      | Type1 | 8  | 1.0 | 838.0  | 63 | 1 |
|            |      | Type1 | 9  | 1.0 | 858.0  | 62 | 1 |
|            |      | Type1 | 10 | 1.0 | 798.0  | 67 | 1 |
|            |      | Type1 | 11 | 1.0 | 718.0  | 74 | 0 |
|            |      | Type1 | 12 | 1.0 | 578.0  | 92 | 1 |
|            |      | Type1 | 13 | 1.0 | 598.0  | 89 | 1 |
|            |      | Type1 | 14 | 1.0 | 558.0  | 95 | 0 |
|            |      | Type1 | 15 | 1.0 | 2536.0 | 21 | 1 |
|            |      | Type1 | 16 | 1.0 | 966.0  | 55 | 1 |
|            |      | Type1 | 17 | 1.0 | 827.0  | 64 | 1 |
|            |      | Type1 | 18 | 1.0 | 2501.0 | 22 | 1 |
|            |      | Type1 | 19 | 1.0 | 2595.0 | 21 | 1 |
|            |      | Type1 | 20 | 1.0 | 1114.0 | 48 | 1 |
|            |      | Type1 | 21 | 1.0 | 1302.0 | 41 | 1 |
|            |      | Type1 | 22 | 1.0 | 3045.0 | 18 | 1 |
|            |      | Type1 | 23 | 1.0 | 1624.0 | 33 | 1 |
|            |      | Type1 | 24 | 1.0 | 2878.0 | 19 | 1 |
|            |      | Type1 | 25 | 1.0 | 1027.0 | 52 | 1 |
|            |      | Type1 | 26 | 1.0 | 2485.0 | 22 | 1 |
|            |      | Type1 | 27 | 1.0 | 1600.0 | 33 | 1 |
|            |      | Type1 | 28 | 1.0 | 1172.0 | 46 | 1 |
|            |      | Type1 | 29 | 1.0 | 1177.0 | 45 | 1 |
|            |      | Type2 | 0  | 3.2 | 179.0  | 26 | 1 |
|            |      | Type2 | 1  | 1.1 | 207.0  | 23 | 1 |
|            |      | Type2 | 2  | 2.1 | 230.0  | 24 | 1 |
|            |      | Type2 | 3  | 4.8 | 200.0  | 29 | 1 |
|            |      | Type2 | 4  | 3.9 | 214.0  | 28 | 1 |
|            |      | Type2 | 5  | 2.9 | 222.0  | 26 | 1 |
|            |      | Type2 | 6  | 3.2 | 204.0  | 26 | 1 |
|            |      | Type2 | 7  | 2.5 | 192.0  | 25 | 1 |
|            |      | Type2 | 8  | 3.1 | 164.0  | 26 | 1 |
| 11AX80MIMO | 5290 | Type2 | 9  | 1.2 | 156.0  | 23 | 1 |
|            |      | Type2 | 10 | 3.9 | 210.0  | 27 | 1 |
|            |      | Type2 | 11 | 4.6 | 201.0  | 29 | 1 |
|            |      | Type2 | 12 | 3.2 | 162.0  | 26 | 0 |
|            |      | Type2 | 13 | 2.2 | 197.0  | 25 | 1 |
|            |      | Type2 | 14 | 4.5 | 163.0  | 29 | 1 |
|            |      | Type2 | 15 | 3.0 | 203.0  | 26 | 1 |
|            |      | Type2 | 16 | 5.0 | 168.0  | 29 | 1 |
|            |      | Type2 | 17 | 2.4 | 217.0  | 25 | 1 |
|            |      | Type2 | 18 | 2.9 | 191.0  | 26 | 1 |
|            |      | Type2 | 19 | 2.3 | 166.0  | 25 | 1 |
|            |      | Type2 | 20 | 3.7 | 150.0  | 27 | 0 |
|            |      | Type2 | 21 | 2.2 | 176.0  | 25 | 1 |
|            |      | Type2 | 22 | 4.9 | 195.0  | 29 | 0 |
|            |      | Type2 | 23 | 2.9 | 202.0  | 26 | 1 |
|            |      | Type2 | 24 | 2.5 | 178.0  | 25 | 0 |
|            |      | Type2 | 25 | 1.1 | 206.0  | 23 | 1 |
|            |      | Type2 | 26 | 3.8 | 155.0  | 27 | 1 |
|            |      | Type2 | 27 | 4.7 | 157.0  | 29 | 1 |
|            |      | Type2 | 28 | 2.4 | 224.0  | 25 | 1 |
|            |      | Type2 | 29 | 4.2 | 159.0  | 28 | 1 |
|            |      | Type3 | 0  | 8.2 | 355.0  | 17 | 1 |
|            |      | Type3 | 1  | 6.1 | 487.0  | 16 | 1 |
|            |      | Type3 | 2  | 7.1 | 344.0  | 16 | 1 |
|            |      | Type3 | 3  | 9.8 | 288.0  | 18 | 1 |
|            |      | Type3 | 4  | 8.9 | 230.0  | 18 | 1 |
|            |      | Type3 | 5  | 7.9 | 432.0  | 17 | 1 |

|            |      |       |    |      |        |    |   |
|------------|------|-------|----|------|--------|----|---|
|            |      | Type3 | 6  | 8.2  | 207.0  | 17 | 1 |
|            |      | Type3 | 7  | 7.5  | 443.0  | 17 | 1 |
|            |      | Type3 | 8  | 8.1  | 439.0  | 17 | 1 |
|            |      | Type3 | 9  | 6.2  | 223.0  | 16 | 1 |
|            |      | Type3 | 10 | 8.9  | 208.0  | 18 | 1 |
|            |      | Type3 | 11 | 9.6  | 463.0  | 18 | 1 |
|            |      | Type3 | 12 | 8.2  | 441.0  | 17 | 1 |
|            |      | Type3 | 13 | 7.2  | 323.0  | 16 | 0 |
|            |      | Type3 | 14 | 9.5  | 297.0  | 18 | 1 |
|            |      | Type3 | 15 | 8.0  | 412.0  | 17 | 1 |
|            |      | Type3 | 16 | 10.0 | 324.0  | 18 | 1 |
|            |      | Type3 | 17 | 7.4  | 271.0  | 17 | 1 |
|            |      | Type3 | 18 | 7.9  | 349.0  | 17 | 1 |
|            |      | Type3 | 19 | 7.3  | 409.0  | 16 | 1 |
|            |      | Type3 | 20 | 8.7  | 373.0  | 18 | 1 |
|            |      | Type3 | 21 | 7.2  | 254.0  | 16 | 1 |
|            |      | Type3 | 22 | 9.9  | 274.0  | 18 | 1 |
|            |      | Type3 | 23 | 7.9  | 278.0  | 17 | 1 |
|            |      | Type3 | 24 | 7.5  | 317.0  | 17 | 1 |
|            |      | Type3 | 25 | 6.1  | 260.0  | 16 | 1 |
|            |      | Type3 | 26 | 8.8  | 211.0  | 18 | 1 |
|            |      | Type3 | 27 | 9.7  | 272.0  | 18 | 1 |
|            |      | Type3 | 28 | 7.4  | 264.0  | 17 | 1 |
|            |      | Type3 | 29 | 9.2  | 284.0  | 18 | 0 |
|            |      | Type4 | 0  | 16.0 | 355.0  | 14 | 1 |
|            |      | Type4 | 1  | 11.3 | 487.0  | 12 | 1 |
|            |      | Type4 | 2  | 13.5 | 344.0  | 13 | 1 |
|            |      | Type4 | 3  | 19.4 | 288.0  | 16 | 1 |
|            |      | Type4 | 4  | 17.5 | 230.0  | 15 | 1 |
|            |      | Type4 | 5  | 15.3 | 432.0  | 14 | 1 |
|            |      | Type4 | 6  | 15.9 | 207.0  | 14 | 0 |
| 11AX80MIMO | 5290 | Type4 | 7  | 14.3 | 443.0  | 13 | 1 |
|            |      | Type4 | 8  | 15.8 | 439.0  | 14 | 1 |
|            |      | Type4 | 9  | 11.5 | 223.0  | 12 | 1 |
|            |      | Type4 | 10 | 17.4 | 208.0  | 15 | 1 |
|            |      | Type4 | 11 | 19.0 | 463.0  | 16 | 1 |
|            |      | Type4 | 12 | 16.0 | 441.0  | 14 | 1 |
|            |      | Type4 | 13 | 13.8 | 323.0  | 13 | 1 |
|            |      | Type4 | 14 | 18.9 | 297.0  | 16 | 1 |
|            |      | Type4 | 15 | 15.5 | 412.0  | 14 | 1 |
|            |      | Type4 | 16 | 19.9 | 324.0  | 16 | 1 |
|            |      | Type4 | 17 | 14.1 | 271.0  | 13 | 0 |
|            |      | Type4 | 18 | 15.2 | 349.0  | 14 | 0 |
|            |      | Type4 | 19 | 13.8 | 409.0  | 13 | 1 |
|            |      | Type4 | 20 | 17.1 | 373.0  | 15 | 1 |
|            |      | Type4 | 21 | 13.8 | 254.0  | 13 | 1 |
|            |      | Type4 | 22 | 19.8 | 274.0  | 16 | 1 |
|            |      | Type4 | 23 | 15.3 | 278.0  | 14 | 1 |
|            |      | Type4 | 24 | 14.5 | 317.0  | 13 | 0 |
|            |      | Type4 | 25 | 11.3 | 260.0  | 12 | 1 |
|            |      | Type4 | 26 | 17.3 | 211.0  | 15 | 1 |
| 11AX80MIMO | 5530 | Type4 | 27 | 19.2 | 272.0  | 16 | 1 |
|            |      | Type4 | 28 | 14.2 | 264.0  | 13 | 1 |
|            |      | Type4 | 29 | 18.2 | 284.0  | 15 | 1 |
|            |      | Type1 | 0  | 1.0  | 938.0  | 57 | 1 |
|            |      | Type1 | 1  | 1.0  | 698.0  | 76 | 1 |
|            |      | Type1 | 2  | 1.0  | 618.0  | 86 | 1 |
|            |      | Type1 | 3  | 1.0  | 538.0  | 99 | 1 |
|            |      | Type1 | 4  | 1.0  | 878.0  | 61 | 1 |
|            |      | Type1 | 5  | 1.0  | 3066.0 | 18 | 1 |
|            |      | Type1 | 6  | 1.0  | 638.0  | 83 | 1 |

|  |       |    |     |        |    |   |
|--|-------|----|-----|--------|----|---|
|  | Type1 | 7  | 1.0 | 918.0  | 58 | 1 |
|  | Type1 | 8  | 1.0 | 838.0  | 63 | 1 |
|  | Type1 | 9  | 1.0 | 858.0  | 62 | 1 |
|  | Type1 | 10 | 1.0 | 798.0  | 67 | 0 |
|  | Type1 | 11 | 1.0 | 718.0  | 74 | 1 |
|  | Type1 | 12 | 1.0 | 578.0  | 92 | 1 |
|  | Type1 | 13 | 1.0 | 598.0  | 89 | 1 |
|  | Type1 | 14 | 1.0 | 558.0  | 95 | 1 |
|  | Type1 | 15 | 1.0 | 2536.0 | 21 | 1 |
|  | Type1 | 16 | 1.0 | 966.0  | 55 | 1 |
|  | Type1 | 17 | 1.0 | 827.0  | 64 | 1 |
|  | Type1 | 18 | 1.0 | 2501.0 | 22 | 1 |
|  | Type1 | 19 | 1.0 | 2595.0 | 21 | 0 |
|  | Type1 | 20 | 1.0 | 1114.0 | 48 | 1 |
|  | Type1 | 21 | 1.0 | 1302.0 | 41 | 1 |
|  | Type1 | 22 | 1.0 | 3045.0 | 18 | 1 |
|  | Type1 | 23 | 1.0 | 1624.0 | 33 | 1 |
|  | Type1 | 24 | 1.0 | 2878.0 | 19 | 1 |
|  | Type1 | 25 | 1.0 | 1027.0 | 52 | 1 |
|  | Type1 | 26 | 1.0 | 2485.0 | 22 | 0 |
|  | Type1 | 27 | 1.0 | 1600.0 | 33 | 1 |
|  | Type1 | 28 | 1.0 | 1172.0 | 46 | 1 |
|  | Type1 | 29 | 1.0 | 1177.0 | 45 | 1 |
|  | Type2 | 0  | 3.2 | 179.0  | 26 | 1 |
|  | Type2 | 1  | 1.1 | 207.0  | 23 | 1 |
|  | Type2 | 2  | 2.1 | 230.0  | 24 | 1 |
|  | Type2 | 3  | 4.8 | 200.0  | 29 | 1 |
|  | Type2 | 4  | 3.9 | 214.0  | 28 | 1 |

|            |      |       |    |      |       |    |   |
|------------|------|-------|----|------|-------|----|---|
| 11AX80MIMO | 5530 | Type2 | 5  | 2.9  | 222.0 | 26 | 1 |
|            |      | Type2 | 6  | 3.2  | 204.0 | 26 | 1 |
|            |      | Type2 | 7  | 2.5  | 192.0 | 25 | 0 |
|            |      | Type2 | 8  | 3.1  | 164.0 | 26 | 0 |
|            |      | Type2 | 9  | 1.2  | 156.0 | 23 | 1 |
|            |      | Type2 | 10 | 3.9  | 210.0 | 27 | 1 |
|            |      | Type2 | 11 | 4.6  | 201.0 | 29 | 1 |
|            |      | Type2 | 12 | 3.2  | 162.0 | 26 | 0 |
|            |      | Type2 | 13 | 2.2  | 197.0 | 25 | 1 |
|            |      | Type2 | 14 | 4.5  | 163.0 | 29 | 1 |
|            |      | Type2 | 15 | 3.0  | 203.0 | 26 | 1 |
|            |      | Type2 | 16 | 5.0  | 168.0 | 29 | 1 |
|            |      | Type2 | 17 | 2.4  | 217.0 | 25 | 1 |
|            |      | Type2 | 18 | 2.9  | 191.0 | 26 | 1 |
|            |      | Type2 | 19 | 2.3  | 166.0 | 25 | 1 |
|            |      | Type2 | 20 | 3.7  | 150.0 | 27 | 1 |
|            |      | Type2 | 21 | 2.2  | 176.0 | 25 | 1 |
|            |      | Type2 | 22 | 4.9  | 195.0 | 29 | 1 |
|            |      | Type2 | 23 | 2.9  | 202.0 | 26 | 1 |
|            |      | Type2 | 24 | 2.5  | 178.0 | 25 | 1 |
|            |      | Type2 | 25 | 1.1  | 206.0 | 23 | 1 |
|            |      | Type2 | 26 | 3.8  | 155.0 | 27 | 0 |
|            |      | Type2 | 27 | 4.7  | 157.0 | 29 | 1 |
|            |      | Type2 | 28 | 2.4  | 224.0 | 25 | 1 |
|            |      | Type2 | 29 | 4.2  | 159.0 | 28 | 1 |
|            |      | Type3 | 0  | 8.2  | 355.0 | 17 | 1 |
|            |      | Type3 | 1  | 6.1  | 487.0 | 16 | 1 |
|            |      | Type3 | 2  | 7.1  | 344.0 | 16 | 1 |
|            |      | Type3 | 3  | 9.8  | 288.0 | 18 | 1 |
|            |      | Type3 | 4  | 8.9  | 230.0 | 18 | 1 |
|            |      | Type3 | 5  | 7.9  | 432.0 | 17 | 1 |
|            |      | Type3 | 6  | 8.2  | 207.0 | 17 | 0 |
|            |      | Type3 | 7  | 7.5  | 443.0 | 17 | 1 |
|            |      | Type3 | 8  | 8.1  | 439.0 | 17 | 1 |
|            |      | Type3 | 9  | 6.2  | 223.0 | 16 | 1 |
|            |      | Type3 | 10 | 8.9  | 208.0 | 18 | 1 |
|            |      | Type3 | 11 | 9.6  | 463.0 | 18 | 1 |
|            |      | Type3 | 12 | 8.2  | 441.0 | 17 | 1 |
|            |      | Type3 | 13 | 7.2  | 323.0 | 16 | 1 |
|            |      | Type3 | 14 | 9.5  | 297.0 | 18 | 1 |
|            |      | Type3 | 15 | 8.0  | 412.0 | 17 | 1 |
|            |      | Type3 | 16 | 10.0 | 324.0 | 18 | 1 |
|            |      | Type3 | 17 | 7.4  | 271.0 | 17 | 1 |
|            |      | Type3 | 18 | 7.9  | 349.0 | 17 | 1 |
|            |      | Type3 | 19 | 7.3  | 409.0 | 16 | 1 |
|            |      | Type3 | 20 | 8.7  | 373.0 | 18 | 1 |
|            |      | Type3 | 21 | 7.2  | 254.0 | 16 | 1 |
|            |      | Type3 | 22 | 9.9  | 274.0 | 18 | 0 |
|            |      | Type3 | 23 | 7.9  | 278.0 | 17 | 1 |

|             |      |       |    |      |        |    |   |
|-------------|------|-------|----|------|--------|----|---|
| 11AX80MIMO  | 5530 | Type3 | 24 | 7.5  | 317.0  | 17 | 1 |
|             |      | Type3 | 25 | 6.1  | 260.0  | 16 | 1 |
|             |      | Type3 | 26 | 8.8  | 211.0  | 18 | 1 |
|             |      | Type3 | 27 | 9.7  | 272.0  | 18 | 1 |
|             |      | Type3 | 28 | 7.4  | 264.0  | 17 | 1 |
|             |      | Type3 | 29 | 9.2  | 284.0  | 18 | 1 |
|             |      | Type4 | 0  | 16.0 | 355.0  | 14 | 1 |
|             |      | Type4 | 1  | 11.3 | 487.0  | 12 | 1 |
|             |      | Type4 | 2  | 13.5 | 344.0  | 13 | 1 |
|             |      | Type4 | 3  | 19.4 | 288.0  | 16 | 1 |
|             |      | Type4 | 4  | 17.5 | 230.0  | 15 | 1 |
|             |      | Type4 | 5  | 15.3 | 432.0  | 14 | 1 |
|             |      | Type4 | 6  | 15.9 | 207.0  | 14 | 1 |
|             |      | Type4 | 7  | 14.3 | 443.0  | 13 | 0 |
|             |      | Type4 | 8  | 15.8 | 439.0  | 14 | 1 |
|             |      | Type4 | 9  | 11.5 | 223.0  | 12 | 1 |
|             |      | Type4 | 10 | 17.4 | 208.0  | 15 | 1 |
|             |      | Type4 | 11 | 19.0 | 463.0  | 16 | 1 |
|             |      | Type4 | 12 | 16.0 | 441.0  | 14 | 1 |
|             |      | Type4 | 13 | 13.8 | 323.0  | 13 | 1 |
|             |      | Type4 | 14 | 18.9 | 297.0  | 16 | 1 |
|             |      | Type4 | 15 | 15.5 | 412.0  | 14 | 1 |
|             |      | Type4 | 16 | 19.9 | 324.0  | 16 | 1 |
|             |      | Type4 | 17 | 14.1 | 271.0  | 13 | 1 |
|             |      | Type4 | 18 | 15.2 | 349.0  | 14 | 1 |
|             |      | Type4 | 19 | 13.8 | 409.0  | 13 | 1 |
|             |      | Type4 | 20 | 17.1 | 373.0  | 15 | 1 |
|             |      | Type4 | 21 | 13.8 | 254.0  | 13 | 1 |
|             |      | Type4 | 22 | 19.8 | 274.0  | 16 | 1 |
|             |      | Type4 | 23 | 15.3 | 278.0  | 14 | 0 |
|             |      | Type4 | 24 | 14.5 | 317.0  | 13 | 1 |
|             |      | Type4 | 25 | 11.3 | 260.0  | 12 | 1 |
|             |      | Type4 | 26 | 17.3 | 211.0  | 15 | 1 |
|             |      | Type4 | 27 | 19.2 | 272.0  | 16 | 1 |
|             |      | Type4 | 28 | 14.2 | 264.0  | 13 | 1 |
|             |      | Type4 | 29 | 18.2 | 284.0  | 15 | 1 |
| 11AX160MIMO | 5250 | Type1 | 0  | 1.0  | 938.0  | 57 | 1 |
|             |      | Type1 | 1  | 1.0  | 698.0  | 76 | 1 |
|             |      | Type1 | 2  | 1.0  | 618.0  | 86 | 1 |
|             |      | Type1 | 3  | 1.0  | 538.0  | 99 | 0 |
|             |      | Type1 | 4  | 1.0  | 878.0  | 61 | 1 |
|             |      | Type1 | 5  | 1.0  | 3066.0 | 18 | 1 |
|             |      | Type1 | 6  | 1.0  | 638.0  | 83 | 1 |
|             |      | Type1 | 7  | 1.0  | 918.0  | 58 | 1 |
|             |      | Type1 | 8  | 1.0  | 838.0  | 63 | 1 |
|             |      | Type1 | 9  | 1.0  | 858.0  | 62 | 1 |
|             |      | Type1 | 10 | 1.0  | 798.0  | 67 | 1 |

|             |      |       |    |     |        |    |   |
|-------------|------|-------|----|-----|--------|----|---|
| 11AX160MIMO | 5250 | Type1 | 11 | 1.0 | 718.0  | 74 | 1 |
|             |      | Type1 | 12 | 1.0 | 578.0  | 92 | 0 |
|             |      | Type1 | 13 | 1.0 | 598.0  | 89 | 0 |
|             |      | Type1 | 14 | 1.0 | 558.0  | 95 | 0 |
|             |      | Type1 | 15 | 1.0 | 2536.0 | 21 | 1 |
|             |      | Type1 | 16 | 1.0 | 966.0  | 55 | 1 |
|             |      | Type1 | 17 | 1.0 | 827.0  | 64 | 1 |
|             |      | Type1 | 18 | 1.0 | 2501.0 | 22 | 1 |
|             |      | Type1 | 19 | 1.0 | 2595.0 | 21 | 1 |
|             |      | Type1 | 20 | 1.0 | 1114.0 | 48 | 1 |
|             |      | Type1 | 21 | 1.0 | 1302.0 | 41 | 1 |
|             |      | Type1 | 22 | 1.0 | 3045.0 | 18 | 1 |
|             |      | Type1 | 23 | 1.0 | 1624.0 | 33 | 1 |
|             |      | Type1 | 24 | 1.0 | 2878.0 | 19 | 1 |
|             |      | Type1 | 25 | 1.0 | 1027.0 | 52 | 1 |
|             |      | Type1 | 26 | 1.0 | 2485.0 | 22 | 1 |
|             |      | Type1 | 27 | 1.0 | 1600.0 | 33 | 1 |
|             |      | Type1 | 28 | 1.0 | 1172.0 | 46 | 1 |
|             |      | Type1 | 29 | 1.0 | 1177.0 | 45 | 1 |
|             |      | Type2 | 0  | 3.2 | 179.0  | 26 | 1 |
|             |      | Type2 | 1  | 1.1 | 207.0  | 23 | 1 |
|             |      | Type2 | 2  | 2.1 | 230.0  | 24 | 1 |
|             |      | Type2 | 3  | 4.8 | 200.0  | 29 | 1 |
|             |      | Type2 | 4  | 3.9 | 214.0  | 28 | 1 |
|             |      | Type2 | 5  | 2.9 | 222.0  | 26 | 1 |
|             |      | Type2 | 6  | 3.2 | 204.0  | 26 | 1 |
|             |      | Type2 | 7  | 2.5 | 192.0  | 25 | 1 |
|             |      | Type2 | 8  | 3.1 | 164.0  | 26 | 1 |
|             |      | Type2 | 9  | 1.2 | 156.0  | 23 | 0 |
|             |      | Type2 | 10 | 3.9 | 210.0  | 27 | 1 |
|             |      | Type2 | 11 | 4.6 | 201.0  | 29 | 1 |
|             |      | Type2 | 12 | 3.2 | 162.0  | 26 | 1 |
|             |      | Type2 | 13 | 2.2 | 197.0  | 25 | 1 |
|             |      | Type2 | 14 | 4.5 | 163.0  | 29 | 0 |
|             |      | Type2 | 15 | 3.0 | 203.0  | 26 | 0 |
|             |      | Type2 | 16 | 5.0 | 168.0  | 29 | 0 |
|             |      | Type2 | 17 | 2.4 | 217.0  | 25 | 1 |
|             |      | Type2 | 18 | 2.9 | 191.0  | 26 | 1 |
|             |      | Type2 | 19 | 2.3 | 166.0  | 25 | 1 |
|             |      | Type2 | 20 | 3.7 | 150.0  | 27 | 0 |
|             |      | Type2 | 21 | 2.2 | 176.0  | 25 | 0 |
|             |      | Type2 | 22 | 4.9 | 195.0  | 29 | 1 |
|             |      | Type2 | 23 | 2.9 | 202.0  | 26 | 1 |
|             |      | Type2 | 24 | 2.5 | 178.0  | 25 | 1 |
|             |      | Type2 | 25 | 1.1 | 206.0  | 23 | 1 |
|             |      | Type2 | 26 | 3.8 | 155.0  | 27 | 0 |
|             |      | Type2 | 27 | 4.7 | 157.0  | 29 | 1 |
|             |      | Type2 | 28 | 2.4 | 224.0  | 25 | 1 |
|             |      | Type2 | 29 | 4.2 | 159.0  | 28 | 1 |

|             |      |       |    |      |       |    |   |
|-------------|------|-------|----|------|-------|----|---|
| 11AX160MIMO | 5250 | Type3 | 0  | 8.2  | 355.0 | 17 | 1 |
|             |      | Type3 | 1  | 6.1  | 487.0 | 16 | 1 |
|             |      | Type3 | 2  | 7.1  | 344.0 | 16 | 1 |
|             |      | Type3 | 3  | 9.8  | 288.0 | 18 | 0 |
|             |      | Type3 | 4  | 8.9  | 230.0 | 18 | 1 |
|             |      | Type3 | 5  | 7.9  | 432.0 | 17 | 1 |
|             |      | Type3 | 6  | 8.2  | 207.0 | 17 | 1 |
|             |      | Type3 | 7  | 7.5  | 443.0 | 17 | 1 |
|             |      | Type3 | 8  | 8.1  | 439.0 | 17 | 1 |
|             |      | Type3 | 9  | 6.2  | 223.0 | 16 | 1 |
|             |      | Type3 | 10 | 8.9  | 208.0 | 18 | 1 |
|             |      | Type3 | 11 | 9.6  | 463.0 | 18 | 1 |
|             |      | Type3 | 12 | 8.2  | 441.0 | 17 | 1 |
|             |      | Type3 | 13 | 7.2  | 323.0 | 16 | 1 |
|             |      | Type3 | 14 | 9.5  | 297.0 | 18 | 1 |
|             |      | Type3 | 15 | 8.0  | 412.0 | 17 | 0 |
|             |      | Type3 | 16 | 10.0 | 324.0 | 18 | 0 |
|             |      | Type3 | 17 | 7.4  | 271.0 | 17 | 1 |
|             |      | Type3 | 18 | 7.9  | 349.0 | 17 | 1 |
|             |      | Type3 | 19 | 7.3  | 409.0 | 16 | 1 |
|             |      | Type3 | 20 | 8.7  | 373.0 | 18 | 1 |
|             |      | Type3 | 21 | 7.2  | 254.0 | 16 | 1 |
|             |      | Type3 | 22 | 9.9  | 274.0 | 18 | 1 |
|             |      | Type3 | 23 | 7.9  | 278.0 | 17 | 1 |
|             |      | Type3 | 24 | 7.5  | 317.0 | 17 | 1 |
|             |      | Type3 | 25 | 6.1  | 260.0 | 16 | 1 |
|             |      | Type3 | 26 | 8.8  | 211.0 | 18 | 1 |
|             |      | Type3 | 27 | 9.7  | 272.0 | 18 | 1 |
|             |      | Type3 | 28 | 7.4  | 264.0 | 17 | 1 |
|             |      | Type3 | 29 | 9.2  | 284.0 | 18 | 1 |
|             |      | Type4 | 0  | 16.0 | 355.0 | 14 | 1 |
|             |      | Type4 | 1  | 11.3 | 487.0 | 12 | 1 |
|             |      | Type4 | 2  | 13.5 | 344.0 | 13 | 1 |
|             |      | Type4 | 3  | 19.4 | 288.0 | 16 | 1 |
|             |      | Type4 | 4  | 17.5 | 230.0 | 15 | 1 |
|             |      | Type4 | 5  | 15.3 | 432.0 | 14 | 1 |
|             |      | Type4 | 6  | 15.9 | 207.0 | 14 | 1 |
|             |      | Type4 | 7  | 14.3 | 443.0 | 13 | 1 |
|             |      | Type4 | 8  | 15.8 | 439.0 | 14 | 1 |
|             |      | Type4 | 9  | 11.5 | 223.0 | 12 | 1 |
|             |      | Type4 | 10 | 17.4 | 208.0 | 15 | 1 |

|             |      |       |    |      |        |    |   |
|-------------|------|-------|----|------|--------|----|---|
| 11AX160MIMO | 5250 | Type4 | 11 | 19.0 | 463.0  | 16 | 1 |
|             |      | Type4 | 12 | 16.0 | 441.0  | 14 | 0 |
|             |      | Type4 | 13 | 13.8 | 323.0  | 13 | 1 |
|             |      | Type4 | 14 | 18.9 | 297.0  | 16 | 1 |
|             |      | Type4 | 15 | 15.5 | 412.0  | 14 | 1 |
|             |      | Type4 | 16 | 19.9 | 324.0  | 16 | 1 |
|             |      | Type4 | 17 | 14.1 | 271.0  | 13 | 1 |
|             |      | Type4 | 18 | 15.2 | 349.0  | 14 | 1 |
|             |      | Type4 | 19 | 13.8 | 409.0  | 13 | 1 |
|             |      | Type4 | 20 | 17.1 | 373.0  | 15 | 1 |
|             |      | Type4 | 21 | 13.8 | 254.0  | 13 | 1 |
|             |      | Type4 | 22 | 19.8 | 274.0  | 16 | 1 |
|             |      | Type4 | 23 | 15.3 | 278.0  | 14 | 1 |
|             |      | Type4 | 24 | 14.5 | 317.0  | 13 | 0 |
|             |      | Type4 | 25 | 11.3 | 260.0  | 12 | 0 |
|             |      | Type4 | 26 | 17.3 | 211.0  | 15 | 1 |
|             |      | Type4 | 27 | 19.2 | 272.0  | 16 | 1 |
|             |      | Type4 | 28 | 14.2 | 264.0  | 13 | 1 |
|             |      | Type4 | 29 | 18.2 | 284.0  | 15 | 1 |
|             | 5570 | Type1 | 0  | 1.0  | 938.0  | 57 | 1 |
|             |      | Type1 | 1  | 1.0  | 698.0  | 76 | 1 |
|             |      | Type1 | 2  | 1.0  | 618.0  | 86 | 1 |
|             |      | Type1 | 3  | 1.0  | 538.0  | 99 | 1 |
|             |      | Type1 | 4  | 1.0  | 878.0  | 61 | 1 |
|             |      | Type1 | 5  | 1.0  | 3066.0 | 18 | 1 |
|             |      | Type1 | 6  | 1.0  | 638.0  | 83 | 1 |
|             |      | Type1 | 7  | 1.0  | 918.0  | 58 | 1 |
|             |      | Type1 | 8  | 1.0  | 838.0  | 63 | 1 |
|             |      | Type1 | 9  | 1.0  | 858.0  | 62 | 1 |
|             |      | Type1 | 10 | 1.0  | 798.0  | 67 | 1 |
|             |      | Type1 | 11 | 1.0  | 718.0  | 74 | 1 |
|             |      | Type1 | 12 | 1.0  | 578.0  | 92 | 1 |
|             |      | Type1 | 13 | 1.0  | 598.0  | 89 | 0 |
|             |      | Type1 | 14 | 1.0  | 558.0  | 95 | 1 |
|             |      | Type1 | 15 | 1.0  | 2536.0 | 21 | 1 |
|             |      | Type1 | 16 | 1.0  | 966.0  | 55 | 1 |
|             |      | Type1 | 17 | 1.0  | 827.0  | 64 | 1 |
|             |      | Type1 | 18 | 1.0  | 2501.0 | 22 | 1 |
|             |      | Type1 | 19 | 1.0  | 2595.0 | 21 | 1 |
|             |      | Type1 | 20 | 1.0  | 1114.0 | 48 | 1 |
|             |      | Type1 | 21 | 1.0  | 1302.0 | 41 | 1 |
|             |      | Type1 | 22 | 1.0  | 3045.0 | 18 | 0 |
|             |      | Type1 | 23 | 1.0  | 1624.0 | 33 | 1 |
|             |      | Type1 | 24 | 1.0  | 2878.0 | 19 | 1 |
|             |      | Type1 | 25 | 1.0  | 1027.0 | 52 | 1 |
|             |      | Type1 | 26 | 1.0  | 2485.0 | 22 | 1 |
|             |      | Type1 | 27 | 1.0  | 1600.0 | 33 | 1 |
|             |      | Type1 | 28 | 1.0  | 1172.0 | 46 | 1 |
|             |      | Type1 | 29 | 1.0  | 1177.0 | 45 | 1 |

|             |      |       |    |      |       |    |   |
|-------------|------|-------|----|------|-------|----|---|
| 11AX160MIMO | 5570 | Type2 | 0  | 3.2  | 179.0 | 26 | 1 |
|             |      | Type2 | 1  | 1.1  | 207.0 | 23 | 1 |
|             |      | Type2 | 2  | 2.1  | 230.0 | 24 | 1 |
|             |      | Type2 | 3  | 4.8  | 200.0 | 29 | 1 |
|             |      | Type2 | 4  | 3.9  | 214.0 | 28 | 1 |
|             |      | Type2 | 5  | 2.9  | 222.0 | 26 | 1 |
|             |      | Type2 | 6  | 3.2  | 204.0 | 26 | 1 |
|             |      | Type2 | 7  | 2.5  | 192.0 | 25 | 1 |
|             |      | Type2 | 8  | 3.1  | 164.0 | 26 | 1 |
|             |      | Type2 | 9  | 1.2  | 156.0 | 23 | 1 |
|             |      | Type2 | 10 | 3.9  | 210.0 | 27 | 1 |
|             |      | Type2 | 11 | 4.6  | 201.0 | 29 | 1 |
|             |      | Type2 | 12 | 3.2  | 162.0 | 26 | 1 |
|             |      | Type2 | 13 | 2.2  | 197.0 | 25 | 1 |
|             |      | Type2 | 14 | 4.5  | 163.0 | 29 | 1 |
|             |      | Type2 | 15 | 3.0  | 203.0 | 26 | 1 |
|             |      | Type2 | 16 | 5.0  | 168.0 | 29 | 1 |
|             |      | Type2 | 17 | 2.4  | 217.0 | 25 | 0 |
|             |      | Type2 | 18 | 2.9  | 191.0 | 26 | 0 |
|             |      | Type2 | 19 | 2.3  | 166.0 | 25 | 1 |
|             |      | Type2 | 20 | 3.7  | 150.0 | 27 | 1 |
|             |      | Type2 | 21 | 2.2  | 176.0 | 25 | 1 |
|             |      | Type2 | 22 | 4.9  | 195.0 | 29 | 1 |
|             |      | Type2 | 23 | 2.9  | 202.0 | 26 | 1 |
|             |      | Type2 | 24 | 2.5  | 178.0 | 25 | 1 |
|             |      | Type2 | 25 | 1.1  | 206.0 | 23 | 1 |
|             |      | Type2 | 26 | 3.8  | 155.0 | 27 | 1 |
|             |      | Type2 | 27 | 4.7  | 157.0 | 29 | 0 |
|             |      | Type2 | 28 | 2.4  | 224.0 | 25 | 1 |
|             |      | Type2 | 29 | 4.2  | 159.0 | 28 | 1 |
|             |      | Type3 | 0  | 8.2  | 355.0 | 17 | 1 |
|             |      | Type3 | 1  | 6.1  | 487.0 | 16 | 1 |
|             |      | Type3 | 2  | 7.1  | 344.0 | 16 | 1 |
|             |      | Type3 | 3  | 9.8  | 288.0 | 18 | 1 |
|             |      | Type3 | 4  | 8.9  | 230.0 | 18 | 1 |
|             |      | Type3 | 5  | 7.9  | 432.0 | 17 | 0 |
|             |      | Type3 | 6  | 8.2  | 207.0 | 17 | 1 |
|             |      | Type3 | 7  | 7.5  | 443.0 | 17 | 1 |
|             |      | Type3 | 8  | 8.1  | 439.0 | 17 | 1 |
|             |      | Type3 | 9  | 6.2  | 223.0 | 16 | 1 |
|             |      | Type3 | 10 | 8.9  | 208.0 | 18 | 1 |
|             |      | Type3 | 11 | 9.6  | 463.0 | 18 | 1 |
|             |      | Type3 | 12 | 8.2  | 441.0 | 17 | 1 |
|             |      | Type3 | 13 | 7.2  | 323.0 | 16 | 0 |
|             |      | Type3 | 14 | 9.5  | 297.0 | 18 | 1 |
|             |      | Type3 | 15 | 8.0  | 412.0 | 17 | 1 |
|             |      | Type3 | 16 | 10.0 | 324.0 | 18 | 1 |
|             |      | Type3 | 17 | 7.4  | 271.0 | 17 | 1 |
|             |      | Type3 | 18 | 7.9  | 349.0 | 17 | 1 |
|             |      | Type3 | 19 | 7.3  | 409.0 | 16 | 1 |
|             |      | Type3 | 20 | 8.7  | 373.0 | 18 | 1 |

|             |      |       |    |      |       |    |   |
|-------------|------|-------|----|------|-------|----|---|
| 11AX160MIMO | 5570 | Type3 | 21 | 7.2  | 254.0 | 16 | 1 |
|             |      | Type3 | 22 | 9.9  | 274.0 | 18 | 0 |
|             |      | Type3 | 23 | 7.9  | 278.0 | 17 | 1 |
|             |      | Type3 | 24 | 7.5  | 317.0 | 17 | 1 |
|             |      | Type3 | 25 | 6.1  | 260.0 | 16 | 1 |
|             |      | Type3 | 26 | 8.8  | 211.0 | 18 | 1 |
|             |      | Type3 | 27 | 9.7  | 272.0 | 18 | 1 |
|             |      | Type3 | 28 | 7.4  | 264.0 | 17 | 1 |
|             |      | Type3 | 29 | 9.2  | 284.0 | 18 | 1 |
|             |      | Type4 | 0  | 16.0 | 355.0 | 14 | 1 |
|             |      | Type4 | 1  | 11.3 | 487.0 | 12 | 1 |
|             |      | Type4 | 2  | 13.5 | 344.0 | 13 | 1 |
|             |      | Type4 | 3  | 19.4 | 288.0 | 16 | 1 |
|             |      | Type4 | 4  | 17.5 | 230.0 | 15 | 1 |
|             |      | Type4 | 5  | 15.3 | 432.0 | 14 | 1 |
|             |      | Type4 | 6  | 15.9 | 207.0 | 14 | 1 |
|             |      | Type4 | 7  | 14.3 | 443.0 | 13 | 1 |
|             |      | Type4 | 8  | 15.8 | 439.0 | 14 | 1 |
|             |      | Type4 | 9  | 11.5 | 223.0 | 12 | 1 |
|             |      | Type4 | 10 | 17.4 | 208.0 | 15 | 1 |
|             |      | Type4 | 11 | 19.0 | 463.0 | 16 | 1 |
|             |      | Type4 | 12 | 16.0 | 441.0 | 14 | 1 |
|             |      | Type4 | 13 | 13.8 | 323.0 | 13 | 1 |
|             |      | Type4 | 14 | 18.9 | 297.0 | 16 | 1 |
|             |      | Type4 | 15 | 15.5 | 412.0 | 14 | 1 |
|             |      | Type4 | 16 | 19.9 | 324.0 | 16 | 1 |
|             |      | Type4 | 17 | 14.1 | 271.0 | 13 | 0 |
|             |      | Type4 | 18 | 15.2 | 349.0 | 14 | 0 |
|             |      | Type4 | 19 | 13.8 | 409.0 | 13 | 1 |
|             |      | Type4 | 20 | 17.1 | 373.0 | 15 | 1 |
|             |      | Type4 | 21 | 13.8 | 254.0 | 13 | 1 |
|             |      | Type4 | 22 | 19.8 | 274.0 | 16 | 1 |
|             |      | Type4 | 23 | 15.3 | 278.0 | 14 | 1 |
|             |      | Type4 | 24 | 14.5 | 317.0 | 13 | 1 |
|             |      | Type4 | 25 | 11.3 | 260.0 | 12 | 1 |
|             |      | Type4 | 26 | 17.3 | 211.0 | 15 | 0 |
|             |      | Type4 | 27 | 19.2 | 272.0 | 16 | 0 |
|             |      | Type4 | 28 | 14.2 | 264.0 | 13 | 0 |
|             |      | Type4 | 29 | 18.2 | 284.0 | 15 | 1 |

| Test Mode  | Channel | Radar Type | Trial ID | Number Of Bursts | Waveform Length (s)) | Radar Frequency | Detection (1: Yes; 0: No) |
|------------|---------|------------|----------|------------------|----------------------|-----------------|---------------------------|
| 11AX20MIMO | 5260    | Type5      | 0        | 15               | 12                   | 5260            | 1                         |
|            |         | Type5      | 1        | 8                | 12                   | 5260            | 1                         |
|            |         | Type5      | 2        | 11               | 12                   | 5260            | 1                         |
|            |         | Type5      | 3        | 20               | 12                   | 5260            | 1                         |
|            |         | Type5      | 4        | 17               | 12                   | 5260            | 1                         |
|            |         | Type5      | 5        | 14               | 12                   | 5260            | 0                         |
|            |         | Type5      | 6        | 15               | 12                   | 5260            | 1                         |
|            |         | Type5      | 7        | 12               | 12                   | 5260            | 1                         |
|            |         | Type5      | 8        | 14               | 12                   | 5260            | 1                         |
|            |         | Type5      | 9        | 8                | 12                   | 5260            | 1                         |
|            |         | Type5      | 10       | 17               | 12                   | 5229            | 1                         |
|            |         | Type5      | 11       | 19               | 12                   | 5230            | 0                         |
|            |         | Type5      | 12       | 15               | 12                   | 5228            | 1                         |
|            |         | Type5      | 13       | 12               | 12                   | 5226            | 1                         |
|            |         | Type5      | 14       | 19               | 12                   | 5230            | 1                         |
|            |         | Type5      | 15       | 14               | 12                   | 5227            | 1                         |
|            |         | Type5      | 16       | 20               | 12                   | 5230            | 1                         |
|            |         | Type5      | 17       | 12               | 12                   | 5226            | 1                         |
|            |         | Type5      | 18       | 14               | 12                   | 5227            | 1                         |
|            |         | Type5      | 19       | 12               | 12                   | 5226            | 0                         |
|            |         | Type5      | 20       | 16               | 12                   | 5292            | 1                         |
|            |         | Type5      | 21       | 12               | 12                   | 5294            | 1                         |
|            |         | Type5      | 22       | 20               | 12                   | 5290            | 1                         |
|            |         | Type5      | 23       | 14               | 12                   | 5293            | 1                         |
|            |         | Type5      | 24       | 13               | 12                   | 5293            | 1                         |
|            |         | Type5      | 25       | 8                | 12                   | 5296            | 1                         |
|            |         | Type5      | 26       | 17               | 12                   | 5291            | 1                         |
|            |         | Type5      | 27       | 19               | 12                   | 5290            | 1                         |
|            |         | Type5      | 28       | 12               | 12                   | 5294            | 1                         |
|            |         | Type5      | 29       | 18               | 12                   | 5291            | 1                         |
|            | 5500    | Type5      | 0        | 15               | 12                   | 5500            | 1                         |
|            |         | Type5      | 1        | 8                | 12                   | 5500            | 1                         |
|            |         | Type5      | 2        | 11               | 12                   | 5500            | 1                         |
|            |         | Type5      | 3        | 20               | 12                   | 5500            | 1                         |
|            |         | Type5      | 4        | 17               | 12                   | 5500            | 1                         |
|            |         | Type5      | 5        | 14               | 12                   | 5500            | 1                         |
|            |         | Type5      | 6        | 15               | 12                   | 5500            | 1                         |
|            |         | Type5      | 7        | 12               | 12                   | 5500            | 1                         |
|            |         | Type5      | 8        | 14               | 12                   | 5500            | 1                         |
|            |         | Type5      | 9        | 8                | 12                   | 5500            | 0                         |
|            |         | Type5      | 10       | 17               | 12                   | 5469            | 0                         |
|            |         | Type5      | 11       | 19               | 12                   | 5470            | 1                         |
|            |         | Type5      | 12       | 15               | 12                   | 5468            | 1                         |
|            |         | Type5      | 13       | 12               | 12                   | 5466            | 1                         |
|            |         | Type5      | 14       | 19               | 12                   | 5470            | 1                         |
|            |         | Type5      | 15       | 14               | 12                   | 5467            | 1                         |
|            |         | Type5      | 16       | 20               | 12                   | 5470            | 1                         |
|            |         | Type5      | 17       | 12               | 12                   | 5466            | 1                         |
|            |         | Type5      | 18       | 14               | 12                   | 5467            | 1                         |
|            |         | Type5      | 19       | 12               | 12                   | 5466            | 1                         |
|            |         | Type5      | 20       | 16               | 12                   | 5532            | 1                         |

|            |      |       |    |    |    |      |   |
|------------|------|-------|----|----|----|------|---|
| 11AX20MIMO | 5500 | Type5 | 21 | 12 | 12 | 5534 | 1 |
|            |      | Type5 | 22 | 20 | 12 | 5530 | 0 |
|            |      | Type5 | 23 | 14 | 12 | 5533 | 0 |
|            |      | Type5 | 24 | 13 | 12 | 5533 | 1 |
|            |      | Type5 | 25 | 8  | 12 | 5536 | 1 |
|            |      | Type5 | 26 | 17 | 12 | 5531 | 1 |
|            |      | Type5 | 27 | 19 | 12 | 5530 | 0 |
|            |      | Type5 | 28 | 12 | 12 | 5534 | 1 |
|            |      | Type5 | 29 | 18 | 12 | 5531 | 1 |
| 11AX40MIMO | 5270 | Type5 | 0  | 15 | 12 | 5270 | 1 |
|            |      | Type5 | 1  | 8  | 12 | 5270 | 1 |
|            |      | Type5 | 2  | 11 | 12 | 5270 | 1 |
|            |      | Type5 | 3  | 20 | 12 | 5270 | 1 |
|            |      | Type5 | 4  | 17 | 12 | 5270 | 1 |
|            |      | Type5 | 5  | 14 | 12 | 5270 | 1 |
|            |      | Type5 | 6  | 15 | 12 | 5270 | 0 |
|            |      | Type5 | 7  | 12 | 12 | 5270 | 1 |
|            |      | Type5 | 8  | 14 | 12 | 5270 | 1 |
|            |      | Type5 | 9  | 8  | 12 | 5270 | 1 |
|            |      | Type5 | 10 | 17 | 12 | 5239 | 1 |
|            |      | Type5 | 11 | 19 | 12 | 5240 | 1 |
|            |      | Type5 | 12 | 15 | 12 | 5238 | 0 |
|            |      | Type5 | 13 | 12 | 12 | 5236 | 1 |
|            |      | Type5 | 14 | 19 | 12 | 5240 | 1 |
|            |      | Type5 | 15 | 14 | 12 | 5237 | 1 |
|            |      | Type5 | 16 | 20 | 12 | 5240 | 1 |
|            |      | Type5 | 17 | 12 | 12 | 5236 | 1 |
|            |      | Type5 | 18 | 14 | 12 | 5237 | 1 |
|            |      | Type5 | 19 | 12 | 12 | 5236 | 1 |
|            |      | Type5 | 20 | 16 | 12 | 5302 | 1 |
|            |      | Type5 | 21 | 12 | 12 | 5304 | 0 |
|            |      | Type5 | 22 | 20 | 12 | 5300 | 1 |
|            |      | Type5 | 23 | 14 | 12 | 5303 | 1 |
|            |      | Type5 | 24 | 13 | 12 | 5303 | 1 |
|            |      | Type5 | 25 | 8  | 12 | 5306 | 1 |
|            |      | Type5 | 26 | 17 | 12 | 5301 | 1 |
|            |      | Type5 | 27 | 19 | 12 | 5300 | 1 |
|            |      | Type5 | 28 | 12 | 12 | 5304 | 1 |
|            |      | Type5 | 29 | 18 | 12 | 5301 | 1 |
|            | 5510 | Type5 | 0  | 15 | 12 | 5510 | 1 |
|            |      | Type5 | 1  | 8  | 12 | 5510 | 1 |
|            |      | Type5 | 2  | 11 | 12 | 5510 | 1 |
|            |      | Type5 | 3  | 20 | 12 | 5510 | 1 |
|            |      | Type5 | 4  | 17 | 12 | 5510 | 0 |
|            |      | Type5 | 5  | 14 | 12 | 5510 | 1 |
|            |      | Type5 | 6  | 15 | 12 | 5510 | 1 |
|            |      | Type5 | 7  | 12 | 12 | 5510 | 1 |
|            |      | Type5 | 8  | 14 | 12 | 5510 | 1 |
|            |      | Type5 | 9  | 8  | 12 | 5510 | 1 |
|            |      | Type5 | 10 | 17 | 12 | 5479 | 1 |

|            |      |       |    |    |    |      |   |
|------------|------|-------|----|----|----|------|---|
| 11AX40MIMO | 5510 | Type5 | 11 | 19 | 12 | 5480 | 1 |
|            |      | Type5 | 12 | 15 | 12 | 5478 | 0 |
|            |      | Type5 | 13 | 12 | 12 | 5476 | 1 |
|            |      | Type5 | 14 | 19 | 12 | 5480 | 0 |
|            |      | Type5 | 15 | 14 | 12 | 5477 | 1 |
|            |      | Type5 | 16 | 20 | 12 | 5480 | 1 |
|            |      | Type5 | 17 | 12 | 12 | 5476 | 1 |
|            |      | Type5 | 18 | 14 | 12 | 5477 | 1 |
|            |      | Type5 | 19 | 12 | 12 | 5476 | 1 |
|            |      | Type5 | 20 | 16 | 12 | 5542 | 1 |
|            |      | Type5 | 21 | 12 | 12 | 5544 | 1 |
|            |      | Type5 | 22 | 20 | 12 | 5540 | 1 |
|            |      | Type5 | 23 | 14 | 12 | 5543 | 1 |
|            |      | Type5 | 24 | 13 | 12 | 5543 | 0 |
|            |      | Type5 | 25 | 8  | 12 | 5546 | 1 |
|            |      | Type5 | 26 | 17 | 12 | 5541 | 1 |
|            |      | Type5 | 27 | 19 | 12 | 5540 | 1 |
|            |      | Type5 | 28 | 12 | 12 | 5544 | 1 |
|            |      | Type5 | 29 | 18 | 12 | 5541 | 1 |
| 11AX80MIMO | 5290 | Type5 | 0  | 15 | 12 | 5290 | 1 |
|            |      | Type5 | 1  | 8  | 12 | 5290 | 1 |
|            |      | Type5 | 2  | 11 | 12 | 5290 | 1 |
|            |      | Type5 | 3  | 20 | 12 | 5290 | 1 |
|            |      | Type5 | 4  | 17 | 12 | 5290 | 1 |
|            |      | Type5 | 5  | 14 | 12 | 5290 | 0 |
|            |      | Type5 | 6  | 15 | 12 | 5290 | 1 |
|            |      | Type5 | 7  | 12 | 12 | 5290 | 1 |
|            |      | Type5 | 8  | 14 | 12 | 5290 | 1 |
|            |      | Type5 | 9  | 8  | 12 | 5290 | 0 |
|            |      | Type5 | 10 | 17 | 12 | 5259 | 1 |
|            |      | Type5 | 11 | 19 | 12 | 5260 | 1 |
|            |      | Type5 | 12 | 15 | 12 | 5258 | 0 |
|            |      | Type5 | 13 | 12 | 12 | 5256 | 1 |
|            |      | Type5 | 14 | 19 | 12 | 5260 | 1 |
|            |      | Type5 | 15 | 14 | 12 | 5257 | 0 |
|            |      | Type5 | 16 | 20 | 12 | 5260 | 1 |
|            |      | Type5 | 17 | 12 | 12 | 5256 | 1 |
|            |      | Type5 | 18 | 14 | 12 | 5257 | 1 |
|            |      | Type5 | 19 | 12 | 12 | 5256 | 1 |
|            |      | Type5 | 20 | 16 | 12 | 5322 | 1 |
|            |      | Type5 | 21 | 12 | 12 | 5324 | 1 |
|            |      | Type5 | 22 | 20 | 12 | 5320 | 1 |
|            |      | Type5 | 23 | 14 | 12 | 5323 | 1 |
|            |      | Type5 | 24 | 13 | 12 | 5323 | 1 |
|            |      | Type5 | 25 | 8  | 12 | 5326 | 1 |
|            |      | Type5 | 26 | 17 | 12 | 5321 | 1 |
|            |      | Type5 | 27 | 19 | 12 | 5320 | 1 |
|            |      | Type5 | 28 | 12 | 12 | 5324 | 1 |
|            |      | Type5 | 29 | 18 | 12 | 5321 | 1 |

|             |      |       |    |    |    |      |   |
|-------------|------|-------|----|----|----|------|---|
| 11AX80MIMO  | 5530 | Type5 | 0  | 15 | 12 | 5530 | 1 |
|             |      | Type5 | 1  | 8  | 12 | 5530 | 1 |
|             |      | Type5 | 2  | 11 | 12 | 5530 | 1 |
|             |      | Type5 | 3  | 20 | 12 | 5530 | 1 |
|             |      | Type5 | 4  | 17 | 12 | 5530 | 1 |
|             |      | Type5 | 5  | 14 | 12 | 5530 | 1 |
|             |      | Type5 | 6  | 15 | 12 | 5530 | 1 |
|             |      | Type5 | 7  | 12 | 12 | 5530 | 1 |
|             |      | Type5 | 8  | 14 | 12 | 5530 | 1 |
|             |      | Type5 | 9  | 8  | 12 | 5530 | 1 |
|             |      | Type5 | 10 | 17 | 12 | 5499 | 0 |
|             |      | Type5 | 11 | 19 | 12 | 5500 | 0 |
|             |      | Type5 | 12 | 15 | 12 | 5498 | 1 |
|             |      | Type5 | 13 | 12 | 12 | 5496 | 1 |
|             |      | Type5 | 14 | 19 | 12 | 5500 | 0 |
|             |      | Type5 | 15 | 14 | 12 | 5497 | 1 |
|             |      | Type5 | 16 | 20 | 12 | 5500 | 1 |
|             |      | Type5 | 17 | 12 | 12 | 5496 | 1 |
|             |      | Type5 | 18 | 14 | 12 | 5497 | 1 |
|             |      | Type5 | 19 | 12 | 12 | 5496 | 1 |
|             |      | Type5 | 20 | 16 | 12 | 5562 | 1 |
|             |      | Type5 | 21 | 12 | 12 | 5564 | 1 |
|             |      | Type5 | 22 | 20 | 12 | 5560 | 0 |
|             |      | Type5 | 23 | 14 | 12 | 5563 | 1 |
|             |      | Type5 | 24 | 13 | 12 | 5563 | 1 |
|             |      | Type5 | 25 | 8  | 12 | 5566 | 1 |
|             |      | Type5 | 26 | 17 | 12 | 5561 | 1 |
|             |      | Type5 | 27 | 19 | 12 | 5560 | 1 |
|             |      | Type5 | 28 | 12 | 12 | 5564 | 1 |
|             |      | Type5 | 29 | 18 | 12 | 5561 | 1 |
| 11AX160MIMO | 5250 | Type5 | 0  | 15 | 12 | 5260 | 0 |
|             |      | Type5 | 1  | 8  | 12 | 5260 | 1 |
|             |      | Type5 | 2  | 11 | 12 | 5260 | 1 |
|             |      | Type5 | 3  | 20 | 12 | 5260 | 1 |
|             |      | Type5 | 4  | 17 | 12 | 5260 | 0 |
|             |      | Type5 | 5  | 14 | 12 | 5260 | 1 |
|             |      | Type5 | 6  | 15 | 12 | 5260 | 1 |
|             |      | Type5 | 7  | 12 | 12 | 5260 | 1 |
|             |      | Type5 | 8  | 14 | 12 | 5260 | 1 |
|             |      | Type5 | 9  | 8  | 12 | 5260 | 1 |
|             |      | Type5 | 10 | 17 | 12 | 5229 | 0 |
|             |      | Type5 | 11 | 19 | 12 | 5230 | 1 |
|             |      | Type5 | 12 | 15 | 12 | 5228 | 1 |
|             |      | Type5 | 13 | 12 | 12 | 5226 | 1 |
|             |      | Type5 | 14 | 19 | 12 | 5230 | 1 |
|             |      | Type5 | 15 | 14 | 12 | 5227 | 0 |
|             |      | Type5 | 16 | 20 | 12 | 5230 | 1 |
|             |      | Type5 | 17 | 12 | 12 | 5226 | 1 |
|             |      | Type5 | 18 | 14 | 12 | 5227 | 1 |
|             |      | Type5 | 19 | 12 | 12 | 5226 | 1 |
|             |      | Type5 | 20 | 16 | 12 | 5292 | 1 |

|             |      |       |    |    |    |      |   |
|-------------|------|-------|----|----|----|------|---|
| 11AX160MIMO | 5250 | Type5 | 21 | 12 | 12 | 5294 | 0 |
|             |      | Type5 | 22 | 20 | 12 | 5290 | 1 |
|             |      | Type5 | 23 | 14 | 12 | 5293 | 1 |
|             |      | Type5 | 24 | 13 | 12 | 5293 | 1 |
|             |      | Type5 | 25 | 8  | 12 | 5296 | 1 |
|             |      | Type5 | 26 | 17 | 12 | 5291 | 0 |
|             |      | Type5 | 27 | 19 | 12 | 5290 | 1 |
|             |      | Type5 | 28 | 12 | 12 | 5294 | 1 |
|             |      | Type5 | 29 | 18 | 12 | 5291 | 1 |
|             | 5570 | Type5 | 0  | 15 | 12 | 5570 | 1 |
|             |      | Type5 | 1  | 8  | 12 | 5570 | 1 |
|             |      | Type5 | 2  | 11 | 12 | 5570 | 1 |
|             |      | Type5 | 3  | 20 | 12 | 5570 | 1 |
|             |      | Type5 | 4  | 17 | 12 | 5570 | 0 |
|             |      | Type5 | 5  | 14 | 12 | 5570 | 1 |
|             |      | Type5 | 6  | 15 | 12 | 5570 | 1 |
|             |      | Type5 | 7  | 12 | 12 | 5570 | 1 |
|             |      | Type5 | 8  | 14 | 12 | 5570 | 1 |
|             |      | Type5 | 9  | 8  | 12 | 5570 | 1 |
|             |      | Type5 | 10 | 17 | 12 | 5539 | 0 |
|             |      | Type5 | 11 | 19 | 12 | 5540 | 1 |
|             |      | Type5 | 12 | 15 | 12 | 5538 | 1 |
|             |      | Type5 | 13 | 12 | 12 | 5536 | 1 |
|             |      | Type5 | 14 | 19 | 12 | 5540 | 1 |
|             |      | Type5 | 15 | 14 | 12 | 5537 | 1 |
|             |      | Type5 | 16 | 20 | 12 | 5540 | 1 |
|             |      | Type5 | 17 | 12 | 12 | 5536 | 1 |
|             |      | Type5 | 18 | 14 | 12 | 5537 | 1 |
|             |      | Type5 | 19 | 12 | 12 | 5536 | 0 |
|             |      | Type5 | 20 | 16 | 12 | 5602 | 0 |
|             |      | Type5 | 21 | 12 | 12 | 5604 | 0 |
|             |      | Type5 | 22 | 20 | 12 | 5600 | 1 |
|             |      | Type5 | 23 | 14 | 12 | 5603 | 1 |
|             |      | Type5 | 24 | 13 | 12 | 5603 | 1 |
|             |      | Type5 | 25 | 8  | 12 | 5606 | 1 |
|             |      | Type5 | 26 | 17 | 12 | 5601 | 1 |
|             |      | Type5 | 27 | 19 | 12 | 5600 | 1 |
|             |      | Type5 | 28 | 12 | 12 | 5604 | 1 |
|             |      | Type5 | 29 | 18 | 12 | 5601 | 1 |

| Test Mode  | Channel | Radar Type | Trial ID | Pulse width (μs) | PRI (μs) | Pulses per Hop | Detection (1: Yes; 0: No) |
|------------|---------|------------|----------|------------------|----------|----------------|---------------------------|
| 11AX20MIMO | 5260    | Type6      | 0        | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 1        | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 2        | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 3        | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 4        | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 5        | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 6        | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 7        | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 8        | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 9        | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 10       | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 11       | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 12       | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 13       | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 14       | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 15       | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 16       | 1                | 333.3    | 9              | 0                         |
|            |         | Type6      | 17       | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 18       | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 19       | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 20       | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 21       | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 22       | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 23       | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 24       | 1                | 333.3    | 9              | 0                         |
|            |         | Type6      | 25       | 1                | 333.3    | 9              | 0                         |
|            |         | Type6      | 26       | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 27       | 1                | 333.3    | 9              | 0                         |
|            |         | Type6      | 28       | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 29       | 1                | 333.3    | 9              | 1                         |
|            | 5500    | Type6      | 0        | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 1        | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 2        | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 3        | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 4        | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 5        | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 6        | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 7        | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 8        | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 9        | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 10       | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 11       | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 12       | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 13       | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 14       | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 15       | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 16       | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 17       | 1                | 333.3    | 9              | 0                         |
|            |         | Type6      | 18       | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 19       | 1                | 333.3    | 9              | 1                         |
|            |         | Type6      | 20       | 1                | 333.3    | 9              | 1                         |

|            |      |       |    |   |       |   |   |
|------------|------|-------|----|---|-------|---|---|
| 11AX20MIMO | 5500 | Type6 | 21 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 22 | 1 | 333.3 | 9 | 0 |
|            |      | Type6 | 23 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 24 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 25 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 26 | 1 | 333.3 | 9 | 0 |
|            |      | Type6 | 27 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 28 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 29 | 1 | 333.3 | 9 | 1 |
| 11AX40MIMO | 5270 | Type6 | 0  | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 1  | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 2  | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 3  | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 4  | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 5  | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 6  | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 7  | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 8  | 1 | 333.3 | 9 | 0 |
|            |      | Type6 | 9  | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 10 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 11 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 12 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 13 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 14 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 15 | 1 | 333.3 | 9 | 0 |
|            |      | Type6 | 16 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 17 | 1 | 333.3 | 9 | 0 |
|            |      | Type6 | 18 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 19 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 20 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 21 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 22 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 23 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 24 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 25 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 26 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 27 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 28 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 29 | 1 | 333.3 | 9 | 1 |
|            | 5510 | Type6 | 0  | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 1  | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 2  | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 3  | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 4  | 1 | 333.3 | 9 | 0 |
|            |      | Type6 | 5  | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 6  | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 7  | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 8  | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 9  | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 10 | 1 | 333.3 | 9 | 1 |

|            |      |       |    |   |       |   |   |
|------------|------|-------|----|---|-------|---|---|
| 11AX40MIMO | 5510 | Type6 | 11 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 12 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 13 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 14 | 1 | 333.3 | 9 | 0 |
|            |      | Type6 | 15 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 16 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 17 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 18 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 19 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 20 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 21 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 22 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 23 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 24 | 1 | 333.3 | 9 | 0 |
|            |      | Type6 | 25 | 1 | 333.3 | 9 | 0 |
|            |      | Type6 | 26 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 27 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 28 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 29 | 1 | 333.3 | 9 | 1 |
| 11AX80MIMO | 5290 | Type6 | 0  | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 1  | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 2  | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 3  | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 4  | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 5  | 1 | 333.3 | 9 | 0 |
|            |      | Type6 | 6  | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 7  | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 8  | 1 | 333.3 | 9 | 0 |
|            |      | Type6 | 9  | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 10 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 11 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 12 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 13 | 1 | 333.3 | 9 | 0 |
|            |      | Type6 | 14 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 15 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 16 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 17 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 18 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 19 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 20 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 21 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 22 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 23 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 24 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 25 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 26 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 27 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 28 | 1 | 333.3 | 9 | 1 |
|            |      | Type6 | 29 | 1 | 333.3 | 9 | 1 |

|             |      |       |    |   |       |   |   |
|-------------|------|-------|----|---|-------|---|---|
| 11AX80MIMO  | 5530 | Type6 | 0  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 1  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 2  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 3  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 4  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 5  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 6  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 7  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 8  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 9  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 10 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 11 | 1 | 333.3 | 9 | 0 |
|             |      | Type6 | 12 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 13 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 14 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 15 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 16 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 17 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 18 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 19 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 20 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 21 | 1 | 333.3 | 9 | 0 |
|             |      | Type6 | 22 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 23 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 24 | 1 | 333.3 | 9 | 0 |
|             |      | Type6 | 25 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 26 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 27 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 28 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 29 | 1 | 333.3 | 9 | 1 |
| 11AX160MIMO | 5250 | Type6 | 0  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 1  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 2  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 3  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 4  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 5  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 6  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 7  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 8  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 9  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 10 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 11 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 12 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 13 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 14 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 15 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 16 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 17 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 18 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 19 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 20 | 1 | 333.3 | 9 | 0 |

|             |      |       |    |   |       |   |   |
|-------------|------|-------|----|---|-------|---|---|
| 11AX160MIMO | 5250 | Type6 | 21 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 22 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 23 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 24 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 25 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 26 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 27 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 28 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 29 | 1 | 333.3 | 9 | 1 |
|             | 5570 | Type6 | 0  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 1  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 2  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 3  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 4  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 5  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 6  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 7  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 8  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 9  | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 10 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 11 | 1 | 333.3 | 9 | 0 |
|             |      | Type6 | 12 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 13 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 14 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 15 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 16 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 17 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 18 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 19 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 20 | 1 | 333.3 | 9 | 0 |
|             |      | Type6 | 21 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 22 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 23 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 24 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 25 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 26 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 27 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 28 | 1 | 333.3 | 9 | 1 |
|             |      | Type6 | 29 | 1 | 333.3 | 9 | 1 |

| Test Mode  | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO | 5260    | Type5      | 0        | 10       | 177933.0          | 13                | 3                | 85.7             | 1433.0    | 1695.0    | 1394.0    |
|            |         | Type5      | 0        | 0        | 636185.0          | 13                | 2                | 77.8             | 1665.0    | 1477.0    | ---       |
|            |         | Type5      | 0        | 13       | 759583.0          | 13                | 1                | 65.7             | 1512.0    | ---       | ---       |
|            |         | Type5      | 0        | 11       | 370624.0          | 13                | 3                | 94.3             | 1670.0    | 1426.0    | 1935.0    |
|            |         | Type5      | 0        | 14       | 154262.0          | 13                | 3                | 93.5             | 1444.0    | 1130.0    | 1468.0    |
|            |         | Type5      | 0        | 9        | 783794.0          | 13                | 1                | 53.2             | 1147.0    | ---       | ---       |
|            |         | Type5      | 0        | 8        | 588564.0          | 13                | 2                | 76.7             | 2000.0    | 1155.0    | ---       |
|            |         | Type5      | 0        | 7        | 395530.0          | 13                | 2                | 68.4             | 1587.0    | 1114.0    | ---       |
|            |         | Type5      | 0        | 6        | 201917.0          | 13                | 2                | 77.2             | 1837.0    | 1819.0    | ---       |
|            |         | Type5      | 0        | 5        | 8789.0            | 13                | 2                | 73.7             | 1198.0    | 1549.0    | ---       |
|            |         | Type5      | 0        | 4        | 611152.0          | 13                | 3                | 85.9             | 1795.0    | 1215.0    | 1729.0    |
|            |         | Type5      | 0        | 3        | 417976.0          | 13                | 3                | 96.6             | 1682.0    | 1786.0    | 1843.0    |
|            | 5500    | Type5      | 0        | 2        | 226294.0          | 13                | 1                | 63.8             | 1584.0    | ---       | ---       |
|            |         | Type5      | 0        | 1        | 32674.0           | 13                | 1                | 51.9             | 1074.0    | ---       | ---       |
|            |         | Type5      | 0        | 12       | 564893.0          | 13                | 2                | 77.6             | 1294.0    | 1671.0    | ---       |
|            |         | Type5      | 0        | 5        | 8789.0            | 13                | 2                | 73.7             | 1198.0    | 1549.0    | ---       |
|            |         | Type5      | 0        | 1        | 32674.0           | 13                | 1                | 51.9             | 1074.0    | ---       | ---       |
|            |         | Type5      | 0        | 0        | 636185.0          | 13                | 2                | 77.8             | 1665.0    | 1477.0    | ---       |
|            |         | Type5      | 0        | 2        | 226294.0          | 13                | 1                | 63.8             | 1584.0    | ---       | ---       |
|            |         | Type5      | 0        | 3        | 417976.0          | 13                | 3                | 96.6             | 1682.0    | 1786.0    | 1843.0    |
|            |         | Type5      | 0        | 4        | 611152.0          | 13                | 3                | 85.9             | 1795.0    | 1215.0    | 1729.0    |
|            |         | Type5      | 0        | 14       | 154262.0          | 13                | 3                | 93.5             | 1444.0    | 1130.0    | 1468.0    |
|            |         | Type5      | 0        | 6        | 201917.0          | 13                | 2                | 77.2             | 1837.0    | 1819.0    | ---       |
|            |         | Type5      | 0        | 7        | 395530.0          | 13                | 2                | 68.4             | 1587.0    | 1114.0    | ---       |
| 11AX40MIMO | 5270    | Type5      | 0        | 8        | 588564.0          | 13                | 2                | 76.7             | 2000.0    | 1155.0    | ---       |
|            |         | Type5      | 0        | 9        | 783794.0          | 13                | 1                | 53.2             | 1147.0    | ---       | ---       |
|            |         | Type5      | 0        | 10       | 177933.0          | 13                | 3                | 85.7             | 1433.0    | 1695.0    | 1394.0    |
|            |         | Type5      | 0        | 11       | 370624.0          | 13                | 3                | 94.3             | 1670.0    | 1426.0    | 1935.0    |
|            |         | Type5      | 0        | 13       | 759583.0          | 13                | 1                | 65.7             | 1512.0    | ---       | ---       |
|            |         | Type5      | 0        | 12       | 564893.0          | 13                | 2                | 77.6             | 1294.0    | 1671.0    | ---       |
|            |         | Type5      | 0        | 7        | 395530.0          | 13                | 2                | 68.4             | 1587.0    | 1114.0    | ---       |
|            |         | Type5      | 0        | 14       | 154262.0          | 13                | 3                | 93.5             | 1444.0    | 1130.0    | 1468.0    |
|            |         | Type5      | 0        | 13       | 759583.0          | 13                | 1                | 65.7             | 1512.0    | ---       | ---       |
|            |         | Type5      | 0        | 12       | 564893.0          | 13                | 2                | 77.6             | 1294.0    | 1671.0    | ---       |
|            |         | Type5      | 0        | 11       | 370624.0          | 13                | 3                | 94.3             | 1670.0    | 1426.0    | 1935.0    |
|            | 5510    | Type5      | 0        | 10       | 177933.0          | 13                | 3                | 85.7             | 1433.0    | 1695.0    | 1394.0    |
|            |         | Type5      | 0        | 8        | 588564.0          | 13                | 2                | 76.7             | 2000.0    | 1155.0    | ---       |
|            |         | Type5      | 0        | 6        | 201917.0          | 13                | 2                | 77.2             | 1837.0    | 1819.0    | ---       |
|            |         | Type5      | 0        | 5        | 8789.0            | 13                | 2                | 73.7             | 1198.0    | 1549.0    | ---       |
|            |         | Type5      | 0        | 4        | 611152.0          | 13                | 3                | 85.9             | 1795.0    | 1215.0    | 1729.0    |
|            |         | Type5      | 0        | 3        | 417976.0          | 13                | 3                | 96.6             | 1682.0    | 1786.0    | 1843.0    |
|            |         | Type5      | 0        | 2        | 226294.0          | 13                | 1                | 63.8             | 1584.0    | ---       | ---       |
|            |         | Type5      | 0        | 1        | 32674.0           | 13                | 1                | 51.9             | 1074.0    | ---       | ---       |
|            |         | Type5      | 0        | 0        | 636185.0          | 13                | 2                | 77.8             | 1665.0    | 1477.0    | ---       |
|            |         | Type5      | 0        | 9        | 783794.0          | 13                | 1                | 53.2             | 1147.0    | ---       | ---       |
|            |         | Type5      | 0        | 12       | 564893.0          | 13                | 2                | 77.6             | 1294.0    | 1671.0    | ---       |
|            |         | Type5      | 0        | 9        | 783794.0          | 13                | 1                | 53.2             | 1147.0    | ---       | ---       |
|            |         | Type5      | 0        | 14       | 154262.0          | 13                | 3                | 93.5             | 1444.0    | 1130.0    | 1468.0    |
|            |         | Type5      | 0        | 13       | 759583.0          | 13                | 1                | 65.7             | 1512.0    | ---       | ---       |
|            |         | Type5      | 0        | 10       | 177933.0          | 13                | 3                | 85.7             | 1433.0    | 1695.0    | 1394.0    |
|            |         | Type5      | 0        | 11       | 370624.0          | 13                | 3                | 94.3             | 1670.0    | 1426.0    | 1935.0    |
|            |         | Type5      | 0        | 0        | 636185.0          | 13                | 2                | 77.8             | 1665.0    | 1477.0    | ---       |
|            |         | Type5      | 0        | 8        | 588564.0          | 13                | 2                | 76.7             | 2000.0    | 1155.0    | ---       |
|            |         | Type5      | 0        | 7        | 395530.0          | 13                | 2                | 68.4             | 1587.0    | 1114.0    | ---       |

|             |      |       |   |    |          |    |   |      |        |        |        |
|-------------|------|-------|---|----|----------|----|---|------|--------|--------|--------|
|             |      | Type5 | 0 | 6  | 201917.0 | 13 | 2 | 77.2 | 1837.0 | 1819.0 | ---    |
|             |      | Type5 | 0 | 5  | 8789.0   | 13 | 2 | 73.7 | 1198.0 | 1549.0 | ---    |
|             |      | Type5 | 0 | 4  | 611152.0 | 13 | 3 | 85.9 | 1795.0 | 1215.0 | 1729.0 |
|             |      | Type5 | 0 | 3  | 417976.0 | 13 | 3 | 96.6 | 1682.0 | 1786.0 | 1843.0 |
|             |      | Type5 | 0 | 2  | 226294.0 | 13 | 1 | 63.8 | 1584.0 | ---    | ---    |
|             |      | Type5 | 0 | 1  | 32674.0  | 13 | 1 | 51.9 | 1074.0 | ---    | ---    |
| 11AX80MIMO  | 5290 | Type5 | 0 | 0  | 636185.0 | 13 | 2 | 77.8 | 1665.0 | 1477.0 | ---    |
|             |      | Type5 | 0 | 1  | 32674.0  | 13 | 1 | 51.9 | 1074.0 | ---    | ---    |
|             |      | Type5 | 0 | 2  | 226294.0 | 13 | 1 | 63.8 | 1584.0 | ---    | ---    |
|             |      | Type5 | 0 | 3  | 417976.0 | 13 | 3 | 96.6 | 1682.0 | 1786.0 | 1843.0 |
|             |      | Type5 | 0 | 4  | 611152.0 | 13 | 3 | 85.9 | 1795.0 | 1215.0 | 1729.0 |
|             |      | Type5 | 0 | 5  | 8789.0   | 13 | 2 | 73.7 | 1198.0 | 1549.0 | ---    |
|             |      | Type5 | 0 | 6  | 201917.0 | 13 | 2 | 77.2 | 1837.0 | 1819.0 | ---    |
|             |      | Type5 | 0 | 8  | 588564.0 | 13 | 2 | 76.7 | 2000.0 | 1155.0 | ---    |
|             |      | Type5 | 0 | 9  | 783794.0 | 13 | 1 | 53.2 | 1147.0 | ---    | ---    |
|             |      | Type5 | 0 | 10 | 177933.0 | 13 | 3 | 85.7 | 1433.0 | 1695.0 | 1394.0 |
|             |      | Type5 | 0 | 11 | 370624.0 | 13 | 3 | 94.3 | 1670.0 | 1426.0 | 1935.0 |
|             |      | Type5 | 0 | 12 | 564893.0 | 13 | 2 | 77.6 | 1294.0 | 1671.0 | ---    |
|             |      | Type5 | 0 | 14 | 154262.0 | 13 | 3 | 93.5 | 1444.0 | 1130.0 | 1468.0 |
|             |      | Type5 | 0 | 13 | 759583.0 | 13 | 1 | 65.7 | 1512.0 | ---    | ---    |
|             |      | Type5 | 0 | 7  | 395530.0 | 13 | 2 | 68.4 | 1587.0 | 1114.0 | ---    |
|             | 5530 | Type5 | 0 | 6  | 201917.0 | 13 | 2 | 77.2 | 1837.0 | 1819.0 | ---    |
|             |      | Type5 | 0 | 14 | 154262.0 | 13 | 3 | 93.5 | 1444.0 | 1130.0 | 1468.0 |
|             |      | Type5 | 0 | 13 | 759583.0 | 13 | 1 | 65.7 | 1512.0 | ---    | ---    |
|             |      | Type5 | 0 | 12 | 564893.0 | 13 | 2 | 77.6 | 1294.0 | 1671.0 | ---    |
|             |      | Type5 | 0 | 11 | 370624.0 | 13 | 3 | 94.3 | 1670.0 | 1426.0 | 1935.0 |
|             |      | Type5 | 0 | 10 | 177933.0 | 13 | 3 | 85.7 | 1433.0 | 1695.0 | 1394.0 |
|             |      | Type5 | 0 | 9  | 783794.0 | 13 | 1 | 53.2 | 1147.0 | ---    | ---    |
|             |      | Type5 | 0 | 1  | 32674.0  | 13 | 1 | 51.9 | 1074.0 | ---    | ---    |
|             |      | Type5 | 0 | 5  | 8789.0   | 13 | 2 | 73.7 | 1198.0 | 1549.0 | ---    |
|             |      | Type5 | 0 | 4  | 611152.0 | 13 | 3 | 85.9 | 1795.0 | 1215.0 | 1729.0 |
|             |      | Type5 | 0 | 3  | 417976.0 | 13 | 3 | 96.6 | 1682.0 | 1786.0 | 1843.0 |
|             |      | Type5 | 0 | 2  | 226294.0 | 13 | 1 | 63.8 | 1584.0 | ---    | ---    |
|             |      | Type5 | 0 | 7  | 395530.0 | 13 | 2 | 68.4 | 1587.0 | 1114.0 | ---    |
|             |      | Type5 | 0 | 8  | 588564.0 | 13 | 2 | 76.7 | 2000.0 | 1155.0 | ---    |
|             |      | Type5 | 0 | 0  | 636185.0 | 13 | 2 | 77.8 | 1665.0 | 1477.0 | ---    |
| 11AX160MIMO | 5250 | Type5 | 0 | 5  | 8789.0   | 13 | 2 | 73.7 | 1198.0 | 1549.0 | ---    |
|             |      | Type5 | 0 | 4  | 611152.0 | 13 | 3 | 85.9 | 1795.0 | 1215.0 | 1729.0 |
|             |      | Type5 | 0 | 0  | 636185.0 | 13 | 2 | 77.8 | 1665.0 | 1477.0 | ---    |
|             |      | Type5 | 0 | 3  | 417976.0 | 13 | 3 | 96.6 | 1682.0 | 1786.0 | 1843.0 |
|             |      | Type5 | 0 | 1  | 32674.0  | 13 | 1 | 51.9 | 1074.0 | ---    | ---    |
|             |      | Type5 | 0 | 12 | 564893.0 | 13 | 2 | 77.6 | 1294.0 | 1671.0 | ---    |
|             |      | Type5 | 0 | 6  | 201917.0 | 13 | 2 | 77.2 | 1837.0 | 1819.0 | ---    |
|             |      | Type5 | 0 | 2  | 226294.0 | 13 | 1 | 63.8 | 1584.0 | ---    | ---    |
|             |      | Type5 | 0 | 8  | 588564.0 | 13 | 2 | 76.7 | 2000.0 | 1155.0 | ---    |
|             |      | Type5 | 0 | 9  | 783794.0 | 13 | 1 | 53.2 | 1147.0 | ---    | ---    |
|             |      | Type5 | 0 | 11 | 370624.0 | 13 | 3 | 94.3 | 1670.0 | 1426.0 | 1935.0 |
|             |      | Type5 | 0 | 13 | 759583.0 | 13 | 1 | 65.7 | 1512.0 | ---    | ---    |
|             |      | Type5 | 0 | 14 | 154262.0 | 13 | 3 | 93.5 | 1444.0 | 1130.0 | 1468.0 |
|             |      | Type5 | 0 | 7  | 395530.0 | 13 | 2 | 68.4 | 1587.0 | 1114.0 | ---    |
|             |      | Type5 | 0 | 10 | 177933.0 | 13 | 3 | 85.7 | 1433.0 | 1695.0 | 1394.0 |
|             | 5570 | Type5 | 0 | 3  | 417976.0 | 13 | 3 | 96.6 | 1682.0 | 1786.0 | 1843.0 |
|             |      | Type5 | 0 | 13 | 759583.0 | 13 | 1 | 65.7 | 1512.0 | ---    | ---    |
|             |      | Type5 | 0 | 12 | 564893.0 | 13 | 2 | 77.6 | 1294.0 | 1671.0 | ---    |
|             |      | Type5 | 0 | 11 | 370624.0 | 13 | 3 | 94.3 | 1670.0 | 1426.0 | 1935.0 |
|             |      | Type5 | 0 | 10 | 177933.0 | 13 | 3 | 85.7 | 1433.0 | 1695.0 | 1394.0 |
|             |      | Type5 | 0 | 9  | 783794.0 | 13 | 1 | 53.2 | 1147.0 | ---    | ---    |
|             |      | Type5 | 0 | 8  | 588564.0 | 13 | 2 | 76.7 | 2000.0 | 1155.0 | ---    |

|  |       |   |    |          |    |   |      |        |        |        |
|--|-------|---|----|----------|----|---|------|--------|--------|--------|
|  | Type5 | 0 | 7  | 395530.0 | 13 | 2 | 68.4 | 1587.0 | 1114.0 | ---    |
|  | Type5 | 0 | 6  | 201917.0 | 13 | 2 | 77.2 | 1837.0 | 1819.0 | ---    |
|  | Type5 | 0 | 4  | 611152.0 | 13 | 3 | 85.9 | 1795.0 | 1215.0 | 1729.0 |
|  | Type5 | 0 | 2  | 226294.0 | 13 | 1 | 63.8 | 1584.0 | ---    | ---    |
|  | Type5 | 0 | 1  | 32674.0  | 13 | 1 | 51.9 | 1074.0 | ---    | ---    |
|  | Type5 | 0 | 0  | 636185.0 | 13 | 2 | 77.8 | 1665.0 | 1477.0 | ---    |
|  | Type5 | 0 | 14 | 154262.0 | 13 | 3 | 93.5 | 1444.0 | 1130.0 | 1468.0 |
|  | Type5 | 0 | 5  | 8789.0   | 13 | 2 | 73.7 | 1198.0 | 1549.0 | ---    |

| Test Mode   | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|-------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO  | 5260    | Type5      | 1        | 7        | 200406.0          | 5                 | 3                | 98.6             | 1548.0    | 1796.0    | 1728.0    |
|             |         | Type5      | 1        | 1        | 1015643.0         | 5                 | 3                | 99.4             | 1401.0    | 1262.0    | 1257.0    |
|             |         | Type5      | 1        | 2        | 1379398.0         | 5                 | 2                | 67.4             | 1531.0    | 1403.0    | ---       |
|             |         | Type5      | 1        | 3        | 245489.0          | 5                 | 2                | 73.6             | 1449.0    | 1041.0    | ---       |
|             |         | Type5      | 1        | 4        | 609113.0          | 5                 | 1                | 65.9             | 1432.0    | ---       | ---       |
|             |         | Type5      | 1        | 5        | 970852.0          | 5                 | 3                | 83.8             | 1356.0    | 1292.0    | 1419.0    |
|             |         | Type5      | 1        | 6        | 1335913.0         | 5                 | 1                | 65.5             | 1543.0    | ---       | ---       |
|             | 5500    | Type5      | 1        | 0        | 653020.0          | 5                 | 2                | 75.0             | 1880.0    | 1527.0    | ---       |
|             |         | Type5      | 1        | 1        | 1015643.0         | 5                 | 3                | 99.4             | 1401.0    | 1262.0    | 1257.0    |
|             |         | Type5      | 1        | 7        | 200406.0          | 5                 | 3                | 98.6             | 1548.0    | 1796.0    | 1728.0    |
|             |         | Type5      | 1        | 2        | 1379398.0         | 5                 | 2                | 67.4             | 1531.0    | 1403.0    | ---       |
|             |         | Type5      | 1        | 3        | 245489.0          | 5                 | 2                | 73.6             | 1449.0    | 1041.0    | ---       |
|             |         | Type5      | 1        | 4        | 609113.0          | 5                 | 1                | 65.9             | 1432.0    | ---       | ---       |
|             |         | Type5      | 1        | 6        | 1335913.0         | 5                 | 1                | 65.5             | 1543.0    | ---       | ---       |
| 11AX40MIMO  | 5270    | Type5      | 1        | 3        | 245489.0          | 5                 | 2                | 73.6             | 1449.0    | 1041.0    | ---       |
|             |         | Type5      | 1        | 7        | 200406.0          | 5                 | 3                | 98.6             | 1548.0    | 1796.0    | 1728.0    |
|             |         | Type5      | 1        | 6        | 1335913.0         | 5                 | 1                | 65.5             | 1543.0    | ---       | ---       |
|             |         | Type5      | 1        | 4        | 609113.0          | 5                 | 1                | 65.9             | 1432.0    | ---       | ---       |
|             |         | Type5      | 1        | 2        | 1379398.0         | 5                 | 2                | 67.4             | 1531.0    | 1403.0    | ---       |
|             |         | Type5      | 1        | 1        | 1015643.0         | 5                 | 3                | 99.4             | 1401.0    | 1262.0    | 1257.0    |
|             |         | Type5      | 1        | 0        | 653020.0          | 5                 | 2                | 75.0             | 1880.0    | 1527.0    | ---       |
|             | 5510    | Type5      | 1        | 5        | 970852.0          | 5                 | 3                | 83.8             | 1356.0    | 1292.0    | 1419.0    |
|             |         | Type5      | 1        | 6        | 1335913.0         | 5                 | 1                | 65.5             | 1543.0    | ---       | ---       |
|             |         | Type5      | 1        | 0        | 653020.0          | 5                 | 2                | 75.0             | 1880.0    | 1527.0    | ---       |
|             |         | Type5      | 1        | 1        | 1015643.0         | 5                 | 3                | 99.4             | 1401.0    | 1262.0    | 1257.0    |
|             |         | Type5      | 1        | 2        | 1379398.0         | 5                 | 2                | 67.4             | 1531.0    | 1403.0    | ---       |
|             |         | Type5      | 1        | 3        | 245489.0          | 5                 | 2                | 73.6             | 1449.0    | 1041.0    | ---       |
|             |         | Type5      | 1        | 5        | 970852.0          | 5                 | 3                | 83.8             | 1356.0    | 1292.0    | 1419.0    |
| 11AX80MIMO  | 5290    | Type5      | 1        | 7        | 200406.0          | 5                 | 3                | 98.6             | 1548.0    | 1796.0    | 1728.0    |
|             |         | Type5      | 1        | 4        | 609113.0          | 5                 | 1                | 65.9             | 1432.0    | ---       | ---       |
|             |         | Type5      | 1        | 6        | 1335913.0         | 5                 | 1                | 65.5             | 1543.0    | ---       | ---       |
|             |         | Type5      | 1        | 3        | 245489.0          | 5                 | 2                | 73.6             | 1449.0    | 1041.0    | ---       |
|             |         | Type5      | 1        | 7        | 200406.0          | 5                 | 3                | 98.6             | 1548.0    | 1796.0    | 1728.0    |
|             |         | Type5      | 1        | 5        | 970852.0          | 5                 | 3                | 83.8             | 1356.0    | 1292.0    | 1419.0    |
|             |         | Type5      | 1        | 1        | 1015643.0         | 5                 | 3                | 99.4             | 1401.0    | 1262.0    | 1257.0    |
|             | 5530    | Type5      | 1        | 2        | 1379398.0         | 5                 | 2                | 67.4             | 1531.0    | 1403.0    | ---       |
|             |         | Type5      | 1        | 4        | 609113.0          | 5                 | 1                | 65.9             | 1432.0    | ---       | ---       |
|             |         | Type5      | 1        | 6        | 1335913.0         | 5                 | 1                | 65.5             | 1543.0    | ---       | ---       |
|             |         | Type5      | 1        | 3        | 245489.0          | 5                 | 2                | 73.6             | 1449.0    | 1041.0    | ---       |
|             |         | Type5      | 1        | 7        | 200406.0          | 5                 | 3                | 98.6             | 1548.0    | 1796.0    | 1728.0    |
|             |         | Type5      | 1        | 5        | 970852.0          | 5                 | 3                | 83.8             | 1356.0    | 1292.0    | 1419.0    |
|             |         | Type5      | 1        | 1        | 1015643.0         | 5                 | 3                | 99.4             | 1401.0    | 1262.0    | 1257.0    |
| 11AX160MIMO | 5250    | Type5      | 1        | 0        | 653020.0          | 5                 | 2                | 75.0             | 1880.0    | 1527.0    | ---       |
|             |         | Type5      | 1        | 2        | 1379398.0         | 5                 | 2                | 67.4             | 1531.0    | 1403.0    | ---       |
|             |         | Type5      | 1        | 3        | 245489.0          | 5                 | 2                | 73.6             | 1449.0    | 1041.0    | ---       |
|             |         | Type5      | 1        | 6        | 1335913.0         | 5                 | 1                | 65.5             | 1543.0    | ---       | ---       |
|             |         | Type5      | 1        | 1        | 1015643.0         | 5                 | 3                | 99.4             | 1401.0    | 1262.0    | 1257.0    |

|  |      |       |   |   |           |   |   |      |        |        |        |
|--|------|-------|---|---|-----------|---|---|------|--------|--------|--------|
|  |      | Type5 | 1 | 5 | 970852.0  | 5 | 3 | 83.8 | 1356.0 | 1292.0 | 1419.0 |
|  |      | Type5 | 1 | 7 | 200406.0  | 5 | 3 | 98.6 | 1548.0 | 1796.0 | 1728.0 |
|  |      | Type5 | 1 | 4 | 609113.0  | 5 | 1 | 65.9 | 1432.0 | ---    | ---    |
|  | 5570 | Type5 | 1 | 7 | 200406.0  | 5 | 3 | 98.6 | 1548.0 | 1796.0 | 1728.0 |
|  |      | Type5 | 1 | 0 | 653020.0  | 5 | 2 | 75.0 | 1880.0 | 1527.0 | ---    |
|  |      | Type5 | 1 | 1 | 1015643.0 | 5 | 3 | 99.4 | 1401.0 | 1262.0 | 1257.0 |
|  |      | Type5 | 1 | 2 | 1379398.0 | 5 | 2 | 67.4 | 1531.0 | 1403.0 | ---    |
|  |      | Type5 | 1 | 3 | 245489.0  | 5 | 2 | 73.6 | 1449.0 | 1041.0 | ---    |
|  |      | Type5 | 1 | 4 | 609113.0  | 5 | 1 | 65.9 | 1432.0 | ---    | ---    |
|  |      | Type5 | 1 | 5 | 970852.0  | 5 | 3 | 83.8 | 1356.0 | 1292.0 | 1419.0 |
|  |      | Type5 | 1 | 6 | 1335913.0 | 5 | 1 | 65.5 | 1543.0 | ---    | ---    |

| Test Mode  | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO | 5260    | Type5      | 2        | 7        | 80863.0           | 9                 | 2                | 81.9             | 1022.0    | 1689.0    | ---       |
|            |         | Type5      | 2        | 0        | 409565.0          | 9                 | 2                | 73.8             | 1806.0    | 1538.0    | ---       |
|            |         | Type5      | 2        | 8        | 344067.0          | 9                 | 3                | 88.3             | 1810.0    | 1330.0    | 1838.0    |
|            |         | Type5      | 2        | 10       | 871542.0          | 9                 | 3                | 91.3             | 1961.0    | 1106.0    | 1001.0    |
|            |         | Type5      | 2        | 6        | 903714.0          | 9                 | 3                | 89.6             | 1338.0    | 1514.0    | 1573.0    |
|            |         | Type5      | 2        | 5        | 641212.0          | 9                 | 2                | 68.0             | 1368.0    | 1351.0    | ---       |
|            |         | Type5      | 2        | 4        | 376726.0          | 9                 | 3                | 95.4             | 1060.0    | 1903.0    | 1388.0    |
|            |         | Type5      | 2        | 3        | 113209.0          | 9                 | 3                | 84.6             | 1976.0    | 1032.0    | 1271.0    |
|            |         | Type5      | 2        | 2        | 938562.0          | 9                 | 1                | 51.9             | 1651.0    | ---       | ---       |
|            |         | Type5      | 2        | 1        | 673692.0          | 9                 | 2                | 69.5             | 1117.0    | 1649.0    | ---       |
|            | 5500    | Type5      | 2        | 9        | 609331.0          | 9                 | 1                | 53.7             | 1597.0    | ---       | ---       |
|            |         | Type5      | 2        | 3        | 113209.0          | 9                 | 3                | 84.6             | 1976.0    | 1032.0    | 1271.0    |
|            |         | Type5      | 2        | 0        | 409565.0          | 9                 | 2                | 73.8             | 1806.0    | 1538.0    | ---       |
|            |         | Type5      | 2        | 1        | 673692.0          | 9                 | 2                | 69.5             | 1117.0    | 1649.0    | ---       |
|            |         | Type5      | 2        | 2        | 938562.0          | 9                 | 1                | 51.9             | 1651.0    | ---       | ---       |
|            |         | Type5      | 2        | 10       | 871542.0          | 9                 | 3                | 91.3             | 1961.0    | 1106.0    | 1001.0    |
|            |         | Type5      | 2        | 4        | 376726.0          | 9                 | 3                | 95.4             | 1060.0    | 1903.0    | 1388.0    |
|            |         | Type5      | 2        | 5        | 641212.0          | 9                 | 2                | 68.0             | 1368.0    | 1351.0    | ---       |
|            |         | Type5      | 2        | 6        | 903714.0          | 9                 | 3                | 89.6             | 1338.0    | 1514.0    | 1573.0    |
|            |         | Type5      | 2        | 7        | 80863.0           | 9                 | 2                | 81.9             | 1022.0    | 1689.0    | ---       |
| 11AX40MIMO | 5270    | Type5      | 2        | 9        | 609331.0          | 9                 | 1                | 53.7             | 1597.0    | ---       | ---       |
|            |         | Type5      | 2        | 8        | 344067.0          | 9                 | 3                | 88.3             | 1810.0    | 1330.0    | 1838.0    |
|            |         | Type5      | 2        | 5        | 641212.0          | 9                 | 2                | 68.0             | 1368.0    | 1351.0    | ---       |
|            |         | Type5      | 2        | 10       | 871542.0          | 9                 | 3                | 91.3             | 1961.0    | 1106.0    | 1001.0    |
|            |         | Type5      | 2        | 9        | 609331.0          | 9                 | 1                | 53.7             | 1597.0    | ---       | ---       |
|            |         | Type5      | 2        | 8        | 344067.0          | 9                 | 3                | 88.3             | 1810.0    | 1330.0    | 1838.0    |
|            |         | Type5      | 2        | 6        | 903714.0          | 9                 | 3                | 89.6             | 1338.0    | 1514.0    | 1573.0    |
|            |         | Type5      | 2        | 4        | 376726.0          | 9                 | 3                | 95.4             | 1060.0    | 1903.0    | 1388.0    |
|            |         | Type5      | 2        | 3        | 113209.0          | 9                 | 3                | 84.6             | 1976.0    | 1032.0    | 1271.0    |
|            |         | Type5      | 2        | 2        | 938562.0          | 9                 | 1                | 51.9             | 1651.0    | ---       | ---       |
|            | 5510    | Type5      | 2        | 1        | 673692.0          | 9                 | 2                | 69.5             | 1117.0    | 1649.0    | ---       |
|            |         | Type5      | 2        | 0        | 409565.0          | 9                 | 2                | 73.8             | 1806.0    | 1538.0    | ---       |
|            |         | Type5      | 2        | 7        | 80863.0           | 9                 | 2                | 81.9             | 1022.0    | 1689.0    | ---       |
|            |         | Type5      | 2        | 9        | 609331.0          | 9                 | 1                | 53.7             | 1597.0    | ---       | ---       |
|            |         | Type5      | 2        | 0        | 409565.0          | 9                 | 2                | 73.8             | 1806.0    | 1538.0    | ---       |
|            |         | Type5      | 2        | 1        | 673692.0          | 9                 | 2                | 69.5             | 1117.0    | 1649.0    | ---       |
|            |         | Type5      | 2        | 2        | 938562.0          | 9                 | 1                | 51.9             | 1651.0    | ---       | ---       |
|            |         | Type5      | 2        | 3        | 113209.0          | 9                 | 3                | 84.6             | 1976.0    | 1032.0    | 1271.0    |
|            |         | Type5      | 2        | 4        | 376726.0          | 9                 | 3                | 95.4             | 1060.0    | 1903.0    | 1388.0    |
|            |         | Type5      | 2        | 5        | 641212.0          | 9                 | 2                | 68.0             | 1368.0    | 1351.0    | ---       |
| 11AX80MIMO | 5290    | Type5      | 2        | 6        | 903714.0          | 9                 | 3                | 89.6             | 1338.0    | 1514.0    | 1573.0    |
|            |         | Type5      | 2        | 8        | 344067.0          | 9                 | 3                | 88.3             | 1810.0    | 1330.0    | 1838.0    |
|            |         | Type5      | 2        | 7        | 80863.0           | 9                 | 2                | 81.9             | 1022.0    | 1689.0    | ---       |
|            |         | Type5      | 2        | 10       | 871542.0          | 9                 | 3                | 91.3             | 1961.0    | 1106.0    | 1001.0    |
|            |         | Type5      | 2        | 4        | 376726.0          | 9                 | 3                | 95.4             | 1060.0    | 1903.0    | 1388.0    |
|            |         | Type5      | 2        | 0        | 409565.0          | 9                 | 2                | 73.8             | 1806.0    | 1538.0    | ---       |
|            |         | Type5      | 2        | 1        | 673692.0          | 9                 | 2                | 69.5             | 1117.0    | 1649.0    | ---       |
|            |         | Type5      | 2        | 2        | 938562.0          | 9                 | 1                | 51.9             | 1651.0    | ---       | ---       |
|            |         | Type5      | 2        | 3        | 113209.0          | 9                 | 3                | 84.6             | 1976.0    | 1032.0    | 1271.0    |
|            |         | Type5      | 2        | 6        | 903714.0          | 9                 | 3                | 89.6             | 1338.0    | 1514.0    | 1573.0    |

|             |      |       |   |    |          |   |   |      |        |        |        |
|-------------|------|-------|---|----|----------|---|---|------|--------|--------|--------|
| 11AX160MIMO |      | Type5 | 2 | 9  | 609331.0 | 9 | 1 | 53.7 | 1597.0 | ---    | ---    |
|             |      | Type5 | 2 | 5  | 641212.0 | 9 | 2 | 68.0 | 1368.0 | 1351.0 | ---    |
|             | 5530 | Type5 | 2 | 4  | 376726.0 | 9 | 3 | 95.4 | 1060.0 | 1903.0 | 1388.0 |
|             |      | Type5 | 2 | 10 | 871542.0 | 9 | 3 | 91.3 | 1961.0 | 1106.0 | 1001.0 |
|             |      | Type5 | 2 | 9  | 609331.0 | 9 | 1 | 53.7 | 1597.0 | ---    | ---    |
|             |      | Type5 | 2 | 8  | 344067.0 | 9 | 3 | 88.3 | 1810.0 | 1330.0 | 1838.0 |
|             |      | Type5 | 2 | 7  | 80863.0  | 9 | 2 | 81.9 | 1022.0 | 1689.0 | ---    |
|             |      | Type5 | 2 | 5  | 641212.0 | 9 | 2 | 68.0 | 1368.0 | 1351.0 | ---    |
|             |      | Type5 | 2 | 3  | 113209.0 | 9 | 3 | 84.6 | 1976.0 | 1032.0 | 1271.0 |
|             |      | Type5 | 2 | 2  | 938562.0 | 9 | 1 | 51.9 | 1651.0 | ---    | ---    |
|             |      | Type5 | 2 | 1  | 673692.0 | 9 | 2 | 69.5 | 1117.0 | 1649.0 | ---    |
|             |      | Type5 | 2 | 0  | 409565.0 | 9 | 2 | 73.8 | 1806.0 | 1538.0 | ---    |
|             |      | Type5 | 2 | 6  | 903714.0 | 9 | 3 | 89.6 | 1338.0 | 1514.0 | 1573.0 |
|             |      | Type5 | 2 | 4  | 376726.0 | 9 | 3 | 95.4 | 1060.0 | 1903.0 | 1388.0 |
|             | 5250 | Type5 | 2 | 9  | 609331.0 | 9 | 1 | 53.7 | 1597.0 | ---    | ---    |
|             |      | Type5 | 2 | 1  | 673692.0 | 9 | 2 | 69.5 | 1117.0 | 1649.0 | ---    |
|             |      | Type5 | 2 | 2  | 938562.0 | 9 | 1 | 51.9 | 1651.0 | ---    | ---    |
|             |      | Type5 | 2 | 0  | 409565.0 | 9 | 2 | 73.8 | 1806.0 | 1538.0 | ---    |
|             |      | Type5 | 2 | 3  | 113209.0 | 9 | 3 | 84.6 | 1976.0 | 1032.0 | 1271.0 |
|             |      | Type5 | 2 | 6  | 903714.0 | 9 | 3 | 89.6 | 1338.0 | 1514.0 | 1573.0 |
|             |      | Type5 | 2 | 8  | 344067.0 | 9 | 3 | 88.3 | 1810.0 | 1330.0 | 1838.0 |
|             |      | Type5 | 2 | 10 | 871542.0 | 9 | 3 | 91.3 | 1961.0 | 1106.0 | 1001.0 |
|             |      | Type5 | 2 | 5  | 641212.0 | 9 | 2 | 68.0 | 1368.0 | 1351.0 | ---    |
|             |      | Type5 | 2 | 7  | 80863.0  | 9 | 2 | 81.9 | 1022.0 | 1689.0 | ---    |
|             | 5570 | Type5 | 2 | 2  | 938562.0 | 9 | 1 | 51.9 | 1651.0 | ---    | ---    |
|             |      | Type5 | 2 | 9  | 609331.0 | 9 | 1 | 53.7 | 1597.0 | ---    | ---    |
|             |      | Type5 | 2 | 8  | 344067.0 | 9 | 3 | 88.3 | 1810.0 | 1330.0 | 1838.0 |
|             |      | Type5 | 2 | 7  | 80863.0  | 9 | 2 | 81.9 | 1022.0 | 1689.0 | ---    |
|             |      | Type5 | 2 | 6  | 903714.0 | 9 | 3 | 89.6 | 1338.0 | 1514.0 | 1573.0 |
|             |      | Type5 | 2 | 5  | 641212.0 | 9 | 2 | 68.0 | 1368.0 | 1351.0 | ---    |
|             |      | Type5 | 2 | 3  | 113209.0 | 9 | 3 | 84.6 | 1976.0 | 1032.0 | 1271.0 |
|             |      | Type5 | 2 | 1  | 673692.0 | 9 | 2 | 69.5 | 1117.0 | 1649.0 | ---    |
|             |      | Type5 | 2 | 0  | 409565.0 | 9 | 2 | 73.8 | 1806.0 | 1538.0 | ---    |
|             |      | Type5 | 2 | 10 | 871542.0 | 9 | 3 | 91.3 | 1961.0 | 1106.0 | 1001.0 |
|             |      | Type5 | 2 | 4  | 376726.0 | 9 | 3 | 95.4 | 1060.0 | 1903.0 | 1388.0 |

| Test Mode  | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO | 5260    | Type5      | 3        | 14       | 262502.0          | 19                | 2                | 81.9             | 1690.0    | 1545.0    | ---       |
|            |         | Type5      | 3        | 0        | 26541.0           | 19                | 2                | 68.1             | 1339.0    | 1355.0    | ---       |
|            |         | Type5      | 3        | 18       | 244095.0          | 19                | 3                | 91.6             | 1878.0    | 1445.0    | 1325.0    |
|            |         | Type5      | 3        | 17       | 99799.0           | 19                | 3                | 85.4             | 1011.0    | 1637.0    | 1425.0    |
|            |         | Type5      | 3        | 15       | 406573.0          | 19                | 3                | 98.5             | 1975.0    | 1169.0    | 1062.0    |
|            |         | Type5      | 3        | 19       | 390012.0          | 19                | 2                | 67.3             | 1091.0    | 1218.0    | ---       |
|            |         | Type5      | 3        | 13       | 117439.0          | 19                | 3                | 95.3             | 1171.0    | 1955.0    | 1775.0    |
|            |         | Type5      | 3        | 12       | 570132.0          | 19                | 2                | 70.4             | 1526.0    | 1360.0    | ---       |
|            |         | Type5      | 3        | 11       | 424279.0          | 19                | 3                | 93.2             | 1207.0    | 1907.0    | 1223.0    |
|            |         | Type5      | 3        | 10       | 279928.0          | 19                | 3                | 88.0             | 1061.0    | 1928.0    | 1101.0    |
|            |         | Type5      | 3        | 1        | 171821.0          | 19                | 1                | 58.7             | 1251.0    | ---       | ---       |
|            |         | Type5      | 3        | 8        | 587671.0          | 19                | 2                | 82.0             | 1993.0    | 1197.0    | ---       |
|            |         | Type5      | 3        | 7        | 443177.0          | 19                | 2                | 80.0             | 1482.0    | 1369.0    | ---       |
|            |         | Type5      | 3        | 6        | 299238.0          | 19                | 1                | 59.5             | 1072.0    | ---       | ---       |
|            |         | Type5      | 3        | 5        | 153995.0          | 19                | 1                | 57.7             | 1013.0    | ---       | ---       |
|            |         | Type5      | 3        | 4        | 8677.0            | 19                | 3                | 99.7             | 1196.0    | 1708.0    | 1159.0    |
|            |         | Type5      | 3        | 3        | 461864.0          | 19                | 1                | 56.4             | 1753.0    | ---       | ---       |
|            |         | Type5      | 3        | 2        | 316229.0          | 19                | 2                | 75.3             | 1136.0    | 1640.0    | ---       |
|            |         | Type5      | 3        | 9        | 135674.0          | 19                | 2                | 82.8             | 1883.0    | 1005.0    | ---       |
|            |         | Type5      | 3        | 16       | 553328.0          | 19                | 1                | 65.0             | 1767.0    | ---       | ---       |
|            | 5500    | Type5      | 3        | 19       | 390012.0          | 19                | 2                | 67.3             | 1091.0    | 1218.0    | ---       |
|            |         | Type5      | 3        | 7        | 443177.0          | 19                | 2                | 80.0             | 1482.0    | 1369.0    | ---       |
|            |         | Type5      | 3        | 6        | 299238.0          | 19                | 1                | 59.5             | 1072.0    | ---       | ---       |
|            |         | Type5      | 3        | 5        | 153995.0          | 19                | 1                | 57.7             | 1013.0    | ---       | ---       |
|            |         | Type5      | 3        | 4        | 8677.0            | 19                | 3                | 99.7             | 1196.0    | 1708.0    | 1159.0    |
|            |         | Type5      | 3        | 0        | 26541.0           | 19                | 2                | 68.1             | 1339.0    | 1355.0    | ---       |
|            |         | Type5      | 3        | 3        | 461864.0          | 19                | 1                | 56.4             | 1753.0    | ---       | ---       |
|            |         | Type5      | 3        | 1        | 171821.0          | 19                | 1                | 58.7             | 1251.0    | ---       | ---       |
|            |         | Type5      | 3        | 8        | 587671.0          | 19                | 2                | 82.0             | 1993.0    | 1197.0    | ---       |
|            |         | Type5      | 3        | 2        | 316229.0          | 19                | 2                | 75.3             | 1136.0    | 1640.0    | ---       |
|            |         | Type5      | 3        | 9        | 135674.0          | 19                | 2                | 82.8             | 1883.0    | 1005.0    | ---       |
|            |         | Type5      | 3        | 10       | 279928.0          | 19                | 3                | 88.0             | 1061.0    | 1928.0    | 1101.0    |
|            |         | Type5      | 3        | 11       | 424279.0          | 19                | 3                | 93.2             | 1207.0    | 1907.0    | 1223.0    |
|            |         | Type5      | 3        | 12       | 570132.0          | 19                | 2                | 70.4             | 1526.0    | 1360.0    | ---       |
|            |         | Type5      | 3        | 13       | 117439.0          | 19                | 3                | 95.3             | 1171.0    | 1955.0    | 1775.0    |
|            |         | Type5      | 3        | 14       | 262502.0          | 19                | 2                | 81.9             | 1690.0    | 1545.0    | ---       |
|            |         | Type5      | 3        | 15       | 406573.0          | 19                | 3                | 98.5             | 1975.0    | 1169.0    | 1062.0    |
|            |         | Type5      | 3        | 16       | 553328.0          | 19                | 1                | 65.0             | 1767.0    | ---       | ---       |
|            |         | Type5      | 3        | 18       | 244095.0          | 19                | 3                | 91.6             | 1878.0    | 1445.0    | 1325.0    |
|            |         | Type5      | 3        | 17       | 99799.0           | 19                | 3                | 85.4             | 1011.0    | 1637.0    | 1425.0    |
| 11AX40MIMO | 5270    | Type5      | 3        | 9        | 135674.0          | 19                | 2                | 82.8             | 1883.0    | 1005.0    | ---       |
|            |         | Type5      | 3        | 8        | 587671.0          | 19                | 2                | 82.0             | 1993.0    | 1197.0    | ---       |
|            |         | Type5      | 3        | 0        | 26541.0           | 19                | 2                | 68.1             | 1339.0    | 1355.0    | ---       |
|            |         | Type5      | 3        | 1        | 171821.0          | 19                | 1                | 58.7             | 1251.0    | ---       | ---       |
|            |         | Type5      | 3        | 2        | 316229.0          | 19                | 2                | 75.3             | 1136.0    | 1640.0    | ---       |
|            |         | Type5      | 3        | 3        | 461864.0          | 19                | 1                | 56.4             | 1753.0    | ---       | ---       |
|            |         | Type5      | 3        | 4        | 8677.0            | 19                | 3                | 99.7             | 1196.0    | 1708.0    | 1159.0    |
|            |         | Type5      | 3        | 5        | 153995.0          | 19                | 1                | 57.7             | 1013.0    | ---       | ---       |
|            |         | Type5      | 3        | 6        | 299238.0          | 19                | 1                | 59.5             | 1072.0    | ---       | ---       |
|            |         | Type5      | 3        | 11       | 424279.0          | 19                | 3                | 93.2             | 1207.0    | 1907.0    | 1223.0    |
|            |         | Type5      | 3        | 7        | 443177.0          | 19                | 2                | 80.0             | 1482.0    | 1369.0    | ---       |
|            |         | Type5      | 3        | 19       | 390012.0          | 19                | 2                | 67.3             | 1091.0    | 1218.0    | ---       |
|            |         | Type5      | 3        | 10       | 279928.0          | 19                | 3                | 88.0             | 1061.0    | 1928.0    | 1101.0    |

|            |      |       |   |    |          |    |   |      |        |        |        |
|------------|------|-------|---|----|----------|----|---|------|--------|--------|--------|
| 11AX80MIMO |      | Type5 | 3 | 12 | 570132.0 | 19 | 2 | 70.4 | 1526.0 | 1360.0 | ---    |
|            |      | Type5 | 3 | 13 | 117439.0 | 19 | 3 | 95.3 | 1171.0 | 1955.0 | 1775.0 |
|            |      | Type5 | 3 | 14 | 262502.0 | 19 | 2 | 81.9 | 1690.0 | 1545.0 | ---    |
|            |      | Type5 | 3 | 15 | 406573.0 | 19 | 3 | 98.5 | 1975.0 | 1169.0 | 1062.0 |
|            |      | Type5 | 3 | 16 | 553328.0 | 19 | 1 | 65.0 | 1767.0 | ---    | ---    |
|            |      | Type5 | 3 | 17 | 99799.0  | 19 | 3 | 85.4 | 1011.0 | 1637.0 | 1425.0 |
|            |      | Type5 | 3 | 18 | 244095.0 | 19 | 3 | 91.6 | 1878.0 | 1445.0 | 1325.0 |
|            | 5510 | Type5 | 3 | 15 | 406573.0 | 19 | 3 | 98.5 | 1975.0 | 1169.0 | 1062.0 |
|            |      | Type5 | 3 | 14 | 262502.0 | 19 | 2 | 81.9 | 1690.0 | 1545.0 | ---    |
|            |      | Type5 | 3 | 19 | 390012.0 | 19 | 2 | 67.3 | 1091.0 | 1218.0 | ---    |
|            |      | Type5 | 3 | 18 | 244095.0 | 19 | 3 | 91.6 | 1878.0 | 1445.0 | 1325.0 |
|            |      | Type5 | 3 | 17 | 99799.0  | 19 | 3 | 85.4 | 1011.0 | 1637.0 | 1425.0 |
|            |      | Type5 | 3 | 13 | 117439.0 | 19 | 3 | 95.3 | 1171.0 | 1955.0 | 1775.0 |
|            |      | Type5 | 3 | 16 | 553328.0 | 19 | 1 | 65.0 | 1767.0 | ---    | ---    |
|            |      | Type5 | 3 | 0  | 26541.0  | 19 | 2 | 68.1 | 1339.0 | 1355.0 | ---    |
|            |      | Type5 | 3 | 12 | 570132.0 | 19 | 2 | 70.4 | 1526.0 | 1360.0 | ---    |
|            |      | Type5 | 3 | 11 | 424279.0 | 19 | 3 | 93.2 | 1207.0 | 1907.0 | 1223.0 |
|            |      | Type5 | 3 | 10 | 279928.0 | 19 | 3 | 88.0 | 1061.0 | 1928.0 | 1101.0 |
|            |      | Type5 | 3 | 1  | 171821.0 | 19 | 1 | 58.7 | 1251.0 | ---    | ---    |
|            |      | Type5 | 3 | 8  | 587671.0 | 19 | 2 | 82.0 | 1993.0 | 1197.0 | ---    |
|            |      | Type5 | 3 | 7  | 443177.0 | 19 | 2 | 80.0 | 1482.0 | 1369.0 | ---    |
|            |      | Type5 | 3 | 6  | 299238.0 | 19 | 1 | 59.5 | 1072.0 | ---    | ---    |
|            |      | Type5 | 3 | 5  | 153995.0 | 19 | 1 | 57.7 | 1013.0 | ---    | ---    |
|            |      | Type5 | 3 | 4  | 8677.0   | 19 | 3 | 99.7 | 1196.0 | 1708.0 | 1159.0 |
|            |      | Type5 | 3 | 3  | 461864.0 | 19 | 1 | 56.4 | 1753.0 | ---    | ---    |
|            |      | Type5 | 3 | 2  | 316229.0 | 19 | 2 | 75.3 | 1136.0 | 1640.0 | ---    |
|            |      | Type5 | 3 | 9  | 135674.0 | 19 | 2 | 82.8 | 1883.0 | 1005.0 | ---    |
|            | 5290 | Type5 | 3 | 8  | 587671.0 | 19 | 2 | 82.0 | 1993.0 | 1197.0 | ---    |
|            |      | Type5 | 3 | 7  | 443177.0 | 19 | 2 | 80.0 | 1482.0 | 1369.0 | ---    |
|            |      | Type5 | 3 | 6  | 299238.0 | 19 | 1 | 59.5 | 1072.0 | ---    | ---    |
|            |      | Type5 | 3 | 5  | 153995.0 | 19 | 1 | 57.7 | 1013.0 | ---    | ---    |
|            |      | Type5 | 3 | 4  | 8677.0   | 19 | 3 | 99.7 | 1196.0 | 1708.0 | 1159.0 |
|            |      | Type5 | 3 | 3  | 461864.0 | 19 | 1 | 56.4 | 1753.0 | ---    | ---    |
|            |      | Type5 | 3 | 2  | 316229.0 | 19 | 2 | 75.3 | 1136.0 | 1640.0 | ---    |
|            |      | Type5 | 3 | 9  | 135674.0 | 19 | 2 | 82.8 | 1883.0 | 1005.0 | ---    |
|            |      | Type5 | 3 | 0  | 26541.0  | 19 | 2 | 68.1 | 1339.0 | 1355.0 | ---    |
|            |      | Type5 | 3 | 1  | 171821.0 | 19 | 1 | 58.7 | 1251.0 | ---    | ---    |
|            |      | Type5 | 3 | 18 | 244095.0 | 19 | 3 | 91.6 | 1878.0 | 1445.0 | 1325.0 |
|            |      | Type5 | 3 | 10 | 279928.0 | 19 | 3 | 88.0 | 1061.0 | 1928.0 | 1101.0 |
|            |      | Type5 | 3 | 19 | 390012.0 | 19 | 2 | 67.3 | 1091.0 | 1218.0 | ---    |
|            |      | Type5 | 3 | 17 | 99799.0  | 19 | 3 | 85.4 | 1011.0 | 1637.0 | 1425.0 |
|            |      | Type5 | 3 | 16 | 553328.0 | 19 | 1 | 65.0 | 1767.0 | ---    | ---    |
|            |      | Type5 | 3 | 15 | 406573.0 | 19 | 3 | 98.5 | 1975.0 | 1169.0 | 1062.0 |
|            |      | Type5 | 3 | 14 | 262502.0 | 19 | 2 | 81.9 | 1690.0 | 1545.0 | ---    |
|            |      | Type5 | 3 | 13 | 117439.0 | 19 | 3 | 95.3 | 1171.0 | 1955.0 | 1775.0 |
|            |      | Type5 | 3 | 12 | 570132.0 | 19 | 2 | 70.4 | 1526.0 | 1360.0 | ---    |
|            |      | Type5 | 3 | 11 | 424279.0 | 19 | 3 | 93.2 | 1207.0 | 1907.0 | 1223.0 |
|            | 5530 | Type5 | 3 | 9  | 135674.0 | 19 | 2 | 82.8 | 1883.0 | 1005.0 | ---    |
|            |      | Type5 | 3 | 10 | 279928.0 | 19 | 3 | 88.0 | 1061.0 | 1928.0 | 1101.0 |
|            |      | Type5 | 3 | 18 | 244095.0 | 19 | 3 | 91.6 | 1878.0 | 1445.0 | 1325.0 |
|            |      | Type5 | 3 | 17 | 99799.0  | 19 | 3 | 85.4 | 1011.0 | 1637.0 | 1425.0 |
|            |      | Type5 | 3 | 16 | 553328.0 | 19 | 1 | 65.0 | 1767.0 | ---    | ---    |
|            |      | Type5 | 3 | 15 | 406573.0 | 19 | 3 | 98.5 | 1975.0 | 1169.0 | 1062.0 |
|            |      | Type5 | 3 | 14 | 262502.0 | 19 | 2 | 81.9 | 1690.0 | 1545.0 | ---    |
|            |      | Type5 | 3 | 13 | 117439.0 | 19 | 3 | 95.3 | 1171.0 | 1955.0 | 1775.0 |
|            |      | Type5 | 3 | 12 | 570132.0 | 19 | 2 | 70.4 | 1526.0 | 1360.0 | ---    |
|            |      | Type5 | 3 | 19 | 390012.0 | 19 | 2 | 67.3 | 1091.0 | 1218.0 | ---    |
|            |      | Type5 | 3 | 1  | 171821.0 | 19 | 1 | 58.7 | 1251.0 | ---    | ---    |

|             |      |       |   |    |          |    |   |      |        |        |        |
|-------------|------|-------|---|----|----------|----|---|------|--------|--------|--------|
|             |      | Type5 | 3 | 8  | 587671.0 | 19 | 2 | 82.0 | 1993.0 | 1197.0 | ---    |
|             |      | Type5 | 3 | 7  | 443177.0 | 19 | 2 | 80.0 | 1482.0 | 1369.0 | ---    |
|             |      | Type5 | 3 | 6  | 299238.0 | 19 | 1 | 59.5 | 1072.0 | ---    | ---    |
|             |      | Type5 | 3 | 5  | 153995.0 | 19 | 1 | 57.7 | 1013.0 | ---    | ---    |
|             |      | Type5 | 3 | 4  | 8677.0   | 19 | 3 | 99.7 | 1196.0 | 1708.0 | 1159.0 |
|             |      | Type5 | 3 | 3  | 461864.0 | 19 | 1 | 56.4 | 1753.0 | ---    | ---    |
|             |      | Type5 | 3 | 2  | 316229.0 | 19 | 2 | 75.3 | 1136.0 | 1640.0 | ---    |
|             |      | Type5 | 3 | 11 | 424279.0 | 19 | 3 | 93.2 | 1207.0 | 1907.0 | 1223.0 |
|             |      | Type5 | 3 | 0  | 26541.0  | 19 | 2 | 68.1 | 1339.0 | 1355.0 | ---    |
|             |      | Type5 | 3 | 7  | 443177.0 | 19 | 2 | 80.0 | 1482.0 | 1369.0 | ---    |
|             |      | Type5 | 3 | 6  | 299238.0 | 19 | 1 | 59.5 | 1072.0 | ---    | ---    |
|             |      | Type5 | 3 | 0  | 26541.0  | 19 | 2 | 68.1 | 1339.0 | 1355.0 | ---    |
|             |      | Type5 | 3 | 5  | 153995.0 | 19 | 1 | 57.7 | 1013.0 | ---    | ---    |
|             |      | Type5 | 3 | 4  | 8677.0   | 19 | 3 | 99.7 | 1196.0 | 1708.0 | 1159.0 |
|             |      | Type5 | 3 | 3  | 461864.0 | 19 | 1 | 56.4 | 1753.0 | ---    | ---    |
|             |      | Type5 | 3 | 1  | 171821.0 | 19 | 1 | 58.7 | 1251.0 | ---    | ---    |
|             |      | Type5 | 3 | 15 | 406573.0 | 19 | 3 | 98.5 | 1975.0 | 1169.0 | 1062.0 |
|             |      | Type5 | 3 | 8  | 587671.0 | 19 | 2 | 82.0 | 1993.0 | 1197.0 | ---    |
|             |      | Type5 | 3 | 2  | 316229.0 | 19 | 2 | 75.3 | 1136.0 | 1640.0 | ---    |
|             |      | Type5 | 3 | 10 | 279928.0 | 19 | 3 | 88.0 | 1061.0 | 1928.0 | 1101.0 |
| 11AX160MIMO | 5250 | Type5 | 3 | 11 | 424279.0 | 19 | 3 | 93.2 | 1207.0 | 1907.0 | 1223.0 |
|             |      | Type5 | 3 | 12 | 570132.0 | 19 | 2 | 70.4 | 1526.0 | 1360.0 | ---    |
|             |      | Type5 | 3 | 14 | 262502.0 | 19 | 2 | 81.9 | 1690.0 | 1545.0 | ---    |
|             |      | Type5 | 3 | 16 | 553328.0 | 19 | 1 | 65.0 | 1767.0 | ---    | ---    |
|             |      | Type5 | 3 | 17 | 99799.0  | 19 | 3 | 85.4 | 1011.0 | 1637.0 | 1425.0 |
|             |      | Type5 | 3 | 18 | 244095.0 | 19 | 3 | 91.6 | 1878.0 | 1445.0 | 1325.0 |
|             |      | Type5 | 3 | 19 | 390012.0 | 19 | 2 | 67.3 | 1091.0 | 1218.0 | ---    |
|             |      | Type5 | 3 | 13 | 117439.0 | 19 | 3 | 95.3 | 1171.0 | 1955.0 | 1775.0 |
|             |      | Type5 | 3 | 9  | 135674.0 | 19 | 2 | 82.8 | 1883.0 | 1005.0 | ---    |
|             |      | Type5 | 3 | 18 | 244095.0 | 19 | 3 | 91.6 | 1878.0 | 1445.0 | 1325.0 |
|             |      | Type5 | 3 | 11 | 424279.0 | 19 | 3 | 93.2 | 1207.0 | 1907.0 | 1223.0 |
|             |      | Type5 | 3 | 12 | 570132.0 | 19 | 2 | 70.4 | 1526.0 | 1360.0 | ---    |
|             |      | Type5 | 3 | 13 | 117439.0 | 19 | 3 | 95.3 | 1171.0 | 1955.0 | 1775.0 |
|             |      | Type5 | 3 | 14 | 262502.0 | 19 | 2 | 81.9 | 1690.0 | 1545.0 | ---    |
|             |      | Type5 | 3 | 15 | 406573.0 | 19 | 3 | 98.5 | 1975.0 | 1169.0 | 1062.0 |
|             |      | Type5 | 3 | 10 | 279928.0 | 19 | 3 | 88.0 | 1061.0 | 1928.0 | 1101.0 |
|             |      | Type5 | 3 | 17 | 99799.0  | 19 | 3 | 85.4 | 1011.0 | 1637.0 | 1425.0 |
|             |      | Type5 | 3 | 4  | 8677.0   | 19 | 3 | 99.7 | 1196.0 | 1708.0 | 1159.0 |
|             |      | Type5 | 3 | 16 | 553328.0 | 19 | 1 | 65.0 | 1767.0 | ---    | ---    |
|             |      | Type5 | 3 | 9  | 135674.0 | 19 | 2 | 82.8 | 1883.0 | 1005.0 | ---    |
|             | 5570 | Type5 | 3 | 8  | 587671.0 | 19 | 2 | 82.0 | 1993.0 | 1197.0 | ---    |
|             |      | Type5 | 3 | 7  | 443177.0 | 19 | 2 | 80.0 | 1482.0 | 1369.0 | ---    |
|             |      | Type5 | 3 | 5  | 153995.0 | 19 | 1 | 57.7 | 1013.0 | ---    | ---    |
|             |      | Type5 | 3 | 3  | 461864.0 | 19 | 1 | 56.4 | 1753.0 | ---    | ---    |
|             |      | Type5 | 3 | 2  | 316229.0 | 19 | 2 | 75.3 | 1136.0 | 1640.0 | ---    |
|             |      | Type5 | 3 | 1  | 171821.0 | 19 | 1 | 58.7 | 1251.0 | ---    | ---    |
|             |      | Type5 | 3 | 0  | 26541.0  | 19 | 2 | 68.1 | 1339.0 | 1355.0 | ---    |
|             |      | Type5 | 3 | 19 | 390012.0 | 19 | 2 | 67.3 | 1091.0 | 1218.0 | ---    |
|             |      | Type5 | 3 | 6  | 299238.0 | 19 | 1 | 59.5 | 1072.0 | ---    | ---    |

| Test Mode  | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO | 5260    | Type5      | 4        | 11       | 394825.0          | 16                | 3                | 97.5             | 1884.0    | 1465.0    | 1132.0    |
|            |         | Type5      | 4        | 0        | 629614.0          | 16                | 2                | 67.9             | 1320.0    | 1133.0    | ---       |
|            |         | Type5      | 4        | 15       | 373812.0          | 16                | 3                | 84.7             | 1021.0    | 1718.0    | 1854.0    |
|            |         | Type5      | 4        | 14       | 203957.0          | 16                | 3                | 97.6             | 1365.0    | 1073.0    | 1361.0    |
|            |         | Type5      | 4        | 12       | 565361.0          | 16                | 3                | 90.6             | 1561.0    | 1040.0    | 1354.0    |
|            |         | Type5      | 4        | 16       | 544060.0          | 16                | 3                | 99.7             | 1150.0    | 1244.0    | 1988.0    |
|            |         | Type5      | 4        | 10       | 225175.0          | 16                | 2                | 71.3             | 1225.0    | 1815.0    | ---       |
|            |         | Type5      | 4        | 9        | 54571.0           | 16                | 3                | 87.1             | 1116.0    | 1996.0    | 1756.0    |
|            |         | Type5      | 4        | 2        | 267719.0          | 16                | 1                | 53.3             | 1592.0    | ---       | ---       |
|            |         | Type5      | 4        | 7        | 416355.0          | 16                | 2                | 81.8             | 1833.0    | 1676.0    | ---       |
|            |         | Type5      | 4        | 6        | 245638.0          | 16                | 3                | 89.1             | 1240.0    | 1384.0    | 1939.0    |
|            |         | Type5      | 4        | 5        | 75610.0           | 16                | 3                | 83.9             | 1278.0    | 1232.0    | 1459.0    |
|            |         | Type5      | 4        | 4        | 608289.0          | 16                | 2                | 77.1             | 1166.0    | 1646.0    | ---       |
|            |         | Type5      | 4        | 3        | 436784.0          | 16                | 3                | 90.0             | 1900.0    | 1153.0    | 1346.0    |
|            |         | Type5      | 4        | 8        | 588736.0          | 16                | 1                | 50.3             | 1075.0    | ---       | ---       |
|            |         | Type5      | 4        | 13       | 33643.0           | 16                | 3                | 86.3             | 1596.0    | 1183.0    | 1792.0    |
|            |         | Type5      | 4        | 1        | 96856.0           | 16                | 1                | 62.3             | 1957.0    | ---       | ---       |
|            | 5500    | Type5      | 4        | 16       | 544060.0          | 16                | 3                | 99.7             | 1150.0    | 1244.0    | 1988.0    |
|            |         | Type5      | 4        | 5        | 75610.0           | 16                | 3                | 83.9             | 1278.0    | 1232.0    | 1459.0    |
|            |         | Type5      | 4        | 4        | 608289.0          | 16                | 2                | 77.1             | 1166.0    | 1646.0    | ---       |
|            |         | Type5      | 4        | 3        | 436784.0          | 16                | 3                | 90.0             | 1900.0    | 1153.0    | 1346.0    |
|            |         | Type5      | 4        | 0        | 629614.0          | 16                | 2                | 67.9             | 1320.0    | 1133.0    | ---       |
|            |         | Type5      | 4        | 1        | 96856.0           | 16                | 1                | 62.3             | 1957.0    | ---       | ---       |
|            |         | Type5      | 4        | 6        | 245638.0          | 16                | 3                | 89.1             | 1240.0    | 1384.0    | 1939.0    |
|            |         | Type5      | 4        | 2        | 267719.0          | 16                | 1                | 53.3             | 1592.0    | ---       | ---       |
|            |         | Type5      | 4        | 7        | 416355.0          | 16                | 2                | 81.8             | 1833.0    | 1676.0    | ---       |
|            |         | Type5      | 4        | 8        | 588736.0          | 16                | 1                | 50.3             | 1075.0    | ---       | ---       |
|            |         | Type5      | 4        | 9        | 54571.0           | 16                | 3                | 87.1             | 1116.0    | 1996.0    | 1756.0    |
|            |         | Type5      | 4        | 10       | 225175.0          | 16                | 2                | 71.3             | 1225.0    | 1815.0    | ---       |
|            |         | Type5      | 4        | 11       | 394825.0          | 16                | 3                | 97.5             | 1884.0    | 1465.0    | 1132.0    |
|            |         | Type5      | 4        | 12       | 565361.0          | 16                | 3                | 90.6             | 1561.0    | 1040.0    | 1354.0    |
|            |         | Type5      | 4        | 13       | 33643.0           | 16                | 3                | 86.3             | 1596.0    | 1183.0    | 1792.0    |
| 11AX40MIMO | 5270    | Type5      | 4        | 14       | 203957.0          | 16                | 3                | 97.6             | 1365.0    | 1073.0    | 1361.0    |
|            |         | Type5      | 4        | 8        | 588736.0          | 16                | 1                | 50.3             | 1075.0    | ---       | ---       |
|            |         | Type5      | 4        | 7        | 416355.0          | 16                | 2                | 81.8             | 1833.0    | 1676.0    | ---       |
|            |         | Type5      | 4        | 0        | 629614.0          | 16                | 2                | 67.9             | 1320.0    | 1133.0    | ---       |
|            |         | Type5      | 4        | 1        | 96856.0           | 16                | 1                | 62.3             | 1957.0    | ---       | ---       |
|            |         | Type5      | 4        | 2        | 267719.0          | 16                | 1                | 53.3             | 1592.0    | ---       | ---       |
|            |         | Type5      | 4        | 3        | 436784.0          | 16                | 3                | 90.0             | 1900.0    | 1153.0    | 1346.0    |
|            |         | Type5      | 4        | 4        | 608289.0          | 16                | 2                | 77.1             | 1166.0    | 1646.0    | ---       |
|            |         | Type5      | 4        | 5        | 75610.0           | 16                | 3                | 83.9             | 1278.0    | 1232.0    | 1459.0    |
|            |         | Type5      | 4        | 10       | 225175.0          | 16                | 2                | 71.3             | 1225.0    | 1815.0    | ---       |
|            |         | Type5      | 4        | 6        | 245638.0          | 16                | 3                | 89.1             | 1240.0    | 1384.0    | 1939.0    |
|            |         | Type5      | 4        | 16       | 544060.0          | 16                | 3                | 99.7             | 1150.0    | 1244.0    | 1988.0    |
|            |         | Type5      | 4        | 9        | 54571.0           | 16                | 3                | 87.1             | 1116.0    | 1996.0    | 1756.0    |
|            |         | Type5      | 4        | 11       | 394825.0          | 16                | 3                | 97.5             | 1884.0    | 1465.0    | 1132.0    |
|            |         | Type5      | 4        | 12       | 565361.0          | 16                | 3                | 90.6             | 1561.0    | 1040.0    | 1354.0    |
|            |         | Type5      | 4        | 13       | 33643.0           | 16                | 3                | 86.3             | 1596.0    | 1183.0    | 1792.0    |
|            |         | Type5      | 4        | 14       | 203957.0          | 16                | 3                | 97.6             | 1365.0    | 1073.0    | 1361.0    |
|            |         | Type5      | 4        | 15       | 373812.0          | 16                | 3                | 84.7             | 1021.0    | 1718.0    | 1854.0    |
|            | 5510    | Type5      | 4        | 13       | 33643.0           | 16                | 3                | 86.3             | 1596.0    | 1183.0    | 1792.0    |
|            |         | Type5      | 4        | 12       | 565361.0          | 16                | 3                | 90.6             | 1561.0    | 1040.0    | 1354.0    |

|             |      |       |   |    |          |    |   |      |        |        |        |
|-------------|------|-------|---|----|----------|----|---|------|--------|--------|--------|
|             |      | Type5 | 4 | 16 | 544060.0 | 16 | 3 | 99.7 | 1150.0 | 1244.0 | 1988.0 |
|             |      | Type5 | 4 | 15 | 373812.0 | 16 | 3 | 84.7 | 1021.0 | 1718.0 | 1854.0 |
|             |      | Type5 | 4 | 11 | 394825.0 | 16 | 3 | 97.5 | 1884.0 | 1465.0 | 1132.0 |
|             |      | Type5 | 4 | 14 | 203957.0 | 16 | 3 | 97.6 | 1365.0 | 1073.0 | 1361.0 |
|             |      | Type5 | 4 | 0  | 629614.0 | 16 | 2 | 67.9 | 1320.0 | 1133.0 | ---    |
|             |      | Type5 | 4 | 10 | 225175.0 | 16 | 2 | 71.3 | 1225.0 | 1815.0 | ---    |
|             |      | Type5 | 4 | 9  | 54571.0  | 16 | 3 | 87.1 | 1116.0 | 1996.0 | 1756.0 |
|             |      | Type5 | 4 | 1  | 96856.0  | 16 | 1 | 62.3 | 1957.0 | ---    | ---    |
|             |      | Type5 | 4 | 7  | 416355.0 | 16 | 2 | 81.8 | 1833.0 | 1676.0 | ---    |
|             |      | Type5 | 4 | 6  | 245638.0 | 16 | 3 | 89.1 | 1240.0 | 1384.0 | 1939.0 |
|             |      | Type5 | 4 | 5  | 75610.0  | 16 | 3 | 83.9 | 1278.0 | 1232.0 | 1459.0 |
|             |      | Type5 | 4 | 4  | 608289.0 | 16 | 2 | 77.1 | 1166.0 | 1646.0 | ---    |
|             |      | Type5 | 4 | 3  | 436784.0 | 16 | 3 | 90.0 | 1900.0 | 1153.0 | 1346.0 |
|             |      | Type5 | 4 | 2  | 267719.0 | 16 | 1 | 53.3 | 1592.0 | ---    | ---    |
|             |      | Type5 | 4 | 8  | 588736.0 | 16 | 1 | 50.3 | 1075.0 | ---    | ---    |
| 11AX80MIMO  | 5290 | Type5 | 4 | 6  | 245638.0 | 16 | 3 | 89.1 | 1240.0 | 1384.0 | 1939.0 |
|             |      | Type5 | 4 | 5  | 75610.0  | 16 | 3 | 83.9 | 1278.0 | 1232.0 | 1459.0 |
|             |      | Type5 | 4 | 4  | 608289.0 | 16 | 2 | 77.1 | 1166.0 | 1646.0 | ---    |
|             |      | Type5 | 4 | 3  | 436784.0 | 16 | 3 | 90.0 | 1900.0 | 1153.0 | 1346.0 |
|             |      | Type5 | 4 | 2  | 267719.0 | 16 | 1 | 53.3 | 1592.0 | ---    | ---    |
|             |      | Type5 | 4 | 7  | 416355.0 | 16 | 2 | 81.8 | 1833.0 | 1676.0 | ---    |
|             |      | Type5 | 4 | 0  | 629614.0 | 16 | 2 | 67.9 | 1320.0 | 1133.0 | ---    |
|             |      | Type5 | 4 | 1  | 96856.0  | 16 | 1 | 62.3 | 1957.0 | ---    | ---    |
|             |      | Type5 | 4 | 16 | 544060.0 | 16 | 3 | 99.7 | 1150.0 | 1244.0 | 1988.0 |
|             |      | Type5 | 4 | 15 | 373812.0 | 16 | 3 | 84.7 | 1021.0 | 1718.0 | 1854.0 |
|             |      | Type5 | 4 | 14 | 203957.0 | 16 | 3 | 97.6 | 1365.0 | 1073.0 | 1361.0 |
|             |      | Type5 | 4 | 13 | 33643.0  | 16 | 3 | 86.3 | 1596.0 | 1183.0 | 1792.0 |
|             |      | Type5 | 4 | 12 | 565361.0 | 16 | 3 | 90.6 | 1561.0 | 1040.0 | 1354.0 |
|             |      | Type5 | 4 | 11 | 394825.0 | 16 | 3 | 97.5 | 1884.0 | 1465.0 | 1132.0 |
|             |      | Type5 | 4 | 10 | 225175.0 | 16 | 2 | 71.3 | 1225.0 | 1815.0 | ---    |
|             |      | Type5 | 4 | 9  | 54571.0  | 16 | 3 | 87.1 | 1116.0 | 1996.0 | 1756.0 |
|             | 5530 | Type5 | 4 | 8  | 588736.0 | 16 | 1 | 50.3 | 1075.0 | ---    | ---    |
|             |      | Type5 | 4 | 7  | 416355.0 | 16 | 2 | 81.8 | 1833.0 | 1676.0 | ---    |
|             |      | Type5 | 4 | 10 | 225175.0 | 16 | 2 | 71.3 | 1225.0 | 1815.0 | ---    |
|             |      | Type5 | 4 | 16 | 544060.0 | 16 | 3 | 99.7 | 1150.0 | 1244.0 | 1988.0 |
|             |      | Type5 | 4 | 15 | 373812.0 | 16 | 3 | 84.7 | 1021.0 | 1718.0 | 1854.0 |
|             |      | Type5 | 4 | 14 | 203957.0 | 16 | 3 | 97.6 | 1365.0 | 1073.0 | 1361.0 |
|             |      | Type5 | 4 | 13 | 33643.0  | 16 | 3 | 86.3 | 1596.0 | 1183.0 | 1792.0 |
|             |      | Type5 | 4 | 12 | 565361.0 | 16 | 3 | 90.6 | 1561.0 | 1040.0 | 1354.0 |
|             |      | Type5 | 4 | 11 | 394825.0 | 16 | 3 | 97.5 | 1884.0 | 1465.0 | 1132.0 |
|             |      | Type5 | 4 | 1  | 96856.0  | 16 | 1 | 62.3 | 1957.0 | ---    | ---    |
|             |      | Type5 | 4 | 6  | 245638.0 | 16 | 3 | 89.1 | 1240.0 | 1384.0 | 1939.0 |
|             |      | Type5 | 4 | 5  | 75610.0  | 16 | 3 | 83.9 | 1278.0 | 1232.0 | 1459.0 |
|             |      | Type5 | 4 | 4  | 608289.0 | 16 | 2 | 77.1 | 1166.0 | 1646.0 | ---    |
|             |      | Type5 | 4 | 3  | 436784.0 | 16 | 3 | 90.0 | 1900.0 | 1153.0 | 1346.0 |
|             |      | Type5 | 4 | 2  | 267719.0 | 16 | 1 | 53.3 | 1592.0 | ---    | ---    |
|             |      | Type5 | 4 | 8  | 588736.0 | 16 | 1 | 50.3 | 1075.0 | ---    | ---    |
| 11AX160MIMO | 5250 | Type5 | 4 | 9  | 54571.0  | 16 | 3 | 87.1 | 1116.0 | 1996.0 | 1756.0 |
|             |      | Type5 | 4 | 0  | 629614.0 | 16 | 2 | 67.9 | 1320.0 | 1133.0 | ---    |
|             |      | Type5 | 4 | 6  | 245638.0 | 16 | 3 | 89.1 | 1240.0 | 1384.0 | 1939.0 |
|             |      | Type5 | 4 | 5  | 75610.0  | 16 | 3 | 83.9 | 1278.0 | 1232.0 | 1459.0 |
|             |      | Type5 | 4 | 0  | 629614.0 | 16 | 2 | 67.9 | 1320.0 | 1133.0 | ---    |
|             |      | Type5 | 4 | 4  | 608289.0 | 16 | 2 | 77.1 | 1166.0 | 1646.0 | ---    |
|             |      | Type5 | 4 | 3  | 436784.0 | 16 | 3 | 90.0 | 1900.0 | 1153.0 | 1346.0 |
|             |      | Type5 | 4 | 1  | 96856.0  | 16 | 1 | 62.3 | 1957.0 | ---    | ---    |
|             |      | Type5 | 4 | 13 | 33643.0  | 16 | 3 | 86.3 | 1596.0 | 1183.0 | 1792.0 |
|             |      | Type5 | 4 | 7  | 416355.0 | 16 | 2 | 81.8 | 1833.0 | 1676.0 | ---    |
|             |      | Type5 | 4 | 2  | 267719.0 | 16 | 1 | 53.3 | 1592.0 | ---    | ---    |

|  |      |       |   |    |          |    |   |      |        |        |        |
|--|------|-------|---|----|----------|----|---|------|--------|--------|--------|
|  |      | Type5 | 4 | 9  | 54571.0  | 16 | 3 | 87.1 | 1116.0 | 1996.0 | 1756.0 |
|  |      | Type5 | 4 | 10 | 225175.0 | 16 | 2 | 71.3 | 1225.0 | 1815.0 | ---    |
|  |      | Type5 | 4 | 12 | 565361.0 | 16 | 3 | 90.6 | 1561.0 | 1040.0 | 1354.0 |
|  |      | Type5 | 4 | 14 | 203957.0 | 16 | 3 | 97.6 | 1365.0 | 1073.0 | 1361.0 |
|  |      | Type5 | 4 | 15 | 373812.0 | 16 | 3 | 84.7 | 1021.0 | 1718.0 | 1854.0 |
|  |      | Type5 | 4 | 16 | 544060.0 | 16 | 3 | 99.7 | 1150.0 | 1244.0 | 1988.0 |
|  |      | Type5 | 4 | 11 | 394825.0 | 16 | 3 | 97.5 | 1884.0 | 1465.0 | 1132.0 |
|  |      | Type5 | 4 | 8  | 588736.0 | 16 | 1 | 50.3 | 1075.0 | ---    | ---    |
|  | 5570 | Type5 | 4 | 15 | 373812.0 | 16 | 3 | 84.7 | 1021.0 | 1718.0 | 1854.0 |
|  |      | Type5 | 4 | 10 | 225175.0 | 16 | 2 | 71.3 | 1225.0 | 1815.0 | ---    |
|  |      | Type5 | 4 | 11 | 394825.0 | 16 | 3 | 97.5 | 1884.0 | 1465.0 | 1132.0 |
|  |      | Type5 | 4 | 12 | 565361.0 | 16 | 3 | 90.6 | 1561.0 | 1040.0 | 1354.0 |
|  |      | Type5 | 4 | 9  | 54571.0  | 16 | 3 | 87.1 | 1116.0 | 1996.0 | 1756.0 |
|  |      | Type5 | 4 | 14 | 203957.0 | 16 | 3 | 97.6 | 1365.0 | 1073.0 | 1361.0 |
|  |      | Type5 | 4 | 3  | 436784.0 | 16 | 3 | 90.0 | 1900.0 | 1153.0 | 1346.0 |
|  |      | Type5 | 4 | 13 | 33643.0  | 16 | 3 | 86.3 | 1596.0 | 1183.0 | 1792.0 |
|  |      | Type5 | 4 | 8  | 588736.0 | 16 | 1 | 50.3 | 1075.0 | ---    | ---    |
|  |      | Type5 | 4 | 7  | 416355.0 | 16 | 2 | 81.8 | 1833.0 | 1676.0 | ---    |
|  |      | Type5 | 4 | 6  | 245638.0 | 16 | 3 | 89.1 | 1240.0 | 1384.0 | 1939.0 |
|  |      | Type5 | 4 | 4  | 608289.0 | 16 | 2 | 77.1 | 1166.0 | 1646.0 | ---    |
|  |      | Type5 | 4 | 2  | 267719.0 | 16 | 1 | 53.3 | 1592.0 | ---    | ---    |
|  |      | Type5 | 4 | 1  | 96856.0  | 16 | 1 | 62.3 | 1957.0 | ---    | ---    |
|  |      | Type5 | 4 | 0  | 629614.0 | 16 | 2 | 67.9 | 1320.0 | 1133.0 | ---    |
|  |      | Type5 | 4 | 16 | 544060.0 | 16 | 3 | 99.7 | 1150.0 | 1244.0 | 1988.0 |
|  |      | Type5 | 4 | 5  | 75610.0  | 16 | 3 | 83.9 | 1278.0 | 1232.0 | 1459.0 |

| Test Mode  | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO | 5260    | Type5      | 5        | 9        | 171459.0          | 12                | 2                | 81.5             | 1891.0    | 1714.0    | ---       |
|            |         | Type5      | 5        | 0        | 15438.0           | 12                | 3                | 92.9             | 1085.0    | 1564.0    | 1407.0    |
|            |         | Type5      | 5        | 12       | 792834.0          | 12                | 2                | 69.6             | 1307.0    | 1925.0    | ---       |
|            |         | Type5      | 5        | 10       | 377969.0          | 12                | 3                | 89.4             | 1310.0    | 1594.0    | 1827.0    |
|            |         | Type5      | 5        | 13       | 146044.0          | 12                | 2                | 74.5             | 1264.0    | 1846.0    | ---       |
|            |         | Type5      | 5        | 8        | 818057.0          | 12                | 2                | 76.3             | 1606.0    | 1926.0    | ---       |
|            |         | Type5      | 5        | 7        | 610711.0          | 12                | 3                | 85.9             | 1134.0    | 1034.0    | 1808.0    |
|            |         | Type5      | 5        | 6        | 404955.0          | 12                | 1                | 65.8             | 1519.0    | ---       | ---       |
|            |         | Type5      | 5        | 5        | 196720.0          | 12                | 3                | 83.5             | 1679.0    | 1930.0    | 1025.0    |
|            |         | Type5      | 5        | 4        | 845342.0          | 12                | 1                | 53.7             | 1727.0    | ---       | ---       |
|            |         | Type5      | 5        | 3        | 637784.0          | 12                | 1                | 56.3             | 1851.0    | ---       | ---       |
|            |         | Type5      | 5        | 2        | 430731.0          | 12                | 1                | 65.8             | 1092.0    | ---       | ---       |
|            | 5500    | Type5      | 5        | 1        | 222486.0          | 12                | 2                | 67.7             | 1744.0    | 1747.0    | ---       |
|            |         | Type5      | 5        | 11       | 586875.0          | 12                | 1                | 63.4             | 1568.0    | ---       | ---       |
|            |         | Type5      | 5        | 5        | 196720.0          | 12                | 3                | 83.5             | 1679.0    | 1930.0    | 1025.0    |
|            |         | Type5      | 5        | 1        | 222486.0          | 12                | 2                | 67.7             | 1744.0    | 1747.0    | ---       |
|            |         | Type5      | 5        | 0        | 15438.0           | 12                | 3                | 92.9             | 1085.0    | 1564.0    | 1407.0    |
|            |         | Type5      | 5        | 2        | 430731.0          | 12                | 1                | 65.8             | 1092.0    | ---       | ---       |
|            |         | Type5      | 5        | 3        | 637784.0          | 12                | 1                | 56.3             | 1851.0    | ---       | ---       |
|            |         | Type5      | 5        | 4        | 845342.0          | 12                | 1                | 53.7             | 1727.0    | ---       | ---       |
|            |         | Type5      | 5        | 13       | 146044.0          | 12                | 2                | 74.5             | 1264.0    | 1846.0    | ---       |
|            |         | Type5      | 5        | 6        | 404955.0          | 12                | 1                | 65.8             | 1519.0    | ---       | ---       |
|            |         | Type5      | 5        | 7        | 610711.0          | 12                | 3                | 85.9             | 1134.0    | 1034.0    | 1808.0    |
|            |         | Type5      | 5        | 8        | 818057.0          | 12                | 2                | 76.3             | 1606.0    | 1926.0    | ---       |
| 11AX40MIMO | 5270    | Type5      | 5        | 9        | 171459.0          | 12                | 2                | 81.5             | 1891.0    | 1714.0    | ---       |
|            |         | Type5      | 5        | 10       | 377969.0          | 12                | 3                | 89.4             | 1310.0    | 1594.0    | 1827.0    |
|            |         | Type5      | 5        | 12       | 792834.0          | 12                | 2                | 69.6             | 1307.0    | 1925.0    | ---       |
|            |         | Type5      | 5        | 11       | 586875.0          | 12                | 1                | 63.4             | 1568.0    | ---       | ---       |
|            |         | Type5      | 5        | 6        | 404955.0          | 12                | 1                | 65.8             | 1519.0    | ---       | ---       |
|            |         | Type5      | 5        | 13       | 146044.0          | 12                | 2                | 74.5             | 1264.0    | 1846.0    | ---       |
|            |         | Type5      | 5        | 12       | 792834.0          | 12                | 2                | 69.6             | 1307.0    | 1925.0    | ---       |
|            |         | Type5      | 5        | 11       | 586875.0          | 12                | 1                | 63.4             | 1568.0    | ---       | ---       |
|            |         | Type5      | 5        | 10       | 377969.0          | 12                | 3                | 89.4             | 1310.0    | 1594.0    | 1827.0    |
|            |         | Type5      | 5        | 9        | 171459.0          | 12                | 2                | 81.5             | 1891.0    | 1714.0    | ---       |
|            |         | Type5      | 5        | 7        | 610711.0          | 12                | 3                | 85.9             | 1134.0    | 1034.0    | 1808.0    |
|            |         | Type5      | 5        | 5        | 196720.0          | 12                | 3                | 83.5             | 1679.0    | 1930.0    | 1025.0    |
|            | 5510    | Type5      | 5        | 4        | 845342.0          | 12                | 1                | 53.7             | 1727.0    | ---       | ---       |
|            |         | Type5      | 5        | 3        | 637784.0          | 12                | 1                | 56.3             | 1851.0    | ---       | ---       |
|            |         | Type5      | 5        | 2        | 430731.0          | 12                | 1                | 65.8             | 1092.0    | ---       | ---       |
|            |         | Type5      | 5        | 1        | 222486.0          | 12                | 2                | 67.7             | 1744.0    | 1747.0    | ---       |
|            |         | Type5      | 5        | 0        | 15438.0           | 12                | 3                | 92.9             | 1085.0    | 1564.0    | 1407.0    |
|            |         | Type5      | 5        | 8        | 818057.0          | 12                | 2                | 76.3             | 1606.0    | 1926.0    | ---       |
|            |         | Type5      | 5        | 11       | 586875.0          | 12                | 1                | 63.4             | 1568.0    | ---       | ---       |
|            |         | Type5      | 5        | 10       | 377969.0          | 12                | 3                | 89.4             | 1310.0    | 1594.0    | 1827.0    |
|            |         | Type5      | 5        | 13       | 146044.0          | 12                | 2                | 74.5             | 1264.0    | 1846.0    | ---       |
|            |         | Type5      | 5        | 9        | 171459.0          | 12                | 2                | 81.5             | 1891.0    | 1714.0    | ---       |
|            |         | Type5      | 5        | 12       | 792834.0          | 12                | 2                | 69.6             | 1307.0    | 1925.0    | ---       |
|            |         | Type5      | 5        | 0        | 15438.0           | 12                | 3                | 92.9             | 1085.0    | 1564.0    | 1407.0    |
|            |         | Type5      | 5        | 8        | 818057.0          | 12                | 2                | 76.3             | 1606.0    | 1926.0    | ---       |
|            |         | Type5      | 5        | 7        | 610711.0          | 12                | 3                | 85.9             | 1134.0    | 1034.0    | 1808.0    |
|            |         | Type5      | 5        | 6        | 404955.0          | 12                | 1                | 65.8             | 1519.0    | ---       | ---       |
|            |         | Type5      | 5        | 5        | 196720.0          | 12                | 3                | 83.5             | 1679.0    | 1930.0    | 1025.0    |
|            |         | Type5      | 5        | 4        | 845342.0          | 12                | 1                | 53.7             | 1727.0    | ---       | ---       |
|            |         | Type5      | 5        | 3        | 637784.0          | 12                | 1                | 56.3             | 1851.0    | ---       | ---       |

|             |      |       |   |    |          |    |   |      |        |        |        |
|-------------|------|-------|---|----|----------|----|---|------|--------|--------|--------|
| 11AX80MIMO  | 5290 | Type5 | 5 | 2  | 430731.0 | 12 | 1 | 65.8 | 1092.0 | ---    | ---    |
|             |      | Type5 | 5 | 1  | 222486.0 | 12 | 2 | 67.7 | 1744.0 | 1747.0 | ---    |
|             |      | Type5 | 5 | 0  | 15438.0  | 12 | 3 | 92.9 | 1085.0 | 1564.0 | 1407.0 |
|             |      | Type5 | 5 | 1  | 222486.0 | 12 | 2 | 67.7 | 1744.0 | 1747.0 | ---    |
|             |      | Type5 | 5 | 2  | 430731.0 | 12 | 1 | 65.8 | 1092.0 | ---    | ---    |
|             |      | Type5 | 5 | 3  | 637784.0 | 12 | 1 | 56.3 | 1851.0 | ---    | ---    |
|             |      | Type5 | 5 | 4  | 845342.0 | 12 | 1 | 53.7 | 1727.0 | ---    | ---    |
|             |      | Type5 | 5 | 5  | 196720.0 | 12 | 3 | 83.5 | 1679.0 | 1930.0 | 1025.0 |
|             |      | Type5 | 5 | 6  | 404955.0 | 12 | 1 | 65.8 | 1519.0 | ---    | ---    |
|             |      | Type5 | 5 | 8  | 818057.0 | 12 | 2 | 76.3 | 1606.0 | 1926.0 | ---    |
|             |      | Type5 | 5 | 9  | 171459.0 | 12 | 2 | 81.5 | 1891.0 | 1714.0 | ---    |
|             |      | Type5 | 5 | 10 | 377969.0 | 12 | 3 | 89.4 | 1310.0 | 1594.0 | 1827.0 |
|             |      | Type5 | 5 | 11 | 586875.0 | 12 | 1 | 63.4 | 1568.0 | ---    | ---    |
|             |      | Type5 | 5 | 13 | 146044.0 | 12 | 2 | 74.5 | 1264.0 | 1846.0 | ---    |
|             |      | Type5 | 5 | 12 | 792834.0 | 12 | 2 | 69.6 | 1307.0 | 1925.0 | ---    |
|             | 5530 | Type5 | 5 | 7  | 610711.0 | 12 | 3 | 85.9 | 1134.0 | 1034.0 | 1808.0 |
|             |      | Type5 | 5 | 6  | 404955.0 | 12 | 1 | 65.8 | 1519.0 | ---    | ---    |
|             |      | Type5 | 5 | 13 | 146044.0 | 12 | 2 | 74.5 | 1264.0 | 1846.0 | ---    |
|             |      | Type5 | 5 | 12 | 792834.0 | 12 | 2 | 69.6 | 1307.0 | 1925.0 | ---    |
|             |      | Type5 | 5 | 11 | 586875.0 | 12 | 1 | 63.4 | 1568.0 | ---    | ---    |
|             |      | Type5 | 5 | 10 | 377969.0 | 12 | 3 | 89.4 | 1310.0 | 1594.0 | 1827.0 |
|             |      | Type5 | 5 | 9  | 171459.0 | 12 | 2 | 81.5 | 1891.0 | 1714.0 | ---    |
|             |      | Type5 | 5 | 7  | 610711.0 | 12 | 3 | 85.9 | 1134.0 | 1034.0 | 1808.0 |
|             |      | Type5 | 5 | 5  | 196720.0 | 12 | 3 | 83.5 | 1679.0 | 1930.0 | 1025.0 |
|             |      | Type5 | 5 | 4  | 845342.0 | 12 | 1 | 53.7 | 1727.0 | ---    | ---    |
|             |      | Type5 | 5 | 3  | 637784.0 | 12 | 1 | 56.3 | 1851.0 | ---    | ---    |
|             |      | Type5 | 5 | 2  | 430731.0 | 12 | 1 | 65.8 | 1092.0 | ---    | ---    |
|             |      | Type5 | 5 | 1  | 222486.0 | 12 | 2 | 67.7 | 1744.0 | 1747.0 | ---    |
|             |      | Type5 | 5 | 0  | 15438.0  | 12 | 3 | 92.9 | 1085.0 | 1564.0 | 1407.0 |
|             |      | Type5 | 5 | 8  | 818057.0 | 12 | 2 | 76.3 | 1606.0 | 1926.0 | ---    |
| 11AX160MIMO | 5250 | Type5 | 5 | 11 | 586875.0 | 12 | 1 | 63.4 | 1568.0 | ---    | ---    |
|             |      | Type5 | 5 | 5  | 196720.0 | 12 | 3 | 83.5 | 1679.0 | 1930.0 | 1025.0 |
|             |      | Type5 | 5 | 1  | 222486.0 | 12 | 2 | 67.7 | 1744.0 | 1747.0 | ---    |
|             |      | Type5 | 5 | 2  | 430731.0 | 12 | 1 | 65.8 | 1092.0 | ---    | ---    |
|             |      | Type5 | 5 | 3  | 637784.0 | 12 | 1 | 56.3 | 1851.0 | ---    | ---    |
|             |      | Type5 | 5 | 0  | 15438.0  | 12 | 3 | 92.9 | 1085.0 | 1564.0 | 1407.0 |
|             |      | Type5 | 5 | 4  | 845342.0 | 12 | 1 | 53.7 | 1727.0 | ---    | ---    |
|             |      | Type5 | 5 | 7  | 610711.0 | 12 | 3 | 85.9 | 1134.0 | 1034.0 | 1808.0 |
|             |      | Type5 | 5 | 8  | 818057.0 | 12 | 2 | 76.3 | 1606.0 | 1926.0 | ---    |
|             |      | Type5 | 5 | 10 | 377969.0 | 12 | 3 | 89.4 | 1310.0 | 1594.0 | 1827.0 |
|             |      | Type5 | 5 | 12 | 792834.0 | 12 | 2 | 69.6 | 1307.0 | 1925.0 | ---    |
|             |      | Type5 | 5 | 13 | 146044.0 | 12 | 2 | 74.5 | 1264.0 | 1846.0 | ---    |
|             |      | Type5 | 5 | 6  | 404955.0 | 12 | 1 | 65.8 | 1519.0 | ---    | ---    |
|             |      | Type5 | 5 | 9  | 171459.0 | 12 | 2 | 81.5 | 1891.0 | 1714.0 | ---    |
|             | 5570 | Type5 | 5 | 2  | 430731.0 | 12 | 1 | 65.8 | 1092.0 | ---    | ---    |
|             |      | Type5 | 5 | 12 | 792834.0 | 12 | 2 | 69.6 | 1307.0 | 1925.0 | ---    |
|             |      | Type5 | 5 | 11 | 586875.0 | 12 | 1 | 63.4 | 1568.0 | ---    | ---    |
|             |      | Type5 | 5 | 10 | 377969.0 | 12 | 3 | 89.4 | 1310.0 | 1594.0 | 1827.0 |
|             |      | Type5 | 5 | 9  | 171459.0 | 12 | 2 | 81.5 | 1891.0 | 1714.0 | ---    |
|             |      | Type5 | 5 | 8  | 818057.0 | 12 | 2 | 76.3 | 1606.0 | 1926.0 | ---    |
|             |      | Type5 | 5 | 7  | 610711.0 | 12 | 3 | 85.9 | 1134.0 | 1034.0 | 1808.0 |
|             |      | Type5 | 5 | 6  | 404955.0 | 12 | 1 | 65.8 | 1519.0 | ---    | ---    |
|             |      | Type5 | 5 | 5  | 196720.0 | 12 | 3 | 83.5 | 1679.0 | 1930.0 | 1025.0 |
|             |      | Type5 | 5 | 3  | 637784.0 | 12 | 1 | 56.3 | 1851.0 | ---    | ---    |
|             |      | Type5 | 5 | 1  | 222486.0 | 12 | 2 | 67.7 | 1744.0 | 1747.0 | ---    |
|             |      | Type5 | 5 | 0  | 15438.0  | 12 | 3 | 92.9 | 1085.0 | 1564.0 | 1407.0 |
|             |      | Type5 | 5 | 13 | 146044.0 | 12 | 2 | 74.5 | 1264.0 | 1846.0 | ---    |
|             |      | Type5 | 5 | 4  | 845342.0 | 12 | 1 | 53.7 | 1727.0 | ---    | ---    |

| Test Mode  | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO | 5260    | Type5      | 6        | 10       | 667887.0          | 13                | 2                | 77.7             | 1972.0    | 1835.0    | ---       |
|            |         | Type5      | 6        | 0        | 329022.0          | 13                | 3                | 96.6             | 1182.0    | 1609.0    | 1581.0    |
|            |         | Type5      | 6        | 13       | 452335.0          | 13                | 1                | 61.4             | 1451.0    | ---       | ---       |
|            |         | Type5      | 6        | 11       | 64845.0           | 13                | 2                | 79.6             | 1882.0    | 1331.0    | ---       |
|            |         | Type5      | 6        | 14       | 643395.0          | 13                | 3                | 90.6             | 1233.0    | 1562.0    | 1887.0    |
|            |         | Type5      | 6        | 9        | 475842.0          | 13                | 2                | 68.6             | 1008.0    | 1028.0    | ---       |
|            |         | Type5      | 6        | 8        | 282508.0          | 13                | 1                | 65.7             | 1476.0    | ---       | ---       |
|            |         | Type5      | 6        | 7        | 88645.0           | 13                | 2                | 79.4             | 1344.0    | 1893.0    | ---       |
|            |         | Type5      | 6        | 6        | 690932.0          | 13                | 3                | 85.3             | 1336.0    | 1504.0    | 1820.0    |
|            |         | Type5      | 6        | 5        | 500239.0          | 13                | 1                | 55.4             | 1145.0    | ---       | ---       |
|            |         | Type5      | 6        | 4        | 306283.0          | 13                | 1                | 55.8             | 1688.0    | ---       | ---       |
|            |         | Type5      | 6        | 3        | 112450.0          | 13                | 2                | 73.3             | 1908.0    | 1318.0    | ---       |
|            |         | Type5      | 6        | 2        | 714222.0          | 13                | 3                | 86.5             | 1923.0    | 1396.0    | 1865.0    |
|            |         | Type5      | 6        | 1        | 521718.0          | 13                | 3                | 96.7             | 1829.0    | 1799.0    | 1154.0    |
|            |         | Type5      | 6        | 12       | 257755.0          | 13                | 3                | 94.9             | 1830.0    | 1070.0    | 1349.0    |
|            | 5500    | Type5      | 6        | 5        | 500239.0          | 13                | 1                | 55.4             | 1145.0    | ---       | ---       |
|            |         | Type5      | 6        | 1        | 521718.0          | 13                | 3                | 96.7             | 1829.0    | 1799.0    | 1154.0    |
|            |         | Type5      | 6        | 0        | 329022.0          | 13                | 3                | 96.6             | 1182.0    | 1609.0    | 1581.0    |
|            |         | Type5      | 6        | 2        | 714222.0          | 13                | 3                | 86.5             | 1923.0    | 1396.0    | 1865.0    |
|            |         | Type5      | 6        | 3        | 112450.0          | 13                | 2                | 73.3             | 1908.0    | 1318.0    | ---       |
|            |         | Type5      | 6        | 4        | 306283.0          | 13                | 1                | 55.8             | 1688.0    | ---       | ---       |
|            |         | Type5      | 6        | 14       | 643395.0          | 13                | 3                | 90.6             | 1233.0    | 1562.0    | 1887.0    |
|            |         | Type5      | 6        | 6        | 690932.0          | 13                | 3                | 85.3             | 1336.0    | 1504.0    | 1820.0    |
|            |         | Type5      | 6        | 7        | 88645.0           | 13                | 2                | 79.4             | 1344.0    | 1893.0    | ---       |
|            |         | Type5      | 6        | 8        | 282508.0          | 13                | 1                | 65.7             | 1476.0    | ---       | ---       |
|            |         | Type5      | 6        | 9        | 475842.0          | 13                | 2                | 68.6             | 1008.0    | 1028.0    | ---       |
|            |         | Type5      | 6        | 10       | 667887.0          | 13                | 2                | 77.7             | 1972.0    | 1835.0    | ---       |
|            |         | Type5      | 6        | 11       | 64845.0           | 13                | 2                | 79.6             | 1882.0    | 1331.0    | ---       |
|            |         | Type5      | 6        | 13       | 452335.0          | 13                | 1                | 61.4             | 1451.0    | ---       | ---       |
|            |         | Type5      | 6        | 12       | 257755.0          | 13                | 3                | 94.9             | 1830.0    | 1070.0    | 1349.0    |
| 11AX40MIMO | 5270    | Type5      | 6        | 7        | 88645.0           | 13                | 2                | 79.4             | 1344.0    | 1893.0    | ---       |
|            |         | Type5      | 6        | 14       | 643395.0          | 13                | 3                | 90.6             | 1233.0    | 1562.0    | 1887.0    |
|            |         | Type5      | 6        | 13       | 452335.0          | 13                | 1                | 61.4             | 1451.0    | ---       | ---       |
|            |         | Type5      | 6        | 12       | 257755.0          | 13                | 3                | 94.9             | 1830.0    | 1070.0    | 1349.0    |
|            |         | Type5      | 6        | 11       | 64845.0           | 13                | 2                | 79.6             | 1882.0    | 1331.0    | ---       |
|            |         | Type5      | 6        | 10       | 667887.0          | 13                | 2                | 77.7             | 1972.0    | 1835.0    | ---       |
|            |         | Type5      | 6        | 8        | 282508.0          | 13                | 1                | 65.7             | 1476.0    | ---       | ---       |
|            |         | Type5      | 6        | 6        | 690932.0          | 13                | 3                | 85.3             | 1336.0    | 1504.0    | 1820.0    |
|            |         | Type5      | 6        | 5        | 500239.0          | 13                | 1                | 55.4             | 1145.0    | ---       | ---       |
|            |         | Type5      | 6        | 4        | 306283.0          | 13                | 1                | 55.8             | 1688.0    | ---       | ---       |
|            |         | Type5      | 6        | 3        | 112450.0          | 13                | 2                | 73.3             | 1908.0    | 1318.0    | ---       |
|            |         | Type5      | 6        | 2        | 714222.0          | 13                | 3                | 86.5             | 1923.0    | 1396.0    | 1865.0    |
|            |         | Type5      | 6        | 1        | 521718.0          | 13                | 3                | 96.7             | 1829.0    | 1799.0    | 1154.0    |
|            |         | Type5      | 6        | 0        | 329022.0          | 13                | 3                | 96.6             | 1182.0    | 1609.0    | 1581.0    |
|            |         | Type5      | 6        | 9        | 475842.0          | 13                | 2                | 68.6             | 1008.0    | 1028.0    | ---       |
|            | 5510    | Type5      | 6        | 12       | 257755.0          | 13                | 3                | 94.9             | 1830.0    | 1070.0    | 1349.0    |
|            |         | Type5      | 6        | 9        | 475842.0          | 13                | 2                | 68.6             | 1008.0    | 1028.0    | ---       |
|            |         | Type5      | 6        | 14       | 643395.0          | 13                | 3                | 90.6             | 1233.0    | 1562.0    | 1887.0    |
|            |         | Type5      | 6        | 13       | 452335.0          | 13                | 1                | 61.4             | 1451.0    | ---       | ---       |
|            |         | Type5      | 6        | 10       | 667887.0          | 13                | 2                | 77.7             | 1972.0    | 1835.0    | ---       |
|            |         | Type5      | 6        | 11       | 64845.0           | 13                | 2                | 79.6             | 1882.0    | 1331.0    | ---       |
|            |         | Type5      | 6        | 0        | 329022.0          | 13                | 3                | 96.6             | 1182.0    | 1609.0    | 1581.0    |
|            |         | Type5      | 6        | 8        | 282508.0          | 13                | 1                | 65.7             | 1476.0    | ---       | ---       |

|             |      |       |   |    |          |    |   |      |        |        |        |
|-------------|------|-------|---|----|----------|----|---|------|--------|--------|--------|
|             |      | Type5 | 6 | 7  | 88645.0  | 13 | 2 | 79.4 | 1344.0 | 1893.0 | ---    |
|             |      | Type5 | 6 | 6  | 690932.0 | 13 | 3 | 85.3 | 1336.0 | 1504.0 | 1820.0 |
|             |      | Type5 | 6 | 5  | 500239.0 | 13 | 1 | 55.4 | 1145.0 | ---    | ---    |
|             |      | Type5 | 6 | 4  | 306283.0 | 13 | 1 | 55.8 | 1688.0 | ---    | ---    |
|             |      | Type5 | 6 | 3  | 112450.0 | 13 | 2 | 73.3 | 1908.0 | 1318.0 | ---    |
|             |      | Type5 | 6 | 2  | 714222.0 | 13 | 3 | 86.5 | 1923.0 | 1396.0 | 1865.0 |
|             |      | Type5 | 6 | 1  | 521718.0 | 13 | 3 | 96.7 | 1829.0 | 1799.0 | 1154.0 |
| 11AX80MIMO  | 5290 | Type5 | 6 | 0  | 329022.0 | 13 | 3 | 96.6 | 1182.0 | 1609.0 | 1581.0 |
|             |      | Type5 | 6 | 1  | 521718.0 | 13 | 3 | 96.7 | 1829.0 | 1799.0 | 1154.0 |
|             |      | Type5 | 6 | 2  | 714222.0 | 13 | 3 | 86.5 | 1923.0 | 1396.0 | 1865.0 |
|             |      | Type5 | 6 | 3  | 112450.0 | 13 | 2 | 73.3 | 1908.0 | 1318.0 | ---    |
|             |      | Type5 | 6 | 4  | 306283.0 | 13 | 1 | 55.8 | 1688.0 | ---    | ---    |
|             |      | Type5 | 6 | 5  | 500239.0 | 13 | 1 | 55.4 | 1145.0 | ---    | ---    |
|             |      | Type5 | 6 | 6  | 690932.0 | 13 | 3 | 85.3 | 1336.0 | 1504.0 | 1820.0 |
|             |      | Type5 | 6 | 8  | 282508.0 | 13 | 1 | 65.7 | 1476.0 | ---    | ---    |
|             |      | Type5 | 6 | 9  | 475842.0 | 13 | 2 | 68.6 | 1008.0 | 1028.0 | ---    |
|             |      | Type5 | 6 | 10 | 667887.0 | 13 | 2 | 77.7 | 1972.0 | 1835.0 | ---    |
|             |      | Type5 | 6 | 11 | 64845.0  | 13 | 2 | 79.6 | 1882.0 | 1331.0 | ---    |
|             |      | Type5 | 6 | 12 | 257755.0 | 13 | 3 | 94.9 | 1830.0 | 1070.0 | 1349.0 |
|             |      | Type5 | 6 | 14 | 643395.0 | 13 | 3 | 90.6 | 1233.0 | 1562.0 | 1887.0 |
|             |      | Type5 | 6 | 13 | 452335.0 | 13 | 1 | 61.4 | 1451.0 | ---    | ---    |
|             |      | Type5 | 6 | 7  | 88645.0  | 13 | 2 | 79.4 | 1344.0 | 1893.0 | ---    |
|             |      | Type5 | 6 | 6  | 690932.0 | 13 | 3 | 85.3 | 1336.0 | 1504.0 | 1820.0 |
|             |      | Type5 | 6 | 14 | 643395.0 | 13 | 3 | 90.6 | 1233.0 | 1562.0 | 1887.0 |
|             | 5530 | Type5 | 6 | 13 | 452335.0 | 13 | 1 | 61.4 | 1451.0 | ---    | ---    |
|             |      | Type5 | 6 | 12 | 257755.0 | 13 | 3 | 94.9 | 1830.0 | 1070.0 | 1349.0 |
|             |      | Type5 | 6 | 11 | 64845.0  | 13 | 2 | 79.6 | 1882.0 | 1331.0 | ---    |
|             |      | Type5 | 6 | 10 | 667887.0 | 13 | 2 | 77.7 | 1972.0 | 1835.0 | ---    |
|             |      | Type5 | 6 | 9  | 475842.0 | 13 | 2 | 68.6 | 1008.0 | 1028.0 | ---    |
|             |      | Type5 | 6 | 1  | 521718.0 | 13 | 3 | 96.7 | 1829.0 | 1799.0 | 1154.0 |
|             |      | Type5 | 6 | 5  | 500239.0 | 13 | 1 | 55.4 | 1145.0 | ---    | ---    |
|             |      | Type5 | 6 | 4  | 306283.0 | 13 | 1 | 55.8 | 1688.0 | ---    | ---    |
|             |      | Type5 | 6 | 3  | 112450.0 | 13 | 2 | 73.3 | 1908.0 | 1318.0 | ---    |
|             |      | Type5 | 6 | 2  | 714222.0 | 13 | 3 | 86.5 | 1923.0 | 1396.0 | 1865.0 |
|             |      | Type5 | 6 | 7  | 88645.0  | 13 | 2 | 79.4 | 1344.0 | 1893.0 | ---    |
|             |      | Type5 | 6 | 8  | 282508.0 | 13 | 1 | 65.7 | 1476.0 | ---    | ---    |
|             |      | Type5 | 6 | 0  | 329022.0 | 13 | 3 | 96.6 | 1182.0 | 1609.0 | 1581.0 |
| 11AX160MIMO | 5250 | Type5 | 6 | 5  | 500239.0 | 13 | 1 | 55.4 | 1145.0 | ---    | ---    |
|             |      | Type5 | 6 | 4  | 306283.0 | 13 | 1 | 55.8 | 1688.0 | ---    | ---    |
|             |      | Type5 | 6 | 0  | 329022.0 | 13 | 3 | 96.6 | 1182.0 | 1609.0 | 1581.0 |
|             |      | Type5 | 6 | 3  | 112450.0 | 13 | 2 | 73.3 | 1908.0 | 1318.0 | ---    |
|             |      | Type5 | 6 | 1  | 521718.0 | 13 | 3 | 96.7 | 1829.0 | 1799.0 | 1154.0 |
|             |      | Type5 | 6 | 12 | 257755.0 | 13 | 3 | 94.9 | 1830.0 | 1070.0 | 1349.0 |
|             |      | Type5 | 6 | 6  | 690932.0 | 13 | 3 | 85.3 | 1336.0 | 1504.0 | 1820.0 |
|             |      | Type5 | 6 | 2  | 714222.0 | 13 | 3 | 86.5 | 1923.0 | 1396.0 | 1865.0 |
|             |      | Type5 | 6 | 8  | 282508.0 | 13 | 1 | 65.7 | 1476.0 | ---    | ---    |
|             |      | Type5 | 6 | 9  | 475842.0 | 13 | 2 | 68.6 | 1008.0 | 1028.0 | ---    |
|             |      | Type5 | 6 | 11 | 64845.0  | 13 | 2 | 79.6 | 1882.0 | 1331.0 | ---    |
|             |      | Type5 | 6 | 13 | 452335.0 | 13 | 1 | 61.4 | 1451.0 | ---    | ---    |
|             |      | Type5 | 6 | 14 | 643395.0 | 13 | 3 | 90.6 | 1233.0 | 1562.0 | 1887.0 |
|             |      | Type5 | 6 | 7  | 88645.0  | 13 | 2 | 79.4 | 1344.0 | 1893.0 | ---    |
|             |      | Type5 | 6 | 10 | 667887.0 | 13 | 2 | 77.7 | 1972.0 | 1835.0 | ---    |
|             | 5570 | Type5 | 6 | 3  | 112450.0 | 13 | 2 | 73.3 | 1908.0 | 1318.0 | ---    |
|             |      | Type5 | 6 | 13 | 452335.0 | 13 | 1 | 61.4 | 1451.0 | ---    | ---    |
|             |      | Type5 | 6 | 12 | 257755.0 | 13 | 3 | 94.9 | 1830.0 | 1070.0 | 1349.0 |
|             |      | Type5 | 6 | 11 | 64845.0  | 13 | 2 | 79.6 | 1882.0 | 1331.0 | ---    |
|             |      | Type5 | 6 | 10 | 667887.0 | 13 | 2 | 77.7 | 1972.0 | 1835.0 | ---    |
|             |      | Type5 | 6 | 9  | 475842.0 | 13 | 2 | 68.6 | 1008.0 | 1028.0 | ---    |

|  |       |   |    |          |    |   |      |        |        |        |
|--|-------|---|----|----------|----|---|------|--------|--------|--------|
|  | Type5 | 6 | 8  | 282508.0 | 13 | 1 | 65.7 | 1476.0 | ---    | ---    |
|  | Type5 | 6 | 7  | 88645.0  | 13 | 2 | 79.4 | 1344.0 | 1893.0 | ---    |
|  | Type5 | 6 | 6  | 690932.0 | 13 | 3 | 85.3 | 1336.0 | 1504.0 | 1820.0 |
|  | Type5 | 6 | 4  | 306283.0 | 13 | 1 | 55.8 | 1688.0 | ---    | ---    |
|  | Type5 | 6 | 2  | 714222.0 | 13 | 3 | 86.5 | 1923.0 | 1396.0 | 1865.0 |
|  | Type5 | 6 | 1  | 521718.0 | 13 | 3 | 96.7 | 1829.0 | 1799.0 | 1154.0 |
|  | Type5 | 6 | 0  | 329022.0 | 13 | 3 | 96.6 | 1182.0 | 1609.0 | 1581.0 |
|  | Type5 | 6 | 14 | 643395.0 | 13 | 3 | 90.6 | 1233.0 | 1562.0 | 1887.0 |
|  | Type5 | 6 | 5  | 500239.0 | 13 | 1 | 55.4 | 1145.0 | ---    | ---    |

| Test Mode  | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO | 5260    | Type5      | 7        | 8        | 989976.0          | 10                | 1                | 60.9             | 1798.0    | ---       | ---       |
|            |         | Type5      | 7        | 0        | 51446.0           | 10                | 1                | 52.6             | 1210.0    | ---       | ---       |
|            |         | Type5      | 7        | 9        | 234024.0          | 10                | 1                | 64.2             | 1138.0    | ---       | ---       |
|            |         | Type5      | 7        | 11       | 715825.0          | 10                | 3                | 87.5             | 1511.0    | 1712.0    | 1683.0    |
|            |         | Type5      | 7        | 7        | 747058.0          | 10                | 2                | 75.7             | 1026.0    | 1871.0    | ---       |
|            |         | Type5      | 7        | 6        | 505581.0          | 10                | 2                | 67.6             | 1175.0    | 1027.0    | ---       |
|            |         | Type5      | 7        | 5        | 263385.0          | 10                | 2                | 72.2             | 1771.0    | 1184.0    | ---       |
|            |         | Type5      | 7        | 4        | 21542.0           | 10                | 3                | 98.8             | 1544.0    | 1386.0    | 1302.0    |
|            |         | Type5      | 7        | 3        | 775564.0          | 10                | 3                | 97.3             | 1341.0    | 1446.0    | 1755.0    |
|            |         | Type5      | 7        | 2        | 533989.0          | 10                | 3                | 97.7             | 1139.0    | 1868.0    | 1805.0    |
|            |         | Type5      | 7        | 1        | 292696.0          | 10                | 3                | 84.1             | 1314.0    | 1725.0    | 1529.0    |
|            |         | Type5      | 7        | 10       | 475207.0          | 10                | 2                | 78.8             | 1784.0    | 1604.0    | ---       |
|            | 5500    | Type5      | 7        | 4        | 21542.0           | 10                | 3                | 98.8             | 1544.0    | 1386.0    | 1302.0    |
|            |         | Type5      | 7        | 1        | 292696.0          | 10                | 3                | 84.1             | 1314.0    | 1725.0    | 1529.0    |
|            |         | Type5      | 7        | 0        | 51446.0           | 10                | 1                | 52.6             | 1210.0    | ---       | ---       |
|            |         | Type5      | 7        | 2        | 533989.0          | 10                | 3                | 97.7             | 1139.0    | 1868.0    | 1805.0    |
|            |         | Type5      | 7        | 3        | 775564.0          | 10                | 3                | 97.3             | 1341.0    | 1446.0    | 1755.0    |
|            |         | Type5      | 7        | 11       | 715825.0          | 10                | 3                | 87.5             | 1511.0    | 1712.0    | 1683.0    |
|            |         | Type5      | 7        | 5        | 263385.0          | 10                | 2                | 72.2             | 1771.0    | 1184.0    | ---       |
|            |         | Type5      | 7        | 6        | 505581.0          | 10                | 2                | 67.6             | 1175.0    | 1027.0    | ---       |
|            |         | Type5      | 7        | 7        | 747058.0          | 10                | 2                | 75.7             | 1026.0    | 1871.0    | ---       |
|            |         | Type5      | 7        | 8        | 989976.0          | 10                | 1                | 60.9             | 1798.0    | ---       | ---       |
|            |         | Type5      | 7        | 10       | 475207.0          | 10                | 2                | 78.8             | 1784.0    | 1604.0    | ---       |
|            |         | Type5      | 7        | 9        | 234024.0          | 10                | 1                | 64.2             | 1138.0    | ---       | ---       |
| 11AX40MIMO | 5270    | Type5      | 7        | 5        | 263385.0          | 10                | 2                | 72.2             | 1771.0    | 1184.0    | ---       |
|            |         | Type5      | 7        | 11       | 715825.0          | 10                | 3                | 87.5             | 1511.0    | 1712.0    | 1683.0    |
|            |         | Type5      | 7        | 10       | 475207.0          | 10                | 2                | 78.8             | 1784.0    | 1604.0    | ---       |
|            |         | Type5      | 7        | 9        | 234024.0          | 10                | 1                | 64.2             | 1138.0    | ---       | ---       |
|            |         | Type5      | 7        | 8        | 989976.0          | 10                | 1                | 60.9             | 1798.0    | ---       | ---       |
|            |         | Type5      | 7        | 6        | 505581.0          | 10                | 2                | 67.6             | 1175.0    | 1027.0    | ---       |
|            |         | Type5      | 7        | 4        | 21542.0           | 10                | 3                | 98.8             | 1544.0    | 1386.0    | 1302.0    |
|            |         | Type5      | 7        | 3        | 775564.0          | 10                | 3                | 97.3             | 1341.0    | 1446.0    | 1755.0    |
|            |         | Type5      | 7        | 2        | 533989.0          | 10                | 3                | 97.7             | 1139.0    | 1868.0    | 1805.0    |
|            |         | Type5      | 7        | 1        | 292696.0          | 10                | 3                | 84.1             | 1314.0    | 1725.0    | 1529.0    |
|            |         | Type5      | 7        | 0        | 51446.0           | 10                | 1                | 52.6             | 1210.0    | ---       | ---       |
|            |         | Type5      | 7        | 7        | 747058.0          | 10                | 2                | 75.7             | 1026.0    | 1871.0    | ---       |
|            | 5510    | Type5      | 7        | 9        | 234024.0          | 10                | 1                | 64.2             | 1138.0    | ---       | ---       |
|            |         | Type5      | 7        | 8        | 989976.0          | 10                | 1                | 60.9             | 1798.0    | ---       | ---       |
|            |         | Type5      | 7        | 11       | 715825.0          | 10                | 3                | 87.5             | 1511.0    | 1712.0    | 1683.0    |
|            |         | Type5      | 7        | 7        | 747058.0          | 10                | 2                | 75.7             | 1026.0    | 1871.0    | ---       |
|            |         | Type5      | 7        | 10       | 475207.0          | 10                | 2                | 78.8             | 1784.0    | 1604.0    | ---       |
|            |         | Type5      | 7        | 0        | 51446.0           | 10                | 1                | 52.6             | 1210.0    | ---       | ---       |
|            |         | Type5      | 7        | 6        | 505581.0          | 10                | 2                | 67.6             | 1175.0    | 1027.0    | ---       |
|            |         | Type5      | 7        | 5        | 263385.0          | 10                | 2                | 72.2             | 1771.0    | 1184.0    | ---       |
|            |         | Type5      | 7        | 4        | 21542.0           | 10                | 3                | 98.8             | 1544.0    | 1386.0    | 1302.0    |
|            |         | Type5      | 7        | 3        | 775564.0          | 10                | 3                | 97.3             | 1341.0    | 1446.0    | 1755.0    |
|            |         | Type5      | 7        | 2        | 533989.0          | 10                | 3                | 97.7             | 1139.0    | 1868.0    | 1805.0    |
|            |         | Type5      | 7        | 1        | 292696.0          | 10                | 3                | 84.1             | 1314.0    | 1725.0    | 1529.0    |
| 11AX80MIMO | 5290    | Type5      | 7        | 0        | 51446.0           | 10                | 1                | 52.6             | 1210.0    | ---       | ---       |
|            |         | Type5      | 7        | 1        | 292696.0          | 10                | 3                | 84.1             | 1314.0    | 1725.0    | 1529.0    |
|            |         | Type5      | 7        | 2        | 533989.0          | 10                | 3                | 97.7             | 1139.0    | 1868.0    | 1805.0    |
|            |         | Type5      | 7        | 3        | 775564.0          | 10                | 3                | 97.3             | 1341.0    | 1446.0    | 1755.0    |
|            |         | Type5      | 7        | 4        | 21542.0           | 10                | 3                | 98.8             | 1544.0    | 1386.0    | 1302.0    |

|             |      |       |   |    |          |    |   |      |        |        |        |
|-------------|------|-------|---|----|----------|----|---|------|--------|--------|--------|
|             |      | Type5 | 7 | 5  | 263385.0 | 10 | 2 | 72.2 | 1771.0 | 1184.0 | ---    |
|             |      | Type5 | 7 | 7  | 747058.0 | 10 | 2 | 75.7 | 1026.0 | 1871.0 | ---    |
|             |      | Type5 | 7 | 8  | 989976.0 | 10 | 1 | 60.9 | 1798.0 | ---    | ---    |
|             |      | Type5 | 7 | 9  | 234024.0 | 10 | 1 | 64.2 | 1138.0 | ---    | ---    |
|             |      | Type5 | 7 | 11 | 715825.0 | 10 | 3 | 87.5 | 1511.0 | 1712.0 | 1683.0 |
|             |      | Type5 | 7 | 10 | 475207.0 | 10 | 2 | 78.8 | 1784.0 | 1604.0 | ---    |
|             |      | Type5 | 7 | 6  | 505581.0 | 10 | 2 | 67.6 | 1175.0 | 1027.0 | ---    |
|             | 5530 | Type5 | 7 | 5  | 263385.0 | 10 | 2 | 72.2 | 1771.0 | 1184.0 | ---    |
|             |      | Type5 | 7 | 11 | 715825.0 | 10 | 3 | 87.5 | 1511.0 | 1712.0 | 1683.0 |
|             |      | Type5 | 7 | 10 | 475207.0 | 10 | 2 | 78.8 | 1784.0 | 1604.0 | ---    |
|             |      | Type5 | 7 | 9  | 234024.0 | 10 | 1 | 64.2 | 1138.0 | ---    | ---    |
|             |      | Type5 | 7 | 8  | 989976.0 | 10 | 1 | 60.9 | 1798.0 | ---    | ---    |
|             |      | Type5 | 7 | 6  | 505581.0 | 10 | 2 | 67.6 | 1175.0 | 1027.0 | ---    |
|             |      | Type5 | 7 | 4  | 21542.0  | 10 | 3 | 98.8 | 1544.0 | 1386.0 | 1302.0 |
|             |      | Type5 | 7 | 3  | 775564.0 | 10 | 3 | 97.3 | 1341.0 | 1446.0 | 1755.0 |
|             |      | Type5 | 7 | 2  | 533989.0 | 10 | 3 | 97.7 | 1139.0 | 1868.0 | 1805.0 |
|             |      | Type5 | 7 | 1  | 292696.0 | 10 | 3 | 84.1 | 1314.0 | 1725.0 | 1529.0 |
|             |      | Type5 | 7 | 0  | 51446.0  | 10 | 1 | 52.6 | 1210.0 | ---    | ---    |
|             |      | Type5 | 7 | 7  | 747058.0 | 10 | 2 | 75.7 | 1026.0 | 1871.0 | ---    |
| 11AX160MIMO | 5250 | Type5 | 7 | 9  | 234024.0 | 10 | 1 | 64.2 | 1138.0 | ---    | ---    |
|             |      | Type5 | 7 | 4  | 21542.0  | 10 | 3 | 98.8 | 1544.0 | 1386.0 | 1302.0 |
|             |      | Type5 | 7 | 1  | 292696.0 | 10 | 3 | 84.1 | 1314.0 | 1725.0 | 1529.0 |
|             |      | Type5 | 7 | 2  | 533989.0 | 10 | 3 | 97.7 | 1139.0 | 1868.0 | 1805.0 |
|             |      | Type5 | 7 | 3  | 775564.0 | 10 | 3 | 97.3 | 1341.0 | 1446.0 | 1755.0 |
|             |      | Type5 | 7 | 0  | 51446.0  | 10 | 1 | 52.6 | 1210.0 | ---    | ---    |
|             |      | Type5 | 7 | 6  | 505581.0 | 10 | 2 | 67.6 | 1175.0 | 1027.0 | ---    |
|             |      | Type5 | 7 | 8  | 989976.0 | 10 | 1 | 60.9 | 1798.0 | ---    | ---    |
|             |      | Type5 | 7 | 10 | 475207.0 | 10 | 2 | 78.8 | 1784.0 | 1604.0 | ---    |
|             |      | Type5 | 7 | 11 | 715825.0 | 10 | 3 | 87.5 | 1511.0 | 1712.0 | 1683.0 |
|             |      | Type5 | 7 | 5  | 263385.0 | 10 | 2 | 72.2 | 1771.0 | 1184.0 | ---    |
|             |      | Type5 | 7 | 7  | 747058.0 | 10 | 2 | 75.7 | 1026.0 | 1871.0 | ---    |
|             | 5570 | Type5 | 7 | 2  | 533989.0 | 10 | 3 | 97.7 | 1139.0 | 1868.0 | 1805.0 |
|             |      | Type5 | 7 | 10 | 475207.0 | 10 | 2 | 78.8 | 1784.0 | 1604.0 | ---    |
|             |      | Type5 | 7 | 9  | 234024.0 | 10 | 1 | 64.2 | 1138.0 | ---    | ---    |
|             |      | Type5 | 7 | 8  | 989976.0 | 10 | 1 | 60.9 | 1798.0 | ---    | ---    |
|             |      | Type5 | 7 | 7  | 747058.0 | 10 | 2 | 75.7 | 1026.0 | 1871.0 | ---    |
|             |      | Type5 | 7 | 6  | 505581.0 | 10 | 2 | 67.6 | 1175.0 | 1027.0 | ---    |
|             |      | Type5 | 7 | 5  | 263385.0 | 10 | 2 | 72.2 | 1771.0 | 1184.0 | ---    |
|             |      | Type5 | 7 | 3  | 775564.0 | 10 | 3 | 97.3 | 1341.0 | 1446.0 | 1755.0 |
|             |      | Type5 | 7 | 1  | 292696.0 | 10 | 3 | 84.1 | 1314.0 | 1725.0 | 1529.0 |
|             |      | Type5 | 7 | 0  | 51446.0  | 10 | 1 | 52.6 | 1210.0 | ---    | ---    |
|             |      | Type5 | 7 | 11 | 715825.0 | 10 | 3 | 87.5 | 1511.0 | 1712.0 | 1683.0 |
|             |      | Type5 | 7 | 4  | 21542.0  | 10 | 3 | 98.8 | 1544.0 | 1386.0 | 1302.0 |

| Test Mode  | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO | 5260    | Type5      | 8        | 9        | 123796.0          | 13                | 1                | 54.0             | 1417.0    | ---       | ---       |
|            |         | Type5      | 8        | 0        | 823112.0          | 13                | 1                | 54.1             | 1415.0    | ---       | ---       |
|            |         | Type5      | 8        | 12       | 744805.0          | 13                | 2                | 79.3             | 1274.0    | 1992.0    | ---       |
|            |         | Type5      | 8        | 10       | 331215.0          | 13                | 1                | 63.0             | 1730.0    | ---       | ---       |
|            |         | Type5      | 8        | 13       | 98172.0           | 13                | 1                | 64.3             | 1937.0    | ---       | ---       |
|            |         | Type5      | 8        | 8        | 772314.0          | 13                | 1                | 50.8             | 1049.0    | ---       | ---       |
|            |         | Type5      | 8        | 7        | 563824.0          | 13                | 2                | 74.8             | 1149.0    | 1204.0    | ---       |
|            |         | Type5      | 8        | 6        | 356750.0          | 13                | 1                | 62.5             | 1778.0    | ---       | ---       |
|            |         | Type5      | 8        | 5        | 149042.0          | 13                | 2                | 80.8             | 1736.0    | 1505.0    | ---       |
|            |         | Type5      | 8        | 4        | 796897.0          | 13                | 2                | 68.4             | 1014.0    | 1099.0    | ---       |
|            |         | Type5      | 8        | 3        | 587395.0          | 13                | 3                | 99.8             | 1558.0    | 1696.0    | 1949.0    |
|            |         | Type5      | 8        | 2        | 382216.0          | 13                | 1                | 52.3             | 1974.0    | ---       | ---       |
|            |         | Type5      | 8        | 1        | 174965.0          | 13                | 1                | 50.7             | 1221.0    | ---       | ---       |
|            |         | Type5      | 8        | 11       | 537402.0          | 13                | 3                | 91.8             | 1143.0    | 1270.0    | 1347.0    |
|            | 5500    | Type5      | 8        | 5        | 149042.0          | 13                | 2                | 80.8             | 1736.0    | 1505.0    | ---       |
|            |         | Type5      | 8        | 1        | 174965.0          | 13                | 1                | 50.7             | 1221.0    | ---       | ---       |
|            |         | Type5      | 8        | 0        | 823112.0          | 13                | 1                | 54.1             | 1415.0    | ---       | ---       |
|            |         | Type5      | 8        | 2        | 382216.0          | 13                | 1                | 52.3             | 1974.0    | ---       | ---       |
|            |         | Type5      | 8        | 3        | 587395.0          | 13                | 3                | 99.8             | 1558.0    | 1696.0    | 1949.0    |
|            |         | Type5      | 8        | 4        | 796897.0          | 13                | 2                | 68.4             | 1014.0    | 1099.0    | ---       |
|            |         | Type5      | 8        | 13       | 98172.0           | 13                | 1                | 64.3             | 1937.0    | ---       | ---       |
|            |         | Type5      | 8        | 6        | 356750.0          | 13                | 1                | 62.5             | 1778.0    | ---       | ---       |
|            |         | Type5      | 8        | 7        | 563824.0          | 13                | 2                | 74.8             | 1149.0    | 1204.0    | ---       |
|            |         | Type5      | 8        | 8        | 772314.0          | 13                | 1                | 50.8             | 1049.0    | ---       | ---       |
|            |         | Type5      | 8        | 9        | 123796.0          | 13                | 1                | 54.0             | 1417.0    | ---       | ---       |
|            |         | Type5      | 8        | 10       | 331215.0          | 13                | 1                | 63.0             | 1730.0    | ---       | ---       |
| 11AX40MIMO | 5270    | Type5      | 8        | 12       | 744805.0          | 13                | 2                | 79.3             | 1274.0    | 1992.0    | ---       |
|            |         | Type5      | 8        | 11       | 537402.0          | 13                | 3                | 91.8             | 1143.0    | 1270.0    | 1347.0    |
|            |         | Type5      | 8        | 6        | 356750.0          | 13                | 1                | 62.5             | 1778.0    | ---       | ---       |
|            |         | Type5      | 8        | 13       | 98172.0           | 13                | 1                | 64.3             | 1937.0    | ---       | ---       |
|            |         | Type5      | 8        | 12       | 744805.0          | 13                | 2                | 79.3             | 1274.0    | 1992.0    | ---       |
|            |         | Type5      | 8        | 11       | 537402.0          | 13                | 3                | 91.8             | 1143.0    | 1270.0    | 1347.0    |
|            |         | Type5      | 8        | 10       | 331215.0          | 13                | 1                | 63.0             | 1730.0    | ---       | ---       |
|            |         | Type5      | 8        | 9        | 123796.0          | 13                | 1                | 54.0             | 1417.0    | ---       | ---       |
|            |         | Type5      | 8        | 7        | 563824.0          | 13                | 2                | 74.8             | 1149.0    | 1204.0    | ---       |
|            |         | Type5      | 8        | 5        | 149042.0          | 13                | 2                | 80.8             | 1736.0    | 1505.0    | ---       |
|            |         | Type5      | 8        | 4        | 796897.0          | 13                | 2                | 68.4             | 1014.0    | 1099.0    | ---       |
|            |         | Type5      | 8        | 3        | 587395.0          | 13                | 3                | 99.8             | 1558.0    | 1696.0    | 1949.0    |
|            | 5510    | Type5      | 8        | 2        | 382216.0          | 13                | 1                | 52.3             | 1974.0    | ---       | ---       |
|            |         | Type5      | 8        | 1        | 174965.0          | 13                | 1                | 50.7             | 1221.0    | ---       | ---       |
|            |         | Type5      | 8        | 0        | 823112.0          | 13                | 1                | 54.1             | 1415.0    | ---       | ---       |
|            |         | Type5      | 8        | 8        | 772314.0          | 13                | 1                | 50.8             | 1049.0    | ---       | ---       |
|            |         | Type5      | 8        | 11       | 537402.0          | 13                | 3                | 91.8             | 1143.0    | 1270.0    | 1347.0    |
|            |         | Type5      | 8        | 10       | 331215.0          | 13                | 1                | 63.0             | 1730.0    | ---       | ---       |
|            |         | Type5      | 8        | 13       | 98172.0           | 13                | 1                | 64.3             | 1937.0    | ---       | ---       |
|            |         | Type5      | 8        | 9        | 123796.0          | 13                | 1                | 54.0             | 1417.0    | ---       | ---       |
|            |         | Type5      | 8        | 12       | 744805.0          | 13                | 2                | 79.3             | 1274.0    | 1992.0    | ---       |
|            |         | Type5      | 8        | 0        | 823112.0          | 13                | 1                | 54.1             | 1415.0    | ---       | ---       |
|            |         | Type5      | 8        | 8        | 772314.0          | 13                | 1                | 50.8             | 1049.0    | ---       | ---       |
|            |         | Type5      | 8        | 7        | 563824.0          | 13                | 2                | 74.8             | 1149.0    | 1204.0    | ---       |
|            |         | Type5      | 8        | 6        | 356750.0          | 13                | 1                | 62.5             | 1778.0    | ---       | ---       |
|            |         | Type5      | 8        | 5        | 149042.0          | 13                | 2                | 80.8             | 1736.0    | 1505.0    | ---       |
|            |         | Type5      | 8        | 4        | 796897.0          | 13                | 2                | 68.4             | 1014.0    | 1099.0    | ---       |
|            |         | Type5      | 8        | 3        | 587395.0          | 13                | 3                | 99.8             | 1558.0    | 1696.0    | 1949.0    |

|             |      |       |   |    |          |    |   |      |        |        |        |
|-------------|------|-------|---|----|----------|----|---|------|--------|--------|--------|
| 11AX80MIMO  | 5290 | Type5 | 8 | 2  | 382216.0 | 13 | 1 | 52.3 | 1974.0 | ---    | ---    |
|             |      | Type5 | 8 | 1  | 174965.0 | 13 | 1 | 50.7 | 1221.0 | ---    | ---    |
|             |      | Type5 | 8 | 0  | 823112.0 | 13 | 1 | 54.1 | 1415.0 | ---    | ---    |
|             |      | Type5 | 8 | 1  | 174965.0 | 13 | 1 | 50.7 | 1221.0 | ---    | ---    |
|             |      | Type5 | 8 | 2  | 382216.0 | 13 | 1 | 52.3 | 1974.0 | ---    | ---    |
|             |      | Type5 | 8 | 3  | 587395.0 | 13 | 3 | 99.8 | 1558.0 | 1696.0 | 1949.0 |
|             |      | Type5 | 8 | 4  | 796897.0 | 13 | 2 | 68.4 | 1014.0 | 1099.0 | ---    |
|             |      | Type5 | 8 | 5  | 149042.0 | 13 | 2 | 80.8 | 1736.0 | 1505.0 | ---    |
|             |      | Type5 | 8 | 6  | 356750.0 | 13 | 1 | 62.5 | 1778.0 | ---    | ---    |
|             |      | Type5 | 8 | 8  | 772314.0 | 13 | 1 | 50.8 | 1049.0 | ---    | ---    |
|             |      | Type5 | 8 | 9  | 123796.0 | 13 | 1 | 54.0 | 1417.0 | ---    | ---    |
|             |      | Type5 | 8 | 10 | 331215.0 | 13 | 1 | 63.0 | 1730.0 | ---    | ---    |
|             |      | Type5 | 8 | 11 | 537402.0 | 13 | 3 | 91.8 | 1143.0 | 1270.0 | 1347.0 |
|             |      | Type5 | 8 | 13 | 98172.0  | 13 | 1 | 64.3 | 1937.0 | ---    | ---    |
|             |      | Type5 | 8 | 12 | 744805.0 | 13 | 2 | 79.3 | 1274.0 | 1992.0 | ---    |
|             | 5530 | Type5 | 8 | 7  | 563824.0 | 13 | 2 | 74.8 | 1149.0 | 1204.0 | ---    |
|             |      | Type5 | 8 | 6  | 356750.0 | 13 | 1 | 62.5 | 1778.0 | ---    | ---    |
|             |      | Type5 | 8 | 13 | 98172.0  | 13 | 1 | 64.3 | 1937.0 | ---    | ---    |
|             |      | Type5 | 8 | 12 | 744805.0 | 13 | 2 | 79.3 | 1274.0 | 1992.0 | ---    |
|             |      | Type5 | 8 | 11 | 537402.0 | 13 | 3 | 91.8 | 1143.0 | 1270.0 | 1347.0 |
|             |      | Type5 | 8 | 10 | 331215.0 | 13 | 1 | 63.0 | 1730.0 | ---    | ---    |
|             |      | Type5 | 8 | 9  | 123796.0 | 13 | 1 | 54.0 | 1417.0 | ---    | ---    |
|             |      | Type5 | 8 | 7  | 563824.0 | 13 | 2 | 74.8 | 1149.0 | 1204.0 | ---    |
|             |      | Type5 | 8 | 5  | 149042.0 | 13 | 2 | 80.8 | 1736.0 | 1505.0 | ---    |
|             |      | Type5 | 8 | 4  | 796897.0 | 13 | 2 | 68.4 | 1014.0 | 1099.0 | ---    |
|             |      | Type5 | 8 | 3  | 587395.0 | 13 | 3 | 99.8 | 1558.0 | 1696.0 | 1949.0 |
|             |      | Type5 | 8 | 2  | 382216.0 | 13 | 1 | 52.3 | 1974.0 | ---    | ---    |
|             |      | Type5 | 8 | 1  | 174965.0 | 13 | 1 | 50.7 | 1221.0 | ---    | ---    |
|             |      | Type5 | 8 | 0  | 823112.0 | 13 | 1 | 54.1 | 1415.0 | ---    | ---    |
|             |      | Type5 | 8 | 8  | 772314.0 | 13 | 1 | 50.8 | 1049.0 | ---    | ---    |
| 11AX160MIMO | 5250 | Type5 | 8 | 11 | 537402.0 | 13 | 3 | 91.8 | 1143.0 | 1270.0 | 1347.0 |
|             |      | Type5 | 8 | 5  | 149042.0 | 13 | 2 | 80.8 | 1736.0 | 1505.0 | ---    |
|             |      | Type5 | 8 | 1  | 174965.0 | 13 | 1 | 50.7 | 1221.0 | ---    | ---    |
|             |      | Type5 | 8 | 2  | 382216.0 | 13 | 1 | 52.3 | 1974.0 | ---    | ---    |
|             |      | Type5 | 8 | 3  | 587395.0 | 13 | 3 | 99.8 | 1558.0 | 1696.0 | 1949.0 |
|             |      | Type5 | 8 | 0  | 823112.0 | 13 | 1 | 54.1 | 1415.0 | ---    | ---    |
|             |      | Type5 | 8 | 4  | 796897.0 | 13 | 2 | 68.4 | 1014.0 | 1099.0 | ---    |
|             |      | Type5 | 8 | 7  | 563824.0 | 13 | 2 | 74.8 | 1149.0 | 1204.0 | ---    |
|             |      | Type5 | 8 | 8  | 772314.0 | 13 | 1 | 50.8 | 1049.0 | ---    | ---    |
|             |      | Type5 | 8 | 10 | 331215.0 | 13 | 1 | 63.0 | 1730.0 | ---    | ---    |
|             |      | Type5 | 8 | 12 | 744805.0 | 13 | 2 | 79.3 | 1274.0 | 1992.0 | ---    |
|             |      | Type5 | 8 | 13 | 98172.0  | 13 | 1 | 64.3 | 1937.0 | ---    | ---    |
|             |      | Type5 | 8 | 6  | 356750.0 | 13 | 1 | 62.5 | 1778.0 | ---    | ---    |
|             |      | Type5 | 8 | 9  | 123796.0 | 13 | 1 | 54.0 | 1417.0 | ---    | ---    |
|             | 5570 | Type5 | 8 | 2  | 382216.0 | 13 | 1 | 52.3 | 1974.0 | ---    | ---    |
|             |      | Type5 | 8 | 12 | 744805.0 | 13 | 2 | 79.3 | 1274.0 | 1992.0 | ---    |
|             |      | Type5 | 8 | 11 | 537402.0 | 13 | 3 | 91.8 | 1143.0 | 1270.0 | 1347.0 |
|             |      | Type5 | 8 | 10 | 331215.0 | 13 | 1 | 63.0 | 1730.0 | ---    | ---    |
|             |      | Type5 | 8 | 9  | 123796.0 | 13 | 1 | 54.0 | 1417.0 | ---    | ---    |
|             |      | Type5 | 8 | 8  | 772314.0 | 13 | 1 | 50.8 | 1049.0 | ---    | ---    |
|             |      | Type5 | 8 | 7  | 563824.0 | 13 | 2 | 74.8 | 1149.0 | 1204.0 | ---    |
|             |      | Type5 | 8 | 6  | 356750.0 | 13 | 1 | 62.5 | 1778.0 | ---    | ---    |
|             |      | Type5 | 8 | 5  | 149042.0 | 13 | 2 | 80.8 | 1736.0 | 1505.0 | ---    |
|             |      | Type5 | 8 | 3  | 587395.0 | 13 | 3 | 99.8 | 1558.0 | 1696.0 | 1949.0 |
|             |      | Type5 | 8 | 1  | 174965.0 | 13 | 1 | 50.7 | 1221.0 | ---    | ---    |
|             |      | Type5 | 8 | 0  | 823112.0 | 13 | 1 | 54.1 | 1415.0 | ---    | ---    |
|             |      | Type5 | 8 | 13 | 98172.0  | 13 | 1 | 64.3 | 1937.0 | ---    | ---    |
|             |      | Type5 | 8 | 4  | 796897.0 | 13 | 2 | 68.4 | 1014.0 | 1099.0 | ---    |

| Test Mode   | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|-------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO  | 5260    | Type5      | 9        | 7        | 82296.0           | 6                 | 3                | 95.4             | 1580.0    | 1555.0    | 1791.0    |
|             |         | Type5      | 9        | 1        | 898668.0          | 6                 | 1                | 52.0             | 1863.0    | ---       | ---       |
|             |         | Type5      | 9        | 2        | 1259235.0         | 6                 | 3                | 97.2             | 1973.0    | 1605.0    | 1583.0    |
|             |         | Type5      | 9        | 3        | 127106.0          | 6                 | 2                | 78.7             | 1466.0    | 1743.0    | ---       |
|             |         | Type5      | 9        | 4        | 490358.0          | 6                 | 2                | 74.2             | 1280.0    | 1219.0    | ---       |
|             |         | Type5      | 9        | 5        | 852409.0          | 6                 | 3                | 88.7             | 1293.0    | 1934.0    | 1273.0    |
|             |         | Type5      | 9        | 6        | 1217152.0         | 6                 | 1                | 54.3             | 1991.0    | ---       | ---       |
|             | 5500    | Type5      | 9        | 0        | 535615.0          | 6                 | 1                | 63.4             | 1043.0    | ---       | ---       |
|             |         | Type5      | 9        | 1        | 898668.0          | 6                 | 1                | 52.0             | 1863.0    | ---       | ---       |
|             |         | Type5      | 9        | 7        | 82296.0           | 6                 | 3                | 95.4             | 1580.0    | 1555.0    | 1791.0    |
|             |         | Type5      | 9        | 2        | 1259235.0         | 6                 | 3                | 97.2             | 1973.0    | 1605.0    | 1583.0    |
|             |         | Type5      | 9        | 3        | 127106.0          | 6                 | 2                | 78.7             | 1466.0    | 1743.0    | ---       |
|             |         | Type5      | 9        | 4        | 490358.0          | 6                 | 2                | 74.2             | 1280.0    | 1219.0    | ---       |
|             |         | Type5      | 9        | 6        | 1217152.0         | 6                 | 1                | 54.3             | 1991.0    | ---       | ---       |
| 11AX40MIMO  | 5270    | Type5      | 9        | 3        | 127106.0          | 6                 | 2                | 78.7             | 1466.0    | 1743.0    | ---       |
|             |         | Type5      | 9        | 7        | 82296.0           | 6                 | 3                | 95.4             | 1580.0    | 1555.0    | 1791.0    |
|             |         | Type5      | 9        | 6        | 1217152.0         | 6                 | 1                | 54.3             | 1991.0    | ---       | ---       |
|             |         | Type5      | 9        | 4        | 490358.0          | 6                 | 2                | 74.2             | 1280.0    | 1219.0    | ---       |
|             |         | Type5      | 9        | 2        | 1259235.0         | 6                 | 3                | 97.2             | 1973.0    | 1605.0    | 1583.0    |
|             |         | Type5      | 9        | 1        | 898668.0          | 6                 | 1                | 52.0             | 1863.0    | ---       | ---       |
|             |         | Type5      | 9        | 0        | 535615.0          | 6                 | 1                | 63.4             | 1043.0    | ---       | ---       |
|             | 5510    | Type5      | 9        | 5        | 852409.0          | 6                 | 3                | 88.7             | 1293.0    | 1934.0    | 1273.0    |
|             |         | Type5      | 9        | 6        | 1217152.0         | 6                 | 1                | 54.3             | 1991.0    | ---       | ---       |
|             |         | Type5      | 9        | 0        | 535615.0          | 6                 | 1                | 63.4             | 1043.0    | ---       | ---       |
|             |         | Type5      | 9        | 1        | 898668.0          | 6                 | 1                | 52.0             | 1863.0    | ---       | ---       |
|             |         | Type5      | 9        | 2        | 1259235.0         | 6                 | 3                | 97.2             | 1973.0    | 1605.0    | 1583.0    |
|             |         | Type5      | 9        | 3        | 127106.0          | 6                 | 2                | 78.7             | 1466.0    | 1743.0    | ---       |
|             |         | Type5      | 9        | 5        | 852409.0          | 6                 | 3                | 88.7             | 1293.0    | 1934.0    | 1273.0    |
| 11AX80MIMO  | 5290    | Type5      | 9        | 7        | 82296.0           | 6                 | 3                | 95.4             | 1580.0    | 1555.0    | 1791.0    |
|             |         | Type5      | 9        | 4        | 490358.0          | 6                 | 2                | 74.2             | 1280.0    | 1219.0    | ---       |
|             |         | Type5      | 9        | 6        | 1217152.0         | 6                 | 1                | 54.3             | 1991.0    | ---       | ---       |
|             |         | Type5      | 9        | 3        | 127106.0          | 6                 | 2                | 78.7             | 1466.0    | 1743.0    | ---       |
|             |         | Type5      | 9        | 0        | 535615.0          | 6                 | 1                | 63.4             | 1043.0    | ---       | ---       |
|             |         | Type5      | 9        | 1        | 898668.0          | 6                 | 1                | 52.0             | 1863.0    | ---       | ---       |
|             |         | Type5      | 9        | 2        | 1259235.0         | 6                 | 3                | 97.2             | 1973.0    | 1605.0    | 1583.0    |
|             | 5530    | Type5      | 9        | 5        | 852409.0          | 6                 | 3                | 88.7             | 1293.0    | 1934.0    | 1273.0    |
|             |         | Type5      | 9        | 7        | 82296.0           | 6                 | 3                | 95.4             | 1580.0    | 1555.0    | 1791.0    |
|             |         | Type5      | 9        | 6        | 1217152.0         | 6                 | 1                | 54.3             | 1991.0    | ---       | ---       |
|             |         | Type5      | 9        | 4        | 490358.0          | 6                 | 2                | 74.2             | 1280.0    | 1219.0    | ---       |
|             |         | Type5      | 9        | 2        | 1259235.0         | 6                 | 3                | 97.2             | 1973.0    | 1605.0    | 1583.0    |
|             |         | Type5      | 9        | 1        | 898668.0          | 6                 | 1                | 52.0             | 1863.0    | ---       | ---       |
|             |         | Type5      | 9        | 0        | 535615.0          | 6                 | 1                | 63.4             | 1043.0    | ---       | ---       |
| 11AX160MIMO | 5250    | Type5      | 9        | 5        | 852409.0          | 6                 | 3                | 88.7             | 1293.0    | 1934.0    | 1273.0    |
|             |         | Type5      | 9        | 6        | 1217152.0         | 6                 | 1                | 54.3             | 1991.0    | ---       | ---       |
|             |         | Type5      | 9        | 1        | 898668.0          | 6                 | 1                | 52.0             | 1863.0    | ---       | ---       |
|             |         | Type5      | 9        | 0        | 535615.0          | 6                 | 1                | 63.4             | 1043.0    | ---       | ---       |
|             |         | Type5      | 9        | 2        | 1259235.0         | 6                 | 3                | 97.2             | 1973.0    | 1605.0    | 1583.0    |
|             |         | Type5      | 9        | 3        | 127106.0          | 6                 | 2                | 78.7             | 1466.0    | 1743.0    | ---       |

|  |      |       |   |   |           |   |   |      |        |        |        |
|--|------|-------|---|---|-----------|---|---|------|--------|--------|--------|
|  |      | Type5 | 9 | 5 | 852409.0  | 6 | 3 | 88.7 | 1293.0 | 1934.0 | 1273.0 |
|  |      | Type5 | 9 | 7 | 82296.0   | 6 | 3 | 95.4 | 1580.0 | 1555.0 | 1791.0 |
|  |      | Type5 | 9 | 4 | 490358.0  | 6 | 2 | 74.2 | 1280.0 | 1219.0 | ---    |
|  | 5570 | Type5 | 9 | 7 | 82296.0   | 6 | 3 | 95.4 | 1580.0 | 1555.0 | 1791.0 |
|  |      | Type5 | 9 | 0 | 535615.0  | 6 | 1 | 63.4 | 1043.0 | ---    | ---    |
|  |      | Type5 | 9 | 1 | 898668.0  | 6 | 1 | 52.0 | 1863.0 | ---    | ---    |
|  |      | Type5 | 9 | 2 | 1259235.0 | 6 | 3 | 97.2 | 1973.0 | 1605.0 | 1583.0 |
|  |      | Type5 | 9 | 3 | 127106.0  | 6 | 2 | 78.7 | 1466.0 | 1743.0 | ---    |
|  |      | Type5 | 9 | 4 | 490358.0  | 6 | 2 | 74.2 | 1280.0 | 1219.0 | ---    |
|  |      | Type5 | 9 | 5 | 852409.0  | 6 | 3 | 88.7 | 1293.0 | 1934.0 | 1273.0 |
|  |      | Type5 | 9 | 6 | 1217152.0 | 6 | 1 | 54.3 | 1991.0 | ---    | ---    |

| Test Mode  | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO | 5260    | Type5      | 10       | 11       | 678689.0          | 16                | 2                | 67.9             | 1803.0    | 1083.0    | ---       |
|            |         | Type5      | 10       | 0        | 209249.0          | 16                | 2                | 73.7             | 1208.0    | 1497.0    | ---       |
|            |         | Type5      | 10       | 15       | 657326.0          | 16                | 2                | 68.9             | 1849.0    | 1423.0    | ---       |
|            |         | Type5      | 10       | 14       | 488056.0          | 16                | 1                | 63.3             | 1634.0    | ---       | ---       |
|            |         | Type5      | 10       | 12       | 146031.0          | 16                | 2                | 81.2             | 1720.0    | 1932.0    | ---       |
|            |         | Type5      | 10       | 16       | 125509.0          | 16                | 1                | 59.3             | 1093.0    | ---       | ---       |
|            |         | Type5      | 10       | 10       | 508324.0          | 16                | 2                | 77.0             | 1397.0    | 1304.0    | ---       |
|            |         | Type5      | 10       | 9        | 338262.0          | 16                | 1                | 59.1             | 1697.0    | ---       | ---       |
|            |         | Type5      | 10       | 2        | 548411.0          | 16                | 3                | 91.7             | 1999.0    | 1702.0    | 1462.0    |
|            |         | Type5      | 10       | 7        | 700166.0          | 16                | 2                | 70.9             | 1050.0    | 1358.0    | ---       |
|            |         | Type5      | 10       | 6        | 528886.0          | 16                | 2                | 78.9             | 1308.0    | 1984.0    | ---       |
|            |         | Type5      | 10       | 5        | 359277.0          | 16                | 1                | 52.3             | 1740.0    | ---       | ---       |
|            |         | Type5      | 10       | 4        | 187952.0          | 16                | 2                | 70.8             | 1968.0    | 1821.0    | ---       |
|            |         | Type5      | 10       | 3        | 17733.0           | 16                | 1                | 66.2             | 1393.0    | ---       | ---       |
|            |         | Type5      | 10       | 8        | 167197.0          | 16                | 2                | 75.6             | 1437.0    | 1430.0    | ---       |
|            |         | Type5      | 10       | 13       | 316923.0          | 16                | 2                | 78.7             | 1247.0    | 1121.0    | ---       |
|            |         | Type5      | 10       | 1        | 378386.0          | 16                | 3                | 97.4             | 1942.0    | 1754.0    | 1613.0    |
|            | 5500    | Type5      | 10       | 16       | 125509.0          | 16                | 1                | 59.3             | 1093.0    | ---       | ---       |
|            |         | Type5      | 10       | 5        | 359277.0          | 16                | 1                | 52.3             | 1740.0    | ---       | ---       |
|            |         | Type5      | 10       | 4        | 187952.0          | 16                | 2                | 70.8             | 1968.0    | 1821.0    | ---       |
|            |         | Type5      | 10       | 3        | 17733.0           | 16                | 1                | 66.2             | 1393.0    | ---       | ---       |
|            |         | Type5      | 10       | 0        | 209249.0          | 16                | 2                | 73.7             | 1208.0    | 1497.0    | ---       |
|            |         | Type5      | 10       | 1        | 378386.0          | 16                | 3                | 97.4             | 1942.0    | 1754.0    | 1613.0    |
|            |         | Type5      | 10       | 6        | 528886.0          | 16                | 2                | 78.9             | 1308.0    | 1984.0    | ---       |
|            |         | Type5      | 10       | 2        | 548411.0          | 16                | 3                | 91.7             | 1999.0    | 1702.0    | 1462.0    |
|            |         | Type5      | 10       | 7        | 700166.0          | 16                | 2                | 70.9             | 1050.0    | 1358.0    | ---       |
|            |         | Type5      | 10       | 8        | 167197.0          | 16                | 2                | 75.6             | 1437.0    | 1430.0    | ---       |
|            |         | Type5      | 10       | 9        | 338262.0          | 16                | 1                | 59.1             | 1697.0    | ---       | ---       |
|            |         | Type5      | 10       | 10       | 508324.0          | 16                | 2                | 77.0             | 1397.0    | 1304.0    | ---       |
|            |         | Type5      | 10       | 11       | 678689.0          | 16                | 2                | 67.9             | 1803.0    | 1083.0    | ---       |
|            |         | Type5      | 10       | 12       | 146031.0          | 16                | 2                | 81.2             | 1720.0    | 1932.0    | ---       |
|            |         | Type5      | 10       | 13       | 316923.0          | 16                | 2                | 78.7             | 1247.0    | 1121.0    | ---       |
|            |         | Type5      | 10       | 15       | 657326.0          | 16                | 2                | 68.9             | 1849.0    | 1423.0    | ---       |
|            |         | Type5      | 10       | 14       | 488056.0          | 16                | 1                | 63.3             | 1634.0    | ---       | ---       |
| 11AX40MIMO | 5270    | Type5      | 10       | 8        | 167197.0          | 16                | 2                | 75.6             | 1437.0    | 1430.0    | ---       |
|            |         | Type5      | 10       | 7        | 700166.0          | 16                | 2                | 70.9             | 1050.0    | 1358.0    | ---       |
|            |         | Type5      | 10       | 0        | 209249.0          | 16                | 2                | 73.7             | 1208.0    | 1497.0    | ---       |
|            |         | Type5      | 10       | 1        | 378386.0          | 16                | 3                | 97.4             | 1942.0    | 1754.0    | 1613.0    |
|            |         | Type5      | 10       | 2        | 548411.0          | 16                | 3                | 91.7             | 1999.0    | 1702.0    | 1462.0    |
|            |         | Type5      | 10       | 3        | 17733.0           | 16                | 1                | 66.2             | 1393.0    | ---       | ---       |
|            |         | Type5      | 10       | 4        | 187952.0          | 16                | 2                | 70.8             | 1968.0    | 1821.0    | ---       |
|            |         | Type5      | 10       | 5        | 359277.0          | 16                | 1                | 52.3             | 1740.0    | ---       | ---       |
|            |         | Type5      | 10       | 10       | 508324.0          | 16                | 2                | 77.0             | 1397.0    | 1304.0    | ---       |
|            |         | Type5      | 10       | 6        | 528886.0          | 16                | 2                | 78.9             | 1308.0    | 1984.0    | ---       |
|            |         | Type5      | 10       | 16       | 125509.0          | 16                | 1                | 59.3             | 1093.0    | ---       | ---       |
|            |         | Type5      | 10       | 9        | 338262.0          | 16                | 1                | 59.1             | 1697.0    | ---       | ---       |
|            |         | Type5      | 10       | 11       | 678689.0          | 16                | 2                | 67.9             | 1803.0    | 1083.0    | ---       |
|            |         | Type5      | 10       | 12       | 146031.0          | 16                | 2                | 81.2             | 1720.0    | 1932.0    | ---       |
|            |         | Type5      | 10       | 13       | 316923.0          | 16                | 2                | 78.7             | 1247.0    | 1121.0    | ---       |
|            |         | Type5      | 10       | 14       | 488056.0          | 16                | 1                | 63.3             | 1634.0    | ---       | ---       |
|            |         | Type5      | 10       | 15       | 657326.0          | 16                | 2                | 68.9             | 1849.0    | 1423.0    | ---       |
|            | 5510    | Type5      | 10       | 13       | 316923.0          | 16                | 2                | 78.7             | 1247.0    | 1121.0    | ---       |
|            |         | Type5      | 10       | 12       | 146031.0          | 16                | 2                | 81.2             | 1720.0    | 1932.0    | ---       |

|             |      |       |    |    |          |    |   |      |        |        |        |
|-------------|------|-------|----|----|----------|----|---|------|--------|--------|--------|
|             |      | Type5 | 10 | 16 | 125509.0 | 16 | 1 | 59.3 | 1093.0 | ---    | ---    |
|             |      | Type5 | 10 | 15 | 657326.0 | 16 | 2 | 68.9 | 1849.0 | 1423.0 | ---    |
|             |      | Type5 | 10 | 11 | 678689.0 | 16 | 2 | 67.9 | 1803.0 | 1083.0 | ---    |
|             |      | Type5 | 10 | 14 | 488056.0 | 16 | 1 | 63.3 | 1634.0 | ---    | ---    |
|             |      | Type5 | 10 | 0  | 209249.0 | 16 | 2 | 73.7 | 1208.0 | 1497.0 | ---    |
|             |      | Type5 | 10 | 10 | 508324.0 | 16 | 2 | 77.0 | 1397.0 | 1304.0 | ---    |
|             |      | Type5 | 10 | 9  | 338262.0 | 16 | 1 | 59.1 | 1697.0 | ---    | ---    |
|             |      | Type5 | 10 | 1  | 378386.0 | 16 | 3 | 97.4 | 1942.0 | 1754.0 | 1613.0 |
|             |      | Type5 | 10 | 7  | 700166.0 | 16 | 2 | 70.9 | 1050.0 | 1358.0 | ---    |
|             |      | Type5 | 10 | 6  | 528886.0 | 16 | 2 | 78.9 | 1308.0 | 1984.0 | ---    |
|             |      | Type5 | 10 | 5  | 359277.0 | 16 | 1 | 52.3 | 1740.0 | ---    | ---    |
|             |      | Type5 | 10 | 4  | 187952.0 | 16 | 2 | 70.8 | 1968.0 | 1821.0 | ---    |
|             |      | Type5 | 10 | 3  | 17733.0  | 16 | 1 | 66.2 | 1393.0 | ---    | ---    |
|             |      | Type5 | 10 | 2  | 548411.0 | 16 | 3 | 91.7 | 1999.0 | 1702.0 | 1462.0 |
|             |      | Type5 | 10 | 8  | 167197.0 | 16 | 2 | 75.6 | 1437.0 | 1430.0 | ---    |
| 11AX80MIMO  | 5290 | Type5 | 10 | 6  | 528886.0 | 16 | 2 | 78.9 | 1308.0 | 1984.0 | ---    |
|             |      | Type5 | 10 | 5  | 359277.0 | 16 | 1 | 52.3 | 1740.0 | ---    | ---    |
|             |      | Type5 | 10 | 4  | 187952.0 | 16 | 2 | 70.8 | 1968.0 | 1821.0 | ---    |
|             |      | Type5 | 10 | 3  | 17733.0  | 16 | 1 | 66.2 | 1393.0 | ---    | ---    |
|             |      | Type5 | 10 | 2  | 548411.0 | 16 | 3 | 91.7 | 1999.0 | 1702.0 | 1462.0 |
|             |      | Type5 | 10 | 7  | 700166.0 | 16 | 2 | 70.9 | 1050.0 | 1358.0 | ---    |
|             |      | Type5 | 10 | 0  | 209249.0 | 16 | 2 | 73.7 | 1208.0 | 1497.0 | ---    |
|             |      | Type5 | 10 | 1  | 378386.0 | 16 | 3 | 97.4 | 1942.0 | 1754.0 | 1613.0 |
|             |      | Type5 | 10 | 16 | 125509.0 | 16 | 1 | 59.3 | 1093.0 | ---    | ---    |
|             |      | Type5 | 10 | 15 | 657326.0 | 16 | 2 | 68.9 | 1849.0 | 1423.0 | ---    |
|             |      | Type5 | 10 | 14 | 488056.0 | 16 | 1 | 63.3 | 1634.0 | ---    | ---    |
|             |      | Type5 | 10 | 13 | 316923.0 | 16 | 2 | 78.7 | 1247.0 | 1121.0 | ---    |
|             |      | Type5 | 10 | 12 | 146031.0 | 16 | 2 | 81.2 | 1720.0 | 1932.0 | ---    |
|             |      | Type5 | 10 | 11 | 678689.0 | 16 | 2 | 67.9 | 1803.0 | 1083.0 | ---    |
|             |      | Type5 | 10 | 10 | 508324.0 | 16 | 2 | 77.0 | 1397.0 | 1304.0 | ---    |
|             | 5530 | Type5 | 10 | 9  | 338262.0 | 16 | 1 | 59.1 | 1697.0 | ---    | ---    |
|             |      | Type5 | 10 | 8  | 167197.0 | 16 | 2 | 75.6 | 1437.0 | 1430.0 | ---    |
|             |      | Type5 | 10 | 7  | 700166.0 | 16 | 2 | 70.9 | 1050.0 | 1358.0 | ---    |
|             |      | Type5 | 10 | 10 | 508324.0 | 16 | 2 | 77.0 | 1397.0 | 1304.0 | ---    |
|             |      | Type5 | 10 | 16 | 125509.0 | 16 | 1 | 59.3 | 1093.0 | ---    | ---    |
|             |      | Type5 | 10 | 15 | 657326.0 | 16 | 2 | 68.9 | 1849.0 | 1423.0 | ---    |
|             |      | Type5 | 10 | 14 | 488056.0 | 16 | 1 | 63.3 | 1634.0 | ---    | ---    |
|             |      | Type5 | 10 | 13 | 316923.0 | 16 | 2 | 78.7 | 1247.0 | 1121.0 | ---    |
|             |      | Type5 | 10 | 12 | 146031.0 | 16 | 2 | 81.2 | 1720.0 | 1932.0 | ---    |
|             |      | Type5 | 10 | 11 | 678689.0 | 16 | 2 | 67.9 | 1803.0 | 1083.0 | ---    |
|             |      | Type5 | 10 | 1  | 378386.0 | 16 | 3 | 97.4 | 1942.0 | 1754.0 | 1613.0 |
|             |      | Type5 | 10 | 6  | 528886.0 | 16 | 2 | 78.9 | 1308.0 | 1984.0 | ---    |
|             |      | Type5 | 10 | 5  | 359277.0 | 16 | 1 | 52.3 | 1740.0 | ---    | ---    |
|             |      | Type5 | 10 | 4  | 187952.0 | 16 | 2 | 70.8 | 1968.0 | 1821.0 | ---    |
|             |      | Type5 | 10 | 3  | 17733.0  | 16 | 1 | 66.2 | 1393.0 | ---    | ---    |
|             |      | Type5 | 10 | 2  | 548411.0 | 16 | 3 | 91.7 | 1999.0 | 1702.0 | 1462.0 |
|             |      | Type5 | 10 | 8  | 167197.0 | 16 | 2 | 75.6 | 1437.0 | 1430.0 | ---    |
|             |      | Type5 | 10 | 9  | 338262.0 | 16 | 1 | 59.1 | 1697.0 | ---    | ---    |
|             |      | Type5 | 10 | 0  | 209249.0 | 16 | 2 | 73.7 | 1208.0 | 1497.0 | ---    |
| 11AX160MIMO | 5250 | Type5 | 10 | 6  | 528886.0 | 16 | 2 | 78.9 | 1308.0 | 1984.0 | ---    |
|             |      | Type5 | 10 | 5  | 359277.0 | 16 | 1 | 52.3 | 1740.0 | ---    | ---    |
|             |      | Type5 | 10 | 0  | 209249.0 | 16 | 2 | 73.7 | 1208.0 | 1497.0 | ---    |
|             |      | Type5 | 10 | 4  | 187952.0 | 16 | 2 | 70.8 | 1968.0 | 1821.0 | ---    |
|             |      | Type5 | 10 | 3  | 17733.0  | 16 | 1 | 66.2 | 1393.0 | ---    | ---    |
|             |      | Type5 | 10 | 1  | 378386.0 | 16 | 3 | 97.4 | 1942.0 | 1754.0 | 1613.0 |
|             |      | Type5 | 10 | 13 | 316923.0 | 16 | 2 | 78.7 | 1247.0 | 1121.0 | ---    |
|             |      | Type5 | 10 | 7  | 700166.0 | 16 | 2 | 70.9 | 1050.0 | 1358.0 | ---    |
|             |      | Type5 | 10 | 2  | 548411.0 | 16 | 3 | 91.7 | 1999.0 | 1702.0 | 1462.0 |

|  |      |       |    |    |          |    |   |      |        |        |        |
|--|------|-------|----|----|----------|----|---|------|--------|--------|--------|
|  |      | Type5 | 10 | 9  | 338262.0 | 16 | 1 | 59.1 | 1697.0 | ---    | ---    |
|  |      | Type5 | 10 | 10 | 508324.0 | 16 | 2 | 77.0 | 1397.0 | 1304.0 | ---    |
|  |      | Type5 | 10 | 12 | 146031.0 | 16 | 2 | 81.2 | 1720.0 | 1932.0 | ---    |
|  |      | Type5 | 10 | 14 | 488056.0 | 16 | 1 | 63.3 | 1634.0 | ---    | ---    |
|  |      | Type5 | 10 | 15 | 657326.0 | 16 | 2 | 68.9 | 1849.0 | 1423.0 | ---    |
|  |      | Type5 | 10 | 16 | 125509.0 | 16 | 1 | 59.3 | 1093.0 | ---    | ---    |
|  |      | Type5 | 10 | 11 | 678689.0 | 16 | 2 | 67.9 | 1803.0 | 1083.0 | ---    |
|  |      | Type5 | 10 | 8  | 167197.0 | 16 | 2 | 75.6 | 1437.0 | 1430.0 | ---    |
|  | 5570 | Type5 | 10 | 15 | 657326.0 | 16 | 2 | 68.9 | 1849.0 | 1423.0 | ---    |
|  |      | Type5 | 10 | 10 | 508324.0 | 16 | 2 | 77.0 | 1397.0 | 1304.0 | ---    |
|  |      | Type5 | 10 | 11 | 678689.0 | 16 | 2 | 67.9 | 1803.0 | 1083.0 | ---    |
|  |      | Type5 | 10 | 12 | 146031.0 | 16 | 2 | 81.2 | 1720.0 | 1932.0 | ---    |
|  |      | Type5 | 10 | 9  | 338262.0 | 16 | 1 | 59.1 | 1697.0 | ---    | ---    |
|  |      | Type5 | 10 | 14 | 488056.0 | 16 | 1 | 63.3 | 1634.0 | ---    | ---    |
|  |      | Type5 | 10 | 3  | 17733.0  | 16 | 1 | 66.2 | 1393.0 | ---    | ---    |
|  |      | Type5 | 10 | 13 | 316923.0 | 16 | 2 | 78.7 | 1247.0 | 1121.0 | ---    |
|  |      | Type5 | 10 | 8  | 167197.0 | 16 | 2 | 75.6 | 1437.0 | 1430.0 | ---    |
|  |      | Type5 | 10 | 7  | 700166.0 | 16 | 2 | 70.9 | 1050.0 | 1358.0 | ---    |
|  |      | Type5 | 10 | 6  | 528886.0 | 16 | 2 | 78.9 | 1308.0 | 1984.0 | ---    |
|  |      | Type5 | 10 | 4  | 187952.0 | 16 | 2 | 70.8 | 1968.0 | 1821.0 | ---    |
|  |      | Type5 | 10 | 2  | 548411.0 | 16 | 3 | 91.7 | 1999.0 | 1702.0 | 1462.0 |
|  |      | Type5 | 10 | 1  | 378386.0 | 16 | 3 | 97.4 | 1942.0 | 1754.0 | 1613.0 |
|  |      | Type5 | 10 | 0  | 209249.0 | 16 | 2 | 73.7 | 1208.0 | 1497.0 | ---    |
|  |      | Type5 | 10 | 16 | 125509.0 | 16 | 1 | 59.3 | 1093.0 | ---    | ---    |
|  |      | Type5 | 10 | 5  | 359277.0 | 16 | 1 | 52.3 | 1740.0 | ---    | ---    |

| Test Mode  | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO | 5260    | Type5      | 11       | 13       | 359771.0          | 19                | 3                | 90.1             | 1938.0    | 1071.0    | 1266.0    |
|            |         | Type5      | 11       | 0        | 263736.0          | 19                | 3                | 98.9             | 1381.0    | 1680.0    | 1488.0    |
|            |         | Type5      | 11       | 17       | 341809.0          | 19                | 2                | 77.0             | 1187.0    | 1657.0    | ---       |
|            |         | Type5      | 11       | 16       | 189652.0          | 19                | 1                | 58.8             | 1742.0    | ---       | ---       |
|            |         | Type5      | 11       | 14       | 511297.0          | 19                | 3                | 90.2             | 1989.0    | 1089.0    | 1950.0    |
|            |         | Type5      | 11       | 18       | 495737.0          | 19                | 1                | 55.0             | 1012.0    | ---       | ---       |
|            |         | Type5      | 11       | 12       | 207876.0          | 19                | 2                | 82.3             | 1845.0    | 1686.0    | ---       |
|            |         | Type5      | 11       | 11       | 55547.0           | 19                | 2                | 78.5             | 1911.0    | 1704.0    | ---       |
|            |         | Type5      | 11       | 10       | 533408.0          | 19                | 1                | 65.6             | 1017.0    | ---       | ---       |
|            |         | Type5      | 11       | 2        | 567902.0          | 19                | 3                | 86.7             | 1211.0    | 1400.0    | 1919.0    |
|            |         | Type5      | 11       | 8        | 226559.0          | 19                | 3                | 84.4             | 1203.0    | 1107.0    | 1443.0    |
|            |         | Type5      | 11       | 7        | 74413.0           | 19                | 2                | 67.9             | 1350.0    | 1372.0    | ---       |
|            |         | Type5      | 11       | 6        | 551431.0          | 19                | 1                | 55.9             | 1947.0    | ---       | ---       |
|            |         | Type5      | 11       | 5        | 397609.0          | 19                | 2                | 71.1             | 1921.0    | 1789.0    | ---       |
|            |         | Type5      | 11       | 4        | 245155.0          | 19                | 3                | 98.6             | 1507.0    | 1194.0    | 1461.0    |
|            |         | Type5      | 11       | 3        | 92979.0           | 19                | 3                | 89.7             | 1861.0    | 1068.0    | 1282.0    |
|            |         | Type5      | 11       | 9        | 380056.0          | 19                | 1                | 58.8             | 1715.0    | ---       | ---       |
|            |         | Type5      | 11       | 15       | 36803.0           | 19                | 2                | 83.1             | 1943.0    | 1406.0    | ---       |
|            |         | Type5      | 11       | 1        | 416459.0          | 19                | 2                | 82.3             | 1716.0    | 1855.0    | ---       |
|            | 5500    | Type5      | 11       | 18       | 495737.0          | 19                | 1                | 55.0             | 1012.0    | ---       | ---       |
|            |         | Type5      | 11       | 6        | 551431.0          | 19                | 1                | 55.9             | 1947.0    | ---       | ---       |
|            |         | Type5      | 11       | 5        | 397609.0          | 19                | 2                | 71.1             | 1921.0    | 1789.0    | ---       |
|            |         | Type5      | 11       | 4        | 245155.0          | 19                | 3                | 98.6             | 1507.0    | 1194.0    | 1461.0    |
|            |         | Type5      | 11       | 3        | 92979.0           | 19                | 3                | 89.7             | 1861.0    | 1068.0    | 1282.0    |
|            |         | Type5      | 11       | 0        | 263736.0          | 19                | 3                | 98.9             | 1381.0    | 1680.0    | 1488.0    |
|            |         | Type5      | 11       | 1        | 416459.0          | 19                | 2                | 82.3             | 1716.0    | 1855.0    | ---       |
|            |         | Type5      | 11       | 7        | 74413.0           | 19                | 2                | 67.9             | 1350.0    | 1372.0    | ---       |
|            |         | Type5      | 11       | 2        | 567902.0          | 19                | 3                | 86.7             | 1211.0    | 1400.0    | 1919.0    |
|            |         | Type5      | 11       | 8        | 226559.0          | 19                | 3                | 84.4             | 1203.0    | 1107.0    | 1443.0    |
|            |         | Type5      | 11       | 9        | 380056.0          | 19                | 1                | 58.8             | 1715.0    | ---       | ---       |
|            |         | Type5      | 11       | 10       | 533408.0          | 19                | 1                | 65.6             | 1017.0    | ---       | ---       |
|            |         | Type5      | 11       | 11       | 55547.0           | 19                | 2                | 78.5             | 1911.0    | 1704.0    | ---       |
|            |         | Type5      | 11       | 12       | 207876.0          | 19                | 2                | 82.3             | 1845.0    | 1686.0    | ---       |
|            |         | Type5      | 11       | 13       | 359771.0          | 19                | 3                | 90.1             | 1938.0    | 1071.0    | 1266.0    |
|            |         | Type5      | 11       | 14       | 511297.0          | 19                | 3                | 90.2             | 1989.0    | 1089.0    | 1950.0    |
|            |         | Type5      | 11       | 15       | 36803.0           | 19                | 2                | 83.1             | 1943.0    | 1406.0    | ---       |
|            |         | Type5      | 11       | 17       | 341809.0          | 19                | 2                | 77.0             | 1187.0    | 1657.0    | ---       |
|            |         | Type5      | 11       | 16       | 189652.0          | 19                | 1                | 58.8             | 1742.0    | ---       | ---       |
| 11AX40MIMO | 5270    | Type5      | 11       | 9        | 380056.0          | 19                | 1                | 58.8             | 1715.0    | ---       | ---       |
|            |         | Type5      | 11       | 8        | 226559.0          | 19                | 3                | 84.4             | 1203.0    | 1107.0    | 1443.0    |
|            |         | Type5      | 11       | 0        | 263736.0          | 19                | 3                | 98.9             | 1381.0    | 1680.0    | 1488.0    |
|            |         | Type5      | 11       | 1        | 416459.0          | 19                | 2                | 82.3             | 1716.0    | 1855.0    | ---       |
|            |         | Type5      | 11       | 2        | 567902.0          | 19                | 3                | 86.7             | 1211.0    | 1400.0    | 1919.0    |
|            |         | Type5      | 11       | 3        | 92979.0           | 19                | 3                | 89.7             | 1861.0    | 1068.0    | 1282.0    |
|            |         | Type5      | 11       | 4        | 245155.0          | 19                | 3                | 98.6             | 1507.0    | 1194.0    | 1461.0    |
|            |         | Type5      | 11       | 5        | 397609.0          | 19                | 2                | 71.1             | 1921.0    | 1789.0    | ---       |
|            |         | Type5      | 11       | 6        | 551431.0          | 19                | 1                | 55.9             | 1947.0    | ---       | ---       |
|            |         | Type5      | 11       | 11       | 55547.0           | 19                | 2                | 78.5             | 1911.0    | 1704.0    | ---       |
|            |         | Type5      | 11       | 7        | 74413.0           | 19                | 2                | 67.9             | 1350.0    | 1372.0    | ---       |
|            |         | Type5      | 11       | 18       | 495737.0          | 19                | 1                | 55.0             | 1012.0    | ---       | ---       |
|            |         | Type5      | 11       | 10       | 533408.0          | 19                | 1                | 65.6             | 1017.0    | ---       | ---       |
|            |         | Type5      | 11       | 12       | 207876.0          | 19                | 2                | 82.3             | 1845.0    | 1686.0    | ---       |
|            |         | Type5      | 11       | 13       | 359771.0          | 19                | 3                | 90.1             | 1938.0    | 1071.0    | 1266.0    |

|            |      |       |    |    |          |    |   |      |        |        |        |
|------------|------|-------|----|----|----------|----|---|------|--------|--------|--------|
| 11AX80MIMO | 5510 | Type5 | 11 | 14 | 511297.0 | 19 | 3 | 90.2 | 1989.0 | 1089.0 | 1950.0 |
|            |      | Type5 | 11 | 15 | 36803.0  | 19 | 2 | 83.1 | 1943.0 | 1406.0 | ---    |
|            |      | Type5 | 11 | 16 | 189652.0 | 19 | 1 | 58.8 | 1742.0 | ---    | ---    |
|            |      | Type5 | 11 | 17 | 341809.0 | 19 | 2 | 77.0 | 1187.0 | 1657.0 | ---    |
|            |      | Type5 | 11 | 15 | 36803.0  | 19 | 2 | 83.1 | 1943.0 | 1406.0 | ---    |
|            |      | Type5 | 11 | 12 | 207876.0 | 19 | 2 | 82.3 | 1845.0 | 1686.0 | ---    |
|            |      | Type5 | 11 | 18 | 495737.0 | 19 | 1 | 55.0 | 1012.0 | ---    | ---    |
|            |      | Type5 | 11 | 17 | 341809.0 | 19 | 2 | 77.0 | 1187.0 | 1657.0 | ---    |
|            |      | Type5 | 11 | 16 | 189652.0 | 19 | 1 | 58.8 | 1742.0 | ---    | ---    |
|            |      | Type5 | 11 | 13 | 359771.0 | 19 | 3 | 90.1 | 1938.0 | 1071.0 | 1266.0 |
|            |      | Type5 | 11 | 14 | 511297.0 | 19 | 3 | 90.2 | 1989.0 | 1089.0 | 1950.0 |
|            |      | Type5 | 11 | 0  | 263736.0 | 19 | 3 | 98.9 | 1381.0 | 1680.0 | 1488.0 |
|            |      | Type5 | 11 | 11 | 55547.0  | 19 | 2 | 78.5 | 1911.0 | 1704.0 | ---    |
|            |      | Type5 | 11 | 10 | 533408.0 | 19 | 1 | 65.6 | 1017.0 | ---    | ---    |
|            |      | Type5 | 11 | 1  | 416459.0 | 19 | 2 | 82.3 | 1716.0 | 1855.0 | ---    |
|            |      | Type5 | 11 | 8  | 226559.0 | 19 | 3 | 84.4 | 1203.0 | 1107.0 | 1443.0 |
|            |      | Type5 | 11 | 7  | 74413.0  | 19 | 2 | 67.9 | 1350.0 | 1372.0 | ---    |
|            |      | Type5 | 11 | 6  | 551431.0 | 19 | 1 | 55.9 | 1947.0 | ---    | ---    |
|            |      | Type5 | 11 | 5  | 397609.0 | 19 | 2 | 71.1 | 1921.0 | 1789.0 | ---    |
|            |      | Type5 | 11 | 4  | 245155.0 | 19 | 3 | 98.6 | 1507.0 | 1194.0 | 1461.0 |
|            |      | Type5 | 11 | 3  | 92979.0  | 19 | 3 | 89.7 | 1861.0 | 1068.0 | 1282.0 |
|            |      | Type5 | 11 | 2  | 567902.0 | 19 | 3 | 86.7 | 1211.0 | 1400.0 | 1919.0 |
|            |      | Type5 | 11 | 9  | 380056.0 | 19 | 1 | 58.8 | 1715.0 | ---    | ---    |
|            | 5290 | Type5 | 11 | 7  | 74413.0  | 19 | 2 | 67.9 | 1350.0 | 1372.0 | ---    |
|            |      | Type5 | 11 | 6  | 551431.0 | 19 | 1 | 55.9 | 1947.0 | ---    | ---    |
|            |      | Type5 | 11 | 5  | 397609.0 | 19 | 2 | 71.1 | 1921.0 | 1789.0 | ---    |
|            |      | Type5 | 11 | 4  | 245155.0 | 19 | 3 | 98.6 | 1507.0 | 1194.0 | 1461.0 |
|            |      | Type5 | 11 | 3  | 92979.0  | 19 | 3 | 89.7 | 1861.0 | 1068.0 | 1282.0 |
|            |      | Type5 | 11 | 2  | 567902.0 | 19 | 3 | 86.7 | 1211.0 | 1400.0 | 1919.0 |
|            |      | Type5 | 11 | 8  | 226559.0 | 19 | 3 | 84.4 | 1203.0 | 1107.0 | 1443.0 |
|            |      | Type5 | 11 | 0  | 263736.0 | 19 | 3 | 98.9 | 1381.0 | 1680.0 | 1488.0 |
|            |      | Type5 | 11 | 1  | 416459.0 | 19 | 2 | 82.3 | 1716.0 | 1855.0 | ---    |
|            |      | Type5 | 11 | 18 | 495737.0 | 19 | 1 | 55.0 | 1012.0 | ---    | ---    |
|            |      | Type5 | 11 | 17 | 341809.0 | 19 | 2 | 77.0 | 1187.0 | 1657.0 | ---    |
|            |      | Type5 | 11 | 16 | 189652.0 | 19 | 1 | 58.8 | 1742.0 | ---    | ---    |
|            |      | Type5 | 11 | 15 | 36803.0  | 19 | 2 | 83.1 | 1943.0 | 1406.0 | ---    |
|            |      | Type5 | 11 | 14 | 511297.0 | 19 | 3 | 90.2 | 1989.0 | 1089.0 | 1950.0 |
|            |      | Type5 | 11 | 13 | 359771.0 | 19 | 3 | 90.1 | 1938.0 | 1071.0 | 1266.0 |
|            |      | Type5 | 11 | 12 | 207876.0 | 19 | 2 | 82.3 | 1845.0 | 1686.0 | ---    |
|            |      | Type5 | 11 | 11 | 55547.0  | 19 | 2 | 78.5 | 1911.0 | 1704.0 | ---    |
|            |      | Type5 | 11 | 10 | 533408.0 | 19 | 1 | 65.6 | 1017.0 | ---    | ---    |
|            |      | Type5 | 11 | 9  | 380056.0 | 19 | 1 | 58.8 | 1715.0 | ---    | ---    |
|            | 5530 | Type5 | 11 | 8  | 226559.0 | 19 | 3 | 84.4 | 1203.0 | 1107.0 | 1443.0 |
|            |      | Type5 | 11 | 11 | 55547.0  | 19 | 2 | 78.5 | 1911.0 | 1704.0 | ---    |
|            |      | Type5 | 11 | 18 | 495737.0 | 19 | 1 | 55.0 | 1012.0 | ---    | ---    |
|            |      | Type5 | 11 | 17 | 341809.0 | 19 | 2 | 77.0 | 1187.0 | 1657.0 | ---    |
|            |      | Type5 | 11 | 16 | 189652.0 | 19 | 1 | 58.8 | 1742.0 | ---    | ---    |
|            |      | Type5 | 11 | 15 | 36803.0  | 19 | 2 | 83.1 | 1943.0 | 1406.0 | ---    |
|            |      | Type5 | 11 | 14 | 511297.0 | 19 | 3 | 90.2 | 1989.0 | 1089.0 | 1950.0 |
|            |      | Type5 | 11 | 13 | 359771.0 | 19 | 3 | 90.1 | 1938.0 | 1071.0 | 1266.0 |
|            |      | Type5 | 11 | 12 | 207876.0 | 19 | 2 | 82.3 | 1845.0 | 1686.0 | ---    |
|            |      | Type5 | 11 | 1  | 416459.0 | 19 | 2 | 82.3 | 1716.0 | 1855.0 | ---    |
|            |      | Type5 | 11 | 7  | 74413.0  | 19 | 2 | 67.9 | 1350.0 | 1372.0 | ---    |
|            |      | Type5 | 11 | 6  | 551431.0 | 19 | 1 | 55.9 | 1947.0 | ---    | ---    |
|            |      | Type5 | 11 | 5  | 397609.0 | 19 | 2 | 71.1 | 1921.0 | 1789.0 | ---    |
|            |      | Type5 | 11 | 4  | 245155.0 | 19 | 3 | 98.6 | 1507.0 | 1194.0 | 1461.0 |
|            |      | Type5 | 11 | 3  | 92979.0  | 19 | 3 | 89.7 | 1861.0 | 1068.0 | 1282.0 |
|            |      | Type5 | 11 | 2  | 567902.0 | 19 | 3 | 86.7 | 1211.0 | 1400.0 | 1919.0 |

|             |      |       |    |    |          |    |   |      |        |        |        |
|-------------|------|-------|----|----|----------|----|---|------|--------|--------|--------|
| 11AX160MIMO | 5250 | Type5 | 11 | 9  | 380056.0 | 19 | 1 | 58.8 | 1715.0 | ---    | ---    |
|             |      | Type5 | 11 | 10 | 533408.0 | 19 | 1 | 65.6 | 1017.0 | ---    | ---    |
|             |      | Type5 | 11 | 0  | 263736.0 | 19 | 3 | 98.9 | 1381.0 | 1680.0 | 1488.0 |
|             |      | Type5 | 11 | 7  | 74413.0  | 19 | 2 | 67.9 | 1350.0 | 1372.0 | ---    |
|             |      | Type5 | 11 | 6  | 551431.0 | 19 | 1 | 55.9 | 1947.0 | ---    | ---    |
|             |      | Type5 | 11 | 5  | 397609.0 | 19 | 2 | 71.1 | 1921.0 | 1789.0 | ---    |
|             |      | Type5 | 11 | 0  | 263736.0 | 19 | 3 | 98.9 | 1381.0 | 1680.0 | 1488.0 |
|             |      | Type5 | 11 | 4  | 245155.0 | 19 | 3 | 98.6 | 1507.0 | 1194.0 | 1461.0 |
|             |      | Type5 | 11 | 3  | 92979.0  | 19 | 3 | 89.7 | 1861.0 | 1068.0 | 1282.0 |
|             |      | Type5 | 11 | 1  | 416459.0 | 19 | 2 | 82.3 | 1716.0 | 1855.0 | ---    |
|             |      | Type5 | 11 | 15 | 36803.0  | 19 | 2 | 83.1 | 1943.0 | 1406.0 | ---    |
|             |      | Type5 | 11 | 8  | 226559.0 | 19 | 3 | 84.4 | 1203.0 | 1107.0 | 1443.0 |
|             |      | Type5 | 11 | 2  | 567902.0 | 19 | 3 | 86.7 | 1211.0 | 1400.0 | 1919.0 |
|             |      | Type5 | 11 | 10 | 533408.0 | 19 | 1 | 65.6 | 1017.0 | ---    | ---    |
|             |      | Type5 | 11 | 11 | 55547.0  | 19 | 2 | 78.5 | 1911.0 | 1704.0 | ---    |
|             |      | Type5 | 11 | 12 | 207876.0 | 19 | 2 | 82.3 | 1845.0 | 1686.0 | ---    |
|             |      | Type5 | 11 | 14 | 511297.0 | 19 | 3 | 90.2 | 1989.0 | 1089.0 | 1950.0 |
|             |      | Type5 | 11 | 16 | 189652.0 | 19 | 1 | 58.8 | 1742.0 | ---    | ---    |
|             |      | Type5 | 11 | 17 | 341809.0 | 19 | 2 | 77.0 | 1187.0 | 1657.0 | ---    |
|             |      | Type5 | 11 | 18 | 495737.0 | 19 | 1 | 55.0 | 1012.0 | ---    | ---    |
|             |      | Type5 | 11 | 13 | 359771.0 | 19 | 3 | 90.1 | 1938.0 | 1071.0 | 1266.0 |
|             |      | Type5 | 11 | 9  | 380056.0 | 19 | 1 | 58.8 | 1715.0 | ---    | ---    |
|             | 5570 | Type5 | 11 | 17 | 341809.0 | 19 | 2 | 77.0 | 1187.0 | 1657.0 | ---    |
|             |      | Type5 | 11 | 11 | 55547.0  | 19 | 2 | 78.5 | 1911.0 | 1704.0 | ---    |
|             |      | Type5 | 11 | 12 | 207876.0 | 19 | 2 | 82.3 | 1845.0 | 1686.0 | ---    |
|             |      | Type5 | 11 | 13 | 359771.0 | 19 | 3 | 90.1 | 1938.0 | 1071.0 | 1266.0 |
|             |      | Type5 | 11 | 14 | 511297.0 | 19 | 3 | 90.2 | 1989.0 | 1089.0 | 1950.0 |
|             |      | Type5 | 11 | 10 | 533408.0 | 19 | 1 | 65.6 | 1017.0 | ---    | ---    |
|             |      | Type5 | 11 | 16 | 189652.0 | 19 | 1 | 58.8 | 1742.0 | ---    | ---    |
|             |      | Type5 | 11 | 4  | 245155.0 | 19 | 3 | 98.6 | 1507.0 | 1194.0 | 1461.0 |
|             |      | Type5 | 11 | 15 | 36803.0  | 19 | 2 | 83.1 | 1943.0 | 1406.0 | ---    |
|             |      | Type5 | 11 | 9  | 380056.0 | 19 | 1 | 58.8 | 1715.0 | ---    | ---    |
|             |      | Type5 | 11 | 8  | 226559.0 | 19 | 3 | 84.4 | 1203.0 | 1107.0 | 1443.0 |
|             |      | Type5 | 11 | 7  | 74413.0  | 19 | 2 | 67.9 | 1350.0 | 1372.0 | ---    |
|             |      | Type5 | 11 | 5  | 397609.0 | 19 | 2 | 71.1 | 1921.0 | 1789.0 | ---    |
|             |      | Type5 | 11 | 3  | 92979.0  | 19 | 3 | 89.7 | 1861.0 | 1068.0 | 1282.0 |
|             |      | Type5 | 11 | 2  | 567902.0 | 19 | 3 | 86.7 | 1211.0 | 1400.0 | 1919.0 |
|             |      | Type5 | 11 | 1  | 416459.0 | 19 | 2 | 82.3 | 1716.0 | 1855.0 | ---    |
|             |      | Type5 | 11 | 0  | 263736.0 | 19 | 3 | 98.9 | 1381.0 | 1680.0 | 1488.0 |
|             |      | Type5 | 11 | 18 | 495737.0 | 19 | 1 | 55.0 | 1012.0 | ---    | ---    |
|             |      | Type5 | 11 | 6  | 551431.0 | 19 | 1 | 55.9 | 1947.0 | ---    | ---    |

| Test Mode  | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO | 5260    | Type5      | 12       | 10       | 361606.0          | 13                | 2                | 83.2             | 1692.0    | 1858.0    | ---       |
|            |         | Type5      | 12       | 0        | 22911.0           | 13                | 1                | 58.1             | 1929.0    | ---       | ---       |
|            |         | Type5      | 12       | 13       | 144710.0          | 13                | 2                | 78.3             | 1258.0    | 1951.0    | ---       |
|            |         | Type5      | 12       | 11       | 553866.0          | 13                | 3                | 84.7             | 1533.0    | 1677.0    | 1638.0    |
|            |         | Type5      | 12       | 14       | 337856.0          | 13                | 2                | 69.3             | 1731.0    | 1717.0    | ---       |
|            |         | Type5      | 12       | 9        | 168898.0          | 13                | 1                | 61.4             | 1390.0    | ---       | ---       |
|            |         | Type5      | 12       | 8        | 773423.0          | 13                | 1                | 64.7             | 1800.0    | ---       | ---       |
|            |         | Type5      | 12       | 7        | 579862.0          | 13                | 1                | 53.8             | 1763.0    | ---       | ---       |
|            |         | Type5      | 12       | 6        | 385590.0          | 13                | 2                | 78.5             | 1238.0    | 1917.0    | ---       |
|            |         | Type5      | 12       | 5        | 192251.0          | 13                | 2                | 79.9             | 1626.0    | 1859.0    | ---       |
|            |         | Type5      | 12       | 4        | 794160.0          | 13                | 3                | 95.9             | 1399.0    | 1906.0    | 1608.0    |
|            |         | Type5      | 12       | 3        | 603671.0          | 13                | 1                | 60.2             | 1812.0    | ---       | ---       |
|            |         | Type5      | 12       | 2        | 410004.0          | 13                | 1                | 59.9             | 1971.0    | ---       | ---       |
|            |         | Type5      | 12       | 1        | 216473.0          | 13                | 1                | 52.1             | 1910.0    | ---       | ---       |
|            |         | Type5      | 12       | 12       | 747241.0          | 13                | 3                | 88.7             | 1703.0    | 1528.0    | 1058.0    |
|            | 5500    | Type5      | 12       | 5        | 192251.0          | 13                | 2                | 79.9             | 1626.0    | 1859.0    | ---       |
|            |         | Type5      | 12       | 1        | 216473.0          | 13                | 1                | 52.1             | 1910.0    | ---       | ---       |
|            |         | Type5      | 12       | 0        | 22911.0           | 13                | 1                | 58.1             | 1929.0    | ---       | ---       |
|            |         | Type5      | 12       | 2        | 410004.0          | 13                | 1                | 59.9             | 1971.0    | ---       | ---       |
|            |         | Type5      | 12       | 3        | 603671.0          | 13                | 1                | 60.2             | 1812.0    | ---       | ---       |
|            |         | Type5      | 12       | 4        | 794160.0          | 13                | 3                | 95.9             | 1399.0    | 1906.0    | 1608.0    |
|            |         | Type5      | 12       | 14       | 337856.0          | 13                | 2                | 69.3             | 1731.0    | 1717.0    | ---       |
|            |         | Type5      | 12       | 6        | 385590.0          | 13                | 2                | 78.5             | 1238.0    | 1917.0    | ---       |
|            |         | Type5      | 12       | 7        | 579862.0          | 13                | 1                | 53.8             | 1763.0    | ---       | ---       |
|            |         | Type5      | 12       | 8        | 773423.0          | 13                | 1                | 64.7             | 1800.0    | ---       | ---       |
|            |         | Type5      | 12       | 9        | 168898.0          | 13                | 1                | 61.4             | 1390.0    | ---       | ---       |
|            |         | Type5      | 12       | 10       | 361606.0          | 13                | 2                | 83.2             | 1692.0    | 1858.0    | ---       |
|            |         | Type5      | 12       | 11       | 553866.0          | 13                | 3                | 84.7             | 1533.0    | 1677.0    | 1638.0    |
|            |         | Type5      | 12       | 13       | 144710.0          | 13                | 2                | 78.3             | 1258.0    | 1951.0    | ---       |
|            |         | Type5      | 12       | 12       | 747241.0          | 13                | 3                | 88.7             | 1703.0    | 1528.0    | 1058.0    |
| 11AX40MIMO | 5270    | Type5      | 12       | 7        | 579862.0          | 13                | 1                | 53.8             | 1763.0    | ---       | ---       |
|            |         | Type5      | 12       | 14       | 337856.0          | 13                | 2                | 69.3             | 1731.0    | 1717.0    | ---       |
|            |         | Type5      | 12       | 13       | 144710.0          | 13                | 2                | 78.3             | 1258.0    | 1951.0    | ---       |
|            |         | Type5      | 12       | 12       | 747241.0          | 13                | 3                | 88.7             | 1703.0    | 1528.0    | 1058.0    |
|            |         | Type5      | 12       | 11       | 553866.0          | 13                | 3                | 84.7             | 1533.0    | 1677.0    | 1638.0    |
|            |         | Type5      | 12       | 10       | 361606.0          | 13                | 2                | 83.2             | 1692.0    | 1858.0    | ---       |
|            |         | Type5      | 12       | 8        | 773423.0          | 13                | 1                | 64.7             | 1800.0    | ---       | ---       |
|            |         | Type5      | 12       | 6        | 385590.0          | 13                | 2                | 78.5             | 1238.0    | 1917.0    | ---       |
|            |         | Type5      | 12       | 5        | 192251.0          | 13                | 2                | 79.9             | 1626.0    | 1859.0    | ---       |
|            |         | Type5      | 12       | 4        | 794160.0          | 13                | 3                | 95.9             | 1399.0    | 1906.0    | 1608.0    |
|            |         | Type5      | 12       | 3        | 603671.0          | 13                | 1                | 60.2             | 1812.0    | ---       | ---       |
|            |         | Type5      | 12       | 2        | 410004.0          | 13                | 1                | 59.9             | 1971.0    | ---       | ---       |
|            |         | Type5      | 12       | 1        | 216473.0          | 13                | 1                | 52.1             | 1910.0    | ---       | ---       |
|            |         | Type5      | 12       | 0        | 22911.0           | 13                | 1                | 58.1             | 1929.0    | ---       | ---       |
|            |         | Type5      | 12       | 9        | 168898.0          | 13                | 1                | 61.4             | 1390.0    | ---       | ---       |
|            | 5510    | Type5      | 12       | 12       | 747241.0          | 13                | 3                | 88.7             | 1703.0    | 1528.0    | 1058.0    |
|            |         | Type5      | 12       | 9        | 168898.0          | 13                | 1                | 61.4             | 1390.0    | ---       | ---       |
|            |         | Type5      | 12       | 14       | 337856.0          | 13                | 2                | 69.3             | 1731.0    | 1717.0    | ---       |
|            |         | Type5      | 12       | 13       | 144710.0          | 13                | 2                | 78.3             | 1258.0    | 1951.0    | ---       |
|            |         | Type5      | 12       | 10       | 361606.0          | 13                | 2                | 83.2             | 1692.0    | 1858.0    | ---       |
|            |         | Type5      | 12       | 11       | 553866.0          | 13                | 3                | 84.7             | 1533.0    | 1677.0    | 1638.0    |
|            |         | Type5      | 12       | 0        | 22911.0           | 13                | 1                | 58.1             | 1929.0    | ---       | ---       |
|            |         | Type5      | 12       | 8        | 773423.0          | 13                | 1                | 64.7             | 1800.0    | ---       | ---       |

|             |      |       |    |    |          |    |   |      |        |        |        |
|-------------|------|-------|----|----|----------|----|---|------|--------|--------|--------|
|             |      | Type5 | 12 | 7  | 579862.0 | 13 | 1 | 53.8 | 1763.0 | ---    | ---    |
|             |      | Type5 | 12 | 6  | 385590.0 | 13 | 2 | 78.5 | 1238.0 | 1917.0 | ---    |
|             |      | Type5 | 12 | 5  | 192251.0 | 13 | 2 | 79.9 | 1626.0 | 1859.0 | ---    |
|             |      | Type5 | 12 | 4  | 794160.0 | 13 | 3 | 95.9 | 1399.0 | 1906.0 | 1608.0 |
|             |      | Type5 | 12 | 3  | 603671.0 | 13 | 1 | 60.2 | 1812.0 | ---    | ---    |
|             |      | Type5 | 12 | 2  | 410004.0 | 13 | 1 | 59.9 | 1971.0 | ---    | ---    |
|             |      | Type5 | 12 | 1  | 216473.0 | 13 | 1 | 52.1 | 1910.0 | ---    | ---    |
| 11AX80MIMO  | 5290 | Type5 | 12 | 0  | 22911.0  | 13 | 1 | 58.1 | 1929.0 | ---    | ---    |
|             |      | Type5 | 12 | 1  | 216473.0 | 13 | 1 | 52.1 | 1910.0 | ---    | ---    |
|             |      | Type5 | 12 | 2  | 410004.0 | 13 | 1 | 59.9 | 1971.0 | ---    | ---    |
|             |      | Type5 | 12 | 3  | 603671.0 | 13 | 1 | 60.2 | 1812.0 | ---    | ---    |
|             |      | Type5 | 12 | 4  | 794160.0 | 13 | 3 | 95.9 | 1399.0 | 1906.0 | 1608.0 |
|             |      | Type5 | 12 | 5  | 192251.0 | 13 | 2 | 79.9 | 1626.0 | 1859.0 | ---    |
|             |      | Type5 | 12 | 6  | 385590.0 | 13 | 2 | 78.5 | 1238.0 | 1917.0 | ---    |
|             |      | Type5 | 12 | 8  | 773423.0 | 13 | 1 | 64.7 | 1800.0 | ---    | ---    |
|             |      | Type5 | 12 | 9  | 168898.0 | 13 | 1 | 61.4 | 1390.0 | ---    | ---    |
|             |      | Type5 | 12 | 10 | 361606.0 | 13 | 2 | 83.2 | 1692.0 | 1858.0 | ---    |
|             |      | Type5 | 12 | 11 | 553866.0 | 13 | 3 | 84.7 | 1533.0 | 1677.0 | 1638.0 |
|             |      | Type5 | 12 | 12 | 747241.0 | 13 | 3 | 88.7 | 1703.0 | 1528.0 | 1058.0 |
|             |      | Type5 | 12 | 14 | 337856.0 | 13 | 2 | 69.3 | 1731.0 | 1717.0 | ---    |
|             |      | Type5 | 12 | 13 | 144710.0 | 13 | 2 | 78.3 | 1258.0 | 1951.0 | ---    |
|             |      | Type5 | 12 | 7  | 579862.0 | 13 | 1 | 53.8 | 1763.0 | ---    | ---    |
|             | 5530 | Type5 | 12 | 6  | 385590.0 | 13 | 2 | 78.5 | 1238.0 | 1917.0 | ---    |
|             |      | Type5 | 12 | 14 | 337856.0 | 13 | 2 | 69.3 | 1731.0 | 1717.0 | ---    |
|             |      | Type5 | 12 | 13 | 144710.0 | 13 | 2 | 78.3 | 1258.0 | 1951.0 | ---    |
|             |      | Type5 | 12 | 12 | 747241.0 | 13 | 3 | 88.7 | 1703.0 | 1528.0 | 1058.0 |
|             |      | Type5 | 12 | 11 | 553866.0 | 13 | 3 | 84.7 | 1533.0 | 1677.0 | 1638.0 |
|             |      | Type5 | 12 | 10 | 361606.0 | 13 | 2 | 83.2 | 1692.0 | 1858.0 | ---    |
|             |      | Type5 | 12 | 9  | 168898.0 | 13 | 1 | 61.4 | 1390.0 | ---    | ---    |
|             |      | Type5 | 12 | 1  | 216473.0 | 13 | 1 | 52.1 | 1910.0 | ---    | ---    |
|             |      | Type5 | 12 | 5  | 192251.0 | 13 | 2 | 79.9 | 1626.0 | 1859.0 | ---    |
|             |      | Type5 | 12 | 4  | 794160.0 | 13 | 3 | 95.9 | 1399.0 | 1906.0 | 1608.0 |
|             |      | Type5 | 12 | 3  | 603671.0 | 13 | 1 | 60.2 | 1812.0 | ---    | ---    |
|             |      | Type5 | 12 | 2  | 410004.0 | 13 | 1 | 59.9 | 1971.0 | ---    | ---    |
|             |      | Type5 | 12 | 7  | 579862.0 | 13 | 1 | 53.8 | 1763.0 | ---    | ---    |
|             |      | Type5 | 12 | 8  | 773423.0 | 13 | 1 | 64.7 | 1800.0 | ---    | ---    |
|             |      | Type5 | 12 | 0  | 22911.0  | 13 | 1 | 58.1 | 1929.0 | ---    | ---    |
| 11AX160MIMO | 5250 | Type5 | 12 | 5  | 192251.0 | 13 | 2 | 79.9 | 1626.0 | 1859.0 | ---    |
|             |      | Type5 | 12 | 4  | 794160.0 | 13 | 3 | 95.9 | 1399.0 | 1906.0 | 1608.0 |
|             |      | Type5 | 12 | 0  | 22911.0  | 13 | 1 | 58.1 | 1929.0 | ---    | ---    |
|             |      | Type5 | 12 | 3  | 603671.0 | 13 | 1 | 60.2 | 1812.0 | ---    | ---    |
|             |      | Type5 | 12 | 1  | 216473.0 | 13 | 1 | 52.1 | 1910.0 | ---    | ---    |
|             |      | Type5 | 12 | 12 | 747241.0 | 13 | 3 | 88.7 | 1703.0 | 1528.0 | 1058.0 |
|             |      | Type5 | 12 | 6  | 385590.0 | 13 | 2 | 78.5 | 1238.0 | 1917.0 | ---    |
|             |      | Type5 | 12 | 2  | 410004.0 | 13 | 1 | 59.9 | 1971.0 | ---    | ---    |
|             |      | Type5 | 12 | 8  | 773423.0 | 13 | 1 | 64.7 | 1800.0 | ---    | ---    |
|             |      | Type5 | 12 | 9  | 168898.0 | 13 | 1 | 61.4 | 1390.0 | ---    | ---    |
|             |      | Type5 | 12 | 11 | 553866.0 | 13 | 3 | 84.7 | 1533.0 | 1677.0 | 1638.0 |
|             |      | Type5 | 12 | 13 | 144710.0 | 13 | 2 | 78.3 | 1258.0 | 1951.0 | ---    |
|             |      | Type5 | 12 | 14 | 337856.0 | 13 | 2 | 69.3 | 1731.0 | 1717.0 | ---    |
|             |      | Type5 | 12 | 7  | 579862.0 | 13 | 1 | 53.8 | 1763.0 | ---    | ---    |
|             |      | Type5 | 12 | 10 | 361606.0 | 13 | 2 | 83.2 | 1692.0 | 1858.0 | ---    |
|             | 5570 | Type5 | 12 | 3  | 603671.0 | 13 | 1 | 60.2 | 1812.0 | ---    | ---    |
|             |      | Type5 | 12 | 13 | 144710.0 | 13 | 2 | 78.3 | 1258.0 | 1951.0 | ---    |
|             |      | Type5 | 12 | 12 | 747241.0 | 13 | 3 | 88.7 | 1703.0 | 1528.0 | 1058.0 |
|             |      | Type5 | 12 | 11 | 553866.0 | 13 | 3 | 84.7 | 1533.0 | 1677.0 | 1638.0 |
|             |      | Type5 | 12 | 10 | 361606.0 | 13 | 2 | 83.2 | 1692.0 | 1858.0 | ---    |
|             |      | Type5 | 12 | 9  | 168898.0 | 13 | 1 | 61.4 | 1390.0 | ---    | ---    |

|  |       |    |    |          |    |   |      |        |        |        |
|--|-------|----|----|----------|----|---|------|--------|--------|--------|
|  | Type5 | 12 | 8  | 773423.0 | 13 | 1 | 64.7 | 1800.0 | ---    | ---    |
|  | Type5 | 12 | 7  | 579862.0 | 13 | 1 | 53.8 | 1763.0 | ---    | ---    |
|  | Type5 | 12 | 6  | 385590.0 | 13 | 2 | 78.5 | 1238.0 | 1917.0 | ---    |
|  | Type5 | 12 | 4  | 794160.0 | 13 | 3 | 95.9 | 1399.0 | 1906.0 | 1608.0 |
|  | Type5 | 12 | 2  | 410004.0 | 13 | 1 | 59.9 | 1971.0 | ---    | ---    |
|  | Type5 | 12 | 1  | 216473.0 | 13 | 1 | 52.1 | 1910.0 | ---    | ---    |
|  | Type5 | 12 | 0  | 22911.0  | 13 | 1 | 58.1 | 1929.0 | ---    | ---    |
|  | Type5 | 12 | 14 | 337856.0 | 13 | 2 | 69.3 | 1731.0 | 1717.0 | ---    |
|  | Type5 | 12 | 5  | 192251.0 | 13 | 2 | 79.9 | 1626.0 | 1859.0 | ---    |

| Test Mode  | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO | 5260    | Type5      | 13       | 8        | 604342.0          | 10                | 3                | 86.4             | 1779.0    | 1439.0    | 1046.0    |
|            |         | Type5      | 13       | 0        | 664275.0          | 10                | 2                | 75.3             | 1994.0    | 1612.0    | ---       |
|            |         | Type5      | 13       | 9        | 846453.0          | 10                | 3                | 93.6             | 1059.0    | 1031.0    | 1452.0    |
|            |         | Type5      | 13       | 11       | 333050.0          | 10                | 3                | 92.4             | 1412.0    | 1673.0    | 1322.0    |
|            |         | Type5      | 13       | 7        | 362696.0          | 10                | 3                | 98.4             | 1873.0    | 1550.0    | 1249.0    |
|            |         | Type5      | 13       | 6        | 121278.0          | 10                | 3                | 85.7             | 1547.0    | 1362.0    | 1924.0    |
|            |         | Type5      | 13       | 5        | 876993.0          | 10                | 2                | 76.3             | 1359.0    | 1305.0    | ---       |
|            |         | Type5      | 13       | 4        | 635093.0          | 10                | 2                | 75.2             | 1421.0    | 1267.0    | ---       |
|            |         | Type5      | 13       | 3        | 393746.0          | 10                | 1                | 55.6             | 1337.0    | ---       | ---       |
|            |         | Type5      | 13       | 2        | 151316.0          | 10                | 2                | 67.7             | 1617.0    | 1185.0    | ---       |
|            |         | Type5      | 13       | 1        | 907886.0          | 10                | 1                | 56.3             | 1456.0    | ---       | ---       |
|            |         | Type5      | 13       | 10       | 91871.0           | 10                | 1                | 63.3             | 1328.0    | ---       | ---       |
|            | 5500    | Type5      | 13       | 4        | 635093.0          | 10                | 2                | 75.2             | 1421.0    | 1267.0    | ---       |
|            |         | Type5      | 13       | 1        | 907886.0          | 10                | 1                | 56.3             | 1456.0    | ---       | ---       |
|            |         | Type5      | 13       | 0        | 664275.0          | 10                | 2                | 75.3             | 1994.0    | 1612.0    | ---       |
|            |         | Type5      | 13       | 2        | 151316.0          | 10                | 2                | 67.7             | 1617.0    | 1185.0    | ---       |
|            |         | Type5      | 13       | 3        | 393746.0          | 10                | 1                | 55.6             | 1337.0    | ---       | ---       |
|            |         | Type5      | 13       | 11       | 333050.0          | 10                | 3                | 92.4             | 1412.0    | 1673.0    | 1322.0    |
|            |         | Type5      | 13       | 5        | 876993.0          | 10                | 2                | 76.3             | 1359.0    | 1305.0    | ---       |
|            |         | Type5      | 13       | 6        | 121278.0          | 10                | 3                | 85.7             | 1547.0    | 1362.0    | 1924.0    |
|            |         | Type5      | 13       | 7        | 362696.0          | 10                | 3                | 98.4             | 1873.0    | 1550.0    | 1249.0    |
|            |         | Type5      | 13       | 8        | 604342.0          | 10                | 3                | 86.4             | 1779.0    | 1439.0    | 1046.0    |
|            |         | Type5      | 13       | 10       | 91871.0           | 10                | 1                | 63.3             | 1328.0    | ---       | ---       |
|            |         | Type5      | 13       | 9        | 846453.0          | 10                | 3                | 93.6             | 1059.0    | 1031.0    | 1452.0    |
| 11AX40MIMO | 5270    | Type5      | 13       | 5        | 876993.0          | 10                | 2                | 76.3             | 1359.0    | 1305.0    | ---       |
|            |         | Type5      | 13       | 11       | 333050.0          | 10                | 3                | 92.4             | 1412.0    | 1673.0    | 1322.0    |
|            |         | Type5      | 13       | 10       | 91871.0           | 10                | 1                | 63.3             | 1328.0    | ---       | ---       |
|            |         | Type5      | 13       | 9        | 846453.0          | 10                | 3                | 93.6             | 1059.0    | 1031.0    | 1452.0    |
|            |         | Type5      | 13       | 8        | 604342.0          | 10                | 3                | 86.4             | 1779.0    | 1439.0    | 1046.0    |
|            |         | Type5      | 13       | 6        | 121278.0          | 10                | 3                | 85.7             | 1547.0    | 1362.0    | 1924.0    |
|            |         | Type5      | 13       | 4        | 635093.0          | 10                | 2                | 75.2             | 1421.0    | 1267.0    | ---       |
|            |         | Type5      | 13       | 3        | 393746.0          | 10                | 1                | 55.6             | 1337.0    | ---       | ---       |
|            |         | Type5      | 13       | 2        | 151316.0          | 10                | 2                | 67.7             | 1617.0    | 1185.0    | ---       |
|            |         | Type5      | 13       | 1        | 907886.0          | 10                | 1                | 56.3             | 1456.0    | ---       | ---       |
|            |         | Type5      | 13       | 0        | 664275.0          | 10                | 2                | 75.3             | 1994.0    | 1612.0    | ---       |
|            |         | Type5      | 13       | 7        | 362696.0          | 10                | 3                | 98.4             | 1873.0    | 1550.0    | 1249.0    |
|            | 5510    | Type5      | 13       | 9        | 846453.0          | 10                | 3                | 93.6             | 1059.0    | 1031.0    | 1452.0    |
|            |         | Type5      | 13       | 8        | 604342.0          | 10                | 3                | 86.4             | 1779.0    | 1439.0    | 1046.0    |
|            |         | Type5      | 13       | 11       | 333050.0          | 10                | 3                | 92.4             | 1412.0    | 1673.0    | 1322.0    |
|            |         | Type5      | 13       | 7        | 362696.0          | 10                | 3                | 98.4             | 1873.0    | 1550.0    | 1249.0    |
|            |         | Type5      | 13       | 10       | 91871.0           | 10                | 1                | 63.3             | 1328.0    | ---       | ---       |
|            |         | Type5      | 13       | 0        | 664275.0          | 10                | 2                | 75.3             | 1994.0    | 1612.0    | ---       |
|            |         | Type5      | 13       | 6        | 121278.0          | 10                | 3                | 85.7             | 1547.0    | 1362.0    | 1924.0    |
|            |         | Type5      | 13       | 5        | 876993.0          | 10                | 2                | 76.3             | 1359.0    | 1305.0    | ---       |
|            |         | Type5      | 13       | 4        | 635093.0          | 10                | 2                | 75.2             | 1421.0    | 1267.0    | ---       |
|            |         | Type5      | 13       | 3        | 393746.0          | 10                | 1                | 55.6             | 1337.0    | ---       | ---       |
|            |         | Type5      | 13       | 2        | 151316.0          | 10                | 2                | 67.7             | 1617.0    | 1185.0    | ---       |
|            |         | Type5      | 13       | 1        | 907886.0          | 10                | 1                | 56.3             | 1456.0    | ---       | ---       |
| 11AX80MIMO | 5290    | Type5      | 13       | 0        | 664275.0          | 10                | 2                | 75.3             | 1994.0    | 1612.0    | ---       |
|            |         | Type5      | 13       | 1        | 907886.0          | 10                | 1                | 56.3             | 1456.0    | ---       | ---       |
|            |         | Type5      | 13       | 2        | 151316.0          | 10                | 2                | 67.7             | 1617.0    | 1185.0    | ---       |
|            |         | Type5      | 13       | 3        | 393746.0          | 10                | 1                | 55.6             | 1337.0    | ---       | ---       |
|            |         | Type5      | 13       | 4        | 635093.0          | 10                | 2                | 75.2             | 1421.0    | 1267.0    | ---       |

|             |      |       |    |    |          |    |   |      |        |        |        |
|-------------|------|-------|----|----|----------|----|---|------|--------|--------|--------|
| 11AX160MIMO |      | Type5 | 13 | 5  | 876993.0 | 10 | 2 | 76.3 | 1359.0 | 1305.0 | ---    |
|             |      | Type5 | 13 | 7  | 362696.0 | 10 | 3 | 98.4 | 1873.0 | 1550.0 | 1249.0 |
|             |      | Type5 | 13 | 8  | 604342.0 | 10 | 3 | 86.4 | 1779.0 | 1439.0 | 1046.0 |
|             |      | Type5 | 13 | 9  | 846453.0 | 10 | 3 | 93.6 | 1059.0 | 1031.0 | 1452.0 |
|             |      | Type5 | 13 | 11 | 333050.0 | 10 | 3 | 92.4 | 1412.0 | 1673.0 | 1322.0 |
|             |      | Type5 | 13 | 10 | 91871.0  | 10 | 1 | 63.3 | 1328.0 | ---    | ---    |
|             |      | Type5 | 13 | 6  | 121278.0 | 10 | 3 | 85.7 | 1547.0 | 1362.0 | 1924.0 |
|             | 5530 | Type5 | 13 | 5  | 876993.0 | 10 | 2 | 76.3 | 1359.0 | 1305.0 | ---    |
|             |      | Type5 | 13 | 11 | 333050.0 | 10 | 3 | 92.4 | 1412.0 | 1673.0 | 1322.0 |
|             |      | Type5 | 13 | 10 | 91871.0  | 10 | 1 | 63.3 | 1328.0 | ---    | ---    |
|             |      | Type5 | 13 | 9  | 846453.0 | 10 | 3 | 93.6 | 1059.0 | 1031.0 | 1452.0 |
|             |      | Type5 | 13 | 8  | 604342.0 | 10 | 3 | 86.4 | 1779.0 | 1439.0 | 1046.0 |
|             |      | Type5 | 13 | 6  | 121278.0 | 10 | 3 | 85.7 | 1547.0 | 1362.0 | 1924.0 |
|             |      | Type5 | 13 | 4  | 635093.0 | 10 | 2 | 75.2 | 1421.0 | 1267.0 | ---    |
|             |      | Type5 | 13 | 3  | 393746.0 | 10 | 1 | 55.6 | 1337.0 | ---    | ---    |
|             |      | Type5 | 13 | 2  | 151316.0 | 10 | 2 | 67.7 | 1617.0 | 1185.0 | ---    |
|             |      | Type5 | 13 | 1  | 907886.0 | 10 | 1 | 56.3 | 1456.0 | ---    | ---    |
|             |      | Type5 | 13 | 0  | 664275.0 | 10 | 2 | 75.3 | 1994.0 | 1612.0 | ---    |
|             |      | Type5 | 13 | 7  | 362696.0 | 10 | 3 | 98.4 | 1873.0 | 1550.0 | 1249.0 |
|             | 5250 | Type5 | 13 | 9  | 846453.0 | 10 | 3 | 93.6 | 1059.0 | 1031.0 | 1452.0 |
|             |      | Type5 | 13 | 4  | 635093.0 | 10 | 2 | 75.2 | 1421.0 | 1267.0 | ---    |
|             |      | Type5 | 13 | 1  | 907886.0 | 10 | 1 | 56.3 | 1456.0 | ---    | ---    |
|             |      | Type5 | 13 | 2  | 151316.0 | 10 | 2 | 67.7 | 1617.0 | 1185.0 | ---    |
|             |      | Type5 | 13 | 3  | 393746.0 | 10 | 1 | 55.6 | 1337.0 | ---    | ---    |
|             |      | Type5 | 13 | 0  | 664275.0 | 10 | 2 | 75.3 | 1994.0 | 1612.0 | ---    |
|             |      | Type5 | 13 | 6  | 121278.0 | 10 | 3 | 85.7 | 1547.0 | 1362.0 | 1924.0 |
|             |      | Type5 | 13 | 8  | 604342.0 | 10 | 3 | 86.4 | 1779.0 | 1439.0 | 1046.0 |
|             |      | Type5 | 13 | 10 | 91871.0  | 10 | 1 | 63.3 | 1328.0 | ---    | ---    |
|             |      | Type5 | 13 | 11 | 333050.0 | 10 | 3 | 92.4 | 1412.0 | 1673.0 | 1322.0 |
|             |      | Type5 | 13 | 5  | 876993.0 | 10 | 2 | 76.3 | 1359.0 | 1305.0 | ---    |
|             |      | Type5 | 13 | 7  | 362696.0 | 10 | 3 | 98.4 | 1873.0 | 1550.0 | 1249.0 |
|             | 5570 | Type5 | 13 | 2  | 151316.0 | 10 | 2 | 67.7 | 1617.0 | 1185.0 | ---    |
|             |      | Type5 | 13 | 10 | 91871.0  | 10 | 1 | 63.3 | 1328.0 | ---    | ---    |
|             |      | Type5 | 13 | 9  | 846453.0 | 10 | 3 | 93.6 | 1059.0 | 1031.0 | 1452.0 |
|             |      | Type5 | 13 | 8  | 604342.0 | 10 | 3 | 86.4 | 1779.0 | 1439.0 | 1046.0 |
|             |      | Type5 | 13 | 7  | 362696.0 | 10 | 3 | 98.4 | 1873.0 | 1550.0 | 1249.0 |
|             |      | Type5 | 13 | 6  | 121278.0 | 10 | 3 | 85.7 | 1547.0 | 1362.0 | 1924.0 |
|             |      | Type5 | 13 | 5  | 876993.0 | 10 | 2 | 76.3 | 1359.0 | 1305.0 | ---    |
|             |      | Type5 | 13 | 3  | 393746.0 | 10 | 1 | 55.6 | 1337.0 | ---    | ---    |
|             |      | Type5 | 13 | 1  | 907886.0 | 10 | 1 | 56.3 | 1456.0 | ---    | ---    |
|             |      | Type5 | 13 | 0  | 664275.0 | 10 | 2 | 75.3 | 1994.0 | 1612.0 | ---    |
|             |      | Type5 | 13 | 11 | 333050.0 | 10 | 3 | 92.4 | 1412.0 | 1673.0 | 1322.0 |
|             |      | Type5 | 13 | 4  | 635093.0 | 10 | 2 | 75.2 | 1421.0 | 1267.0 | ---    |

| Test Mode  | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO | 5260    | Type5      | 14       | 13       | 458804.0          | 18                | 2                | 70.0             | 1759.0    | 1291.0    | ---       |
|            |         | Type5      | 14       | 0        | 361323.0          | 18                | 3                | 93.3             | 1983.0    | 1912.0    | 1535.0    |
|            |         | Type5      | 14       | 17       | 441296.0          | 18                | 1                | 51.2             | 1237.0    | ---       | ---       |
|            |         | Type5      | 14       | 16       | 288306.0          | 18                | 1                | 56.5             | 1483.0    | ---       | ---       |
|            |         | Type5      | 14       | 14       | 610798.0          | 18                | 2                | 67.2             | 1625.0    | 1881.0    | ---       |
|            |         | Type5      | 14       | 18       | 592780.0          | 18                | 2                | 74.1             | 1471.0    | 1245.0    | ---       |
|            |         | Type5      | 14       | 12       | 307096.0          | 18                | 1                | 59.8             | 1552.0    | ---       | ---       |
|            |         | Type5      | 14       | 11       | 153647.0          | 18                | 3                | 90.9             | 1261.0    | 1566.0    | 1370.0    |
|            |         | Type5      | 14       | 10       | 1489.0            | 18                | 2                | 72.0             | 1909.0    | 1297.0    | ---       |
|            |         | Type5      | 14       | 2        | 39025.0           | 18                | 3                | 86.9             | 1044.0    | 1152.0    | 1148.0    |
|            |         | Type5      | 14       | 8        | 325872.0          | 18                | 1                | 57.1             | 1641.0    | ---       | ---       |
|            |         | Type5      | 14       | 7        | 172999.0          | 18                | 1                | 60.8             | 1979.0    | ---       | ---       |
|            |         | Type5      | 14       | 6        | 20319.0           | 18                | 1                | 58.3             | 1429.0    | ---       | ---       |
|            |         | Type5      | 14       | 5        | 497624.0          | 18                | 1                | 51.7             | 1447.0    | ---       | ---       |
|            |         | Type5      | 14       | 4        | 343941.0          | 18                | 2                | 72.3             | 1094.0    | 1916.0    | ---       |
|            |         | Type5      | 14       | 3        | 190900.0          | 18                | 3                | 84.9             | 1894.0    | 1948.0    | 1118.0    |
|            |         | Type5      | 14       | 9        | 475841.0          | 18                | 3                | 88.9             | 1886.0    | 1964.0    | 1489.0    |
|            |         | Type5      | 14       | 15       | 134759.0          | 18                | 3                | 91.2             | 1382.0    | 1832.0    | 1661.0    |
|            |         | Type5      | 14       | 1        | 515261.0          | 18                | 2                | 69.1             | 1102.0    | 1794.0    | ---       |
|            | 5500    | Type5      | 14       | 18       | 592780.0          | 18                | 2                | 74.1             | 1471.0    | 1245.0    | ---       |
|            |         | Type5      | 14       | 6        | 20319.0           | 18                | 1                | 58.3             | 1429.0    | ---       | ---       |
|            |         | Type5      | 14       | 5        | 497624.0          | 18                | 1                | 51.7             | 1447.0    | ---       | ---       |
|            |         | Type5      | 14       | 4        | 343941.0          | 18                | 2                | 72.3             | 1094.0    | 1916.0    | ---       |
|            |         | Type5      | 14       | 3        | 190900.0          | 18                | 3                | 84.9             | 1894.0    | 1948.0    | 1118.0    |
|            |         | Type5      | 14       | 0        | 361323.0          | 18                | 3                | 93.3             | 1983.0    | 1912.0    | 1535.0    |
|            |         | Type5      | 14       | 1        | 515261.0          | 18                | 2                | 69.1             | 1102.0    | 1794.0    | ---       |
|            |         | Type5      | 14       | 7        | 172999.0          | 18                | 1                | 60.8             | 1979.0    | ---       | ---       |
|            |         | Type5      | 14       | 2        | 39025.0           | 18                | 3                | 86.9             | 1044.0    | 1152.0    | 1148.0    |
|            |         | Type5      | 14       | 8        | 325872.0          | 18                | 1                | 57.1             | 1641.0    | ---       | ---       |
|            |         | Type5      | 14       | 9        | 475841.0          | 18                | 3                | 88.9             | 1886.0    | 1964.0    | 1489.0    |
|            |         | Type5      | 14       | 10       | 1489.0            | 18                | 2                | 72.0             | 1909.0    | 1297.0    | ---       |
|            |         | Type5      | 14       | 11       | 153647.0          | 18                | 3                | 90.9             | 1261.0    | 1566.0    | 1370.0    |
|            |         | Type5      | 14       | 12       | 307096.0          | 18                | 1                | 59.8             | 1552.0    | ---       | ---       |
|            |         | Type5      | 14       | 13       | 458804.0          | 18                | 2                | 70.0             | 1759.0    | 1291.0    | ---       |
|            |         | Type5      | 14       | 14       | 610798.0          | 18                | 2                | 67.2             | 1625.0    | 1881.0    | ---       |
|            |         | Type5      | 14       | 15       | 134759.0          | 18                | 3                | 91.2             | 1382.0    | 1832.0    | 1661.0    |
|            |         | Type5      | 14       | 17       | 441296.0          | 18                | 1                | 51.2             | 1237.0    | ---       | ---       |
|            |         | Type5      | 14       | 16       | 288306.0          | 18                | 1                | 56.5             | 1483.0    | ---       | ---       |
| 11AX40MIMO | 5270    | Type5      | 14       | 9        | 475841.0          | 18                | 3                | 88.9             | 1886.0    | 1964.0    | 1489.0    |
|            |         | Type5      | 14       | 8        | 325872.0          | 18                | 1                | 57.1             | 1641.0    | ---       | ---       |
|            |         | Type5      | 14       | 0        | 361323.0          | 18                | 3                | 93.3             | 1983.0    | 1912.0    | 1535.0    |
|            |         | Type5      | 14       | 1        | 515261.0          | 18                | 2                | 69.1             | 1102.0    | 1794.0    | ---       |
|            |         | Type5      | 14       | 2        | 39025.0           | 18                | 3                | 86.9             | 1044.0    | 1152.0    | 1148.0    |
|            |         | Type5      | 14       | 3        | 190900.0          | 18                | 3                | 84.9             | 1894.0    | 1948.0    | 1118.0    |
|            |         | Type5      | 14       | 4        | 343941.0          | 18                | 2                | 72.3             | 1094.0    | 1916.0    | ---       |
|            |         | Type5      | 14       | 5        | 497624.0          | 18                | 1                | 51.7             | 1447.0    | ---       | ---       |
|            |         | Type5      | 14       | 6        | 20319.0           | 18                | 1                | 58.3             | 1429.0    | ---       | ---       |
|            |         | Type5      | 14       | 11       | 153647.0          | 18                | 3                | 90.9             | 1261.0    | 1566.0    | 1370.0    |
|            |         | Type5      | 14       | 7        | 172999.0          | 18                | 1                | 60.8             | 1979.0    | ---       | ---       |
|            |         | Type5      | 14       | 18       | 592780.0          | 18                | 2                | 74.1             | 1471.0    | 1245.0    | ---       |
|            |         | Type5      | 14       | 10       | 1489.0            | 18                | 2                | 72.0             | 1909.0    | 1297.0    | ---       |
|            |         | Type5      | 14       | 12       | 307096.0          | 18                | 1                | 59.8             | 1552.0    | ---       | ---       |
|            |         | Type5      | 14       | 13       | 458804.0          | 18                | 2                | 70.0             | 1759.0    | 1291.0    | ---       |

|            |      |       |    |    |          |    |   |      |        |        |        |
|------------|------|-------|----|----|----------|----|---|------|--------|--------|--------|
| 11AX80MIMO | 5510 | Type5 | 14 | 14 | 610798.0 | 18 | 2 | 67.2 | 1625.0 | 1881.0 | ---    |
|            |      | Type5 | 14 | 15 | 134759.0 | 18 | 3 | 91.2 | 1382.0 | 1832.0 | 1661.0 |
|            |      | Type5 | 14 | 16 | 288306.0 | 18 | 1 | 56.5 | 1483.0 | ---    | ---    |
|            |      | Type5 | 14 | 17 | 441296.0 | 18 | 1 | 51.2 | 1237.0 | ---    | ---    |
|            | 5510 | Type5 | 14 | 15 | 134759.0 | 18 | 3 | 91.2 | 1382.0 | 1832.0 | 1661.0 |
|            |      | Type5 | 14 | 12 | 307096.0 | 18 | 1 | 59.8 | 1552.0 | ---    | ---    |
|            |      | Type5 | 14 | 18 | 592780.0 | 18 | 2 | 74.1 | 1471.0 | 1245.0 | ---    |
|            |      | Type5 | 14 | 17 | 441296.0 | 18 | 1 | 51.2 | 1237.0 | ---    | ---    |
|            |      | Type5 | 14 | 16 | 288306.0 | 18 | 1 | 56.5 | 1483.0 | ---    | ---    |
|            |      | Type5 | 14 | 13 | 458804.0 | 18 | 2 | 70.0 | 1759.0 | 1291.0 | ---    |
|            |      | Type5 | 14 | 14 | 610798.0 | 18 | 2 | 67.2 | 1625.0 | 1881.0 | ---    |
|            |      | Type5 | 14 | 0  | 361323.0 | 18 | 3 | 93.3 | 1983.0 | 1912.0 | 1535.0 |
|            |      | Type5 | 14 | 11 | 153647.0 | 18 | 3 | 90.9 | 1261.0 | 1566.0 | 1370.0 |
|            |      | Type5 | 14 | 10 | 1489.0   | 18 | 2 | 72.0 | 1909.0 | 1297.0 | ---    |
|            |      | Type5 | 14 | 1  | 515261.0 | 18 | 2 | 69.1 | 1102.0 | 1794.0 | ---    |
|            |      | Type5 | 14 | 8  | 325872.0 | 18 | 1 | 57.1 | 1641.0 | ---    | ---    |
|            |      | Type5 | 14 | 7  | 172999.0 | 18 | 1 | 60.8 | 1979.0 | ---    | ---    |
|            |      | Type5 | 14 | 6  | 20319.0  | 18 | 1 | 58.3 | 1429.0 | ---    | ---    |
|            |      | Type5 | 14 | 5  | 497624.0 | 18 | 1 | 51.7 | 1447.0 | ---    | ---    |
|            |      | Type5 | 14 | 4  | 343941.0 | 18 | 2 | 72.3 | 1094.0 | 1916.0 | ---    |
|            |      | Type5 | 14 | 3  | 190900.0 | 18 | 3 | 84.9 | 1894.0 | 1948.0 | 1118.0 |
|            |      | Type5 | 14 | 2  | 39025.0  | 18 | 3 | 86.9 | 1044.0 | 1152.0 | 1148.0 |
|            |      | Type5 | 14 | 9  | 475841.0 | 18 | 3 | 88.9 | 1886.0 | 1964.0 | 1489.0 |
|            |      | Type5 | 14 | 7  | 172999.0 | 18 | 1 | 60.8 | 1979.0 | ---    | ---    |
|            | 5290 | Type5 | 14 | 6  | 20319.0  | 18 | 1 | 58.3 | 1429.0 | ---    | ---    |
|            |      | Type5 | 14 | 5  | 497624.0 | 18 | 1 | 51.7 | 1447.0 | ---    | ---    |
|            |      | Type5 | 14 | 4  | 343941.0 | 18 | 2 | 72.3 | 1094.0 | 1916.0 | ---    |
|            |      | Type5 | 14 | 3  | 190900.0 | 18 | 3 | 84.9 | 1894.0 | 1948.0 | 1118.0 |
|            |      | Type5 | 14 | 2  | 39025.0  | 18 | 3 | 86.9 | 1044.0 | 1152.0 | 1148.0 |
|            |      | Type5 | 14 | 8  | 325872.0 | 18 | 1 | 57.1 | 1641.0 | ---    | ---    |
|            |      | Type5 | 14 | 0  | 361323.0 | 18 | 3 | 93.3 | 1983.0 | 1912.0 | 1535.0 |
|            |      | Type5 | 14 | 1  | 515261.0 | 18 | 2 | 69.1 | 1102.0 | 1794.0 | ---    |
|            |      | Type5 | 14 | 18 | 592780.0 | 18 | 2 | 74.1 | 1471.0 | 1245.0 | ---    |
|            |      | Type5 | 14 | 17 | 441296.0 | 18 | 1 | 51.2 | 1237.0 | ---    | ---    |
|            |      | Type5 | 14 | 16 | 288306.0 | 18 | 1 | 56.5 | 1483.0 | ---    | ---    |
|            |      | Type5 | 14 | 15 | 134759.0 | 18 | 3 | 91.2 | 1382.0 | 1832.0 | 1661.0 |
|            |      | Type5 | 14 | 14 | 610798.0 | 18 | 2 | 67.2 | 1625.0 | 1881.0 | ---    |
|            |      | Type5 | 14 | 13 | 458804.0 | 18 | 2 | 70.0 | 1759.0 | 1291.0 | ---    |
|            |      | Type5 | 14 | 12 | 307096.0 | 18 | 1 | 59.8 | 1552.0 | ---    | ---    |
|            |      | Type5 | 14 | 11 | 153647.0 | 18 | 3 | 90.9 | 1261.0 | 1566.0 | 1370.0 |
|            |      | Type5 | 14 | 10 | 1489.0   | 18 | 2 | 72.0 | 1909.0 | 1297.0 | ---    |
|            |      | Type5 | 14 | 9  | 475841.0 | 18 | 3 | 88.9 | 1886.0 | 1964.0 | 1489.0 |
|            |      | Type5 | 14 | 8  | 325872.0 | 18 | 1 | 57.1 | 1641.0 | ---    | ---    |
|            | 5530 | Type5 | 14 | 11 | 153647.0 | 18 | 3 | 90.9 | 1261.0 | 1566.0 | 1370.0 |
|            |      | Type5 | 14 | 18 | 592780.0 | 18 | 2 | 74.1 | 1471.0 | 1245.0 | ---    |
|            |      | Type5 | 14 | 17 | 441296.0 | 18 | 1 | 51.2 | 1237.0 | ---    | ---    |
|            |      | Type5 | 14 | 16 | 288306.0 | 18 | 1 | 56.5 | 1483.0 | ---    | ---    |
|            |      | Type5 | 14 | 15 | 134759.0 | 18 | 3 | 91.2 | 1382.0 | 1832.0 | 1661.0 |
|            |      | Type5 | 14 | 14 | 610798.0 | 18 | 2 | 67.2 | 1625.0 | 1881.0 | ---    |
|            |      | Type5 | 14 | 13 | 458804.0 | 18 | 2 | 70.0 | 1759.0 | 1291.0 | ---    |
|            |      | Type5 | 14 | 12 | 307096.0 | 18 | 1 | 59.8 | 1552.0 | ---    | ---    |
|            |      | Type5 | 14 | 1  | 515261.0 | 18 | 2 | 69.1 | 1102.0 | 1794.0 | ---    |
|            |      | Type5 | 14 | 7  | 172999.0 | 18 | 1 | 60.8 | 1979.0 | ---    | ---    |
|            |      | Type5 | 14 | 6  | 20319.0  | 18 | 1 | 58.3 | 1429.0 | ---    | ---    |
|            |      | Type5 | 14 | 5  | 497624.0 | 18 | 1 | 51.7 | 1447.0 | ---    | ---    |
|            |      | Type5 | 14 | 4  | 343941.0 | 18 | 2 | 72.3 | 1094.0 | 1916.0 | ---    |
|            |      | Type5 | 14 | 3  | 190900.0 | 18 | 3 | 84.9 | 1894.0 | 1948.0 | 1118.0 |
|            |      | Type5 | 14 | 2  | 39025.0  | 18 | 3 | 86.9 | 1044.0 | 1152.0 | 1148.0 |

|             |      |       |    |    |          |    |   |      |        |        |        |
|-------------|------|-------|----|----|----------|----|---|------|--------|--------|--------|
| 11AX160MIMO | 5250 | Type5 | 14 | 9  | 475841.0 | 18 | 3 | 88.9 | 1886.0 | 1964.0 | 1489.0 |
|             |      | Type5 | 14 | 10 | 1489.0   | 18 | 2 | 72.0 | 1909.0 | 1297.0 | ---    |
|             |      | Type5 | 14 | 0  | 361323.0 | 18 | 3 | 93.3 | 1983.0 | 1912.0 | 1535.0 |
|             |      | Type5 | 14 | 7  | 172999.0 | 18 | 1 | 60.8 | 1979.0 | ---    | ---    |
|             |      | Type5 | 14 | 6  | 20319.0  | 18 | 1 | 58.3 | 1429.0 | ---    | ---    |
|             |      | Type5 | 14 | 5  | 497624.0 | 18 | 1 | 51.7 | 1447.0 | ---    | ---    |
|             |      | Type5 | 14 | 0  | 361323.0 | 18 | 3 | 93.3 | 1983.0 | 1912.0 | 1535.0 |
|             |      | Type5 | 14 | 4  | 343941.0 | 18 | 2 | 72.3 | 1094.0 | 1916.0 | ---    |
|             |      | Type5 | 14 | 3  | 190900.0 | 18 | 3 | 84.9 | 1894.0 | 1948.0 | 1118.0 |
|             |      | Type5 | 14 | 1  | 515261.0 | 18 | 2 | 69.1 | 1102.0 | 1794.0 | ---    |
|             |      | Type5 | 14 | 15 | 134759.0 | 18 | 3 | 91.2 | 1382.0 | 1832.0 | 1661.0 |
|             |      | Type5 | 14 | 8  | 325872.0 | 18 | 1 | 57.1 | 1641.0 | ---    | ---    |
|             |      | Type5 | 14 | 2  | 39025.0  | 18 | 3 | 86.9 | 1044.0 | 1152.0 | 1148.0 |
|             |      | Type5 | 14 | 10 | 1489.0   | 18 | 2 | 72.0 | 1909.0 | 1297.0 | ---    |
|             |      | Type5 | 14 | 11 | 153647.0 | 18 | 3 | 90.9 | 1261.0 | 1566.0 | 1370.0 |
|             |      | Type5 | 14 | 12 | 307096.0 | 18 | 1 | 59.8 | 1552.0 | ---    | ---    |
|             |      | Type5 | 14 | 14 | 610798.0 | 18 | 2 | 67.2 | 1625.0 | 1881.0 | ---    |
|             |      | Type5 | 14 | 16 | 288306.0 | 18 | 1 | 56.5 | 1483.0 | ---    | ---    |
|             |      | Type5 | 14 | 17 | 441296.0 | 18 | 1 | 51.2 | 1237.0 | ---    | ---    |
|             |      | Type5 | 14 | 18 | 592780.0 | 18 | 2 | 74.1 | 1471.0 | 1245.0 | ---    |
|             |      | Type5 | 14 | 13 | 458804.0 | 18 | 2 | 70.0 | 1759.0 | 1291.0 | ---    |
|             |      | Type5 | 14 | 9  | 475841.0 | 18 | 3 | 88.9 | 1886.0 | 1964.0 | 1489.0 |
|             |      | Type5 | 14 | 17 | 441296.0 | 18 | 1 | 51.2 | 1237.0 | ---    | ---    |
|             |      | Type5 | 14 | 11 | 153647.0 | 18 | 3 | 90.9 | 1261.0 | 1566.0 | 1370.0 |
|             |      | Type5 | 14 | 12 | 307096.0 | 18 | 1 | 59.8 | 1552.0 | ---    | ---    |
|             |      | Type5 | 14 | 13 | 458804.0 | 18 | 2 | 70.0 | 1759.0 | 1291.0 | ---    |
|             |      | Type5 | 14 | 14 | 610798.0 | 18 | 2 | 67.2 | 1625.0 | 1881.0 | ---    |
|             |      | Type5 | 14 | 10 | 1489.0   | 18 | 2 | 72.0 | 1909.0 | 1297.0 | ---    |
|             |      | Type5 | 14 | 16 | 288306.0 | 18 | 1 | 56.5 | 1483.0 | ---    | ---    |
|             |      | Type5 | 14 | 4  | 343941.0 | 18 | 2 | 72.3 | 1094.0 | 1916.0 | ---    |
|             |      | Type5 | 14 | 15 | 134759.0 | 18 | 3 | 91.2 | 1382.0 | 1832.0 | 1661.0 |
|             |      | Type5 | 14 | 9  | 475841.0 | 18 | 3 | 88.9 | 1886.0 | 1964.0 | 1489.0 |
|             |      | Type5 | 14 | 8  | 325872.0 | 18 | 1 | 57.1 | 1641.0 | ---    | ---    |
|             |      | Type5 | 14 | 7  | 172999.0 | 18 | 1 | 60.8 | 1979.0 | ---    | ---    |
|             |      | Type5 | 14 | 5  | 497624.0 | 18 | 1 | 51.7 | 1447.0 | ---    | ---    |
|             |      | Type5 | 14 | 3  | 190900.0 | 18 | 3 | 84.9 | 1894.0 | 1948.0 | 1118.0 |
|             |      | Type5 | 14 | 2  | 39025.0  | 18 | 3 | 86.9 | 1044.0 | 1152.0 | 1148.0 |
|             |      | Type5 | 14 | 1  | 515261.0 | 18 | 2 | 69.1 | 1102.0 | 1794.0 | ---    |
|             |      | Type5 | 14 | 0  | 361323.0 | 18 | 3 | 93.3 | 1983.0 | 1912.0 | 1535.0 |
|             |      | Type5 | 14 | 18 | 592780.0 | 18 | 2 | 74.1 | 1471.0 | 1245.0 | ---    |
|             |      | Type5 | 14 | 6  | 20319.0  | 18 | 1 | 58.3 | 1429.0 | ---    | ---    |

| Test Mode  | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO | 5260    | Type5      | 15       | 9        | 314500.0          | 12                | 2                | 72.4             | 1030.0    | 1343.0    | ---       |
|            |         | Type5      | 15       | 0        | 158286.0          | 12                | 2                | 76.9             | 1110.0    | 1140.0    | ---       |
|            |         | Type5      | 15       | 12       | 81611.0           | 12                | 2                | 66.7             | 1722.0    | 1122.0    | ---       |
|            |         | Type5      | 15       | 10       | 522447.0          | 12                | 1                | 53.8             | 1327.0    | ---       | ---       |
|            |         | Type5      | 15       | 13       | 288948.0          | 12                | 2                | 82.5             | 1404.0    | 1019.0    | ---       |
|            |         | Type5      | 15       | 8        | 107117.0          | 12                | 2                | 78.7             | 1804.0    | 1168.0    | ---       |
|            |         | Type5      | 15       | 7        | 755333.0          | 12                | 1                | 51.7             | 1603.0    | ---       | ---       |
|            |         | Type5      | 15       | 6        | 548208.0          | 12                | 1                | 53.2             | 1024.0    | ---       | ---       |
|            |         | Type5      | 15       | 5        | 340207.0          | 12                | 1                | 65.4             | 1944.0    | ---       | ---       |
|            |         | Type5      | 15       | 4        | 132455.0          | 12                | 3                | 83.8             | 1410.0    | 1097.0    | 1621.0    |
|            |         | Type5      | 15       | 3        | 780619.0          | 12                | 1                | 64.7             | 1902.0    | ---       | ---       |
|            |         | Type5      | 15       | 2        | 573452.0          | 12                | 1                | 62.9             | 1520.0    | ---       | ---       |
|            | 5500    | Type5      | 15       | 1        | 366024.0          | 12                | 1                | 50.2             | 1316.0    | ---       | ---       |
|            |         | Type5      | 15       | 11       | 728517.0          | 12                | 2                | 73.6             | 1524.0    | 1553.0    | ---       |
|            |         | Type5      | 15       | 5        | 340207.0          | 12                | 1                | 65.4             | 1944.0    | ---       | ---       |
|            |         | Type5      | 15       | 1        | 366024.0          | 12                | 1                | 50.2             | 1316.0    | ---       | ---       |
|            |         | Type5      | 15       | 0        | 158286.0          | 12                | 2                | 76.9             | 1110.0    | 1140.0    | ---       |
|            |         | Type5      | 15       | 2        | 573452.0          | 12                | 1                | 62.9             | 1520.0    | ---       | ---       |
|            |         | Type5      | 15       | 3        | 780619.0          | 12                | 1                | 64.7             | 1902.0    | ---       | ---       |
|            |         | Type5      | 15       | 4        | 132455.0          | 12                | 3                | 83.8             | 1410.0    | 1097.0    | 1621.0    |
|            |         | Type5      | 15       | 13       | 288948.0          | 12                | 2                | 82.5             | 1404.0    | 1019.0    | ---       |
|            |         | Type5      | 15       | 6        | 548208.0          | 12                | 1                | 53.2             | 1024.0    | ---       | ---       |
|            |         | Type5      | 15       | 7        | 755333.0          | 12                | 1                | 51.7             | 1603.0    | ---       | ---       |
|            |         | Type5      | 15       | 8        | 107117.0          | 12                | 2                | 78.7             | 1804.0    | 1168.0    | ---       |
| 11AX40MIMO | 5270    | Type5      | 15       | 9        | 314500.0          | 12                | 2                | 72.4             | 1030.0    | 1343.0    | ---       |
|            |         | Type5      | 15       | 10       | 522447.0          | 12                | 1                | 53.8             | 1327.0    | ---       | ---       |
|            |         | Type5      | 15       | 12       | 81611.0           | 12                | 2                | 66.7             | 1722.0    | 1122.0    | ---       |
|            |         | Type5      | 15       | 11       | 728517.0          | 12                | 2                | 73.6             | 1524.0    | 1553.0    | ---       |
|            |         | Type5      | 15       | 6        | 548208.0          | 12                | 1                | 53.2             | 1024.0    | ---       | ---       |
|            |         | Type5      | 15       | 13       | 288948.0          | 12                | 2                | 82.5             | 1404.0    | 1019.0    | ---       |
|            |         | Type5      | 15       | 12       | 81611.0           | 12                | 2                | 66.7             | 1722.0    | 1122.0    | ---       |
|            |         | Type5      | 15       | 11       | 728517.0          | 12                | 2                | 73.6             | 1524.0    | 1553.0    | ---       |
|            |         | Type5      | 15       | 10       | 522447.0          | 12                | 1                | 53.8             | 1327.0    | ---       | ---       |
|            |         | Type5      | 15       | 9        | 314500.0          | 12                | 2                | 72.4             | 1030.0    | 1343.0    | ---       |
|            |         | Type5      | 15       | 7        | 755333.0          | 12                | 1                | 51.7             | 1603.0    | ---       | ---       |
|            |         | Type5      | 15       | 5        | 340207.0          | 12                | 1                | 65.4             | 1944.0    | ---       | ---       |
|            | 5510    | Type5      | 15       | 4        | 132455.0          | 12                | 3                | 83.8             | 1410.0    | 1097.0    | 1621.0    |
|            |         | Type5      | 15       | 3        | 780619.0          | 12                | 1                | 64.7             | 1902.0    | ---       | ---       |
|            |         | Type5      | 15       | 2        | 573452.0          | 12                | 1                | 62.9             | 1520.0    | ---       | ---       |
|            |         | Type5      | 15       | 1        | 366024.0          | 12                | 1                | 50.2             | 1316.0    | ---       | ---       |
|            |         | Type5      | 15       | 0        | 158286.0          | 12                | 2                | 76.9             | 1110.0    | 1140.0    | ---       |
|            |         | Type5      | 15       | 8        | 107117.0          | 12                | 2                | 78.7             | 1804.0    | 1168.0    | ---       |
|            |         | Type5      | 15       | 11       | 728517.0          | 12                | 2                | 73.6             | 1524.0    | 1553.0    | ---       |
|            |         | Type5      | 15       | 10       | 522447.0          | 12                | 1                | 53.8             | 1327.0    | ---       | ---       |
|            |         | Type5      | 15       | 13       | 288948.0          | 12                | 2                | 82.5             | 1404.0    | 1019.0    | ---       |
|            |         | Type5      | 15       | 9        | 314500.0          | 12                | 2                | 72.4             | 1030.0    | 1343.0    | ---       |
|            |         | Type5      | 15       | 12       | 81611.0           | 12                | 2                | 66.7             | 1722.0    | 1122.0    | ---       |
|            |         | Type5      | 15       | 0        | 158286.0          | 12                | 2                | 76.9             | 1110.0    | 1140.0    | ---       |
|            |         | Type5      | 15       | 8        | 107117.0          | 12                | 2                | 78.7             | 1804.0    | 1168.0    | ---       |
|            |         | Type5      | 15       | 7        | 755333.0          | 12                | 1                | 51.7             | 1603.0    | ---       | ---       |
|            |         | Type5      | 15       | 6        | 548208.0          | 12                | 1                | 53.2             | 1024.0    | ---       | ---       |
|            |         | Type5      | 15       | 5        | 340207.0          | 12                | 1                | 65.4             | 1944.0    | ---       | ---       |
|            |         | Type5      | 15       | 4        | 132455.0          | 12                | 3                | 83.8             | 1410.0    | 1097.0    | 1621.0    |
|            |         | Type5      | 15       | 3        | 780619.0          | 12                | 1                | 64.7             | 1902.0    | ---       | ---       |

|             |      |       |    |    |          |    |   |      |        |        |        |
|-------------|------|-------|----|----|----------|----|---|------|--------|--------|--------|
| 11AX80MIMO  | 5290 | Type5 | 15 | 2  | 573452.0 | 12 | 1 | 62.9 | 1520.0 | ---    | ---    |
|             |      | Type5 | 15 | 1  | 366024.0 | 12 | 1 | 50.2 | 1316.0 | ---    | ---    |
|             |      | Type5 | 15 | 0  | 158286.0 | 12 | 2 | 76.9 | 1110.0 | 1140.0 | ---    |
|             |      | Type5 | 15 | 1  | 366024.0 | 12 | 1 | 50.2 | 1316.0 | ---    | ---    |
|             |      | Type5 | 15 | 2  | 573452.0 | 12 | 1 | 62.9 | 1520.0 | ---    | ---    |
|             |      | Type5 | 15 | 3  | 780619.0 | 12 | 1 | 64.7 | 1902.0 | ---    | ---    |
|             |      | Type5 | 15 | 4  | 132455.0 | 12 | 3 | 83.8 | 1410.0 | 1097.0 | 1621.0 |
|             |      | Type5 | 15 | 5  | 340207.0 | 12 | 1 | 65.4 | 1944.0 | ---    | ---    |
|             |      | Type5 | 15 | 6  | 548208.0 | 12 | 1 | 53.2 | 1024.0 | ---    | ---    |
|             |      | Type5 | 15 | 8  | 107117.0 | 12 | 2 | 78.7 | 1804.0 | 1168.0 | ---    |
|             |      | Type5 | 15 | 9  | 314500.0 | 12 | 2 | 72.4 | 1030.0 | 1343.0 | ---    |
|             |      | Type5 | 15 | 10 | 522447.0 | 12 | 1 | 53.8 | 1327.0 | ---    | ---    |
|             |      | Type5 | 15 | 11 | 728517.0 | 12 | 2 | 73.6 | 1524.0 | 1553.0 | ---    |
|             |      | Type5 | 15 | 13 | 288948.0 | 12 | 2 | 82.5 | 1404.0 | 1019.0 | ---    |
|             |      | Type5 | 15 | 12 | 81611.0  | 12 | 2 | 66.7 | 1722.0 | 1122.0 | ---    |
|             | 5530 | Type5 | 15 | 7  | 755333.0 | 12 | 1 | 51.7 | 1603.0 | ---    | ---    |
|             |      | Type5 | 15 | 6  | 548208.0 | 12 | 1 | 53.2 | 1024.0 | ---    | ---    |
|             |      | Type5 | 15 | 13 | 288948.0 | 12 | 2 | 82.5 | 1404.0 | 1019.0 | ---    |
|             |      | Type5 | 15 | 12 | 81611.0  | 12 | 2 | 66.7 | 1722.0 | 1122.0 | ---    |
|             |      | Type5 | 15 | 11 | 728517.0 | 12 | 2 | 73.6 | 1524.0 | 1553.0 | ---    |
|             |      | Type5 | 15 | 10 | 522447.0 | 12 | 1 | 53.8 | 1327.0 | ---    | ---    |
|             |      | Type5 | 15 | 9  | 314500.0 | 12 | 2 | 72.4 | 1030.0 | 1343.0 | ---    |
|             |      | Type5 | 15 | 7  | 755333.0 | 12 | 1 | 51.7 | 1603.0 | ---    | ---    |
|             |      | Type5 | 15 | 5  | 340207.0 | 12 | 1 | 65.4 | 1944.0 | ---    | ---    |
|             |      | Type5 | 15 | 4  | 132455.0 | 12 | 3 | 83.8 | 1410.0 | 1097.0 | 1621.0 |
|             |      | Type5 | 15 | 3  | 780619.0 | 12 | 1 | 64.7 | 1902.0 | ---    | ---    |
|             |      | Type5 | 15 | 2  | 573452.0 | 12 | 1 | 62.9 | 1520.0 | ---    | ---    |
|             |      | Type5 | 15 | 1  | 366024.0 | 12 | 1 | 50.2 | 1316.0 | ---    | ---    |
|             |      | Type5 | 15 | 0  | 158286.0 | 12 | 2 | 76.9 | 1110.0 | 1140.0 | ---    |
|             |      | Type5 | 15 | 8  | 107117.0 | 12 | 2 | 78.7 | 1804.0 | 1168.0 | ---    |
| 11AX160MIMO | 5250 | Type5 | 15 | 11 | 728517.0 | 12 | 2 | 73.6 | 1524.0 | 1553.0 | ---    |
|             |      | Type5 | 15 | 5  | 340207.0 | 12 | 1 | 65.4 | 1944.0 | ---    | ---    |
|             |      | Type5 | 15 | 1  | 366024.0 | 12 | 1 | 50.2 | 1316.0 | ---    | ---    |
|             |      | Type5 | 15 | 2  | 573452.0 | 12 | 1 | 62.9 | 1520.0 | ---    | ---    |
|             |      | Type5 | 15 | 3  | 780619.0 | 12 | 1 | 64.7 | 1902.0 | ---    | ---    |
|             |      | Type5 | 15 | 0  | 158286.0 | 12 | 2 | 76.9 | 1110.0 | 1140.0 | ---    |
|             |      | Type5 | 15 | 4  | 132455.0 | 12 | 3 | 83.8 | 1410.0 | 1097.0 | 1621.0 |
|             |      | Type5 | 15 | 7  | 755333.0 | 12 | 1 | 51.7 | 1603.0 | ---    | ---    |
|             |      | Type5 | 15 | 8  | 107117.0 | 12 | 2 | 78.7 | 1804.0 | 1168.0 | ---    |
|             |      | Type5 | 15 | 10 | 522447.0 | 12 | 1 | 53.8 | 1327.0 | ---    | ---    |
|             |      | Type5 | 15 | 12 | 81611.0  | 12 | 2 | 66.7 | 1722.0 | 1122.0 | ---    |
|             |      | Type5 | 15 | 13 | 288948.0 | 12 | 2 | 82.5 | 1404.0 | 1019.0 | ---    |
|             |      | Type5 | 15 | 6  | 548208.0 | 12 | 1 | 53.2 | 1024.0 | ---    | ---    |
|             |      | Type5 | 15 | 9  | 314500.0 | 12 | 2 | 72.4 | 1030.0 | 1343.0 | ---    |
|             | 5570 | Type5 | 15 | 2  | 573452.0 | 12 | 1 | 62.9 | 1520.0 | ---    | ---    |
|             |      | Type5 | 15 | 12 | 81611.0  | 12 | 2 | 66.7 | 1722.0 | 1122.0 | ---    |
|             |      | Type5 | 15 | 11 | 728517.0 | 12 | 2 | 73.6 | 1524.0 | 1553.0 | ---    |
|             |      | Type5 | 15 | 10 | 522447.0 | 12 | 1 | 53.8 | 1327.0 | ---    | ---    |
|             |      | Type5 | 15 | 9  | 314500.0 | 12 | 2 | 72.4 | 1030.0 | 1343.0 | ---    |
|             |      | Type5 | 15 | 8  | 107117.0 | 12 | 2 | 78.7 | 1804.0 | 1168.0 | ---    |
|             |      | Type5 | 15 | 7  | 755333.0 | 12 | 1 | 51.7 | 1603.0 | ---    | ---    |
|             |      | Type5 | 15 | 6  | 548208.0 | 12 | 1 | 53.2 | 1024.0 | ---    | ---    |
|             |      | Type5 | 15 | 5  | 340207.0 | 12 | 1 | 65.4 | 1944.0 | ---    | ---    |
|             |      | Type5 | 15 | 3  | 780619.0 | 12 | 1 | 64.7 | 1902.0 | ---    | ---    |
|             |      | Type5 | 15 | 1  | 366024.0 | 12 | 1 | 50.2 | 1316.0 | ---    | ---    |
|             |      | Type5 | 15 | 0  | 158286.0 | 12 | 2 | 76.9 | 1110.0 | 1140.0 | ---    |
|             |      | Type5 | 15 | 13 | 288948.0 | 12 | 2 | 82.5 | 1404.0 | 1019.0 | ---    |
|             |      | Type5 | 15 | 4  | 132455.0 | 12 | 3 | 83.8 | 1410.0 | 1097.0 | 1621.0 |

| Test Mode  | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO | 5260    | Type5      | 16       | 14       | 584015.0          | 20                | 1                | 55.2             | 1644.0    | ---       | ---       |
|            |         | Type5      | 16       | 0        | 345766.0          | 20                | 3                | 87.6             | 1565.0    | 1055.0    | 1840.0    |
|            |         | Type5      | 16       | 18       | 563464.0          | 20                | 3                | 85.2             | 1732.0    | 1551.0    | 1189.0    |
|            |         | Type5      | 16       | 17       | 418579.0          | 20                | 3                | 91.9             | 1970.0    | 1978.0    | 1165.0    |
|            |         | Type5      | 16       | 15       | 130832.0          | 20                | 1                | 59.0             | 1402.0    | ---       | ---       |
|            |         | Type5      | 16       | 19       | 112787.0          | 20                | 2                | 69.5             | 1038.0    | 1224.0    | ---       |
|            |         | Type5      | 16       | 13       | 436922.0          | 20                | 3                | 95.8             | 1192.0    | 1298.0    | 1844.0    |
|            |         | Type5      | 16       | 12       | 293225.0          | 20                | 2                | 76.9             | 1226.0    | 1537.0    | ---       |
|            |         | Type5      | 16       | 11       | 147928.0          | 20                | 3                | 84.3             | 1593.0    | 1188.0    | 1788.0    |
|            |         | Type5      | 16       | 10       | 3515.0            | 20                | 3                | 86.4             | 1773.0    | 1966.0    | 1263.0    |
|            |         | Type5      | 16       | 1        | 490019.0          | 20                | 3                | 85.2             | 1735.0    | 1541.0    | 1408.0    |
|            |         | Type5      | 16       | 8        | 310973.0          | 20                | 2                | 67.5             | 1764.0    | 1181.0    | ---       |
|            |         | Type5      | 16       | 7        | 165992.0          | 20                | 2                | 80.4             | 1824.0    | 1752.0    | ---       |
|            |         | Type5      | 16       | 6        | 21394.0           | 20                | 2                | 83.0             | 1080.0    | 1010.0    | ---       |
|            |         | Type5      | 16       | 5        | 474728.0          | 20                | 1                | 60.9             | 1540.0    | ---       | ---       |
|            |         | Type5      | 16       | 4        | 328777.0          | 20                | 2                | 76.5             | 1518.0    | 1485.0    | ---       |
|            |         | Type5      | 16       | 3        | 183923.0          | 20                | 2                | 77.9             | 1749.0    | 1460.0    | ---       |
|            |         | Type5      | 16       | 2        | 39073.0           | 20                | 3                | 84.8             | 1534.0    | 1889.0    | 1463.0    |
|            |         | Type5      | 16       | 9        | 456884.0          | 20                | 1                | 62.1             | 1495.0    | ---       | ---       |
|            |         | Type5      | 16       | 16       | 274684.0          | 20                | 3                | 94.5             | 1296.0    | 1700.0    | 1283.0    |
|            | 5500    | Type5      | 16       | 19       | 112787.0          | 20                | 2                | 69.5             | 1038.0    | 1224.0    | ---       |
|            |         | Type5      | 16       | 7        | 165992.0          | 20                | 2                | 80.4             | 1824.0    | 1752.0    | ---       |
|            |         | Type5      | 16       | 6        | 21394.0           | 20                | 2                | 83.0             | 1080.0    | 1010.0    | ---       |
|            |         | Type5      | 16       | 5        | 474728.0          | 20                | 1                | 60.9             | 1540.0    | ---       | ---       |
|            |         | Type5      | 16       | 4        | 328777.0          | 20                | 2                | 76.5             | 1518.0    | 1485.0    | ---       |
|            |         | Type5      | 16       | 0        | 345766.0          | 20                | 3                | 87.6             | 1565.0    | 1055.0    | 1840.0    |
|            |         | Type5      | 16       | 3        | 183923.0          | 20                | 2                | 77.9             | 1749.0    | 1460.0    | ---       |
|            |         | Type5      | 16       | 1        | 490019.0          | 20                | 3                | 85.2             | 1735.0    | 1541.0    | 1408.0    |
|            |         | Type5      | 16       | 8        | 310973.0          | 20                | 2                | 67.5             | 1764.0    | 1181.0    | ---       |
|            |         | Type5      | 16       | 2        | 39073.0           | 20                | 3                | 84.8             | 1534.0    | 1889.0    | 1463.0    |
|            |         | Type5      | 16       | 9        | 456884.0          | 20                | 1                | 62.1             | 1495.0    | ---       | ---       |
|            |         | Type5      | 16       | 10       | 3515.0            | 20                | 3                | 86.4             | 1773.0    | 1966.0    | 1263.0    |
|            |         | Type5      | 16       | 11       | 147928.0          | 20                | 3                | 84.3             | 1593.0    | 1188.0    | 1788.0    |
|            |         | Type5      | 16       | 12       | 293225.0          | 20                | 2                | 76.9             | 1226.0    | 1537.0    | ---       |
|            |         | Type5      | 16       | 13       | 436922.0          | 20                | 3                | 95.8             | 1192.0    | 1298.0    | 1844.0    |
|            |         | Type5      | 16       | 14       | 584015.0          | 20                | 1                | 55.2             | 1644.0    | ---       | ---       |
|            |         | Type5      | 16       | 15       | 130832.0          | 20                | 1                | 59.0             | 1402.0    | ---       | ---       |
|            |         | Type5      | 16       | 16       | 274684.0          | 20                | 3                | 94.5             | 1296.0    | 1700.0    | 1283.0    |
|            |         | Type5      | 16       | 18       | 563464.0          | 20                | 3                | 85.2             | 1732.0    | 1551.0    | 1189.0    |
|            |         | Type5      | 16       | 17       | 418579.0          | 20                | 3                | 91.9             | 1970.0    | 1978.0    | 1165.0    |
| 11AX40MIMO | 5270    | Type5      | 16       | 9        | 456884.0          | 20                | 1                | 62.1             | 1495.0    | ---       | ---       |
|            |         | Type5      | 16       | 8        | 310973.0          | 20                | 2                | 67.5             | 1764.0    | 1181.0    | ---       |
|            |         | Type5      | 16       | 0        | 345766.0          | 20                | 3                | 87.6             | 1565.0    | 1055.0    | 1840.0    |
|            |         | Type5      | 16       | 1        | 490019.0          | 20                | 3                | 85.2             | 1735.0    | 1541.0    | 1408.0    |
|            |         | Type5      | 16       | 2        | 39073.0           | 20                | 3                | 84.8             | 1534.0    | 1889.0    | 1463.0    |
|            |         | Type5      | 16       | 3        | 183923.0          | 20                | 2                | 77.9             | 1749.0    | 1460.0    | ---       |
|            |         | Type5      | 16       | 4        | 328777.0          | 20                | 2                | 76.5             | 1518.0    | 1485.0    | ---       |
|            |         | Type5      | 16       | 5        | 474728.0          | 20                | 1                | 60.9             | 1540.0    | ---       | ---       |
|            |         | Type5      | 16       | 6        | 21394.0           | 20                | 2                | 83.0             | 1080.0    | 1010.0    | ---       |
|            |         | Type5      | 16       | 11       | 147928.0          | 20                | 3                | 84.3             | 1593.0    | 1188.0    | 1788.0    |
|            |         | Type5      | 16       | 7        | 165992.0          | 20                | 2                | 80.4             | 1824.0    | 1752.0    | ---       |
|            |         | Type5      | 16       | 19       | 112787.0          | 20                | 2                | 69.5             | 1038.0    | 1224.0    | ---       |
|            |         | Type5      | 16       | 10       | 3515.0            | 20                | 3                | 86.4             | 1773.0    | 1966.0    | 1263.0    |

|            |      |       |    |    |          |    |   |      |        |        |        |
|------------|------|-------|----|----|----------|----|---|------|--------|--------|--------|
| 11AX80MIMO |      | Type5 | 16 | 12 | 293225.0 | 20 | 2 | 76.9 | 1226.0 | 1537.0 | ---    |
|            |      | Type5 | 16 | 13 | 436922.0 | 20 | 3 | 95.8 | 1192.0 | 1298.0 | 1844.0 |
|            |      | Type5 | 16 | 14 | 584015.0 | 20 | 1 | 55.2 | 1644.0 | ---    | ---    |
|            |      | Type5 | 16 | 15 | 130832.0 | 20 | 1 | 59.0 | 1402.0 | ---    | ---    |
|            |      | Type5 | 16 | 16 | 274684.0 | 20 | 3 | 94.5 | 1296.0 | 1700.0 | 1283.0 |
|            |      | Type5 | 16 | 17 | 418579.0 | 20 | 3 | 91.9 | 1970.0 | 1978.0 | 1165.0 |
|            |      | Type5 | 16 | 18 | 563464.0 | 20 | 3 | 85.2 | 1732.0 | 1551.0 | 1189.0 |
|            | 5510 | Type5 | 16 | 15 | 130832.0 | 20 | 1 | 59.0 | 1402.0 | ---    | ---    |
|            |      | Type5 | 16 | 14 | 584015.0 | 20 | 1 | 55.2 | 1644.0 | ---    | ---    |
|            |      | Type5 | 16 | 19 | 112787.0 | 20 | 2 | 69.5 | 1038.0 | 1224.0 | ---    |
|            |      | Type5 | 16 | 18 | 563464.0 | 20 | 3 | 85.2 | 1732.0 | 1551.0 | 1189.0 |
|            |      | Type5 | 16 | 17 | 418579.0 | 20 | 3 | 91.9 | 1970.0 | 1978.0 | 1165.0 |
|            |      | Type5 | 16 | 13 | 436922.0 | 20 | 3 | 95.8 | 1192.0 | 1298.0 | 1844.0 |
|            |      | Type5 | 16 | 16 | 274684.0 | 20 | 3 | 94.5 | 1296.0 | 1700.0 | 1283.0 |
|            |      | Type5 | 16 | 0  | 345766.0 | 20 | 3 | 87.6 | 1565.0 | 1055.0 | 1840.0 |
|            |      | Type5 | 16 | 12 | 293225.0 | 20 | 2 | 76.9 | 1226.0 | 1537.0 | ---    |
|            |      | Type5 | 16 | 11 | 147928.0 | 20 | 3 | 84.3 | 1593.0 | 1188.0 | 1788.0 |
|            |      | Type5 | 16 | 10 | 3515.0   | 20 | 3 | 86.4 | 1773.0 | 1966.0 | 1263.0 |
|            |      | Type5 | 16 | 1  | 490019.0 | 20 | 3 | 85.2 | 1735.0 | 1541.0 | 1408.0 |
|            |      | Type5 | 16 | 8  | 310973.0 | 20 | 2 | 67.5 | 1764.0 | 1181.0 | ---    |
|            |      | Type5 | 16 | 7  | 165992.0 | 20 | 2 | 80.4 | 1824.0 | 1752.0 | ---    |
|            |      | Type5 | 16 | 6  | 21394.0  | 20 | 2 | 83.0 | 1080.0 | 1010.0 | ---    |
|            |      | Type5 | 16 | 5  | 474728.0 | 20 | 1 | 60.9 | 1540.0 | ---    | ---    |
|            |      | Type5 | 16 | 4  | 328777.0 | 20 | 2 | 76.5 | 1518.0 | 1485.0 | ---    |
|            |      | Type5 | 16 | 3  | 183923.0 | 20 | 2 | 77.9 | 1749.0 | 1460.0 | ---    |
|            |      | Type5 | 16 | 2  | 39073.0  | 20 | 3 | 84.8 | 1534.0 | 1889.0 | 1463.0 |
|            |      | Type5 | 16 | 9  | 456884.0 | 20 | 1 | 62.1 | 1495.0 | ---    | ---    |
|            | 5290 | Type5 | 16 | 8  | 310973.0 | 20 | 2 | 67.5 | 1764.0 | 1181.0 | ---    |
|            |      | Type5 | 16 | 7  | 165992.0 | 20 | 2 | 80.4 | 1824.0 | 1752.0 | ---    |
|            |      | Type5 | 16 | 6  | 21394.0  | 20 | 2 | 83.0 | 1080.0 | 1010.0 | ---    |
|            |      | Type5 | 16 | 5  | 474728.0 | 20 | 1 | 60.9 | 1540.0 | ---    | ---    |
|            |      | Type5 | 16 | 4  | 328777.0 | 20 | 2 | 76.5 | 1518.0 | 1485.0 | ---    |
|            |      | Type5 | 16 | 3  | 183923.0 | 20 | 2 | 77.9 | 1749.0 | 1460.0 | ---    |
|            |      | Type5 | 16 | 2  | 39073.0  | 20 | 3 | 84.8 | 1534.0 | 1889.0 | 1463.0 |
|            |      | Type5 | 16 | 9  | 456884.0 | 20 | 1 | 62.1 | 1495.0 | ---    | ---    |
|            |      | Type5 | 16 | 0  | 345766.0 | 20 | 3 | 87.6 | 1565.0 | 1055.0 | 1840.0 |
|            |      | Type5 | 16 | 1  | 490019.0 | 20 | 3 | 85.2 | 1735.0 | 1541.0 | 1408.0 |
|            |      | Type5 | 16 | 18 | 563464.0 | 20 | 3 | 85.2 | 1732.0 | 1551.0 | 1189.0 |
|            |      | Type5 | 16 | 10 | 3515.0   | 20 | 3 | 86.4 | 1773.0 | 1966.0 | 1263.0 |
|            |      | Type5 | 16 | 19 | 112787.0 | 20 | 2 | 69.5 | 1038.0 | 1224.0 | ---    |
|            |      | Type5 | 16 | 17 | 418579.0 | 20 | 3 | 91.9 | 1970.0 | 1978.0 | 1165.0 |
|            |      | Type5 | 16 | 16 | 274684.0 | 20 | 3 | 94.5 | 1296.0 | 1700.0 | 1283.0 |
|            |      | Type5 | 16 | 15 | 130832.0 | 20 | 1 | 59.0 | 1402.0 | ---    | ---    |
|            |      | Type5 | 16 | 14 | 584015.0 | 20 | 1 | 55.2 | 1644.0 | ---    | ---    |
|            |      | Type5 | 16 | 13 | 436922.0 | 20 | 3 | 95.8 | 1192.0 | 1298.0 | 1844.0 |
|            |      | Type5 | 16 | 12 | 293225.0 | 20 | 2 | 76.9 | 1226.0 | 1537.0 | ---    |
|            |      | Type5 | 16 | 11 | 147928.0 | 20 | 3 | 84.3 | 1593.0 | 1188.0 | 1788.0 |
|            | 5530 | Type5 | 16 | 9  | 456884.0 | 20 | 1 | 62.1 | 1495.0 | ---    | ---    |
|            |      | Type5 | 16 | 10 | 3515.0   | 20 | 3 | 86.4 | 1773.0 | 1966.0 | 1263.0 |
|            |      | Type5 | 16 | 18 | 563464.0 | 20 | 3 | 85.2 | 1732.0 | 1551.0 | 1189.0 |
|            |      | Type5 | 16 | 17 | 418579.0 | 20 | 3 | 91.9 | 1970.0 | 1978.0 | 1165.0 |
|            |      | Type5 | 16 | 16 | 274684.0 | 20 | 3 | 94.5 | 1296.0 | 1700.0 | 1283.0 |
|            |      | Type5 | 16 | 15 | 130832.0 | 20 | 1 | 59.0 | 1402.0 | ---    | ---    |
|            |      | Type5 | 16 | 14 | 584015.0 | 20 | 1 | 55.2 | 1644.0 | ---    | ---    |
|            |      | Type5 | 16 | 13 | 436922.0 | 20 | 3 | 95.8 | 1192.0 | 1298.0 | 1844.0 |
|            |      | Type5 | 16 | 12 | 293225.0 | 20 | 2 | 76.9 | 1226.0 | 1537.0 | ---    |
|            |      | Type5 | 16 | 19 | 112787.0 | 20 | 2 | 69.5 | 1038.0 | 1224.0 | ---    |
|            |      | Type5 | 16 | 1  | 490019.0 | 20 | 3 | 85.2 | 1735.0 | 1541.0 | 1408.0 |

|             |      |       |    |    |          |    |   |      |        |        |        |
|-------------|------|-------|----|----|----------|----|---|------|--------|--------|--------|
|             |      | Type5 | 16 | 8  | 310973.0 | 20 | 2 | 67.5 | 1764.0 | 1181.0 | ---    |
|             |      | Type5 | 16 | 7  | 165992.0 | 20 | 2 | 80.4 | 1824.0 | 1752.0 | ---    |
|             |      | Type5 | 16 | 6  | 21394.0  | 20 | 2 | 83.0 | 1080.0 | 1010.0 | ---    |
|             |      | Type5 | 16 | 5  | 474728.0 | 20 | 1 | 60.9 | 1540.0 | ---    | ---    |
|             |      | Type5 | 16 | 4  | 328777.0 | 20 | 2 | 76.5 | 1518.0 | 1485.0 | ---    |
|             |      | Type5 | 16 | 3  | 183923.0 | 20 | 2 | 77.9 | 1749.0 | 1460.0 | ---    |
|             |      | Type5 | 16 | 2  | 39073.0  | 20 | 3 | 84.8 | 1534.0 | 1889.0 | 1463.0 |
|             |      | Type5 | 16 | 11 | 147928.0 | 20 | 3 | 84.3 | 1593.0 | 1188.0 | 1788.0 |
|             |      | Type5 | 16 | 0  | 345766.0 | 20 | 3 | 87.6 | 1565.0 | 1055.0 | 1840.0 |
| 11AX160MIMO | 5250 | Type5 | 16 | 7  | 165992.0 | 20 | 2 | 80.4 | 1824.0 | 1752.0 | ---    |
|             |      | Type5 | 16 | 6  | 21394.0  | 20 | 2 | 83.0 | 1080.0 | 1010.0 | ---    |
|             |      | Type5 | 16 | 0  | 345766.0 | 20 | 3 | 87.6 | 1565.0 | 1055.0 | 1840.0 |
|             |      | Type5 | 16 | 5  | 474728.0 | 20 | 1 | 60.9 | 1540.0 | ---    | ---    |
|             |      | Type5 | 16 | 4  | 328777.0 | 20 | 2 | 76.5 | 1518.0 | 1485.0 | ---    |
|             |      | Type5 | 16 | 3  | 183923.0 | 20 | 2 | 77.9 | 1749.0 | 1460.0 | ---    |
|             |      | Type5 | 16 | 1  | 490019.0 | 20 | 3 | 85.2 | 1735.0 | 1541.0 | 1408.0 |
|             |      | Type5 | 16 | 15 | 130832.0 | 20 | 1 | 59.0 | 1402.0 | ---    | ---    |
|             |      | Type5 | 16 | 8  | 310973.0 | 20 | 2 | 67.5 | 1764.0 | 1181.0 | ---    |
|             |      | Type5 | 16 | 2  | 39073.0  | 20 | 3 | 84.8 | 1534.0 | 1889.0 | 1463.0 |
|             |      | Type5 | 16 | 10 | 3515.0   | 20 | 3 | 86.4 | 1773.0 | 1966.0 | 1263.0 |
|             |      | Type5 | 16 | 11 | 147928.0 | 20 | 3 | 84.3 | 1593.0 | 1188.0 | 1788.0 |
|             |      | Type5 | 16 | 12 | 293225.0 | 20 | 2 | 76.9 | 1226.0 | 1537.0 | ---    |
|             |      | Type5 | 16 | 14 | 584015.0 | 20 | 1 | 55.2 | 1644.0 | ---    | ---    |
|             |      | Type5 | 16 | 16 | 274684.0 | 20 | 3 | 94.5 | 1296.0 | 1700.0 | 1283.0 |
|             |      | Type5 | 16 | 17 | 418579.0 | 20 | 3 | 91.9 | 1970.0 | 1978.0 | 1165.0 |
|             |      | Type5 | 16 | 18 | 563464.0 | 20 | 3 | 85.2 | 1732.0 | 1551.0 | 1189.0 |
|             |      | Type5 | 16 | 19 | 112787.0 | 20 | 2 | 69.5 | 1038.0 | 1224.0 | ---    |
|             |      | Type5 | 16 | 13 | 436922.0 | 20 | 3 | 95.8 | 1192.0 | 1298.0 | 1844.0 |
|             |      | Type5 | 16 | 9  | 456884.0 | 20 | 1 | 62.1 | 1495.0 | ---    | ---    |
|             | 5570 | Type5 | 16 | 18 | 563464.0 | 20 | 3 | 85.2 | 1732.0 | 1551.0 | 1189.0 |
|             |      | Type5 | 16 | 11 | 147928.0 | 20 | 3 | 84.3 | 1593.0 | 1188.0 | 1788.0 |
|             |      | Type5 | 16 | 12 | 293225.0 | 20 | 2 | 76.9 | 1226.0 | 1537.0 | ---    |
|             |      | Type5 | 16 | 13 | 436922.0 | 20 | 3 | 95.8 | 1192.0 | 1298.0 | 1844.0 |
|             |      | Type5 | 16 | 14 | 584015.0 | 20 | 1 | 55.2 | 1644.0 | ---    | ---    |
|             |      | Type5 | 16 | 15 | 130832.0 | 20 | 1 | 59.0 | 1402.0 | ---    | ---    |
|             |      | Type5 | 16 | 10 | 3515.0   | 20 | 3 | 86.4 | 1773.0 | 1966.0 | 1263.0 |
|             |      | Type5 | 16 | 17 | 418579.0 | 20 | 3 | 91.9 | 1970.0 | 1978.0 | 1165.0 |
|             |      | Type5 | 16 | 4  | 328777.0 | 20 | 2 | 76.5 | 1518.0 | 1485.0 | ---    |
|             |      | Type5 | 16 | 16 | 274684.0 | 20 | 3 | 94.5 | 1296.0 | 1700.0 | 1283.0 |
|             |      | Type5 | 16 | 9  | 456884.0 | 20 | 1 | 62.1 | 1495.0 | ---    | ---    |
|             |      | Type5 | 16 | 8  | 310973.0 | 20 | 2 | 67.5 | 1764.0 | 1181.0 | ---    |
|             |      | Type5 | 16 | 7  | 165992.0 | 20 | 2 | 80.4 | 1824.0 | 1752.0 | ---    |
|             |      | Type5 | 16 | 5  | 474728.0 | 20 | 1 | 60.9 | 1540.0 | ---    | ---    |
|             |      | Type5 | 16 | 3  | 183923.0 | 20 | 2 | 77.9 | 1749.0 | 1460.0 | ---    |
|             |      | Type5 | 16 | 2  | 39073.0  | 20 | 3 | 84.8 | 1534.0 | 1889.0 | 1463.0 |
|             |      | Type5 | 16 | 1  | 490019.0 | 20 | 3 | 85.2 | 1735.0 | 1541.0 | 1408.0 |
|             |      | Type5 | 16 | 0  | 345766.0 | 20 | 3 | 87.6 | 1565.0 | 1055.0 | 1840.0 |
|             |      | Type5 | 16 | 19 | 112787.0 | 20 | 2 | 69.5 | 1038.0 | 1224.0 | ---    |
|             |      | Type5 | 16 | 6  | 21394.0  | 20 | 2 | 83.0 | 1080.0 | 1010.0 | ---    |

| Test Mode  | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO | 5260    | Type5      | 17       | 8        | 370379.0          | 10                | 2                | 79.6             | 1239.0    | 1705.0    | ---       |
|            |         | Type5      | 17       | 0        | 429224.0          | 10                | 3                | 86.4             | 1259.0    | 1918.0    | 1455.0    |
|            |         | Type5      | 17       | 9        | 611194.0          | 10                | 3                | 88.4             | 1374.0    | 1579.0    | 1623.0    |
|            |         | Type5      | 17       | 11       | 98897.0           | 10                | 1                | 65.3             | 1709.0    | ---       | ---       |
|            |         | Type5      | 17       | 7        | 128373.0          | 10                | 3                | 100.0            | 1375.0    | 1438.0    | 1595.0    |
|            |         | Type5      | 17       | 6        | 883823.0          | 10                | 2                | 69.1             | 1279.0    | 1639.0    | ---       |
|            |         | Type5      | 17       | 5        | 641915.0          | 10                | 2                | 69.4             | 1503.0    | 1546.0    | ---       |
|            |         | Type5      | 17       | 4        | 400824.0          | 10                | 1                | 53.1             | 1303.0    | ---       | ---       |
|            |         | Type5      | 17       | 3        | 158603.0          | 10                | 1                | 54.3             | 1335.0    | ---       | ---       |
|            |         | Type5      | 17       | 2        | 912880.0          | 10                | 2                | 80.4             | 1816.0    | 1899.0    | ---       |
|            | 5500    | Type5      | 17       | 1        | 670241.0          | 10                | 3                | 92.2             | 1598.0    | 1719.0    | 1895.0    |
|            |         | Type5      | 17       | 10       | 855665.0          | 10                | 1                | 53.3             | 1016.0    | ---       | ---       |
|            |         | Type5      | 17       | 4        | 400824.0          | 10                | 1                | 53.1             | 1303.0    | ---       | ---       |
|            |         | Type5      | 17       | 1        | 670241.0          | 10                | 3                | 92.2             | 1598.0    | 1719.0    | 1895.0    |
|            |         | Type5      | 17       | 0        | 429224.0          | 10                | 3                | 86.4             | 1259.0    | 1918.0    | 1455.0    |
|            |         | Type5      | 17       | 2        | 912880.0          | 10                | 2                | 80.4             | 1816.0    | 1899.0    | ---       |
|            |         | Type5      | 17       | 3        | 158603.0          | 10                | 1                | 54.3             | 1335.0    | ---       | ---       |
|            |         | Type5      | 17       | 11       | 98897.0           | 10                | 1                | 65.3             | 1709.0    | ---       | ---       |
|            |         | Type5      | 17       | 5        | 641915.0          | 10                | 2                | 69.4             | 1503.0    | 1546.0    | ---       |
|            |         | Type5      | 17       | 6        | 883823.0          | 10                | 2                | 69.1             | 1279.0    | 1639.0    | ---       |
| 11AX40MIMO | 5270    | Type5      | 17       | 7        | 128373.0          | 10                | 3                | 100.0            | 1375.0    | 1438.0    | 1595.0    |
|            |         | Type5      | 17       | 8        | 370379.0          | 10                | 2                | 79.6             | 1239.0    | 1705.0    | ---       |
|            |         | Type5      | 17       | 10       | 855665.0          | 10                | 1                | 53.3             | 1016.0    | ---       | ---       |
|            |         | Type5      | 17       | 9        | 611194.0          | 10                | 3                | 88.4             | 1374.0    | 1579.0    | 1623.0    |
|            |         | Type5      | 17       | 5        | 641915.0          | 10                | 2                | 69.4             | 1503.0    | 1546.0    | ---       |
|            |         | Type5      | 17       | 11       | 98897.0           | 10                | 1                | 65.3             | 1709.0    | ---       | ---       |
|            |         | Type5      | 17       | 10       | 855665.0          | 10                | 1                | 53.3             | 1016.0    | ---       | ---       |
|            |         | Type5      | 17       | 9        | 611194.0          | 10                | 3                | 88.4             | 1374.0    | 1579.0    | 1623.0    |
|            |         | Type5      | 17       | 8        | 370379.0          | 10                | 2                | 79.6             | 1239.0    | 1705.0    | ---       |
|            |         | Type5      | 17       | 6        | 883823.0          | 10                | 2                | 69.1             | 1279.0    | 1639.0    | ---       |
|            | 5510    | Type5      | 17       | 4        | 400824.0          | 10                | 1                | 53.1             | 1303.0    | ---       | ---       |
|            |         | Type5      | 17       | 3        | 158603.0          | 10                | 1                | 54.3             | 1335.0    | ---       | ---       |
|            |         | Type5      | 17       | 2        | 912880.0          | 10                | 2                | 80.4             | 1816.0    | 1899.0    | ---       |
|            |         | Type5      | 17       | 1        | 670241.0          | 10                | 3                | 92.2             | 1598.0    | 1719.0    | 1895.0    |
|            |         | Type5      | 17       | 0        | 429224.0          | 10                | 3                | 86.4             | 1259.0    | 1918.0    | 1455.0    |
|            |         | Type5      | 17       | 7        | 128373.0          | 10                | 3                | 100.0            | 1375.0    | 1438.0    | 1595.0    |
|            |         | Type5      | 17       | 9        | 611194.0          | 10                | 3                | 88.4             | 1374.0    | 1579.0    | 1623.0    |
|            |         | Type5      | 17       | 8        | 370379.0          | 10                | 2                | 79.6             | 1239.0    | 1705.0    | ---       |
|            |         | Type5      | 17       | 11       | 98897.0           | 10                | 1                | 65.3             | 1709.0    | ---       | ---       |
|            |         | Type5      | 17       | 7        | 128373.0          | 10                | 3                | 100.0            | 1375.0    | 1438.0    | 1595.0    |
|            |         | Type5      | 17       | 10       | 855665.0          | 10                | 1                | 53.3             | 1016.0    | ---       | ---       |
| 11AX80MIMO | 5290    | Type5      | 17       | 0        | 429224.0          | 10                | 3                | 86.4             | 1259.0    | 1918.0    | 1455.0    |
|            |         | Type5      | 17       | 1        | 670241.0          | 10                | 3                | 92.2             | 1598.0    | 1719.0    | 1895.0    |
|            |         | Type5      | 17       | 2        | 912880.0          | 10                | 2                | 80.4             | 1816.0    | 1899.0    | ---       |
|            |         | Type5      | 17       | 3        | 158603.0          | 10                | 1                | 54.3             | 1335.0    | ---       | ---       |
|            |         | Type5      | 17       | 4        | 400824.0          | 10                | 1                | 53.1             | 1303.0    | ---       | ---       |

|  |             |       |    |    |          |    |   |       |        |        |        |
|--|-------------|-------|----|----|----------|----|---|-------|--------|--------|--------|
|  |             | Type5 | 17 | 5  | 641915.0 | 10 | 2 | 69.4  | 1503.0 | 1546.0 | ---    |
|  |             | Type5 | 17 | 7  | 128373.0 | 10 | 3 | 100.0 | 1375.0 | 1438.0 | 1595.0 |
|  |             | Type5 | 17 | 8  | 370379.0 | 10 | 2 | 79.6  | 1239.0 | 1705.0 | ---    |
|  |             | Type5 | 17 | 9  | 611194.0 | 10 | 3 | 88.4  | 1374.0 | 1579.0 | 1623.0 |
|  |             | Type5 | 17 | 11 | 98897.0  | 10 | 1 | 65.3  | 1709.0 | ---    | ---    |
|  |             | Type5 | 17 | 10 | 855665.0 | 10 | 1 | 53.3  | 1016.0 | ---    | ---    |
|  |             | Type5 | 17 | 6  | 883823.0 | 10 | 2 | 69.1  | 1279.0 | 1639.0 | ---    |
|  | 5530        | Type5 | 17 | 5  | 641915.0 | 10 | 2 | 69.4  | 1503.0 | 1546.0 | ---    |
|  |             | Type5 | 17 | 11 | 98897.0  | 10 | 1 | 65.3  | 1709.0 | ---    | ---    |
|  |             | Type5 | 17 | 10 | 855665.0 | 10 | 1 | 53.3  | 1016.0 | ---    | ---    |
|  |             | Type5 | 17 | 9  | 611194.0 | 10 | 3 | 88.4  | 1374.0 | 1579.0 | 1623.0 |
|  |             | Type5 | 17 | 8  | 370379.0 | 10 | 2 | 79.6  | 1239.0 | 1705.0 | ---    |
|  |             | Type5 | 17 | 6  | 883823.0 | 10 | 2 | 69.1  | 1279.0 | 1639.0 | ---    |
|  |             | Type5 | 17 | 4  | 400824.0 | 10 | 1 | 53.1  | 1303.0 | ---    | ---    |
|  |             | Type5 | 17 | 3  | 158603.0 | 10 | 1 | 54.3  | 1335.0 | ---    | ---    |
|  |             | Type5 | 17 | 2  | 912880.0 | 10 | 2 | 80.4  | 1816.0 | 1899.0 | ---    |
|  |             | Type5 | 17 | 1  | 670241.0 | 10 | 3 | 92.2  | 1598.0 | 1719.0 | 1895.0 |
|  |             | Type5 | 17 | 0  | 429224.0 | 10 | 3 | 86.4  | 1259.0 | 1918.0 | 1455.0 |
|  |             | Type5 | 17 | 7  | 128373.0 | 10 | 3 | 100.0 | 1375.0 | 1438.0 | 1595.0 |
|  | 11AX160MIMO | Type5 | 17 | 9  | 611194.0 | 10 | 3 | 88.4  | 1374.0 | 1579.0 | 1623.0 |
|  |             | Type5 | 17 | 4  | 400824.0 | 10 | 1 | 53.1  | 1303.0 | ---    | ---    |
|  |             | Type5 | 17 | 1  | 670241.0 | 10 | 3 | 92.2  | 1598.0 | 1719.0 | 1895.0 |
|  |             | Type5 | 17 | 2  | 912880.0 | 10 | 2 | 80.4  | 1816.0 | 1899.0 | ---    |
|  |             | Type5 | 17 | 3  | 158603.0 | 10 | 1 | 54.3  | 1335.0 | ---    | ---    |
|  |             | Type5 | 17 | 0  | 429224.0 | 10 | 3 | 86.4  | 1259.0 | 1918.0 | 1455.0 |
|  |             | Type5 | 17 | 6  | 883823.0 | 10 | 2 | 69.1  | 1279.0 | 1639.0 | ---    |
|  |             | Type5 | 17 | 8  | 370379.0 | 10 | 2 | 79.6  | 1239.0 | 1705.0 | ---    |
|  |             | Type5 | 17 | 10 | 855665.0 | 10 | 1 | 53.3  | 1016.0 | ---    | ---    |
|  |             | Type5 | 17 | 11 | 98897.0  | 10 | 1 | 65.3  | 1709.0 | ---    | ---    |
|  |             | Type5 | 17 | 5  | 641915.0 | 10 | 2 | 69.4  | 1503.0 | 1546.0 | ---    |
|  |             | Type5 | 17 | 7  | 128373.0 | 10 | 3 | 100.0 | 1375.0 | 1438.0 | 1595.0 |
|  |             | Type5 | 17 | 2  | 912880.0 | 10 | 2 | 80.4  | 1816.0 | 1899.0 | ---    |
|  |             | Type5 | 17 | 10 | 855665.0 | 10 | 1 | 53.3  | 1016.0 | ---    | ---    |
|  |             | Type5 | 17 | 9  | 611194.0 | 10 | 3 | 88.4  | 1374.0 | 1579.0 | 1623.0 |
|  |             | Type5 | 17 | 8  | 370379.0 | 10 | 2 | 79.6  | 1239.0 | 1705.0 | ---    |
|  |             | Type5 | 17 | 7  | 128373.0 | 10 | 3 | 100.0 | 1375.0 | 1438.0 | 1595.0 |
|  |             | Type5 | 17 | 6  | 883823.0 | 10 | 2 | 69.1  | 1279.0 | 1639.0 | ---    |
|  |             | Type5 | 17 | 5  | 641915.0 | 10 | 2 | 69.4  | 1503.0 | 1546.0 | ---    |
|  |             | Type5 | 17 | 3  | 158603.0 | 10 | 1 | 54.3  | 1335.0 | ---    | ---    |
|  |             | Type5 | 17 | 1  | 670241.0 | 10 | 3 | 92.2  | 1598.0 | 1719.0 | 1895.0 |
|  |             | Type5 | 17 | 0  | 429224.0 | 10 | 3 | 86.4  | 1259.0 | 1918.0 | 1455.0 |
|  |             | Type5 | 17 | 11 | 98897.0  | 10 | 1 | 65.3  | 1709.0 | ---    | ---    |
|  |             | Type5 | 17 | 4  | 400824.0 | 10 | 1 | 53.1  | 1303.0 | ---    | ---    |
|  | 5570        | Type5 | 17 | 2  | 912880.0 | 10 | 2 | 80.4  | 1816.0 | 1899.0 | ---    |
|  |             | Type5 | 17 | 10 | 855665.0 | 10 | 1 | 53.3  | 1016.0 | ---    | ---    |
|  |             | Type5 | 17 | 9  | 611194.0 | 10 | 3 | 88.4  | 1374.0 | 1579.0 | 1623.0 |
|  |             | Type5 | 17 | 8  | 370379.0 | 10 | 2 | 79.6  | 1239.0 | 1705.0 | ---    |
|  |             | Type5 | 17 | 7  | 128373.0 | 10 | 3 | 100.0 | 1375.0 | 1438.0 | 1595.0 |
|  |             | Type5 | 17 | 6  | 883823.0 | 10 | 2 | 69.1  | 1279.0 | 1639.0 | ---    |
|  |             | Type5 | 17 | 5  | 641915.0 | 10 | 2 | 69.4  | 1503.0 | 1546.0 | ---    |
|  |             | Type5 | 17 | 3  | 158603.0 | 10 | 1 | 54.3  | 1335.0 | ---    | ---    |
|  |             | Type5 | 17 | 1  | 670241.0 | 10 | 3 | 92.2  | 1598.0 | 1719.0 | 1895.0 |
|  |             | Type5 | 17 | 0  | 429224.0 | 10 | 3 | 86.4  | 1259.0 | 1918.0 | 1455.0 |
|  |             | Type5 | 17 | 11 | 98897.0  | 10 | 1 | 65.3  | 1709.0 | ---    | ---    |
|  |             | Type5 | 17 | 4  | 400824.0 | 10 | 1 | 53.1  | 1303.0 | ---    | ---    |

| Test Mode  | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO | 5260    | Type5      | 18       | 9        | 447400.0          | 12                | 3                | 96.6             | 1525.0    | 1036.0    | 1385.0    |
|            |         | Type5      | 18       | 0        | 292143.0          | 12                | 1                | 55.3             | 1920.0    | ---       | ---       |
|            |         | Type5      | 18       | 12       | 215435.0          | 12                | 2                | 78.4             | 1047.0    | 1109.0    | ---       |
|            |         | Type5      | 18       | 10       | 654516.0          | 12                | 2                | 82.7             | 1710.0    | 1990.0    | ---       |
|            |         | Type5      | 18       | 13       | 421325.0          | 12                | 3                | 99.5             | 1299.0    | 1965.0    | 1869.0    |
|            |         | Type5      | 18       | 8        | 240319.0          | 12                | 3                | 91.1             | 1539.0    | 1783.0    | 1172.0    |
|            |         | Type5      | 18       | 7        | 33519.0           | 12                | 3                | 90.3             | 1660.0    | 1853.0    | 1123.0    |
|            |         | Type5      | 18       | 6        | 680544.0          | 12                | 2                | 80.0             | 1119.0    | 1913.0    | ---       |
|            |         | Type5      | 18       | 5        | 474469.0          | 12                | 1                | 63.3             | 1095.0    | ---       | ---       |
|            |         | Type5      | 18       | 4        | 266161.0          | 12                | 2                | 82.5             | 1875.0    | 1431.0    | ---       |
|            |         | Type5      | 18       | 3        | 58989.0           | 12                | 3                | 84.8             | 1131.0    | 1761.0    | 1721.0    |
|            |         | Type5      | 18       | 2        | 706377.0          | 12                | 2                | 72.3             | 1610.0    | 1039.0    | ---       |
|            | 5500    | Type5      | 18       | 1        | 499633.0          | 12                | 1                | 58.3             | 1797.0    | ---       | ---       |
|            |         | Type5      | 18       | 11       | 8083.0            | 12                | 1                | 50.7             | 1234.0    | ---       | ---       |
|            |         | Type5      | 18       | 5        | 474469.0          | 12                | 1                | 63.3             | 1095.0    | ---       | ---       |
|            |         | Type5      | 18       | 1        | 499633.0          | 12                | 1                | 58.3             | 1797.0    | ---       | ---       |
|            |         | Type5      | 18       | 0        | 292143.0          | 12                | 1                | 55.3             | 1920.0    | ---       | ---       |
|            |         | Type5      | 18       | 2        | 706377.0          | 12                | 2                | 72.3             | 1610.0    | 1039.0    | ---       |
|            |         | Type5      | 18       | 3        | 58989.0           | 12                | 3                | 84.8             | 1131.0    | 1761.0    | 1721.0    |
|            |         | Type5      | 18       | 4        | 266161.0          | 12                | 2                | 82.5             | 1875.0    | 1431.0    | ---       |
|            |         | Type5      | 18       | 13       | 421325.0          | 12                | 3                | 99.5             | 1299.0    | 1965.0    | 1869.0    |
|            |         | Type5      | 18       | 6        | 680544.0          | 12                | 2                | 80.0             | 1119.0    | 1913.0    | ---       |
|            |         | Type5      | 18       | 7        | 33519.0           | 12                | 3                | 90.3             | 1660.0    | 1853.0    | 1123.0    |
|            |         | Type5      | 18       | 8        | 240319.0          | 12                | 3                | 91.1             | 1539.0    | 1783.0    | 1172.0    |
| 11AX40MIMO | 5270    | Type5      | 18       | 9        | 447400.0          | 12                | 3                | 96.6             | 1525.0    | 1036.0    | 1385.0    |
|            |         | Type5      | 18       | 10       | 654516.0          | 12                | 2                | 82.7             | 1710.0    | 1990.0    | ---       |
|            |         | Type5      | 18       | 12       | 215435.0          | 12                | 2                | 78.4             | 1047.0    | 1109.0    | ---       |
|            |         | Type5      | 18       | 11       | 8083.0            | 12                | 1                | 50.7             | 1234.0    | ---       | ---       |
|            |         | Type5      | 18       | 6        | 680544.0          | 12                | 2                | 80.0             | 1119.0    | 1913.0    | ---       |
|            |         | Type5      | 18       | 13       | 421325.0          | 12                | 3                | 99.5             | 1299.0    | 1965.0    | 1869.0    |
|            |         | Type5      | 18       | 12       | 215435.0          | 12                | 2                | 78.4             | 1047.0    | 1109.0    | ---       |
|            |         | Type5      | 18       | 11       | 8083.0            | 12                | 1                | 50.7             | 1234.0    | ---       | ---       |
|            |         | Type5      | 18       | 10       | 654516.0          | 12                | 2                | 82.7             | 1710.0    | 1990.0    | ---       |
|            |         | Type5      | 18       | 9        | 447400.0          | 12                | 3                | 96.6             | 1525.0    | 1036.0    | 1385.0    |
|            |         | Type5      | 18       | 7        | 33519.0           | 12                | 3                | 90.3             | 1660.0    | 1853.0    | 1123.0    |
|            |         | Type5      | 18       | 5        | 474469.0          | 12                | 1                | 63.3             | 1095.0    | ---       | ---       |
|            | 5510    | Type5      | 18       | 4        | 266161.0          | 12                | 2                | 82.5             | 1875.0    | 1431.0    | ---       |
|            |         | Type5      | 18       | 3        | 58989.0           | 12                | 3                | 84.8             | 1131.0    | 1761.0    | 1721.0    |
|            |         | Type5      | 18       | 2        | 706377.0          | 12                | 2                | 72.3             | 1610.0    | 1039.0    | ---       |
|            |         | Type5      | 18       | 1        | 499633.0          | 12                | 1                | 58.3             | 1797.0    | ---       | ---       |
|            |         | Type5      | 18       | 0        | 292143.0          | 12                | 1                | 55.3             | 1920.0    | ---       | ---       |
|            |         | Type5      | 18       | 8        | 240319.0          | 12                | 3                | 91.1             | 1539.0    | 1783.0    | 1172.0    |
|            |         | Type5      | 18       | 11       | 8083.0            | 12                | 1                | 50.7             | 1234.0    | ---       | ---       |
|            |         | Type5      | 18       | 10       | 654516.0          | 12                | 2                | 82.7             | 1710.0    | 1990.0    | ---       |
|            |         | Type5      | 18       | 13       | 421325.0          | 12                | 3                | 99.5             | 1299.0    | 1965.0    | 1869.0    |
|            |         | Type5      | 18       | 9        | 447400.0          | 12                | 3                | 96.6             | 1525.0    | 1036.0    | 1385.0    |
|            |         | Type5      | 18       | 12       | 215435.0          | 12                | 2                | 78.4             | 1047.0    | 1109.0    | ---       |
|            |         | Type5      | 18       | 0        | 292143.0          | 12                | 1                | 55.3             | 1920.0    | ---       | ---       |
|            |         | Type5      | 18       | 8        | 240319.0          | 12                | 3                | 91.1             | 1539.0    | 1783.0    | 1172.0    |
|            |         | Type5      | 18       | 7        | 33519.0           | 12                | 3                | 90.3             | 1660.0    | 1853.0    | 1123.0    |
|            |         | Type5      | 18       | 6        | 680544.0          | 12                | 2                | 80.0             | 1119.0    | 1913.0    | ---       |
|            |         | Type5      | 18       | 5        | 474469.0          | 12                | 1                | 63.3             | 1095.0    | ---       | ---       |
|            |         | Type5      | 18       | 4        | 266161.0          | 12                | 2                | 82.5             | 1875.0    | 1431.0    | ---       |
|            |         | Type5      | 18       | 3        | 58989.0           | 12                | 3                | 84.8             | 1131.0    | 1761.0    | 1721.0    |

|             |      |       |    |    |          |    |   |      |        |        |        |
|-------------|------|-------|----|----|----------|----|---|------|--------|--------|--------|
| 11AX80MIMO  | 5290 | Type5 | 18 | 2  | 706377.0 | 12 | 2 | 72.3 | 1610.0 | 1039.0 | ---    |
|             |      | Type5 | 18 | 1  | 499633.0 | 12 | 1 | 58.3 | 1797.0 | ---    | ---    |
|             |      | Type5 | 18 | 0  | 292143.0 | 12 | 1 | 55.3 | 1920.0 | ---    | ---    |
|             |      | Type5 | 18 | 1  | 499633.0 | 12 | 1 | 58.3 | 1797.0 | ---    | ---    |
|             |      | Type5 | 18 | 2  | 706377.0 | 12 | 2 | 72.3 | 1610.0 | 1039.0 | ---    |
|             |      | Type5 | 18 | 3  | 58989.0  | 12 | 3 | 84.8 | 1131.0 | 1761.0 | 1721.0 |
|             |      | Type5 | 18 | 4  | 266161.0 | 12 | 2 | 82.5 | 1875.0 | 1431.0 | ---    |
|             |      | Type5 | 18 | 5  | 474469.0 | 12 | 1 | 63.3 | 1095.0 | ---    | ---    |
|             |      | Type5 | 18 | 6  | 680544.0 | 12 | 2 | 80.0 | 1119.0 | 1913.0 | ---    |
|             |      | Type5 | 18 | 8  | 240319.0 | 12 | 3 | 91.1 | 1539.0 | 1783.0 | 1172.0 |
|             |      | Type5 | 18 | 9  | 447400.0 | 12 | 3 | 96.6 | 1525.0 | 1036.0 | 1385.0 |
|             |      | Type5 | 18 | 10 | 654516.0 | 12 | 2 | 82.7 | 1710.0 | 1990.0 | ---    |
|             |      | Type5 | 18 | 11 | 8083.0   | 12 | 1 | 50.7 | 1234.0 | ---    | ---    |
|             |      | Type5 | 18 | 13 | 421325.0 | 12 | 3 | 99.5 | 1299.0 | 1965.0 | 1869.0 |
|             |      | Type5 | 18 | 12 | 215435.0 | 12 | 2 | 78.4 | 1047.0 | 1109.0 | ---    |
|             | 5530 | Type5 | 18 | 7  | 33519.0  | 12 | 3 | 90.3 | 1660.0 | 1853.0 | 1123.0 |
|             |      | Type5 | 18 | 6  | 680544.0 | 12 | 2 | 80.0 | 1119.0 | 1913.0 | ---    |
|             |      | Type5 | 18 | 13 | 421325.0 | 12 | 3 | 99.5 | 1299.0 | 1965.0 | 1869.0 |
|             |      | Type5 | 18 | 12 | 215435.0 | 12 | 2 | 78.4 | 1047.0 | 1109.0 | ---    |
|             |      | Type5 | 18 | 11 | 8083.0   | 12 | 1 | 50.7 | 1234.0 | ---    | ---    |
|             |      | Type5 | 18 | 10 | 654516.0 | 12 | 2 | 82.7 | 1710.0 | 1990.0 | ---    |
|             |      | Type5 | 18 | 9  | 447400.0 | 12 | 3 | 96.6 | 1525.0 | 1036.0 | 1385.0 |
|             |      | Type5 | 18 | 7  | 33519.0  | 12 | 3 | 90.3 | 1660.0 | 1853.0 | 1123.0 |
|             |      | Type5 | 18 | 5  | 474469.0 | 12 | 1 | 63.3 | 1095.0 | ---    | ---    |
|             |      | Type5 | 18 | 4  | 266161.0 | 12 | 2 | 82.5 | 1875.0 | 1431.0 | ---    |
|             |      | Type5 | 18 | 3  | 58989.0  | 12 | 3 | 84.8 | 1131.0 | 1761.0 | 1721.0 |
|             |      | Type5 | 18 | 2  | 706377.0 | 12 | 2 | 72.3 | 1610.0 | 1039.0 | ---    |
|             |      | Type5 | 18 | 1  | 499633.0 | 12 | 1 | 58.3 | 1797.0 | ---    | ---    |
|             |      | Type5 | 18 | 0  | 292143.0 | 12 | 1 | 55.3 | 1920.0 | ---    | ---    |
|             |      | Type5 | 18 | 8  | 240319.0 | 12 | 3 | 91.1 | 1539.0 | 1783.0 | 1172.0 |
| 11AX160MIMO | 5250 | Type5 | 18 | 11 | 8083.0   | 12 | 1 | 50.7 | 1234.0 | ---    | ---    |
|             |      | Type5 | 18 | 5  | 474469.0 | 12 | 1 | 63.3 | 1095.0 | ---    | ---    |
|             |      | Type5 | 18 | 1  | 499633.0 | 12 | 1 | 58.3 | 1797.0 | ---    | ---    |
|             |      | Type5 | 18 | 2  | 706377.0 | 12 | 2 | 72.3 | 1610.0 | 1039.0 | ---    |
|             |      | Type5 | 18 | 3  | 58989.0  | 12 | 3 | 84.8 | 1131.0 | 1761.0 | 1721.0 |
|             |      | Type5 | 18 | 0  | 292143.0 | 12 | 1 | 55.3 | 1920.0 | ---    | ---    |
|             |      | Type5 | 18 | 4  | 266161.0 | 12 | 2 | 82.5 | 1875.0 | 1431.0 | ---    |
|             |      | Type5 | 18 | 7  | 33519.0  | 12 | 3 | 90.3 | 1660.0 | 1853.0 | 1123.0 |
|             |      | Type5 | 18 | 8  | 240319.0 | 12 | 3 | 91.1 | 1539.0 | 1783.0 | 1172.0 |
|             |      | Type5 | 18 | 10 | 654516.0 | 12 | 2 | 82.7 | 1710.0 | 1990.0 | ---    |
|             |      | Type5 | 18 | 12 | 215435.0 | 12 | 2 | 78.4 | 1047.0 | 1109.0 | ---    |
|             |      | Type5 | 18 | 13 | 421325.0 | 12 | 3 | 99.5 | 1299.0 | 1965.0 | 1869.0 |
|             |      | Type5 | 18 | 6  | 680544.0 | 12 | 2 | 80.0 | 1119.0 | 1913.0 | ---    |
|             |      | Type5 | 18 | 9  | 447400.0 | 12 | 3 | 96.6 | 1525.0 | 1036.0 | 1385.0 |
|             | 5570 | Type5 | 18 | 2  | 706377.0 | 12 | 2 | 72.3 | 1610.0 | 1039.0 | ---    |
|             |      | Type5 | 18 | 12 | 215435.0 | 12 | 2 | 78.4 | 1047.0 | 1109.0 | ---    |
|             |      | Type5 | 18 | 11 | 8083.0   | 12 | 1 | 50.7 | 1234.0 | ---    | ---    |
|             |      | Type5 | 18 | 10 | 654516.0 | 12 | 2 | 82.7 | 1710.0 | 1990.0 | ---    |
|             |      | Type5 | 18 | 9  | 447400.0 | 12 | 3 | 96.6 | 1525.0 | 1036.0 | 1385.0 |
|             |      | Type5 | 18 | 8  | 240319.0 | 12 | 3 | 91.1 | 1539.0 | 1783.0 | 1172.0 |
|             |      | Type5 | 18 | 7  | 33519.0  | 12 | 3 | 90.3 | 1660.0 | 1853.0 | 1123.0 |
|             |      | Type5 | 18 | 6  | 680544.0 | 12 | 2 | 80.0 | 1119.0 | 1913.0 | ---    |
|             |      | Type5 | 18 | 5  | 474469.0 | 12 | 1 | 63.3 | 1095.0 | ---    | ---    |
|             |      | Type5 | 18 | 3  | 58989.0  | 12 | 3 | 84.8 | 1131.0 | 1761.0 | 1721.0 |
|             |      | Type5 | 18 | 1  | 499633.0 | 12 | 1 | 58.3 | 1797.0 | ---    | ---    |
|             |      | Type5 | 18 | 0  | 292143.0 | 12 | 1 | 55.3 | 1920.0 | ---    | ---    |
|             |      | Type5 | 18 | 13 | 421325.0 | 12 | 3 | 99.5 | 1299.0 | 1965.0 | 1869.0 |
|             |      | Type5 | 18 | 4  | 266161.0 | 12 | 2 | 82.5 | 1875.0 | 1431.0 | ---    |

| Test Mode  | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO | 5260    | Type5      | 19       | 8        | 674004.0          | 10                | 3                | 96.2             | 1391.0    | 1787.0    | 1672.0    |
|            |         | Type5      | 19       | 0        | 733725.0          | 10                | 3                | 88.6             | 1501.0    | 1067.0    | 1927.0    |
|            |         | Type5      | 19       | 9        | 915842.0          | 10                | 3                | 95.4             | 1020.0    | 1892.0    | 1414.0    |
|            |         | Type5      | 19       | 11       | 403553.0          | 10                | 2                | 80.4             | 1850.0    | 1436.0    | ---       |
|            |         | Type5      | 19       | 7        | 432561.0          | 10                | 3                | 97.3             | 1790.0    | 1896.0    | 1367.0    |
|            |         | Type5      | 19       | 6        | 191373.0          | 10                | 3                | 88.4             | 1997.0    | 1077.0    | 1366.0    |
|            |         | Type5      | 19       | 5        | 947923.0          | 10                | 1                | 62.0             | 1866.0    | ---       | ---       |
|            |         | Type5      | 19       | 4        | 705071.0          | 10                | 2                | 77.9             | 1642.0    | 1317.0    | ---       |
|            |         | Type5      | 19       | 3        | 462915.0          | 10                | 2                | 69.7             | 1751.0    | 1945.0    | ---       |
|            |         | Type5      | 19       | 2        | 221197.0          | 10                | 3                | 96.6             | 1086.0    | 1658.0    | 1324.0    |
|            | 5500    | Type5      | 19       | 1        | 977882.0          | 10                | 1                | 57.4             | 1723.0    | ---       | ---       |
|            |         | Type5      | 19       | 10       | 162176.0          | 10                | 1                | 54.8             | 1084.0    | ---       | ---       |
|            |         | Type5      | 19       | 4        | 705071.0          | 10                | 2                | 77.9             | 1642.0    | 1317.0    | ---       |
|            |         | Type5      | 19       | 1        | 977882.0          | 10                | 1                | 57.4             | 1723.0    | ---       | ---       |
|            |         | Type5      | 19       | 0        | 733725.0          | 10                | 3                | 88.6             | 1501.0    | 1067.0    | 1927.0    |
|            |         | Type5      | 19       | 2        | 221197.0          | 10                | 3                | 96.6             | 1086.0    | 1658.0    | 1324.0    |
|            |         | Type5      | 19       | 3        | 462915.0          | 10                | 2                | 69.7             | 1751.0    | 1945.0    | ---       |
|            |         | Type5      | 19       | 11       | 403553.0          | 10                | 2                | 80.4             | 1850.0    | 1436.0    | ---       |
|            |         | Type5      | 19       | 5        | 947923.0          | 10                | 1                | 62.0             | 1866.0    | ---       | ---       |
|            |         | Type5      | 19       | 6        | 191373.0          | 10                | 3                | 88.4             | 1997.0    | 1077.0    | 1366.0    |
|            |         | Type5      | 19       | 7        | 432561.0          | 10                | 3                | 97.3             | 1790.0    | 1896.0    | 1367.0    |
| 11AX40MIMO | 5270    | Type5      | 19       | 8        | 674004.0          | 10                | 3                | 96.2             | 1391.0    | 1787.0    | 1672.0    |
|            |         | Type5      | 19       | 10       | 162176.0          | 10                | 1                | 54.8             | 1084.0    | ---       | ---       |
|            |         | Type5      | 19       | 9        | 915842.0          | 10                | 3                | 95.4             | 1020.0    | 1892.0    | 1414.0    |
|            |         | Type5      | 19       | 5        | 947923.0          | 10                | 1                | 62.0             | 1866.0    | ---       | ---       |
|            |         | Type5      | 19       | 11       | 403553.0          | 10                | 2                | 80.4             | 1850.0    | 1436.0    | ---       |
|            |         | Type5      | 19       | 10       | 162176.0          | 10                | 1                | 54.8             | 1084.0    | ---       | ---       |
|            |         | Type5      | 19       | 9        | 915842.0          | 10                | 3                | 95.4             | 1020.0    | 1892.0    | 1414.0    |
|            |         | Type5      | 19       | 8        | 674004.0          | 10                | 3                | 96.2             | 1391.0    | 1787.0    | 1672.0    |
|            |         | Type5      | 19       | 6        | 191373.0          | 10                | 3                | 88.4             | 1997.0    | 1077.0    | 1366.0    |
|            |         | Type5      | 19       | 4        | 705071.0          | 10                | 2                | 77.9             | 1642.0    | 1317.0    | ---       |
|            | 5510    | Type5      | 19       | 3        | 462915.0          | 10                | 2                | 69.7             | 1751.0    | 1945.0    | ---       |
|            |         | Type5      | 19       | 2        | 221197.0          | 10                | 3                | 96.6             | 1086.0    | 1658.0    | 1324.0    |
|            |         | Type5      | 19       | 1        | 977882.0          | 10                | 1                | 57.4             | 1723.0    | ---       | ---       |
|            |         | Type5      | 19       | 0        | 733725.0          | 10                | 3                | 88.6             | 1501.0    | 1067.0    | 1927.0    |
|            |         | Type5      | 19       | 7        | 432561.0          | 10                | 3                | 97.3             | 1790.0    | 1896.0    | 1367.0    |
|            |         | Type5      | 19       | 9        | 915842.0          | 10                | 3                | 95.4             | 1020.0    | 1892.0    | 1414.0    |
|            |         | Type5      | 19       | 8        | 674004.0          | 10                | 3                | 96.2             | 1391.0    | 1787.0    | 1672.0    |
|            |         | Type5      | 19       | 11       | 403553.0          | 10                | 2                | 80.4             | 1850.0    | 1436.0    | ---       |
|            |         | Type5      | 19       | 7        | 432561.0          | 10                | 3                | 97.3             | 1790.0    | 1896.0    | 1367.0    |
|            |         | Type5      | 19       | 10       | 162176.0          | 10                | 1                | 54.8             | 1084.0    | ---       | ---       |
| 11AX80MIMO | 5290    | Type5      | 19       | 0        | 733725.0          | 10                | 3                | 88.6             | 1501.0    | 1067.0    | 1927.0    |
|            |         | Type5      | 19       | 1        | 977882.0          | 10                | 1                | 57.4             | 1723.0    | ---       | ---       |
|            |         | Type5      | 19       | 2        | 221197.0          | 10                | 3                | 96.6             | 1086.0    | 1658.0    | 1324.0    |
|            |         | Type5      | 19       | 3        | 462915.0          | 10                | 2                | 69.7             | 1751.0    | 1945.0    | ---       |
|            |         | Type5      | 19       | 4        | 705071.0          | 10                | 2                | 77.9             | 1642.0    | 1317.0    | ---       |

|             |      |       |    |    |          |    |   |      |        |        |        |
|-------------|------|-------|----|----|----------|----|---|------|--------|--------|--------|
| 11AX160MIMO |      | Type5 | 19 | 5  | 947923.0 | 10 | 1 | 62.0 | 1866.0 | ---    | ---    |
|             |      | Type5 | 19 | 7  | 432561.0 | 10 | 3 | 97.3 | 1790.0 | 1896.0 | 1367.0 |
|             |      | Type5 | 19 | 8  | 674004.0 | 10 | 3 | 96.2 | 1391.0 | 1787.0 | 1672.0 |
|             |      | Type5 | 19 | 9  | 915842.0 | 10 | 3 | 95.4 | 1020.0 | 1892.0 | 1414.0 |
|             |      | Type5 | 19 | 11 | 403553.0 | 10 | 2 | 80.4 | 1850.0 | 1436.0 | ---    |
|             |      | Type5 | 19 | 10 | 162176.0 | 10 | 1 | 54.8 | 1084.0 | ---    | ---    |
|             |      | Type5 | 19 | 6  | 191373.0 | 10 | 3 | 88.4 | 1997.0 | 1077.0 | 1366.0 |
|             | 5530 | Type5 | 19 | 5  | 947923.0 | 10 | 1 | 62.0 | 1866.0 | ---    | ---    |
|             |      | Type5 | 19 | 11 | 403553.0 | 10 | 2 | 80.4 | 1850.0 | 1436.0 | ---    |
|             |      | Type5 | 19 | 10 | 162176.0 | 10 | 1 | 54.8 | 1084.0 | ---    | ---    |
|             |      | Type5 | 19 | 9  | 915842.0 | 10 | 3 | 95.4 | 1020.0 | 1892.0 | 1414.0 |
|             |      | Type5 | 19 | 8  | 674004.0 | 10 | 3 | 96.2 | 1391.0 | 1787.0 | 1672.0 |
|             |      | Type5 | 19 | 6  | 191373.0 | 10 | 3 | 88.4 | 1997.0 | 1077.0 | 1366.0 |
|             |      | Type5 | 19 | 4  | 705071.0 | 10 | 2 | 77.9 | 1642.0 | 1317.0 | ---    |
|             |      | Type5 | 19 | 3  | 462915.0 | 10 | 2 | 69.7 | 1751.0 | 1945.0 | ---    |
|             |      | Type5 | 19 | 2  | 221197.0 | 10 | 3 | 96.6 | 1086.0 | 1658.0 | 1324.0 |
|             |      | Type5 | 19 | 1  | 977882.0 | 10 | 1 | 57.4 | 1723.0 | ---    | ---    |
|             |      | Type5 | 19 | 0  | 733725.0 | 10 | 3 | 88.6 | 1501.0 | 1067.0 | 1927.0 |
|             |      | Type5 | 19 | 7  | 432561.0 | 10 | 3 | 97.3 | 1790.0 | 1896.0 | 1367.0 |
|             | 5250 | Type5 | 19 | 9  | 915842.0 | 10 | 3 | 95.4 | 1020.0 | 1892.0 | 1414.0 |
|             |      | Type5 | 19 | 4  | 705071.0 | 10 | 2 | 77.9 | 1642.0 | 1317.0 | ---    |
|             |      | Type5 | 19 | 1  | 977882.0 | 10 | 1 | 57.4 | 1723.0 | ---    | ---    |
|             |      | Type5 | 19 | 2  | 221197.0 | 10 | 3 | 96.6 | 1086.0 | 1658.0 | 1324.0 |
|             |      | Type5 | 19 | 3  | 462915.0 | 10 | 2 | 69.7 | 1751.0 | 1945.0 | ---    |
|             |      | Type5 | 19 | 0  | 733725.0 | 10 | 3 | 88.6 | 1501.0 | 1067.0 | 1927.0 |
|             |      | Type5 | 19 | 6  | 191373.0 | 10 | 3 | 88.4 | 1997.0 | 1077.0 | 1366.0 |
|             |      | Type5 | 19 | 8  | 674004.0 | 10 | 3 | 96.2 | 1391.0 | 1787.0 | 1672.0 |
|             |      | Type5 | 19 | 10 | 162176.0 | 10 | 1 | 54.8 | 1084.0 | ---    | ---    |
|             |      | Type5 | 19 | 11 | 403553.0 | 10 | 2 | 80.4 | 1850.0 | 1436.0 | ---    |
|             |      | Type5 | 19 | 5  | 947923.0 | 10 | 1 | 62.0 | 1866.0 | ---    | ---    |
|             |      | Type5 | 19 | 7  | 432561.0 | 10 | 3 | 97.3 | 1790.0 | 1896.0 | 1367.0 |
|             | 5570 | Type5 | 19 | 2  | 221197.0 | 10 | 3 | 96.6 | 1086.0 | 1658.0 | 1324.0 |
|             |      | Type5 | 19 | 10 | 162176.0 | 10 | 1 | 54.8 | 1084.0 | ---    | ---    |
|             |      | Type5 | 19 | 9  | 915842.0 | 10 | 3 | 95.4 | 1020.0 | 1892.0 | 1414.0 |
|             |      | Type5 | 19 | 8  | 674004.0 | 10 | 3 | 96.2 | 1391.0 | 1787.0 | 1672.0 |
|             |      | Type5 | 19 | 7  | 432561.0 | 10 | 3 | 97.3 | 1790.0 | 1896.0 | 1367.0 |
|             |      | Type5 | 19 | 6  | 191373.0 | 10 | 3 | 88.4 | 1997.0 | 1077.0 | 1366.0 |
|             |      | Type5 | 19 | 5  | 947923.0 | 10 | 1 | 62.0 | 1866.0 | ---    | ---    |
|             |      | Type5 | 19 | 3  | 462915.0 | 10 | 2 | 69.7 | 1751.0 | 1945.0 | ---    |
|             |      | Type5 | 19 | 1  | 977882.0 | 10 | 1 | 57.4 | 1723.0 | ---    | ---    |
|             |      | Type5 | 19 | 0  | 733725.0 | 10 | 3 | 88.6 | 1501.0 | 1067.0 | 1927.0 |
|             |      | Type5 | 19 | 11 | 403553.0 | 10 | 2 | 80.4 | 1850.0 | 1436.0 | ---    |
|             |      | Type5 | 19 | 4  | 705071.0 | 10 | 2 | 77.9 | 1642.0 | 1317.0 | ---    |

| Test Mode  | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO | 5260    | Type5      | 20       | 11       | 235506.0          | 15                | 2                | 70.5             | 1864.0    | 1115.0    | ---       |
|            |         | Type5      | 20       | 0        | 483470.0          | 15                | 2                | 74.7             | 1619.0    | 1611.0    | ---       |
|            |         | Type5      | 20       | 14       | 32086.0           | 15                | 1                | 61.8             | 1277.0    | ---       | ---       |
|            |         | Type5      | 20       | 12       | 417036.0          | 15                | 2                | 76.6             | 1045.0    | 1300.0    | ---       |
|            |         | Type5      | 20       | 15       | 212751.0          | 15                | 3                | 94.9             | 1450.0    | 1206.0    | 1860.0    |
|            |         | Type5      | 20       | 10       | 54310.0           | 15                | 2                | 73.5             | 1904.0    | 1352.0    | ---       |
|            |         | Type5      | 20       | 9        | 620397.0          | 15                | 2                | 68.5             | 1284.0    | 1428.0    | ---       |
|            |         | Type5      | 20       | 8        | 438554.0          | 15                | 2                | 79.0             | 1777.0    | 1960.0    | ---       |
|            |         | Type5      | 20       | 1        | 666072.0          | 15                | 1                | 57.1             | 1560.0    | ---       | ---       |
|            |         | Type5      | 20       | 6        | 76831.0           | 15                | 1                | 58.7             | 1186.0    | ---       | ---       |
|            |         | Type5      | 20       | 5        | 642324.0          | 15                | 2                | 79.2             | 1574.0    | 1600.0    | ---       |
|            |         | Type5      | 20       | 4        | 462536.0          | 15                | 1                | 50.7             | 1003.0    | ---       | ---       |
|            |         | Type5      | 20       | 3        | 279914.0          | 15                | 2                | 83.1             | 1809.0    | 1772.0    | ---       |
|            |         | Type5      | 20       | 2        | 98810.0           | 15                | 3                | 91.9             | 1392.0    | 1475.0    | 1276.0    |
|            |         | Type5      | 20       | 7        | 257785.0          | 15                | 2                | 71.0             | 1521.0    | 1567.0    | ---       |
|            |         | Type5      | 20       | 13       | 597974.0          | 15                | 2                | 81.2             | 1160.0    | 1675.0    | ---       |
|            | 5500    | Type5      | 20       | 15       | 212751.0          | 15                | 3                | 94.9             | 1450.0    | 1206.0    | 1860.0    |
|            |         | Type5      | 20       | 5        | 642324.0          | 15                | 2                | 79.2             | 1574.0    | 1600.0    | ---       |
|            |         | Type5      | 20       | 4        | 462536.0          | 15                | 1                | 50.7             | 1003.0    | ---       | ---       |
|            |         | Type5      | 20       | 3        | 279914.0          | 15                | 2                | 83.1             | 1809.0    | 1772.0    | ---       |
|            |         | Type5      | 20       | 0        | 483470.0          | 15                | 2                | 74.7             | 1619.0    | 1611.0    | ---       |
|            |         | Type5      | 20       | 1        | 666072.0          | 15                | 1                | 57.1             | 1560.0    | ---       | ---       |
|            |         | Type5      | 20       | 6        | 76831.0           | 15                | 1                | 58.7             | 1186.0    | ---       | ---       |
|            |         | Type5      | 20       | 2        | 98810.0           | 15                | 3                | 91.9             | 1392.0    | 1475.0    | 1276.0    |
|            |         | Type5      | 20       | 7        | 257785.0          | 15                | 2                | 71.0             | 1521.0    | 1567.0    | ---       |
|            |         | Type5      | 20       | 8        | 438554.0          | 15                | 2                | 79.0             | 1777.0    | 1960.0    | ---       |
|            |         | Type5      | 20       | 9        | 620397.0          | 15                | 2                | 68.5             | 1284.0    | 1428.0    | ---       |
|            |         | Type5      | 20       | 10       | 54310.0           | 15                | 2                | 73.5             | 1904.0    | 1352.0    | ---       |
| 11AX40MIMO | 5270    | Type5      | 20       | 11       | 235506.0          | 15                | 2                | 70.5             | 1864.0    | 1115.0    | ---       |
|            |         | Type5      | 20       | 12       | 417036.0          | 15                | 2                | 76.6             | 1045.0    | 1300.0    | ---       |
|            |         | Type5      | 20       | 13       | 597974.0          | 15                | 2                | 81.2             | 1160.0    | 1675.0    | ---       |
|            |         | Type5      | 20       | 14       | 32086.0           | 15                | 1                | 61.8             | 1277.0    | ---       | ---       |
|            |         | Type5      | 20       | 12       | 417036.0          | 15                | 2                | 76.6             | 1045.0    | 1300.0    | ---       |
|            |         | Type5      | 20       | 11       | 235506.0          | 15                | 2                | 70.5             | 1864.0    | 1115.0    | ---       |
|            |         | Type5      | 20       | 15       | 212751.0          | 15                | 3                | 94.9             | 1450.0    | 1206.0    | 1860.0    |
|            |         | Type5      | 20       | 8        | 438554.0          | 15                | 2                | 79.0             | 1777.0    | 1960.0    | ---       |
|            |         | Type5      | 20       | 10       | 54310.0           | 15                | 2                | 73.5             | 1904.0    | 1352.0    | ---       |
|            |         | Type5      | 20       | 9        | 620397.0          | 15                | 2                | 68.5             | 1284.0    | 1428.0    | ---       |
|            |         | Type5      | 20       | 5        | 642324.0          | 15                | 2                | 79.2             | 1574.0    | 1600.0    | ---       |
|            |         | Type5      | 20       | 7        | 257785.0          | 15                | 2                | 71.0             | 1521.0    | 1567.0    | ---       |
|            |         | Type5      | 20       | 4        | 462536.0          | 15                | 1                | 50.7             | 1003.0    | ---       | ---       |
|            |         | Type5      | 20       | 3        | 279914.0          | 15                | 2                | 83.1             | 1809.0    | 1772.0    | ---       |
|            |         | Type5      | 20       | 2        | 98810.0           | 15                | 3                | 91.9             | 1392.0    | 1475.0    | 1276.0    |
|            |         | Type5      | 20       | 6        | 76831.0           | 15                | 1                | 58.7             | 1186.0    | ---       | ---       |
|            | 5510    | Type5      | 20       | 7        | 257785.0          | 15                | 2                | 71.0             | 1521.0    | 1567.0    | ---       |
|            |         | Type5      | 20       | 13       | 597974.0          | 15                | 2                | 81.2             | 1160.0    | 1675.0    | ---       |
|            |         | Type5      | 20       | 12       | 417036.0          | 15                | 2                | 76.6             | 1045.0    | 1300.0    | ---       |
|            |         | Type5      | 20       | 11       | 235506.0          | 15                | 2                | 70.5             | 1864.0    | 1115.0    | ---       |
|            |         | Type5      | 20       | 10       | 54310.0           | 15                | 2                | 73.5             | 1904.0    | 1352.0    | ---       |
|            |         | Type5      | 20       | 9        | 620397.0          | 15                | 2                | 68.5             | 1284.0    | 1428.0    | ---       |
|            |         | Type5      | 20       | 8        | 438554.0          | 15                | 2                | 79.0             | 1777.0    | 1960.0    | ---       |
|            |         | Type5      | 20       | 5        | 642324.0          | 15                | 2                | 79.2             | 1574.0    | 1600.0    | ---       |
|            |         | Type5      | 20       | 4        | 462536.0          | 15                | 1                | 50.7             | 1003.0    | ---       | ---       |
|            |         | Type5      | 20       | 3        | 279914.0          | 15                | 2                | 83.1             | 1809.0    | 1772.0    | ---       |
|            |         | Type5      | 20       | 2        | 98810.0           | 15                | 3                | 91.9             | 1392.0    | 1475.0    | 1276.0    |
|            |         | Type5      | 20       | 1        | 666072.0          | 15                | 1                | 57.1             | 1560.0    | ---       | ---       |

|             |      |       |    |    |          |    |   |      |        |        |        |
|-------------|------|-------|----|----|----------|----|---|------|--------|--------|--------|
|             |      | Type5 | 20 | 13 | 597974.0 | 15 | 2 | 81.2 | 1160.0 | 1675.0 | ---    |
|             |      | Type5 | 20 | 0  | 483470.0 | 15 | 2 | 74.7 | 1619.0 | 1611.0 | ---    |
|             |      | Type5 | 20 | 9  | 620397.0 | 15 | 2 | 68.5 | 1284.0 | 1428.0 | ---    |
|             |      | Type5 | 20 | 8  | 438554.0 | 15 | 2 | 79.0 | 1777.0 | 1960.0 | ---    |
|             |      | Type5 | 20 | 7  | 257785.0 | 15 | 2 | 71.0 | 1521.0 | 1567.0 | ---    |
|             |      | Type5 | 20 | 6  | 76831.0  | 15 | 1 | 58.7 | 1186.0 | ---    | ---    |
|             |      | Type5 | 20 | 5  | 642324.0 | 15 | 2 | 79.2 | 1574.0 | 1600.0 | ---    |
|             |      | Type5 | 20 | 4  | 462536.0 | 15 | 1 | 50.7 | 1003.0 | ---    | ---    |
|             |      | Type5 | 20 | 3  | 279914.0 | 15 | 2 | 83.1 | 1809.0 | 1772.0 | ---    |
|             |      | Type5 | 20 | 2  | 98810.0  | 15 | 3 | 91.9 | 1392.0 | 1475.0 | 1276.0 |
|             |      | Type5 | 20 | 1  | 666072.0 | 15 | 1 | 57.1 | 1560.0 | ---    | ---    |
|             |      | Type5 | 20 | 0  | 483470.0 | 15 | 2 | 74.7 | 1619.0 | 1611.0 | ---    |
| 11AX80MIMO  | 5290 | Type5 | 20 | 1  | 666072.0 | 15 | 1 | 57.1 | 1560.0 | ---    | ---    |
|             |      | Type5 | 20 | 0  | 483470.0 | 15 | 2 | 74.7 | 1619.0 | 1611.0 | ---    |
|             |      | Type5 | 20 | 1  | 666072.0 | 15 | 1 | 57.1 | 1560.0 | ---    | ---    |
|             |      | Type5 | 20 | 2  | 98810.0  | 15 | 3 | 91.9 | 1392.0 | 1475.0 | 1276.0 |
|             |      | Type5 | 20 | 3  | 279914.0 | 15 | 2 | 83.1 | 1809.0 | 1772.0 | ---    |
|             |      | Type5 | 20 | 4  | 462536.0 | 15 | 1 | 50.7 | 1003.0 | ---    | ---    |
|             |      | Type5 | 20 | 5  | 642324.0 | 15 | 2 | 79.2 | 1574.0 | 1600.0 | ---    |
|             |      | Type5 | 20 | 6  | 76831.0  | 15 | 1 | 58.7 | 1186.0 | ---    | ---    |
|             |      | Type5 | 20 | 7  | 257785.0 | 15 | 2 | 71.0 | 1521.0 | 1567.0 | ---    |
|             |      | Type5 | 20 | 14 | 32086.0  | 15 | 1 | 61.8 | 1277.0 | ---    | ---    |
|             |      | Type5 | 20 | 8  | 438554.0 | 15 | 2 | 79.0 | 1777.0 | 1960.0 | ---    |
|             |      | Type5 | 20 | 15 | 212751.0 | 15 | 3 | 94.9 | 1450.0 | 1206.0 | 1860.0 |
|             | 5530 | Type5 | 20 | 13 | 597974.0 | 15 | 2 | 81.2 | 1160.0 | 1675.0 | ---    |
|             |      | Type5 | 20 | 12 | 417036.0 | 15 | 2 | 76.6 | 1045.0 | 1300.0 | ---    |
|             |      | Type5 | 20 | 11 | 235506.0 | 15 | 2 | 70.5 | 1864.0 | 1115.0 | ---    |
|             |      | Type5 | 20 | 10 | 54310.0  | 15 | 2 | 73.5 | 1904.0 | 1352.0 | ---    |
|             |      | Type5 | 20 | 9  | 620397.0 | 15 | 2 | 68.5 | 1284.0 | 1428.0 | ---    |
|             |      | Type5 | 20 | 7  | 257785.0 | 15 | 2 | 71.0 | 1521.0 | 1567.0 | ---    |
|             |      | Type5 | 20 | 8  | 438554.0 | 15 | 2 | 79.0 | 1777.0 | 1960.0 | ---    |
|             |      | Type5 | 20 | 14 | 32086.0  | 15 | 1 | 61.8 | 1277.0 | ---    | ---    |
|             |      | Type5 | 20 | 13 | 597974.0 | 15 | 2 | 81.2 | 1160.0 | 1675.0 | ---    |
|             |      | Type5 | 20 | 12 | 417036.0 | 15 | 2 | 76.6 | 1045.0 | 1300.0 | ---    |
|             |      | Type5 | 20 | 11 | 235506.0 | 15 | 2 | 70.5 | 1864.0 | 1115.0 | ---    |
|             |      | Type5 | 20 | 10 | 54310.0  | 15 | 2 | 73.5 | 1904.0 | 1352.0 | ---    |
|             |      | Type5 | 20 | 15 | 212751.0 | 15 | 3 | 94.9 | 1450.0 | 1206.0 | 1860.0 |
|             |      | Type5 | 20 | 1  | 666072.0 | 15 | 1 | 57.1 | 1560.0 | ---    | ---    |
|             |      | Type5 | 20 | 6  | 76831.0  | 15 | 1 | 58.7 | 1186.0 | ---    | ---    |
|             |      | Type5 | 20 | 5  | 642324.0 | 15 | 2 | 79.2 | 1574.0 | 1600.0 | ---    |
|             |      | Type5 | 20 | 4  | 462536.0 | 15 | 1 | 50.7 | 1003.0 | ---    | ---    |
|             |      | Type5 | 20 | 3  | 279914.0 | 15 | 2 | 83.1 | 1809.0 | 1772.0 | ---    |
|             |      | Type5 | 20 | 2  | 98810.0  | 15 | 3 | 91.9 | 1392.0 | 1475.0 | 1276.0 |
|             |      | Type5 | 20 | 9  | 620397.0 | 15 | 2 | 68.5 | 1284.0 | 1428.0 | ---    |
|             |      | Type5 | 20 | 0  | 483470.0 | 15 | 2 | 74.7 | 1619.0 | 1611.0 | ---    |
| 11AX160MIMO | 5250 | Type5 | 20 | 5  | 642324.0 | 15 | 2 | 79.2 | 1574.0 | 1600.0 | ---    |
|             |      | Type5 | 20 | 0  | 483470.0 | 15 | 2 | 74.7 | 1619.0 | 1611.0 | ---    |
|             |      | Type5 | 20 | 4  | 462536.0 | 15 | 1 | 50.7 | 1003.0 | ---    | ---    |
|             |      | Type5 | 20 | 3  | 279914.0 | 15 | 2 | 83.1 | 1809.0 | 1772.0 | ---    |
|             |      | Type5 | 20 | 1  | 666072.0 | 15 | 1 | 57.1 | 1560.0 | ---    | ---    |
|             |      | Type5 | 20 | 12 | 417036.0 | 15 | 2 | 76.6 | 1045.0 | 1300.0 | ---    |
|             |      | Type5 | 20 | 6  | 76831.0  | 15 | 1 | 58.7 | 1186.0 | ---    | ---    |
|             |      | Type5 | 20 | 2  | 98810.0  | 15 | 3 | 91.9 | 1392.0 | 1475.0 | 1276.0 |
|             |      | Type5 | 20 | 8  | 438554.0 | 15 | 2 | 79.0 | 1777.0 | 1960.0 | ---    |
|             |      | Type5 | 20 | 9  | 620397.0 | 15 | 2 | 68.5 | 1284.0 | 1428.0 | ---    |
|             |      | Type5 | 20 | 11 | 235506.0 | 15 | 2 | 70.5 | 1864.0 | 1115.0 | ---    |
|             |      | Type5 | 20 | 13 | 597974.0 | 15 | 2 | 81.2 | 1160.0 | 1675.0 | ---    |
|             |      | Type5 | 20 | 14 | 32086.0  | 15 | 1 | 61.8 | 1277.0 | ---    | ---    |
|             |      | Type5 | 20 | 15 | 212751.0 | 15 | 3 | 94.9 | 1450.0 | 1206.0 | 1860.0 |
|             |      | Type5 | 20 | 10 | 54310.0  | 15 | 2 | 73.5 | 1904.0 | 1352.0 | ---    |

|  |      |       |    |    |          |    |   |      |        |        |        |
|--|------|-------|----|----|----------|----|---|------|--------|--------|--------|
|  | 5570 | Type5 | 20 | 7  | 257785.0 | 15 | 2 | 71.0 | 1521.0 | 1567.0 | ---    |
|  |      | Type5 | 20 | 14 | 32086.0  | 15 | 1 | 61.8 | 1277.0 | ---    | ---    |
|  |      | Type5 | 20 | 9  | 620397.0 | 15 | 2 | 68.5 | 1284.0 | 1428.0 | ---    |
|  |      | Type5 | 20 | 10 | 54310.0  | 15 | 2 | 73.5 | 1904.0 | 1352.0 | ---    |
|  |      | Type5 | 20 | 11 | 235506.0 | 15 | 2 | 70.5 | 1864.0 | 1115.0 | ---    |
|  |      | Type5 | 20 | 8  | 438554.0 | 15 | 2 | 79.0 | 1777.0 | 1960.0 | ---    |
|  |      | Type5 | 20 | 13 | 597974.0 | 15 | 2 | 81.2 | 1160.0 | 1675.0 | ---    |
|  |      | Type5 | 20 | 3  | 279914.0 | 15 | 2 | 83.1 | 1809.0 | 1772.0 | ---    |
|  |      | Type5 | 20 | 12 | 417036.0 | 15 | 2 | 76.6 | 1045.0 | 1300.0 | ---    |
|  |      | Type5 | 20 | 7  | 257785.0 | 15 | 2 | 71.0 | 1521.0 | 1567.0 | ---    |
|  |      | Type5 | 20 | 6  | 76831.0  | 15 | 1 | 58.7 | 1186.0 | ---    | ---    |
|  |      | Type5 | 20 | 4  | 462536.0 | 15 | 1 | 50.7 | 1003.0 | ---    | ---    |
|  |      | Type5 | 20 | 2  | 98810.0  | 15 | 3 | 91.9 | 1392.0 | 1475.0 | 1276.0 |
|  |      | Type5 | 20 | 1  | 666072.0 | 15 | 1 | 57.1 | 1560.0 | ---    | ---    |
|  |      | Type5 | 20 | 0  | 483470.0 | 15 | 2 | 74.7 | 1619.0 | 1611.0 | ---    |
|  |      | Type5 | 20 | 15 | 212751.0 | 15 | 3 | 94.9 | 1450.0 | 1206.0 | 1860.0 |
|  |      | Type5 | 20 | 5  | 642324.0 | 15 | 2 | 79.2 | 1574.0 | 1600.0 | ---    |

| Test Mode  | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO | 5260    | Type5      | 21       | 8        | 467279.0          | 9                 | 1                | 53.4             | 1901.0    | ---       | ---       |
|            |         | Type5      | 21       | 0        | 526149.0          | 9                 | 2                | 78.5             | 1653.0    | 1698.0    | ---       |
|            |         | Type5      | 21       | 9        | 709720.0          | 9                 | 1                | 59.9             | 1379.0    | ---       | ---       |
|            |         | Type5      | 21       | 11       | 194839.0          | 9                 | 3                | 91.4             | 1768.0    | 1726.0    | 1227.0    |
|            |         | Type5      | 21       | 7        | 225249.0          | 9                 | 1                | 61.6             | 1724.0    | ---       | ---       |
|            |         | Type5      | 21       | 6        | 980872.0          | 9                 | 2                | 80.9             | 1220.0    | 1053.0    | ---       |
|            |         | Type5      | 21       | 5        | 739728.0          | 9                 | 1                | 53.6             | 1144.0    | ---       | ---       |
|            |         | Type5      | 21       | 4        | 496588.0          | 9                 | 2                | 76.0             | 1112.0    | 1811.0    | ---       |
|            |         | Type5      | 21       | 3        | 254612.0          | 9                 | 2                | 79.6             | 1633.0    | 1890.0    | ---       |
|            |         | Type5      | 21       | 2        | 12955.0           | 9                 | 1                | 59.4             | 1982.0    | ---       | ---       |
|            |         | Type5      | 21       | 1        | 767135.0          | 9                 | 3                | 89.8             | 1174.0    | 1962.0    | 1167.0    |
|            |         | Type5      | 21       | 10       | 951847.0          | 9                 | 1                | 60.4             | 1453.0    | ---       | ---       |
|            | 5500    | Type5      | 21       | 4        | 496588.0          | 9                 | 2                | 76.0             | 1112.0    | 1811.0    | ---       |
|            |         | Type5      | 21       | 1        | 767135.0          | 9                 | 3                | 89.8             | 1174.0    | 1962.0    | 1167.0    |
|            |         | Type5      | 21       | 0        | 526149.0          | 9                 | 2                | 78.5             | 1653.0    | 1698.0    | ---       |
|            |         | Type5      | 21       | 2        | 12955.0           | 9                 | 1                | 59.4             | 1982.0    | ---       | ---       |
|            |         | Type5      | 21       | 3        | 254612.0          | 9                 | 2                | 79.6             | 1633.0    | 1890.0    | ---       |
|            |         | Type5      | 21       | 11       | 194839.0          | 9                 | 3                | 91.4             | 1768.0    | 1726.0    | 1227.0    |
|            |         | Type5      | 21       | 5        | 739728.0          | 9                 | 1                | 53.6             | 1144.0    | ---       | ---       |
|            |         | Type5      | 21       | 6        | 980872.0          | 9                 | 2                | 80.9             | 1220.0    | 1053.0    | ---       |
|            |         | Type5      | 21       | 7        | 225249.0          | 9                 | 1                | 61.6             | 1724.0    | ---       | ---       |
|            |         | Type5      | 21       | 8        | 467279.0          | 9                 | 1                | 53.4             | 1901.0    | ---       | ---       |
|            |         | Type5      | 21       | 10       | 951847.0          | 9                 | 1                | 60.4             | 1453.0    | ---       | ---       |
|            |         | Type5      | 21       | 9        | 709720.0          | 9                 | 1                | 59.9             | 1379.0    | ---       | ---       |
| 11AX40MIMO | 5270    | Type5      | 21       | 5        | 739728.0          | 9                 | 1                | 53.6             | 1144.0    | ---       | ---       |
|            |         | Type5      | 21       | 11       | 194839.0          | 9                 | 3                | 91.4             | 1768.0    | 1726.0    | 1227.0    |
|            |         | Type5      | 21       | 10       | 951847.0          | 9                 | 1                | 60.4             | 1453.0    | ---       | ---       |
|            |         | Type5      | 21       | 9        | 709720.0          | 9                 | 1                | 59.9             | 1379.0    | ---       | ---       |
|            |         | Type5      | 21       | 8        | 467279.0          | 9                 | 1                | 53.4             | 1901.0    | ---       | ---       |
|            |         | Type5      | 21       | 6        | 980872.0          | 9                 | 2                | 80.9             | 1220.0    | 1053.0    | ---       |
|            |         | Type5      | 21       | 4        | 496588.0          | 9                 | 2                | 76.0             | 1112.0    | 1811.0    | ---       |
|            |         | Type5      | 21       | 3        | 254612.0          | 9                 | 2                | 79.6             | 1633.0    | 1890.0    | ---       |
|            |         | Type5      | 21       | 2        | 12955.0           | 9                 | 1                | 59.4             | 1982.0    | ---       | ---       |
|            |         | Type5      | 21       | 1        | 767135.0          | 9                 | 3                | 89.8             | 1174.0    | 1962.0    | 1167.0    |
|            |         | Type5      | 21       | 0        | 526149.0          | 9                 | 2                | 78.5             | 1653.0    | 1698.0    | ---       |
|            |         | Type5      | 21       | 7        | 225249.0          | 9                 | 1                | 61.6             | 1724.0    | ---       | ---       |
|            | 5510    | Type5      | 21       | 9        | 709720.0          | 9                 | 1                | 59.9             | 1379.0    | ---       | ---       |
|            |         | Type5      | 21       | 8        | 467279.0          | 9                 | 1                | 53.4             | 1901.0    | ---       | ---       |
|            |         | Type5      | 21       | 11       | 194839.0          | 9                 | 3                | 91.4             | 1768.0    | 1726.0    | 1227.0    |
|            |         | Type5      | 21       | 7        | 225249.0          | 9                 | 1                | 61.6             | 1724.0    | ---       | ---       |
|            |         | Type5      | 21       | 10       | 951847.0          | 9                 | 1                | 60.4             | 1453.0    | ---       | ---       |
|            |         | Type5      | 21       | 0        | 526149.0          | 9                 | 2                | 78.5             | 1653.0    | 1698.0    | ---       |
|            |         | Type5      | 21       | 6        | 980872.0          | 9                 | 2                | 80.9             | 1220.0    | 1053.0    | ---       |
|            |         | Type5      | 21       | 5        | 739728.0          | 9                 | 1                | 53.6             | 1144.0    | ---       | ---       |
|            |         | Type5      | 21       | 4        | 496588.0          | 9                 | 2                | 76.0             | 1112.0    | 1811.0    | ---       |
|            |         | Type5      | 21       | 3        | 254612.0          | 9                 | 2                | 79.6             | 1633.0    | 1890.0    | ---       |
|            |         | Type5      | 21       | 2        | 12955.0           | 9                 | 1                | 59.4             | 1982.0    | ---       | ---       |
|            |         | Type5      | 21       | 1        | 767135.0          | 9                 | 3                | 89.8             | 1174.0    | 1962.0    | 1167.0    |
| 11AX80MIMO | 5290    | Type5      | 21       | 0        | 526149.0          | 9                 | 2                | 78.5             | 1653.0    | 1698.0    | ---       |
|            |         | Type5      | 21       | 1        | 767135.0          | 9                 | 3                | 89.8             | 1174.0    | 1962.0    | 1167.0    |
|            |         | Type5      | 21       | 2        | 12955.0           | 9                 | 1                | 59.4             | 1982.0    | ---       | ---       |
|            |         | Type5      | 21       | 3        | 254612.0          | 9                 | 2                | 79.6             | 1633.0    | 1890.0    | ---       |
|            |         | Type5      | 21       | 4        | 496588.0          | 9                 | 2                | 76.0             | 1112.0    | 1811.0    | ---       |

|             |      |       |    |    |          |   |   |      |        |        |        |
|-------------|------|-------|----|----|----------|---|---|------|--------|--------|--------|
| 11AX160MIMO |      | Type5 | 21 | 5  | 739728.0 | 9 | 1 | 53.6 | 1144.0 | ---    | ---    |
|             |      | Type5 | 21 | 7  | 225249.0 | 9 | 1 | 61.6 | 1724.0 | ---    | ---    |
|             |      | Type5 | 21 | 8  | 467279.0 | 9 | 1 | 53.4 | 1901.0 | ---    | ---    |
|             |      | Type5 | 21 | 9  | 709720.0 | 9 | 1 | 59.9 | 1379.0 | ---    | ---    |
|             |      | Type5 | 21 | 11 | 194839.0 | 9 | 3 | 91.4 | 1768.0 | 1726.0 | 1227.0 |
|             |      | Type5 | 21 | 10 | 951847.0 | 9 | 1 | 60.4 | 1453.0 | ---    | ---    |
|             |      | Type5 | 21 | 6  | 980872.0 | 9 | 2 | 80.9 | 1220.0 | 1053.0 | ---    |
|             | 5530 | Type5 | 21 | 5  | 739728.0 | 9 | 1 | 53.6 | 1144.0 | ---    | ---    |
|             |      | Type5 | 21 | 11 | 194839.0 | 9 | 3 | 91.4 | 1768.0 | 1726.0 | 1227.0 |
|             |      | Type5 | 21 | 10 | 951847.0 | 9 | 1 | 60.4 | 1453.0 | ---    | ---    |
|             |      | Type5 | 21 | 9  | 709720.0 | 9 | 1 | 59.9 | 1379.0 | ---    | ---    |
|             |      | Type5 | 21 | 8  | 467279.0 | 9 | 1 | 53.4 | 1901.0 | ---    | ---    |
|             |      | Type5 | 21 | 6  | 980872.0 | 9 | 2 | 80.9 | 1220.0 | 1053.0 | ---    |
|             |      | Type5 | 21 | 4  | 496588.0 | 9 | 2 | 76.0 | 1112.0 | 1811.0 | ---    |
|             |      | Type5 | 21 | 3  | 254612.0 | 9 | 2 | 79.6 | 1633.0 | 1890.0 | ---    |
|             |      | Type5 | 21 | 2  | 12955.0  | 9 | 1 | 59.4 | 1982.0 | ---    | ---    |
|             |      | Type5 | 21 | 1  | 767135.0 | 9 | 3 | 89.8 | 1174.0 | 1962.0 | 1167.0 |
|             |      | Type5 | 21 | 0  | 526149.0 | 9 | 2 | 78.5 | 1653.0 | 1698.0 | ---    |
|             |      | Type5 | 21 | 7  | 225249.0 | 9 | 1 | 61.6 | 1724.0 | ---    | ---    |
|             | 5250 | Type5 | 21 | 9  | 709720.0 | 9 | 1 | 59.9 | 1379.0 | ---    | ---    |
|             |      | Type5 | 21 | 4  | 496588.0 | 9 | 2 | 76.0 | 1112.0 | 1811.0 | ---    |
|             |      | Type5 | 21 | 1  | 767135.0 | 9 | 3 | 89.8 | 1174.0 | 1962.0 | 1167.0 |
|             |      | Type5 | 21 | 2  | 12955.0  | 9 | 1 | 59.4 | 1982.0 | ---    | ---    |
|             |      | Type5 | 21 | 3  | 254612.0 | 9 | 2 | 79.6 | 1633.0 | 1890.0 | ---    |
|             |      | Type5 | 21 | 0  | 526149.0 | 9 | 2 | 78.5 | 1653.0 | 1698.0 | ---    |
|             |      | Type5 | 21 | 6  | 980872.0 | 9 | 2 | 80.9 | 1220.0 | 1053.0 | ---    |
|             |      | Type5 | 21 | 8  | 467279.0 | 9 | 1 | 53.4 | 1901.0 | ---    | ---    |
|             |      | Type5 | 21 | 10 | 951847.0 | 9 | 1 | 60.4 | 1453.0 | ---    | ---    |
|             |      | Type5 | 21 | 11 | 194839.0 | 9 | 3 | 91.4 | 1768.0 | 1726.0 | 1227.0 |
|             |      | Type5 | 21 | 5  | 739728.0 | 9 | 1 | 53.6 | 1144.0 | ---    | ---    |
|             |      | Type5 | 21 | 7  | 225249.0 | 9 | 1 | 61.6 | 1724.0 | ---    | ---    |
|             | 5570 | Type5 | 21 | 2  | 12955.0  | 9 | 1 | 59.4 | 1982.0 | ---    | ---    |
|             |      | Type5 | 21 | 10 | 951847.0 | 9 | 1 | 60.4 | 1453.0 | ---    | ---    |
|             |      | Type5 | 21 | 9  | 709720.0 | 9 | 1 | 59.9 | 1379.0 | ---    | ---    |
|             |      | Type5 | 21 | 8  | 467279.0 | 9 | 1 | 53.4 | 1901.0 | ---    | ---    |
|             |      | Type5 | 21 | 7  | 225249.0 | 9 | 1 | 61.6 | 1724.0 | ---    | ---    |
|             |      | Type5 | 21 | 6  | 980872.0 | 9 | 2 | 80.9 | 1220.0 | 1053.0 | ---    |
|             |      | Type5 | 21 | 5  | 739728.0 | 9 | 1 | 53.6 | 1144.0 | ---    | ---    |
|             |      | Type5 | 21 | 3  | 254612.0 | 9 | 2 | 79.6 | 1633.0 | 1890.0 | ---    |
|             |      | Type5 | 21 | 1  | 767135.0 | 9 | 3 | 89.8 | 1174.0 | 1962.0 | 1167.0 |
|             |      | Type5 | 21 | 0  | 526149.0 | 9 | 2 | 78.5 | 1653.0 | 1698.0 | ---    |
|             |      | Type5 | 21 | 11 | 194839.0 | 9 | 3 | 91.4 | 1768.0 | 1726.0 | 1227.0 |
|             |      | Type5 | 21 | 4  | 496588.0 | 9 | 2 | 76.0 | 1112.0 | 1811.0 | ---    |

| Test Mode  | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO | 5260    | Type5      | 22       | 14       | 497515.0          | 20                | 2                | 70.5             | 1684.0    | 1586.0    | ---       |
|            |         | Type5      | 22       | 0        | 261858.0          | 20                | 2                | 77.0             | 1191.0    | 1363.0    | ---       |
|            |         | Type5      | 22       | 18       | 478825.0          | 20                | 3                | 93.2             | 1985.0    | 1018.0    | 1340.0    |
|            |         | Type5      | 22       | 17       | 335330.0          | 20                | 2                | 76.1             | 1557.0    | 1057.0    | ---       |
|            |         | Type5      | 22       | 15       | 45553.0           | 20                | 2                | 70.0             | 1042.0    | 1664.0    | ---       |
|            |         | Type5      | 22       | 19       | 27594.0           | 20                | 3                | 96.8             | 1760.0    | 1614.0    | 1817.0    |
|            |         | Type5      | 22       | 13       | 353638.0          | 20                | 1                | 57.3             | 1834.0    | ---       | ---       |
|            |         | Type5      | 22       | 12       | 207510.0          | 20                | 3                | 92.0             | 1745.0    | 1654.0    | 1458.0    |
|            |         | Type5      | 22       | 11       | 63561.0           | 20                | 1                | 53.5             | 1162.0    | ---       | ---       |
|            |         | Type5      | 22       | 10       | 514197.0          | 20                | 3                | 95.9             | 1659.0    | 1870.0    | 1066.0    |
|            |         | Type5      | 22       | 1        | 407646.0          | 20                | 1                | 58.1             | 1248.0    | ---       | ---       |
|            |         | Type5      | 22       | 8        | 225245.0          | 20                | 3                | 98.5             | 1839.0    | 1746.0    | 1389.0    |
|            |         | Type5      | 22       | 7        | 81159.0           | 20                | 2                | 72.9             | 1922.0    | 1387.0    | ---       |
|            |         | Type5      | 22       | 6        | 531093.0          | 20                | 3                | 88.6             | 1693.0    | 1995.0    | 1905.0    |
|            |         | Type5      | 22       | 5        | 389464.0          | 20                | 1                | 52.0             | 1701.0    | ---       | ---       |
|            |         | Type5      | 22       | 4        | 243514.0          | 20                | 2                | 80.0             | 1914.0    | 1852.0    | ---       |
|            |         | Type5      | 22       | 3        | 99107.0           | 20                | 2                | 76.9             | 1334.0    | 1236.0    | ---       |
|            |         | Type5      | 22       | 2        | 552319.0          | 20                | 1                | 62.1             | 1836.0    | ---       | ---       |
|            |         | Type5      | 22       | 9        | 371906.0          | 20                | 1                | 57.9             | 1193.0    | ---       | ---       |
|            |         | Type5      | 22       | 16       | 189821.0          | 20                | 3                | 84.0             | 1765.0    | 1630.0    | 1176.0    |
|            | 5500    | Type5      | 22       | 19       | 27594.0           | 20                | 3                | 96.8             | 1760.0    | 1614.0    | 1817.0    |
|            |         | Type5      | 22       | 7        | 81159.0           | 20                | 2                | 72.9             | 1922.0    | 1387.0    | ---       |
|            |         | Type5      | 22       | 6        | 531093.0          | 20                | 3                | 88.6             | 1693.0    | 1995.0    | 1905.0    |
|            |         | Type5      | 22       | 5        | 389464.0          | 20                | 1                | 52.0             | 1701.0    | ---       | ---       |
|            |         | Type5      | 22       | 4        | 243514.0          | 20                | 2                | 80.0             | 1914.0    | 1852.0    | ---       |
|            |         | Type5      | 22       | 0        | 261858.0          | 20                | 2                | 77.0             | 1191.0    | 1363.0    | ---       |
|            |         | Type5      | 22       | 3        | 99107.0           | 20                | 2                | 76.9             | 1334.0    | 1236.0    | ---       |
|            |         | Type5      | 22       | 1        | 407646.0          | 20                | 1                | 58.1             | 1248.0    | ---       | ---       |
|            |         | Type5      | 22       | 8        | 225245.0          | 20                | 3                | 98.5             | 1839.0    | 1746.0    | 1389.0    |
|            |         | Type5      | 22       | 2        | 552319.0          | 20                | 1                | 62.1             | 1836.0    | ---       | ---       |
|            |         | Type5      | 22       | 9        | 371906.0          | 20                | 1                | 57.9             | 1193.0    | ---       | ---       |
|            |         | Type5      | 22       | 10       | 514197.0          | 20                | 3                | 95.9             | 1659.0    | 1870.0    | 1066.0    |
|            |         | Type5      | 22       | 11       | 63561.0           | 20                | 1                | 53.5             | 1162.0    | ---       | ---       |
|            |         | Type5      | 22       | 12       | 207510.0          | 20                | 3                | 92.0             | 1745.0    | 1654.0    | 1458.0    |
|            |         | Type5      | 22       | 13       | 353638.0          | 20                | 1                | 57.3             | 1834.0    | ---       | ---       |
|            |         | Type5      | 22       | 14       | 497515.0          | 20                | 2                | 70.5             | 1684.0    | 1586.0    | ---       |
|            |         | Type5      | 22       | 15       | 45553.0           | 20                | 2                | 70.0             | 1042.0    | 1664.0    | ---       |
|            |         | Type5      | 22       | 16       | 189821.0          | 20                | 3                | 84.0             | 1765.0    | 1630.0    | 1176.0    |
|            |         | Type5      | 22       | 18       | 478825.0          | 20                | 3                | 93.2             | 1985.0    | 1018.0    | 1340.0    |
|            |         | Type5      | 22       | 17       | 335330.0          | 20                | 2                | 76.1             | 1557.0    | 1057.0    | ---       |
| 11AX40MIMO | 5270    | Type5      | 22       | 9        | 371906.0          | 20                | 1                | 57.9             | 1193.0    | ---       | ---       |
|            |         | Type5      | 22       | 8        | 225245.0          | 20                | 3                | 98.5             | 1839.0    | 1746.0    | 1389.0    |
|            |         | Type5      | 22       | 0        | 261858.0          | 20                | 2                | 77.0             | 1191.0    | 1363.0    | ---       |
|            |         | Type5      | 22       | 1        | 407646.0          | 20                | 1                | 58.1             | 1248.0    | ---       | ---       |
|            |         | Type5      | 22       | 2        | 552319.0          | 20                | 1                | 62.1             | 1836.0    | ---       | ---       |
|            |         | Type5      | 22       | 3        | 99107.0           | 20                | 2                | 76.9             | 1334.0    | 1236.0    | ---       |
|            |         | Type5      | 22       | 4        | 243514.0          | 20                | 2                | 80.0             | 1914.0    | 1852.0    | ---       |
|            |         | Type5      | 22       | 5        | 389464.0          | 20                | 1                | 52.0             | 1701.0    | ---       | ---       |
|            |         | Type5      | 22       | 6        | 531093.0          | 20                | 3                | 88.6             | 1693.0    | 1995.0    | 1905.0    |
|            |         | Type5      | 22       | 11       | 63561.0           | 20                | 1                | 53.5             | 1162.0    | ---       | ---       |
|            |         | Type5      | 22       | 7        | 81159.0           | 20                | 2                | 72.9             | 1922.0    | 1387.0    | ---       |
|            |         | Type5      | 22       | 19       | 27594.0           | 20                | 3                | 96.8             | 1760.0    | 1614.0    | 1817.0    |
|            |         | Type5      | 22       | 10       | 514197.0          | 20                | 3                | 95.9             | 1659.0    | 1870.0    | 1066.0    |

|            |      |       |    |    |          |    |   |      |        |        |        |
|------------|------|-------|----|----|----------|----|---|------|--------|--------|--------|
| 11AX80MIMO | 5510 | Type5 | 22 | 12 | 207510.0 | 20 | 3 | 92.0 | 1745.0 | 1654.0 | 1458.0 |
|            |      | Type5 | 22 | 13 | 353638.0 | 20 | 1 | 57.3 | 1834.0 | ---    | ---    |
|            |      | Type5 | 22 | 14 | 497515.0 | 20 | 2 | 70.5 | 1684.0 | 1586.0 | ---    |
|            |      | Type5 | 22 | 15 | 45553.0  | 20 | 2 | 70.0 | 1042.0 | 1664.0 | ---    |
|            |      | Type5 | 22 | 16 | 189821.0 | 20 | 3 | 84.0 | 1765.0 | 1630.0 | 1176.0 |
|            |      | Type5 | 22 | 17 | 335330.0 | 20 | 2 | 76.1 | 1557.0 | 1057.0 | ---    |
|            |      | Type5 | 22 | 18 | 478825.0 | 20 | 3 | 93.2 | 1985.0 | 1018.0 | 1340.0 |
|            | 5290 | Type5 | 22 | 15 | 45553.0  | 20 | 2 | 70.0 | 1042.0 | 1664.0 | ---    |
|            |      | Type5 | 22 | 14 | 497515.0 | 20 | 2 | 70.5 | 1684.0 | 1586.0 | ---    |
|            |      | Type5 | 22 | 19 | 27594.0  | 20 | 3 | 96.8 | 1760.0 | 1614.0 | 1817.0 |
|            |      | Type5 | 22 | 18 | 478825.0 | 20 | 3 | 93.2 | 1985.0 | 1018.0 | 1340.0 |
|            |      | Type5 | 22 | 17 | 335330.0 | 20 | 2 | 76.1 | 1557.0 | 1057.0 | ---    |
|            |      | Type5 | 22 | 13 | 353638.0 | 20 | 1 | 57.3 | 1834.0 | ---    | ---    |
|            |      | Type5 | 22 | 16 | 189821.0 | 20 | 3 | 84.0 | 1765.0 | 1630.0 | 1176.0 |
|            |      | Type5 | 22 | 0  | 261858.0 | 20 | 2 | 77.0 | 1191.0 | 1363.0 | ---    |
|            |      | Type5 | 22 | 12 | 207510.0 | 20 | 3 | 92.0 | 1745.0 | 1654.0 | 1458.0 |
|            |      | Type5 | 22 | 11 | 63561.0  | 20 | 1 | 53.5 | 1162.0 | ---    | ---    |
|            |      | Type5 | 22 | 10 | 514197.0 | 20 | 3 | 95.9 | 1659.0 | 1870.0 | 1066.0 |
|            |      | Type5 | 22 | 1  | 407646.0 | 20 | 1 | 58.1 | 1248.0 | ---    | ---    |
|            |      | Type5 | 22 | 8  | 225245.0 | 20 | 3 | 98.5 | 1839.0 | 1746.0 | 1389.0 |
|            |      | Type5 | 22 | 7  | 81159.0  | 20 | 2 | 72.9 | 1922.0 | 1387.0 | ---    |
|            |      | Type5 | 22 | 6  | 531093.0 | 20 | 3 | 88.6 | 1693.0 | 1995.0 | 1905.0 |
|            |      | Type5 | 22 | 5  | 389464.0 | 20 | 1 | 52.0 | 1701.0 | ---    | ---    |
|            |      | Type5 | 22 | 4  | 243514.0 | 20 | 2 | 80.0 | 1914.0 | 1852.0 | ---    |
|            |      | Type5 | 22 | 3  | 99107.0  | 20 | 2 | 76.9 | 1334.0 | 1236.0 | ---    |
|            |      | Type5 | 22 | 2  | 552319.0 | 20 | 1 | 62.1 | 1836.0 | ---    | ---    |
|            |      | Type5 | 22 | 9  | 371906.0 | 20 | 1 | 57.9 | 1193.0 | ---    | ---    |
|            |      | Type5 | 22 | 8  | 225245.0 | 20 | 3 | 98.5 | 1839.0 | 1746.0 | 1389.0 |
|            |      | Type5 | 22 | 7  | 81159.0  | 20 | 2 | 72.9 | 1922.0 | 1387.0 | ---    |
|            |      | Type5 | 22 | 6  | 531093.0 | 20 | 3 | 88.6 | 1693.0 | 1995.0 | 1905.0 |
|            |      | Type5 | 22 | 5  | 389464.0 | 20 | 1 | 52.0 | 1701.0 | ---    | ---    |
|            |      | Type5 | 22 | 4  | 243514.0 | 20 | 2 | 80.0 | 1914.0 | 1852.0 | ---    |
|            |      | Type5 | 22 | 3  | 99107.0  | 20 | 2 | 76.9 | 1334.0 | 1236.0 | ---    |
|            |      | Type5 | 22 | 2  | 552319.0 | 20 | 1 | 62.1 | 1836.0 | ---    | ---    |
|            |      | Type5 | 22 | 9  | 371906.0 | 20 | 1 | 57.9 | 1193.0 | ---    | ---    |
|            |      | Type5 | 22 | 0  | 261858.0 | 20 | 2 | 77.0 | 1191.0 | 1363.0 | ---    |
|            |      | Type5 | 22 | 1  | 407646.0 | 20 | 1 | 58.1 | 1248.0 | ---    | ---    |
|            |      | Type5 | 22 | 18 | 478825.0 | 20 | 3 | 93.2 | 1985.0 | 1018.0 | 1340.0 |
|            |      | Type5 | 22 | 10 | 514197.0 | 20 | 3 | 95.9 | 1659.0 | 1870.0 | 1066.0 |
|            |      | Type5 | 22 | 19 | 27594.0  | 20 | 3 | 96.8 | 1760.0 | 1614.0 | 1817.0 |
|            |      | Type5 | 22 | 17 | 335330.0 | 20 | 2 | 76.1 | 1557.0 | 1057.0 | ---    |
|            |      | Type5 | 22 | 16 | 189821.0 | 20 | 3 | 84.0 | 1765.0 | 1630.0 | 1176.0 |
|            |      | Type5 | 22 | 15 | 45553.0  | 20 | 2 | 70.0 | 1042.0 | 1664.0 | ---    |
|            |      | Type5 | 22 | 14 | 497515.0 | 20 | 2 | 70.5 | 1684.0 | 1586.0 | ---    |
|            |      | Type5 | 22 | 13 | 353638.0 | 20 | 1 | 57.3 | 1834.0 | ---    | ---    |
|            |      | Type5 | 22 | 12 | 207510.0 | 20 | 3 | 92.0 | 1745.0 | 1654.0 | 1458.0 |
|            |      | Type5 | 22 | 11 | 63561.0  | 20 | 1 | 53.5 | 1162.0 | ---    | ---    |
|            | 5530 | Type5 | 22 | 9  | 371906.0 | 20 | 1 | 57.9 | 1193.0 | ---    | ---    |
|            |      | Type5 | 22 | 10 | 514197.0 | 20 | 3 | 95.9 | 1659.0 | 1870.0 | 1066.0 |
|            |      | Type5 | 22 | 18 | 478825.0 | 20 | 3 | 93.2 | 1985.0 | 1018.0 | 1340.0 |
|            |      | Type5 | 22 | 17 | 335330.0 | 20 | 2 | 76.1 | 1557.0 | 1057.0 | ---    |
|            |      | Type5 | 22 | 16 | 189821.0 | 20 | 3 | 84.0 | 1765.0 | 1630.0 | 1176.0 |
|            |      | Type5 | 22 | 15 | 45553.0  | 20 | 2 | 70.0 | 1042.0 | 1664.0 | ---    |
|            |      | Type5 | 22 | 14 | 497515.0 | 20 | 2 | 70.5 | 1684.0 | 1586.0 | ---    |
|            |      | Type5 | 22 | 13 | 353638.0 | 20 | 1 | 57.3 | 1834.0 | ---    | ---    |
|            |      | Type5 | 22 | 12 | 207510.0 | 20 | 3 | 92.0 | 1745.0 | 1654.0 | 1458.0 |
|            |      | Type5 | 22 | 19 | 27594.0  | 20 | 3 | 96.8 | 1760.0 | 1614.0 | 1817.0 |
|            |      | Type5 | 22 | 1  | 407646.0 | 20 | 1 | 58.1 | 1248.0 | ---    | ---    |

|             |      |       |    |    |          |    |   |      |        |        |        |
|-------------|------|-------|----|----|----------|----|---|------|--------|--------|--------|
|             |      | Type5 | 22 | 8  | 225245.0 | 20 | 3 | 98.5 | 1839.0 | 1746.0 | 1389.0 |
|             |      | Type5 | 22 | 7  | 81159.0  | 20 | 2 | 72.9 | 1922.0 | 1387.0 | ---    |
|             |      | Type5 | 22 | 6  | 531093.0 | 20 | 3 | 88.6 | 1693.0 | 1995.0 | 1905.0 |
|             |      | Type5 | 22 | 5  | 389464.0 | 20 | 1 | 52.0 | 1701.0 | ---    | ---    |
|             |      | Type5 | 22 | 4  | 243514.0 | 20 | 2 | 80.0 | 1914.0 | 1852.0 | ---    |
|             |      | Type5 | 22 | 3  | 99107.0  | 20 | 2 | 76.9 | 1334.0 | 1236.0 | ---    |
|             |      | Type5 | 22 | 2  | 552319.0 | 20 | 1 | 62.1 | 1836.0 | ---    | ---    |
|             |      | Type5 | 22 | 11 | 63561.0  | 20 | 1 | 53.5 | 1162.0 | ---    | ---    |
|             |      | Type5 | 22 | 0  | 261858.0 | 20 | 2 | 77.0 | 1191.0 | 1363.0 | ---    |
|             |      | Type5 | 22 | 7  | 81159.0  | 20 | 2 | 72.9 | 1922.0 | 1387.0 | ---    |
|             |      | Type5 | 22 | 6  | 531093.0 | 20 | 3 | 88.6 | 1693.0 | 1995.0 | 1905.0 |
|             |      | Type5 | 22 | 0  | 261858.0 | 20 | 2 | 77.0 | 1191.0 | 1363.0 | ---    |
|             |      | Type5 | 22 | 5  | 389464.0 | 20 | 1 | 52.0 | 1701.0 | ---    | ---    |
|             |      | Type5 | 22 | 4  | 243514.0 | 20 | 2 | 80.0 | 1914.0 | 1852.0 | ---    |
|             |      | Type5 | 22 | 3  | 99107.0  | 20 | 2 | 76.9 | 1334.0 | 1236.0 | ---    |
|             |      | Type5 | 22 | 1  | 407646.0 | 20 | 1 | 58.1 | 1248.0 | ---    | ---    |
|             |      | Type5 | 22 | 15 | 45553.0  | 20 | 2 | 70.0 | 1042.0 | 1664.0 | ---    |
|             |      | Type5 | 22 | 8  | 225245.0 | 20 | 3 | 98.5 | 1839.0 | 1746.0 | 1389.0 |
|             |      | Type5 | 22 | 2  | 552319.0 | 20 | 1 | 62.1 | 1836.0 | ---    | ---    |
|             |      | Type5 | 22 | 10 | 514197.0 | 20 | 3 | 95.9 | 1659.0 | 1870.0 | 1066.0 |
| 11AX160MIMO | 5250 | Type5 | 22 | 11 | 63561.0  | 20 | 1 | 53.5 | 1162.0 | ---    | ---    |
|             |      | Type5 | 22 | 12 | 207510.0 | 20 | 3 | 92.0 | 1745.0 | 1654.0 | 1458.0 |
|             |      | Type5 | 22 | 14 | 497515.0 | 20 | 2 | 70.5 | 1684.0 | 1586.0 | ---    |
|             |      | Type5 | 22 | 16 | 189821.0 | 20 | 3 | 84.0 | 1765.0 | 1630.0 | 1176.0 |
|             |      | Type5 | 22 | 17 | 335330.0 | 20 | 2 | 76.1 | 1557.0 | 1057.0 | ---    |
|             |      | Type5 | 22 | 18 | 478825.0 | 20 | 3 | 93.2 | 1985.0 | 1018.0 | 1340.0 |
|             |      | Type5 | 22 | 19 | 27594.0  | 20 | 3 | 96.8 | 1760.0 | 1614.0 | 1817.0 |
|             |      | Type5 | 22 | 13 | 353638.0 | 20 | 1 | 57.3 | 1834.0 | ---    | ---    |
|             |      | Type5 | 22 | 9  | 371906.0 | 20 | 1 | 57.9 | 1193.0 | ---    | ---    |
|             |      | Type5 | 22 | 18 | 478825.0 | 20 | 3 | 93.2 | 1985.0 | 1018.0 | 1340.0 |
|             |      | Type5 | 22 | 11 | 63561.0  | 20 | 1 | 53.5 | 1162.0 | ---    | ---    |
|             |      | Type5 | 22 | 12 | 207510.0 | 20 | 3 | 92.0 | 1745.0 | 1654.0 | 1458.0 |
|             |      | Type5 | 22 | 13 | 353638.0 | 20 | 1 | 57.3 | 1834.0 | ---    | ---    |
|             |      | Type5 | 22 | 14 | 497515.0 | 20 | 2 | 70.5 | 1684.0 | 1586.0 | ---    |
|             |      | Type5 | 22 | 15 | 45553.0  | 20 | 2 | 70.0 | 1042.0 | 1664.0 | ---    |
|             |      | Type5 | 22 | 10 | 514197.0 | 20 | 3 | 95.9 | 1659.0 | 1870.0 | 1066.0 |
|             |      | Type5 | 22 | 17 | 335330.0 | 20 | 2 | 76.1 | 1557.0 | 1057.0 | ---    |
|             |      | Type5 | 22 | 4  | 243514.0 | 20 | 2 | 80.0 | 1914.0 | 1852.0 | ---    |
|             |      | Type5 | 22 | 16 | 189821.0 | 20 | 3 | 84.0 | 1765.0 | 1630.0 | 1176.0 |
|             |      | Type5 | 22 | 9  | 371906.0 | 20 | 1 | 57.9 | 1193.0 | ---    | ---    |
|             | 5570 | Type5 | 22 | 8  | 225245.0 | 20 | 3 | 98.5 | 1839.0 | 1746.0 | 1389.0 |
|             |      | Type5 | 22 | 7  | 81159.0  | 20 | 2 | 72.9 | 1922.0 | 1387.0 | ---    |
|             |      | Type5 | 22 | 5  | 389464.0 | 20 | 1 | 52.0 | 1701.0 | ---    | ---    |
|             |      | Type5 | 22 | 3  | 99107.0  | 20 | 2 | 76.9 | 1334.0 | 1236.0 | ---    |
|             |      | Type5 | 22 | 2  | 552319.0 | 20 | 1 | 62.1 | 1836.0 | ---    | ---    |
|             |      | Type5 | 22 | 1  | 407646.0 | 20 | 1 | 58.1 | 1248.0 | ---    | ---    |
|             |      | Type5 | 22 | 0  | 261858.0 | 20 | 2 | 77.0 | 1191.0 | 1363.0 | ---    |
|             |      | Type5 | 22 | 19 | 27594.0  | 20 | 3 | 96.8 | 1760.0 | 1614.0 | 1817.0 |
|             |      | Type5 | 22 | 6  | 531093.0 | 20 | 3 | 88.6 | 1693.0 | 1995.0 | 1905.0 |

| Test Mode  | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO | 5260    | Type5      | 23       | 9        | 403231.0          | 12                | 2                | 80.2             | 1098.0    | 1209.0    | ---       |
|            |         | Type5      | 23       | 0        | 247117.0          | 12                | 1                | 50.1             | 1841.0    | ---       | ---       |
|            |         | Type5      | 23       | 12       | 170267.0          | 12                | 2                | 68.7             | 1377.0    | 1441.0    | ---       |
|            |         | Type5      | 23       | 10       | 610202.0          | 12                | 2                | 79.7             | 1588.0    | 1214.0    | ---       |
|            |         | Type5      | 23       | 13       | 377306.0          | 12                | 2                | 67.4             | 1872.0    | 1313.0    | ---       |
|            |         | Type5      | 23       | 8        | 195585.0          | 12                | 2                | 76.2             | 1940.0    | 1770.0    | ---       |
|            |         | Type5      | 23       | 7        | 843157.0          | 12                | 2                | 71.1             | 1329.0    | 1243.0    | ---       |
|            |         | Type5      | 23       | 6        | 636681.0          | 12                | 1                | 54.4             | 1517.0    | ---       | ---       |
|            |         | Type5      | 23       | 5        | 428367.0          | 12                | 2                | 75.2             | 1572.0    | 1536.0    | ---       |
|            |         | Type5      | 23       | 4        | 220734.0          | 12                | 3                | 86.0             | 1953.0    | 1108.0    | 1987.0    |
|            |         | Type5      | 23       | 3        | 14140.0           | 12                | 1                | 56.3             | 1056.0    | ---       | ---       |
|            |         | Type5      | 23       | 2        | 660875.0          | 12                | 2                | 68.8             | 1707.0    | 1577.0    | ---       |
|            | 5500    | Type5      | 23       | 1        | 453362.0          | 12                | 3                | 93.5             | 1590.0    | 1081.0    | 1413.0    |
|            |         | Type5      | 23       | 11       | 815229.0          | 12                | 3                | 90.9             | 1615.0    | 1862.0    | 1601.0    |
|            |         | Type5      | 23       | 5        | 428367.0          | 12                | 2                | 75.2             | 1572.0    | 1536.0    | ---       |
|            |         | Type5      | 23       | 1        | 453362.0          | 12                | 3                | 93.5             | 1590.0    | 1081.0    | 1413.0    |
|            |         | Type5      | 23       | 0        | 247117.0          | 12                | 1                | 50.1             | 1841.0    | ---       | ---       |
|            |         | Type5      | 23       | 2        | 660875.0          | 12                | 2                | 68.8             | 1707.0    | 1577.0    | ---       |
|            |         | Type5      | 23       | 3        | 14140.0           | 12                | 1                | 56.3             | 1056.0    | ---       | ---       |
|            |         | Type5      | 23       | 4        | 220734.0          | 12                | 3                | 86.0             | 1953.0    | 1108.0    | 1987.0    |
|            |         | Type5      | 23       | 13       | 377306.0          | 12                | 2                | 67.4             | 1872.0    | 1313.0    | ---       |
|            |         | Type5      | 23       | 6        | 636681.0          | 12                | 1                | 54.4             | 1517.0    | ---       | ---       |
|            |         | Type5      | 23       | 7        | 843157.0          | 12                | 2                | 71.1             | 1329.0    | 1243.0    | ---       |
|            |         | Type5      | 23       | 8        | 195585.0          | 12                | 2                | 76.2             | 1940.0    | 1770.0    | ---       |
| 11AX40MIMO | 5270    | Type5      | 23       | 9        | 403231.0          | 12                | 2                | 80.2             | 1098.0    | 1209.0    | ---       |
|            |         | Type5      | 23       | 10       | 610202.0          | 12                | 2                | 79.7             | 1588.0    | 1214.0    | ---       |
|            |         | Type5      | 23       | 12       | 170267.0          | 12                | 2                | 68.7             | 1377.0    | 1441.0    | ---       |
|            |         | Type5      | 23       | 11       | 815229.0          | 12                | 3                | 90.9             | 1615.0    | 1862.0    | 1601.0    |
|            |         | Type5      | 23       | 6        | 636681.0          | 12                | 1                | 54.4             | 1517.0    | ---       | ---       |
|            |         | Type5      | 23       | 13       | 377306.0          | 12                | 2                | 67.4             | 1872.0    | 1313.0    | ---       |
|            |         | Type5      | 23       | 12       | 170267.0          | 12                | 2                | 68.7             | 1377.0    | 1441.0    | ---       |
|            |         | Type5      | 23       | 11       | 815229.0          | 12                | 3                | 90.9             | 1615.0    | 1862.0    | 1601.0    |
|            |         | Type5      | 23       | 10       | 610202.0          | 12                | 2                | 79.7             | 1588.0    | 1214.0    | ---       |
|            |         | Type5      | 23       | 9        | 403231.0          | 12                | 2                | 80.2             | 1098.0    | 1209.0    | ---       |
|            |         | Type5      | 23       | 7        | 843157.0          | 12                | 2                | 71.1             | 1329.0    | 1243.0    | ---       |
|            |         | Type5      | 23       | 5        | 428367.0          | 12                | 2                | 75.2             | 1572.0    | 1536.0    | ---       |
|            | 5510    | Type5      | 23       | 4        | 220734.0          | 12                | 3                | 86.0             | 1953.0    | 1108.0    | 1987.0    |
|            |         | Type5      | 23       | 3        | 14140.0           | 12                | 1                | 56.3             | 1056.0    | ---       | ---       |
|            |         | Type5      | 23       | 2        | 660875.0          | 12                | 2                | 68.8             | 1707.0    | 1577.0    | ---       |
|            |         | Type5      | 23       | 1        | 453362.0          | 12                | 3                | 93.5             | 1590.0    | 1081.0    | 1413.0    |
|            |         | Type5      | 23       | 0        | 247117.0          | 12                | 1                | 50.1             | 1841.0    | ---       | ---       |
|            |         | Type5      | 23       | 8        | 195585.0          | 12                | 2                | 76.2             | 1940.0    | 1770.0    | ---       |
|            |         | Type5      | 23       | 11       | 815229.0          | 12                | 3                | 90.9             | 1615.0    | 1862.0    | 1601.0    |
|            |         | Type5      | 23       | 10       | 610202.0          | 12                | 2                | 79.7             | 1588.0    | 1214.0    | ---       |
|            |         | Type5      | 23       | 13       | 377306.0          | 12                | 2                | 67.4             | 1872.0    | 1313.0    | ---       |
|            |         | Type5      | 23       | 9        | 403231.0          | 12                | 2                | 80.2             | 1098.0    | 1209.0    | ---       |
|            |         | Type5      | 23       | 12       | 170267.0          | 12                | 2                | 68.7             | 1377.0    | 1441.0    | ---       |
|            |         | Type5      | 23       | 0        | 247117.0          | 12                | 1                | 50.1             | 1841.0    | ---       | ---       |
|            |         | Type5      | 23       | 8        | 195585.0          | 12                | 2                | 76.2             | 1940.0    | 1770.0    | ---       |
|            |         | Type5      | 23       | 7        | 843157.0          | 12                | 2                | 71.1             | 1329.0    | 1243.0    | ---       |
|            |         | Type5      | 23       | 6        | 636681.0          | 12                | 1                | 54.4             | 1517.0    | ---       | ---       |
|            |         | Type5      | 23       | 5        | 428367.0          | 12                | 2                | 75.2             | 1572.0    | 1536.0    | ---       |
|            |         | Type5      | 23       | 4        | 220734.0          | 12                | 3                | 86.0             | 1953.0    | 1108.0    | 1987.0    |
|            |         | Type5      | 23       | 3        | 14140.0           | 12                | 1                | 56.3             | 1056.0    | ---       | ---       |

|             |      |       |    |    |          |    |   |      |        |        |        |
|-------------|------|-------|----|----|----------|----|---|------|--------|--------|--------|
| 11AX80MIMO  | 5290 | Type5 | 23 | 2  | 660875.0 | 12 | 2 | 68.8 | 1707.0 | 1577.0 | ---    |
|             |      | Type5 | 23 | 1  | 453362.0 | 12 | 3 | 93.5 | 1590.0 | 1081.0 | 1413.0 |
|             |      | Type5 | 23 | 0  | 247117.0 | 12 | 1 | 50.1 | 1841.0 | ---    | ---    |
|             |      | Type5 | 23 | 1  | 453362.0 | 12 | 3 | 93.5 | 1590.0 | 1081.0 | 1413.0 |
|             |      | Type5 | 23 | 2  | 660875.0 | 12 | 2 | 68.8 | 1707.0 | 1577.0 | ---    |
|             |      | Type5 | 23 | 3  | 14140.0  | 12 | 1 | 56.3 | 1056.0 | ---    | ---    |
|             |      | Type5 | 23 | 4  | 220734.0 | 12 | 3 | 86.0 | 1953.0 | 1108.0 | 1987.0 |
|             |      | Type5 | 23 | 5  | 428367.0 | 12 | 2 | 75.2 | 1572.0 | 1536.0 | ---    |
|             |      | Type5 | 23 | 6  | 636681.0 | 12 | 1 | 54.4 | 1517.0 | ---    | ---    |
|             |      | Type5 | 23 | 8  | 195585.0 | 12 | 2 | 76.2 | 1940.0 | 1770.0 | ---    |
|             |      | Type5 | 23 | 9  | 403231.0 | 12 | 2 | 80.2 | 1098.0 | 1209.0 | ---    |
|             |      | Type5 | 23 | 10 | 610202.0 | 12 | 2 | 79.7 | 1588.0 | 1214.0 | ---    |
|             |      | Type5 | 23 | 11 | 815229.0 | 12 | 3 | 90.9 | 1615.0 | 1862.0 | 1601.0 |
|             |      | Type5 | 23 | 13 | 377306.0 | 12 | 2 | 67.4 | 1872.0 | 1313.0 | ---    |
|             |      | Type5 | 23 | 12 | 170267.0 | 12 | 2 | 68.7 | 1377.0 | 1441.0 | ---    |
|             | 5530 | Type5 | 23 | 7  | 843157.0 | 12 | 2 | 71.1 | 1329.0 | 1243.0 | ---    |
|             |      | Type5 | 23 | 6  | 636681.0 | 12 | 1 | 54.4 | 1517.0 | ---    | ---    |
|             |      | Type5 | 23 | 13 | 377306.0 | 12 | 2 | 67.4 | 1872.0 | 1313.0 | ---    |
|             |      | Type5 | 23 | 12 | 170267.0 | 12 | 2 | 68.7 | 1377.0 | 1441.0 | ---    |
|             |      | Type5 | 23 | 11 | 815229.0 | 12 | 3 | 90.9 | 1615.0 | 1862.0 | 1601.0 |
|             |      | Type5 | 23 | 10 | 610202.0 | 12 | 2 | 79.7 | 1588.0 | 1214.0 | ---    |
|             |      | Type5 | 23 | 9  | 403231.0 | 12 | 2 | 80.2 | 1098.0 | 1209.0 | ---    |
|             |      | Type5 | 23 | 7  | 843157.0 | 12 | 2 | 71.1 | 1329.0 | 1243.0 | ---    |
|             |      | Type5 | 23 | 5  | 428367.0 | 12 | 2 | 75.2 | 1572.0 | 1536.0 | ---    |
|             |      | Type5 | 23 | 4  | 220734.0 | 12 | 3 | 86.0 | 1953.0 | 1108.0 | 1987.0 |
|             |      | Type5 | 23 | 3  | 14140.0  | 12 | 1 | 56.3 | 1056.0 | ---    | ---    |
|             |      | Type5 | 23 | 2  | 660875.0 | 12 | 2 | 68.8 | 1707.0 | 1577.0 | ---    |
|             |      | Type5 | 23 | 1  | 453362.0 | 12 | 3 | 93.5 | 1590.0 | 1081.0 | 1413.0 |
|             |      | Type5 | 23 | 0  | 247117.0 | 12 | 1 | 50.1 | 1841.0 | ---    | ---    |
|             |      | Type5 | 23 | 8  | 195585.0 | 12 | 2 | 76.2 | 1940.0 | 1770.0 | ---    |
| 11AX160MIMO | 5250 | Type5 | 23 | 11 | 815229.0 | 12 | 3 | 90.9 | 1615.0 | 1862.0 | 1601.0 |
|             |      | Type5 | 23 | 5  | 428367.0 | 12 | 2 | 75.2 | 1572.0 | 1536.0 | ---    |
|             |      | Type5 | 23 | 1  | 453362.0 | 12 | 3 | 93.5 | 1590.0 | 1081.0 | 1413.0 |
|             |      | Type5 | 23 | 2  | 660875.0 | 12 | 2 | 68.8 | 1707.0 | 1577.0 | ---    |
|             |      | Type5 | 23 | 3  | 14140.0  | 12 | 1 | 56.3 | 1056.0 | ---    | ---    |
|             |      | Type5 | 23 | 0  | 247117.0 | 12 | 1 | 50.1 | 1841.0 | ---    | ---    |
|             |      | Type5 | 23 | 4  | 220734.0 | 12 | 3 | 86.0 | 1953.0 | 1108.0 | 1987.0 |
|             |      | Type5 | 23 | 7  | 843157.0 | 12 | 2 | 71.1 | 1329.0 | 1243.0 | ---    |
|             |      | Type5 | 23 | 8  | 195585.0 | 12 | 2 | 76.2 | 1940.0 | 1770.0 | ---    |
|             |      | Type5 | 23 | 10 | 610202.0 | 12 | 2 | 79.7 | 1588.0 | 1214.0 | ---    |
|             |      | Type5 | 23 | 12 | 170267.0 | 12 | 2 | 68.7 | 1377.0 | 1441.0 | ---    |
|             |      | Type5 | 23 | 13 | 377306.0 | 12 | 2 | 67.4 | 1872.0 | 1313.0 | ---    |
|             |      | Type5 | 23 | 6  | 636681.0 | 12 | 1 | 54.4 | 1517.0 | ---    | ---    |
|             |      | Type5 | 23 | 9  | 403231.0 | 12 | 2 | 80.2 | 1098.0 | 1209.0 | ---    |
|             | 5570 | Type5 | 23 | 2  | 660875.0 | 12 | 2 | 68.8 | 1707.0 | 1577.0 | ---    |
|             |      | Type5 | 23 | 12 | 170267.0 | 12 | 2 | 68.7 | 1377.0 | 1441.0 | ---    |
|             |      | Type5 | 23 | 11 | 815229.0 | 12 | 3 | 90.9 | 1615.0 | 1862.0 | 1601.0 |
|             |      | Type5 | 23 | 10 | 610202.0 | 12 | 2 | 79.7 | 1588.0 | 1214.0 | ---    |
|             |      | Type5 | 23 | 9  | 403231.0 | 12 | 2 | 80.2 | 1098.0 | 1209.0 | ---    |
|             |      | Type5 | 23 | 8  | 195585.0 | 12 | 2 | 76.2 | 1940.0 | 1770.0 | ---    |
|             |      | Type5 | 23 | 7  | 843157.0 | 12 | 2 | 71.1 | 1329.0 | 1243.0 | ---    |
|             |      | Type5 | 23 | 6  | 636681.0 | 12 | 1 | 54.4 | 1517.0 | ---    | ---    |
|             |      | Type5 | 23 | 5  | 428367.0 | 12 | 2 | 75.2 | 1572.0 | 1536.0 | ---    |
|             |      | Type5 | 23 | 3  | 14140.0  | 12 | 1 | 56.3 | 1056.0 | ---    | ---    |
|             |      | Type5 | 23 | 1  | 453362.0 | 12 | 3 | 93.5 | 1590.0 | 1081.0 | 1413.0 |
|             |      | Type5 | 23 | 0  | 247117.0 | 12 | 1 | 50.1 | 1841.0 | ---    | ---    |
|             |      | Type5 | 23 | 13 | 377306.0 | 12 | 2 | 67.4 | 1872.0 | 1313.0 | ---    |
|             |      | Type5 | 23 | 4  | 220734.0 | 12 | 3 | 86.0 | 1953.0 | 1108.0 | 1987.0 |

| Test Mode  | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO | 5260    | Type5      | 24       | 8        | 573425.0          | 11                | 3                | 96.5             | 1607.0    | 1822.0    | 1602.0    |
|            |         | Type5      | 24       | 0        | 628071.0          | 11                | 3                | 94.0             | 1643.0    | 1748.0    | 1941.0    |
|            |         | Type5      | 24       | 11       | 324661.0          | 11                | 1                | 55.8             | 1290.0    | ---       | ---       |
|            |         | Type5      | 24       | 9        | 798431.0          | 11                | 2                | 70.5             | 1141.0    | 1178.0    | ---       |
|            |         | Type5      | 24       | 12       | 546278.0          | 11                | 3                | 87.7             | 1435.0    | 1963.0    | 1164.0    |
|            |         | Type5      | 24       | 7        | 351161.0          | 11                | 3                | 89.0             | 1493.0    | 1135.0    | 1380.0    |
|            |         | Type5      | 24       | 6        | 128265.0          | 11                | 3                | 92.6             | 1065.0    | 1669.0    | 1222.0    |
|            |         | Type5      | 24       | 5        | 825462.0          | 11                | 2                | 74.5             | 1569.0    | 1281.0    | ---       |
|            |         | Type5      | 24       | 4        | 601331.0          | 11                | 3                | 90.6             | 1217.0    | 1582.0    | 1498.0    |
|            |         | Type5      | 24       | 3        | 378734.0          | 11                | 3                | 96.7             | 1230.0    | 1163.0    | 1332.0    |
|            |         | Type5      | 24       | 2        | 156223.0          | 11                | 1                | 56.3             | 1006.0    | ---       | ---       |
|            |         | Type5      | 24       | 1        | 853391.0          | 11                | 2                | 70.8             | 1177.0    | 1201.0    | ---       |
|            | 5500    | Type5      | 24       | 10       | 100737.0          | 11                | 3                | 94.0             | 1009.0    | 1629.0    | 1956.0    |
|            |         | Type5      | 24       | 4        | 601331.0          | 11                | 3                | 90.6             | 1217.0    | 1582.0    | 1498.0    |
|            |         | Type5      | 24       | 1        | 853391.0          | 11                | 2                | 70.8             | 1177.0    | 1201.0    | ---       |
|            |         | Type5      | 24       | 0        | 628071.0          | 11                | 3                | 94.0             | 1643.0    | 1748.0    | 1941.0    |
|            |         | Type5      | 24       | 2        | 156223.0          | 11                | 1                | 56.3             | 1006.0    | ---       | ---       |
|            |         | Type5      | 24       | 3        | 378734.0          | 11                | 3                | 96.7             | 1230.0    | 1163.0    | 1332.0    |
|            |         | Type5      | 24       | 12       | 546278.0          | 11                | 3                | 87.7             | 1435.0    | 1963.0    | 1164.0    |
|            |         | Type5      | 24       | 5        | 825462.0          | 11                | 2                | 74.5             | 1569.0    | 1281.0    | ---       |
|            |         | Type5      | 24       | 6        | 128265.0          | 11                | 3                | 92.6             | 1065.0    | 1669.0    | 1222.0    |
|            |         | Type5      | 24       | 7        | 351161.0          | 11                | 3                | 89.0             | 1493.0    | 1135.0    | 1380.0    |
|            |         | Type5      | 24       | 8        | 573425.0          | 11                | 3                | 96.5             | 1607.0    | 1822.0    | 1602.0    |
|            |         | Type5      | 24       | 9        | 798431.0          | 11                | 2                | 70.5             | 1141.0    | 1178.0    | ---       |
| 11AX40MIMO | 5270    | Type5      | 24       | 11       | 324661.0          | 11                | 1                | 55.8             | 1290.0    | ---       | ---       |
|            |         | Type5      | 24       | 10       | 100737.0          | 11                | 3                | 94.0             | 1009.0    | 1629.0    | 1956.0    |
|            |         | Type5      | 24       | 6        | 128265.0          | 11                | 3                | 92.6             | 1065.0    | 1669.0    | 1222.0    |
|            |         | Type5      | 24       | 12       | 546278.0          | 11                | 3                | 87.7             | 1435.0    | 1963.0    | 1164.0    |
|            |         | Type5      | 24       | 11       | 324661.0          | 11                | 1                | 55.8             | 1290.0    | ---       | ---       |
|            |         | Type5      | 24       | 10       | 100737.0          | 11                | 3                | 94.0             | 1009.0    | 1629.0    | 1956.0    |
|            |         | Type5      | 24       | 9        | 798431.0          | 11                | 2                | 70.5             | 1141.0    | 1178.0    | ---       |
|            |         | Type5      | 24       | 7        | 351161.0          | 11                | 3                | 89.0             | 1493.0    | 1135.0    | 1380.0    |
|            |         | Type5      | 24       | 5        | 825462.0          | 11                | 2                | 74.5             | 1569.0    | 1281.0    | ---       |
|            |         | Type5      | 24       | 4        | 601331.0          | 11                | 3                | 90.6             | 1217.0    | 1582.0    | 1498.0    |
|            |         | Type5      | 24       | 3        | 378734.0          | 11                | 3                | 96.7             | 1230.0    | 1163.0    | 1332.0    |
|            |         | Type5      | 24       | 2        | 156223.0          | 11                | 1                | 56.3             | 1006.0    | ---       | ---       |
|            | 5510    | Type5      | 24       | 1        | 853391.0          | 11                | 2                | 70.8             | 1177.0    | 1201.0    | ---       |
|            |         | Type5      | 24       | 0        | 628071.0          | 11                | 3                | 94.0             | 1643.0    | 1748.0    | 1941.0    |
|            |         | Type5      | 24       | 8        | 573425.0          | 11                | 3                | 96.5             | 1607.0    | 1822.0    | 1602.0    |
|            |         | Type5      | 24       | 10       | 100737.0          | 11                | 3                | 94.0             | 1009.0    | 1629.0    | 1956.0    |
|            |         | Type5      | 24       | 9        | 798431.0          | 11                | 2                | 70.5             | 1141.0    | 1178.0    | ---       |
|            |         | Type5      | 24       | 12       | 546278.0          | 11                | 3                | 87.7             | 1435.0    | 1963.0    | 1164.0    |
|            |         | Type5      | 24       | 8        | 573425.0          | 11                | 3                | 96.5             | 1607.0    | 1822.0    | 1602.0    |
|            |         | Type5      | 24       | 11       | 324661.0          | 11                | 1                | 55.8             | 1290.0    | ---       | ---       |
|            |         | Type5      | 24       | 0        | 628071.0          | 11                | 3                | 94.0             | 1643.0    | 1748.0    | 1941.0    |
|            |         | Type5      | 24       | 7        | 351161.0          | 11                | 3                | 89.0             | 1493.0    | 1135.0    | 1380.0    |
|            |         | Type5      | 24       | 6        | 128265.0          | 11                | 3                | 92.6             | 1065.0    | 1669.0    | 1222.0    |
|            |         | Type5      | 24       | 5        | 825462.0          | 11                | 2                | 74.5             | 1569.0    | 1281.0    | ---       |
| 11AX80MIMO | 5290    | Type5      | 24       | 4        | 601331.0          | 11                | 3                | 90.6             | 1217.0    | 1582.0    | 1498.0    |
|            |         | Type5      | 24       | 3        | 378734.0          | 11                | 3                | 96.7             | 1230.0    | 1163.0    | 1332.0    |
| 11AX80MIMO | 5290    | Type5      | 24       | 2        | 156223.0          | 11                | 1                | 56.3             | 1006.0    | ---       | ---       |
|            |         | Type5      | 24       | 1        | 853391.0          | 11                | 2                | 70.8             | 1177.0    | 1201.0    | ---       |
| 11AX80MIMO | 5290    | Type5      | 24       | 0        | 628071.0          | 11                | 3                | 94.0             | 1643.0    | 1748.0    | 1941.0    |

|  |      |       |    |    |          |    |   |      |        |        |        |
|--|------|-------|----|----|----------|----|---|------|--------|--------|--------|
|  |      | Type5 | 24 | 1  | 853391.0 | 11 | 2 | 70.8 | 1177.0 | 1201.0 | ---    |
|  |      | Type5 | 24 | 2  | 156223.0 | 11 | 1 | 56.3 | 1006.0 | ---    | ---    |
|  |      | Type5 | 24 | 3  | 378734.0 | 11 | 3 | 96.7 | 1230.0 | 1163.0 | 1332.0 |
|  |      | Type5 | 24 | 4  | 601331.0 | 11 | 3 | 90.6 | 1217.0 | 1582.0 | 1498.0 |
|  |      | Type5 | 24 | 5  | 825462.0 | 11 | 2 | 74.5 | 1569.0 | 1281.0 | ---    |
|  |      | Type5 | 24 | 7  | 351161.0 | 11 | 3 | 89.0 | 1493.0 | 1135.0 | 1380.0 |
|  |      | Type5 | 24 | 8  | 573425.0 | 11 | 3 | 96.5 | 1607.0 | 1822.0 | 1602.0 |
|  |      | Type5 | 24 | 9  | 798431.0 | 11 | 2 | 70.5 | 1141.0 | 1178.0 | ---    |
|  |      | Type5 | 24 | 10 | 100737.0 | 11 | 3 | 94.0 | 1009.0 | 1629.0 | 1956.0 |
|  |      | Type5 | 24 | 12 | 546278.0 | 11 | 3 | 87.7 | 1435.0 | 1963.0 | 1164.0 |
|  |      | Type5 | 24 | 11 | 324661.0 | 11 | 1 | 55.8 | 1290.0 | ---    | ---    |
|  |      | Type5 | 24 | 6  | 128265.0 | 11 | 3 | 92.6 | 1065.0 | 1669.0 | 1222.0 |
|  | 5530 | Type5 | 24 | 5  | 825462.0 | 11 | 2 | 74.5 | 1569.0 | 1281.0 | ---    |
|  |      | Type5 | 24 | 12 | 546278.0 | 11 | 3 | 87.7 | 1435.0 | 1963.0 | 1164.0 |
|  |      | Type5 | 24 | 11 | 324661.0 | 11 | 1 | 55.8 | 1290.0 | ---    | ---    |
|  |      | Type5 | 24 | 10 | 100737.0 | 11 | 3 | 94.0 | 1009.0 | 1629.0 | 1956.0 |
|  |      | Type5 | 24 | 9  | 798431.0 | 11 | 2 | 70.5 | 1141.0 | 1178.0 | ---    |
|  |      | Type5 | 24 | 8  | 573425.0 | 11 | 3 | 96.5 | 1607.0 | 1822.0 | 1602.0 |
|  |      | Type5 | 24 | 6  | 128265.0 | 11 | 3 | 92.6 | 1065.0 | 1669.0 | 1222.0 |
|  |      | Type5 | 24 | 4  | 601331.0 | 11 | 3 | 90.6 | 1217.0 | 1582.0 | 1498.0 |
|  |      | Type5 | 24 | 3  | 378734.0 | 11 | 3 | 96.7 | 1230.0 | 1163.0 | 1332.0 |
|  |      | Type5 | 24 | 2  | 156223.0 | 11 | 1 | 56.3 | 1006.0 | ---    | ---    |
|  |      | Type5 | 24 | 1  | 853391.0 | 11 | 2 | 70.8 | 1177.0 | 1201.0 | ---    |
|  |      | Type5 | 24 | 0  | 628071.0 | 11 | 3 | 94.0 | 1643.0 | 1748.0 | 1941.0 |
|  |      | Type5 | 24 | 7  | 351161.0 | 11 | 3 | 89.0 | 1493.0 | 1135.0 | 1380.0 |
|  | 5250 | Type5 | 24 | 5  | 825462.0 | 11 | 2 | 74.5 | 1569.0 | 1281.0 | ---    |
|  |      | Type5 | 24 | 10 | 100737.0 | 11 | 3 | 94.0 | 1009.0 | 1629.0 | 1956.0 |
|  |      | Type5 | 24 | 1  | 853391.0 | 11 | 2 | 70.8 | 1177.0 | 1201.0 | ---    |
|  |      | Type5 | 24 | 2  | 156223.0 | 11 | 1 | 56.3 | 1006.0 | ---    | ---    |
|  |      | Type5 | 24 | 3  | 378734.0 | 11 | 3 | 96.7 | 1230.0 | 1163.0 | 1332.0 |
|  |      | Type5 | 24 | 0  | 628071.0 | 11 | 3 | 94.0 | 1643.0 | 1748.0 | 1941.0 |
|  |      | Type5 | 24 | 4  | 601331.0 | 11 | 3 | 90.6 | 1217.0 | 1582.0 | 1498.0 |
|  |      | Type5 | 24 | 7  | 351161.0 | 11 | 3 | 89.0 | 1493.0 | 1135.0 | 1380.0 |
|  |      | Type5 | 24 | 9  | 798431.0 | 11 | 2 | 70.5 | 1141.0 | 1178.0 | ---    |
|  |      | Type5 | 24 | 11 | 324661.0 | 11 | 1 | 55.8 | 1290.0 | ---    | ---    |
|  |      | Type5 | 24 | 12 | 546278.0 | 11 | 3 | 87.7 | 1435.0 | 1963.0 | 1164.0 |
|  |      | Type5 | 24 | 6  | 128265.0 | 11 | 3 | 92.6 | 1065.0 | 1669.0 | 1222.0 |
|  |      | Type5 | 24 | 8  | 573425.0 | 11 | 3 | 96.5 | 1607.0 | 1822.0 | 1602.0 |
|  | 5570 | Type5 | 24 | 2  | 156223.0 | 11 | 1 | 56.3 | 1006.0 | ---    | ---    |
|  |      | Type5 | 24 | 11 | 324661.0 | 11 | 1 | 55.8 | 1290.0 | ---    | ---    |
|  |      | Type5 | 24 | 10 | 100737.0 | 11 | 3 | 94.0 | 1009.0 | 1629.0 | 1956.0 |
|  |      | Type5 | 24 | 9  | 798431.0 | 11 | 2 | 70.5 | 1141.0 | 1178.0 | ---    |
|  |      | Type5 | 24 | 8  | 573425.0 | 11 | 3 | 96.5 | 1607.0 | 1822.0 | 1602.0 |
|  |      | Type5 | 24 | 7  | 351161.0 | 11 | 3 | 89.0 | 1493.0 | 1135.0 | 1380.0 |
|  |      | Type5 | 24 | 6  | 128265.0 | 11 | 3 | 92.6 | 1065.0 | 1669.0 | 1222.0 |
|  |      | Type5 | 24 | 5  | 825462.0 | 11 | 2 | 74.5 | 1569.0 | 1281.0 | ---    |
|  |      | Type5 | 24 | 3  | 378734.0 | 11 | 3 | 96.7 | 1230.0 | 1163.0 | 1332.0 |
|  |      | Type5 | 24 | 1  | 853391.0 | 11 | 2 | 70.8 | 1177.0 | 1201.0 | ---    |
|  |      | Type5 | 24 | 0  | 628071.0 | 11 | 3 | 94.0 | 1643.0 | 1748.0 | 1941.0 |
|  |      | Type5 | 24 | 12 | 546278.0 | 11 | 3 | 87.7 | 1435.0 | 1963.0 | 1164.0 |
|  |      | Type5 | 24 | 4  | 601331.0 | 11 | 3 | 90.6 | 1217.0 | 1582.0 | 1498.0 |

| Test Mode   | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|-------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO  | 5260    | Type5      | 25       | 7        | 800152.0          | 5                 | 3                | 91.2             | 1409.0    | 1681.0    | 1275.0    |
|             |         | Type5      | 25       | 1        | 119486.0          | 5                 | 2                | 83.1             | 1420.0    | 1315.0    | ---       |
|             |         | Type5      | 25       | 2        | 482958.0          | 5                 | 1                | 60.9             | 1687.0    | ---       | ---       |
|             |         | Type5      | 25       | 3        | 845641.0          | 5                 | 2                | 77.7             | 1776.0    | 1158.0    | ---       |
|             |         | Type5      | 25       | 4        | 1208428.0         | 5                 | 2                | 77.4             | 1793.0    | 1510.0    | ---       |
|             |         | Type5      | 25       | 5        | 74748.0           | 5                 | 2                | 66.8             | 1576.0    | 1323.0    | ---       |
|             |         | Type5      | 25       | 6        | 438300.0          | 5                 | 1                | 63.7             | 1333.0    | ---       | ---       |
|             |         | Type5      | 25       | 0        | 1253842.0         | 5                 | 2                | 68.6             | 1306.0    | 1161.0    | ---       |
|             | 5500    | Type5      | 25       | 0        | 1253842.0         | 5                 | 2                | 68.6             | 1306.0    | 1161.0    | ---       |
|             |         | Type5      | 25       | 1        | 119486.0          | 5                 | 2                | 83.1             | 1420.0    | 1315.0    | ---       |
|             |         | Type5      | 25       | 7        | 800152.0          | 5                 | 3                | 91.2             | 1409.0    | 1681.0    | 1275.0    |
|             |         | Type5      | 25       | 2        | 482958.0          | 5                 | 1                | 60.9             | 1687.0    | ---       | ---       |
|             |         | Type5      | 25       | 3        | 845641.0          | 5                 | 2                | 77.7             | 1776.0    | 1158.0    | ---       |
|             |         | Type5      | 25       | 4        | 1208428.0         | 5                 | 2                | 77.4             | 1793.0    | 1510.0    | ---       |
|             |         | Type5      | 25       | 6        | 438300.0          | 5                 | 1                | 63.7             | 1333.0    | ---       | ---       |
| 11AX40MIMO  | 5270    | Type5      | 25       | 5        | 74748.0           | 5                 | 2                | 66.8             | 1576.0    | 1323.0    | ---       |
|             |         | Type5      | 25       | 3        | 845641.0          | 5                 | 2                | 77.7             | 1776.0    | 1158.0    | ---       |
|             |         | Type5      | 25       | 7        | 800152.0          | 5                 | 3                | 91.2             | 1409.0    | 1681.0    | 1275.0    |
|             |         | Type5      | 25       | 6        | 438300.0          | 5                 | 1                | 63.7             | 1333.0    | ---       | ---       |
|             |         | Type5      | 25       | 4        | 1208428.0         | 5                 | 2                | 77.4             | 1793.0    | 1510.0    | ---       |
|             |         | Type5      | 25       | 2        | 482958.0          | 5                 | 1                | 60.9             | 1687.0    | ---       | ---       |
|             |         | Type5      | 25       | 1        | 119486.0          | 5                 | 2                | 83.1             | 1420.0    | 1315.0    | ---       |
|             | 5510    | Type5      | 25       | 0        | 1253842.0         | 5                 | 2                | 68.6             | 1306.0    | 1161.0    | ---       |
|             |         | Type5      | 25       | 5        | 74748.0           | 5                 | 2                | 66.8             | 1576.0    | 1323.0    | ---       |
|             |         | Type5      | 25       | 6        | 438300.0          | 5                 | 1                | 63.7             | 1333.0    | ---       | ---       |
|             |         | Type5      | 25       | 0        | 1253842.0         | 5                 | 2                | 68.6             | 1306.0    | 1161.0    | ---       |
|             |         | Type5      | 25       | 1        | 119486.0          | 5                 | 2                | 83.1             | 1420.0    | 1315.0    | ---       |
|             |         | Type5      | 25       | 2        | 482958.0          | 5                 | 1                | 60.9             | 1687.0    | ---       | ---       |
|             |         | Type5      | 25       | 3        | 845641.0          | 5                 | 2                | 77.7             | 1776.0    | 1158.0    | ---       |
| 11AX80MIMO  | 5290    | Type5      | 25       | 5        | 74748.0           | 5                 | 2                | 66.8             | 1576.0    | 1323.0    | ---       |
|             |         | Type5      | 25       | 7        | 800152.0          | 5                 | 3                | 91.2             | 1409.0    | 1681.0    | 1275.0    |
|             |         | Type5      | 25       | 4        | 1208428.0         | 5                 | 2                | 77.4             | 1793.0    | 1510.0    | ---       |
|             |         | Type5      | 25       | 6        | 438300.0          | 5                 | 1                | 63.7             | 1333.0    | ---       | ---       |
|             |         | Type5      | 25       | 3        | 845641.0          | 5                 | 2                | 77.7             | 1776.0    | 1158.0    | ---       |
|             |         | Type5      | 25       | 7        | 800152.0          | 5                 | 3                | 91.2             | 1409.0    | 1681.0    | 1275.0    |
|             |         | Type5      | 25       | 6        | 438300.0          | 5                 | 1                | 63.7             | 1333.0    | ---       | ---       |
|             | 5530    | Type5      | 25       | 4        | 1208428.0         | 5                 | 2                | 77.4             | 1793.0    | 1510.0    | ---       |
|             |         | Type5      | 25       | 2        | 482958.0          | 5                 | 1                | 60.9             | 1687.0    | ---       | ---       |
|             |         | Type5      | 25       | 1        | 119486.0          | 5                 | 2                | 83.1             | 1420.0    | 1315.0    | ---       |
|             |         | Type5      | 25       | 0        | 1253842.0         | 5                 | 2                | 68.6             | 1306.0    | 1161.0    | ---       |
|             |         | Type5      | 25       | 5        | 74748.0           | 5                 | 2                | 66.8             | 1576.0    | 1323.0    | ---       |
|             |         | Type5      | 25       | 6        | 438300.0          | 5                 | 1                | 63.7             | 1333.0    | ---       | ---       |
|             |         | Type5      | 25       | 3        | 845641.0          | 5                 | 2                | 77.7             | 1776.0    | 1158.0    | ---       |
| 11AX160MIMO | 5250    | Type5      | 25       | 6        | 438300.0          | 5                 | 1                | 63.7             | 1333.0    | ---       | ---       |
|             |         | Type5      | 25       | 1        | 119486.0          | 5                 | 2                | 83.1             | 1420.0    | 1315.0    | ---       |
|             |         | Type5      | 25       | 0        | 1253842.0         | 5                 | 2                | 68.6             | 1306.0    | 1161.0    | ---       |
|             |         | Type5      | 25       | 2        | 482958.0          | 5                 | 1                | 60.9             | 1687.0    | ---       | ---       |
|             |         | Type5      | 25       | 3        | 845641.0          | 5                 | 2                | 77.7             | 1776.0    | 1158.0    | ---       |

|  |      |       |    |   |           |   |   |      |        |        |        |
|--|------|-------|----|---|-----------|---|---|------|--------|--------|--------|
|  |      | Type5 | 25 | 5 | 74748.0   | 5 | 2 | 66.8 | 1576.0 | 1323.0 | ---    |
|  |      | Type5 | 25 | 7 | 800152.0  | 5 | 3 | 91.2 | 1409.0 | 1681.0 | 1275.0 |
|  |      | Type5 | 25 | 4 | 1208428.0 | 5 | 2 | 77.4 | 1793.0 | 1510.0 | ---    |
|  | 5570 | Type5 | 25 | 7 | 800152.0  | 5 | 3 | 91.2 | 1409.0 | 1681.0 | 1275.0 |
|  |      | Type5 | 25 | 0 | 1253842.0 | 5 | 2 | 68.6 | 1306.0 | 1161.0 | ---    |
|  |      | Type5 | 25 | 1 | 119486.0  | 5 | 2 | 83.1 | 1420.0 | 1315.0 | ---    |
|  |      | Type5 | 25 | 2 | 482958.0  | 5 | 1 | 60.9 | 1687.0 | ---    | ---    |
|  |      | Type5 | 25 | 3 | 845641.0  | 5 | 2 | 77.7 | 1776.0 | 1158.0 | ---    |
|  |      | Type5 | 25 | 4 | 1208428.0 | 5 | 2 | 77.4 | 1793.0 | 1510.0 | ---    |
|  |      | Type5 | 25 | 5 | 74748.0   | 5 | 2 | 66.8 | 1576.0 | 1323.0 | ---    |
|  |      | Type5 | 25 | 6 | 438300.0  | 5 | 1 | 63.7 | 1333.0 | ---    | ---    |
|  |      |       |    |   |           |   |   |      |        |        |        |
|  |      |       |    |   |           |   |   |      |        |        |        |
|  |      |       |    |   |           |   |   |      |        |        |        |

| Test Mode  | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO | 5260    | Type5      | 26       | 11       | 312479.0          | 16                | 3                | 84.9             | 1129.0    | 1936.0    | 1199.0    |
|            |         | Type5      | 26       | 0        | 545865.0          | 16                | 3                | 83.6             | 1632.0    | 1195.0    | 1000.0    |
|            |         | Type5      | 26       | 15       | 292606.0          | 16                | 1                | 63.6             | 1647.0    | ---       | ---       |
|            |         | Type5      | 26       | 14       | 121457.0          | 16                | 3                | 99.8             | 1035.0    | 1515.0    | 1120.0    |
|            |         | Type5      | 26       | 12       | 482953.0          | 16                | 2                | 74.6             | 1959.0    | 1856.0    | ---       |
|            |         | Type5      | 26       | 16       | 461322.0          | 16                | 3                | 87.3             | 1931.0    | 1051.0    | 1831.0    |
|            |         | Type5      | 26       | 10       | 142890.0          | 16                | 1                | 55.0             | 1427.0    | ---       | ---       |
|            |         | Type5      | 26       | 9        | 675297.0          | 16                | 2                | 78.3             | 1591.0    | 1082.0    | ---       |
|            |         | Type5      | 26       | 2        | 184953.0          | 16                | 1                | 55.8             | 1532.0    | ---       | ---       |
|            |         | Type5      | 26       | 7        | 333410.0          | 16                | 3                | 96.7             | 1589.0    | 1469.0    | 1268.0    |
|            |         | Type5      | 26       | 6        | 163568.0          | 16                | 2                | 67.5             | 1571.0    | 1434.0    | ---       |
|            |         | Type5      | 26       | 5        | 694806.0          | 16                | 3                | 97.7             | 1734.0    | 1202.0    | 1250.0    |
|            |         | Type5      | 26       | 4        | 526388.0          | 16                | 1                | 54.7             | 1825.0    | ---       | ---       |
|            |         | Type5      | 26       | 3        | 353759.0          | 16                | 3                | 90.9             | 1981.0    | 1554.0    | 1998.0    |
|            |         | Type5      | 26       | 8        | 504006.0          | 16                | 2                | 68.3             | 1750.0    | 1954.0    | ---       |
|            |         | Type5      | 26       | 13       | 655022.0          | 16                | 1                | 63.3             | 1885.0    | ---       | ---       |
|            |         | Type5      | 26       | 1        | 14067.0           | 16                | 3                | 89.4             | 1173.0    | 1627.0    | 1656.0    |
|            | 5500    | Type5      | 26       | 16       | 461322.0          | 16                | 3                | 87.3             | 1931.0    | 1051.0    | 1831.0    |
|            |         | Type5      | 26       | 5        | 694806.0          | 16                | 3                | 97.7             | 1734.0    | 1202.0    | 1250.0    |
|            |         | Type5      | 26       | 4        | 526388.0          | 16                | 1                | 54.7             | 1825.0    | ---       | ---       |
|            |         | Type5      | 26       | 3        | 353759.0          | 16                | 3                | 90.9             | 1981.0    | 1554.0    | 1998.0    |
|            |         | Type5      | 26       | 0        | 545865.0          | 16                | 3                | 83.6             | 1632.0    | 1195.0    | 1000.0    |
|            |         | Type5      | 26       | 1        | 14067.0           | 16                | 3                | 89.4             | 1173.0    | 1627.0    | 1656.0    |
|            |         | Type5      | 26       | 6        | 163568.0          | 16                | 2                | 67.5             | 1571.0    | 1434.0    | ---       |
|            |         | Type5      | 26       | 2        | 184953.0          | 16                | 1                | 55.8             | 1532.0    | ---       | ---       |
|            |         | Type5      | 26       | 7        | 333410.0          | 16                | 3                | 96.7             | 1589.0    | 1469.0    | 1268.0    |
|            |         | Type5      | 26       | 8        | 504006.0          | 16                | 2                | 68.3             | 1750.0    | 1954.0    | ---       |
|            |         | Type5      | 26       | 9        | 675297.0          | 16                | 2                | 78.3             | 1591.0    | 1082.0    | ---       |
|            |         | Type5      | 26       | 10       | 142890.0          | 16                | 1                | 55.0             | 1427.0    | ---       | ---       |
|            |         | Type5      | 26       | 11       | 312479.0          | 16                | 3                | 84.9             | 1129.0    | 1936.0    | 1199.0    |
|            |         | Type5      | 26       | 12       | 482953.0          | 16                | 2                | 74.6             | 1959.0    | 1856.0    | ---       |
|            |         | Type5      | 26       | 13       | 655022.0          | 16                | 1                | 63.3             | 1885.0    | ---       | ---       |
|            |         | Type5      | 26       | 15       | 292606.0          | 16                | 1                | 63.6             | 1647.0    | ---       | ---       |
|            |         | Type5      | 26       | 14       | 121457.0          | 16                | 3                | 99.8             | 1035.0    | 1515.0    | 1120.0    |
| 11AX40MIMO | 5270    | Type5      | 26       | 8        | 504006.0          | 16                | 2                | 68.3             | 1750.0    | 1954.0    | ---       |
|            |         | Type5      | 26       | 7        | 333410.0          | 16                | 3                | 96.7             | 1589.0    | 1469.0    | 1268.0    |
|            |         | Type5      | 26       | 0        | 545865.0          | 16                | 3                | 83.6             | 1632.0    | 1195.0    | 1000.0    |
|            |         | Type5      | 26       | 1        | 14067.0           | 16                | 3                | 89.4             | 1173.0    | 1627.0    | 1656.0    |
|            |         | Type5      | 26       | 2        | 184953.0          | 16                | 1                | 55.8             | 1532.0    | ---       | ---       |
|            |         | Type5      | 26       | 3        | 353759.0          | 16                | 3                | 90.9             | 1981.0    | 1554.0    | 1998.0    |
|            |         | Type5      | 26       | 4        | 526388.0          | 16                | 1                | 54.7             | 1825.0    | ---       | ---       |
|            |         | Type5      | 26       | 5        | 694806.0          | 16                | 3                | 97.7             | 1734.0    | 1202.0    | 1250.0    |
|            |         | Type5      | 26       | 10       | 142890.0          | 16                | 1                | 55.0             | 1427.0    | ---       | ---       |
|            |         | Type5      | 26       | 6        | 163568.0          | 16                | 2                | 67.5             | 1571.0    | 1434.0    | ---       |
|            |         | Type5      | 26       | 16       | 461322.0          | 16                | 3                | 87.3             | 1931.0    | 1051.0    | 1831.0    |
|            |         | Type5      | 26       | 9        | 675297.0          | 16                | 2                | 78.3             | 1591.0    | 1082.0    | ---       |
|            |         | Type5      | 26       | 11       | 312479.0          | 16                | 3                | 84.9             | 1129.0    | 1936.0    | 1199.0    |
|            |         | Type5      | 26       | 12       | 482953.0          | 16                | 2                | 74.6             | 1959.0    | 1856.0    | ---       |
|            |         | Type5      | 26       | 13       | 655022.0          | 16                | 1                | 63.3             | 1885.0    | ---       | ---       |
|            |         | Type5      | 26       | 14       | 121457.0          | 16                | 3                | 99.8             | 1035.0    | 1515.0    | 1120.0    |
|            |         | Type5      | 26       | 15       | 292606.0          | 16                | 1                | 63.6             | 1647.0    | ---       | ---       |
|            | 5510    | Type5      | 26       | 13       | 655022.0          | 16                | 1                | 63.3             | 1885.0    | ---       | ---       |
|            |         | Type5      | 26       | 12       | 482953.0          | 16                | 2                | 74.6             | 1959.0    | 1856.0    | ---       |

|             |      |       |    |    |          |    |   |      |        |        |        |
|-------------|------|-------|----|----|----------|----|---|------|--------|--------|--------|
|             |      | Type5 | 26 | 16 | 461322.0 | 16 | 3 | 87.3 | 1931.0 | 1051.0 | 1831.0 |
|             |      | Type5 | 26 | 15 | 292606.0 | 16 | 1 | 63.6 | 1647.0 | ---    | ---    |
|             |      | Type5 | 26 | 11 | 312479.0 | 16 | 3 | 84.9 | 1129.0 | 1936.0 | 1199.0 |
|             |      | Type5 | 26 | 14 | 121457.0 | 16 | 3 | 99.8 | 1035.0 | 1515.0 | 1120.0 |
|             |      | Type5 | 26 | 0  | 545865.0 | 16 | 3 | 83.6 | 1632.0 | 1195.0 | 1000.0 |
|             |      | Type5 | 26 | 10 | 142890.0 | 16 | 1 | 55.0 | 1427.0 | ---    | ---    |
|             |      | Type5 | 26 | 9  | 675297.0 | 16 | 2 | 78.3 | 1591.0 | 1082.0 | ---    |
|             |      | Type5 | 26 | 1  | 14067.0  | 16 | 3 | 89.4 | 1173.0 | 1627.0 | 1656.0 |
|             |      | Type5 | 26 | 7  | 333410.0 | 16 | 3 | 96.7 | 1589.0 | 1469.0 | 1268.0 |
|             |      | Type5 | 26 | 6  | 163568.0 | 16 | 2 | 67.5 | 1571.0 | 1434.0 | ---    |
|             |      | Type5 | 26 | 5  | 694806.0 | 16 | 3 | 97.7 | 1734.0 | 1202.0 | 1250.0 |
|             |      | Type5 | 26 | 4  | 526388.0 | 16 | 1 | 54.7 | 1825.0 | ---    | ---    |
|             |      | Type5 | 26 | 3  | 353759.0 | 16 | 3 | 90.9 | 1981.0 | 1554.0 | 1998.0 |
|             |      | Type5 | 26 | 2  | 184953.0 | 16 | 1 | 55.8 | 1532.0 | ---    | ---    |
|             |      | Type5 | 26 | 8  | 504006.0 | 16 | 2 | 68.3 | 1750.0 | 1954.0 | ---    |
| 11AX80MIMO  | 5290 | Type5 | 26 | 6  | 163568.0 | 16 | 2 | 67.5 | 1571.0 | 1434.0 | ---    |
|             |      | Type5 | 26 | 5  | 694806.0 | 16 | 3 | 97.7 | 1734.0 | 1202.0 | 1250.0 |
|             |      | Type5 | 26 | 4  | 526388.0 | 16 | 1 | 54.7 | 1825.0 | ---    | ---    |
|             |      | Type5 | 26 | 3  | 353759.0 | 16 | 3 | 90.9 | 1981.0 | 1554.0 | 1998.0 |
|             |      | Type5 | 26 | 2  | 184953.0 | 16 | 1 | 55.8 | 1532.0 | ---    | ---    |
|             |      | Type5 | 26 | 7  | 333410.0 | 16 | 3 | 96.7 | 1589.0 | 1469.0 | 1268.0 |
|             |      | Type5 | 26 | 0  | 545865.0 | 16 | 3 | 83.6 | 1632.0 | 1195.0 | 1000.0 |
|             |      | Type5 | 26 | 1  | 14067.0  | 16 | 3 | 89.4 | 1173.0 | 1627.0 | 1656.0 |
|             |      | Type5 | 26 | 16 | 461322.0 | 16 | 3 | 87.3 | 1931.0 | 1051.0 | 1831.0 |
|             |      | Type5 | 26 | 15 | 292606.0 | 16 | 1 | 63.6 | 1647.0 | ---    | ---    |
|             |      | Type5 | 26 | 14 | 121457.0 | 16 | 3 | 99.8 | 1035.0 | 1515.0 | 1120.0 |
|             |      | Type5 | 26 | 13 | 655022.0 | 16 | 1 | 63.3 | 1885.0 | ---    | ---    |
|             |      | Type5 | 26 | 12 | 482953.0 | 16 | 2 | 74.6 | 1959.0 | 1856.0 | ---    |
|             |      | Type5 | 26 | 11 | 312479.0 | 16 | 3 | 84.9 | 1129.0 | 1936.0 | 1199.0 |
|             |      | Type5 | 26 | 10 | 142890.0 | 16 | 1 | 55.0 | 1427.0 | ---    | ---    |
|             | 5530 | Type5 | 26 | 9  | 675297.0 | 16 | 2 | 78.3 | 1591.0 | 1082.0 | ---    |
|             |      | Type5 | 26 | 8  | 504006.0 | 16 | 2 | 68.3 | 1750.0 | 1954.0 | ---    |
|             |      | Type5 | 26 | 7  | 333410.0 | 16 | 3 | 96.7 | 1589.0 | 1469.0 | 1268.0 |
|             |      | Type5 | 26 | 10 | 142890.0 | 16 | 1 | 55.0 | 1427.0 | ---    | ---    |
|             |      | Type5 | 26 | 16 | 461322.0 | 16 | 3 | 87.3 | 1931.0 | 1051.0 | 1831.0 |
|             |      | Type5 | 26 | 15 | 292606.0 | 16 | 1 | 63.6 | 1647.0 | ---    | ---    |
|             |      | Type5 | 26 | 14 | 121457.0 | 16 | 3 | 99.8 | 1035.0 | 1515.0 | 1120.0 |
|             |      | Type5 | 26 | 13 | 655022.0 | 16 | 1 | 63.3 | 1885.0 | ---    | ---    |
|             |      | Type5 | 26 | 12 | 482953.0 | 16 | 2 | 74.6 | 1959.0 | 1856.0 | ---    |
|             |      | Type5 | 26 | 11 | 312479.0 | 16 | 3 | 84.9 | 1129.0 | 1936.0 | 1199.0 |
|             |      | Type5 | 26 | 1  | 14067.0  | 16 | 3 | 89.4 | 1173.0 | 1627.0 | 1656.0 |
|             |      | Type5 | 26 | 6  | 163568.0 | 16 | 2 | 67.5 | 1571.0 | 1434.0 | ---    |
|             |      | Type5 | 26 | 5  | 694806.0 | 16 | 3 | 97.7 | 1734.0 | 1202.0 | 1250.0 |
|             |      | Type5 | 26 | 4  | 526388.0 | 16 | 1 | 54.7 | 1825.0 | ---    | ---    |
|             |      | Type5 | 26 | 3  | 353759.0 | 16 | 3 | 90.9 | 1981.0 | 1554.0 | 1998.0 |
| 11AX160MIMO | 5250 | Type5 | 26 | 2  | 184953.0 | 16 | 1 | 55.8 | 1532.0 | ---    | ---    |
|             |      | Type5 | 26 | 8  | 504006.0 | 16 | 2 | 68.3 | 1750.0 | 1954.0 | ---    |
|             |      | Type5 | 26 | 9  | 675297.0 | 16 | 2 | 78.3 | 1591.0 | 1082.0 | ---    |
|             |      | Type5 | 26 | 0  | 545865.0 | 16 | 3 | 83.6 | 1632.0 | 1195.0 | 1000.0 |
|             |      | Type5 | 26 | 6  | 163568.0 | 16 | 2 | 67.5 | 1571.0 | 1434.0 | ---    |
|             |      | Type5 | 26 | 5  | 694806.0 | 16 | 3 | 97.7 | 1734.0 | 1202.0 | 1250.0 |
|             |      | Type5 | 26 | 0  | 545865.0 | 16 | 3 | 83.6 | 1632.0 | 1195.0 | 1000.0 |
|             |      | Type5 | 26 | 4  | 526388.0 | 16 | 1 | 54.7 | 1825.0 | ---    | ---    |
|             |      | Type5 | 26 | 3  | 353759.0 | 16 | 3 | 90.9 | 1981.0 | 1554.0 | 1998.0 |
|             |      | Type5 | 26 | 1  | 14067.0  | 16 | 3 | 89.4 | 1173.0 | 1627.0 | 1656.0 |

|  |      |       |    |    |          |    |   |      |        |        |        |
|--|------|-------|----|----|----------|----|---|------|--------|--------|--------|
|  |      | Type5 | 26 | 9  | 675297.0 | 16 | 2 | 78.3 | 1591.0 | 1082.0 | ---    |
|  |      | Type5 | 26 | 10 | 142890.0 | 16 | 1 | 55.0 | 1427.0 | ---    | ---    |
|  |      | Type5 | 26 | 12 | 482953.0 | 16 | 2 | 74.6 | 1959.0 | 1856.0 | ---    |
|  |      | Type5 | 26 | 14 | 121457.0 | 16 | 3 | 99.8 | 1035.0 | 1515.0 | 1120.0 |
|  |      | Type5 | 26 | 15 | 292606.0 | 16 | 1 | 63.6 | 1647.0 | ---    | ---    |
|  |      | Type5 | 26 | 16 | 461322.0 | 16 | 3 | 87.3 | 1931.0 | 1051.0 | 1831.0 |
|  |      | Type5 | 26 | 11 | 312479.0 | 16 | 3 | 84.9 | 1129.0 | 1936.0 | 1199.0 |
|  |      | Type5 | 26 | 8  | 504006.0 | 16 | 2 | 68.3 | 1750.0 | 1954.0 | ---    |
|  | 5570 | Type5 | 26 | 15 | 292606.0 | 16 | 1 | 63.6 | 1647.0 | ---    | ---    |
|  |      | Type5 | 26 | 10 | 142890.0 | 16 | 1 | 55.0 | 1427.0 | ---    | ---    |
|  |      | Type5 | 26 | 11 | 312479.0 | 16 | 3 | 84.9 | 1129.0 | 1936.0 | 1199.0 |
|  |      | Type5 | 26 | 12 | 482953.0 | 16 | 2 | 74.6 | 1959.0 | 1856.0 | ---    |
|  |      | Type5 | 26 | 9  | 675297.0 | 16 | 2 | 78.3 | 1591.0 | 1082.0 | ---    |
|  |      | Type5 | 26 | 14 | 121457.0 | 16 | 3 | 99.8 | 1035.0 | 1515.0 | 1120.0 |
|  |      | Type5 | 26 | 3  | 353759.0 | 16 | 3 | 90.9 | 1981.0 | 1554.0 | 1998.0 |
|  |      | Type5 | 26 | 13 | 655022.0 | 16 | 1 | 63.3 | 1885.0 | ---    | ---    |
|  |      | Type5 | 26 | 8  | 504006.0 | 16 | 2 | 68.3 | 1750.0 | 1954.0 | ---    |
|  |      | Type5 | 26 | 7  | 333410.0 | 16 | 3 | 96.7 | 1589.0 | 1469.0 | 1268.0 |
|  |      | Type5 | 26 | 6  | 163568.0 | 16 | 2 | 67.5 | 1571.0 | 1434.0 | ---    |
|  |      | Type5 | 26 | 4  | 526388.0 | 16 | 1 | 54.7 | 1825.0 | ---    | ---    |
|  |      | Type5 | 26 | 2  | 184953.0 | 16 | 1 | 55.8 | 1532.0 | ---    | ---    |
|  |      | Type5 | 26 | 1  | 14067.0  | 16 | 3 | 89.4 | 1173.0 | 1627.0 | 1656.0 |
|  |      | Type5 | 26 | 0  | 545865.0 | 16 | 3 | 83.6 | 1632.0 | 1195.0 | 1000.0 |
|  |      | Type5 | 26 | 16 | 461322.0 | 16 | 3 | 87.3 | 1931.0 | 1051.0 | 1831.0 |
|  |      | Type5 | 26 | 5  | 694806.0 | 16 | 3 | 97.7 | 1734.0 | 1202.0 | 1250.0 |

| Test Mode  | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO | 5260    | Type5      | 27       | 13       | 33698.0           | 19                | 1                | 52.3             | 1312.0    | ---       | ---       |
|            |         | Type5      | 27       | 0        | 565136.0          | 19                | 3                | 85.6             | 1946.0    | 1078.0    | 1015.0    |
|            |         | Type5      | 27       | 17       | 14858.0           | 19                | 1                | 60.4             | 1758.0    | ---       | ---       |
|            |         | Type5      | 27       | 16       | 491053.0          | 19                | 2                | 76.2             | 1376.0    | 1502.0    | ---       |
|            |         | Type5      | 27       | 14       | 186023.0          | 19                | 2                | 74.1             | 1915.0    | 1200.0    | ---       |
|            |         | Type5      | 27       | 18       | 167387.0          | 19                | 2                | 81.5             | 1491.0    | 1103.0    | ---       |
|            |         | Type5      | 27       | 12       | 510977.0          | 19                | 1                | 52.5             | 1470.0    | ---       | ---       |
|            |         | Type5      | 27       | 11       | 357941.0          | 19                | 1                | 65.3             | 1848.0    | ---       | ---       |
|            |         | Type5      | 27       | 10       | 204582.0          | 19                | 3                | 88.1             | 1023.0    | 1124.0    | 1631.0    |
|            |         | Type5      | 27       | 2        | 243121.0          | 19                | 1                | 54.2             | 1111.0    | ---       | ---       |
|            |         | Type5      | 27       | 8        | 527806.0          | 19                | 3                | 87.5             | 1216.0    | 1448.0    | 1179.0    |
|            |         | Type5      | 27       | 7        | 376127.0          | 19                | 2                | 80.2             | 1126.0    | 1769.0    | ---       |
|            |         | Type5      | 27       | 6        | 224093.0          | 19                | 1                | 62.4             | 1655.0    | ---       | ---       |
|            |         | Type5      | 27       | 5        | 70998.0           | 19                | 3                | 98.3             | 1142.0    | 1699.0    | 1622.0    |
|            |         | Type5      | 27       | 4        | 546225.0          | 19                | 3                | 97.1             | 1157.0    | 1969.0    | 1100.0    |
|            |         | Type5      | 27       | 3        | 396034.0          | 19                | 1                | 61.2             | 1104.0    | ---       | ---       |
|            |         | Type5      | 27       | 9        | 52247.0           | 19                | 3                | 85.8             | 1847.0    | 1348.0    | 1472.0    |
|            |         | Type5      | 27       | 15       | 339327.0          | 19                | 1                | 54.9             | 1479.0    | ---       | ---       |
|            | 5500    | Type5      | 27       | 1        | 89970.0           | 19                | 2                | 68.6             | 1029.0    | 1780.0    | ---       |
|            |         | Type5      | 27       | 18       | 167387.0          | 19                | 2                | 81.5             | 1491.0    | 1103.0    | ---       |
|            |         | Type5      | 27       | 6        | 224093.0          | 19                | 1                | 62.4             | 1655.0    | ---       | ---       |
|            |         | Type5      | 27       | 5        | 70998.0           | 19                | 3                | 98.3             | 1142.0    | 1699.0    | 1622.0    |
|            |         | Type5      | 27       | 4        | 546225.0          | 19                | 3                | 97.1             | 1157.0    | 1969.0    | 1100.0    |
|            |         | Type5      | 27       | 3        | 396034.0          | 19                | 1                | 61.2             | 1104.0    | ---       | ---       |
|            |         | Type5      | 27       | 0        | 565136.0          | 19                | 3                | 85.6             | 1946.0    | 1078.0    | 1015.0    |
|            |         | Type5      | 27       | 1        | 89970.0           | 19                | 2                | 68.6             | 1029.0    | 1780.0    | ---       |
|            |         | Type5      | 27       | 7        | 376127.0          | 19                | 2                | 80.2             | 1126.0    | 1769.0    | ---       |
|            |         | Type5      | 27       | 2        | 243121.0          | 19                | 1                | 54.2             | 1111.0    | ---       | ---       |
|            |         | Type5      | 27       | 8        | 527806.0          | 19                | 3                | 87.5             | 1216.0    | 1448.0    | 1179.0    |
|            |         | Type5      | 27       | 9        | 52247.0           | 19                | 3                | 85.8             | 1847.0    | 1348.0    | 1472.0    |
|            |         | Type5      | 27       | 10       | 204582.0          | 19                | 3                | 88.1             | 1023.0    | 1124.0    | 1631.0    |
|            |         | Type5      | 27       | 11       | 357941.0          | 19                | 1                | 65.3             | 1848.0    | ---       | ---       |
|            |         | Type5      | 27       | 12       | 510977.0          | 19                | 1                | 52.5             | 1470.0    | ---       | ---       |
|            |         | Type5      | 27       | 13       | 33698.0           | 19                | 1                | 52.3             | 1312.0    | ---       | ---       |
|            |         | Type5      | 27       | 14       | 186023.0          | 19                | 2                | 74.1             | 1915.0    | 1200.0    | ---       |
|            |         | Type5      | 27       | 15       | 339327.0          | 19                | 1                | 54.9             | 1479.0    | ---       | ---       |
| 11AX40MIMO | 5270    | Type5      | 27       | 17       | 14858.0           | 19                | 1                | 60.4             | 1758.0    | ---       | ---       |
|            |         | Type5      | 27       | 16       | 491053.0          | 19                | 2                | 76.2             | 1376.0    | 1502.0    | ---       |
|            |         | Type5      | 27       | 9        | 52247.0           | 19                | 3                | 85.8             | 1847.0    | 1348.0    | 1472.0    |
|            |         | Type5      | 27       | 8        | 527806.0          | 19                | 3                | 87.5             | 1216.0    | 1448.0    | 1179.0    |
|            |         | Type5      | 27       | 0        | 565136.0          | 19                | 3                | 85.6             | 1946.0    | 1078.0    | 1015.0    |
|            |         | Type5      | 27       | 1        | 89970.0           | 19                | 2                | 68.6             | 1029.0    | 1780.0    | ---       |
|            |         | Type5      | 27       | 2        | 243121.0          | 19                | 1                | 54.2             | 1111.0    | ---       | ---       |
|            |         | Type5      | 27       | 3        | 396034.0          | 19                | 1                | 61.2             | 1104.0    | ---       | ---       |
|            |         | Type5      | 27       | 4        | 546225.0          | 19                | 3                | 97.1             | 1157.0    | 1969.0    | 1100.0    |
|            |         | Type5      | 27       | 5        | 70998.0           | 19                | 3                | 98.3             | 1142.0    | 1699.0    | 1622.0    |
|            |         | Type5      | 27       | 6        | 224093.0          | 19                | 1                | 62.4             | 1655.0    | ---       | ---       |
|            |         | Type5      | 27       | 11       | 357941.0          | 19                | 1                | 65.3             | 1848.0    | ---       | ---       |
|            |         | Type5      | 27       | 7        | 376127.0          | 19                | 2                | 80.2             | 1126.0    | 1769.0    | ---       |
|            |         | Type5      | 27       | 18       | 167387.0          | 19                | 2                | 81.5             | 1491.0    | 1103.0    | ---       |
|            |         | Type5      | 27       | 10       | 204582.0          | 19                | 3                | 88.1             | 1023.0    | 1124.0    | 1631.0    |
|            |         | Type5      | 27       | 12       | 510977.0          | 19                | 1                | 52.5             | 1470.0    | ---       | ---       |
|            |         | Type5      | 27       | 13       | 33698.0           | 19                | 1                | 52.3             | 1312.0    | ---       | ---       |

|            |      |       |    |    |          |    |   |      |        |        |        |
|------------|------|-------|----|----|----------|----|---|------|--------|--------|--------|
| 11AX80MIMO | 5510 | Type5 | 27 | 14 | 186023.0 | 19 | 2 | 74.1 | 1915.0 | 1200.0 | ---    |
|            |      | Type5 | 27 | 15 | 339327.0 | 19 | 1 | 54.9 | 1479.0 | ---    | ---    |
|            |      | Type5 | 27 | 16 | 491053.0 | 19 | 2 | 76.2 | 1376.0 | 1502.0 | ---    |
|            |      | Type5 | 27 | 17 | 14858.0  | 19 | 1 | 60.4 | 1758.0 | ---    | ---    |
|            | 5510 | Type5 | 27 | 15 | 339327.0 | 19 | 1 | 54.9 | 1479.0 | ---    | ---    |
|            |      | Type5 | 27 | 12 | 510977.0 | 19 | 1 | 52.5 | 1470.0 | ---    | ---    |
|            |      | Type5 | 27 | 18 | 167387.0 | 19 | 2 | 81.5 | 1491.0 | 1103.0 | ---    |
|            |      | Type5 | 27 | 17 | 14858.0  | 19 | 1 | 60.4 | 1758.0 | ---    | ---    |
|            |      | Type5 | 27 | 16 | 491053.0 | 19 | 2 | 76.2 | 1376.0 | 1502.0 | ---    |
|            |      | Type5 | 27 | 13 | 33698.0  | 19 | 1 | 52.3 | 1312.0 | ---    | ---    |
|            |      | Type5 | 27 | 14 | 186023.0 | 19 | 2 | 74.1 | 1915.0 | 1200.0 | ---    |
|            |      | Type5 | 27 | 0  | 565136.0 | 19 | 3 | 85.6 | 1946.0 | 1078.0 | 1015.0 |
|            |      | Type5 | 27 | 11 | 357941.0 | 19 | 1 | 65.3 | 1848.0 | ---    | ---    |
|            |      | Type5 | 27 | 10 | 204582.0 | 19 | 3 | 88.1 | 1023.0 | 1124.0 | 1631.0 |
|            |      | Type5 | 27 | 1  | 89970.0  | 19 | 2 | 68.6 | 1029.0 | 1780.0 | ---    |
|            |      | Type5 | 27 | 8  | 527806.0 | 19 | 3 | 87.5 | 1216.0 | 1448.0 | 1179.0 |
|            |      | Type5 | 27 | 7  | 376127.0 | 19 | 2 | 80.2 | 1126.0 | 1769.0 | ---    |
|            |      | Type5 | 27 | 6  | 224093.0 | 19 | 1 | 62.4 | 1655.0 | ---    | ---    |
|            |      | Type5 | 27 | 5  | 70998.0  | 19 | 3 | 98.3 | 1142.0 | 1699.0 | 1622.0 |
|            |      | Type5 | 27 | 4  | 546225.0 | 19 | 3 | 97.1 | 1157.0 | 1969.0 | 1100.0 |
|            |      | Type5 | 27 | 3  | 396034.0 | 19 | 1 | 61.2 | 1104.0 | ---    | ---    |
|            |      | Type5 | 27 | 2  | 243121.0 | 19 | 1 | 54.2 | 1111.0 | ---    | ---    |
|            |      | Type5 | 27 | 9  | 52247.0  | 19 | 3 | 85.8 | 1847.0 | 1348.0 | 1472.0 |
|            | 5290 | Type5 | 27 | 7  | 376127.0 | 19 | 2 | 80.2 | 1126.0 | 1769.0 | ---    |
|            |      | Type5 | 27 | 6  | 224093.0 | 19 | 1 | 62.4 | 1655.0 | ---    | ---    |
|            |      | Type5 | 27 | 5  | 70998.0  | 19 | 3 | 98.3 | 1142.0 | 1699.0 | 1622.0 |
|            |      | Type5 | 27 | 4  | 546225.0 | 19 | 3 | 97.1 | 1157.0 | 1969.0 | 1100.0 |
|            |      | Type5 | 27 | 3  | 396034.0 | 19 | 1 | 61.2 | 1104.0 | ---    | ---    |
|            |      | Type5 | 27 | 2  | 243121.0 | 19 | 1 | 54.2 | 1111.0 | ---    | ---    |
|            |      | Type5 | 27 | 8  | 527806.0 | 19 | 3 | 87.5 | 1216.0 | 1448.0 | 1179.0 |
|            |      | Type5 | 27 | 0  | 565136.0 | 19 | 3 | 85.6 | 1946.0 | 1078.0 | 1015.0 |
|            |      | Type5 | 27 | 1  | 89970.0  | 19 | 2 | 68.6 | 1029.0 | 1780.0 | ---    |
|            |      | Type5 | 27 | 18 | 167387.0 | 19 | 2 | 81.5 | 1491.0 | 1103.0 | ---    |
|            |      | Type5 | 27 | 17 | 14858.0  | 19 | 1 | 60.4 | 1758.0 | ---    | ---    |
|            |      | Type5 | 27 | 16 | 491053.0 | 19 | 2 | 76.2 | 1376.0 | 1502.0 | ---    |
|            |      | Type5 | 27 | 15 | 339327.0 | 19 | 1 | 54.9 | 1479.0 | ---    | ---    |
|            |      | Type5 | 27 | 14 | 186023.0 | 19 | 2 | 74.1 | 1915.0 | 1200.0 | ---    |
|            |      | Type5 | 27 | 13 | 33698.0  | 19 | 1 | 52.3 | 1312.0 | ---    | ---    |
|            |      | Type5 | 27 | 12 | 510977.0 | 19 | 1 | 52.5 | 1470.0 | ---    | ---    |
|            |      | Type5 | 27 | 11 | 357941.0 | 19 | 1 | 65.3 | 1848.0 | ---    | ---    |
|            |      | Type5 | 27 | 10 | 204582.0 | 19 | 3 | 88.1 | 1023.0 | 1124.0 | 1631.0 |
|            |      | Type5 | 27 | 9  | 52247.0  | 19 | 3 | 85.8 | 1847.0 | 1348.0 | 1472.0 |
|            | 5530 | Type5 | 27 | 8  | 527806.0 | 19 | 3 | 87.5 | 1216.0 | 1448.0 | 1179.0 |
|            |      | Type5 | 27 | 11 | 357941.0 | 19 | 1 | 65.3 | 1848.0 | ---    | ---    |
|            |      | Type5 | 27 | 18 | 167387.0 | 19 | 2 | 81.5 | 1491.0 | 1103.0 | ---    |
|            |      | Type5 | 27 | 17 | 14858.0  | 19 | 1 | 60.4 | 1758.0 | ---    | ---    |
|            |      | Type5 | 27 | 16 | 491053.0 | 19 | 2 | 76.2 | 1376.0 | 1502.0 | ---    |
|            |      | Type5 | 27 | 15 | 339327.0 | 19 | 1 | 54.9 | 1479.0 | ---    | ---    |
|            |      | Type5 | 27 | 14 | 186023.0 | 19 | 2 | 74.1 | 1915.0 | 1200.0 | ---    |
|            |      | Type5 | 27 | 13 | 33698.0  | 19 | 1 | 52.3 | 1312.0 | ---    | ---    |
|            |      | Type5 | 27 | 12 | 510977.0 | 19 | 1 | 52.5 | 1470.0 | ---    | ---    |
|            |      | Type5 | 27 | 1  | 89970.0  | 19 | 2 | 68.6 | 1029.0 | 1780.0 | ---    |
|            |      | Type5 | 27 | 7  | 376127.0 | 19 | 2 | 80.2 | 1126.0 | 1769.0 | ---    |
|            |      | Type5 | 27 | 6  | 224093.0 | 19 | 1 | 62.4 | 1655.0 | ---    | ---    |
|            |      | Type5 | 27 | 5  | 70998.0  | 19 | 3 | 98.3 | 1142.0 | 1699.0 | 1622.0 |
|            |      | Type5 | 27 | 4  | 546225.0 | 19 | 3 | 97.1 | 1157.0 | 1969.0 | 1100.0 |
|            |      | Type5 | 27 | 3  | 396034.0 | 19 | 1 | 61.2 | 1104.0 | ---    | ---    |
|            |      | Type5 | 27 | 2  | 243121.0 | 19 | 1 | 54.2 | 1111.0 | ---    | ---    |

|             |      |       |    |    |          |    |   |      |        |        |        |
|-------------|------|-------|----|----|----------|----|---|------|--------|--------|--------|
| 11AX160MIMO |      | Type5 | 27 | 9  | 52247.0  | 19 | 3 | 85.8 | 1847.0 | 1348.0 | 1472.0 |
|             |      | Type5 | 27 | 10 | 204582.0 | 19 | 3 | 88.1 | 1023.0 | 1124.0 | 1631.0 |
|             |      | Type5 | 27 | 0  | 565136.0 | 19 | 3 | 85.6 | 1946.0 | 1078.0 | 1015.0 |
|             | 5250 | Type5 | 27 | 7  | 376127.0 | 19 | 2 | 80.2 | 1126.0 | 1769.0 | ---    |
|             |      | Type5 | 27 | 6  | 224093.0 | 19 | 1 | 62.4 | 1655.0 | ---    | ---    |
|             |      | Type5 | 27 | 5  | 70998.0  | 19 | 3 | 98.3 | 1142.0 | 1699.0 | 1622.0 |
|             |      | Type5 | 27 | 0  | 565136.0 | 19 | 3 | 85.6 | 1946.0 | 1078.0 | 1015.0 |
|             |      | Type5 | 27 | 4  | 546225.0 | 19 | 3 | 97.1 | 1157.0 | 1969.0 | 1100.0 |
|             |      | Type5 | 27 | 3  | 396034.0 | 19 | 1 | 61.2 | 1104.0 | ---    | ---    |
|             |      | Type5 | 27 | 1  | 89970.0  | 19 | 2 | 68.6 | 1029.0 | 1780.0 | ---    |
|             |      | Type5 | 27 | 15 | 339327.0 | 19 | 1 | 54.9 | 1479.0 | ---    | ---    |
|             |      | Type5 | 27 | 8  | 527806.0 | 19 | 3 | 87.5 | 1216.0 | 1448.0 | 1179.0 |
|             |      | Type5 | 27 | 2  | 243121.0 | 19 | 1 | 54.2 | 1111.0 | ---    | ---    |
|             |      | Type5 | 27 | 10 | 204582.0 | 19 | 3 | 88.1 | 1023.0 | 1124.0 | 1631.0 |
|             |      | Type5 | 27 | 11 | 357941.0 | 19 | 1 | 65.3 | 1848.0 | ---    | ---    |
|             |      | Type5 | 27 | 12 | 510977.0 | 19 | 1 | 52.5 | 1470.0 | ---    | ---    |
|             |      | Type5 | 27 | 14 | 186023.0 | 19 | 2 | 74.1 | 1915.0 | 1200.0 | ---    |
|             |      | Type5 | 27 | 16 | 491053.0 | 19 | 2 | 76.2 | 1376.0 | 1502.0 | ---    |
|             |      | Type5 | 27 | 17 | 14858.0  | 19 | 1 | 60.4 | 1758.0 | ---    | ---    |
|             |      | Type5 | 27 | 18 | 167387.0 | 19 | 2 | 81.5 | 1491.0 | 1103.0 | ---    |
|             |      | Type5 | 27 | 13 | 33698.0  | 19 | 1 | 52.3 | 1312.0 | ---    | ---    |
|             |      | Type5 | 27 | 9  | 52247.0  | 19 | 3 | 85.8 | 1847.0 | 1348.0 | 1472.0 |
|             | 5570 | Type5 | 27 | 17 | 14858.0  | 19 | 1 | 60.4 | 1758.0 | ---    | ---    |
|             |      | Type5 | 27 | 11 | 357941.0 | 19 | 1 | 65.3 | 1848.0 | ---    | ---    |
|             |      | Type5 | 27 | 12 | 510977.0 | 19 | 1 | 52.5 | 1470.0 | ---    | ---    |
|             |      | Type5 | 27 | 13 | 33698.0  | 19 | 1 | 52.3 | 1312.0 | ---    | ---    |
|             |      | Type5 | 27 | 14 | 186023.0 | 19 | 2 | 74.1 | 1915.0 | 1200.0 | ---    |
|             |      | Type5 | 27 | 10 | 204582.0 | 19 | 3 | 88.1 | 1023.0 | 1124.0 | 1631.0 |
|             |      | Type5 | 27 | 16 | 491053.0 | 19 | 2 | 76.2 | 1376.0 | 1502.0 | ---    |
|             |      | Type5 | 27 | 4  | 546225.0 | 19 | 3 | 97.1 | 1157.0 | 1969.0 | 1100.0 |
|             |      | Type5 | 27 | 15 | 339327.0 | 19 | 1 | 54.9 | 1479.0 | ---    | ---    |
|             |      | Type5 | 27 | 9  | 52247.0  | 19 | 3 | 85.8 | 1847.0 | 1348.0 | 1472.0 |
|             |      | Type5 | 27 | 8  | 527806.0 | 19 | 3 | 87.5 | 1216.0 | 1448.0 | 1179.0 |
|             |      | Type5 | 27 | 7  | 376127.0 | 19 | 2 | 80.2 | 1126.0 | 1769.0 | ---    |
|             |      | Type5 | 27 | 5  | 70998.0  | 19 | 3 | 98.3 | 1142.0 | 1699.0 | 1622.0 |
|             |      | Type5 | 27 | 3  | 396034.0 | 19 | 1 | 61.2 | 1104.0 | ---    | ---    |
|             |      | Type5 | 27 | 2  | 243121.0 | 19 | 1 | 54.2 | 1111.0 | ---    | ---    |
|             |      | Type5 | 27 | 1  | 89970.0  | 19 | 2 | 68.6 | 1029.0 | 1780.0 | ---    |
|             |      | Type5 | 27 | 0  | 565136.0 | 19 | 3 | 85.6 | 1946.0 | 1078.0 | 1015.0 |
|             |      | Type5 | 27 | 18 | 167387.0 | 19 | 2 | 81.5 | 1491.0 | 1103.0 | ---    |
|             |      | Type5 | 27 | 6  | 224093.0 | 19 | 1 | 62.4 | 1655.0 | ---    | ---    |

| Test Mode  | Channel | Radar Type | Trial ID | Burst ID | Burst Offset (μs) | Chirp Width (MHz) | Number Of Pulses | Pulse Width (μs) | PRI1 (μs) | PRI2 (μs) | PRI3 (μs) |
|------------|---------|------------|----------|----------|-------------------|-------------------|------------------|------------------|-----------|-----------|-----------|
| 11AX20MIMO | 5260    | Type5      | 28       | 8        | 446940.0          | 10                | 3                | 89.0             | 1260.0    | 1706.0    | 1411.0    |
|            |         | Type5      | 28       | 0        | 507709.0          | 10                | 1                | 50.5             | 1857.0    | ---       | ---       |
|            |         | Type5      | 28       | 9        | 689225.0          | 10                | 2                | 70.9             | 1578.0    | 1620.0    | ---       |
|            |         | Type5      | 28       | 11       | 176231.0          | 10                | 1                | 55.3             | 1522.0    | ---       | ---       |
|            |         | Type5      | 28       | 7        | 205370.0          | 10                | 3                | 92.2             | 1898.0    | 1252.0    | 1713.0    |
|            |         | Type5      | 28       | 6        | 960895.0          | 10                | 2                | 78.1             | 1301.0    | 1757.0    | ---       |
|            |         | Type5      | 28       | 5        | 718312.0          | 10                | 3                | 92.3             | 1180.0    | 1486.0    | 1492.0    |
|            |         | Type5      | 28       | 4        | 477675.0          | 10                | 2                | 75.1             | 1254.0    | 1052.0    | ---       |
|            |         | Type5      | 28       | 3        | 235634.0          | 10                | 2                | 76.9             | 1125.0    | 1474.0    | ---       |
|            |         | Type5      | 28       | 2        | 989003.0          | 10                | 3                | 85.8             | 1774.0    | 1002.0    | 1967.0    |
|            |         | Type5      | 28       | 1        | 750249.0          | 10                | 1                | 55.7             | 1246.0    | ---       | ---       |
|            |         | Type5      | 28       | 10       | 932305.0          | 10                | 1                | 63.1             | 1782.0    | ---       | ---       |
|            | 5500    | Type5      | 28       | 4        | 477675.0          | 10                | 2                | 75.1             | 1254.0    | 1052.0    | ---       |
|            |         | Type5      | 28       | 1        | 750249.0          | 10                | 1                | 55.7             | 1246.0    | ---       | ---       |
|            |         | Type5      | 28       | 0        | 507709.0          | 10                | 1                | 50.5             | 1857.0    | ---       | ---       |
|            |         | Type5      | 28       | 2        | 989003.0          | 10                | 3                | 85.8             | 1774.0    | 1002.0    | 1967.0    |
|            |         | Type5      | 28       | 3        | 235634.0          | 10                | 2                | 76.9             | 1125.0    | 1474.0    | ---       |
|            |         | Type5      | 28       | 11       | 176231.0          | 10                | 1                | 55.3             | 1522.0    | ---       | ---       |
|            |         | Type5      | 28       | 5        | 718312.0          | 10                | 3                | 92.3             | 1180.0    | 1486.0    | 1492.0    |
|            |         | Type5      | 28       | 6        | 960895.0          | 10                | 2                | 78.1             | 1301.0    | 1757.0    | ---       |
|            |         | Type5      | 28       | 7        | 205370.0          | 10                | 3                | 92.2             | 1898.0    | 1252.0    | 1713.0    |
|            |         | Type5      | 28       | 8        | 446940.0          | 10                | 3                | 89.0             | 1260.0    | 1706.0    | 1411.0    |
|            |         | Type5      | 28       | 10       | 932305.0          | 10                | 1                | 63.1             | 1782.0    | ---       | ---       |
|            |         | Type5      | 28       | 9        | 689225.0          | 10                | 2                | 70.9             | 1578.0    | 1620.0    | ---       |
| 11AX40MIMO | 5270    | Type5      | 28       | 5        | 718312.0          | 10                | 3                | 92.3             | 1180.0    | 1486.0    | 1492.0    |
|            |         | Type5      | 28       | 11       | 176231.0          | 10                | 1                | 55.3             | 1522.0    | ---       | ---       |
|            |         | Type5      | 28       | 10       | 932305.0          | 10                | 1                | 63.1             | 1782.0    | ---       | ---       |
|            |         | Type5      | 28       | 9        | 689225.0          | 10                | 2                | 70.9             | 1578.0    | 1620.0    | ---       |
|            |         | Type5      | 28       | 8        | 446940.0          | 10                | 3                | 89.0             | 1260.0    | 1706.0    | 1411.0    |
|            |         | Type5      | 28       | 6        | 960895.0          | 10                | 2                | 78.1             | 1301.0    | 1757.0    | ---       |
|            |         | Type5      | 28       | 4        | 477675.0          | 10                | 2                | 75.1             | 1254.0    | 1052.0    | ---       |
|            |         | Type5      | 28       | 3        | 235634.0          | 10                | 2                | 76.9             | 1125.0    | 1474.0    | ---       |
|            |         | Type5      | 28       | 2        | 989003.0          | 10                | 3                | 85.8             | 1774.0    | 1002.0    | 1967.0    |
|            |         | Type5      | 28       | 1        | 750249.0          | 10                | 1                | 55.7             | 1246.0    | ---       | ---       |
|            |         | Type5      | 28       | 0        | 507709.0          | 10                | 1                | 50.5             | 1857.0    | ---       | ---       |
|            |         | Type5      | 28       | 7        | 205370.0          | 10                | 3                | 92.2             | 1898.0    | 1252.0    | 1713.0    |
|            | 5510    | Type5      | 28       | 9        | 689225.0          | 10                | 2                | 70.9             | 1578.0    | 1620.0    | ---       |
|            |         | Type5      | 28       | 8        | 446940.0          | 10                | 3                | 89.0             | 1260.0    | 1706.0    | 1411.0    |
|            |         | Type5      | 28       | 11       | 176231.0          | 10                | 1                | 55.3             | 1522.0    | ---       | ---       |
|            |         | Type5      | 28       | 7        | 205370.0          | 10                | 3                | 92.2             | 1898.0    | 1252.0    | 1713.0    |
|            |         | Type5      | 28       | 10       | 932305.0          | 10                | 1                | 63.1             | 1782.0    | ---       | ---       |
|            |         | Type5      | 28       | 0        | 507709.0          | 10                | 1                | 50.5             | 1857.0    | ---       | ---       |
|            |         | Type5      | 28       | 6        | 960895.0          | 10                | 2                | 78.1             | 1301.0    | 1757.0    | ---       |
|            |         | Type5      | 28       | 5        | 718312.0          | 10                | 3                | 92.3             | 1180.0    | 1486.0    | 1492.0    |
|            |         | Type5      | 28       | 4        | 477675.0          | 10                | 2                | 75.1             | 1254.0    | 1052.0    | ---       |
|            |         | Type5      | 28       | 3        | 235634.0          | 10                | 2                | 76.9             | 1125.0    | 1474.0    | ---       |
|            |         | Type5      | 28       | 2        | 989003.0          | 10                | 3                | 85.8             | 1774.0    | 1002.0    | 1967.0    |
|            |         | Type5      | 28       | 1        | 750249.0          | 10                | 1                | 55.7             | 1246.0    | ---       | ---       |
| 11AX80MIMO | 5290    | Type5      | 28       | 0        | 507709.0          | 10                | 1                | 50.5             | 1857.0    | ---       | ---       |
|            |         | Type5      | 28       | 1        | 750249.0          | 10                | 1                | 55.7             | 1246.0    | ---       | ---       |
|            |         | Type5      | 28       | 2        | 989003.0          | 10                | 3                | 85.8             | 1774.0    | 1002.0    | 1967.0    |
|            |         | Type5      | 28       | 3        | 235634.0          | 10                | 2                | 76.9             | 1125.0    | 1474.0    | ---       |
|            |         | Type5      | 28       | 4        | 477675.0          | 10                | 2                | 75.1             | 1254.0    | 1052.0    | ---       |

|             |      |       |    |    |          |    |   |      |        |        |        |
|-------------|------|-------|----|----|----------|----|---|------|--------|--------|--------|
| 11AX160MIMO |      | Type5 | 28 | 5  | 718312.0 | 10 | 3 | 92.3 | 1180.0 | 1486.0 | 1492.0 |
|             |      | Type5 | 28 | 7  | 205370.0 | 10 | 3 | 92.2 | 1898.0 | 1252.0 | 1713.0 |
|             |      | Type5 | 28 | 8  | 446940.0 | 10 | 3 | 89.0 | 1260.0 | 1706.0 | 1411.0 |
|             |      | Type5 | 28 | 9  | 689225.0 | 10 | 2 | 70.9 | 1578.0 | 1620.0 | ---    |
|             |      | Type5 | 28 | 11 | 176231.0 | 10 | 1 | 55.3 | 1522.0 | ---    | ---    |
|             |      | Type5 | 28 | 10 | 932305.0 | 10 | 1 | 63.1 | 1782.0 | ---    | ---    |
|             |      | Type5 | 28 | 6  | 960895.0 | 10 | 2 | 78.1 | 1301.0 | 1757.0 | ---    |
|             | 5530 | Type5 | 28 | 5  | 718312.0 | 10 | 3 | 92.3 | 1180.0 | 1486.0 | 1492.0 |
|             |      | Type5 | 28 | 11 | 176231.0 | 10 | 1 | 55.3 | 1522.0 | ---    | ---    |
|             |      | Type5 | 28 | 10 | 932305.0 | 10 | 1 | 63.1 | 1782.0 | ---    | ---    |
|             |      | Type5 | 28 | 9  | 689225.0 | 10 | 2 | 70.9 | 1578.0 | 1620.0 | ---    |
|             |      | Type5 | 28 | 8  | 446940.0 | 10 | 3 | 89.0 | 1260.0 | 1706.0 | 1411.0 |
|             |      | Type5 | 28 | 6  | 960895.0 | 10 | 2 | 78.1 | 1301.0 | 1757.0 | ---    |
|             |      | Type5 | 28 | 4  | 477675.0 | 10 | 2 | 75.1 | 1254.0 | 1052.0 | ---    |
|             |      | Type5 | 28 | 3  | 235634.0 | 10 | 2 | 76.9 | 1125.0 | 1474.0 | ---    |
|             |      | Type5 | 28 | 2  | 989003.0 | 10 | 3 | 85.8 | 1774.0 | 1002.0 | 1967.0 |
|             |      | Type5 | 28 | 1  | 750249.0 | 10 | 1 | 55.7 | 1246.0 | ---    | ---    |
|             |      | Type5 | 28 | 0  | 507709.0 | 10 | 1 | 50.5 | 1857.0 | ---    | ---    |
|             |      | Type5 | 28 | 7  | 205370.0 | 10 | 3 | 92.2 | 1898.0 | 1252.0 | 1713.0 |
|             | 5250 | Type5 | 28 | 9  | 689225.0 | 10 | 2 | 70.9 | 1578.0 | 1620.0 | ---    |
|             |      | Type5 | 28 | 4  | 477675.0 | 10 | 2 | 75.1 | 1254.0 | 1052.0 | ---    |
|             |      | Type5 | 28 | 1  | 750249.0 | 10 | 1 | 55.7 | 1246.0 | ---    | ---    |
|             |      | Type5 | 28 | 2  | 989003.0 | 10 | 3 | 85.8 | 1774.0 | 1002.0 | 1967.0 |
|             |      | Type5 | 28 | 3  | 235634.0 | 10 | 2 | 76.9 | 1125.0 | 1474.0 | ---    |
|             |      | Type5 | 28 | 0  | 507709.0 | 10 | 1 | 50.5 | 1857.0 | ---    | ---    |
|             |      | Type5 | 28 | 6  | 960895.0 | 10 | 2 | 78.1 | 1301.0 | 1757.0 | ---    |
|             |      | Type5 | 28 | 8  | 446940.0 | 10 | 3 | 89.0 | 1260.0 | 1706.0 | 1411.0 |
|             |      | Type5 | 28 | 10 | 932305.0 | 10 | 1 | 63.1 | 1782.0 | ---    | ---    |
|             |      | Type5 | 28 | 11 | 176231.0 | 10 | 1 | 55.3 | 1522.0 | ---    | ---    |
|             |      | Type5 | 28 | 5  | 718312.0 | 10 | 3 | 92.3 | 1180.0 | 1486.0 | 1492.0 |
|             |      | Type5 | 28 | 7  | 205370.0 | 10 | 3 | 92.2 | 1898.0 | 1252.0 | 1713.0 |
|             | 5570 | Type5 | 28 | 2  | 989003.0 | 10 | 3 | 85.8 | 1774.0 | 1002.0 | 1967.0 |
|             |      | Type5 | 28 | 10 | 932305.0 | 10 | 1 | 63.1 | 1782.0 | ---    | ---    |
|             |      | Type5 | 28 | 9  | 689225.0 | 10 | 2 | 70.9 | 1578.0 | 1620.0 | ---    |
|             |      | Type5 | 28 | 8  | 446940.0 | 10 | 3 | 89.0 | 1260.0 | 1706.0 | 1411.0 |
|             |      | Type5 | 28 | 7  | 205370.0 | 10 | 3 | 92.2 | 1898.0 | 1252.0 | 1713.0 |
|             |      | Type5 | 28 | 6  | 960895.0 | 10 | 2 | 78.1 | 1301.0 | 1757.0 | ---    |
|             |      | Type5 | 28 | 5  | 718312.0 | 10 | 3 | 92.3 | 1180.0 | 1486.0 | 1492.0 |
|             |      | Type5 | 28 | 3  | 235634.0 | 10 | 2 | 76.9 | 1125.0 | 1474.0 | ---    |
|             |      | Type5 | 28 | 1  | 750249.0 | 10 | 1 | 55.7 | 1246.0 | ---    | ---    |
|             |      | Type5 | 28 | 0  | 507709.0 | 10 | 1 | 50.5 | 1857.0 | ---    | ---    |
|             |      | Type5 | 28 | 11 | 176231.0 | 10 | 1 | 55.3 | 1522.0 | ---    | ---    |
|             |      | Type5 | 28 | 4  | 477675.0 | 10 | 2 | 75.1 | 1254.0 | 1052.0 | ---    |

### Bridge Mode Test Result

| Test Mode  | Frequency[MHz] | Radar Type | Pass Times | Fail Times | Probability (%) | Limit (%) | Verdict |
|------------|----------------|------------|------------|------------|-----------------|-----------|---------|
| 11AX20MIMO | 5260           | Type1      | 29         | 1          | 96.67           | 60        | PASS    |

| Test Mode  | Frequency[MHz] | Radar Type | Trial ID | Pulse width(μs) | PRI(μs) | Pulses per Burst | Detection (1: Yes; 0: No) |
|------------|----------------|------------|----------|-----------------|---------|------------------|---------------------------|
| 11AX20MIMO | 5260           | Type1      | 0        | 1.0             | 938.0   | 57               | 1                         |
|            |                | Type1      | 1        | 1.0             | 698.0   | 76               | 1                         |
|            |                | Type1      | 2        | 1.0             | 618.0   | 86               | 1                         |
|            |                | Type1      | 3        | 1.0             | 538.0   | 99               | 1                         |
|            |                | Type1      | 4        | 1.0             | 878.0   | 61               | 1                         |
|            |                | Type1      | 5        | 1.0             | 3066.0  | 18               | 1                         |
|            |                | Type1      | 6        | 1.0             | 638.0   | 83               | 1                         |
|            |                | Type1      | 7        | 1.0             | 918.0   | 58               | 1                         |
|            |                | Type1      | 8        | 1.0             | 838.0   | 63               | 1                         |
|            |                | Type1      | 9        | 1.0             | 858.0   | 62               | 1                         |
|            |                | Type1      | 10       | 1.0             | 798.0   | 67               | 1                         |
|            |                | Type1      | 11       | 1.0             | 718.0   | 74               | 1                         |
|            |                | Type1      | 12       | 1.0             | 578.0   | 92               | 1                         |
|            |                | Type1      | 13       | 1.0             | 598.0   | 89               | 1                         |
|            |                | Type1      | 14       | 1.0             | 558.0   | 95               | 1                         |
|            |                | Type1      | 15       | 1.0             | 2536.0  | 21               | 1                         |
|            |                | Type1      | 16       | 1.0             | 966.0   | 55               | 1                         |
|            |                | Type1      | 17       | 1.0             | 827.0   | 64               | 1                         |
|            |                | Type1      | 18       | 1.0             | 2501.0  | 22               | 1                         |
|            |                | Type1      | 19       | 1.0             | 2595.0  | 21               | 1                         |
|            |                | Type1      | 20       | 1.0             | 1114.0  | 48               | 1                         |
|            |                | Type1      | 21       | 1.0             | 1302.0  | 41               | 0                         |
|            |                | Type1      | 22       | 1.0             | 3045.0  | 18               | 1                         |
|            |                | Type1      | 23       | 1.0             | 1624.0  | 33               | 1                         |
|            |                | Type1      | 24       | 1.0             | 2878.0  | 19               | 1                         |
|            |                | Type1      | 25       | 1.0             | 1027.0  | 52               | 1                         |
|            |                | Type1      | 26       | 1.0             | 2485.0  | 22               | 1                         |
|            |                | Type1      | 27       | 1.0             | 1600.0  | 33               | 1                         |
|            |                | Type1      | 28       | 1.0             | 1172.0  | 46               | 1                         |
|            |                | Type1      | 29       | 1.0             | 1177.0  | 45               | 1                         |

\*\*\*\*\* END OF REPORT \*\*\*\*\*