

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260300075303

Page: 596 of 603

					30	NV	5239.980	5150 to 5250	Pass
					40	NV	5240.000	5150 to 5250	Pass
					50	NV	5239.980	5150 to 5250	Pass
		5260	SU	/	20	LV	5259.980	5250 to 5350	Pass
						NV	5260.000	5250 to 5350	Pass
						HV	5259.980	5250 to 5350	Pass
					-30	NV	5259.960	5250 to 5350	Pass
					-20	NV	5259.980	5250 to 5350	Pass
					-10	NV	5259.980	5250 to 5350	Pass
					0	NV	5259.980	5250 to 5350	Pass
					10	NV	5259.980	5250 to 5350	Pass
					30	NV	5260.000	5250 to 5350	Pass
					40	NV	5259.980	5250 to 5350	Pass
					50	NV	5259.980	5250 to 5350	Pass
		5300	SU	/	20	LV	5299.960	5250 to 5350	Pass
						NV	5299.980	5250 to 5350	Pass
						HV	5299.980	5250 to 5350	Pass
					-30	NV	5299.980	5250 to 5350	Pass
					-20	NV	5299.980	5250 to 5350	Pass
					-10	NV	5299.980	5250 to 5350	Pass
					0	NV	5299.980	5250 to 5350	Pass
					10	NV	5299.980	5250 to 5350	Pass
					30	NV	5299.960	5250 to 5350	Pass
					40	NV	5299.980	5250 to 5350	Pass
					50	NV	5299.980	5250 to 5350	Pass
		5320	SU	/	20	LV	5319.960	5250 to 5350	Pass
						NV	5319.980	5250 to 5350	Pass
						HV	5319.980	5250 to 5350	Pass
					-30	NV	5319.960	5250 to 5350	Pass
					-20	NV	5319.960	5250 to 5350	Pass
					-10	NV	5319.980	5250 to 5350	Pass
					0	NV	5319.980	5250 to 5350	Pass
					10	NV	5319.960	5250 to 5350	Pass
					30	NV	5319.980	5250 to 5350	Pass
					40	NV	5320.000	5250 to 5350	Pass
					50	NV	5319.960	5250 to 5350	Pass
		5500	SU	/	20	LV	5499.980	5470 to 5725	Pass
						NV	5499.980	5470 to 5725	Pass
						HV	5499.980	5470 to 5725	Pass
					-30	NV	5499.980	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260300075303

Page: 597 of 603

		5580	SU	/	-20	NV	5500.000	5470 to 5725	Pass
					-10	NV	5499.980	5470 to 5725	Pass
					0	NV	5499.980	5470 to 5725	Pass
					10	NV	5499.980	5470 to 5725	Pass
					30	NV	5499.980	5470 to 5725	Pass
					40	NV	5499.960	5470 to 5725	Pass
					50	NV	5499.960	5470 to 5725	Pass
					20	LV	5579.980	5470 to 5725	Pass
						NV	5579.980	5470 to 5725	Pass
						HV	5579.980	5470 to 5725	Pass
					-30	NV	5579.980	5470 to 5725	Pass
					-20	NV	5579.960	5470 to 5725	Pass
					-10	NV	5579.980	5470 to 5725	Pass
		5700	SU	/	0	NV	5579.960	5470 to 5725	Pass
					10	NV	5579.980	5470 to 5725	Pass
					30	NV	5579.980	5470 to 5725	Pass
					40	NV	5579.980	5470 to 5725	Pass
					50	NV	5579.960	5470 to 5725	Pass
					20	LV	5699.940	5470 to 5725	Pass
						NV	5699.980	5470 to 5725	Pass
						HV	5700.000	5470 to 5725	Pass
					-30	NV	5700.000	5470 to 5725	Pass
					-20	NV	5699.980	5470 to 5725	Pass
					-10	NV	5699.980	5470 to 5725	Pass
		5745	SU	/	0	NV	5699.980	5470 to 5725	Pass
					10	NV	5699.960	5470 to 5725	Pass
					30	NV	5700.000	5470 to 5725	Pass
					40	NV	5699.980	5470 to 5725	Pass
					50	NV	5699.980	5470 to 5725	Pass
					20	LV	5744.980	5725 to 5850	Pass
						NV	5744.980	5725 to 5850	Pass
						HV	5744.960	5725 to 5850	Pass
					-30	NV	5744.960	5725 to 5850	Pass
					-20	NV	5744.980	5725 to 5850	Pass
					-10	NV	5744.980	5725 to 5850	Pass
					0	NV	5744.980	5725 to 5850	Pass
					10	NV	5744.980	5725 to 5850	Pass
					30	NV	5744.980	5725 to 5850	Pass
					40	NV	5744.980	5725 to 5850	Pass
					50	NV	5744.960	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260300075303

Page: 598 of 603

		5785	SU	/	20	LV	5784.960	5725 to 5850	Pass
						NV	5784.960	5725 to 5850	Pass
						HV	5784.960	5725 to 5850	Pass
					-30	NV	5784.980	5725 to 5850	Pass
					-20	NV	5784.960	5725 to 5850	Pass
					-10	NV	5785.000	5725 to 5850	Pass
					0	NV	5784.960	5725 to 5850	Pass
					10	NV	5784.960	5725 to 5850	Pass
					30	NV	5784.980	5725 to 5850	Pass
					40	NV	5784.960	5725 to 5850	Pass
					50	NV	5784.960	5725 to 5850	Pass
		5825	SU	/	20	LV	5824.940	5725 to 5850	Pass
						NV	5824.960	5725 to 5850	Pass
						HV	5824.980	5725 to 5850	Pass
					-30	NV	5824.960	5725 to 5850	Pass
					-20	NV	5824.940	5725 to 5850	Pass
					-10	NV	5825.000	5725 to 5850	Pass
					0	NV	5824.940	5725 to 5850	Pass
					10	NV	5824.980	5725 to 5850	Pass
					30	NV	5824.960	5725 to 5850	Pass
					40	NV	5824.960	5725 to 5850	Pass
					50	NV	5824.960	5725 to 5850	Pass
		5720	SU	/	20	LV	5719.960	5470 to 5850	Pass
						NV	5720.000	5470 to 5850	Pass
						HV	5719.960	5470 to 5850	Pass
					-30	NV	5720.000	5470 to 5850	Pass
					-20	NV	5719.960	5470 to 5850	Pass
					-10	NV	5719.960	5470 to 5850	Pass
					0	NV	5719.980	5470 to 5850	Pass
					10	NV	5719.980	5470 to 5850	Pass
					30	NV	5719.980	5470 to 5850	Pass
					40	NV	5719.960	5470 to 5850	Pass
					50	NV	5719.980	5470 to 5850	Pass
802.11be (EHT40)	MIMO	5190	SU	/	20	LV	5189.960	5150 to 5250	Pass
						NV	5190.000	5150 to 5250	Pass
						HV	5189.960	5150 to 5250	Pass
					-30	NV	5189.960	5150 to 5250	Pass
					-20	NV	5189.960	5150 to 5250	Pass
					-10	NV	5189.960	5150 to 5250	Pass
					0	NV	5190.000	5150 to 5250	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Calibration Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260300075303

Page: 599 of 603

					10	NV	5189.960	5150 to 5250	Pass
					30	NV	5189.960	5150 to 5250	Pass
					40	NV	5189.960	5150 to 5250	Pass
					50	NV	5189.960	5150 to 5250	Pass
5230	SU	/	20	LV	5230.000	5150 to 5250	Pass		
				NV	5230.000	5150 to 5250	Pass		
				HV	5230.040	5150 to 5250	Pass		
			-30	NV	5229.960	5150 to 5250	Pass		
			-20	NV	5229.960	5150 to 5250	Pass		
			-10	NV	5229.960	5150 to 5250	Pass		
			0	NV	5229.960	5150 to 5250	Pass		
			10	NV	5229.960	5150 to 5250	Pass		
			30	NV	5230.000	5150 to 5250	Pass		
			40	NV	5229.920	5150 to 5250	Pass		
			50	NV	5230.000	5150 to 5250	Pass		
			5270	SU	/	20	LV	5269.960	5250 to 5350
NV	5270.000	5250 to 5350					Pass		
HV	5270.000	5250 to 5350					Pass		
-30	NV	5269.960				5250 to 5350	Pass		
-20	NV	5270.000				5250 to 5350	Pass		
-10	NV	5269.960				5250 to 5350	Pass		
0	NV	5269.960				5250 to 5350	Pass		
10	NV	5269.960				5250 to 5350	Pass		
30	NV	5269.960				5250 to 5350	Pass		
40	NV	5270.000				5250 to 5350	Pass		
50	NV	5269.960				5250 to 5350	Pass		
5310	SU	/				20	LV	5309.960	5250 to 5350
			NV	5310.000	5250 to 5350		Pass		
			HV	5309.960	5250 to 5350		Pass		
			-30	NV	5309.960	5250 to 5350	Pass		
			-20	NV	5309.960	5250 to 5350	Pass		
			-10	NV	5309.960	5250 to 5350	Pass		
			0	NV	5309.960	5250 to 5350	Pass		
			10	NV	5310.000	5250 to 5350	Pass		
			30	NV	5309.960	5250 to 5350	Pass		
			40	NV	5309.960	5250 to 5350	Pass		
			50	NV	5309.960	5250 to 5350	Pass		
			5510	SU	/	20	LV	5509.960	5470 to 5725
NV	5509.960	5470 to 5725					Pass		
HV	5510.000	5470 to 5725					Pass		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260300075303

Page: 600 of 603

					-30	NV	5509.960	5470 to 5725	Pass
					-20	NV	5509.960	5470 to 5725	Pass
					-10	NV	5509.960	5470 to 5725	Pass
					0	NV	5509.960	5470 to 5725	Pass
					10	NV	5509.960	5470 to 5725	Pass
					30	NV	5509.960	5470 to 5725	Pass
					40	NV	5510.000	5470 to 5725	Pass
					50	NV	5509.960	5470 to 5725	Pass
		5550	SU	/	20	LV	5549.960	5470 to 5725	Pass
						NV	5549.960	5470 to 5725	Pass
						HV	5550.000	5470 to 5725	Pass
					-30	NV	5549.960	5470 to 5725	Pass
					-20	NV	5549.960	5470 to 5725	Pass
					-10	NV	5549.960	5470 to 5725	Pass
					0	NV	5550.000	5470 to 5725	Pass
					10	NV	5550.000	5470 to 5725	Pass
					30	NV	5549.960	5470 to 5725	Pass
					40	NV	5550.000	5470 to 5725	Pass
					50	NV	5549.960	5470 to 5725	Pass
		5670	SU	/	20	LV	5670.000	5470 to 5725	Pass
						NV	5669.960	5470 to 5725	Pass
						HV	5670.000	5470 to 5725	Pass
					-30	NV	5669.960	5470 to 5725	Pass
					-20	NV	5669.960	5470 to 5725	Pass
					-10	NV	5669.960	5470 to 5725	Pass
					0	NV	5670.000	5470 to 5725	Pass
					10	NV	5670.000	5470 to 5725	Pass
					30	NV	5669.960	5470 to 5725	Pass
					40	NV	5669.960	5470 to 5725	Pass
					50	NV	5669.960	5470 to 5725	Pass
		5755	SU	/	20	LV	5754.960	5725 to 5850	Pass
						NV	5754.960	5725 to 5850	Pass
						HV	5754.960	5725 to 5850	Pass
					-30	NV	5754.960	5725 to 5850	Pass
					-20	NV	5754.960	5725 to 5850	Pass
					-10	NV	5754.960	5725 to 5850	Pass
					0	NV	5754.960	5725 to 5850	Pass
					10	NV	5754.960	5725 to 5850	Pass
					30	NV	5754.960	5725 to 5850	Pass
					40	NV	5754.960	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260300075303

Page: 601 of 603

802.11be (EHT80)	MIMO	5795	SU	/	50	NV	5754.960	5725 to 5850	Pass
					20	LV	5794.960	5725 to 5850	Pass
						NV	5794.960	5725 to 5850	Pass
						HV	5794.960	5725 to 5850	Pass
					-30	NV	5794.960	5725 to 5850	Pass
					-20	NV	5794.960	5725 to 5850	Pass
					-10	NV	5795.000	5725 to 5850	Pass
					0	NV	5794.960	5725 to 5850	Pass
					10	NV	5795.000	5725 to 5850	Pass
					30	NV	5794.960	5725 to 5850	Pass
					40	NV	5794.960	5725 to 5850	Pass
					50	NV	5794.960	5725 to 5850	Pass
		5710	SU	/	20	LV	5709.960	5470 to 5850	Pass
						NV	5709.960	5470 to 5850	Pass
						HV	5709.960	5470 to 5850	Pass
					-30	NV	5709.960	5470 to 5850	Pass
					-20	NV	5709.960	5470 to 5850	Pass
					-10	NV	5709.960	5470 to 5850	Pass
					0	NV	5710.000	5470 to 5850	Pass
					10	NV	5709.960	5470 to 5850	Pass
					30	NV	5709.960	5470 to 5850	Pass
					40	NV	5709.960	5470 to 5850	Pass
					50	NV	5709.960	5470 to 5850	Pass
		5210	SU	/	20	LV	5209.925	5150 to 5250	Pass
						NV	5209.925	5150 to 5250	Pass
						HV	5209.925	5150 to 5250	Pass
					-30	NV	5209.925	5150 to 5250	Pass
					-20	NV	5209.925	5150 to 5250	Pass
					-10	NV	5209.925	5150 to 5250	Pass
					0	NV	5209.925	5150 to 5250	Pass
					10	NV	5210.000	5150 to 5250	Pass
					30	NV	5209.925	5150 to 5250	Pass
					40	NV	5209.925	5150 to 5250	Pass
					50	NV	5209.925	5150 to 5250	Pass
		5290	SU	/	20	LV	5289.925	5250 to 5350	Pass
						NV	5289.925	5250 to 5350	Pass
						HV	5289.925	5250 to 5350	Pass
					-30	NV	5289.925	5250 to 5350	Pass
					-20	NV	5290.000	5250 to 5350	Pass
					-10	NV	5289.925	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260300075303

Page: 602 of 603

					0	NV	5289.925	5250 to 5350	Pass
					10	NV	5289.925	5250 to 5350	Pass
					30	NV	5289.925	5250 to 5350	Pass
					40	NV	5289.925	5250 to 5350	Pass
					50	NV	5289.925	5250 to 5350	Pass
		5530	SU	/	20	LV	5529.925	5470 to 5725	Pass
						NV	5529.925	5470 to 5725	Pass
						HV	5529.925	5470 to 5725	Pass
					-30	NV	5529.925	5470 to 5725	Pass
					-20	NV	5529.925	5470 to 5725	Pass
					-10	NV	5530.000	5470 to 5725	Pass
					0	NV	5529.925	5470 to 5725	Pass
					10	NV	5529.925	5470 to 5725	Pass
					30	NV	5529.925	5470 to 5725	Pass
					40	NV	5529.925	5470 to 5725	Pass
					50	NV	5529.925	5470 to 5725	Pass
		5610	SU	/	20	LV	5610.000	5470 to 5725	Pass
						NV	5609.925	5470 to 5725	Pass
						HV	5610.000	5470 to 5725	Pass
					-30	NV	5609.925	5470 to 5725	Pass
					-20	NV	5609.925	5470 to 5725	Pass
					-10	NV	5609.925	5470 to 5725	Pass
					0	NV	5609.925	5470 to 5725	Pass
					10	NV	5609.925	5470 to 5725	Pass
					30	NV	5609.925	5470 to 5725	Pass
					40	NV	5609.925	5470 to 5725	Pass
					50	NV	5609.925	5470 to 5725	Pass
		5775	SU	/	20	LV	5774.925	5725 to 5850	Pass
						NV	5775.000	5725 to 5850	Pass
						HV	5774.925	5725 to 5850	Pass
					-30	NV	5774.925	5725 to 5850	Pass
					-20	NV	5774.925	5725 to 5850	Pass
					-10	NV	5774.925	5725 to 5850	Pass
					0	NV	5774.925	5725 to 5850	Pass
					10	NV	5774.925	5725 to 5850	Pass
					30	NV	5774.925	5725 to 5850	Pass
					40	NV	5774.925	5725 to 5850	Pass
					50	NV	5774.925	5725 to 5850	Pass
		5690	SU	/	20	LV	5689.925	5470 to 5850	Pass
						NV	5689.925	5470 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260300075303

Page: 603 of 603

						HV	5689.925	5470 to 5850	Pass
					-30	NV	5689.925	5470 to 5850	Pass
					-20	NV	5689.925	5470 to 5850	Pass
					-10	NV	5689.925	5470 to 5850	Pass
					0	NV	5689.850	5470 to 5850	Pass
					10	NV	5689.925	5470 to 5850	Pass
					30	NV	5689.925	5470 to 5850	Pass
					40	NV	5690.000	5470 to 5850	Pass
					50	NV	5689.925	5470 to 5850	Pass
802.11be (EHT160)	MIMO	5570	SU	/	20	LV	5569.925	5470 to 5725	Pass
						NV	5569.925	5470 to 5725	Pass
						HV	5569.925	5470 to 5725	Pass
					-30	NV	5569.925	5470 to 5725	Pass
					-20	NV	5569.925	5470 to 5725	Pass
					-10	NV	5569.925	5470 to 5725	Pass
					0	NV	5569.925	5470 to 5725	Pass
					10	NV	5570.000	5470 to 5725	Pass
					30	NV	5569.925	5470 to 5725	Pass
					40	NV	5569.925	5470 to 5725	Pass
					50	NV	5569.925	5470 to 5725	Pass
		5250	SU	/	20	LV	5249.925	5150 to 5350	Pass
						NV	5249.925	5150 to 5350	Pass
						HV	5249.925	5150 to 5350	Pass
					-30	NV	5249.925	5150 to 5350	Pass
					-20	NV	5249.925	5150 to 5350	Pass
					-10	NV	5250.000	5150 to 5350	Pass
					0	NV	5249.925	5150 to 5350	Pass
					10	NV	5249.925	5150 to 5350	Pass
					30	NV	5249.925	5150 to 5350	Pass
					40	NV	5249.925	5150 to 5350	Pass
					50	NV	5249.925	5150 to 5350	Pass

Note:

LV: DC44V

NV: DC48V

HV: DC57V

End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)