



802.11be(EHT80)_MCH_5775MHz_SU_/_MIMO_NTNV




802.11be(EHT80)_HCH_5690MHz_SU_/_Ant1_NTNV



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


802.11be(EHT80)_HCH_5690MHz_SU_/_Ant2_NTNV



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

802.11be(EHT80)_HCH_5690MHz_SU_/_MIMO_NTNV



5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	/	/	20	102	5180.020	5150 to 5250	Pass
						120	5180.060	5150 to 5250	Pass
						138	5179.980	5150 to 5250	Pass
					-30	120	5180.040	5150 to 5250	Pass
					-20	120	5180.060	5150 to 5250	Pass
					-10	120	5180.000	5150 to 5250	Pass
					0	120	5180.020	5150 to 5250	Pass
					10	120	5180.000	5150 to 5250	Pass
					30	120	5180.000	5150 to 5250	Pass
					40	120	5180.020	5150 to 5250	Pass
					50	120	5180.020	5150 to 5250	Pass
		5200	/	/	20	102	5199.940	5150 to 5250	Pass
						120	5200.000	5150 to 5250	Pass
						138	5200.040	5150 to 5250	Pass
					-30	120	5200.000	5150 to 5250	Pass
					-20	120	5200.020	5150 to 5250	Pass
					-10	120	5199.980	5150 to 5250	Pass
					0	120	5200.060	5150 to 5250	Pass
					10	120	5200.020	5150 to 5250	Pass
					30	120	5199.980	5150 to 5250	Pass
					40	120	5200.060	5150 to 5250	Pass
					50	120	5200.060	5150 to 5250	Pass
		5240	/	/	20	102	5240.060	5150 to 5250	Pass
						120	5240.060	5150 to 5250	Pass
						138	5240.020	5150 to 5250	Pass
					-30	120	5240.060	5150 to 5250	Pass
					-20	120	5240.020	5150 to 5250	Pass
					-10	120	5239.980	5150 to 5250	Pass
					0	120	5240.040	5150 to 5250	Pass
					10	120	5240.060	5150 to 5250	Pass
					30	120	5240.020	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1103 of 1137

		5260	/	/	40	120	5240.020	5150 to 5250	Pass
					50	120	5240.020	5150 to 5250	Pass
					20	102	5260.060	5250 to 5350	Pass
						120	5260.120	5250 to 5350	Pass
						138	5260.080	5250 to 5350	Pass
					-30	120	5260.020	5250 to 5350	Pass
					-20	120	5260.060	5250 to 5350	Pass
					-10	120	5260.040	5250 to 5350	Pass
					0	120	5260.060	5250 to 5350	Pass
					10	120	5260.060	5250 to 5350	Pass
					30	120	5260.000	5250 to 5350	Pass
					40	120	5260.060	5250 to 5350	Pass
					50	120	5260.060	5250 to 5350	Pass
		5300	/	/	20	102	5300.080	5250 to 5350	Pass
						120	5300.060	5250 to 5350	Pass
						138	5300.080	5250 to 5350	Pass
					-30	120	5300.040	5250 to 5350	Pass
					-20	120	5300.080	5250 to 5350	Pass
					-10	120	5300.000	5250 to 5350	Pass
					0	120	5300.000	5250 to 5350	Pass
					10	120	5300.020	5250 to 5350	Pass
					30	120	5300.060	5250 to 5350	Pass
					40	120	5300.060	5250 to 5350	Pass
					50	120	5300.020	5250 to 5350	Pass
		5320	/	/	20	102	5320.040	5250 to 5350	Pass
						120	5320.020	5250 to 5350	Pass
						138	5320.060	5250 to 5350	Pass
					-30	120	5320.000	5250 to 5350	Pass
					-20	120	5320.020	5250 to 5350	Pass
					-10	120	5320.040	5250 to 5350	Pass
					0	120	5320.060	5250 to 5350	Pass
					10	120	5320.040	5250 to 5350	Pass
					30	120	5320.060	5250 to 5350	Pass
					40	120	5320.000	5250 to 5350	Pass
					50	120	5319.980	5250 to 5350	Pass
		5500	/	/	20	102	5500.060	5470 to 5725	Pass
						120	5500.060	5470 to 5725	Pass
						138	5500.000	5470 to 5725	Pass
					-30	120	5500.040	5470 to 5725	Pass
					-20	120	5500.040	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1104 of 1137

					-10	120	5500.040	5470 to 5725	Pass
					0	120	5500.040	5470 to 5725	Pass
					10	120	5500.000	5470 to 5725	Pass
					30	120	5500.020	5470 to 5725	Pass
					40	120	5500.020	5470 to 5725	Pass
					50	120	5499.980	5470 to 5725	Pass
		5580	/	/	20	102	5580.020	5470 to 5725	Pass
						120	5580.000	5470 to 5725	Pass
						138	5580.000	5470 to 5725	Pass
					-30	120	5580.040	5470 to 5725	Pass
					-20	120	5580.040	5470 to 5725	Pass
					-10	120	5580.080	5470 to 5725	Pass
					0	120	5580.040	5470 to 5725	Pass
					10	120	5580.080	5470 to 5725	Pass
					30	120	5580.100	5470 to 5725	Pass
					40	120	5580.060	5470 to 5725	Pass
					50	120	5580.040	5470 to 5725	Pass
		5700	/	/	20	102	5700.060	5470 to 5725	Pass
						120	5700.040	5470 to 5725	Pass
						138	5700.040	5470 to 5725	Pass
					-30	120	5700.020	5470 to 5725	Pass
					-20	120	5700.040	5470 to 5725	Pass
					-10	120	5700.000	5470 to 5725	Pass
					0	120	5700.040	5470 to 5725	Pass
					10	120	5700.060	5470 to 5725	Pass
					30	120	5700.040	5470 to 5725	Pass
					40	120	5700.040	5470 to 5725	Pass
					50	120	5700.020	5470 to 5725	Pass
		5745	/	/	20	102	5745.000	5725 to 5850	Pass
						120	5745.060	5725 to 5850	Pass
						138	5745.040	5725 to 5850	Pass
					-30	120	5745.100	5725 to 5850	Pass
					-20	120	5745.000	5725 to 5850	Pass
					-10	120	5745.060	5725 to 5850	Pass
					0	120	5745.020	5725 to 5850	Pass
					10	120	5745.040	5725 to 5850	Pass
					30	120	5745.020	5725 to 5850	Pass
					40	120	5745.020	5725 to 5850	Pass
					50	120	5745.000	5725 to 5850	Pass
		5785	/	/	20	102	5785.040	5725 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Services

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1105 of 1137

						120	5785.000	5725 to 5850	Pass
						138	5784.980	5725 to 5850	Pass
					-30	120	5785.000	5725 to 5850	Pass
					-20	120	5785.040	5725 to 5850	Pass
					-10	120	5785.040	5725 to 5850	Pass
					0	120	5785.000	5725 to 5850	Pass
					10	120	5785.060	5725 to 5850	Pass
					30	120	5784.920	5725 to 5850	Pass
					40	120	5784.980	5725 to 5850	Pass
					50	120	5785.000	5725 to 5850	Pass
		5825	/	/	20	102	5824.940	5725 to 5850	Pass
						120	5824.980	5725 to 5850	Pass
						138	5824.800	5725 to 5850	Pass
					-30	120	5825.020	5725 to 5850	Pass
					-20	120	5825.020	5725 to 5850	Pass
					-10	120	5824.980	5725 to 5850	Pass
					0	120	5825.020	5725 to 5850	Pass
					10	120	5824.960	5725 to 5850	Pass
					30	120	5825.080	5725 to 5850	Pass
					40	120	5824.980	5725 to 5850	Pass
					50	120	5825.220	5725 to 5850	Pass
		5720	/	/	20	102	5719.980	5470 to 5850	Pass
						120	5720.080	5470 to 5850	Pass
						138	5720.020	5470 to 5850	Pass
					-30	120	5720.040	5470 to 5850	Pass
					-20	120	5720.060	5470 to 5850	Pass
					-10	120	5719.980	5470 to 5850	Pass
					0	120	5720.060	5470 to 5850	Pass
					10	120	5720.080	5470 to 5850	Pass
					30	120	5720.040	5470 to 5850	Pass
					40	120	5720.000	5470 to 5850	Pass
					50	120	5719.960	5470 to 5850	Pass
802.11n (HT20)	MIMO	5180	/	/	20	102	5180.020	5150 to 5250	Pass
						120	5180.040	5150 to 5250	Pass
						138	5180.000	5150 to 5250	Pass
					-30	120	5180.020	5150 to 5250	Pass
					-20	120	5180.080	5150 to 5250	Pass
					-10	120	5180.020	5150 to 5250	Pass
					0	120	5180.040	5150 to 5250	Pass
					10	120	5180.020	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1106 of 1137

		5200	/	/	30	120	5180.000	5150 to 5250	Pass
					40	120	5180.040	5150 to 5250	Pass
					50	120	5180.000	5150 to 5250	Pass
					20	102	5200.000	5150 to 5250	Pass
						120	5200.020	5150 to 5250	Pass
						138	5200.020	5150 to 5250	Pass
					-30	120	5200.040	5150 to 5250	Pass
					-20	120	5200.020	5150 to 5250	Pass
					-10	120	5200.040	5150 to 5250	Pass
					0	120	5200.060	5150 to 5250	Pass
					10	120	5200.020	5150 to 5250	Pass
					30	120	5200.020	5150 to 5250	Pass
					40	120	5200.020	5150 to 5250	Pass
					50	120	5200.000	5150 to 5250	Pass
		5240	/	/	20	102	5240.060	5150 to 5250	Pass
						120	5240.040	5150 to 5250	Pass
						138	5240.040	5150 to 5250	Pass
					-30	120	5239.980	5150 to 5250	Pass
					-20	120	5240.020	5150 to 5250	Pass
					-10	120	5240.020	5150 to 5250	Pass
					0	120	5240.040	5150 to 5250	Pass
					10	120	5240.020	5150 to 5250	Pass
					30	120	5240.000	5150 to 5250	Pass
					40	120	5240.020	5150 to 5250	Pass
					50	120	5240.000	5150 to 5250	Pass
		5260	/	/	20	102	5260.120	5250 to 5350	Pass
						120	5260.060	5250 to 5350	Pass
						138	5260.120	5250 to 5350	Pass
					-30	120	5260.040	5250 to 5350	Pass
					-20	120	5260.040	5250 to 5350	Pass
					-10	120	5260.020	5250 to 5350	Pass
					0	120	5260.020	5250 to 5350	Pass
					10	120	5260.060	5250 to 5350	Pass
					30	120	5260.040	5250 to 5350	Pass
					40	120	5260.040	5250 to 5350	Pass
					50	120	5260.080	5250 to 5350	Pass
		5300	/	/	20	102	5300.040	5250 to 5350	Pass
						120	5300.060	5250 to 5350	Pass
						138	5300.000	5250 to 5350	Pass
					-30	120	5300.020	5250 to 5350	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1107 of 1137

					-20	120	5300.040	5250 to 5350	Pass
					-10	120	5300.000	5250 to 5350	Pass
					0	120	5300.080	5250 to 5350	Pass
					10	120	5300.060	5250 to 5350	Pass
					30	120	5300.020	5250 to 5350	Pass
					40	120	5300.000	5250 to 5350	Pass
					50	120	5300.020	5250 to 5350	Pass
		5320	/	/	20	102	5320.060	5250 to 5350	Pass
						120	5320.020	5250 to 5350	Pass
						138	5319.980	5250 to 5350	Pass
					-30	120	5319.960	5250 to 5350	Pass
					-20	120	5320.020	5250 to 5350	Pass
					-10	120	5320.020	5250 to 5350	Pass
					0	120	5320.040	5250 to 5350	Pass
					10	120	5320.040	5250 to 5350	Pass
					30	120	5320.000	5250 to 5350	Pass
					40	120	5320.060	5250 to 5350	Pass
					50	120	5320.020	5250 to 5350	Pass
		5500	/	/	20	102	5500.040	5470 to 5725	Pass
						120	5499.960	5470 to 5725	Pass
						138	5500.020	5470 to 5725	Pass
					-30	120	5500.080	5470 to 5725	Pass
					-20	120	5500.040	5470 to 5725	Pass
					-10	120	5500.080	5470 to 5725	Pass
					0	120	5500.020	5470 to 5725	Pass
					10	120	5500.020	5470 to 5725	Pass
					30	120	5500.040	5470 to 5725	Pass
					40	120	5500.080	5470 to 5725	Pass
					50	120	5500.020	5470 to 5725	Pass
		5580	/	/	20	102	5579.980	5470 to 5725	Pass
						120	5580.040	5470 to 5725	Pass
						138	5580.060	5470 to 5725	Pass
					-30	120	5580.000	5470 to 5725	Pass
					-20	120	5580.040	5470 to 5725	Pass
					-10	120	5579.980	5470 to 5725	Pass
					0	120	5579.980	5470 to 5725	Pass
					10	120	5580.000	5470 to 5725	Pass
					30	120	5580.040	5470 to 5725	Pass
					40	120	5580.020	5470 to 5725	Pass
					50	120	5580.080	5470 to 5725	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1108 of 1137

		5700	/	/	20	102	5700.080	5470 to 5725	Pass
						120	5700.060	5470 to 5725	Pass
						138	5700.040	5470 to 5725	Pass
					-30	120	5700.060	5470 to 5725	Pass
					-20	120	5700.040	5470 to 5725	Pass
					-10	120	5700.040	5470 to 5725	Pass
					0	120	5700.020	5470 to 5725	Pass
					10	120	5700.020	5470 to 5725	Pass
					30	120	5700.040	5470 to 5725	Pass
					40	120	5699.920	5470 to 5725	Pass
					50	120	5700.020	5470 to 5725	Pass
		5745	/	/	20	102	5745.040	5725 to 5850	Pass
						120	5745.060	5725 to 5850	Pass
						138	5745.100	5725 to 5850	Pass
					-30	120	5745.040	5725 to 5850	Pass
					-20	120	5745.020	5725 to 5850	Pass
					-10	120	5744.960	5725 to 5850	Pass
					0	120	5745.040	5725 to 5850	Pass
					10	120	5745.000	5725 to 5850	Pass
					30	120	5745.040	5725 to 5850	Pass
					40	120	5745.040	5725 to 5850	Pass
					50	120	5745.020	5725 to 5850	Pass
		5785	/	/	20	102	5784.980	5725 to 5850	Pass
						120	5785.000	5725 to 5850	Pass
						138	5785.000	5725 to 5850	Pass
					-30	120	5785.020	5725 to 5850	Pass
					-20	120	5785.040	5725 to 5850	Pass
					-10	120	5785.000	5725 to 5850	Pass
					0	120	5785.020	5725 to 5850	Pass
					10	120	5784.980	5725 to 5850	Pass
					30	120	5784.980	5725 to 5850	Pass
					40	120	5785.040	5725 to 5850	Pass
					50	120	5785.020	5725 to 5850	Pass
		5825	/	/	20	102	5825.000	5725 to 5850	Pass
						120	5825.020	5725 to 5850	Pass
						138	5825.060	5725 to 5850	Pass
					-30	120	5825.040	5725 to 5850	Pass
					-20	120	5824.940	5725 to 5850	Pass
					-10	120	5825.040	5725 to 5850	Pass
					0	120	5825.040	5725 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1109 of 1137

802.11n (HT40)	MIMO	5720	/	/	10	120	5824.980	5725 to 5850	Pass
					30	120	5825.020	5725 to 5850	Pass
					40	120	5824.980	5725 to 5850	Pass
					50	120	5824.940	5725 to 5850	Pass
					20	102	5720.040	5470 to 5850	Pass
						120	5720.060	5470 to 5850	Pass
						138	5719.960	5470 to 5850	Pass
					-30	120	5720.020	5470 to 5850	Pass
					-20	120	5720.040	5470 to 5850	Pass
					-10	120	5720.020	5470 to 5850	Pass
					0	120	5720.060	5470 to 5850	Pass
					10	120	5720.040	5470 to 5850	Pass
					30	120	5720.060	5470 to 5850	Pass
					40	120	5720.040	5470 to 5850	Pass
					50	120	5720.060	5470 to 5850	Pass
		5190	/	/	20	102	5190.080	5150 to 5250	Pass
						120	5190.040	5150 to 5250	Pass
						138	5190.040	5150 to 5250	Pass
					-30	120	5190.080	5150 to 5250	Pass
					-20	120	5190.000	5150 to 5250	Pass
					-10	120	5190.000	5150 to 5250	Pass
					0	120	5190.040	5150 to 5250	Pass
					10	120	5189.960	5150 to 5250	Pass
					30	120	5190.040	5150 to 5250	Pass
					40	120	5190.080	5150 to 5250	Pass
					50	120	5190.040	5150 to 5250	Pass
		5230	/	/	20	102	5230.120	5150 to 5250	Pass
						120	5230.080	5150 to 5250	Pass
						138	5230.040	5150 to 5250	Pass
					-30	120	5230.080	5150 to 5250	Pass
					-20	120	5230.120	5150 to 5250	Pass
					-10	120	5230.040	5150 to 5250	Pass
					0	120	5230.000	5150 to 5250	Pass
					10	120	5230.040	5150 to 5250	Pass
					30	120	5230.120	5150 to 5250	Pass
					40	120	5230.040	5150 to 5250	Pass
		5270	/	/	20	102	5270.040	5250 to 5350	Pass
						120	5269.960	5250 to 5350	Pass
						138	5270.080	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1110 of 1137

					-30	120	5270.080	5250 to 5350	Pass
					-20	120	5270.000	5250 to 5350	Pass
					-10	120	5270.080	5250 to 5350	Pass
					0	120	5270.040	5250 to 5350	Pass
					10	120	5270.080	5250 to 5350	Pass
					30	120	5270.000	5250 to 5350	Pass
					40	120	5270.040	5250 to 5350	Pass
					50	120	5270.080	5250 to 5350	Pass
		5310	/	/	20	102	5309.960	5250 to 5350	Pass
						120	5310.040	5250 to 5350	Pass
						138	5310.000	5250 to 5350	Pass
					-30	120	5310.040	5250 to 5350	Pass
					-20	120	5310.040	5250 to 5350	Pass
					-10	120	5310.000	5250 to 5350	Pass
					0	120	5310.040	5250 to 5350	Pass
					10	120	5310.040	5250 to 5350	Pass
					30	120	5310.040	5250 to 5350	Pass
					40	120	5310.080	5250 to 5350	Pass
					50	120	5310.040	5250 to 5350	Pass
		5510	/	/	20	102	5510.000	5470 to 5725	Pass
						120	5510.040	5470 to 5725	Pass
						138	5510.040	5470 to 5725	Pass
					-30	120	5510.040	5470 to 5725	Pass
					-20	120	5510.040	5470 to 5725	Pass
					-10	120	5510.040	5470 to 5725	Pass
					0	120	5510.080	5470 to 5725	Pass
					10	120	5510.120	5470 to 5725	Pass
					30	120	5510.000	5470 to 5725	Pass
					40	120	5510.080	5470 to 5725	Pass
					50	120	5510.080	5470 to 5725	Pass
		5550	/	/	20	102	5550.080	5470 to 5725	Pass
						120	5550.040	5470 to 5725	Pass
						138	5550.080	5470 to 5725	Pass
					-30	120	5550.000	5470 to 5725	Pass
					-20	120	5550.040	5470 to 5725	Pass
					-10	120	5550.000	5470 to 5725	Pass
					0	120	5550.040	5470 to 5725	Pass
					10	120	5550.000	5470 to 5725	Pass
					30	120	5550.080	5470 to 5725	Pass
					40	120	5550.040	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1111 of 1137

				50	120	5550.040	5470 to 5725	Pass
				20	102	5670.000	5470 to 5725	Pass
					120	5670.120	5470 to 5725	Pass
					138	5670.040	5470 to 5725	Pass
				-30	120	5670.040	5470 to 5725	Pass
				-20	120	5670.000	5470 to 5725	Pass
				-10	120	5670.040	5470 to 5725	Pass
				0	120	5670.000	5470 to 5725	Pass
				10	120	5670.080	5470 to 5725	Pass
				30	120	5670.000	5470 to 5725	Pass
				40	120	5670.040	5470 to 5725	Pass
				50	120	5670.040	5470 to 5725	Pass
				20	102	5755.080	5725 to 5850	Pass
					120	5755.080	5725 to 5850	Pass
					138	5755.040	5725 to 5850	Pass
				-30	120	5755.040	5725 to 5850	Pass
				-20	120	5755.040	5725 to 5850	Pass
				-10	120	5755.040	5725 to 5850	Pass
				0	120	5755.040	5725 to 5850	Pass
				10	120	5755.080	5725 to 5850	Pass
				30	120	5755.000	5725 to 5850	Pass
				40	120	5755.000	5725 to 5850	Pass
				50	120	5755.040	5725 to 5850	Pass
				20	102	5795.000	5725 to 5850	Pass
					120	5795.040	5725 to 5850	Pass
					138	5795.040	5725 to 5850	Pass
				-30	120	5795.040	5725 to 5850	Pass
				-20	120	5795.040	5725 to 5850	Pass
				-10	120	5795.040	5725 to 5850	Pass
				0	120	5795.040	5725 to 5850	Pass
				10	120	5795.000	5725 to 5850	Pass
				30	120	5795.000	5725 to 5850	Pass
				40	120	5794.960	5725 to 5850	Pass
				50	120	5795.000	5725 to 5850	Pass
				20	102	5710.080	5470 to 5850	Pass
					120	5710.040	5470 to 5850	Pass
					138	5710.040	5470 to 5850	Pass
				-30	120	5710.040	5470 to 5850	Pass
				-20	120	5710.040	5470 to 5850	Pass
				-10	120	5710.040	5470 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1112 of 1137

					0	120	5710.080	5470 to 5850	Pass
					10	120	5710.040	5470 to 5850	Pass
					30	120	5710.120	5470 to 5850	Pass
					40	120	5710.040	5470 to 5850	Pass
					50	120	5710.080	5470 to 5850	Pass
802.11ac (VHT20)	MIMO	5180	/	/	20	102	5180.060	5150 to 5250	Pass
						120	5180.060	5150 to 5250	Pass
						138	5180.020	5150 to 5250	Pass
					-30	120	5180.040	5150 to 5250	Pass
					-20	120	5180.040	5150 to 5250	Pass
					-10	120	5180.020	5150 to 5250	Pass
					0	120	5180.060	5150 to 5250	Pass
					10	120	5180.060	5150 to 5250	Pass
					30	120	5180.060	5150 to 5250	Pass
					40	120	5179.960	5150 to 5250	Pass
					50	120	5180.020	5150 to 5250	Pass
		5200	/	/	20	102	5200.020	5150 to 5250	Pass
						120	5199.980	5150 to 5250	Pass
						138	5200.060	5150 to 5250	Pass
					-30	120	5200.040	5150 to 5250	Pass
					-20	120	5200.040	5150 to 5250	Pass
					-10	120	5200.040	5150 to 5250	Pass
					0	120	5200.000	5150 to 5250	Pass
					10	120	5200.000	5150 to 5250	Pass
					30	120	5200.020	5150 to 5250	Pass
					40	120	5200.060	5150 to 5250	Pass
					50	120	5200.000	5150 to 5250	Pass
		5240	/	/	20	102	5240.000	5150 to 5250	Pass
						120	5240.100	5150 to 5250	Pass
						138	5240.060	5150 to 5250	Pass
					-30	120	5240.040	5150 to 5250	Pass
					-20	120	5240.020	5150 to 5250	Pass
					-10	120	5240.040	5150 to 5250	Pass
					0	120	5240.060	5150 to 5250	Pass
					10	120	5240.020	5150 to 5250	Pass
					30	120	5240.060	5150 to 5250	Pass
					40	120	5240.100	5150 to 5250	Pass
					50	120	5240.060	5150 to 5250	Pass
		5260	/	/	20	102	5260.040	5250 to 5350	Pass
						120	5260.060	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1113 of 1137

						138	5260.040	5250 to 5350	Pass
					-30	120	5260.060	5250 to 5350	Pass
					-20	120	5260.080	5250 to 5350	Pass
					-10	120	5260.020	5250 to 5350	Pass
					0	120	5260.060	5250 to 5350	Pass
					10	120	5260.040	5250 to 5350	Pass
					30	120	5260.040	5250 to 5350	Pass
					40	120	5260.040	5250 to 5350	Pass
					50	120	5260.080	5250 to 5350	Pass
		5300	/	/	20	102	5300.100	5250 to 5350	Pass
						120	5300.020	5250 to 5350	Pass
						138	5300.020	5250 to 5350	Pass
					-30	120	5300.020	5250 to 5350	Pass
					-20	120	5300.020	5250 to 5350	Pass
					-10	120	5300.020	5250 to 5350	Pass
					0	120	5300.080	5250 to 5350	Pass
					10	120	5300.020	5250 to 5350	Pass
					30	120	5300.020	5250 to 5350	Pass
					40	120	5300.040	5250 to 5350	Pass
					50	120	5300.060	5250 to 5350	Pass
		5320	/	/	20	102	5319.980	5250 to 5350	Pass
						120	5320.100	5250 to 5350	Pass
						138	5319.980	5250 to 5350	Pass
					-30	120	5320.060	5250 to 5350	Pass
					-20	120	5320.100	5250 to 5350	Pass
					-10	120	5320.040	5250 to 5350	Pass
					0	120	5320.000	5250 to 5350	Pass
					10	120	5320.080	5250 to 5350	Pass
					30	120	5320.020	5250 to 5350	Pass
					40	120	5320.000	5250 to 5350	Pass
					50	120	5320.020	5250 to 5350	Pass
		5500	/	/	20	102	5500.100	5470 to 5725	Pass
						120	5500.020	5470 to 5725	Pass
						138	5500.040	5470 to 5725	Pass
					-30	120	5500.040	5470 to 5725	Pass
					-20	120	5500.020	5470 to 5725	Pass
					-10	120	5500.020	5470 to 5725	Pass
					0	120	5500.000	5470 to 5725	Pass
					10	120	5500.040	5470 to 5725	Pass
					30	120	5500.000	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1114 of 1137

		5580	/	/	40	120	5500.040	5470 to 5725	Pass
					50	120	5500.060	5470 to 5725	Pass
					20	102	5580.040	5470 to 5725	Pass
						120	5580.040	5470 to 5725	Pass
						138	5580.020	5470 to 5725	Pass
					-30	120	5580.020	5470 to 5725	Pass
					-20	120	5580.060	5470 to 5725	Pass
					-10	120	5580.100	5470 to 5725	Pass
					0	120	5580.040	5470 to 5725	Pass
					10	120	5580.080	5470 to 5725	Pass
					30	120	5580.040	5470 to 5725	Pass
					40	120	5580.060	5470 to 5725	Pass
					50	120	5580.020	5470 to 5725	Pass
		5700	/	/	20	102	5700.060	5470 to 5725	Pass
						120	5700.060	5470 to 5725	Pass
						138	5700.060	5470 to 5725	Pass
					-30	120	5700.060	5470 to 5725	Pass
					-20	120	5700.060	5470 to 5725	Pass
					-10	120	5700.060	5470 to 5725	Pass
					0	120	5700.080	5470 to 5725	Pass
					10	120	5700.020	5470 to 5725	Pass
					30	120	5700.040	5470 to 5725	Pass
					40	120	5700.080	5470 to 5725	Pass
					50	120	5700.020	5470 to 5725	Pass
		5745	/	/	20	102	5744.980	5725 to 5850	Pass
						120	5745.020	5725 to 5850	Pass
						138	5744.960	5725 to 5850	Pass
					-30	120	5745.120	5725 to 5850	Pass
					-20	120	5744.980	5725 to 5850	Pass
					-10	120	5745.040	5725 to 5850	Pass
					0	120	5745.000	5725 to 5850	Pass
					10	120	5745.020	5725 to 5850	Pass
					30	120	5745.000	5725 to 5850	Pass
					40	120	5745.020	5725 to 5850	Pass
					50	120	5745.000	5725 to 5850	Pass
		5785	/	/	20	102	5784.980	5725 to 5850	Pass
						120	5785.020	5725 to 5850	Pass
						138	5785.020	5725 to 5850	Pass
					-30	120	5785.000	5725 to 5850	Pass
					-20	120	5785.000	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1115 of 1137

					-10	120	5784.980	5725 to 5850	Pass
					0	120	5785.040	5725 to 5850	Pass
					10	120	5784.980	5725 to 5850	Pass
					30	120	5785.000	5725 to 5850	Pass
					40	120	5785.040	5725 to 5850	Pass
					50	120	5784.980	5725 to 5850	Pass
		5825	/	/	20	102	5825.000	5725 to 5850	Pass
						120	5825.000	5725 to 5850	Pass
						138	5825.020	5725 to 5850	Pass
					-30	120	5825.040	5725 to 5850	Pass
					-20	120	5825.000	5725 to 5850	Pass
					-10	120	5825.020	5725 to 5850	Pass
					0	120	5824.980	5725 to 5850	Pass
					10	120	5824.940	5725 to 5850	Pass
					30	120	5825.000	5725 to 5850	Pass
					40	120	5824.960	5725 to 5850	Pass
					50	120	5824.980	5725 to 5850	Pass
		5720	/	/	20	102	5720.060	5470 to 5850	Pass
						120	5720.080	5470 to 5850	Pass
						138	5720.080	5470 to 5850	Pass
					-30	120	5720.080	5470 to 5850	Pass
					-20	120	5720.020	5470 to 5850	Pass
					-10	120	5720.000	5470 to 5850	Pass
					0	120	5720.000	5470 to 5850	Pass
					10	120	5719.980	5470 to 5850	Pass
					30	120	5720.060	5470 to 5850	Pass
					40	120	5720.060	5470 to 5850	Pass
					50	120	5720.000	5470 to 5850	Pass
802.11ac (VHT40)	MIMO	5190	/	/	20	102	5190.040	5150 to 5250	Pass
						120	5190.000	5150 to 5250	Pass
						138	5190.080	5150 to 5250	Pass
					-30	120	5190.040	5150 to 5250	Pass
					-20	120	5190.040	5150 to 5250	Pass
					-10	120	5189.960	5150 to 5250	Pass
					0	120	5190.040	5150 to 5250	Pass
					10	120	5190.000	5150 to 5250	Pass
					30	120	5190.040	5150 to 5250	Pass
					40	120	5190.080	5150 to 5250	Pass
					50	120	5190.080	5150 to 5250	Pass
		5230	/	/	20	102	5230.000	5150 to 5250	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1116 of 1137

						120	5230.040	5150 to 5250	Pass
						138	5230.040	5150 to 5250	Pass
					-30	120	5230.080	5150 to 5250	Pass
					-20	120	5230.040	5150 to 5250	Pass
					-10	120	5230.080	5150 to 5250	Pass
					0	120	5230.120	5150 to 5250	Pass
					10	120	5230.040	5150 to 5250	Pass
					30	120	5230.040	5150 to 5250	Pass
					40	120	5230.040	5150 to 5250	Pass
					50	120	5230.160	5150 to 5250	Pass
		5270	/	/	20	102	5270.040	5250 to 5350	Pass
						120	5270.040	5250 to 5350	Pass
						138	5270.040	5250 to 5350	Pass
					-30	120	5270.080	5250 to 5350	Pass
					-20	120	5270.040	5250 to 5350	Pass
					-10	120	5270.040	5250 to 5350	Pass
					0	120	5270.040	5250 to 5350	Pass
					10	120	5270.080	5250 to 5350	Pass
					30	120	5270.040	5250 to 5350	Pass
					40	120	5270.040	5250 to 5350	Pass
					50	120	5270.040	5250 to 5350	Pass
		5310	/	/	20	102	5310.040	5250 to 5350	Pass
						120	5310.080	5250 to 5350	Pass
						138	5310.040	5250 to 5350	Pass
					-30	120	5310.000	5250 to 5350	Pass
					-20	120	5310.080	5250 to 5350	Pass
					-10	120	5310.040	5250 to 5350	Pass
					0	120	5310.040	5250 to 5350	Pass
					10	120	5310.080	5250 to 5350	Pass
					30	120	5310.080	5250 to 5350	Pass
					40	120	5310.000	5250 to 5350	Pass
					50	120	5310.040	5250 to 5350	Pass
		5510	/	/	20	102	5510.040	5470 to 5725	Pass
						120	5510.040	5470 to 5725	Pass
						138	5510.000	5470 to 5725	Pass
					-30	120	5510.000	5470 to 5725	Pass
					-20	120	5510.120	5470 to 5725	Pass
					-10	120	5510.080	5470 to 5725	Pass
					0	120	5510.080	5470 to 5725	Pass
					10	120	5510.000	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1117 of 1137

					30	120	5510.080	5470 to 5725	Pass
					40	120	5510.040	5470 to 5725	Pass
					50	120	5510.080	5470 to 5725	Pass
		5550	/	/	20	102	5550.040	5470 to 5725	Pass
						120	5550.120	5470 to 5725	Pass
						138	5550.000	5470 to 5725	Pass
					-30	120	5550.000	5470 to 5725	Pass
					-20	120	5550.080	5470 to 5725	Pass
					-10	120	5550.080	5470 to 5725	Pass
					0	120	5550.080	5470 to 5725	Pass
					10	120	5550.120	5470 to 5725	Pass
					30	120	5550.120	5470 to 5725	Pass
					40	120	5550.120	5470 to 5725	Pass
					50	120	5550.080	5470 to 5725	Pass
		5670	/	/	20	102	5670.120	5470 to 5725	Pass
						120	5670.040	5470 to 5725	Pass
						138	5670.040	5470 to 5725	Pass
					-30	120	5670.040	5470 to 5725	Pass
					-20	120	5670.040	5470 to 5725	Pass
					-10	120	5670.080	5470 to 5725	Pass
					0	120	5670.040	5470 to 5725	Pass
					10	120	5670.040	5470 to 5725	Pass
					30	120	5670.080	5470 to 5725	Pass
					40	120	5670.080	5470 to 5725	Pass
					50	120	5670.000	5470 to 5725	Pass
		5755	/	/	20	102	5755.040	5725 to 5850	Pass
						120	5755.080	5725 to 5850	Pass
						138	5754.920	5725 to 5850	Pass
					-30	120	5755.040	5725 to 5850	Pass
					-20	120	5755.000	5725 to 5850	Pass
					-10	120	5755.000	5725 to 5850	Pass
					0	120	5755.000	5725 to 5850	Pass
					10	120	5755.040	5725 to 5850	Pass
					30	120	5755.040	5725 to 5850	Pass
					40	120	5755.000	5725 to 5850	Pass
					50	120	5755.000	5725 to 5850	Pass
		5795	/	/	20	102	5795.000	5725 to 5850	Pass
						120	5795.040	5725 to 5850	Pass
						138	5795.000	5725 to 5850	Pass
						-30	5795.000	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1118 of 1137

802.11ac (VHT80)	MIMO				-20	120	5795.080	5725 to 5850	Pass
					-10	120	5795.000	5725 to 5850	Pass
					0	120	5795.040	5725 to 5850	Pass
					10	120	5795.040	5725 to 5850	Pass
					30	120	5795.040	5725 to 5850	Pass
					40	120	5795.120	5725 to 5850	Pass
					50	120	5795.000	5725 to 5850	Pass
		5710	/	/	20	102	5710.080	5470 to 5850	Pass
						120	5710.080	5470 to 5850	Pass
						138	5710.080	5470 to 5850	Pass
					-30	120	5710.080	5470 to 5850	Pass
					-20	120	5710.120	5470 to 5850	Pass
					-10	120	5710.080	5470 to 5850	Pass
					0	120	5710.160	5470 to 5850	Pass
					10	120	5710.040	5470 to 5850	Pass
					30	120	5710.080	5470 to 5850	Pass
					40	120	5710.080	5470 to 5850	Pass
					50	120	5710.040	5470 to 5850	Pass
		5210	/	/	20	102	5210.000	5150 to 5250	Pass
						120	5210.075	5150 to 5250	Pass
						138	5210.150	5150 to 5250	Pass
					-30	120	5210.075	5150 to 5250	Pass
					-20	120	5210.225	5150 to 5250	Pass
					-10	120	5210.075	5150 to 5250	Pass
					0	120	5210.075	5150 to 5250	Pass
					10	120	5210.075	5150 to 5250	Pass
					30	120	5210.075	5150 to 5250	Pass
					40	120	5210.000	5150 to 5250	Pass
					50	120	5210.075	5150 to 5250	Pass
		5290	/	/	20	102	5290.075	5250 to 5350	Pass
						120	5290.075	5250 to 5350	Pass
						138	5290.000	5250 to 5350	Pass
					-30	120	5290.075	5250 to 5350	Pass
					-20	120	5290.075	5250 to 5350	Pass
					-10	120	5290.075	5250 to 5350	Pass
					0	120	5290.075	5250 to 5350	Pass
					10	120	5290.075	5250 to 5350	Pass
					30	120	5290.075	5250 to 5350	Pass
					40	120	5290.075	5250 to 5350	Pass
					50	120	5290.000	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1119 of 1137

		5530	/	/	20	102	5530.075	5470 to 5725	Pass
						120	5530.075	5470 to 5725	Pass
						138	5530.075	5470 to 5725	Pass
					-30	120	5530.000	5470 to 5725	Pass
					-20	120	5530.075	5470 to 5725	Pass
					-10	120	5530.075	5470 to 5725	Pass
					0	120	5530.075	5470 to 5725	Pass
					10	120	5530.075	5470 to 5725	Pass
					30	120	5530.150	5470 to 5725	Pass
					40	120	5530.075	5470 to 5725	Pass
					50	120	5530.075	5470 to 5725	Pass
		5610	/	/	20	102	5610.000	5470 to 5725	Pass
						120	5610.000	5470 to 5725	Pass
						138	5610.000	5470 to 5725	Pass
					-30	120	5610.075	5470 to 5725	Pass
					-20	120	5610.075	5470 to 5725	Pass
					-10	120	5610.000	5470 to 5725	Pass
					0	120	5610.075	5470 to 5725	Pass
					10	120	5610.075	5470 to 5725	Pass
					30	120	5610.000	5470 to 5725	Pass
					40	120	5610.000	5470 to 5725	Pass
					50	120	5610.075	5470 to 5725	Pass
		5775	/	/	20	102	5775.000	5725 to 5850	Pass
						120	5775.000	5725 to 5850	Pass
						138	5775.075	5725 to 5850	Pass
					-30	120	5775.000	5725 to 5850	Pass
					-20	120	5775.075	5725 to 5850	Pass
					-10	120	5775.075	5725 to 5850	Pass
					0	120	5775.000	5725 to 5850	Pass
					10	120	5775.000	5725 to 5850	Pass
					30	120	5775.000	5725 to 5850	Pass
					40	120	5775.000	5725 to 5850	Pass
					50	120	5775.075	5725 to 5850	Pass
		5690	/	/	20	102	5690.075	5470 to 5850	Pass
						120	5690.075	5470 to 5850	Pass
						138	5690.075	5470 to 5850	Pass
					-30	120	5690.075	5470 to 5850	Pass
					-20	120	5690.000	5470 to 5850	Pass
					-10	120	5690.075	5470 to 5850	Pass
					0	120	5690.075	5470 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1120 of 1137

					10	120	5690.000	5470 to 5850	Pass
					30	120	5690.075	5470 to 5850	Pass
					40	120	5690.000	5470 to 5850	Pass
					50	120	5690.075	5470 to 5850	Pass
802.11ac (VHT160)	MIMO	5570	/	/	20	102	5570.000	5470 to 5725	Pass
						120	5570.075	5470 to 5725	Pass
						138	5570.075	5470 to 5725	Pass
					-30	120	5570.075	5470 to 5725	Pass
					-20	120	5570.075	5470 to 5725	Pass
					-10	120	5570.075	5470 to 5725	Pass
					0	120	5570.000	5470 to 5725	Pass
					10	120	5570.000	5470 to 5725	Pass
					30	120	5570.075	5470 to 5725	Pass
					40	120	5570.000	5470 to 5725	Pass
					50	120	5570.075	5470 to 5725	Pass
		5250	/	/	20	102	5250.075	5150 to 5350	Pass
						120	5250.075	5150 to 5350	Pass
						138	5250.075	5150 to 5350	Pass
					-30	120	5250.075	5150 to 5350	Pass
					-20	120	5250.000	5150 to 5350	Pass
					-10	120	5250.075	5150 to 5350	Pass
					0	120	5250.000	5150 to 5350	Pass
					10	120	5250.000	5150 to 5350	Pass
					30	120	5250.075	5150 to 5350	Pass
					40	120	5250.075	5150 to 5350	Pass
					50	120	5250.000	5150 to 5350	Pass
802.11ax (HEW20)	MIMO	5180	SU	/	20	102	5180.080	5150 to 5250	Pass
						120	5180.040	5150 to 5250	Pass
						138	5180.080	5150 to 5250	Pass
					-30	120	5180.000	5150 to 5250	Pass
					-20	120	5180.080	5150 to 5250	Pass
					-10	120	5180.000	5150 to 5250	Pass
					0	120	5180.040	5150 to 5250	Pass
					10	120	5180.040	5150 to 5250	Pass
					30	120	5180.000	5150 to 5250	Pass
					40	120	5180.060	5150 to 5250	Pass
					50	120	5180.060	5150 to 5250	Pass
		5200	SU	/	20	102	5200.020	5150 to 5250	Pass
						120	5200.100	5150 to 5250	Pass
						138	5199.980	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1121 of 1137

					-30	120	5200.060	5150 to 5250	Pass
					-20	120	5199.960	5150 to 5250	Pass
					-10	120	5200.080	5150 to 5250	Pass
					0	120	5200.040	5150 to 5250	Pass
					10	120	5200.040	5150 to 5250	Pass
					30	120	5200.020	5150 to 5250	Pass
					40	120	5200.000	5150 to 5250	Pass
					50	120	5200.040	5150 to 5250	Pass
		5240	SU	/	20	102	5240.100	5150 to 5250	Pass
						120	5240.080	5150 to 5250	Pass
						138	5240.000	5150 to 5250	Pass
					-30	120	5239.980	5150 to 5250	Pass
					-20	120	5240.000	5150 to 5250	Pass
					-10	120	5240.000	5150 to 5250	Pass
					0	120	5240.040	5150 to 5250	Pass
					10	120	5239.980	5150 to 5250	Pass
					30	120	5239.960	5150 to 5250	Pass
					40	120	5240.000	5150 to 5250	Pass
					50	120	5240.040	5150 to 5250	Pass
		5260	SU	/	20	102	5260.100	5250 to 5350	Pass
						120	5260.120	5250 to 5350	Pass
						138	5260.040	5250 to 5350	Pass
					-30	120	5260.060	5250 to 5350	Pass
					-20	120	5260.040	5250 to 5350	Pass
					-10	120	5260.020	5250 to 5350	Pass
					0	120	5260.040	5250 to 5350	Pass
					10	120	5260.100	5250 to 5350	Pass
					30	120	5260.040	5250 to 5350	Pass
					40	120	5260.060	5250 to 5350	Pass
					50	120	5260.000	5250 to 5350	Pass
		5300	SU	/	20	102	5300.020	5250 to 5350	Pass
						120	5300.060	5250 to 5350	Pass
						138	5300.000	5250 to 5350	Pass
					-30	120	5300.020	5250 to 5350	Pass
					-20	120	5300.000	5250 to 5350	Pass
					-10	120	5300.040	5250 to 5350	Pass
					0	120	5300.060	5250 to 5350	Pass
					10	120	5300.060	5250 to 5350	Pass
					30	120	5300.000	5250 to 5350	Pass
					40	120	5300.000	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1122 of 1137

					50	120	5300.040	5250 to 5350	Pass
						102	5320.020	5250 to 5350	Pass
					20	120	5320.100	5250 to 5350	Pass
						138	5320.080	5250 to 5350	Pass
					-30	120	5320.040	5250 to 5350	Pass
					-20	120	5320.020	5250 to 5350	Pass
					-10	120	5320.000	5250 to 5350	Pass
					0	120	5320.020	5250 to 5350	Pass
					10	120	5320.100	5250 to 5350	Pass
					30	120	5320.000	5250 to 5350	Pass
					40	120	5320.060	5250 to 5350	Pass
					50	120	5320.040	5250 to 5350	Pass
						102	5500.060	5470 to 5725	Pass
					20	120	5500.020	5470 to 5725	Pass
						138	5500.060	5470 to 5725	Pass
					-30	120	5500.020	5470 to 5725	Pass
					-20	120	5500.020	5470 to 5725	Pass
					-10	120	5500.040	5470 to 5725	Pass
					0	120	5500.040	5470 to 5725	Pass
					10	120	5500.100	5470 to 5725	Pass
					30	120	5500.120	5470 to 5725	Pass
					40	120	5500.100	5470 to 5725	Pass
					50	120	5500.060	5470 to 5725	Pass
						102	5580.000	5470 to 5725	Pass
					20	120	5580.100	5470 to 5725	Pass
						138	5580.020	5470 to 5725	Pass
					-30	120	5580.000	5470 to 5725	Pass
					-20	120	5580.000	5470 to 5725	Pass
					-10	120	5580.060	5470 to 5725	Pass
					0	120	5580.040	5470 to 5725	Pass
					10	120	5580.020	5470 to 5725	Pass
					30	120	5580.040	5470 to 5725	Pass
					40	120	5580.080	5470 to 5725	Pass
					50	120	5580.040	5470 to 5725	Pass
						102	5699.960	5470 to 5725	Pass
					20	120	5699.940	5470 to 5725	Pass
						138	5700.080	5470 to 5725	Pass
					-30	120	5700.020	5470 to 5725	Pass
					-20	120	5700.020	5470 to 5725	Pass
					-10	120	5700.020	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1123 of 1137

					0	120	5700.040	5470 to 5725	Pass
					10	120	5700.060	5470 to 5725	Pass
					30	120	5700.060	5470 to 5725	Pass
					40	120	5699.980	5470 to 5725	Pass
					50	120	5700.040	5470 to 5725	Pass
		5745	SU	/	20	102	5745.060	5725 to 5850	Pass
						120	5745.020	5725 to 5850	Pass
						138	5745.040	5725 to 5850	Pass
					-30	120	5745.040	5725 to 5850	Pass
					-20	120	5745.020	5725 to 5850	Pass
					-10	120	5745.020	5725 to 5850	Pass
					0	120	5745.000	5725 to 5850	Pass
					10	120	5744.960	5725 to 5850	Pass
					30	120	5744.980	5725 to 5850	Pass
					40	120	5745.060	5725 to 5850	Pass
					50	120	5744.960	5725 to 5850	Pass
		5785	SU	/	20	102	5785.020	5725 to 5850	Pass
						120	5784.960	5725 to 5850	Pass
						138	5785.080	5725 to 5850	Pass
					-30	120	5785.040	5725 to 5850	Pass
					-20	120	5784.960	5725 to 5850	Pass
					-10	120	5784.980	5725 to 5850	Pass
					0	120	5785.020	5725 to 5850	Pass
					10	120	5785.080	5725 to 5850	Pass
					30	120	5785.040	5725 to 5850	Pass
					40	120	5785.020	5725 to 5850	Pass
		5825	SU	/	20	102	5825.020	5725 to 5850	Pass
						120	5824.960	5725 to 5850	Pass
						138	5825.000	5725 to 5850	Pass
					-30	120	5825.020	5725 to 5850	Pass
					-20	120	5824.980	5725 to 5850	Pass
					-10	120	5825.100	5725 to 5850	Pass
					0	120	5825.060	5725 to 5850	Pass
					10	120	5825.040	5725 to 5850	Pass
					30	120	5825.040	5725 to 5850	Pass
					40	120	5825.020	5725 to 5850	Pass
		5720	SU	/	20	102	5720.080	5470 to 5850	Pass
						120	5720.100	5470 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1124 of 1137

						138	5720.060	5470 to 5850	Pass
					-30	120	5720.020	5470 to 5850	Pass
					-20	120	5720.060	5470 to 5850	Pass
					-10	120	5720.020	5470 to 5850	Pass
					0	120	5719.960	5470 to 5850	Pass
					10	120	5720.020	5470 to 5850	Pass
					30	120	5720.000	5470 to 5850	Pass
					40	120	5719.900	5470 to 5850	Pass
					50	120	5720.000	5470 to 5850	Pass
802.11ax (HEW40)	MIMO	5190	SU	/	20	102	5190.080	5150 to 5250	Pass
						120	5190.000	5150 to 5250	Pass
						138	5190.040	5150 to 5250	Pass
					-30	120	5190.080	5150 to 5250	Pass
					-20	120	5190.000	5150 to 5250	Pass
					-10	120	5190.000	5150 to 5250	Pass
					0	120	5189.960	5150 to 5250	Pass
					10	120	5190.080	5150 to 5250	Pass
					30	120	5190.040	5150 to 5250	Pass
					40	120	5190.040	5150 to 5250	Pass
					50	120	5190.120	5150 to 5250	Pass
		5230	SU	/	20	102	5230.120	5150 to 5250	Pass
						120	5230.080	5150 to 5250	Pass
						138	5230.080	5150 to 5250	Pass
					-30	120	5230.040	5150 to 5250	Pass
					-20	120	5230.040	5150 to 5250	Pass
					-10	120	5230.040	5150 to 5250	Pass
					0	120	5230.120	5150 to 5250	Pass
					10	120	5230.040	5150 to 5250	Pass
					30	120	5230.080	5150 to 5250	Pass
					40	120	5230.120	5150 to 5250	Pass
					50	120	5230.080	5150 to 5250	Pass
		5270	SU	/	20	102	5270.080	5250 to 5350	Pass
						120	5270.040	5250 to 5350	Pass
						138	5270.080	5250 to 5350	Pass
					-30	120	5269.920	5250 to 5350	Pass
					-20	120	5270.080	5250 to 5350	Pass
					-10	120	5270.080	5250 to 5350	Pass
					0	120	5270.040	5250 to 5350	Pass
					10	120	5270.040	5250 to 5350	Pass
					30	120	5270.080	5250 to 5350	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1125 of 1137

		5310	SU	/	40	120	5270.000	5250 to 5350	Pass
					50	120	5270.000	5250 to 5350	Pass
					20	102	5310.000	5250 to 5350	Pass
						120	5310.000	5250 to 5350	Pass
						138	5310.080	5250 to 5350	Pass
					-30	120	5310.000	5250 to 5350	Pass
					-20	120	5310.080	5250 to 5350	Pass
					-10	120	5310.000	5250 to 5350	Pass
					0	120	5310.000	5250 to 5350	Pass
					10	120	5310.040	5250 to 5350	Pass
					30	120	5310.080	5250 to 5350	Pass
					40	120	5310.040	5250 to 5350	Pass
					50	120	5310.040	5250 to 5350	Pass
		5510	SU	/	20	102	5510.120	5470 to 5725	Pass
						120	5510.000	5470 to 5725	Pass
						138	5510.000	5470 to 5725	Pass
					-30	120	5510.000	5470 to 5725	Pass
					-20	120	5510.040	5470 to 5725	Pass
					-10	120	5510.040	5470 to 5725	Pass
					0	120	5510.040	5470 to 5725	Pass
					10	120	5510.040	5470 to 5725	Pass
					30	120	5510.120	5470 to 5725	Pass
					40	120	5510.000	5470 to 5725	Pass
					50	120	5510.080	5470 to 5725	Pass
		5550	SU	/	20	102	5550.000	5470 to 5725	Pass
						120	5550.080	5470 to 5725	Pass
						138	5550.000	5470 to 5725	Pass
					-30	120	5550.040	5470 to 5725	Pass
					-20	120	5550.040	5470 to 5725	Pass
					-10	120	5550.080	5470 to 5725	Pass
					0	120	5550.080	5470 to 5725	Pass
					10	120	5550.000	5470 to 5725	Pass
					30	120	5550.000	5470 to 5725	Pass
					40	120	5550.000	5470 to 5725	Pass
					50	120	5550.040	5470 to 5725	Pass
		5670	SU	/	20	102	5670.040	5470 to 5725	Pass
						120	5670.040	5470 to 5725	Pass
						138	5670.000	5470 to 5725	Pass
					-30	120	5670.000	5470 to 5725	Pass
					-20	120	5670.040	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1126 of 1137

					-10	120	5670.080	5470 to 5725	Pass
					0	120	5669.960	5470 to 5725	Pass
					10	120	5670.040	5470 to 5725	Pass
					30	120	5670.040	5470 to 5725	Pass
					40	120	5670.080	5470 to 5725	Pass
					50	120	5670.040	5470 to 5725	Pass
		5755	SU	/	20	102	5755.040	5725 to 5850	Pass
						120	5755.000	5725 to 5850	Pass
						138	5754.960	5725 to 5850	Pass
					-30	120	5754.960	5725 to 5850	Pass
					-20	120	5755.040	5725 to 5850	Pass
					-10	120	5754.960	5725 to 5850	Pass
					0	120	5754.960	5725 to 5850	Pass
					10	120	5755.080	5725 to 5850	Pass
					30	120	5755.000	5725 to 5850	Pass
					40	120	5754.960	5725 to 5850	Pass
					50	120	5755.000	5725 to 5850	Pass
		5795	SU	/	20	102	5795.040	5725 to 5850	Pass
						120	5794.960	5725 to 5850	Pass
						138	5794.960	5725 to 5850	Pass
					-30	120	5795.000	5725 to 5850	Pass
					-20	120	5795.000	5725 to 5850	Pass
					-10	120	5795.000	5725 to 5850	Pass
					0	120	5795.000	5725 to 5850	Pass
					10	120	5795.000	5725 to 5850	Pass
					30	120	5795.080	5725 to 5850	Pass
					40	120	5795.000	5725 to 5850	Pass
					50	120	5795.000	5725 to 5850	Pass
		5710	SU	/	20	102	5710.040	5470 to 5850	Pass
						120	5710.120	5470 to 5850	Pass
						138	5710.040	5470 to 5850	Pass
					-30	120	5709.960	5470 to 5850	Pass
					-20	120	5710.080	5470 to 5850	Pass
					-10	120	5710.000	5470 to 5850	Pass
					0	120	5710.040	5470 to 5850	Pass
					10	120	5710.080	5470 to 5850	Pass
					30	120	5710.040	5470 to 5850	Pass
					40	120	5710.040	5470 to 5850	Pass
					50	120	5710.080	5470 to 5850	Pass
802.11ax	MIMO	5210	SU	/	20	102	5210.075	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1127 of 1137

(HEW80)						120	5210.075	5150 to 5250	Pass
						138	5210.075	5150 to 5250	Pass
					-30	120	5210.075	5150 to 5250	Pass
					-20	120	5210.075	5150 to 5250	Pass
					-10	120	5210.075	5150 to 5250	Pass
					0	120	5210.075	5150 to 5250	Pass
					10	120	5210.075	5150 to 5250	Pass
					30	120	5210.075	5150 to 5250	Pass
					40	120	5209.925	5150 to 5250	Pass
					50	120	5210.075	5150 to 5250	Pass
		5290	SU	/	20	102	5290.075	5250 to 5350	Pass
						120	5290.075	5250 to 5350	Pass
						138	5290.000	5250 to 5350	Pass
					-30	120	5289.925	5250 to 5350	Pass
					-20	120	5290.075	5250 to 5350	Pass
					-10	120	5290.000	5250 to 5350	Pass
					0	120	5289.925	5250 to 5350	Pass
					10	120	5290.000	5250 to 5350	Pass
					30	120	5290.075	5250 to 5350	Pass
					40	120	5290.075	5250 to 5350	Pass
		50	120	5290.075	5250 to 5350	Pass			
		5530	SU	/	20	102	5530.000	5470 to 5725	Pass
						120	5530.000	5470 to 5725	Pass
						138	5530.000	5470 to 5725	Pass
					-30	120	5530.000	5470 to 5725	Pass
					-20	120	5530.075	5470 to 5725	Pass
					-10	120	5530.075	5470 to 5725	Pass
					0	120	5530.150	5470 to 5725	Pass
					10	120	5530.075	5470 to 5725	Pass
					30	120	5530.075	5470 to 5725	Pass
					40	120	5530.000	5470 to 5725	Pass
		50	120	5530.075	5470 to 5725	Pass			
		5610	SU	/	20	102	5610.075	5470 to 5725	Pass
						120	5610.075	5470 to 5725	Pass
						138	5610.075	5470 to 5725	Pass
					-30	120	5610.000	5470 to 5725	Pass
					-20	120	5610.075	5470 to 5725	Pass
					-10	120	5610.075	5470 to 5725	Pass
					0	120	5609.925	5470 to 5725	Pass
					10	120	5610.000	5470 to 5725	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1128 of 1137

		5775	SU	/	30	120	5610.000	5470 to 5725	Pass
					40	120	5610.000	5470 to 5725	Pass
					50	120	5610.075	5470 to 5725	Pass
					20	102	5775.075	5725 to 5850	Pass
						120	5775.000	5725 to 5850	Pass
						138	5775.000	5725 to 5850	Pass
					-30	120	5775.075	5725 to 5850	Pass
					-20	120	5775.075	5725 to 5850	Pass
					-10	120	5775.075	5725 to 5850	Pass
					0	120	5775.000	5725 to 5850	Pass
					10	120	5774.925	5725 to 5850	Pass
					30	120	5775.000	5725 to 5850	Pass
					40	120	5775.000	5725 to 5850	Pass
					50	120	5775.000	5725 to 5850	Pass
		5690	SU	/	20	102	5690.075	5470 to 5850	Pass
						120	5690.075	5470 to 5850	Pass
						138	5690.075	5470 to 5850	Pass
					-30	120	5690.075	5470 to 5850	Pass
					-20	120	5690.075	5470 to 5850	Pass
					-10	120	5690.000	5470 to 5850	Pass
					0	120	5690.075	5470 to 5850	Pass
					10	120	5690.075	5470 to 5850	Pass
					30	120	5690.075	5470 to 5850	Pass
					40	120	5690.075	5470 to 5850	Pass
					50	120	5690.150	5470 to 5850	Pass
802.11ax (HEW160)	MIMO	5570	SU	/	20	102	5570.075	5470 to 5725	Pass
						120	5570.000	5470 to 5725	Pass
						138	5570.075	5470 to 5725	Pass
					-30	120	5570.075	5470 to 5725	Pass
					-20	120	5570.150	5470 to 5725	Pass
					-10	120	5570.000	5470 to 5725	Pass
					0	120	5570.075	5470 to 5725	Pass
					10	120	5570.075	5470 to 5725	Pass
					30	120	5570.075	5470 to 5725	Pass
					40	120	5570.075	5470 to 5725	Pass
					50	120	5570.075	5470 to 5725	Pass
		5250	SU	/	20	102	5250.075	5150 to 5350	Pass
						120	5250.075	5150 to 5350	Pass
						138	5250.075	5150 to 5350	Pass
					-30	120	5250.075	5150 to 5350	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (HEW160) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1129 of 1137

					-20	120	5250.075	5150 to 5350	Pass
					-10	120	5250.075	5150 to 5350	Pass
					0	120	5250.000	5150 to 5350	Pass
					10	120	5250.075	5150 to 5350	Pass
					30	120	5250.075	5150 to 5350	Pass
					40	120	5250.075	5150 to 5350	Pass
					50	120	5250.075	5150 to 5350	Pass
802.11be (EHT20)	MIMO	5180	SU	/	20	102	5180.060	5150 to 5250	Pass
						120	5180.020	5150 to 5250	Pass
						138	5180.040	5150 to 5250	Pass
					-30	120	5180.000	5150 to 5250	Pass
						120	5180.060	5150 to 5250	Pass
						120	5180.080	5150 to 5250	Pass
					0	120	5179.980	5150 to 5250	Pass
						120	5180.000	5150 to 5250	Pass
						120	5180.020	5150 to 5250	Pass
					30	120	5180.020	5150 to 5250	Pass
						120	5180.080	5150 to 5250	Pass
						120	5180.020	5150 to 5250	Pass
		5200	SU	/	20	102	5200.060	5150 to 5250	Pass
						120	5200.080	5150 to 5250	Pass
						138	5200.060	5150 to 5250	Pass
					-30	120	5200.040	5150 to 5250	Pass
						120	5200.060	5150 to 5250	Pass
						120	5200.060	5150 to 5250	Pass
					-10	120	5200.060	5150 to 5250	Pass
						120	5200.060	5150 to 5250	Pass
						120	5200.080	5150 to 5250	Pass
					0	120	5200.060	5150 to 5250	Pass
						120	5200.080	5150 to 5250	Pass
						120	5200.000	5150 to 5250	Pass
		5240	SU	/	20	102	5240.000	5150 to 5250	Pass
						120	5240.080	5150 to 5250	Pass
						138	5240.080	5150 to 5250	Pass
					-30	120	5240.020	5150 to 5250	Pass
						120	5240.040	5150 to 5250	Pass
						120	5240.080	5150 to 5250	Pass
					-10	120	5240.080	5150 to 5250	Pass
						120	5240.060	5150 to 5250	Pass
						120	5240.080	5150 to 5250	Pass
					0	120	5240.080	5150 to 5250	Pass
						120	5240.000	5150 to 5250	Pass
						120	5240.060	5150 to 5250	Pass
					30	120	5240.000	5150 to 5250	Pass
						120	5240.060	5150 to 5250	Pass
						120	5240.000	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1130 of 1137

		5260	SU	/	20	102	5260.080	5250 to 5350	Pass
						120	5260.080	5250 to 5350	Pass
						138	5260.040	5250 to 5350	Pass
					-30	120	5260.060	5250 to 5350	Pass
					-20	120	5260.000	5250 to 5350	Pass
					-10	120	5260.060	5250 to 5350	Pass
					0	120	5259.980	5250 to 5350	Pass
					10	120	5260.020	5250 to 5350	Pass
					30	120	5260.000	5250 to 5350	Pass
					40	120	5260.100	5250 to 5350	Pass
					50	120	5260.040	5250 to 5350	Pass
		5300	SU	/	20	102	5300.000	5250 to 5350	Pass
						120	5300.040	5250 to 5350	Pass
						138	5300.040	5250 to 5350	Pass
					-30	120	5300.020	5250 to 5350	Pass
					-20	120	5300.060	5250 to 5350	Pass
					-10	120	5300.060	5250 to 5350	Pass
					0	120	5299.960	5250 to 5350	Pass
					10	120	5300.020	5250 to 5350	Pass
					30	120	5300.040	5250 to 5350	Pass
					40	120	5300.040	5250 to 5350	Pass
					50	120	5300.020	5250 to 5350	Pass
		5320	SU	/	20	102	5320.060	5250 to 5350	Pass
						120	5320.000	5250 to 5350	Pass
						138	5320.000	5250 to 5350	Pass
					-30	120	5320.020	5250 to 5350	Pass
					-20	120	5320.040	5250 to 5350	Pass
					-10	120	5320.000	5250 to 5350	Pass
					0	120	5320.040	5250 to 5350	Pass
					10	120	5320.080	5250 to 5350	Pass
					30	120	5320.020	5250 to 5350	Pass
					40	120	5320.020	5250 to 5350	Pass
					50	120	5320.020	5250 to 5350	Pass
		5500	SU	/	20	102	5500.080	5470 to 5725	Pass
						120	5500.080	5470 to 5725	Pass
						138	5500.000	5470 to 5725	Pass
					-30	120	5500.040	5470 to 5725	Pass
					-20	120	5500.120	5470 to 5725	Pass
					-10	120	5499.980	5470 to 5725	Pass
					0	120	5499.980	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1131 of 1137

					10	120	5500.060	5470 to 5725	Pass
					30	120	5499.980	5470 to 5725	Pass
					40	120	5500.020	5470 to 5725	Pass
					50	120	5499.980	5470 to 5725	Pass
		5580	SU	/	20	102	5580.000	5470 to 5725	Pass
						120	5580.020	5470 to 5725	Pass
						138	5580.000	5470 to 5725	Pass
					-30	120	5579.980	5470 to 5725	Pass
					-20	120	5580.120	5470 to 5725	Pass
					-10	120	5580.000	5470 to 5725	Pass
					0	120	5580.060	5470 to 5725	Pass
					10	120	5580.100	5470 to 5725	Pass
					30	120	5580.060	5470 to 5725	Pass
					40	120	5580.060	5470 to 5725	Pass
					50	120	5580.060	5470 to 5725	Pass
					20	102	5700.020	5470 to 5725	Pass
						120	5700.020	5470 to 5725	Pass
						138	5700.040	5470 to 5725	Pass
		5700	SU	/	-30	120	5700.080	5470 to 5725	Pass
					-20	120	5700.060	5470 to 5725	Pass
					-10	120	5700.020	5470 to 5725	Pass
					0	120	5700.040	5470 to 5725	Pass
					10	120	5700.020	5470 to 5725	Pass
					30	120	5700.060	5470 to 5725	Pass
					40	120	5700.020	5470 to 5725	Pass
					50	120	5700.040	5470 to 5725	Pass
					20	102	5745.000	5725 to 5850	Pass
						120	5745.060	5725 to 5850	Pass
						138	5745.020	5725 to 5850	Pass
					-30	120	5745.060	5725 to 5850	Pass
					-20	120	5744.940	5725 to 5850	Pass
					-10	120	5745.020	5725 to 5850	Pass
					0	120	5745.040	5725 to 5850	Pass
					10	120	5745.040	5725 to 5850	Pass
		5745	SU	/	30	120	5745.000	5725 to 5850	Pass
					40	120	5745.080	5725 to 5850	Pass
					50	120	5745.000	5725 to 5850	Pass
					20	102	5785.060	5725 to 5850	Pass
						120	5785.020	5725 to 5850	Pass
						138	5785.000	5725 to 5850	Pass
					5785	SU	/		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1132 of 1137

					-30	120	5784.980	5725 to 5850	Pass
					-20	120	5785.040	5725 to 5850	Pass
					-10	120	5785.020	5725 to 5850	Pass
					0	120	5784.920	5725 to 5850	Pass
					10	120	5784.980	5725 to 5850	Pass
					30	120	5785.060	5725 to 5850	Pass
					40	120	5785.000	5725 to 5850	Pass
					50	120	5785.020	5725 to 5850	Pass
		5825	SU	/	20	102	5824.980	5725 to 5850	Pass
						120	5825.080	5725 to 5850	Pass
						138	5825.040	5725 to 5850	Pass
					-30	120	5825.060	5725 to 5850	Pass
					-20	120	5825.040	5725 to 5850	Pass
					-10	120	5825.000	5725 to 5850	Pass
					0	120	5825.080	5725 to 5850	Pass
					10	120	5825.020	5725 to 5850	Pass
					30	120	5825.060	5725 to 5850	Pass
					40	120	5825.020	5725 to 5850	Pass
					50	120	5824.980	5725 to 5850	Pass
		5720	SU	/	20	102	5720.060	5470 to 5850	Pass
						120	5720.060	5470 to 5850	Pass
						138	5720.020	5470 to 5850	Pass
					-30	120	5720.080	5470 to 5850	Pass
					-20	120	5720.060	5470 to 5850	Pass
					-10	120	5720.040	5470 to 5850	Pass
					0	120	5720.020	5470 to 5850	Pass
					10	120	5720.040	5470 to 5850	Pass
					30	120	5720.040	5470 to 5850	Pass
					40	120	5719.980	5470 to 5850	Pass
					50	120	5720.040	5470 to 5850	Pass
802.11be (EHT40)	MIMO	5190	SU	/	20	102	5190.040	5150 to 5250	Pass
						120	5190.080	5150 to 5250	Pass
						138	5190.040	5150 to 5250	Pass
					-30	120	5190.040	5150 to 5250	Pass
					-20	120	5190.080	5150 to 5250	Pass
					-10	120	5190.080	5150 to 5250	Pass
					0	120	5190.080	5150 to 5250	Pass
					10	120	5190.080	5150 to 5250	Pass
					30	120	5190.000	5150 to 5250	Pass
					40	120	5190.000	5150 to 5250	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1133 of 1137

					50	120	5190.120	5150 to 5250	Pass
						102	5230.080	5150 to 5250	Pass
					20	120	5230.080	5150 to 5250	Pass
						138	5230.000	5150 to 5250	Pass
					-30	120	5230.040	5150 to 5250	Pass
					-20	120	5230.160	5150 to 5250	Pass
					-10	120	5230.040	5150 to 5250	Pass
					0	120	5230.080	5150 to 5250	Pass
					10	120	5230.120	5150 to 5250	Pass
					30	120	5230.040	5150 to 5250	Pass
					40	120	5230.040	5150 to 5250	Pass
					50	120	5230.080	5150 to 5250	Pass
						102	5270.040	5250 to 5350	Pass
					20	120	5270.080	5250 to 5350	Pass
						138	5270.080	5250 to 5350	Pass
					-30	120	5270.040	5250 to 5350	Pass
					-20	120	5270.040	5250 to 5350	Pass
					-10	120	5270.080	5250 to 5350	Pass
					0	120	5270.120	5250 to 5350	Pass
					10	120	5270.040	5250 to 5350	Pass
					30	120	5270.040	5250 to 5350	Pass
					40	120	5270.000	5250 to 5350	Pass
					50	120	5270.080	5250 to 5350	Pass
						102	5310.080	5250 to 5350	Pass
					20	120	5310.040	5250 to 5350	Pass
						138	5309.960	5250 to 5350	Pass
					-30	120	5310.000	5250 to 5350	Pass
					-20	120	5310.080	5250 to 5350	Pass
					-10	120	5310.120	5250 to 5350	Pass
					0	120	5310.000	5250 to 5350	Pass
					10	120	5310.040	5250 to 5350	Pass
					30	120	5310.080	5250 to 5350	Pass
					40	120	5310.040	5250 to 5350	Pass
					50	120	5310.040	5250 to 5350	Pass
						102	5510.080	5470 to 5725	Pass
					20	120	5510.080	5470 to 5725	Pass
						138	5510.000	5470 to 5725	Pass
					-30	120	5510.040	5470 to 5725	Pass
					-20	120	5510.040	5470 to 5725	Pass
					-10	120	5510.080	5470 to 5725	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing and Calibration Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1134 of 1137

					0	120	5510.040	5470 to 5725	Pass
					10	120	5510.040	5470 to 5725	Pass
					30	120	5510.160	5470 to 5725	Pass
					40	120	5510.080	5470 to 5725	Pass
					50	120	5509.960	5470 to 5725	Pass
		5550	SU	/	20	102	5550.040	5470 to 5725	Pass
						120	5550.040	5470 to 5725	Pass
						138	5550.040	5470 to 5725	Pass
					-30	120	5550.080	5470 to 5725	Pass
					-20	120	5550.040	5470 to 5725	Pass
					-10	120	5550.040	5470 to 5725	Pass
					0	120	5550.080	5470 to 5725	Pass
					10	120	5550.080	5470 to 5725	Pass
					30	120	5550.040	5470 to 5725	Pass
					40	120	5550.040	5470 to 5725	Pass
					50	120	5550.040	5470 to 5725	Pass
		5670	SU	/	20	102	5670.040	5470 to 5725	Pass
						120	5670.040	5470 to 5725	Pass
						138	5670.040	5470 to 5725	Pass
					-30	120	5670.080	5470 to 5725	Pass
					-20	120	5670.040	5470 to 5725	Pass
					-10	120	5670.040	5470 to 5725	Pass
					0	120	5670.040	5470 to 5725	Pass
					10	120	5670.040	5470 to 5725	Pass
					30	120	5670.080	5470 to 5725	Pass
					40	120	5670.080	5470 to 5725	Pass
					50	120	5670.120	5470 to 5725	Pass
		5755	SU	/	20	102	5755.000	5725 to 5850	Pass
						120	5755.000	5725 to 5850	Pass
						138	5755.080	5725 to 5850	Pass
					-30	120	5755.000	5725 to 5850	Pass
					-20	120	5755.000	5725 to 5850	Pass
					-10	120	5755.000	5725 to 5850	Pass
					0	120	5755.040	5725 to 5850	Pass
					10	120	5755.040	5725 to 5850	Pass
					30	120	5755.080	5725 to 5850	Pass
					40	120	5755.080	5725 to 5850	Pass
					50	120	5755.120	5725 to 5850	Pass
		5795	SU	/	20	102	5795.000	5725 to 5850	Pass
						120	5794.960	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1135 of 1137

802.11be (EHT80)	MIMO					138	5795.000	5725 to 5850	Pass
					-30	120	5795.080	5725 to 5850	Pass
					-20	120	5795.040	5725 to 5850	Pass
					-10	120	5795.040	5725 to 5850	Pass
					0	120	5795.040	5725 to 5850	Pass
					10	120	5795.040	5725 to 5850	Pass
					30	120	5795.000	5725 to 5850	Pass
					40	120	5795.040	5725 to 5850	Pass
					50	120	5795.120	5725 to 5850	Pass
		5710	SU	/	20	102	5710.040	5470 to 5850	Pass
						120	5710.080	5470 to 5850	Pass
						138	5710.000	5470 to 5850	Pass
					-30	120	5710.080	5470 to 5850	Pass
					-20	120	5710.080	5470 to 5850	Pass
					-10	120	5710.120	5470 to 5850	Pass
					0	120	5710.080	5470 to 5850	Pass
					10	120	5710.120	5470 to 5850	Pass
					30	120	5710.040	5470 to 5850	Pass
					40	120	5710.080	5470 to 5850	Pass
					50	120	5710.040	5470 to 5850	Pass
		5210	SU	/	20	102	5210.075	5150 to 5250	Pass
						120	5210.000	5150 to 5250	Pass
						138	5210.075	5150 to 5250	Pass
					-30	120	5210.075	5150 to 5250	Pass
					-20	120	5210.075	5150 to 5250	Pass
					-10	120	5210.075	5150 to 5250	Pass
					0	120	5210.000	5150 to 5250	Pass
					10	120	5210.075	5150 to 5250	Pass
					30	120	5210.075	5150 to 5250	Pass
					40	120	5210.075	5150 to 5250	Pass
					50	120	5210.075	5150 to 5250	Pass
		5290	SU	/	20	102	5290.000	5250 to 5350	Pass
						120	5289.925	5250 to 5350	Pass
						138	5290.000	5250 to 5350	Pass
					-30	120	5290.000	5250 to 5350	Pass
					-20	120	5290.075	5250 to 5350	Pass
					-10	120	5290.075	5250 to 5350	Pass
					0	120	5290.075	5250 to 5350	Pass
					10	120	5290.075	5250 to 5350	Pass
					30	120	5290.075	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1136 of 1137

					40	120	5290.000	5250 to 5350	Pass
					50	120	5290.000	5250 to 5350	Pass
		5530	SU	/	20	102	5530.075	5470 to 5725	Pass
						120	5530.075	5470 to 5725	Pass
						138	5530.000	5470 to 5725	Pass
					-30	120	5530.075	5470 to 5725	Pass
					-20	120	5530.075	5470 to 5725	Pass
					-10	120	5530.075	5470 to 5725	Pass
					0	120	5530.000	5470 to 5725	Pass
					10	120	5530.075	5470 to 5725	Pass
					30	120	5530.075	5470 to 5725	Pass
					40	120	5530.075	5470 to 5725	Pass
					50	120	5530.075	5470 to 5725	Pass
		5610	SU	/	20	102	5610.075	5470 to 5725	Pass
						120	5610.075	5470 to 5725	Pass
						138	5610.075	5470 to 5725	Pass
					-30	120	5609.850	5470 to 5725	Pass
					-20	120	5610.075	5470 to 5725	Pass
					-10	120	5610.075	5470 to 5725	Pass
					0	120	5610.075	5470 to 5725	Pass
					10	120	5610.000	5470 to 5725	Pass
					30	120	5610.000	5470 to 5725	Pass
					40	120	5610.000	5470 to 5725	Pass
					50	120	5610.075	5470 to 5725	Pass
		5775	SU	/	20	102	5775.075	5725 to 5850	Pass
						120	5775.075	5725 to 5850	Pass
						138	5775.075	5725 to 5850	Pass
					-30	120	5775.000	5725 to 5850	Pass
					-20	120	5775.000	5725 to 5850	Pass
					-10	120	5774.925	5725 to 5850	Pass
					0	120	5775.000	5725 to 5850	Pass
					10	120	5775.000	5725 to 5850	Pass
					30	120	5775.000	5725 to 5850	Pass
					40	120	5775.075	5725 to 5850	Pass
					50	120	5775.075	5725 to 5850	Pass
		5690	SU	/	20	102	5690.075	5470 to 5850	Pass
						120	5690.075	5470 to 5850	Pass
						138	5690.075	5470 to 5850	Pass
					-30	120	5690.075	5470 to 5850	Pass
					-20	120	5690.075	5470 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100043803

Page: 1137 of 1137

802.11be (EHT160)	MIMO				-10	120	5690.075	5470 to 5850	Pass
					0	120	5690.075	5470 to 5850	Pass
					10	120	5690.075	5470 to 5850	Pass
					30	120	5690.150	5470 to 5850	Pass
					40	120	5690.150	5470 to 5850	Pass
					50	120	5690.075	5470 to 5850	Pass
		5570	SU	/	20	102	5570.000	5470 to 5725	Pass
						120	5570.075	5470 to 5725	Pass
						138	5570.075	5470 to 5725	Pass
					-30	120	5570.075	5470 to 5725	Pass
					-20	120	5570.075	5470 to 5725	Pass
					-10	120	5570.075	5470 to 5725	Pass
					0	120	5570.000	5470 to 5725	Pass
					10	120	5570.075	5470 to 5725	Pass
					30	120	5570.075	5470 to 5725	Pass
					40	120	5570.150	5470 to 5725	Pass
					50	120	5570.075	5470 to 5725	Pass
		5250	SU	/	20	102	5250.075	5150 to 5350	Pass
						120	5250.000	5150 to 5350	Pass
						138	5250.000	5150 to 5350	Pass
					-30	120	5250.075	5150 to 5350	Pass
					-20	120	5250.000	5150 to 5350	Pass
					-10	120	5250.075	5150 to 5350	Pass
					0	120	5250.150	5150 to 5350	Pass
					10	120	5250.075	5150 to 5350	Pass
					30	120	5250.000	5150 to 5350	Pass
					40	120	5250.075	5150 to 5350	Pass
					50	120	5250.075	5150 to 5350	Pass

- End of the Report -



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Services Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com