




802.11be(EHT320)_HCH_6905MHz_Inject signal_6750MHz_Detection status_Minimal



802.11be(EHT320)_HCH_6905MHz_Inject signal_6750MHz_Detection status_ON



802.11be(EHT320)_HCH_6905MHz_Inject signal_6905MHz_Detection status_OFF




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


802.11be(EHT320)_HCH_6905MHz_Inject signal_6905MHz_Detection status_Minimal




802.11be(EHT320)_HCH_6905MHz_Inject signal_6905MHz_Detection status_ON




802.11be(EHT320)_HCH_6905MHz_Inject signal_7060MHz_Detection status_OFF



802.11be(EHT320)_HCH_6905MHz_Inject signal_7060MHz_Detection status_Minimal




802.11be(EHT320)_HCH_6905MHz_Inject signal_7060MHz_Detection status_ON




1.2.15 Contention Based Protocol_Detection Probability_Band 7+8_Ant1


802.11be(EHT320)_HCH_6905MHz_Inject signal_6750MHz_OFF - Inject Incumbent signal at 10th seconds and keep the signal continuously injected




802.11be(EHT320)_HCH_6905MHz_Inject signal_6905MHz_OFF - Inject Incumbent signal at 10th seconds and keep the signal continuously injected




802.11be(EHT320)_HCH_6905MHz_Inject signal_7060MHz_OFF - Inject Incumbent signal at 10th seconds and keep the signal continuously injected




1.2.16 Duty Cycle_Band 6+7_Ant1




1.2.17 Contention Based Protocol_Detection Power_Band 6+7_Ant1




802.11be(EHT320)_MCH_6585MHz_Inject signal_6430MHz_Detection status_Minimal




802.11be(EHT320)_MCH_6585MHz_Inject signal_6430MHz_Detection status_ON




802.11be(EHT320)_MCH_6585MHz_Inject signal_6585MHz_Detection status_OFF




802.11be(EHT320)_MCH_6585MHz_Inject signal_6585MHz_Detection status_Minimal




802.11be(EHT320)_MCH_6585MHz_Inject signal_6585MHz_Detection status_ON




802.11be(EHT320)_MCH_6585MHz_Inject signal_6740MHz_Detection status_OFF



802.11be(EHT320)_MCH_6585MHz_Inject signal_6740MHz_Detection status_Minimal




802.11be(EHT320)_MCH_6585MHz_Inject signal_6740MHz_Detection status_ON




1.2.18 Contention Based Protocol_Detection Probability_Band 6+7_Ant1


802.11be(EHT320)_MCH_6585MHz_Inject signal_6430MHz_OFF - Inject Incumbent signal at 10th seconds and keep the signal continuously injected



802.11be(EHT320)_MCH_6585MHz_Inject signal_6585MHz_OFF - Inject Incumbent signal at 10th seconds and keep the signal continuously injected



802.11be(EHT320)_MCH_6585MHz_Inject signal_6740MHz_OFF - Inject Incumbent signal at 10th seconds and keep the signal continuously injected



- End of the Report -

