



Left Band edge_Horizontal_Peak_802.11ac-VHT20_5260MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5260

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5002.865	-7.29	65.61	58.32	74.00	-15.68	Peak
2	5150.000	-7.45	63.71	56.26	74.00	-17.74	Peak


Left Band edge_Horizontal_Average_802.11ac-VHT20_5260MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5260

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5147.697	-7.45	51.89	44.44	54.00	-9.56 Average
2	5150.000	-7.45	51.62	44.17	54.00	-9.83 Average


Left Band edge_Vertical_Peak_802.11ac-VHT20_5260MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5260

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5097.473	-7.47	65.59	58.12	74.00	-15.88	Peak
2 5150.000	-7.45	62.85	55.40	74.00	-18.60	Peak


Left Band edge_Vertical_Average_802.11ac-VHT20_5260MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5260

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5139.805	-7.46	55.34	47.88	54.00	-6.12 Average
2	5150.000	-7.45	52.40	44.95	54.00	-9.05 Average


Right Band edge_Horizontal_Peak_802.11ac-VHT20_5320MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	66.34	59.58	74.00	-14.42 Peak
2	5350.042	-6.76	69.15	62.39	74.00	-11.61 Peak


Right Band edge_Horizontal_Average_802.11ac-VHT20_5320MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	53.38	46.62	54.00	-7.38 Average
2	5350.042	-6.76	53.44	46.68	54.00	-7.32 Average


Right Band edge_Vertical_Peak_802.11ac-VHT20_5320MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	73.70	66.94	74.00	-7.06 Peak
2	5350.740	-6.76	79.42	72.66	74.00	-1.34 Peak


Right Band edge_Vertical_Average_802.11ac-VHT20_5320MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	56.89	50.13	54.00	-3.87 Average
2	5350.020	-6.76	56.95	50.19	54.00	-3.81 Average


Left Band edge_Horizontal_Peak_802.11ac-VHT40_5270MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 4923.990	-7.62	65.84	58.22	74.00	-15.78	Peak
2 5150.000	-7.45	62.71	55.26	74.00	-18.74	Peak


Left Band edge_Horizontal_Average_802.11ac-VHT40_5270MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5149.950	-7.45	52.37	44.92	54.00	-9.08 Average
2	5150.000	-7.45	52.31	44.86	54.00	-9.14 Average


Left Band edge_Vertical_Peak_802.11ac-VHT40_5270MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1	4996.125	-7.32	65.10	57.78	74.00	-16.22 Peak
2	5150.000	-7.45	63.47	56.02	74.00	-17.98 Peak


Left Band edge_Vertical_Average_802.11ac-VHT40_5270MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1	5149.845	-7.45	53.66	46.21	54.00	-7.79 Average
2	5150.000	-7.45	53.56	46.11	54.00	-7.89 Average


Right Band edge_Horizontal_Peak_802.11ac-VHT40_5310MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	63.96	57.20	74.00	-16.80 Peak
2	5439.200	-6.37	66.12	59.75	74.00	-14.25 Peak


Right Band edge_Horizontal_Average_802.11ac-VHT40_5310MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	52.82	46.06	54.00	-7.94 Average
2	5457.700	-6.28	52.68	46.40	54.00	-7.60 Average


Right Band edge_Vertical_Peak_802.11ac-VHT40_5310MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	69.39	62.63	74.00	-11.37	Peak
2 5351.600	-6.76	73.24	66.48	74.00	-7.52	Peak


Right Band edge_Vertical_Average_802.11ac-VHT40_5310MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	58.79	52.03	54.00	-1.97 Average
2	5350.025	-6.76	58.88	52.12	54.00	-1.88 Average


Left Band edge_Horizontal_Peak_802.11ac-VHT80_5290MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5077.280	-7.39	65.07	57.68	74.00	-16.32	Peak
2 5150.000	-7.45	63.59	56.14	74.00	-17.86	Peak


Left Band edge_Horizontal_Average_802.11ac-VHT80_5290MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5035.040	-7.28	53.03	45.75	54.00	-8.25 Average
2	5150.000	-7.45	52.63	45.18	54.00	-8.82 Average


Left Band edge_Vertical_Peak_802.11ac-VHT80_5290MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5044.390	-7.28	65.75	58.47	74.00	-15.53 Peak
2	5150.000	-7.45	63.36	55.91	74.00	-18.09 Peak


Left Band edge_Vertical_Average_802.11ac-VHT80_5290MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1	4874.000	-7.68	54.53	46.85	54.00	-7.15 Average
2	5150.000	-7.45	53.01	45.56	54.00	-8.44 Average


Right Band edge_Horizontal_Peak_802.11ac-VHT80_5290MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	63.18	56.42	74.00	-17.58 Peak
2	5354.520	-6.74	65.63	58.89	74.00	-15.11 Peak


Right Band edge_Horizontal_Average_802.11ac-VHT80_5290MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	53.09	46.33	54.00	-7.67	Average
2 5455.710	-6.28	53.54	47.26	54.00	-6.74	Average


Right Band edge_Vertical_Peak_802.11ac-VHT80_5290MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	67.22	60.46	74.00	-13.54 Peak
2	5355.270	-6.74	71.48	64.74	74.00	-9.26 Peak


Right Band edge_Vertical_Average_802.11ac-VHT80_5290MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	57.96	51.20	54.00	-2.80 Average
2	5352.150	-6.76	58.72	51.96	54.00	-2.04 Average


Left Band edge_Horizontal_Peak_802.11ac-VHT160_5250MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-AC160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5021.290	-7.29	65.15	57.86	74.00	-16.14	Peak
2	5150.000	-7.45	61.97	54.52	74.00	-19.48	Peak


Left Band edge_Horizontal_Average_802.11ac-VHT160_5250MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-AC160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5147.570	-7.45	54.15	46.70	54.00	-7.30	Average
2	5150.000	-7.45	53.37	45.92	54.00	-8.08	Average


Left Band edge_Vertical_Peak_802.11ac-VHT160_5250MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-AC160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5114.130	-7.47	67.16	59.69	74.00	-14.31	Peak
2	5150.000	-7.45	63.89	56.44	74.00	-17.56	Peak


Left Band edge_Vertical_Average_802.11ac-VHT160_5250MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-AC160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5118.090	-7.47	57.14	49.67	54.00	-4.33	Average
2	5150.000	-7.45	56.16	48.71	54.00	-5.29	Average


Right Band edge_Horizontal_Peak_802.11ac-VHT160_5250MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-AC160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	63.17	56.41	74.00	-17.59	Peak
2	5447.640	-6.32	65.49	59.17	74.00	-14.83	Peak


Right Band edge_Horizontal_Average_802.11ac-VHT160_5250MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-AC160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	53.13	46.37	54.00	-7.63	Average
2	5393.200	-6.63	55.00	48.37	54.00	-5.63	Average


Right Band edge_Vertical_Peak_802.11ac-VHT160_5250MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-AC160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	64.79	58.03	74.00	-15.97	Peak
2	5393.040	-6.63	70.63	64.00	74.00	-10.00	Peak


Right Band edge_Vertical_Average_802.11ac-VHT160_5250MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-AC160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	55.31	48.55	54.00	-5.45	Average
2	5393.800	-6.63	59.58	52.95	54.00	-1.05	Average


Left Band edge_Horizontal_Peak_802.11be-EHT20_5260MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE20-5260

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	4891.447	-7.63	65.27	57.64	74.00	-16.36 Peak
2	5150.000	-7.45	63.05	55.60	74.00	-18.40 Peak


Left Band edge_Horizontal_Average_802.11be-EHT20_5260MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-BE20-5260

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5149.030	-7.45	52.00	44.55	54.00	-9.45	Average
2 5150.000	-7.45	51.74	44.29	54.00	-9.71	Average


Left Band edge_Vertical_Peak_802.11be-EHT20_5260MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE20-5260

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5103.417	-7.47	65.60	58.13	74.00	-15.87 Peak
2	5150.000	-7.45	64.14	56.69	74.00	-17.31 Peak


Left Band edge_Vertical_Average_802.11be-EHT20_5260MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-BE20-5260

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5140.010	-7.46	55.03	47.57	54.00	-6.43 Average
2	5150.000	-7.45	52.29	44.84	54.00	-9.16 Average


Right Band edge_Horizontal_Peak_802.11be-EHT20_5320MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE20-5320

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	72.73	65.97	74.00	-8.03 Peak
2	5351.100	-6.76	75.70	68.94	74.00	-5.06 Peak


Right Band edge_Horizontal_Average_802.11be-EHT20_5320MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-BE20-5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	54.68	47.92	54.00	-6.08 Average
2	5350.087	-6.76	54.79	48.03	54.00	-5.97 Average


Right Band edge_Vertical_Peak_802.11be-EHT20_5320MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE20-5320

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	79.29	72.53	74.00	-1.47 Peak
2	5350.087	-6.76	79.67	72.91	74.00	-1.09 Peak


Right Band edge_Vertical_Average_802.11be-EHT20_5320MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-BE20-5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	59.69	52.93	54.00	-1.07 Average
2	5350.020	-6.76	59.72	52.96	54.00	-1.04 Average


Left Band edge_Horizontal_Peak_802.11be-EHT40_5270MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE40-5270

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 4886.610	-7.65	65.42	57.77	74.00	-16.23	Peak
2 5150.000	-7.45	62.76	55.31	74.00	-18.69	Peak


Left Band edge_Horizontal_Average_802.11be-EHT40_5270MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-BE40-5270

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5044.215	-7.28	52.16	44.88	54.00	-9.12 Average
2	5150.000	-7.45	52.16	44.71	54.00	-9.29 Average


Left Band edge_Vertical_Peak_802.11be-EHT40_5270MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE40-5270

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5146.800	-7.45	65.08	57.63	74.00	-16.37 Peak
2	5150.000	-7.45	64.48	57.03	74.00	-16.97 Peak


Left Band edge_Vertical_Average_802.11be-EHT40_5270MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-BE40-5270

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1	5149.950	-7.45	54.03	46.58	54.00	-7.42 Average
2	5150.000	-7.45	53.95	46.50	54.00	-7.50 Average


Right Band edge_Horizontal_Peak_802.11be-EHT40_5310MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE40-5310

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	63.74	56.98	74.00	-17.02 Peak
2	5361.825	-6.73	66.18	59.45	74.00	-14.55 Peak


Right Band edge_Horizontal_Average_802.11be-EHT40_5310MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-BE40-5310

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	53.40	46.64	54.00	-7.36	Average
2 5350.275	-6.76	53.46	46.70	54.00	-7.30	Average


Right Band edge_Vertical_Peak_802.11be-EHT40_5310MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE40-5310

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	70.62	63.86	74.00	-10.14 Peak
2	5351.475	-6.76	74.31	67.55	74.00	-6.45 Peak


Right Band edge_Vertical_Average_802.11be-EHT40_5310MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-BE40-5310

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	58.10	51.34	54.00	-2.66 Average
2	5352.625	-6.75	59.28	52.53	54.00	-1.47 Average


Left Band edge_Horizontal_Peak_802.11be-EHT80_5290MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5020.410	-7.28	64.59	57.31	74.00	-16.69	Peak
2 5150.000	-7.45	63.03	55.58	74.00	-18.42	Peak


Left Band edge_Horizontal_Average_802.11be-EHT80_5290MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band2-BE80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5049.890	-7.28	52.34	45.06	54.00	-8.94 Average
2	5150.000	-7.45	52.13	44.68	54.00	-9.32 Average


Left Band edge_Vertical_Peak_802.11be-EHT80_5290MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5148.340	-7.45	64.95	57.50	74.00	-16.50	Peak
2 5150.000	-7.45	63.03	55.58	74.00	-18.42	Peak


Left Band edge_Vertical_Average_802.11be-EHT80_5290MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band2-BE80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 4873.780	-7.68	54.17	46.49	54.00	-7.51	Average
2 5150.000	-7.45	52.53	45.08	54.00	-8.92	Average


Right Band edge_Horizontal_Peak_802.11be-EHT80_5290MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	63.79	57.03	74.00	-16.97 Peak
2	5414.430	-6.52	65.93	59.41	74.00	-14.59 Peak


Right Band edge_Horizontal_Average_802.11be-EHT80_5290MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band2-BE80-5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	52.76	46.00	54.00	-8.00 Average
2	5354.880	-6.74	53.43	46.69	54.00	-7.31 Average


Right Band edge_Vertical_Peak_802.11be-EHT80_5290MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-BE80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	68.64	61.88	74.00	-12.12	Peak
2 5352.090	-6.76	71.22	64.46	74.00	-9.54	Peak


Right Band edge_Vertical_Average_802.11be-EHT80_5290MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band2-BE80-5290

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	57.63	50.87	54.00	-3.13 Average
2	5352.330	-6.76	59.19	52.43	54.00	-1.57 Average


Left Band edge_Horizontal_Peak_802.11be-EHT160_5250MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-BE160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5115.780	-7.46	65.48	58.02	74.00	-15.98	Peak
2	5150.000	-7.45	63.49	56.04	74.00	-17.96	Peak


Left Band edge_Horizontal_Average_802.11be-EHT160_5250MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-BE160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5146.580	-7.45	54.04	46.59	54.00	-7.41	Average
2	5150.000	-7.45	53.30	45.85	54.00	-8.15	Average


Left Band edge_Vertical_Peak_802.11be-EHT160_5250MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-BE160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5119.520	-7.47	70.25	62.78	74.00	-11.22	Peak
2	5150.000	-7.45	68.28	60.83	74.00	-13.17	Peak


Left Band edge_Vertical_Average_802.11be-EHT160_5250MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-BE160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5149.000	-7.45	59.23	51.78	54.00	-2.22	Average
2	5150.000	-7.45	57.29	49.84	54.00	-4.16	Average


Right Band edge_Horizontal_Peak_802.11be-EHT160_5250MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-BE160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	63.86	57.10	74.00	-16.90	Peak
2	5399.920	-6.61	66.73	60.12	74.00	-13.88	Peak


Right Band edge_Horizontal_Average_802.11be-EHT160_5250MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-BE160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	52.73	45.97	54.00	-8.03	Average
2	5393.360	-6.63	54.42	47.79	54.00	-6.21	Average


Right Band edge_Vertical_Peak_802.11be-EHT160_5250MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-BE160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	66.38	59.62	74.00	-14.38	Peak
2	5394.200	-6.63	72.88	66.25	74.00	-7.75	Peak


Right Band edge_Vertical_Average_802.11be-EHT160_5250MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-BE160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	56.60	49.84	54.00	-4.16	Average
2	5393.840	-6.63	59.35	52.72	54.00	-1.28	Average


Left Band edge_Horizontal_Peak_802.11a_5500MHz_ANT0



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5500

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	64.67	58.41	74.00	-15.59	Peak
2	5466.250	-6.24	67.16	60.92	68.20	-7.28	Peak
3	5470.000	-6.22	64.35	58.13	68.20	-10.07	Peak


Left Band edge_Horizontal_Average_802.11a_5500MHz_ANT0



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5500

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	52.41	46.15	54.00	-7.85	Average


Left Band edge_Vertical_Peak_802.11a_5500MHz_ANT0



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	65.24	58.98	74.00	-15.02 Peak
2 5469.841	-6.22	71.73	65.51	68.20	-2.69 Peak
3 5470.000	-6.22	68.29	62.07	68.20	-6.13 Peak


Left Band edge_Vertical_Average_802.11a_5500MHz_ANT0



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5500

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	53.17	46.91	54.00	-7.09	Average


Right Band edge_Horizontal_802.11a_5700MHz_ANT0



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5700

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level			
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	64.37	58.83	68.20	-9.37	Peak
2	5725.547	-5.53	66.09	60.56	68.20	-7.64	Peak


Right Band edge_Vertical_802.11a_5700MHz_ANT0



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5700

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	67.53	61.99	68.20	-6.21 Peak
2	5726.016	-5.53	71.02	65.49	68.20	-2.71 Peak


Left Band edge_Horizontal_Peak_802.11a_5500MHz_ANT1



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5500

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	63.50	57.24	74.00	-16.76	Peak
2	5465.997	-6.25	66.54	60.29	68.20	-7.91	Peak
3	5470.000	-6.22	63.81	57.59	68.20	-10.61	Peak


Left Band edge_Horizontal_Average_802.11a_5500MHz_ANT1



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5500

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	52.09	45.83	54.00	-8.17	Average


Left Band edge_Vertical_Peak_802.11a_5500MHz_ANT1



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	64.22	57.96	74.00	-16.04 Peak
2 5467.919	-6.23	70.29	64.06	68.20	-4.14 Peak
3 5470.000	-6.22	65.02	58.80	68.20	-9.40 Peak


Left Band edge_Vertical_Average_802.11a_5500MHz_ANT1



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5500

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	53.43	47.17	54.00	-6.83	Average


Right Band edge_Horizontal_802.11a_5700MHz_ANT1



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5700

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	63.30	57.76	68.20	-10.44 Peak
2	5729.344	-5.49	65.84	60.35	68.20	-7.85 Peak


Right Band edge_Vertical_802.11a_5700MHz_ANT1



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5700

	Freq Factor		Read		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	67.94	62.40	68.20	-5.80	Peak
2	5725.453	-5.53	72.47	66.94	68.20	-1.26	Peak


Left Band edge_Horizontal_Peak_802.11a_5500MHz_ANT2



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT2-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	64.02	57.76	74.00	-16.24 Peak
2 5463.109	-6.25	66.19	59.94	68.20	-8.26 Peak
3 5470.000	-6.22	64.48	58.26	68.20	-9.94 Peak


Left Band edge_Horizontal_Average_802.11a_5500MHz_ANT2



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT2-5500

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	52.29	46.03	54.00	-7.97	Average


Left Band edge_Vertical_Peak_802.11a_5500MHz_ANT2



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT2-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	65.29	59.03	74.00	-14.97 Peak
2 5469.831	-6.22	69.07	62.85	68.20	-5.35 Peak
3 5470.000	-6.22	64.89	58.67	68.20	-9.53 Peak


Left Band edge_Vertical_Average_802.11a_5500MHz_ANT2



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT2-5500

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	53.91	47.65	54.00	-6.35	Average


Right Band edge_Horizontal_802.11a_5700MHz_ANT2



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT2-5700

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	64.52	58.98	68.20	-9.22	Peak
2	5726.541	-5.51	66.50	60.99	68.20	-7.21	Peak


Right Band edge_Vertical_802.11a_5700MHz_ANT2



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT2-5700

	Freq Factor		Read		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	68.04	62.50	68.20	-5.70	Peak
2	5727.703	-5.50	72.04	66.54	68.20	-1.66	Peak


Left Band edge_Horizontal_Peak_802.11ac-VHT20_5500MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	64.56	58.30	74.00	-15.70 Peak
2 5466.072	-6.24	65.71	59.47	68.20	-8.73 Peak
3 5470.000	-6.22	64.10	57.88	68.20	-10.32 Peak


Left Band edge_Horizontal_Average_802.11ac-VHT20_5500MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	52.13	45.87	54.00	-8.13 Average


Left Band edge_Vertical_Peak_802.11ac-VHT20_5500MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	64.39	58.13	74.00	-15.87 Peak
2 5468.031	-6.23	67.53	61.30	68.20	-6.90 Peak
3 5470.000	-6.22	65.31	59.09	68.20	-9.11 Peak


Left Band edge_Vertical_Average_802.11ac-VHT20_5500MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5500

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	53.66	47.40	54.00	-6.60	Average


Right Band edge_Horizontal_802.11ac-VHT20_5700MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

	Freq Factor		Read		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	64.84	59.30	68.20	-8.90	Peak
2	5726.569	-5.51	66.05	60.54	68.20	-7.66	Peak


Right Band edge_Vertical_802.11ac-VHT20_5700MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

	Freq Factor		Read Level		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	67.24	61.70	68.20	-6.50	Peak
2	5725.716	-5.53	72.28	66.75	68.20	-1.45	Peak


Left Band edge_Horizontal_Peak_802.11ac-VHT40_5510MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	64.29	58.03	74.00	-15.97	Peak
2	5469.214	-6.23	65.95	59.72	68.20	-8.48	Peak
3	5470.000	-6.22	63.64	57.42	68.20	-10.78	Peak


Left Band edge_Horizontal_Average_802.11ac-VHT40_5510MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	52.35	46.09	54.00	-7.91 Average


Left Band edge_Vertical_Peak_802.11ac-VHT40_5510MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	64.03	57.77	74.00	-16.23	Peak
2	5466.091	-6.24	72.54	66.30	68.20	-1.90	Peak
3	5470.000	-6.22	67.88	61.66	68.20	-6.54	Peak


Left Band edge_Vertical_Average_802.11ac-VHT40_5510MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	53.73	47.47	54.00	-6.53	Average


Right Band edge_Horizontal_802.11ac-VHT40_5670MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	63.54	58.00	68.20	-10.20	Peak
2	5731.674	-5.47	66.21	60.74	68.20	-7.46	Peak


Right Band edge_Vertical_802.11ac-VHT40_5670MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	63.44	57.90	68.20	-10.30	Peak
2	5737.151	-5.41	66.57	61.16	68.20	-7.04	Peak


Left Band edge_Horizontal_Peak_802.11ac-VHT80_5530MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	63.78	57.52	74.00	-16.48 Peak
2 5469.006	-6.23	66.26	60.03	68.20	-8.17 Peak
3 5470.000	-6.22	64.35	58.13	68.20	-10.07 Peak


Left Band edge_Horizontal_Average_802.11ac-VHT80_5530MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	53.54	47.28	54.00	-6.72 Average


Left Band edge_Vertical_Peak_802.11ac-VHT80_5530MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	66.40	60.14	74.00	-13.86	Peak
2	5466.154	-6.24	72.62	66.38	68.20	-1.82	Peak
3	5470.000	-6.22	67.74	61.52	68.20	-6.68	Peak


Left Band edge_Vertical_Average_802.11ac-VHT80_5530MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	56.77	50.51	54.00	-3.49	Average


Right Band edge_Horizontal_802.11ac-VHT80_5610MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5610

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	63.70	58.16	68.20	-10.04	Peak
2	5742.660	-5.35	65.81	60.46	68.20	-7.74	Peak


Right Band edge_Vertical_802.11ac-VHT80_5610MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5610

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	64.12	58.58	68.20	-9.62	Peak
2	5732.471	-5.47	67.29	61.82	68.20	-6.38	Peak


Left Band edge_Horizontal_Peak_802.11ac-VHT160_5570MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	63.42	57.16	74.00	-16.84 Peak
2 5467.065	-6.23	65.78	59.55	68.20	-8.65 Peak
3 5470.000	-6.22	63.39	57.17	68.20	-11.03 Peak


Left Band edge_Horizontal_Average_802.11ac-VHT160_5570MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	54.52	48.26	54.00	-5.74 Average


Left Band edge_Vertical_Peak_802.11ac-VHT160_5570MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	68.89	62.63	74.00	-11.37 Peak
2 5463.972	-6.25	69.42	63.17	68.20	-5.03 Peak
3 5470.000	-6.22	66.14	59.92	68.20	-8.28 Peak


Left Band edge_Vertical_Average_802.11ac-VHT160_5570MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	58.20	51.94	54.00	-2.06	Average


Right Band edge_Horizontal_802.11ac-VHT160_5570MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	64.55	59.01	68.20	-9.19	Peak
2	5727.813	-5.50	66.36	60.86	68.20	-7.34	Peak


Right Band edge_Vertical_802.11ac-VHT160_5570MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level			
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	68.78	63.24	68.20	-4.96	Peak
2	5727.881	-5.50	70.92	65.42	68.20	-2.78	Peak


Left Band edge_Horizontal_Peak_802.11be-EHT20_5500MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE20-5500

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	64.87	58.61	74.00	-15.39	Peak
2	5461.544	-6.26	65.77	59.51	68.20	-8.69	Peak
3	5470.000	-6.22	64.01	57.79	68.20	-10.41	Peak


Left Band edge_Horizontal_Average_802.11be-EHT20_5500MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-BE20-5500

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	52.18	45.92	54.00	-8.08	Average


Left Band edge_Vertical_Peak_802.11be-EHT20_5500MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE20-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	65.79	59.53	74.00	-14.47 Peak
2 5462.744	-6.25	69.34	63.09	68.20	-5.11 Peak
3 5470.000	-6.22	66.16	59.94	68.20	-8.26 Peak


Left Band edge_Vertical_Average_802.11be-EHT20_5500MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-BE20-5500

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	54.12	47.86	54.00	-6.14	Average


Right Band edge_Horizontal_802.11be-EHT20_5700MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE20-5700

	Freq Factor		Read Level		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	64.56	59.02	68.20	-9.18	Peak
2	5726.025	-5.53	68.40	62.87	68.20	-5.33	Peak


Right Band edge_Vertical_802.11be-EHT20_5700MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE20-5700

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5725.000	-5.54	70.02	64.48	68.20	-3.72 Peak
2	5725.584	-5.53	72.67	67.14	68.20	-1.06 Peak


Left Band edge_Horizontal_Peak_802.11be-EHT40_5510MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE40-5510

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	63.82	57.56	74.00	-16.44 Peak
2 5465.937	-6.25	67.13	60.88	68.20	-7.32 Peak
3 5470.000	-6.22	64.41	58.19	68.20	-10.01 Peak


Left Band edge_Horizontal_Average_802.11be-EHT40_5510MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band3-BE40-5510

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	52.50	46.24	54.00	-7.76	Average


Left Band edge_Vertical_Peak_802.11be-EHT40_5510MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE40-5510

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	64.92	58.66	74.00	-15.34 Peak
2 5469.072	-6.23	72.77	66.54	68.20	-1.66 Peak
3 5470.000	-6.22	69.37	63.15	68.20	-5.05 Peak


Left Band edge_Vertical_Average_802.11be-EHT40_5510MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band3-BE40-5510

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	54.24	47.98	54.00	-6.02	Average


Right Band edge_Horizontal_802.11be-EHT40_5670MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	63.78	58.24	68.20	-9.96	Peak
2	5726.729	-5.51	66.10	60.59	68.20	-7.61	Peak


Right Band edge_Vertical_802.11be-EHT40_5670MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE40-5670

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	64.61	59.07	68.20	-9.13 Peak
2	5725.479	-5.53	66.96	61.43	68.20	-6.77 Peak


Left Band edge_Horizontal_Peak_802.11be-EHT80_5530MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE80-5530

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	63.68	57.42	74.00	-16.58	Peak
2	5465.108	-6.25	67.24	60.99	68.20	-7.21	Peak
3	5470.000	-6.22	64.41	58.19	68.20	-10.01	Peak


Left Band edge_Horizontal_Average_802.11be-EHT80_5530MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band3-BE80-5530

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	53.38	47.12	54.00	-6.88	Average


Left Band edge_Vertical_Peak_802.11be-EHT80_5530MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE80-5530

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	67.36	61.10	74.00	-12.90	Peak
2	5467.926	-6.23	72.89	66.66	68.20	-1.54	Peak
3	5470.000	-6.22	67.84	61.62	68.20	-6.58	Peak


Left Band edge_Vertical_Average_802.11be-EHT80_5530MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band3-BE80-5530

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	56.57	50.31	54.00	-3.69	Average


Right Band edge_Horizontal_802.11be-EHT80_5610MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE80-5610

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	63.43	57.89	68.20	-10.31	Peak
2	5736.980	-5.42	66.06	60.64	68.20	-7.56	Peak


Right Band edge_Vertical_802.11be-EHT80_5610MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE80-5610

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	65.93	60.39	68.20	-7.81 Peak
2	5728.474	-5.49	69.20	63.71	68.20	-4.49 Peak


Left Band edge_Horizontal_Peak_802.11be-EHT160_5570MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE160-5570

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	63.67	57.41	74.00	-16.59 Peak
2 5468.753	-6.23	66.40	60.17	68.20	-8.03 Peak
3 5470.000	-6.22	63.70	57.48	68.20	-10.72 Peak


Left Band edge_Horizontal_Average_802.11be-EHT160_5570MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-BE160-5570

		Read		Limit	Over	Remark
Freq	Factor	Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	53.16	46.90	54.00	-7.10	Average


Left Band edge_Vertical_Peak_802.11be-EHT160_5570MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE160-5570

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	67.13	60.87	74.00	-13.13 Peak
2 5468.837	-6.23	70.37	64.14	68.20	-4.06 Peak
3 5470.000	-6.22	67.80	61.58	68.20	-6.62 Peak


Left Band edge_Vertical_Average_802.11be-EHT160_5570MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-BE160-5570

		Read	Limit	Over		
Freq	Factor	Level	Level	Line	Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	57.64	51.38	54.00	-2.62	Average


Right Band edge_Horizontal_802.11be-EHT160_5570MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE160-5570

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	64.03	58.49	68.20	-9.71	Peak
2	5728.156	-5.49	68.25	62.76	68.20	-5.44	Peak


Right Band edge_Vertical_802.11be-EHT160_5570MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-BE160-5570

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	67.86	62.32	68.20	-5.88 Peak
2	5728.019	-5.50	72.13	66.63	68.20	-1.57 Peak


Left Band edge_Horizontal_802.11a_5745MHz_ANT0



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5623.916	-6.05	65.90	59.85	68.20	-8.35	Peak
2	5679.254	-5.82	66.43	60.61	89.89	-29.28	Peak
3	5719.842	-5.58	76.37	70.79	110.76	-39.97	Peak
4	5724.973	-5.54	79.02	73.48	122.14	-48.66	Peak


Left Band edge_Vertical_802.11a_5745MHz_ANT0



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5640.328	-5.95	66.66	60.71	68.20	-7.49	Peak
2	5698.206	-5.78	69.42	63.64	103.88	-40.24	Peak
3	5719.439	-5.58	81.83	76.25	110.64	-34.39	Peak
4	5724.094	-5.54	87.85	82.31	120.14	-37.83	Peak


Right Band edge_Horizontal_802.11a_5825MHz_ANT0



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5852.824	-4.69	73.56	68.87	115.76	-46.89	Peak
2	5855.331	-4.68	72.44	67.76	110.71	-42.95	Peak
3	5897.449	-4.52	66.19	61.67	88.55	-26.88	Peak
4	5947.450	-4.48	66.05	61.57	68.20	-6.63	Peak


Right Band edge_Vertical_802.11a_5825MHz_ANT0



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5851.124	-4.70	81.17	76.47	119.64	-43.17	Peak
2	5856.712	-4.67	78.76	74.09	110.32	-36.23	Peak
3	5877.686	-4.59	68.24	63.65	103.20	-39.55	Peak
4	5926.179	-4.49	66.38	61.89	68.20	-6.31	Peak


Left Band edge_Horizontal_802.11a_5745MHz_ANT1



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5649.091	-5.90	65.21	59.31	68.20	-8.89	Peak
2	5698.776	-5.78	67.29	61.51	104.30	-42.79	Peak
3	5719.201	-5.58	79.13	73.55	110.58	-37.03	Peak
4	5724.735	-5.54	82.78	77.24	121.60	-44.36	Peak


Left Band edge_Vertical_802.11a_5745MHz_ANT1



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5621.185	-6.07	65.89	59.82	68.20	-8.38	Peak
2	5698.444	-5.79	74.14	68.35	104.05	-35.70	Peak
3	5717.966	-5.60	86.60	81.00	110.23	-29.23	Peak
4	5724.569	-5.54	89.09	83.55	121.22	-37.67	Peak


Right Band edge_Horizontal_802.11a_5825MHz_ANT1



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.337	-4.70	77.95	73.25	121.43	-48.18	Peak
2	5855.246	-4.68	76.72	72.04	110.73	-38.69	Peak
3	5891.902	-4.54	66.85	62.31	92.66	-30.35	Peak
4	5937.803	-4.49	66.03	61.54	68.20	-6.66	Peak


Right Band edge_Vertical_802.11a_5825MHz_ANT1



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5851.209	-4.70	85.03	80.33	119.44	-39.11	Peak
2	5855.204	-4.68	83.45	78.77	110.74	-31.97	Peak
3	5881.447	-4.57	72.62	68.05	100.41	-32.36	Peak
4	5931.087	-4.49	65.97	61.48	68.20	-6.72	Peak


Left Band edge_Horizontal_802.11a_5745MHz_ANT2



Site : chamber B
Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT2-5745

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5641.025	-5.94	65.30	59.36	68.20	-8.84 Peak
2	5680.949	-5.82	65.74	59.92	91.14	-31.22 Peak
3	5719.080	-5.58	70.98	65.40	110.54	-45.14 Peak
4	5724.179	-5.54	75.43	69.89	120.33	-50.44 Peak


Left Band edge_Vertical_802.11a_5745MHz_ANT2



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT2-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5630.614	-6.02	65.55	59.53	68.20	-8.67	Peak
2	5698.610	-5.79	77.58	71.79	104.18	-32.39	Peak
3	5719.201	-5.58	88.54	82.96	110.58	-27.62	Peak
4	5724.664	-5.54	93.07	87.53	121.43	-33.90	Peak


Right Band edge_Horizontal_802.11a_5825MHz_ANT2



Site : chamber B
Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT2-5825

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5851.763	-4.69	72.42	67.73	118.18	-50.45 Peak
2	5859.353	-4.66	68.33	63.67	109.58	-45.91 Peak
3	5889.404	-4.55	65.70	61.15	94.51	-33.36 Peak
4	5942.245	-4.48	66.56	62.08	68.20	-6.12 Peak


Right Band edge_Vertical_802.11a_5825MHz_ANT2



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT2-5825

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5850.040	-4.70	89.05	84.35	122.11	-37.76 Peak
2 5857.435	-4.67	86.01	81.34	110.12	-28.78 Peak
3 5875.200	-4.61	77.45	72.84	105.05	-32.21 Peak
4 5943.752	-4.49	66.28	61.79	68.20	-6.41 Peak


Left Band edge_Horizontal_802.11ac-VHT20_5745MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5607.885	-6.15	66.02	59.87	68.20	-8.33	Peak
2	5665.289	-5.86	66.56	60.70	79.55	-18.85	Peak
3	5719.961	-5.58	77.68	72.10	110.79	-38.69	Peak
4	5724.996	-5.54	80.38	74.84	122.19	-47.35	Peak


Left Band edge_Vertical_802.11ac-VHT20_5745MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5639.211	-5.96	65.91	59.95	68.20	-8.25	Peak
2	5697.114	-5.78	70.41	64.63	103.07	-38.44	Peak
3	5719.486	-5.58	82.27	76.69	110.66	-33.97	Peak
4	5724.141	-5.54	88.58	83.04	120.24	-37.20	Peak


Right Band edge_Horizontal_802.11ac-VHT20_5825MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.805	-4.70	73.93	69.23	120.36	-51.13 Peak
2	5856.309	-4.67	70.72	66.05	110.43	-44.38 Peak
3	5889.905	-4.55	66.96	62.41	94.14	-31.73 Peak
4	5941.946	-4.48	66.37	61.89	68.20	-6.31 Peak


Right Band edge_Vertical_802.11ac-VHT20_5825MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5851.336	-4.69	79.26	74.57	119.15	-44.58	Peak
2	5857.074	-4.67	76.55	71.88	110.22	-38.34	Peak
3	5904.844	-4.50	66.77	62.27	83.08	-20.81	Peak
4	5937.080	-4.49	66.30	61.81	68.20	-6.39	Peak


Left Band edge_Horizontal_802.11ac-VHT40_5755MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5625.658	-6.04	65.53	59.49	68.20	-8.71	Peak
2	5693.555	-5.80	66.55	60.75	100.45	-39.70	Peak
3	5717.123	-5.62	76.40	70.78	110.00	-39.22	Peak
4	5721.743	-5.57	77.26	71.69	114.77	-43.08	Peak


Left Band edge_Vertical_802.11ac-VHT40_5755MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5755

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5646.172	-5.92	65.90	59.98	68.20	-8.22 Peak
2 5699.770	-5.78	74.71	68.93	105.03	-36.10 Peak
3 5718.882	-5.59	82.72	77.13	110.49	-33.36 Peak
4 5721.275	-5.57	83.65	78.08	113.71	-35.63 Peak


Right Band edge_Horizontal_802.11ac-VHT40_5795MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5850.250	-4.70	67.14	62.44	121.63	-59.19 Peak
2 5861.511	-4.65	66.43	61.78	108.97	-47.19 Peak
3 5888.732	-4.55	66.55	62.00	95.01	-33.01 Peak
4 5933.200	-4.49	65.93	61.44	68.20	-6.76 Peak


Right Band edge_Vertical_802.11ac-VHT40_5795MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5851.746	-4.69	72.26	67.57	118.22	-50.65	Peak
2	5866.184	-4.64	72.13	67.49	107.67	-40.18	Peak
3	5876.973	-4.60	69.02	64.42	103.73	-39.31	Peak
4	5926.664	-4.49	66.33	61.84	68.20	-6.36	Peak

Left Band edge_Horizontal_802.11ac-VHT80_5775MHz



Condition : Horizontal

Project No. : 2601S31667E-RF


Tester : Zenos Qiao

Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak

Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5632.000	-6.00	65.36	59.36	68.20	-8.84	Peak
2	5687.469	-5.80	67.98	62.18	95.96	-33.78	Peak
3	5712.688	-5.65	72.35	66.70	108.75	-42.05	Peak
4	5722.813	-5.55	71.21	65.66	117.21	-51.55	Peak


Left Band edge_Vertical_802.11ac-VHT80_5775MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5620.656	-6.07	68.19	62.12	68.20	-6.08	Peak
2	5691.750	-5.80	74.78	68.98	99.12	-30.14	Peak
3	5714.813	-5.63	77.50	71.87	109.35	-37.48	Peak
4	5722.500	-5.56	79.31	73.75	116.50	-42.75	Peak


Right Band edge_Horizontal_802.11ac-VHT80_5775MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.044	-4.70	76.66	71.96	122.10	-50.14	Peak
2	5857.469	-4.67	73.50	68.83	110.11	-41.28	Peak
3	5876.650	-4.60	68.71	64.11	103.97	-39.86	Peak
4	5939.791	-4.49	66.03	61.54	68.20	-6.66	Peak


Right Band edge_Vertical_802.11ac-VHT80_5775MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5851.900	-4.69	82.83	78.14	117.87	-39.73 Peak
2 5856.653	-4.67	81.48	76.81	110.34	-33.53 Peak
3 5875.272	-4.61	76.25	71.64	105.00	-33.36 Peak
4 5927.866	-4.50	66.32	61.82	68.20	-6.38 Peak


Left Band edge_Horizontal_802.11be-EHT20_5745MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE20-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5643.320	-5.93	66.07	60.14	68.20	-8.06	Peak
2	5696.971	-5.78	66.23	60.45	102.97	-42.52	Peak
3	5718.346	-5.59	76.12	70.53	110.34	-39.81	Peak
4	5722.099	-5.56	79.58	74.02	115.59	-41.57	Peak


Left Band edge_Vertical_802.11be-EHT20_5745MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE20-5745

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5641.871	-5.95	66.31	60.36	68.20	-7.84 Peak
2 5698.539	-5.79	70.86	65.07	104.12	-39.05 Peak
3 5719.605	-5.58	82.09	76.51	110.69	-34.18 Peak
4 5724.973	-5.54	87.01	81.47	122.14	-40.67 Peak


Right Band edge_Horizontal_802.11be-EHT20_5825MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE20-5825

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5851.039	-4.70	74.64	69.94	119.83	-49.89 Peak
2 5859.964	-4.66	72.62	67.96	109.41	-41.45 Peak
3 5875.051	-4.61	66.42	61.81	105.16	-43.35 Peak
4 5947.981	-4.49	65.97	61.48	68.20	-6.72 Peak


Right Band edge_Vertical_802.11be-EHT20_5825MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE20-5825

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5850.167	-4.70	85.83	81.13	121.82	-40.69 Peak
2 5861.473	-4.65	80.40	75.75	108.99	-33.24 Peak
3 5876.114	-4.61	72.92	68.31	104.37	-36.06 Peak
4 5943.880	-4.49	66.37	61.88	68.20	-6.32 Peak


Left Band edge_Horizontal_802.11be-EHT40_5755MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE40-5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5643.505	-5.93	66.10	60.17	68.20	-8.03	Peak
2	5697.158	-5.78	68.97	63.19	103.11	-39.92	Peak
3	5719.542	-5.58	77.89	72.31	110.67	-38.36	Peak
4	5720.890	-5.57	76.99	71.42	112.83	-41.41	Peak


Left Band edge_Vertical_802.11be-EHT40_5755MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE40-5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5648.428	-5.90	65.96	60.06	68.20	-8.14	Peak
2	5697.790	-5.78	75.74	69.96	103.57	-33.61	Peak
3	5713.080	-5.64	85.41	79.77	108.86	-29.09	Peak
4	5720.257	-5.58	85.92	80.34	111.39	-31.05	Peak


Right Band edge_Horizontal_802.11be-EHT40_5795MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE40-5795

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5851.982	-4.69	68.93	64.24	117.68	-53.44 Peak
2 5864.635	-4.64	67.27	62.63	108.10	-45.47 Peak
3 5883.010	-4.58	67.14	62.56	99.25	-36.69 Peak
4 5933.672	-4.49	66.32	61.83	68.20	-6.37 Peak


Right Band edge_Vertical_802.11be-EHT40_5795MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5853.426	-4.68	73.94	69.26	114.39	-45.13	Peak
2	5855.211	-4.68	74.59	69.91	110.74	-40.83	Peak
3	5881.934	-4.57	70.16	65.59	100.05	-34.46	Peak
4	5940.498	-4.48	66.36	61.88	68.20	-6.32	Peak


Left Band edge_Horizontal_802.11be-EHT80_5775MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5635.125	-5.99	66.46	60.47	68.20	-7.73	Peak
2	5697.156	-5.78	69.07	63.29	103.10	-39.81	Peak
3	5713.031	-5.64	72.62	66.98	108.85	-41.87	Peak
4	5721.594	-5.57	73.17	67.60	114.43	-46.83	Peak


Left Band edge_Vertical_802.11be-EHT80_5775MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5641.438	-5.94	67.89	61.95	68.20	-6.25	Peak
2	5686.500	-5.81	76.12	70.31	95.24	-24.93	Peak
3	5719.906	-5.58	78.86	73.28	110.77	-37.49	Peak
4	5721.063	-5.57	80.57	75.00	113.22	-38.22	Peak


Right Band edge_Horizontal_802.11be-EHT80_5775MHz



Condition : Horizontal
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE80-5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5853.081	-4.69	77.86	73.17	115.17	-42.00 Peak
2 5859.100	-4.66	75.39	70.73	109.65	-38.92 Peak
3 5883.091	-4.58	68.23	63.65	99.19	-35.54 Peak
4 5933.519	-4.49	66.10	61.61	68.20	-6.59 Peak

Right Band edge_Vertical_802.11be-EHT80_5775MHz



Condition : Vertical
Project No. : 2601S31667E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-BE80-5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5852.856	-4.69	83.98	79.29	115.69	-36.40 Peak
2 5861.153	-4.66	83.17	78.51	109.08	-30.57 Peak
3 5876.650	-4.60	74.97	70.37	103.97	-33.60 Peak
4 5925.081	-4.49	66.48	61.99	68.20	-6.21 Peak

RF Conducted data

Please refer to Appendix A.

EUT PHOTOGRAPHS

Please refer to the attachment 2601S31667E-RF-EXP External photo and 2601S31667E-RF-INP Internal photo.

TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2601S31667E-RF-TSPB Test Setup photo.

******* END OF REPORT *******