




802.11be(EHT40)_HCH_5795MHz_SU_/_MIMO_NTNV




802.11be(EHT40)_HCH_5710MHz_SU_/_Ant1_NTNV



802.11be(EHT40)_HCH_5710MHz_SU_ / _Ant2_NTNV



802.11be(EHT40)_HCH_5710MHz_SU_ / _Ant3_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
 Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


802.11be(EHT40)_HCH_5710MHz_SU_/_Ant4_NTNV




802.11be(EHT40)_HCH_5710MHz_SU_/_MIMO_NTNV




802.11be(EHT80)_MCH_5775MHz_SU_ / _Ant1_NTNV




802.11be(EHT80)_MCH_5775MHz_SU_ / _Ant2_NTNV



802.11be(EHT80)_MCH_5775MHz_SU_/_Ant3_NTNV



802.11be(EHT80)_MCH_5775MHz_SU_/_Ant4_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


802.11be(EHT80)_MCH_5775MHz_SU_/_MIMO_NTNV




802.11be(EHT80)_HCH_5690MHz_SU_/_Ant1_NTNV



802.11be(EHT80)_HCH_5690MHz_SU_ / _Ant2_NTNV



802.11be(EHT80)_HCH_5690MHz_SU_ / _Ant3_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
 Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

802.11be(EHT80)_HCH_5690MHz_SU_/_Ant4_NTNV



802.11be(EHT80)_HCH_5690MHz_SU_/_MIMO_NTNV



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
 Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (Vdc)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	/	/	20	37	5180.000	5150 to 5250	Pass
						48	5180.020	5150 to 5250	Pass
						57	5180.020	5150 to 5250	Pass
					-30	48	5180.020	5150 to 5250	Pass
					-20	48	5180.000	5150 to 5250	Pass
					-10	48	5180.020	5150 to 5250	Pass
					0	48	5179.940	5150 to 5250	Pass
					10	48	5180.000	5150 to 5250	Pass
					30	48	5180.020	5150 to 5250	Pass
					40	48	5180.040	5150 to 5250	Pass
					50	48	5180.040	5150 to 5250	Pass
		5200	/	/	20	37	5200.020	5150 to 5250	Pass
						48	5200.040	5150 to 5250	Pass
						57	5200.000	5150 to 5250	Pass
					-30	48	5199.980	5150 to 5250	Pass
					-20	48	5200.020	5150 to 5250	Pass
					-10	48	5200.000	5150 to 5250	Pass
					0	48	5199.980	5150 to 5250	Pass
					10	48	5199.980	5150 to 5250	Pass
					30	48	5199.960	5150 to 5250	Pass
					40	48	5199.980	5150 to 5250	Pass
					50	48	5200.000	5150 to 5250	Pass
		5240	/	/	20	37	5239.940	5150 to 5250	Pass
						48	5239.960	5150 to 5250	Pass
						57	5239.940	5150 to 5250	Pass
					-30	48	5239.980	5150 to 5250	Pass
					-20	48	5240.020	5150 to 5250	Pass
					-10	48	5239.980	5150 to 5250	Pass
					0	48	5239.940	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 763 of 797

					10	48	5239.980	5150 to 5250	Pass
					30	48	5239.980	5150 to 5250	Pass
					40	48	5239.940	5150 to 5250	Pass
					50	48	5239.980	5150 to 5250	Pass
	5260	/	/	20	37	5259.960	5250 to 5350	Pass	
					48	5259.940	5250 to 5350	Pass	
					57	5259.980	5250 to 5350	Pass	
				-30	48	5259.980	5250 to 5350	Pass	
					48	5259.980	5250 to 5350	Pass	
					48	5260.020	5250 to 5350	Pass	
				0	48	5260.020	5250 to 5350	Pass	
					48	5260.000	5250 to 5350	Pass	
					48	5259.980	5250 to 5350	Pass	
				30	48	5259.980	5250 to 5350	Pass	
					48	5259.980	5250 to 5350	Pass	
					48	5259.940	5250 to 5350	Pass	
				40	48	5259.940	5250 to 5350	Pass	
					48	5300.020	5250 to 5350	Pass	
					48	5300.020	5250 to 5350	Pass	
	5300	/	/	20	37	5300.020	5250 to 5350	Pass	
					48	5300.020	5250 to 5350	Pass	
					57	5300.000	5250 to 5350	Pass	
				-30	48	5299.980	5250 to 5350	Pass	
					48	5300.000	5250 to 5350	Pass	
					48	5300.000	5250 to 5350	Pass	
				0	48	5299.980	5250 to 5350	Pass	
					48	5300.040	5250 to 5350	Pass	
					48	5300.020	5250 to 5350	Pass	
				30	48	5300.020	5250 to 5350	Pass	
					48	5300.000	5250 to 5350	Pass	
					48	5299.980	5250 to 5350	Pass	
				40	48	5319.980	5250 to 5350	Pass	
					48	5320.020	5250 to 5350	Pass	
					57	5319.980	5250 to 5350	Pass	
	5320	/	/	20	37	5320.000	5250 to 5350	Pass	
					48	5320.040	5250 to 5350	Pass	
					48	5319.980	5250 to 5350	Pass	
				-30	48	5320.000	5250 to 5350	Pass	
					48	5320.040	5250 to 5350	Pass	
					48	5319.980	5250 to 5350	Pass	
				0	48	5320.000	5250 to 5350	Pass	
					48	5319.960	5250 to 5350	Pass	
					48	5319.960	5250 to 5350	Pass	
				30	48	5319.960	5250 to 5350	Pass	
					48	5319.980	5250 to 5350	Pass	
					48	5320.000	5250 to 5350	Pass	
				40	48	5320.000	5250 to 5350	Pass	
					48	5499.980	5470 to 5725	Pass	
					48	5500.020	5470 to 5725	Pass	
					57	5499.980	5470 to 5725	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 764 of 797

					-30	48	5499.980	5470 to 5725	Pass
					-20	48	5499.980	5470 to 5725	Pass
					-10	48	5500.040	5470 to 5725	Pass
					0	48	5500.020	5470 to 5725	Pass
					10	48	5499.980	5470 to 5725	Pass
					30	48	5500.000	5470 to 5725	Pass
					40	48	5500.060	5470 to 5725	Pass
					50	48	5500.000	5470 to 5725	Pass
		5580	/	/	20	37	5580.020	5470 to 5725	Pass
						48	5580.000	5470 to 5725	Pass
						57	5579.980	5470 to 5725	Pass
					-30	48	5580.020	5470 to 5725	Pass
					-20	48	5579.980	5470 to 5725	Pass
					-10	48	5579.980	5470 to 5725	Pass
					0	48	5579.980	5470 to 5725	Pass
					10	48	5580.060	5470 to 5725	Pass
					30	48	5579.980	5470 to 5725	Pass
					40	48	5579.960	5470 to 5725	Pass
					50	48	5580.000	5470 to 5725	Pass
		5700	/	/	20	37	5699.980	5470 to 5725	Pass
						48	5700.040	5470 to 5725	Pass
						57	5699.960	5470 to 5725	Pass
					-30	48	5700.000	5470 to 5725	Pass
					-20	48	5699.960	5470 to 5725	Pass
					-10	48	5699.980	5470 to 5725	Pass
					0	48	5700.000	5470 to 5725	Pass
					10	48	5699.960	5470 to 5725	Pass
					30	48	5700.020	5470 to 5725	Pass
					40	48	5699.940	5470 to 5725	Pass
					50	48	5700.000	5470 to 5725	Pass
		5745	/	/	20	37	5745.000	5725 to 5850	Pass
						48	5745.000	5725 to 5850	Pass
						57	5744.980	5725 to 5850	Pass
					-30	48	5744.980	5725 to 5850	Pass
					-20	48	5745.020	5725 to 5850	Pass
					-10	48	5745.040	5725 to 5850	Pass
					0	48	5745.000	5725 to 5850	Pass
					10	48	5745.020	5725 to 5850	Pass
					30	48	5744.980	5725 to 5850	Pass
					40	48	5745.100	5725 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing and Calibration Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 765 of 797

		5785	/	/	50	48	5745.000	5725 to 5850	Pass
					20	37	5785.020	5725 to 5850	Pass
						48	5784.980	5725 to 5850	Pass
						57	5785.020	5725 to 5850	Pass
					-30	48	5785.020	5725 to 5850	Pass
					-20	48	5785.000	5725 to 5850	Pass
					-10	48	5785.040	5725 to 5850	Pass
					0	48	5785.020	5725 to 5850	Pass
					10	48	5785.000	5725 to 5850	Pass
					30	48	5785.000	5725 to 5850	Pass
					40	48	5785.000	5725 to 5850	Pass
					50	48	5785.000	5725 to 5850	Pass
		5825	/	/	20	37	5825.060	5725 to 5850	Pass
						48	5825.000	5725 to 5850	Pass
						57	5824.980	5725 to 5850	Pass
					-30	48	5825.020	5725 to 5850	Pass
					-20	48	5825.000	5725 to 5850	Pass
					-10	48	5825.040	5725 to 5850	Pass
					0	48	5824.980	5725 to 5850	Pass
					10	48	5825.000	5725 to 5850	Pass
					30	48	5825.000	5725 to 5850	Pass
					40	48	5824.980	5725 to 5850	Pass
					50	48	5825.000	5725 to 5850	Pass
		5720	/	/	20	37	5720.020	5470 to 5850	Pass
						48	5719.980	5470 to 5850	Pass
						57	5720.060	5470 to 5850	Pass
					-30	48	5720.020	5470 to 5850	Pass
					-20	48	5720.020	5470 to 5850	Pass
					-10	48	5720.040	5470 to 5850	Pass
					0	48	5719.980	5470 to 5850	Pass
					10	48	5719.980	5470 to 5850	Pass
					30	48	5720.020	5470 to 5850	Pass
					40	48	5720.060	5470 to 5850	Pass
					50	48	5720.020	5470 to 5850	Pass
802.11n (HT20)	MIMO	5180	/	/	20	37	5180.040	5150 to 5250	Pass
						48	5180.080	5150 to 5250	Pass
						57	5179.980	5150 to 5250	Pass
					-30	48	5179.980	5150 to 5250	Pass
					-20	48	5180.040	5150 to 5250	Pass
					-10	48	5180.040	5150 to 5250	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 766 of 797

					0	48	5180.000	5150 to 5250	Pass
					10	48	5180.020	5150 to 5250	Pass
					30	48	5180.000	5150 to 5250	Pass
					40	48	5180.000	5150 to 5250	Pass
					50	48	5180.040	5150 to 5250	Pass
		5200	/	/	20	37	5200.000	5150 to 5250	Pass
						48	5200.000	5150 to 5250	Pass
						57	5200.020	5150 to 5250	Pass
					-30	48	5200.000	5150 to 5250	Pass
					-20	48	5200.060	5150 to 5250	Pass
					-10	48	5200.000	5150 to 5250	Pass
					0	48	5200.040	5150 to 5250	Pass
					10	48	5200.020	5150 to 5250	Pass
					30	48	5200.000	5150 to 5250	Pass
					40	48	5200.000	5150 to 5250	Pass
					50	48	5200.060	5150 to 5250	Pass
		5240	/	/	20	37	5240.060	5150 to 5250	Pass
						48	5240.020	5150 to 5250	Pass
						57	5239.980	5150 to 5250	Pass
					-30	48	5239.980	5150 to 5250	Pass
					-20	48	5240.020	5150 to 5250	Pass
					-10	48	5240.020	5150 to 5250	Pass
					0	48	5239.980	5150 to 5250	Pass
					10	48	5240.000	5150 to 5250	Pass
					30	48	5240.000	5150 to 5250	Pass
					40	48	5240.040	5150 to 5250	Pass
		5260	/	/	20	37	5260.000	5250 to 5350	Pass
						48	5260.020	5250 to 5350	Pass
						57	5260.000	5250 to 5350	Pass
					-30	48	5260.020	5250 to 5350	Pass
					-20	48	5260.000	5250 to 5350	Pass
					-10	48	5260.020	5250 to 5350	Pass
					0	48	5260.000	5250 to 5350	Pass
					10	48	5260.020	5250 to 5350	Pass
					30	48	5260.060	5250 to 5350	Pass
					40	48	5260.020	5250 to 5350	Pass
		5300	/	/	20	37	5299.980	5250 to 5350	Pass
						48	5300.000	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 767 of 797

						57	5300.020	5250 to 5350	Pass
					-30	48	5300.000	5250 to 5350	Pass
					-20	48	5300.020	5250 to 5350	Pass
					-10	48	5300.020	5250 to 5350	Pass
					0	48	5300.000	5250 to 5350	Pass
					10	48	5300.020	5250 to 5350	Pass
					30	48	5299.980	5250 to 5350	Pass
					40	48	5299.980	5250 to 5350	Pass
					50	48	5300.020	5250 to 5350	Pass
		5320	/	/	20	37	5320.000	5250 to 5350	Pass
						48	5320.020	5250 to 5350	Pass
						57	5320.000	5250 to 5350	Pass
					-30	48	5319.980	5250 to 5350	Pass
					-20	48	5319.940	5250 to 5350	Pass
					-10	48	5320.000	5250 to 5350	Pass
					0	48	5319.980	5250 to 5350	Pass
					10	48	5319.980	5250 to 5350	Pass
					30	48	5320.020	5250 to 5350	Pass
					40	48	5320.000	5250 to 5350	Pass
					50	48	5319.960	5250 to 5350	Pass
					5500	/	/	20	37
		48	5500.020	5470 to 5725					Pass
		57	5500.000	5470 to 5725					Pass
		-30	48	5500.040				5470 to 5725	Pass
		-20	48	5499.980				5470 to 5725	Pass
		-10	48	5500.000				5470 to 5725	Pass
		0	48	5500.020				5470 to 5725	Pass
		10	48	5500.040				5470 to 5725	Pass
		30	48	5500.040				5470 to 5725	Pass
		40	48	5500.000				5470 to 5725	Pass
		50	48	5500.020				5470 to 5725	Pass
		5580	/	/	20	37	5580.020	5470 to 5725	Pass
						48	5580.040	5470 to 5725	Pass
						57	5580.020	5470 to 5725	Pass
					-30	48	5580.040	5470 to 5725	Pass
					-20	48	5580.040	5470 to 5725	Pass
					-10	48	5580.020	5470 to 5725	Pass
					0	48	5580.000	5470 to 5725	Pass
					10	48	5580.020	5470 to 5725	Pass
		30	48	5579.980	5470 to 5725	Pass			



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 768 of 797

		5700	/	/	40	48	5579.960	5470 to 5725	Pass
					50	48	5580.000	5470 to 5725	Pass
					20	37	5699.980	5470 to 5725	Pass
						48	5699.980	5470 to 5725	Pass
						57	5700.040	5470 to 5725	Pass
					-30	48	5699.980	5470 to 5725	Pass
					-20	48	5699.980	5470 to 5725	Pass
					-10	48	5699.980	5470 to 5725	Pass
					0	48	5699.980	5470 to 5725	Pass
					10	48	5700.000	5470 to 5725	Pass
					30	48	5699.980	5470 to 5725	Pass
					40	48	5700.000	5470 to 5725	Pass
					50	48	5699.980	5470 to 5725	Pass
		5745	/	/	20	37	5745.000	5725 to 5850	Pass
						48	5745.000	5725 to 5850	Pass
						57	5745.040	5725 to 5850	Pass
					-30	48	5745.020	5725 to 5850	Pass
					-20	48	5745.000	5725 to 5850	Pass
					-10	48	5744.980	5725 to 5850	Pass
					0	48	5745.040	5725 to 5850	Pass
					10	48	5745.020	5725 to 5850	Pass
					30	48	5745.040	5725 to 5850	Pass
					40	48	5744.960	5725 to 5850	Pass
					50	48	5745.000	5725 to 5850	Pass
		5785	/	/	20	37	5785.040	5725 to 5850	Pass
						48	5784.920	5725 to 5850	Pass
						57	5784.940	5725 to 5850	Pass
					-30	48	5784.960	5725 to 5850	Pass
					-20	48	5785.020	5725 to 5850	Pass
					-10	48	5785.000	5725 to 5850	Pass
					0	48	5784.920	5725 to 5850	Pass
					10	48	5784.980	5725 to 5850	Pass
					30	48	5784.940	5725 to 5850	Pass
					40	48	5785.020	5725 to 5850	Pass
					50	48	5784.940	5725 to 5850	Pass
		5825	/	/	20	37	5825.000	5725 to 5850	Pass
						48	5824.980	5725 to 5850	Pass
						57	5825.000	5725 to 5850	Pass
					-30	48	5824.980	5725 to 5850	Pass
					-20	48	5824.980	5725 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 769 of 797

					-10	48	5825.000	5725 to 5850	Pass
					0	48	5824.980	5725 to 5850	Pass
					10	48	5824.980	5725 to 5850	Pass
					30	48	5825.000	5725 to 5850	Pass
					40	48	5824.980	5725 to 5850	Pass
					50	48	5825.020	5725 to 5850	Pass
		5720	/	/	20	37	5720.060	5470 to 5850	Pass
						48	5720.020	5470 to 5850	Pass
						57	5720.000	5470 to 5850	Pass
					-30	48	5720.000	5470 to 5850	Pass
						48	5720.020	5470 to 5850	Pass
					-10	48	5719.980	5470 to 5850	Pass
						48	5720.040	5470 to 5850	Pass
					10	48	5719.980	5470 to 5850	Pass
						48	5720.020	5470 to 5850	Pass
					30	48	5720.020	5470 to 5850	Pass
						48	5720.020	5470 to 5850	Pass
					40	48	5720.020	5470 to 5850	Pass
						48	5719.980	5470 to 5850	Pass
					50	48	5719.980	5470 to 5850	Pass
						48	5719.980	5470 to 5850	Pass
802.11n (HT40)	MIMO	5190	/	/	20	37	5190.040	5150 to 5250	Pass
						48	5190.000	5150 to 5250	Pass
						57	5190.000	5150 to 5250	Pass
					-30	48	5190.000	5150 to 5250	Pass
						48	5190.000	5150 to 5250	Pass
					-10	48	5190.000	5150 to 5250	Pass
						48	5190.48	5150 to 5250	Pass
					10	48	5190.040	5150 to 5250	Pass
						48	5190.000	5150 to 5250	Pass
					30	48	5190.000	5150 to 5250	Pass
						48	5190.040	5150 to 5250	Pass
					40	48	5190.040	5150 to 5250	Pass
						48	5190.040	5150 to 5250	Pass
					50	48	5190.040	5150 to 5250	Pass
						48	5190.040	5150 to 5250	Pass
		5230	/	/	20	37	5230.000	5150 to 5250	Pass
						48	5230.040	5150 to 5250	Pass
						57	5230.080	5150 to 5250	Pass
					-30	48	5230.040	5150 to 5250	Pass
						48	5230.080	5150 to 5250	Pass
					-10	48	5230.000	5150 to 5250	Pass
						48	5230.040	5150 to 5250	Pass
					10	48	5230.080	5150 to 5250	Pass
						48	5230.080	5150 to 5250	Pass
					30	48	5230.040	5150 to 5250	Pass
						48	5230.040	5150 to 5250	Pass
					40	48	5230.040	5150 to 5250	Pass
						48	5230.040	5150 to 5250	Pass
					50	48	5229.960	5150 to 5250	Pass
						48	5229.960	5150 to 5250	Pass
		5270	/	/	20	37	5270.040	5250 to 5350	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 770 of 797

						48	5270.000	5250 to 5350	Pass
						57	5270.040	5250 to 5350	Pass
					-30	48	5270.000	5250 to 5350	Pass
					-20	48	5270.040	5250 to 5350	Pass
					-10	48	5270.48	5250 to 5350	Pass
					0	48	5270.040	5250 to 5350	Pass
					10	48	5270.080	5250 to 5350	Pass
					30	48	5270.040	5250 to 5350	Pass
					40	48	5270.040	5250 to 5350	Pass
					50	48	5270.000	5250 to 5350	Pass
		5310	/	/	20	37	5310.000	5250 to 5350	Pass
						48	5310.040	5250 to 5350	Pass
						57	5310.080	5250 to 5350	Pass
					-30	48	5309.960	5250 to 5350	Pass
					-20	48	5310.080	5250 to 5350	Pass
					-10	48	5310.040	5250 to 5350	Pass
					0	48	5310.000	5250 to 5350	Pass
					10	48	5309.960	5250 to 5350	Pass
					30	48	5310.040	5250 to 5350	Pass
					40	48	5310.000	5250 to 5350	Pass
					50	48	5310.040	5250 to 5350	Pass
		5510	/	/	20	37	5510.040	5470 to 5725	Pass
						48	5510.080	5470 to 5725	Pass
						57	5509.960	5470 to 5725	Pass
					-30	48	5510.040	5470 to 5725	Pass
					-20	48	5509.960	5470 to 5725	Pass
					-10	48	5510.040	5470 to 5725	Pass
					0	48	5509.960	5470 to 5725	Pass
					10	48	5509.960	5470 to 5725	Pass
					30	48	5510.040	5470 to 5725	Pass
					40	48	5510.000	5470 to 5725	Pass
					50	48	5510.000	5470 to 5725	Pass
		5550	/	/	20	37	5549.960	5470 to 5725	Pass
						48	5550.080	5470 to 5725	Pass
						57	5550.040	5470 to 5725	Pass
					-30	48	5550.000	5470 to 5725	Pass
					-20	48	5550.040	5470 to 5725	Pass
					-10	48	5549.920	5470 to 5725	Pass
					0	48	5550.000	5470 to 5725	Pass
					10	48	5550.000	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 771 of 797

					30	48	5550.040	5470 to 5725	Pass
					40	48	5550.040	5470 to 5725	Pass
					50	48	5550.040	5470 to 5725	Pass
		5670	/	/	20	37	5669.960	5470 to 5725	Pass
						48	5670.000	5470 to 5725	Pass
						57	5670.000	5470 to 5725	Pass
					-30	48	5670.000	5470 to 5725	Pass
					-20	48	5669.960	5470 to 5725	Pass
					-10	48	5670.040	5470 to 5725	Pass
					0	48	5670.040	5470 to 5725	Pass
					10	48	5670.040	5470 to 5725	Pass
					30	48	5669.960	5470 to 5725	Pass
					40	48	5670.000	5470 to 5725	Pass
					50	48	5670.040	5470 to 5725	Pass
		5755	/	/	20	37	5755.040	5725 to 5850	Pass
						48	5755.040	5725 to 5850	Pass
						57	5755.48	5725 to 5850	Pass
					-30	48	5755.040	5725 to 5850	Pass
					-20	48	5755.040	5725 to 5850	Pass
					-10	48	5755.040	5725 to 5850	Pass
					0	48	5755.000	5725 to 5850	Pass
					10	48	5755.000	5725 to 5850	Pass
					30	48	5755.000	5725 to 5850	Pass
					40	48	5754.960	5725 to 5850	Pass
					50	48	5755.040	5725 to 5850	Pass
		5795	/	/	20	37	5794.960	5725 to 5850	Pass
						48	5795.000	5725 to 5850	Pass
						57	5795.000	5725 to 5850	Pass
					-30	48	5794.960	5725 to 5850	Pass
					-20	48	5794.960	5725 to 5850	Pass
					-10	48	5794.880	5725 to 5850	Pass
					0	48	5794.960	5725 to 5850	Pass
					10	48	5794.920	5725 to 5850	Pass
					30	48	5794.960	5725 to 5850	Pass
					40	48	5794.880	5725 to 5850	Pass
					50	48	5794.960	5725 to 5850	Pass
		5710	/	/	20	37	5710.040	5470 to 5850	Pass
						48	5710.080	5470 to 5850	Pass
						57	5710.48	5470 to 5850	Pass
					-30	48	5710.000	5470 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 772 of 797

					-20	48	5710.040	5470 to 5850	Pass
					-10	48	5710.000	5470 to 5850	Pass
					0	48	5709.960	5470 to 5850	Pass
					10	48	5710.080	5470 to 5850	Pass
					30	48	5710.040	5470 to 5850	Pass
					40	48	5710.040	5470 to 5850	Pass
					50	48	5710.000	5470 to 5850	Pass
802.11ac (VHT20)	MIMO	5180	/	/	20	37	5180.040	5150 to 5250	Pass
						48	5180.020	5150 to 5250	Pass
						57	5179.980	5150 to 5250	Pass
					-30	48	5180.020	5150 to 5250	Pass
						48	5180.020	5150 to 5250	Pass
						48	5179.980	5150 to 5250	Pass
					0	48	5180.020	5150 to 5250	Pass
						48	5180.040	5150 to 5250	Pass
						48	5180.000	5150 to 5250	Pass
					40	48	5179.980	5150 to 5250	Pass
						48	5179.980	5150 to 5250	Pass
						48	5180.020	5150 to 5250	Pass
		5200	/	/	20	37	5200.060	5150 to 5250	Pass
						48	5200.000	5150 to 5250	Pass
						57	5200.040	5150 to 5250	Pass
					-30	48	5200.020	5150 to 5250	Pass
						48	5200.000	5150 to 5250	Pass
						48	5200.000	5150 to 5250	Pass
					0	48	5200.100	5150 to 5250	Pass
						48	5200.000	5150 to 5250	Pass
						48	5200.040	5150 to 5250	Pass
					40	48	5200.020	5150 to 5250	Pass
						48	5200.020	5150 to 5250	Pass
						48	5200.000	5150 to 5250	Pass
		5240	/	/	20	37	5239.960	5150 to 5250	Pass
						48	5240.080	5150 to 5250	Pass
						57	5239.980	5150 to 5250	Pass
					-30	48	5240.040	5150 to 5250	Pass
						48	5240.040	5150 to 5250	Pass
						48	5240.020	5150 to 5250	Pass
					0	48	5240.000	5150 to 5250	Pass
						48	5240.040	5150 to 5250	Pass
						48	5239.980	5150 to 5250	Pass
					40	48	5240.020	5150 to 5250	Pass
						48	5240.020	5150 to 5250	Pass
						48	5240.000	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 773 of 797

		5260	/	/	20	37	5260.020	5250 to 5350	Pass
						48	5260.040	5250 to 5350	Pass
						57	5260.020	5250 to 5350	Pass
					-30	48	5260.020	5250 to 5350	Pass
					-20	48	5260.020	5250 to 5350	Pass
					-10	48	5260.000	5250 to 5350	Pass
					0	48	5260.020	5250 to 5350	Pass
					10	48	5260.000	5250 to 5350	Pass
					30	48	5259.960	5250 to 5350	Pass
					40	48	5260.020	5250 to 5350	Pass
					50	48	5260.060	5250 to 5350	Pass
		5300	/	/	20	37	5300.000	5250 to 5350	Pass
						48	5300.080	5250 to 5350	Pass
						57	5299.960	5250 to 5350	Pass
					-30	48	5300.000	5250 to 5350	Pass
					-20	48	5300.000	5250 to 5350	Pass
					-10	48	5300.020	5250 to 5350	Pass
					0	48	5300.040	5250 to 5350	Pass
					10	48	5299.960	5250 to 5350	Pass
					30	48	5300.040	5250 to 5350	Pass
					40	48	5300.040	5250 to 5350	Pass
					50	48	5300.020	5250 to 5350	Pass
		5320	/	/	20	37	5319.960	5250 to 5350	Pass
						48	5320.040	5250 to 5350	Pass
						57	5319.980	5250 to 5350	Pass
					-30	48	5320.020	5250 to 5350	Pass
					-20	48	5320.040	5250 to 5350	Pass
					-10	48	5319.940	5250 to 5350	Pass
					0	48	5319.920	5250 to 5350	Pass
					10	48	5319.980	5250 to 5350	Pass
					30	48	5320.000	5250 to 5350	Pass
					40	48	5319.980	5250 to 5350	Pass
					50	48	5320.020	5250 to 5350	Pass
		5500	/	/	20	37	5500.020	5470 to 5725	Pass
						48	5500.000	5470 to 5725	Pass
						57	5499.980	5470 to 5725	Pass
					-30	48	5500.020	5470 to 5725	Pass
					-20	48	5500.020	5470 to 5725	Pass
					-10	48	5500.020	5470 to 5725	Pass
					0	48	5500.020	5470 to 5725	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 774 of 797

					10	48	5500.020	5470 to 5725	Pass
					30	48	5500.020	5470 to 5725	Pass
					40	48	5499.960	5470 to 5725	Pass
					50	48	5500.000	5470 to 5725	Pass
		5580	/	/	20	37	5580.020	5470 to 5725	Pass
						48	5580.000	5470 to 5725	Pass
						57	5580.040	5470 to 5725	Pass
					-30	48	5580.020	5470 to 5725	Pass
					-20	48	5580.020	5470 to 5725	Pass
					-10	48	5580.020	5470 to 5725	Pass
					0	48	5580.040	5470 to 5725	Pass
					10	48	5580.040	5470 to 5725	Pass
					30	48	5579.980	5470 to 5725	Pass
					40	48	5580.000	5470 to 5725	Pass
					50	48	5580.020	5470 to 5725	Pass
		5700	/	/	20	37	5700.000	5470 to 5725	Pass
						48	5700.040	5470 to 5725	Pass
						57	5700.000	5470 to 5725	Pass
					-30	48	5699.940	5470 to 5725	Pass
					-20	48	5699.960	5470 to 5725	Pass
					-10	48	5699.960	5470 to 5725	Pass
					0	48	5700.000	5470 to 5725	Pass
					10	48	5700.000	5470 to 5725	Pass
					30	48	5699.980	5470 to 5725	Pass
					40	48	5700.040	5470 to 5725	Pass
					50	48	5699.980	5470 to 5725	Pass
		5745	/	/	20	37	5745.020	5725 to 5850	Pass
						48	5745.040	5725 to 5850	Pass
						57	5745.020	5725 to 5850	Pass
					-30	48	5745.020	5725 to 5850	Pass
					-20	48	5745.000	5725 to 5850	Pass
					-10	48	5745.040	5725 to 5850	Pass
					0	48	5745.000	5725 to 5850	Pass
					10	48	5745.060	5725 to 5850	Pass
					30	48	5745.040	5725 to 5850	Pass
					40	48	5745.060	5725 to 5850	Pass
					50	48	5745.000	5725 to 5850	Pass
		5785	/	/	20	37	5785.020	5725 to 5850	Pass
						48	5784.940	5725 to 5850	Pass
						57	5784.980	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 775 of 797

					-30	48	5785.040	5725 to 5850	Pass
					-20	48	5784.940	5725 to 5850	Pass
					-10	48	5784.960	5725 to 5850	Pass
					0	48	5785.020	5725 to 5850	Pass
					10	48	5785.060	5725 to 5850	Pass
					30	48	5784.940	5725 to 5850	Pass
					40	48	5785.000	5725 to 5850	Pass
					50	48	5784.980	5725 to 5850	Pass
		5825	/	/	20	37	5825.020	5725 to 5850	Pass
						48	5825.040	5725 to 5850	Pass
						57	5824.980	5725 to 5850	Pass
					-30	48	5825.020	5725 to 5850	Pass
					-20	48	5824.960	5725 to 5850	Pass
					-10	48	5825.000	5725 to 5850	Pass
					0	48	5825.040	5725 to 5850	Pass
					10	48	5825.000	5725 to 5850	Pass
					30	48	5824.980	5725 to 5850	Pass
					40	48	5824.980	5725 to 5850	Pass
					50	48	5824.960	5725 to 5850	Pass
		5720	/	/	20	37	5719.980	5470 to 5850	Pass
						48	5720.020	5470 to 5850	Pass
						57	5720.000	5470 to 5850	Pass
					-30	48	5720.040	5470 to 5850	Pass
					-20	48	5719.940	5470 to 5850	Pass
					-10	48	5720.020	5470 to 5850	Pass
					0	48	5719.980	5470 to 5850	Pass
					10	48	5720.060	5470 to 5850	Pass
					30	48	5720.000	5470 to 5850	Pass
					40	48	5720.020	5470 to 5850	Pass
					50	48	5720.000	5470 to 5850	Pass
802.11ac (VHT40)	MIMO	5190	/	/	20	37	5190.040	5150 to 5250	Pass
						48	5189.960	5150 to 5250	Pass
						57	5190.040	5150 to 5250	Pass
					-30	48	5190.000	5150 to 5250	Pass
					-20	48	5190.48	5150 to 5250	Pass
					-10	48	5189.960	5150 to 5250	Pass
					0	48	5189.920	5150 to 5250	Pass
					10	48	5190.040	5150 to 5250	Pass
					30	48	5190.040	5150 to 5250	Pass
					40	48	5190.000	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 776 of 797

				50	48	5190.000	5150 to 5250	Pass
				20	37	5230.080	5150 to 5250	Pass
					48	5230.000	5150 to 5250	Pass
					57	5230.000	5150 to 5250	Pass
				-30	48	5230.000	5150 to 5250	Pass
				-20	48	5230.040	5150 to 5250	Pass
				-10	48	5230.040	5150 to 5250	Pass
				0	48	5230.080	5150 to 5250	Pass
				10	48	5230.000	5150 to 5250	Pass
				30	48	5230.000	5150 to 5250	Pass
				40	48	5230.080	5150 to 5250	Pass
				50	48	5230.040	5150 to 5250	Pass
				20	37	5270.000	5250 to 5350	Pass
					48	5270.000	5250 to 5350	Pass
					57	5270.040	5250 to 5350	Pass
				-30	48	5270.080	5250 to 5350	Pass
				-20	48	5270.040	5250 to 5350	Pass
				-10	48	5270.48	5250 to 5350	Pass
				0	48	5269.960	5250 to 5350	Pass
				10	48	5270.000	5250 to 5350	Pass
				30	48	5270.040	5250 to 5350	Pass
				40	48	5269.960	5250 to 5350	Pass
				50	48	5270.040	5250 to 5350	Pass
				20	37	5310.040	5250 to 5350	Pass
					48	5310.080	5250 to 5350	Pass
					57	5309.960	5250 to 5350	Pass
				-30	48	5310.080	5250 to 5350	Pass
				-20	48	5310.040	5250 to 5350	Pass
				-10	48	5310.000	5250 to 5350	Pass
				0	48	5310.000	5250 to 5350	Pass
				10	48	5310.000	5250 to 5350	Pass
				30	48	5309.960	5250 to 5350	Pass
				40	48	5309.960	5250 to 5350	Pass
				50	48	5310.040	5250 to 5350	Pass
				20	37	5510.000	5470 to 5725	Pass
					48	5509.960	5470 to 5725	Pass
					57	5509.960	5470 to 5725	Pass
				-30	48	5510.040	5470 to 5725	Pass
				-20	48	5510.040	5470 to 5725	Pass
				-10	48	5509.960	5470 to 5725	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing and Calibration Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 777 of 797

					0	48	5510.080	5470 to 5725	Pass
					10	48	5510.040	5470 to 5725	Pass
					30	48	5510.000	5470 to 5725	Pass
					40	48	5510.000	5470 to 5725	Pass
					50	48	5510.000	5470 to 5725	Pass
		5550	/	/	20	37	5549.960	5470 to 5725	Pass
						48	5550.000	5470 to 5725	Pass
						57	5550.080	5470 to 5725	Pass
					-30	48	5550.040	5470 to 5725	Pass
					-20	48	5550.000	5470 to 5725	Pass
					-10	48	5550.000	5470 to 5725	Pass
					0	48	5550.000	5470 to 5725	Pass
					10	48	5550.040	5470 to 5725	Pass
					30	48	5549.960	5470 to 5725	Pass
					40	48	5549.960	5470 to 5725	Pass
					50	48	5550.000	5470 to 5725	Pass
		5670	/	/	20	37	5670.000	5470 to 5725	Pass
						48	5669.960	5470 to 5725	Pass
						57	5669.920	5470 to 5725	Pass
					-30	48	5669.960	5470 to 5725	Pass
					-20	48	5670.000	5470 to 5725	Pass
					-10	48	5670.000	5470 to 5725	Pass
					0	48	5670.040	5470 to 5725	Pass
					10	48	5670.040	5470 to 5725	Pass
					30	48	5670.000	5470 to 5725	Pass
					40	48	5670.000	5470 to 5725	Pass
		5755	/	/	20	37	5755.040	5725 to 5850	Pass
						48	5754.960	5725 to 5850	Pass
						57	5755.040	5725 to 5850	Pass
					-30	48	5755.040	5725 to 5850	Pass
					-20	48	5755.040	5725 to 5850	Pass
					-10	48	5755.040	5725 to 5850	Pass
					0	48	5755.080	5725 to 5850	Pass
					10	48	5755.080	5725 to 5850	Pass
					30	48	5755.000	5725 to 5850	Pass
					40	48	5755.080	5725 to 5850	Pass
		5795	/	/	20	37	5794.960	5725 to 5850	Pass
						48	5795.000	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing & Inspection Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 778 of 797

						57	5795.000	5725 to 5850	Pass
					-30	48	5795.000	5725 to 5850	Pass
					-20	48	5795.000	5725 to 5850	Pass
					-10	48	5794.920	5725 to 5850	Pass
					0	48	5794.920	5725 to 5850	Pass
					10	48	5794.960	5725 to 5850	Pass
					30	48	5794.920	5725 to 5850	Pass
					40	48	5794.960	5725 to 5850	Pass
					50	48	5794.920	5725 to 5850	Pass
		5710	/	/	20	37	5709.960	5470 to 5850	Pass
						48	5710.040	5470 to 5850	Pass
						57	5710.000	5470 to 5850	Pass
					-30	48	5710.040	5470 to 5850	Pass
					-20	48	5709.960	5470 to 5850	Pass
					-10	48	5710.040	5470 to 5850	Pass
					0	48	5710.040	5470 to 5850	Pass
					10	48	5710.000	5470 to 5850	Pass
					30	48	5710.000	5470 to 5850	Pass
					40	48	5710.000	5470 to 5850	Pass
					50	48	5710.000	5470 to 5850	Pass
802.11ac (VHT80)	MIMO	5210	/	/	20	37	5210.075	5150 to 5250	Pass
						48	5210.000	5150 to 5250	Pass
						57	5210.075	5150 to 5250	Pass
					-30	48	5210.000	5150 to 5250	Pass
					-20	48	5210.075	5150 to 5250	Pass
					-10	48	5210.000	5150 to 5250	Pass
					0	48	5210.075	5150 to 5250	Pass
					10	48	5210.075	5150 to 5250	Pass
					30	48	5210.075	5150 to 5250	Pass
					40	48	5210.075	5150 to 5250	Pass
					50	48	5210.000	5150 to 5250	Pass
		5290	/	/	20	37	5290.000	5250 to 5350	Pass
						48	5290.000	5250 to 5350	Pass
						57	5290.000	5250 to 5350	Pass
					-30	48	5290.000	5250 to 5350	Pass
					-20	48	5289.925	5250 to 5350	Pass
					-10	48	5290.075	5250 to 5350	Pass
					0	48	5290.000	5250 to 5350	Pass
					10	48	5290.000	5250 to 5350	Pass
					30	48	5290.000	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 779 of 797

		5530	/	/	40	48	5290.000	5250 to 5350	Pass
					50	48	5290.000	5250 to 5350	Pass
					20	37	5529.925	5470 to 5725	Pass
						48	5530.000	5470 to 5725	Pass
						57	5530.000	5470 to 5725	Pass
					-30	48	5530.000	5470 to 5725	Pass
					-20	48	5530.000	5470 to 5725	Pass
					-10	48	5530.000	5470 to 5725	Pass
					0	48	5530.000	5470 to 5725	Pass
					10	48	5530.000	5470 to 5725	Pass
					30	48	5530.000	5470 to 5725	Pass
					40	48	5529.925	5470 to 5725	Pass
					50	48	5530.150	5470 to 5725	Pass
		5610	/	/	20	37	5609.925	5470 to 5725	Pass
						48	5609.925	5470 to 5725	Pass
						57	5610.000	5470 to 5725	Pass
					-30	48	5609.925	5470 to 5725	Pass
					-20	48	5610.000	5470 to 5725	Pass
					-10	48	5610.075	5470 to 5725	Pass
					0	48	5609.925	5470 to 5725	Pass
					10	48	5609.925	5470 to 5725	Pass
					30	48	5610.000	5470 to 5725	Pass
					40	48	5610.000	5470 to 5725	Pass
					50	48	5610.000	5470 to 5725	Pass
		5775	/	/	20	37	5775.000	5725 to 5850	Pass
						48	5775.000	5725 to 5850	Pass
						57	5775.000	5725 to 5850	Pass
					-30	48	5774.925	5725 to 5850	Pass
					-20	48	5774.925	5725 to 5850	Pass
					-10	48	5775.000	5725 to 5850	Pass
					0	48	5774.925	5725 to 5850	Pass
					10	48	5775.000	5725 to 5850	Pass
					30	48	5774.925	5725 to 5850	Pass
					40	48	5774.925	5725 to 5850	Pass
					50	48	5774.925	5725 to 5850	Pass
		5690	/	/	20	37	5690.000	5470 to 5850	Pass
						48	5689.925	5470 to 5850	Pass
						57	5690.000	5470 to 5850	Pass
					-30	48	5690.000	5470 to 5850	Pass
					-20	48	5689.925	5470 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 780 of 797

					-10	48	5690.000	5470 to 5850	Pass
					0	48	5689.925	5470 to 5850	Pass
					10	48	5689.925	5470 to 5850	Pass
					30	48	5689.925	5470 to 5850	Pass
					40	48	5689.925	5470 to 5850	Pass
					50	48	5690.075	5470 to 5850	Pass
802.11ac (VHT160)	MIMO	5570	/	/	20	37	5570.000	5470 to 5725	Pass
						48	5570.000	5470 to 5725	Pass
						57	5569.925	5470 to 5725	Pass
					-30	48	5570.000	5470 to 5725	Pass
					-20	48	5570.000	5470 to 5725	Pass
					-10	48	5570.000	5470 to 5725	Pass
					0	48	5569.925	5470 to 5725	Pass
					10	48	5569.925	5470 to 5725	Pass
					30	48	5569.925	5470 to 5725	Pass
					40	48	5570.075	5470 to 5725	Pass
					50	48	5569.925	5470 to 5725	Pass
		5250	/	/	20	37	5250.000	5150 to 5350	Pass
						48	5250.000	5150 to 5350	Pass
						57	5250.000	5150 to 5350	Pass
					-30	48	5250.075	5150 to 5350	Pass
					-20	48	5250.075	5150 to 5350	Pass
					-10	48	5249.925	5150 to 5350	Pass
					0	48	5250.075	5150 to 5350	Pass
					10	48	5249.925	5150 to 5350	Pass
					30	48	5250.000	5150 to 5350	Pass
					40	48	5250.075	5150 to 5350	Pass
					50	48	5250.075	5150 to 5350	Pass
802.11ax (HEW20)	MIMO	5180	SU	/	20	37	5180.080	5150 to 5250	Pass
						48	5179.980	5150 to 5250	Pass
						57	5179.980	5150 to 5250	Pass
					-30	48	5180.020	5150 to 5250	Pass
					-20	48	5180.000	5150 to 5250	Pass
					-10	48	5180.040	5150 to 5250	Pass
					0	48	5180.000	5150 to 5250	Pass
					10	48	5179.980	5150 to 5250	Pass
					30	48	5179.940	5150 to 5250	Pass
					40	48	5179.980	5150 to 5250	Pass
					50	48	5179.980	5150 to 5250	Pass
		5200	SU	/	20	37	5200.020	5150 to 5250	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 781 of 797

						48	5200.020	5150 to 5250	Pass
						57	5200.080	5150 to 5250	Pass
					-30	48	5200.020	5150 to 5250	Pass
					-20	48	5200.060	5150 to 5250	Pass
					-10	48	5200.020	5150 to 5250	Pass
					0	48	5200.060	5150 to 5250	Pass
					10	48	5200.060	5150 to 5250	Pass
					30	48	5199.960	5150 to 5250	Pass
					40	48	5200.040	5150 to 5250	Pass
					50	48	5199.980	5150 to 5250	Pass
		5240	SU	/	20	37	5239.980	5150 to 5250	Pass
						48	5240.020	5150 to 5250	Pass
						57	5239.960	5150 to 5250	Pass
					-30	48	5240.040	5150 to 5250	Pass
					-20	48	5240.000	5150 to 5250	Pass
					-10	48	5239.980	5150 to 5250	Pass
					0	48	5240.040	5150 to 5250	Pass
					10	48	5240.000	5150 to 5250	Pass
					30	48	5240.020	5150 to 5250	Pass
					40	48	5240.080	5150 to 5250	Pass
					50	48	5240.020	5150 to 5250	Pass
		5260	SU	/	20	37	5260.020	5250 to 5350	Pass
						48	5260.020	5250 to 5350	Pass
						57	5259.980	5250 to 5350	Pass
					-30	48	5260.020	5250 to 5350	Pass
					-20	48	5260.000	5250 to 5350	Pass
					-10	48	5260.040	5250 to 5350	Pass
					0	48	5260.000	5250 to 5350	Pass
					10	48	5260.080	5250 to 5350	Pass
					30	48	5260.020	5250 to 5350	Pass
					40	48	5260.020	5250 to 5350	Pass
					50	48	5259.940	5250 to 5350	Pass
		5300	SU	/	20	37	5300.040	5250 to 5350	Pass
						48	5299.960	5250 to 5350	Pass
						57	5300.000	5250 to 5350	Pass
					-30	48	5300.080	5250 to 5350	Pass
					-20	48	5299.980	5250 to 5350	Pass
					-10	48	5300.020	5250 to 5350	Pass
					0	48	5300.020	5250 to 5350	Pass
					10	48	5299.980	5250 to 5350	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 782 of 797

		5320	SU	/	30	48	5299.920	5250 to 5350	Pass
					40	48	5299.980	5250 to 5350	Pass
					50	48	5300.000	5250 to 5350	Pass
					20	37	5319.960	5250 to 5350	Pass
						48	5320.020	5250 to 5350	Pass
						57	5320.000	5250 to 5350	Pass
					-30	48	5319.920	5250 to 5350	Pass
					-20	48	5320.000	5250 to 5350	Pass
					-10	48	5320.020	5250 to 5350	Pass
					0	48	5320.000	5250 to 5350	Pass
					10	48	5320.000	5250 to 5350	Pass
					30	48	5319.960	5250 to 5350	Pass
					40	48	5320.000	5250 to 5350	Pass
					50	48	5320.000	5250 to 5350	Pass
		5500	SU	/	20	37	5500.000	5470 to 5725	Pass
						48	5500.020	5470 to 5725	Pass
						57	5500.040	5470 to 5725	Pass
					-30	48	5500.000	5470 to 5725	Pass
					-20	48	5500.020	5470 to 5725	Pass
					-10	48	5500.040	5470 to 5725	Pass
					0	48	5499.980	5470 to 5725	Pass
					10	48	5500.020	5470 to 5725	Pass
					30	48	5500.000	5470 to 5725	Pass
					40	48	5500.020	5470 to 5725	Pass
					50	48	5499.980	5470 to 5725	Pass
		5580	SU	/	20	37	5580.000	5470 to 5725	Pass
						48	5580.020	5470 to 5725	Pass
						57	5579.980	5470 to 5725	Pass
					-30	48	5580.020	5470 to 5725	Pass
					-20	48	5579.980	5470 to 5725	Pass
					-10	48	5580.000	5470 to 5725	Pass
					0	48	5580.020	5470 to 5725	Pass
					10	48	5580.000	5470 to 5725	Pass
					30	48	5580.000	5470 to 5725	Pass
					40	48	5579.940	5470 to 5725	Pass
					50	48	5580.040	5470 to 5725	Pass
		5700	SU	/	20	37	5699.980	5470 to 5725	Pass
						48	5700.040	5470 to 5725	Pass
						57	5700.000	5470 to 5725	Pass
					-30	48	5700.000	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 783 of 797

					-20	48	5700.000	5470 to 5725	Pass
					-10	48	5699.980	5470 to 5725	Pass
					0	48	5699.960	5470 to 5725	Pass
					10	48	5699.960	5470 to 5725	Pass
					30	48	5700.020	5470 to 5725	Pass
					40	48	5699.980	5470 to 5725	Pass
					50	48	5700.080	5470 to 5725	Pass
		5745	SU	/	20	37	5744.980	5725 to 5850	Pass
						48	5744.940	5725 to 5850	Pass
						57	5744.980	5725 to 5850	Pass
					-30	48	5744.980	5725 to 5850	Pass
					-20	48	5745.020	5725 to 5850	Pass
					-10	48	5745.000	5725 to 5850	Pass
					0	48	5744.980	5725 to 5850	Pass
					10	48	5745.020	5725 to 5850	Pass
					30	48	5745.080	5725 to 5850	Pass
					40	48	5745.020	5725 to 5850	Pass
					50	48	5745.020	5725 to 5850	Pass
		5785	SU	/	20	37	5784.920	5725 to 5850	Pass
						48	5784.980	5725 to 5850	Pass
						57	5784.980	5725 to 5850	Pass
					-30	48	5784.980	5725 to 5850	Pass
					-20	48	5785.040	5725 to 5850	Pass
					-10	48	5785.020	5725 to 5850	Pass
					0	48	5784.980	5725 to 5850	Pass
					10	48	5785.000	5725 to 5850	Pass
					30	48	5784.960	5725 to 5850	Pass
					40	48	5784.980	5725 to 5850	Pass
		5825	SU	/	20	37	5824.940	5725 to 5850	Pass
						48	5824.960	5725 to 5850	Pass
						57	5825.000	5725 to 5850	Pass
					-30	48	5824.960	5725 to 5850	Pass
					-20	48	5824.920	5725 to 5850	Pass
					-10	48	5825.020	5725 to 5850	Pass
					0	48	5825.020	5725 to 5850	Pass
					10	48	5824.980	5725 to 5850	Pass
					30	48	5825.000	5725 to 5850	Pass
					40	48	5825.000	5725 to 5850	Pass
					50	48	5825.040	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 784 of 797

		5720	SU	/	20	37	5720.000	5470 to 5850	Pass
						48	5719.980	5470 to 5850	Pass
						57	5719.980	5470 to 5850	Pass
					-30	48	5720.040	5470 to 5850	Pass
					-20	48	5720.000	5470 to 5850	Pass
					-10	48	5720.020	5470 to 5850	Pass
					0	48	5720.020	5470 to 5850	Pass
					10	48	5719.980	5470 to 5850	Pass
					30	48	5719.940	5470 to 5850	Pass
					40	48	5720.000	5470 to 5850	Pass
					50	48	5719.980	5470 to 5850	Pass
802.11ax (HEW40)	MIMO	5190	SU	/	20	37	5190.000	5150 to 5250	Pass
						48	5190.000	5150 to 5250	Pass
						57	5189.960	5150 to 5250	Pass
					-30	48	5190.040	5150 to 5250	Pass
					-20	48	5190.000	5150 to 5250	Pass
					-10	48	5190.000	5150 to 5250	Pass
					0	48	5190.000	5150 to 5250	Pass
					10	48	5190.040	5150 to 5250	Pass
					30	48	5190.040	5150 to 5250	Pass
					40	48	5190.000	5150 to 5250	Pass
					50	48	5190.040	5150 to 5250	Pass
		5230	SU	/	20	37	5230.080	5150 to 5250	Pass
						48	5230.080	5150 to 5250	Pass
						57	5229.960	5150 to 5250	Pass
					-30	48	5229.960	5150 to 5250	Pass
					-20	48	5230.040	5150 to 5250	Pass
					-10	48	5230.000	5150 to 5250	Pass
					0	48	5230.000	5150 to 5250	Pass
					10	48	5230.000	5150 to 5250	Pass
					30	48	5230.000	5150 to 5250	Pass
					40	48	5230.000	5150 to 5250	Pass
					50	48	5230.080	5150 to 5250	Pass
		5270	SU	/	20	37	5270.000	5250 to 5350	Pass
						48	5270.080	5250 to 5350	Pass
						57	5270.080	5250 to 5350	Pass
					-30	48	5270.040	5250 to 5350	Pass
					-20	48	5269.920	5250 to 5350	Pass
					-10	48	5270.080	5250 to 5350	Pass
					0	48	5270.080	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 785 of 797

					10	48	5269.960	5250 to 5350	Pass
					30	48	5269.960	5250 to 5350	Pass
					40	48	5270.040	5250 to 5350	Pass
					50	48	5270.040	5250 to 5350	Pass
		5310	SU	/	20	37	5310.000	5250 to 5350	Pass
						48	5310.040	5250 to 5350	Pass
						57	5310.040	5250 to 5350	Pass
					-30	48	5310.000	5250 to 5350	Pass
					-20	48	5310.000	5250 to 5350	Pass
					-10	48	5309.960	5250 to 5350	Pass
					0	48	5310.000	5250 to 5350	Pass
					10	48	5310.080	5250 to 5350	Pass
					30	48	5309.960	5250 to 5350	Pass
					40	48	5310.000	5250 to 5350	Pass
					50	48	5310.040	5250 to 5350	Pass
					20	37	5510.000	5470 to 5725	Pass
						48	5510.080	5470 to 5725	Pass
						57	5510.000	5470 to 5725	Pass
		5510	SU	/	-30	48	5509.960	5470 to 5725	Pass
					-20	48	5509.960	5470 to 5725	Pass
					-10	48	5510.000	5470 to 5725	Pass
					0	48	5510.040	5470 to 5725	Pass
					10	48	5510.000	5470 to 5725	Pass
					30	48	5510.040	5470 to 5725	Pass
					40	48	5509.960	5470 to 5725	Pass
					50	48	5510.080	5470 to 5725	Pass
					20	37	5550.000	5470 to 5725	Pass
						48	5550.000	5470 to 5725	Pass
						57	5550.000	5470 to 5725	Pass
					-30	48	5550.080	5470 to 5725	Pass
					-20	48	5550.000	5470 to 5725	Pass
					-10	48	5550.000	5470 to 5725	Pass
		5550	SU	/	0	48	5550.000	5470 to 5725	Pass
					10	48	5550.48	5470 to 5725	Pass
					30	48	5550.000	5470 to 5725	Pass
					40	48	5550.040	5470 to 5725	Pass
					50	48	5550.080	5470 to 5725	Pass
					20	37	5669.960	5470 to 5725	Pass
						48	5670.040	5470 to 5725	Pass
						57	5669.960	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 786 of 797

					-30	48	5669.960	5470 to 5725	Pass
					-20	48	5669.960	5470 to 5725	Pass
					-10	48	5670.000	5470 to 5725	Pass
					0	48	5670.040	5470 to 5725	Pass
					10	48	5670.040	5470 to 5725	Pass
					30	48	5669.960	5470 to 5725	Pass
					40	48	5670.000	5470 to 5725	Pass
					50	48	5670.040	5470 to 5725	Pass
		5755	SU	/	20	37	5755.000	5725 to 5850	Pass
						48	5755.000	5725 to 5850	Pass
						57	5754.920	5725 to 5850	Pass
					-30	48	5754.920	5725 to 5850	Pass
					-20	48	5755.000	5725 to 5850	Pass
					-10	48	5755.000	5725 to 5850	Pass
					0	48	5755.000	5725 to 5850	Pass
					10	48	5755.040	5725 to 5850	Pass
					30	48	5754.960	5725 to 5850	Pass
					40	48	5755.040	5725 to 5850	Pass
					50	48	5755.48	5725 to 5850	Pass
		5795	SU	/	20	37	5795.000	5725 to 5850	Pass
						48	5795.000	5725 to 5850	Pass
						57	5795.000	5725 to 5850	Pass
					-30	48	5795.000	5725 to 5850	Pass
					-20	48	5794.920	5725 to 5850	Pass
					-10	48	5794.960	5725 to 5850	Pass
					0	48	5794.960	5725 to 5850	Pass
					10	48	5794.960	5725 to 5850	Pass
					30	48	5795.040	5725 to 5850	Pass
					40	48	5794.960	5725 to 5850	Pass
					50	48	5794.960	5725 to 5850	Pass
		5710	SU	/	20	37	5710.000	5470 to 5850	Pass
						48	5710.040	5470 to 5850	Pass
						57	5709.920	5470 to 5850	Pass
					-30	48	5710.000	5470 to 5850	Pass
					-20	48	5710.000	5470 to 5850	Pass
					-10	48	5709.960	5470 to 5850	Pass
					0	48	5710.000	5470 to 5850	Pass
					10	48	5710.000	5470 to 5850	Pass
					30	48	5709.920	5470 to 5850	Pass
					40	48	5710.000	5470 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 787 of 797

					50	48	5710.080	5470 to 5850	Pass
802.11ax (HEW80)	MIMO	5210	SU	/	20	37	5210.075	5150 to 5250	Pass
						48	5210.000	5150 to 5250	Pass
						57	5210.075	5150 to 5250	Pass
					-30	48	5210.000	5150 to 5250	Pass
					-20	48	5209.925	5150 to 5250	Pass
					-10	48	5210.075	5150 to 5250	Pass
					0	48	5210.000	5150 to 5250	Pass
					10	48	5210.150	5150 to 5250	Pass
					30	48	5210.000	5150 to 5250	Pass
					40	48	5210.075	5150 to 5250	Pass
					50	48	5210.225	5150 to 5250	Pass
		5290	SU	/	20	37	5290.000	5250 to 5350	Pass
						48	5290.075	5250 to 5350	Pass
						57	5290.075	5250 to 5350	Pass
					-30	48	5290.000	5250 to 5350	Pass
					-20	48	5290.000	5250 to 5350	Pass
					-10	48	5290.000	5250 to 5350	Pass
					0	48	5290.000	5250 to 5350	Pass
					10	48	5290.075	5250 to 5350	Pass
					30	48	5290.000	5250 to 5350	Pass
					40	48	5290.000	5250 to 5350	Pass
					50	48	5290.075	5250 to 5350	Pass
		5530	SU	/	20	37	5529.925	5470 to 5725	Pass
						48	5530.075	5470 to 5725	Pass
						57	5530.075	5470 to 5725	Pass
					-30	48	5530.075	5470 to 5725	Pass
					-20	48	5530.075	5470 to 5725	Pass
					-10	48	5530.075	5470 to 5725	Pass
					0	48	5530.000	5470 to 5725	Pass
					10	48	5530.000	5470 to 5725	Pass
					30	48	5530.000	5470 to 5725	Pass
					40	48	5530.075	5470 to 5725	Pass
					50	48	5530.000	5470 to 5725	Pass
		5610	SU	/	20	37	5609.925	5470 to 5725	Pass
						48	5610.075	5470 to 5725	Pass
						57	5610.075	5470 to 5725	Pass
					-30	48	5609.925	5470 to 5725	Pass
					-20	48	5610.000	5470 to 5725	Pass
					-10	48	5610.000	5470 to 5725	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 788 of 797

					0	48	5610.075	5470 to 5725	Pass
					10	48	5610.000	5470 to 5725	Pass
					30	48	5610.000	5470 to 5725	Pass
					40	48	5609.925	5470 to 5725	Pass
					50	48	5610.075	5470 to 5725	Pass
		5775	SU	/	20	37	5774.925	5725 to 5850	Pass
						48	5775.000	5725 to 5850	Pass
						57	5775.000	5725 to 5850	Pass
					-30	48	5775.000	5725 to 5850	Pass
						48	5775.000	5725 to 5850	Pass
						48	5775.000	5725 to 5850	Pass
					0	48	5774.925	5725 to 5850	Pass
						48	5775.000	5725 to 5850	Pass
						48	5775.000	5725 to 5850	Pass
					30	48	5775.000	5725 to 5850	Pass
						48	5774.925	5725 to 5850	Pass
						48	5775.000	5725 to 5850	Pass
		5690	SU	/	20	37	5690.000	5470 to 5850	Pass
						48	5689.925	5470 to 5850	Pass
						57	5690.075	5470 to 5850	Pass
					-30	48	5690.000	5470 to 5850	Pass
						48	5690.000	5470 to 5850	Pass
						48	5689.925	5470 to 5850	Pass
					0	48	5690.000	5470 to 5850	Pass
						48	5690.000	5470 to 5850	Pass
						48	5690.000	5470 to 5850	Pass
					30	48	5690.000	5470 to 5850	Pass
						48	5689.925	5470 to 5850	Pass
						48	5690.075	5470 to 5850	Pass
802.11ax (HEW160)	MIMO	5570	SU	/	20	37	5570.000	5470 to 5725	Pass
						48	5569.925	5470 to 5725	Pass
						57	5569.925	5470 to 5725	Pass
					-30	48	5570.000	5470 to 5725	Pass
						48	5570.000	5470 to 5725	Pass
						48	5569.925	5470 to 5725	Pass
					0	48	5569.925	5470 to 5725	Pass
						48	5570.000	5470 to 5725	Pass
						48	5569.925	5470 to 5725	Pass
					30	48	5569.925	5470 to 5725	Pass
						48	5569.925	5470 to 5725	Pass
						48	5570.000	5470 to 5725	Pass
		5250	SU	/	20	37	5250.000	5150 to 5350	Pass
						48	5250.075	5150 to 5350	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (HEW160) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 789 of 797

						57	5250.075	5150 to 5350	Pass
					-30	48	5250.000	5150 to 5350	Pass
					-20	48	5250.000	5150 to 5350	Pass
					-10	48	5250.000	5150 to 5350	Pass
					0	48	5250.075	5150 to 5350	Pass
					10	48	5250.075	5150 to 5350	Pass
					30	48	5250.150	5150 to 5350	Pass
					40	48	5250.000	5150 to 5350	Pass
					50	48	5250.075	5150 to 5350	Pass
802.11be (EHT20)	MIMO	5180	SU	/	20	37	5180.020	5150 to 5250	Pass
						48	5180.000	5150 to 5250	Pass
						57	5179.960	5150 to 5250	Pass
					-30	48	5180.000	5150 to 5250	Pass
					-20	48	5180.060	5150 to 5250	Pass
					-10	48	5179.960	5150 to 5250	Pass
					0	48	5179.960	5150 to 5250	Pass
					10	48	5180.000	5150 to 5250	Pass
					30	48	5179.920	5150 to 5250	Pass
					40	48	5180.040	5150 to 5250	Pass
					50	48	5180.000	5150 to 5250	Pass
		5200	SU	/	20	37	5199.960	5150 to 5250	Pass
						48	5200.000	5150 to 5250	Pass
						57	5199.980	5150 to 5250	Pass
					-30	48	5200.040	5150 to 5250	Pass
					-20	48	5200.020	5150 to 5250	Pass
					-10	48	5199.960	5150 to 5250	Pass
					0	48	5200.040	5150 to 5250	Pass
					10	48	5200.020	5150 to 5250	Pass
					30	48	5200.060	5150 to 5250	Pass
					40	48	5199.980	5150 to 5250	Pass
					50	48	5199.900	5150 to 5250	Pass
		5240	SU	/	20	37	5240.000	5150 to 5250	Pass
						48	5239.960	5150 to 5250	Pass
						57	5240.080	5150 to 5250	Pass
					-30	48	5239.960	5150 to 5250	Pass
					-20	48	5240.060	5150 to 5250	Pass
					-10	48	5240.000	5150 to 5250	Pass
					0	48	5239.960	5150 to 5250	Pass
					10	48	5240.000	5150 to 5250	Pass
					30	48	5240.040	5150 to 5250	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 790 of 797

		5260	SU	/	40	48	5240.000	5150 to 5250	Pass
					50	48	5240.040	5150 to 5250	Pass
					20	37	5260.020	5250 to 5350	Pass
						48	5260.040	5250 to 5350	Pass
						57	5260.040	5250 to 5350	Pass
					-30	48	5260.020	5250 to 5350	Pass
					-20	48	5259.960	5250 to 5350	Pass
					-10	48	5260.000	5250 to 5350	Pass
					0	48	5260.060	5250 to 5350	Pass
					10	48	5260.020	5250 to 5350	Pass
					30	48	5260.000	5250 to 5350	Pass
					40	48	5260.020	5250 to 5350	Pass
					50	48	5260.020	5250 to 5350	Pass
		5300	SU	/	20	37	5300.080	5250 to 5350	Pass
						48	5300.000	5250 to 5350	Pass
						57	5299.980	5250 to 5350	Pass
					-30	48	5300.000	5250 to 5350	Pass
					-20	48	5300.020	5250 to 5350	Pass
					-10	48	5299.960	5250 to 5350	Pass
					0	48	5299.960	5250 to 5350	Pass
					10	48	5300.000	5250 to 5350	Pass
					30	48	5300.020	5250 to 5350	Pass
					40	48	5300.000	5250 to 5350	Pass
					50	48	5300.020	5250 to 5350	Pass
		5320	SU	/	20	37	5320.000	5250 to 5350	Pass
						48	5320.000	5250 to 5350	Pass
						57	5320.020	5250 to 5350	Pass
					-30	48	5319.980	5250 to 5350	Pass
					-20	48	5320.060	5250 to 5350	Pass
					-10	48	5319.960	5250 to 5350	Pass
					0	48	5320.020	5250 to 5350	Pass
					10	48	5319.980	5250 to 5350	Pass
					30	48	5319.980	5250 to 5350	Pass
					40	48	5320.000	5250 to 5350	Pass
					50	48	5320.000	5250 to 5350	Pass
		5500	SU	/	20	37	5500.000	5470 to 5725	Pass
						48	5499.980	5470 to 5725	Pass
						57	5499.960	5470 to 5725	Pass
					-30	48	5500.020	5470 to 5725	Pass
					-20	48	5500.000	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 791 of 797

					-10	48	5499.980	5470 to 5725	Pass
					0	48	5499.960	5470 to 5725	Pass
					10	48	5500.000	5470 to 5725	Pass
					30	48	5499.980	5470 to 5725	Pass
					40	48	5499.980	5470 to 5725	Pass
					50	48	5500.000	5470 to 5725	Pass
		5580	SU	/	20	37	5580.000	5470 to 5725	Pass
						48	5580.020	5470 to 5725	Pass
						57	5580.000	5470 to 5725	Pass
					-30	48	5579.980	5470 to 5725	Pass
					-20	48	5580.060	5470 to 5725	Pass
					-10	48	5579.980	5470 to 5725	Pass
					0	48	5579.980	5470 to 5725	Pass
					10	48	5579.980	5470 to 5725	Pass
					30	48	5580.060	5470 to 5725	Pass
					40	48	5580.040	5470 to 5725	Pass
					50	48	5580.040	5470 to 5725	Pass
		5700	SU	/	20	37	5700.000	5470 to 5725	Pass
						48	5700.000	5470 to 5725	Pass
						57	5700.000	5470 to 5725	Pass
					-30	48	5699.980	5470 to 5725	Pass
					-20	48	5699.980	5470 to 5725	Pass
					-10	48	5700.000	5470 to 5725	Pass
					0	48	5700.040	5470 to 5725	Pass
					10	48	5699.980	5470 to 5725	Pass
					30	48	5699.980	5470 to 5725	Pass
					40	48	5699.980	5470 to 5725	Pass
					50	48	5700.020	5470 to 5725	Pass
		5745	SU	/	20	37	5744.980	5725 to 5850	Pass
						48	5744.960	5725 to 5850	Pass
						57	5745.060	5725 to 5850	Pass
					-30	48	5745.000	5725 to 5850	Pass
					-20	48	5745.020	5725 to 5850	Pass
					-10	48	5745.020	5725 to 5850	Pass
					0	48	5745.020	5725 to 5850	Pass
					10	48	5745.000	5725 to 5850	Pass
					30	48	5744.980	5725 to 5850	Pass
					40	48	5745.020	5725 to 5850	Pass
					50	48	5745.020	5725 to 5850	Pass
		5785	SU	/	20	37	5785.040	5725 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 792 of 797

						48	5785.060	5725 to 5850	Pass
						57	5784.980	5725 to 5850	Pass
					-30	48	5784.940	5725 to 5850	Pass
					-20	48	5785.040	5725 to 5850	Pass
					-10	48	5785.020	5725 to 5850	Pass
					0	48	5785.040	5725 to 5850	Pass
					10	48	5785.000	5725 to 5850	Pass
					30	48	5784.920	5725 to 5850	Pass
					40	48	5784.920	5725 to 5850	Pass
					50	48	5785.000	5725 to 5850	Pass
		5825	SU	/	20	37	5825.060	5725 to 5850	Pass
						48	5824.980	5725 to 5850	Pass
						57	5824.940	5725 to 5850	Pass
					-30	48	5824.960	5725 to 5850	Pass
					-20	48	5825.020	5725 to 5850	Pass
					-10	48	5825.020	5725 to 5850	Pass
					0	48	5825.020	5725 to 5850	Pass
					10	48	5825.000	5725 to 5850	Pass
					30	48	5825.040	5725 to 5850	Pass
					40	48	5825.000	5725 to 5850	Pass
					50	48	5825.000	5725 to 5850	Pass
		5720	SU	/	20	37	5719.960	5470 to 5850	Pass
						48	5720.040	5470 to 5850	Pass
						57	5719.980	5470 to 5850	Pass
					-30	48	5720.080	5470 to 5850	Pass
					-20	48	5720.020	5470 to 5850	Pass
					-10	48	5720.060	5470 to 5850	Pass
					0	48	5719.980	5470 to 5850	Pass
					10	48	5719.960	5470 to 5850	Pass
					30	48	5719.960	5470 to 5850	Pass
					40	48	5720.060	5470 to 5850	Pass
					50	48	5720.020	5470 to 5850	Pass
802.11be (EHT40)	MIMO	5190	SU	/	20	37	5190.000	5150 to 5250	Pass
						48	5190.040	5150 to 5250	Pass
						57	5190.000	5150 to 5250	Pass
					-30	48	5190.040	5150 to 5250	Pass
					-20	48	5190.080	5150 to 5250	Pass
					-10	48	5190.000	5150 to 5250	Pass
					0	48	5190.040	5150 to 5250	Pass
					10	48	5190.000	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 793 of 797

		5230	SU	/	30	48	5190.000	5150 to 5250	Pass
					40	48	5189.960	5150 to 5250	Pass
					50	48	5190.040	5150 to 5250	Pass
					20	37	5230.080	5150 to 5250	Pass
						48	5230.080	5150 to 5250	Pass
						57	5230.040	5150 to 5250	Pass
					-30	48	5230.080	5150 to 5250	Pass
					-20	48	5230.040	5150 to 5250	Pass
					-10	48	5230.080	5150 to 5250	Pass
					0	48	5230.040	5150 to 5250	Pass
					10	48	5230.040	5150 to 5250	Pass
					30	48	5230.040	5150 to 5250	Pass
					40	48	5230.080	5150 to 5250	Pass
					50	48	5229.960	5150 to 5250	Pass
		5270	SU	/	20	37	5270.080	5250 to 5350	Pass
						48	5270.040	5250 to 5350	Pass
						57	5269.960	5250 to 5350	Pass
					-30	48	5270.080	5250 to 5350	Pass
					-20	48	5270.040	5250 to 5350	Pass
					-10	48	5270.000	5250 to 5350	Pass
					0	48	5270.040	5250 to 5350	Pass
					10	48	5270.000	5250 to 5350	Pass
					30	48	5270.040	5250 to 5350	Pass
					40	48	5270.000	5250 to 5350	Pass
					50	48	5270.080	5250 to 5350	Pass
		5310	SU	/	20	37	5310.000	5250 to 5350	Pass
						48	5310.000	5250 to 5350	Pass
						57	5310.040	5250 to 5350	Pass
					-30	48	5310.040	5250 to 5350	Pass
					-20	48	5310.080	5250 to 5350	Pass
					-10	48	5309.960	5250 to 5350	Pass
					0	48	5310.000	5250 to 5350	Pass
					10	48	5309.960	5250 to 5350	Pass
					30	48	5310.000	5250 to 5350	Pass
					40	48	5310.000	5250 to 5350	Pass
					50	48	5309.960	5250 to 5350	Pass
		5510	SU	/	20	37	5510.040	5470 to 5725	Pass
						48	5510.080	5470 to 5725	Pass
						57	5509.920	5470 to 5725	Pass
					-30	48	5510.040	5470 to 5725	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 794 of 797

					-20	48	5510.000	5470 to 5725	Pass
					-10	48	5510.040	5470 to 5725	Pass
					0	48	5510.040	5470 to 5725	Pass
					10	48	5510.040	5470 to 5725	Pass
					30	48	5510.040	5470 to 5725	Pass
					40	48	5510.000	5470 to 5725	Pass
					50	48	5510.000	5470 to 5725	Pass
		5550	SU	/	20	37	5550.040	5470 to 5725	Pass
						48	5550.000	5470 to 5725	Pass
						57	5550.040	5470 to 5725	Pass
					-30	48	5550.000	5470 to 5725	Pass
					-20	48	5549.960	5470 to 5725	Pass
					-10	48	5550.000	5470 to 5725	Pass
					0	48	5549.960	5470 to 5725	Pass
					10	48	5550.080	5470 to 5725	Pass
					30	48	5550.040	5470 to 5725	Pass
					40	48	5549.960	5470 to 5725	Pass
					50	48	5550.040	5470 to 5725	Pass
		5670	SU	/	20	37	5670.000	5470 to 5725	Pass
						48	5669.960	5470 to 5725	Pass
						57	5669.960	5470 to 5725	Pass
					-30	48	5670.000	5470 to 5725	Pass
					-20	48	5670.000	5470 to 5725	Pass
					-10	48	5670.000	5470 to 5725	Pass
					0	48	5670.000	5470 to 5725	Pass
					10	48	5670.040	5470 to 5725	Pass
					30	48	5670.040	5470 to 5725	Pass
					40	48	5670.040	5470 to 5725	Pass
					50	48	5669.960	5470 to 5725	Pass
		5755	SU	/	20	37	5754.960	5725 to 5850	Pass
						48	5755.000	5725 to 5850	Pass
						57	5755.040	5725 to 5850	Pass
					-30	48	5755.040	5725 to 5850	Pass
					-20	48	5754.960	5725 to 5850	Pass
					-10	48	5755.080	5725 to 5850	Pass
					0	48	5754.960	5725 to 5850	Pass
					10	48	5754.960	5725 to 5850	Pass
					30	48	5755.000	5725 to 5850	Pass
					40	48	5755.000	5725 to 5850	Pass
					50	48	5755.000	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 795 of 797

		5795	SU	/	20	37	5795.000	5725 to 5850	Pass
						48	5795.000	5725 to 5850	Pass
						57	5795.000	5725 to 5850	Pass
					-30	48	5795.000	5725 to 5850	Pass
					-20	48	5794.960	5725 to 5850	Pass
					-10	48	5795.040	5725 to 5850	Pass
					0	48	5795.040	5725 to 5850	Pass
					10	48	5794.960	5725 to 5850	Pass
					30	48	5794.960	5725 to 5850	Pass
					40	48	5795.040	5725 to 5850	Pass
					50	48	5794.960	5725 to 5850	Pass
		5710	SU	/	20	37	5710.000	5470 to 5850	Pass
						48	5710.040	5470 to 5850	Pass
						57	5709.960	5470 to 5850	Pass
					-30	48	5709.960	5470 to 5850	Pass
					-20	48	5710.040	5470 to 5850	Pass
					-10	48	5709.960	5470 to 5850	Pass
					0	48	5710.040	5470 to 5850	Pass
					10	48	5710.000	5470 to 5850	Pass
					30	48	5710.000	5470 to 5850	Pass
					40	48	5710.040	5470 to 5850	Pass
					50	48	5710.080	5470 to 5850	Pass
802.11be (EHT80)	MIMO	5210	SU	/	20	37	5210.150	5150 to 5250	Pass
						48	5210.075	5150 to 5250	Pass
						57	5209.925	5150 to 5250	Pass
					-30	48	5210.075	5150 to 5250	Pass
					-20	48	5210.075	5150 to 5250	Pass
					-10	48	5210.075	5150 to 5250	Pass
					0	48	5210.075	5150 to 5250	Pass
					10	48	5210.075	5150 to 5250	Pass
					30	48	5210.075	5150 to 5250	Pass
					40	48	5210.150	5150 to 5250	Pass
					50	48	5210.075	5150 to 5250	Pass
		5290	SU	/	20	37	5290.075	5250 to 5350	Pass
						48	5290.000	5250 to 5350	Pass
						57	5290.000	5250 to 5350	Pass
					-30	48	5290.075	5250 to 5350	Pass
					-20	48	5290.075	5250 to 5350	Pass
					-10	48	5290.000	5250 to 5350	Pass
					0	48	5289.925	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 796 of 797

					10	48	5290.075	5250 to 5350	Pass
					30	48	5290.000	5250 to 5350	Pass
					40	48	5290.000	5250 to 5350	Pass
					50	48	5290.000	5250 to 5350	Pass
		5530	SU	/	20	37	5530.075	5470 to 5725	Pass
						48	5530.000	5470 to 5725	Pass
						57	5530.000	5470 to 5725	Pass
					-30	48	5530.075	5470 to 5725	Pass
					-20	48	5530.000	5470 to 5725	Pass
					-10	48	5530.075	5470 to 5725	Pass
					0	48	5529.925	5470 to 5725	Pass
					10	48	5530.000	5470 to 5725	Pass
					30	48	5530.075	5470 to 5725	Pass
					40	48	5530.000	5470 to 5725	Pass
					50	48	5530.000	5470 to 5725	Pass
		5610	SU	/	20	37	5609.925	5470 to 5725	Pass
						48	5609.925	5470 to 5725	Pass
						57	5610.000	5470 to 5725	Pass
					-30	48	5610.000	5470 to 5725	Pass
					-20	48	5610.000	5470 to 5725	Pass
					-10	48	5610.000	5470 to 5725	Pass
					0	48	5610.000	5470 to 5725	Pass
					10	48	5610.000	5470 to 5725	Pass
					30	48	5609.925	5470 to 5725	Pass
					40	48	5610.000	5470 to 5725	Pass
					50	48	5610.000	5470 to 5725	Pass
		5775	SU	/	20	37	5775.000	5725 to 5850	Pass
						48	5775.000	5725 to 5850	Pass
						57	5775.000	5725 to 5850	Pass
					-30	48	5774.925	5725 to 5850	Pass
					-20	48	5775.000	5725 to 5850	Pass
					-10	48	5775.000	5725 to 5850	Pass
					0	48	5775.000	5725 to 5850	Pass
					10	48	5775.000	5725 to 5850	Pass
					30	48	5774.925	5725 to 5850	Pass
					40	48	5775.000	5725 to 5850	Pass
					50	48	5775.000	5725 to 5850	Pass
		5690	SU	/	20	37	5690.000	5470 to 5850	Pass
						48	5690.000	5470 to 5850	Pass
						57	5690.075	5470 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347604

Page: 797 of 797

					-30	48	5689.925	5470 to 5850	Pass
					-20	48	5690.000	5470 to 5850	Pass
					-10	48	5690.000	5470 to 5850	Pass
					0	48	5690.075	5470 to 5850	Pass
					10	48	5690.000	5470 to 5850	Pass
					30	48	5689.925	5470 to 5850	Pass
					40	48	5689.925	5470 to 5850	Pass
					50	48	5690.000	5470 to 5850	Pass
802.11be (EHT160)	MIMO	5570	SU	/	20	37	5570.000	5470 to 5725	Pass
						48	5570.000	5470 to 5725	Pass
						57	5570.000	5470 to 5725	Pass
					-30	48	5570.075	5470 to 5725	Pass
					-20	48	5569.925	5470 to 5725	Pass
					-10	48	5570.075	5470 to 5725	Pass
					0	48	5569.925	5470 to 5725	Pass
					10	48	5569.850	5470 to 5725	Pass
					30	48	5570.000	5470 to 5725	Pass
					40	48	5569.925	5470 to 5725	Pass
					50	48	5570.000	5470 to 5725	Pass
		5250	SU	/	20	37	5250.075	5150 to 5350	Pass
						48	5250.000	5150 to 5350	Pass
						57	5250.075	5150 to 5350	Pass
					-30	48	5250.150	5150 to 5350	Pass
					-20	48	5250.075	5150 to 5350	Pass
					-10	48	5250.075	5150 to 5350	Pass
					0	48	5250.075	5150 to 5350	Pass
					10	48	5250.075	5150 to 5350	Pass
					30	48	5250.075	5150 to 5350	Pass
					40	48	5250.000	5150 to 5350	Pass
					50	48	5250.075	5150 to 5350	Pass

- End of the Report -



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)