



2.2.2 26dB BW


802.11be(EHT20)_LCH_5955MHz_RU242_Left_Ant1_NTNV




802.11be(EHT20)_MCH_6175MHz_RU242_Left_Ant1_NTNV




802.11be(EHT20)_HCH_6415MHz_RU242_Left_Ant1_NTNV




802.11be(EHT40)_LCH_5965MHz_RU484_Left_Ant1_NTNV




802.11be(EHT40)_MCH_6165MHz_RU484_Left_Ant1_NTNV




802.11be(EHT40)_HCH_6405MHz_RU484_Left_Ant1_NTNV




802.11be(EHT80)_LCH_5985MHz_RU996_Left_Ant1_NTNV




802.11be(EHT80)_MCH_6145MHz_RU996_Left_Ant1_NTNV




802.11be(EHT80)_HCH_6385MHz_RU996_Left_Ant1_NTNV




802.11be(EHT160)_LCH_6025MHz_2xRU996_Left_Ant1_NTNV




802.11be(EHT160)_MCH_6185MHz_2xRU996_Left_Ant1_NTNV




802.11be(EHT160)_HCH_6345MHz_2xRU996_Left_Ant1_NTNV




802.11be(EHT320)_LCH_6105MHz_4xRU996_Left_Ant1_NTNV




802.11be(EHT320)_HCH_6265MHz_4xRU996_Left_Ant1_NTNV




2.2.3 OBW




802.11be(EHT20)_HCH_6515MHz_RU242_Left_Ant1_NTNV




802.11be(EHT40)_LCH_6445MHz_RU484_Left_Ant1_NTNV



802.11be(EHT40)_MCH_6485MHz_RU484_Left_Ant1_NTNV




802.11be(EHT80)_LCH_6465MHz_RU996_Left_Ant1_NTNV




2.2.4 26dB BW


802.11be(EHT20)_LCH_6435MHz_RU242_Left_Ant1_NTNV




802.11be(EHT20)_MCH_6475MHz_RU242_Left_Ant1_NTNV




802.11be(EHT20)_HCH_6515MHz_RU242_Left_Ant1_NTNV




802.11be(EHT40)_LCH_6445MHz_RU484_Left_Ant1_NTNV




802.11be(EHT40)_MCH_6485MHz_RU484_Left_Ant1_NTNV




802.11be(EHT80)_LCH_6465MHz_RU996_Left_Ant1_NTNV




2.2.5 OBW




802.11be(EHT20)_HCH_6855MHz_RU242_Left_Ant1_NTNV




802.11be(EHT40)_LCH_6565MHz_RU484_Left_Ant1_NTNV




802.11be(EHT40)_MCH_6685MHz_RU484_Left_Ant1_NTNV




802.11be(EHT40)_HCH_6845MHz_RU484_Left_Ant1_NTNV




802.11be(EHT80)_LCH_6625MHz_RU996_Left_Ant1_NTNV




802.11be(EHT80)_MCH_6705MHz_RU996_Left_Ant1_NTNV



802.11be(EHT80)_HCH_6785MHz_RU996_Left_Ant1_NTNV




802.11be(EHT160)_MCH_6665MHz_2xRU996_Left_Ant1_NTNV




2.2.6 26dB BW


802.11be(EHT20)_LCH_6535MHz_RU242_Left_Ant1_NTNV




802.11be(EHT20)_MCH_6695MHz_RU242_Left_Ant1_NTNV




802.11be(EHT20)_HCH_6855MHz_RU242_Left_Ant1_NTNV




802.11be(EHT40)_LCH_6565MHz_RU484_Left_Ant1_NTNV




802.11be(EHT40)_MCH_6685MHz_RU484_Left_Ant1_NTNV




802.11be(EHT40)_HCH_6845MHz_RU484_Left_Ant1_NTNV




802.11be(EHT80)_LCH_6625MHz_RU996_Left_Ant1_NTNV




802.11be(EHT80)_MCH_6705MHz_RU996_Left_Ant1_NTNV




802.11be(EHT80)_HCH_6785MHz_RU996_Left_Ant1_NTNV




802.11be(EHT160)_MCH_6665MHz_2xRU996_Left_Ant1_NTNV




2.2.7 OBW




802.11be(EHT20)_HCH_7115MHz_RU242_Left_Ant1_NTNV




802.11be(EHT40)_LCH_6925MHz_RU484_Left_Ant1_NTNV




802.11be(EHT40)_MCH_7005MHz_RU484_Left_Ant1_NTNV




802.11be(EHT40)_HCH_7085MHz_RU484_Left_Ant1_NTNV




802.11be(EHT80)_LCH_6945MHz_RU996_Left_Ant1_NTNV




802.11be(EHT80)_HCH_7025MHz_RU996_Left_Ant1_NTNV




802.11be(EHT160)_MCH_6985MHz_2xRU996_Left_Ant1_NTNV




2.2.8 26dB BW




802.11be(EHT20)_HCH_7115MHz_RU242_Left_Ant1_NTNV




802.11be(EHT40)_LCH_6925MHz_RU484_Left_Ant1_NTNV




802.11be(EHT40)_MCH_7005MHz_RU484_Left_Ant1_NTNV




802.11be(EHT40)_HCH_7085MHz_RU484_Left_Ant1_NTNV




802.11be(EHT80)_LCH_6945MHz_RU996_Left_Ant1_NTNV




802.11be(EHT80)_HCH_7025MHz_RU996_Left_Ant1_NTNV




802.11be(EHT160)_MCH_6985MHz_2xRU996_Left_Ant1_NTNV




2.2.9 OBW




802.11be(EHT80)_HCH_6865MHz_RU996_Left_Ant1_NTNV




802.11be(EHT160)_HCH_6825MHz_2xRU996_Left_Ant1_NTNV




802.11be(EHT320)_LCH_6745MHz_4xRU996_Left_Ant1_NTNV




802.11be(EHT320)_HCH_6905MHz_4xRU996_Left_Ant1_NTNV




2.2.10 26dB BW




802.11be(EHT80)_HCH_6865MHz_RU996_Left_Ant1_NTNV




802.11be(EHT160)_HCH_6825MHz_2xRU996_Left_Ant1_NTNV




802.11be(EHT320)_LCH_6745MHz_4xRU996_Left_Ant1_NTNV




802.11be(EHT320)_HCH_6905MHz_4xRU996_Left_Ant1_NTNV




2.2.11 OBW




802.11be(EHT160)_HCH_6505MHz_2xRU996_Left_Ant1_NTNV




802.11be(EHT320)_MCH_6585MHz_4xRU996_Left_Ant1_NTNV




2.2.12 26dB BW




802.11be(EHT160)_HCH_6505MHz_2xRU996_Left_Ant1_NTNV




802.11be(EHT320)_MCH_6585MHz_4xRU996_Left_Ant1_NTNV



2.2.13 OBW



2.2.14 26dB BW



3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	5955	RU242	Left	3.21	3.42	2.98	2.82	9.13	/	Pass
			6175	RU242	Left	3.51	3.78	3.91	3.10	9.61	/	Pass
			6415	RU242	Left	3.69	3.21	3.65	2.74	9.36	/	Pass
	802.11be (EHT40)	MIMO	5965	RU484	Left	6.25	7.50	6.46	6.15	12.65	/	Pass
			6165	RU484	Left	6.39	6.17	6.46	5.58	12.18	/	Pass
			6405	RU484	Left	6.76	5.72	6.06	6.55	12.31	/	Pass
	802.11be (EHT80)	MIMO	5985	RU996	Left	9.65	9.96	9.85	9.85	15.85	/	Pass
			6145	RU996	Left	9.68	9.44	9.77	9.35	15.58	/	Pass
			6385	RU996	Left	9.91	8.86	9.45	9.64	15.50	/	Pass
	802.11be (EHT160)	MIMO	6025	2xRU996	Left	12.39	11.90	12.30	11.77	18.12	/	Pass
			6185	2xRU996	Left	12.37	11.98	12.19	11.92	18.14	/	Pass
			6345	2xRU996	Left	11.93	11.35	11.57	11.58	17.63	/	Pass
	802.11be (EHT320)	MIMO	6105	4xRU996	Left	15.51	14.86	15.24	14.89	21.15	/	Pass
			6265	4xRU996	Left	14.43	14.07	14.12	14.00	20.18	/	Pass

3.1.2 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	5955	RU242	Left	9.40	9.30	9.35	8.80	15.24	<=30	Pass
			6175	RU242	Left	9.70	9.66	10.28	9.08	15.72	<=30	Pass
			6415	RU242	Left	9.88	9.09	10.02	8.72	15.48	<=30	Pass
	802.11be (EHT40)	MIMO	5965	RU484	Left	12.44	13.38	12.83	12.13	18.74	<=30	Pass
			6165	RU484	Left	12.58	12.05	12.83	11.56	18.30	<=30	Pass
			6405	RU484	Left	12.95	11.60	12.43	12.53	18.43	<=30	Pass
	802.11be (EHT80)	MIMO	5985	RU996	Left	15.84	15.84	16.22	15.83	21.96	<=30	Pass
			6145	RU996	Left	15.87	15.32	16.14	15.33	21.70	<=30	Pass
			6385	RU996	Left	16.10	14.74	15.82	15.62	21.62	<=30	Pass
	802.11be (EHT160)	MIMO	6025	2xRU996	Left	18.58	17.78	18.67	17.75	24.24	<=30	Pass
			6185	2xRU996	Left	18.56	17.86	18.56	17.90	24.25	<=30	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347606

Page: 185 of 955

			6345	2xRU996	Left	18.12	17.23	17.94	17.56	23.75	<=30	Pass
	802.11be (EHT320)	MIMO	6105	4xRU996	Left	21.70	20.74	21.61	20.87	27.27	<=30	Pass
			6265	4xRU996	Left	20.62	19.95	20.49	19.98	26.29	<=30	Pass

3.1.3 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6435	RU242	Left	3.73	3.53	3.77	2.98	9.53	/	Pass
			6475	RU242	Left	3.32	3.59	3.87	3.20	9.52	/	Pass
			6515	RU242	Left	3.49	3.40	4.09	3.19	9.58	/	Pass
	802.11be (EHT40)	MIMO	6445	RU484	Left	6.20	5.97	6.42	6.21	12.22	/	Pass
			6485	RU484	Left	6.28	6.20	6.31	6.05	12.23	/	Pass
	802.11be (EHT80)	MIMO	6465	RU996	Left	9.54	9.12	9.61	9.06	15.36	/	Pass

3.1.4 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6435	RU242	Left	9.92	9.41	10.14	8.96	15.65	<=30	Pass
			6475	RU242	Left	9.51	9.47	10.24	9.18	15.64	<=30	Pass
			6515	RU242	Left	9.68	9.28	10.46	9.17	15.70	<=30	Pass
	802.11be (EHT40)	MIMO	6445	RU484	Left	12.39	11.85	12.79	12.19	18.34	<=30	Pass
			6485	RU484	Left	12.47	12.08	12.68	12.03	18.34	<=30	Pass
	802.11be (EHT80)	MIMO	6465	RU996	Left	15.73	15.00	15.98	15.04	21.48	<=30	Pass

3.1.5 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6535	RU242	Left	3.73	3.50	4.04	3.26	9.66	/	Pass
			6695	RU242	Left	3.15	3.99	4.06	3.11	9.62	/	Pass
			6855	RU242	Left	4.72	3.88	4.20	3.74	10.17	/	Pass
	802.11be (EHT40)	MIMO	6565	RU484	Left	6.23	6.32	6.38	6.14	12.29	/	Pass
			6685	RU484	Left	6.80	6.62	6.71	6.62	12.71	/	Pass
			6845	RU484	Left	6.48	6.68	6.64	5.73	12.42	/	Pass
	802.11be	MIMO	6625	RU996	Left	9.50	9.19	9.37	9.29	15.36	/	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347606

Page: 186 of 955

	(EHT80)		6705	RU996	Left	9.80	9.53	9.74	9.27	15.61	/	Pass
			6785	RU996	Left	9.66	9.43	9.58	9.19	15.49	/	Pass
	802.11be (EHT160)	MIMO	6665	2xRU996	Left	11.56	11.39	11.95	11.69	17.67	/	Pass

3.1.6 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6535	RU242	Left	9.92	9.38	10.41	9.24	15.78	<=30	Pass
			6695	RU242	Left	9.34	9.87	10.43	9.09	15.73	<=30	Pass
			6855	RU242	Left	10.91	9.76	10.57	9.72	16.29	<=30	Pass
	802.11be (EHT40)	MIMO	6565	RU484	Left	12.42	12.20	12.75	12.12	18.40	<=30	Pass
			6685	RU484	Left	12.99	12.50	13.08	12.60	18.82	<=30	Pass
			6845	RU484	Left	12.67	12.56	13.01	11.71	18.53	<=30	Pass
	802.11be (EHT80)	MIMO	6625	RU996	Left	15.69	15.07	15.74	15.27	21.47	<=30	Pass
			6705	RU996	Left	15.99	15.41	16.11	15.25	21.73	<=30	Pass
			6785	RU996	Left	15.85	15.31	15.95	15.17	21.60	<=30	Pass
	802.11be (EHT160)	MIMO	6665	2xRU996	Left	17.75	17.27	18.32	17.67	23.79	<=30	Pass

3.1.7 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6895	RU242	Left	4.20	3.96	3.84	2.98	9.79	/	Pass
			6995	RU242	Left	3.48	2.81	3.75	3.77	9.49	/	Pass
			7115	RU242	Left	-10.23	-10.15	-10.77	-10.80	-4.46	/	Pass
	802.11be (EHT40)	MIMO	6925	RU484	Left	6.95	5.78	5.87	5.84	12.16	/	Pass
			7005	RU484	Left	6.84	5.50	6.12	5.85	12.13	/	Pass
			7085	RU484	Left	6.85	6.58	6.93	6.21	12.67	/	Pass
	802.11be (EHT80)	MIMO	6945	RU996	Left	9.90	8.73	9.20	9.04	15.26	/	Pass
			7025	RU996	Left	9.67	9.16	9.75	9.49	15.54	/	Pass
	802.11be (EHT160)	MIMO	6985	2xRU996	Left	12.05	11.19	11.74	11.35	17.62	/	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347606

Page: 187 of 955

3.1.8 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6895	RU242	Left	10.39	9.84	10.21	8.96	15.90	<=30	Pass
			6995	RU242	Left	9.67	8.69	10.12	9.75	15.61	<=30	Pass
			7115	RU242	Left	-4.04	-4.27	-4.40	-4.82	1.65	<=30	Pass
	802.11be (EHT40)	MIMO	6925	RU484	Left	13.14	11.66	12.24	11.82	18.27	<=30	Pass
			7005	RU484	Left	13.03	11.38	12.49	11.83	18.25	<=30	Pass
			7085	RU484	Left	13.04	12.46	13.30	12.19	18.79	<=30	Pass
	802.11be (EHT80)	MIMO	6945	RU996	Left	16.09	14.61	15.57	15.02	21.38	<=30	Pass
			7025	RU996	Left	15.86	15.04	16.12	15.47	21.66	<=30	Pass
	802.11be (EHT160)	MIMO	6985	2xRU996	Left	18.24	17.07	18.11	17.33	23.74	<=30	Pass

3.1.9 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6875	RU242	Left	4.90	3.95	4.02	3.61	10.17	/	Pass
	802.11be (EHT40)	MIMO	6885	RU484	Left	6.73	6.22	6.38	5.54	12.26	/	Pass
	802.11be (EHT80)	MIMO	6865	RU996	Left	9.88	9.49	9.66	8.93	15.52	/	Pass
	802.11be (EHT160)	MIMO	6825	2xRU996	Left	12.17	11.69	11.84	11.63	17.86	/	Pass
	802.11be (EHT320)	MIMO	6745	4xRU996	Left	14.82	14.79	14.83	14.38	20.73	/	Pass
			6905	4xRU996	Left	14.85	14.51	14.92	14.51	20.72	/	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347606

Page: 188 of 955

3.1.10 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6875	RU242	Left	11.09	9.83	10.39	9.59	16.28	<=30	Pass
	802.11be (EHT40)	MIMO	6885	RU484	Left	12.92	12.10	12.75	11.52	18.38	<=30	Pass
	802.11be (EHT80)	MIMO	6865	RU996	Left	16.07	15.37	16.03	14.91	21.64	<=30	Pass
	802.11be (EHT160)	MIMO	6825	2xRU996	Left	18.36	17.57	18.21	17.61	23.97	<=30	Pass
	802.11be (EHT320)	MIMO	6745	4xRU996	Left	21.01	20.67	21.20	20.36	26.84	<=30	Pass
			6905	4xRU996	Left	21.04	20.39	21.29	20.49	26.84	<=30	Pass

3.1.11 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT40)	MIMO	6525	RU484	Left	6.35	5.95	6.56	6.02	12.25	/	Pass
	802.11be (EHT80)	MIMO	6545	RU996	Left	9.62	9.13	9.74	9.42	15.50	/	Pass
	802.11be (EHT160)	MIMO	6505	2xRU996	Left	11.94	11.45	11.86	11.45	17.70	/	Pass
	802.11be (EHT320)	MIMO	6585	4xRU996	Left	14.69	14.64	15.09	14.67	20.80	/	Pass

3.1.12 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT40)	MIMO	6525	RU484	Left	12.54	11.83	12.93	12.00	18.37	<=30	Pass
	802.11be (EHT80)	MIMO	6545	RU996	Left	15.81	15.01	16.11	15.40	21.62	<=30	Pass
	802.11be (EHT160)	MIMO	6505	2xRU996	Left	18.13	17.33	18.23	17.43	23.82	<=30	Pass
	802.11be (EHT320)	MIMO	6585	4xRU996	Left	20.88	20.52	21.46	20.65	26.91	<=30	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347606

Page: 189 of 955

3.1.13 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT320)	MIMO	6425	4xRU996	Left	14.43	13.91	13.95	14.15	20.14	/	Pass

3.1.14 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT320)	MIMO	6425	4xRU996	Left	20.62	19.79	20.32	20.13	26.25	<=30	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4. Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	5955	RU242	Left	-8.04	-7.96	-8.42	-8.36	-2.45	/	Pass
			6175	RU242	Left	-8.58	-8.24	-8.31	-8.94	-2.51	/	Pass
			6415	RU242	Left	-8.60	-8.91	-8.60	-9.39	-2.89	/	Pass
	802.11be (EHT40)	MIMO	5965	RU484	Left	-8.84	-7.56	-8.52	-8.44	-2.33	/	Pass
			6165	RU484	Left	-8.53	-8.88	-8.71	-9.26	-2.85	/	Pass
			6405	RU484	Left	-7.81	-8.88	-8.63	-7.99	-2.56	/	Pass
	802.11be (EHT80)	MIMO	5985	RU996	Left	-7.32	-7.65	-7.66	-7.14	-1.74	/	Pass
			6145	RU996	Left	-7.51	-8.45	-7.84	-7.73	-2.24	/	Pass
			6385	RU996	Left	-7.66	-8.66	-8.19	-7.82	-2.42	/	Pass
	802.11be (EHT160)	MIMO	6025	2xRU996	Left	-6.75	-8.51	-7.41	-8.30	-2.00	/	Pass
			6185	2xRU996	Left	-7.60	-8.73	-8.47	-8.48	-2.84	/	Pass
			6345	2xRU996	Left	-8.42	-8.60	-8.71	-8.55	-2.89	/	Pass
	802.11be (EHT320)	MIMO	6105	4xRU996	Left	-6.48	-8.09	-7.66	-7.37	-1.61	/	Pass
			6265	4xRU996	Left	-8.69	-9.07	-9.36	-8.87	-3.34	/	Pass

4.1.2 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	5955	RU242	Left	-1.85	-2.08	-2.05	-2.38	3.93	<=5	Pass
			6175	RU242	Left	-2.39	-2.36	-1.94	-2.96	3.62	<=5	Pass
			6415	RU242	Left	-2.41	-3.03	-2.23	-3.41	3.28	<=5	Pass
	802.11be (EHT40)	MIMO	5965	RU484	Left	-2.65	-1.68	-2.15	-2.46	3.80	<=5	Pass
			6165	RU484	Left	-2.34	-3.00	-2.34	-3.28	3.30	<=5	Pass
			6405	RU484	Left	-1.62	-3.00	-2.26	-2.01	3.83	<=5	Pass
	802.11be (EHT80)	MIMO	5985	RU996	Left	-1.13	-1.77	-1.29	-1.16	4.69	<=5	Pass
			6145	RU996	Left	-1.32	-2.57	-1.47	-1.75	4.27	<=5	Pass
			6385	RU996	Left	-1.47	-2.78	-1.82	-1.84	4.07	<=5	Pass
	802.11be (EHT160)	MIMO	6025	2xRU996	Left	-0.56	-2.63	-1.04	-2.32	4.47	<=5	Pass
			6185	2xRU996	Left	-1.41	-2.85	-2.10	-2.50	3.84	<=5	Pass
			6345	2xRU996	Left	-2.23	-2.72	-2.34	-2.57	3.56	<=5	Pass
	802.11be	MIMO	6105	4xRU996	Left	-0.29	-2.21	-1.29	-1.39	4.78	<=5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347606

Page: 191 of 955

	(EHT320)		6265	4xRU996	Left	-2.50	-3.19	-2.99	-2.89	3.14	<=5	Pass
--	----------	--	------	---------	------	-------	-------	-------	-------	------	-----	------

4.1.3 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6435	RU242	Left	-8.49	-8.58	-8.50	-9.11	-2.72	/	Pass
			6475	RU242	Left	-8.90	-8.59	-8.39	-9.00	-2.72	/	Pass
			6515	RU242	Left	-8.17	-8.13	-7.60	-8.34	-2.28	/	Pass
	802.11be (EHT40)	MIMO	6445	RU484	Left	-8.13	-8.34	-7.93	-8.55	-2.80	/	Pass
			6485	RU484	Left	-8.82	-8.97	-8.90	-9.01	-2.97	/	Pass
	802.11be (EHT80)	MIMO	6465	RU996	Left	-8.10	-8.75	-8.01	-8.77	-2.72	/	Pass

4.1.4 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6435	RU242	Left	-2.30	-2.70	-2.13	-3.13	3.47	<=5	Pass
			6475	RU242	Left	-2.71	-2.71	-2.02	-3.02	3.42	<=5	Pass
			6515	RU242	Left	-1.98	-2.25	-1.23	-2.36	4.09	<=5	Pass
	802.11be (EHT40)	MIMO	6445	RU484	Left	-1.94	-2.46	-1.56	-2.57	3.91	<=5	Pass
			6485	RU484	Left	-2.63	-3.09	-2.53	-3.03	3.21	<=5	Pass
	802.11be (EHT80)	MIMO	6465	RU996	Left	-1.91	-2.87	-1.64	-2.79	3.75	<=5	Pass

4.1.5 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6535	RU242	Left	-8.53	-8.68	-8.21	-8.91	-2.63	/	Pass
			6695	RU242	Left	-8.51	-7.15	-7.67	-8.51	-2.34	/	Pass
			6855	RU242	Left	-6.89	-7.71	-7.43	-7.68	-1.86	/	Pass
	802.11be (EHT40)	MIMO	6565	RU484	Left	-8.38	-8.40	-8.09	-8.36	-2.66	/	Pass
			6685	RU484	Left	-7.79	-7.94	-7.96	-8.03	-2.33	/	Pass
			6845	RU484	Left	-7.88	-8.07	-7.87	-9.03	-2.50	/	Pass
	802.11be (EHT80)	MIMO	6625	RU996	Left	-8.32	-8.29	-8.00	-8.37	-2.72	/	Pass
			6705	RU996	Left	-7.70	-8.38	-7.83	-8.38	-2.43	/	Pass
			6785	RU996	Left	-7.64	-8.46	-8.21	-8.23	-2.35	/	Pass
	802.11be (EHT160)	MIMO	6665	2xRU996	Left	-9.04	-9.13	-8.39	-8.89	-3.15	/	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347606

Page: 192 of 955

4.1.6 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6535	RU242	Left	-2.34	-2.80	-1.84	-2.93	3.56	<=5	Pass
			6695	RU242	Left	-2.32	-1.27	-1.30	-2.53	4.20	<=5	Pass
			6855	RU242	Left	-0.70	-1.83	-1.06	-1.70	4.72	<=5	Pass
	802.11be (EHT40)	MIMO	6565	RU484	Left	-2.19	-2.52	-1.72	-2.38	3.83	<=5	Pass
			6685	RU484	Left	-1.60	-2.06	-1.59	-2.05	4.20	<=5	Pass
			6845	RU484	Left	-1.69	-2.19	-1.50	-3.05	3.95	<=5	Pass
	802.11be (EHT80)	MIMO	6625	RU996	Left	-2.13	-2.41	-1.63	-2.39	3.89	<=5	Pass
			6705	RU996	Left	-1.51	-2.50	-1.46	-2.40	4.08	<=5	Pass
			6785	RU996	Left	-1.45	-2.58	-1.84	-2.25	4.01	<=5	Pass
	802.11be (EHT160)	MIMO	6665	2xRU996	Left	-2.85	-3.25	-2.02	-2.91	3.29	<=5	Pass

4.1.7 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6895	RU242	Left	-7.39	-7.48	-7.79	-8.63	-2.22	/	Pass
			6995	RU242	Left	-8.22	-8.78	-7.92	-7.75	-2.41	/	Pass
			7115	RU242	Left	-22.26	-22.13	-23.01	-22.65	-16.63	/	Pass
	802.11be (EHT40)	MIMO	6925	RU484	Left	-7.60	-8.56	-8.47	-8.78	-2.78	/	Pass
			7005	RU484	Left	-8.31	-9.83	-9.11	-9.40	-3.16	/	Pass
			7085	RU484	Left	-7.76	-8.15	-7.55	-8.49	-2.40	/	Pass
	802.11be (EHT80)	MIMO	6945	RU996	Left	-8.06	-9.38	-8.63	-8.73	-3.00	/	Pass
			7025	RU996	Left	-8.19	-8.62	-8.11	-8.35	-2.57	/	Pass
	802.11be (EHT160)	MIMO	6985	2xRU996	Left	-8.78	-9.61	-9.11	-9.50	-3.59	/	Pass

4.1.8 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6895	RU242	Left	-1.20	-1.60	-1.42	-2.65	4.34	<=5	Pass
			6995	RU242	Left	-2.03	-2.90	-1.55	-1.77	3.99	<=5	Pass
			7115	RU242	Left	-16.07	-16.25	-16.64	-16.67	-10.38	<=5	Pass
	802.11be (EHT40)	MIMO	6925	RU484	Left	-1.41	-2.68	-2.10	-2.80	3.81	<=5	Pass
			7005	RU484	Left	-2.12	-3.95	-2.74	-3.42	3.02	<=5	Pass
			7085	RU484	Left	-1.57	-2.27	-1.18	-2.51	4.17	<=5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347606

Page: 193 of 955

	802.11be (EHT80)	MIMO	6945	RU996	Left	-1.87	-3.50	-2.26	-2.75	3.47	<=5	Pass
			7025	RU996	Left	-2.00	-2.74	-1.74	-2.37	3.82	<=5	Pass
	802.11be (EHT160)	MIMO	6985	2xRU996	Left	-2.59	-3.73	-2.74	-3.52	2.90	<=5	Pass

4.1.9 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6875	RU242	Left	-7.33	-8.29	-8.25	-8.47	-2.09	/	Pass
	802.11be (EHT40)	MIMO	6885	RU484	Left	-7.83	-8.44	-8.01	-9.03	-2.60	/	Pass
	802.11be (EHT80)	MIMO	6865	RU996	Left	-7.58	-8.31	-8.04	-8.72	-2.70	/	Pass
	802.11be (EHT160)	MIMO	6825	2xRU996	Left	-8.08	-9.12	-8.66	-8.88	-3.03	/	Pass
	802.11be (EHT320)	MIMO	6745	4xRU996	Left	-8.14	-8.71	-8.62	-8.98	-3.04	/	Pass
			6905	4xRU996	Left	-7.87	-8.92	-8.29	-8.79	-2.88	/	Pass

4.1.10 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT20)	MIMO	6875	RU242	Left	-1.14	-2.41	-1.88	-2.49	4.07	<=5	Pass
	802.11be (EHT40)	MIMO	6885	RU484	Left	-1.64	-2.56	-1.64	-3.05	3.84	<=5	Pass
	802.11be (EHT80)	MIMO	6865	RU996	Left	-1.39	-2.43	-1.67	-2.74	4.00	<=5	Pass
	802.11be (EHT160)	MIMO	6825	2xRU996	Left	-1.89	-3.24	-2.29	-2.90	3.47	<=5	Pass
	802.11be (EHT320)	MIMO	6745	4xRU996	Left	-1.95	-2.83	-2.25	-3.00	3.53	<=5	Pass
			6905	4xRU996	Left	-1.68	-3.04	-1.92	-2.81	3.70	<=5	Pass

4.1.11 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT40)	MIMO	6525	RU484	Left	-8.26	-8.67	-8.10	-8.66	-2.78	/	Pass
	802.11be (EHT80)	MIMO	6545	RU996	Left	-7.84	-8.51	-7.81	-8.13	-2.70	/	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (EHT) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800347606

Page: 194 of 955

	802.11be (EHT160)	MIMO	6505	2xRU996	Left	-8.64	-9.29	-8.81	-9.30	-3.44	/	Pass
	802.11be (EHT320)	MIMO	6585	4xRU996	Left	-8.50	-8.60	-8.36	-9.01	-3.24	/	Pass

4.1.12 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT40)	MIMO	6525	RU484	Left	-2.07	-2.79	-1.73	-2.68	3.73	<=5	Pass
	802.11be (EHT80)	MIMO	6545	RU996	Left	-1.65	-2.63	-1.44	-2.15	4.08	<=5	Pass
	802.11be (EHT160)	MIMO	6505	2xRU996	Left	-2.45	-3.41	-2.44	-3.32	3.14	<=5	Pass
	802.11be (EHT320)	MIMO	6585	4xRU996	Left	-2.31	-2.72	-1.99	-3.03	3.53	<=5	Pass

4.1.13 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT320)	MIMO	6425	4xRU996	Left	-8.91	-9.49	-9.27	-9.18	-3.48	/	Pass

4.1.14 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11be (EHT320)	MIMO	6425	4xRU996	Left	-2.72	-3.61	-2.90	-3.20	2.93	<=5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.2 Test Graph

4.2.1 PSD

