


1.6dB Bandwidth


Test Mode	Test Channel	Ant	EBW[MHz]	Limit	Verdict
BLE	2402	Ant1	0.705	0.5	PASS
BLE	2440	Ant1	0.695	0.5	PASS
BLE	2480	Ant1	0.686	0.5	PASS

6dB Bandwidth_BLE_2402_Ant1




Date: 3.APR.2018 09:09:49

6dB Bandwidth_BLE_2440_Ant1





Date: 3.APR.2018 09:12:13



2.Occupied Bandwidth


Test Mode	Test Channel	Ant	OBW[MHz]	Limit[MHz]	Verdict
BLE	2402	Ant1	1.058	---	PASS
BLE	2440	Ant1	1.055	---	PASS
BLE	2480	Ant1	1.057	---	PASS





Date: 3.APR.2018 09:12:32

Occupied Bandwidth_BLE_2480_Ant1



Date: 3.APR.2018 09:14:44


3.Maximum peak conducted output power

Test Mode	Test Channel	Ant	Power[dBm]	Limit[dBm]	Verdict
BLE	2402	Ant1	-1.85	30	PASS
BLE	2440	Ant1	-1.42	30	PASS
BLE	2480	Ant1	-1.42	30	PASS

Maximum peak conducted output power_BLE_2402_Ant1




1 PR
VIEW




Date: 3.APR.2018 09:57:40

Maximum peak conducted output power_BLE_2440_Ant1



Date: 3.APR.2018 09:58:35

Maximum peak conducted output power_BLE_2480_Ant1




Date: 3.APR.2018 09:59:01

4.Maximum Peak power spectral density

Test Mode	Test Channel	Ant	PSD[dBm/MHz]	Limit[dBm/MHz]	Verdict
BLE	2402	Ant1	-16.88	8.00	PASS
BLE	2440	Ant1	-16.35	8.00	PASS
BLE	2480	Ant1	-16.42	8.00	PASS

Maximum Peak power spectral density_BLE_2402_Ant1




Date: 3.APR.2018 09:46:23

Maximum Peak power spectral density_BLE_2440_Ant1



1 PK
VIEW




Date: 3.APR.2018 09:47:11

Maximum Peak power spectral density_BLE_2480_Ant1



1 PK
VIEW




Date: 3.APR.2018 09:47:37

5.Band-edge for RF Conducted Emissions


Test Mode	Test Channel	Ant	Carrier Power[dBm]	Max. Spurious Level [dBm]	Limit [dBm]	Verdict
BLE	2402	Ant1	-2.430	-55.075	-22.43	PASS
BLE	2480	Ant1	-1.980	-54.727	-21.98	PASS

Band-edge for RF Conducted Emissions_BLE_2402_Ant1



Date: 3.APR.2018 09:46:36

Band-edge for RF Conducted Emissions_BLE_2480_Ant1




6.RF Conducted Spurious Emissions

Test Mode	Test Channel	Ant	StartFre [MHz]	StopFre [MHz]	RBW [kHz]	VBW [kHz]	Pref[dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BLE	2402	Ant1	30	1000	100	300	-2.3	-38.140	<-22.3	PASS
BLE	2402	Ant1	1000	5000	100	300	-2.3	-36.590	<-22.3	PASS
BLE	2440	Ant1	30	1000	100	300	-1.86	-38.830	<-21.86	PASS
BLE	2440	Ant1	1000	5000	100	300	-1.86	-36.500	<-21.86	PASS
BLE	2480	Ant1	30	1000	100	300	-1.85	-38.260	<-21.85	PASS
BLE	2480	Ant1	1000	5000	100	300	-1.85	-36.840	<-21.85	PASS

RF Conducted Spurious Emissions_BLE_2402_Ant1




1 PK
VIEW



Date: 3.APR.2018 10:02:52




1 PK
VIEW



Date: 3.APR.2018 10:03:05



1 PK
VIEW




Date: 3.APR.2018 10:03:25

RF Conducted Spurious Emissions_BLE_2440_Ant1



1 PK
VIEW



Date: 3.APR.2018 10:03:55

