


ANTENNA SPECIFICATION

Specifications

Summary


ITEM	SPEC.					
Model Name						
Center Frequency	Horizontal			Vertical		
	2400MHz	2440MHz	2483.5MHz	2400MHz	2440MHz	2483.5MHz
	-1.66 dBi	-0.84 dBi	-0.61 dBi	-6.16 dBi	-3.65 dBi	-2.21 dBi
MAX. Gain	-0.61 dBi					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	50 Ohm					
Antenna Length	33.532mm					
Antenna Types	PCB antenna					
Address	Hangshi Technology Park, Democracy West Industry Area, Shajing Town, Bao'an District, Shenzhen, China.					
Company	Shenzhen Hangshi Electronic Technology Co., Ltd					

Antenna Photo & Length (mm)



Horizontal:


2400MHz 2440MHz 2483.5MHz



Frequency (MHz)	Gain(dBi)		
	Max.	Min.	Avg.
2400	-1.66	-30.28	-8.78
2440	-0.84	-38.75	-7.87
2483.5	-0.61	-23.63	-6.99

Vertical:

2400MHz 2440MHz 2483.5MHz



Frequency (MHz)	Gain(dBi)		
	Max.	Min.	Avg.
2400	-6.16	-23.14	-12.52
2440	-3.65	-26.28	-10.66
2483.5	-2.21	-29.43	-9.58