



**Report No. : HCT1405187FCC**

File reference No: 2014-06-03

Applicant: AddOn Technology Co., Ltd.

Product: Mushroom Jumbo

Brand Name: Mushroom, Mushroom Wireless, ELESONIC, Add On, TELEFUNKEN, Freecom, DIGIX, U-MOVE, GECHO Speaker, Jumbo

Model No: Mushroom, Mushroom BT SP1, Mushroom BT SP2, Mushroom BT SP-3, EFT-BTS1, EFT-BTS2, EFT-BTS3, BT-100, BT-200, BT-300, BT-350, BT-400, TOUGH SPEAKER, ABuzz 1, ABuzz 2, ABuzz 3, Mushroom Jumbo, Mushroom Jumbo 1, Mushroom Jumbo2, Mushroom Jumbo 3, Boom 1, Boom 2, Boom 3

Test Standards: FCC Part 15 Subpart C, Paragraph 15.247

Test result: It is herewith confirmed and found to comply with the requirements set up by ANSI C63.4&FCC Part 15 Subpart C, Paragraph 15.247 regulations for the evaluation of electromagnetic compatibility

Approved By

A handwritten signature in black ink, appearing to read 'Eric Lin', is written over a horizontal line.

Eric Lin  
Manager

Dated: June 03, 2014

**Results appearing herein relate only to the sample tested**

**The technical reports is issued errors and omissions exempt and is subject to withdrawal at**

**Shenzhen HCT Technology Co.,Ltd.**

Room104, Number3, Lane14, Shangshatangyan Village, Futian District, Shenzhen



Test Report Conclusion  
Content

|            |                                           |    |
|------------|-------------------------------------------|----|
| <b>1.0</b> | <b>General Details</b>                    | 3  |
| 1.1        | Applicant Details                         | 3  |
| 1.2        | Description of EUT                        | 3  |
| 1.3        | Submitted Sample                          | 3  |
| 1.4        | Test Duration                             | 3  |
| 1.5        | Test Uncertainty                          | 3  |
| 1.6        | Test By                                   | 3  |
| <b>2.0</b> | <b>List of Measurement Equipment</b>      | 4  |
| <b>3.0</b> | <b>Technical Details</b>                  | 5  |
| 3.1        | Summary of Test Results                   | 5  |
| 3.2        | Test Standards                            | 5  |
| <b>4.0</b> | <b>Test Lab Details</b>                   | 5  |
| <b>5.0</b> | <b>Power Line Conducted Emission Test</b> | 6  |
| 5.1        | Schematics of the Test                    | 6  |
| 5.2        | Test Method and Test Procedure            | 6  |
| 5.3        | Configuration of the EUT                  | 6  |
| 5.4        | EUT Operating Condition                   | 7  |
| 5.5        | Conducted Emission Limit                  | 7  |
| 5.6        | Test Result                               | 7  |
| <b>6.0</b> | <b>Radiated Emission test</b>             | 10 |
| 6.1        | Test Method and Test Procedure            | 10 |
| 6.2        | Configuration of the EUT                  | 10 |
| 6.3        | EUT Operation Condition                   | 10 |
| 6.4        | Radiated Emission Limit                   | 11 |
| 7.0        | 20dB Bandwidth Measurement                | 19 |
| 8.0        | Maximum Peak Output Power                 | 32 |
| 9.0        | Carrier Frequency Separation              | 34 |
| 10.0       | Number of Hopping Channel                 | 38 |
| 11.0       | Time of Occupancy (Dwell Time)            | 42 |
| 12.0       | Out of Band Measurement                   | 55 |
| 13.0       | Antenna Requirement                       | 68 |
| 14.0       | FCC Label                                 | 69 |
| 15.0       | Photo of Test Setup and EUT View          | 70 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



## 1.0 General Details

### 1.1 Applicant Details

Applicant: AddOn Technology Co., Ltd.  
Address: 1F, No.11, Lane 206, Da An Road, Sec.1, Taipei, Taiwan  
Telephone: 886—2—2917—5726  
Fax: 886—2—2917—5921

### 1.2 Description of EUT

Product: Mushroom Jumbo  
Manufacturer: AddOn Technology Co., Ltd.  
Address: 1F, No.11, Lane 206, Da An Road, Sec.1, Taipei, Taiwan  
Brand Name: Mushroom  
Model Number: Mushroom  
Additional Model Name: Mushroom BT SP1, Mushroom BT SP2, Mushroom BT SP-3, EFT-BTS1, EFT-BTS2, EFT-BTS3, BT-100, BT-200, BT-300, BT-350, BT-400, TOUGH SPEAKER, ABuzz 1, ABuzz 2, ABuzz 3, Mushroom Jumbo, Mushroom Jumbo 1, Mushroom Jumbo2, Mushroom Jumbo 3, Boom 1, Boom 2, Boom 3  
Additional Trade Name: Mushroom Wireless, ELESONIC, Add On, TELEFUNKEN, Freecom, DIGIX, U-MOVE, GECHO Speaker, Jumbo  
Rating: 3.7V with 1050 mAh powered by Li-ion Battery  
Power Supply: N/A  
Type of Modulation: GFSK,  $\pi/4$ DQPSK, 8DPSK  
Frequency range: 2402-2480MHz  
Number of Channel: 79  
Frequency Selection: By software  
Antenna type: PCB Printed antenna, and the maximum Gain of this antenna is 1.13dBi

### 1.3 Submitted Sample: 2 Samples

### 1.4 Test Duration: 2014-05-23 to 2014-05-30

### 1.5 Test Uncertainty

Conducted Emissions Uncertainty =3.6dB  
Radiated Emissions Uncertainty =4.7dB

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



1.6

Test Engineer

*Willis Gui*

The sample tested by

Print Name: Willis Gui

| 2.0                | Test Equipments |           |              |              |            |
|--------------------|-----------------|-----------|--------------|--------------|------------|
| Instrument Type    | Manufacturer    | Model     | Serial No.   | Date of Cal. | Due Date   |
| ESPI Test Receiver | ROHDE&SCHWARZ   | ESPI 3    | 100379       | 2013-08-26   | 2014-08-25 |
| EMI Test Receiver  | Rohde & Schwarz | ESU       | 1302.6005.26 | 2013-08-26   | 2014-08-25 |
| Impuls-Begrenzer   | ROHDE&SCHWARZ   | ESH3-Z2   | 100281       | 2013-08-26   | 2014-08-25 |
| Loop Antenna       | EMCO            | 6502      | 00042960     | 2013-08-26   | 2014-08-25 |
| ESPI Test Receiver | ROHDE&SCHWARZ   | ESI26     | 838786/013   | 2013-08-26   | 2014-08-25 |
| 3m OATS            | --              | --        | N/A          | 2013-08-26   | 2014-08-25 |
| Horn Antenna       | SCHWARZBECK     | BBHA 9170 | BBHA9170399  | 2013-08-26   | 2014-08-25 |
| Horn Antenna       | SCHWARZBECK     | BBHA 9120 | D143         | 2013-08-26   | 2014-08-25 |
| Power meter        | Anritsu         | ML2487A   | 6K00003613   | 2013-08-26   | 2014-08-25 |
| Power sensor       | Anritsu         | MA2491A   | 32263        | 2013-08-26   | 2014-08-25 |
| Bilog Antenna      | Schwarebeck     | VULB916 3 | 9163/142     | 2013-08-26   | 2014-08-25 |
| LISN (Three Phase) | Schwarebeck     | NSLK 8126 | 8126453      | 2013-08-26   | 2014-08-25 |
| 9*6*6 Anechoic     | --              | --        | N/A          | 2013-08-26   | 2014-08-25 |
| EMI Test Receiver  | RS              | ESCS30    | 100139       | 2013-08-26   | 2014-08-25 |
| LISN               | RS              | ESH2-Z5   | 100225       | 2013-08-26   | 2014-08-25 |
| LISN (Three Phase) | Schwarebeck     | NSLK 8126 | 8126453      | 2013-08-26   | 2014-08-25 |
| Pre-Amplifier      | A.H.            | PAM-0126  | 1415261      | 2013-08-26   | 2014-08-25 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



### 3.0 Technical Details

#### 3.1 Summary of test results

| The EUT has been tested according to the following specifications: |                                           |        |          |
|--------------------------------------------------------------------|-------------------------------------------|--------|----------|
| Requirement                                                        | CFR 47 Section                            | Result | Notes    |
| Antenna Requirement                                                | 15.203, 15.247(b)(4)                      | PASS   | Complies |
| Maximum Peak Out Power                                             | 15.247 (b)(1), (4)                        | PASS   | Complies |
| Carrier Frequency Separation                                       | 15.247(a)(1)                              | PASS   | Complies |
| 20dB Channel Bandwidth                                             | 15.247 (a)(1)                             | PASS   | Complies |
| Number of Hopping Channels                                         | 15.247(a)(iii), 15.247(b)(1)              | PASS   | Complies |
| Time of Occupancy (Dwell Time)                                     | 15.247(a)(iii)                            | PASS   | Complies |
| Spurious Emission, Band Edge, and Restricted bands                 | 15.247(d),15.205(a),<br>15.209 (a),15.109 | PASS   | Complies |
| Conducted Emissions                                                | 15.207(a), 15.107                         | PASS   | Complies |
| RF Exposure                                                        | 15.247(i), 1.1307(b)(1)                   | PASS   | Complies |

#### 3.2 Test Standards

FCC Part 15 Subpart & Subpart C, Paragraph 15.247

#### 4.0 Test Lab Details

Name: Shenzhen Emtex Co., Ltd.

Address: Bldg. 69, Majialong Industry Zone,,Nanshan District,Shenzhen, Guangdong, 518052China

FCC Registration Number: 406365


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

## 5. Power Line Conducted Emission Test

### 5.1 Schematics of the test




EUT: Equipment Under Test

### 5.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.4-2003. The Frequency spectrum From 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.4 –2003.

Test Voltage: 120V~, 60Hz

Block diagram of Test setup



### 5.3 Configuration of The EUT

The EUT was configured according to ANSI C63.4-2003. All interface ports were connected to the appropriate peripherals. All peripherals and cables are listed below.

79 channels are provided to the EUT

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



A. EUT

| Device         | Manufacturer               | Model                                                                                                                                                                                                                                                                     | FCC ID    |
|----------------|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| Mushroom Jumbo | AddOn Technology Co., Ltd. | Mushroom, Mushroom BT SP1, Mushroom BT SP2, Mushroom BT SP-3, EFT-BTS1, EFT-BTS2, EFT-BTS3, BT-100, BT-200, BT-300, BT-350, BT-400, TOUGH SPEAKER, ABuzz 1, ABuzz 2, ABuzz 3, Mushroom Jumbo, Mushroom Jumbo 1, Mushroom Jumbo2, Mushroom Jumbo 3, Boom 1, Boom 2, Boom 3 | Z2HMS5312 |

B. Internal Device

| Device | Manufacturer | Model | FCC ID/DOC |
|--------|--------------|-------|------------|
| N/A    |              |       |            |

C. Peripherals

| Device       | Manufacturer | Model          | FCC ID/DOC | Cable |
|--------------|--------------|----------------|------------|-------|
| Note Book    | IBM          | R4             | FCC DOC    | --    |
| Power Supply | Great Wall   | GA90SC1-194730 | FCC DOC    | --    |

5.4 EUT Operating Condition

Operating condition is according to ANSI C63.4 -2003.

A Setup the EUT and simulators as shown on follow

B Enable AF signal and confirm EUT active to normal condition

5.5 Power line conducted Emission Limit according to Paragraph 15.107, 15.207and RSS-210

| Frequency (MHz) | Class A Limits (dB $\mu$ V) |               | Class B Limits (dB $\mu$ V) |               |
|-----------------|-----------------------------|---------------|-----------------------------|---------------|
|                 | Quasi-peak Level            | Average Level | Quasi-peak Level            | Average Level |
| 0.15 ~ 0.50     | 79.0                        | 66.0          | 66.0~56.0*                  | 56.0~46.0*    |
| 0.50 ~ 5.00     | 73.0                        | 60.0          | 56.0                        | 46.0          |
| 5.00 ~ 30.00    | 73.0                        | 60.0          | 60.0                        | 50.0          |

Notes: 1. \*Decreasing linearly with logarithm of frequency.

2. The tighter limit shall apply at the transition frequencies

5.6 Test Results

The frequency spectrum from 0.15MHz to 30MHz was investigated. All reading are quasi-peak values with a resolution bandwidth of 9kHz.

Note: the worse cases was selected to conducted the test

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




# **A Conducted Emission on Line Terminal of the power line (150kHz to 30MHz)**

EUT set Condition: Charging and Bluetooth keep transmitting

**Results:** Pass

Please refer to following diagram for individual



| Frequency<br>(MHz) | Reading(dB μ V) |         |            |         | Limit<br>(dB μ V) |         |
|--------------------|-----------------|---------|------------|---------|-------------------|---------|
|                    | Neutral         |         | Line       |         |                   |         |
|                    | Quasi-peak      | Average | Quasi-peak | Average | Quasi-peak        | Average |
| 0.414              | --              | --      | 43.28      | 21.28   | 57.56             | 47.56   |
| 0.178              | --              | --      | 40.73      | 16.63   | 64.57             | 54.57   |
| 0.150              | --              | --      | 56.69      | 15.49   | 66.00             | 56.00   |
| 2.356              | --              | --      | 34.01      | 15.01   | 56.00             | 46.00   |
| 10.687             | --              | --      | 34.54      | 12.54   | 60.00             | 50.00   |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




## B Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Charging and Bluetooth keep transmitting

**Results:** Pass

Please refer to following diagram for individual



| Frequency<br>(MHz) | Reading(dB $\mu$ V) |         |            |         | Limit<br>(dB $\mu$ V) |       |
|--------------------|---------------------|---------|------------|---------|-----------------------|-------|
|                    | Neutral             |         | Line       |         |                       |       |
|                    | Quasi-peak          | Average | Quasi-peak | Average |                       |       |
| 0.150              | 54.83               | 30.53   | --         | --      | 65.96                 | 55.96 |
| 0.182              | 52.30               | 31.40   | --         | --      | 64.38                 | 54.38 |
| 0.426              | 41.91               | 22.61   | --         | --      | 57.32                 | 47.32 |
| 2.311              | 39.42               | 21.42   | --         | --      | 56.00                 | 46.00 |
| 1.220              | 39.77               | 19.77   | --         | --      | 56.00                 | 46.00 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




## 6 Radiated Emission Test

### 6.1 Test Method and test Procedure:

- (1) The EUT was tested according to ANSI C63.4 –2003. The radiated test was performed at EMTEK Laboratory. This site is on file with the FCC laboratory division, Registration No. 406365
- (2) The EUT, peripherals were put on the turntable which table size is 1m x 1.5 m, table high 0.8 m. All set up is according to ANSI C63.4-2003.
- (3) The frequency spectrum from 30 MHz to 1 GHz was investigated. All readings from 30 MHz to 1 GHz are quasi-peak values with a resolution bandwidth of 120 kHz. For measurement above 1GHz, peak values with RBW=VBW=1MHz and PK detector. AV value with RBW=1MHz, VBW=10Hz and PK detector. Measurements were made at 3 meters.
- (4) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (5) Maximizing procedure was performed on the six (6) highest emissions to ensure EUT compliance is with all installation combinations. All data was recorded in the peak detection mode. Quasi-peak readings was performed only when an emission was found to be marginal (within -4 dB of specification limit), and are distinguished with a "QP" in the data table.
- (6) The antenna polarization: Vertical polarization and Horizontal polarization.

#### Block diagram of Test setup



### 6.2 Configuration of The EUT

Same as section 5.3 of this report

### 6.3 EUT Operating Condition

Same as section 5.4 of this report.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



#### 6.4 Radiated Emission Limit

All emission from a digital device, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strength specified below:

**Frequencies in restricted band are complied to limit on Paragraph 15.109. 15.209**

| Frequency Range (MHz) | Distance (m) | Field strength (dB $\mu$ V/m) |
|-----------------------|--------------|-------------------------------|
| 30-88                 | 3            | 40.0                          |
| 88-216                | 3            | 43.5                          |
| 216-960               | 3            | 46.0                          |
| Above 960             | 3            | 54.0                          |

- Note:
1. RF Voltage (dBuV) = 20 log RF Voltage ( $\mu$ V)
  2. In the Above Table, the higher limit applies at the band edges.
  3. Distance refers to the distance in meters between the measuring instrument antenna and the EUT
  4. This is a handheld device. The radiated emissions should be tested under 3-axes position (Lying, Side, and Stand), After pre-test. It was found that the worse radiated emission was get at the lying position.
  5. Battery was fully charged during the radiated test.
  6. After pre-scan, GFSK modulation mode was the worse case and it was selected to conduct the radiated emission tests.


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Test result  
General Radiated Emission Data and Harmonics Radiated Emission Data  
Radiated Emission In Horizontal (30MHz----1000MHz)  
EUT set Condition:       Transmitting Mode (GFSK)  
Results:                    Pass  
Test Figure: Transmitting mode



Date:           23.MAY.2014   16:39:04

| Frequency (MHz) | Level@3m (dBμV/m) | Antenna Polarity | Limit@3m (dBμV/m) |
|-----------------|-------------------|------------------|-------------------|
| --              | --                | H                | --                |

-The test data shows much less than the limit, no necessary to take down the records.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



# Test result


## General Radiated Emission Data and Harmonics Radiated Emission Data

### Radiated Emission In Vertical (30MHz----1000MHz)

EUT set Condition: Transmitting Mode (GFSK)

Results: Pass

Test Figure: Transmitting mode



Date: 23.MAY.2014 16:42:05

| Frequency (MHz) | Level@3m (dBμV/m) | Antenna Polarity | Limit@3m (dBμV/m) |
|-----------------|-------------------|------------------|-------------------|
| --              | --                | V                | --                |

-The test data shows much less than the limit, no necessary to take down the records.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**Operation Mode: Transmitting under Low Channel (2402MHz)**

| Frequency (MHz) | Level@3m (dB $\mu$ V/m) | Antenna Polarity | Limit@3m (dB $\mu$ V/m) |
|-----------------|-------------------------|------------------|-------------------------|
| 2402            | 84.92(PK)               | V                | Fundamental Frequency   |
| 2402            | 85.87(PK)               | H                |                         |
| 4804            | --                      | H                | 74(Peak)/ 54(AV)        |
| 4804            | --                      | V                | 74(Peak)/ 54(AV)        |
| 7206            | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 9608            | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 12010           | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 14412           | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 16814           | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 19216           | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 21618           | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 24020           | --                      | H/V              | 74(Peak)/ 54(AV)        |

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

2. Remark "---" means that the emissions level is too low to be measured

**Operation Mode: Transmitting \_ under Middle Channel (2441MHz)**

| Frequency (MHz) | Level@3m (dB $\mu$ V/m) | Antenna Polarity | Limit@3m (dB $\mu$ V/m) |
|-----------------|-------------------------|------------------|-------------------------|
| 2441            | 84.86(PK)               | H                | Fundamental Frequency   |
| 2441            | 85.36(PK)               | V                |                         |
| 4882            | --                      | H                | 74(Peak)/ 54(AV)        |
| 4882            | --                      | V                | 74(Peak)/ 54(AV)        |
| 7323            | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 9764            | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 12205           | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 14646           | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 17087           | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 19528           | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 21969           | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 24410           | --                      | H/V              | 74(Peak)/ 54(AV)        |

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

2. Remark "---" means that the emissions level is too low to be measured

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**Operation Mode: Transmitting under High Channel**

| Frequency (MHz) | Level@3m (dB $\mu$ V/m) | Antenna Polarity | Limit@3m (dB $\mu$ V/m) |
|-----------------|-------------------------|------------------|-------------------------|
| 2480            | 86.82(PK)               | H                | Fundamental Frequency   |
| 2480            | 86.48(PK)               | V                |                         |
| 4960            | --                      | H                | 74(Peak)/ 54(AV)        |
| 4960            | --                      | V                | 74(Peak)/ 54(AV)        |
| 7440            | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 9920            | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 12400           | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 14880           | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 17360           | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 19840           | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 22320           | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 24800           | --                      | H/V              | 74(Peak)/ 54(AV)        |

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

2. Remark "---" means that the emissions level is too low to be measured

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Please refer to the following test plots for details:

**Low Channel: Vertical**



**Low Channel : Horizontal**




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



### Middle Channel : Horizontal



### Middle Channel :: Vertical




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



### High Channel : Horizontal



### High Channel : Vertical



**Note: For the radiated emissions from 18GHz-25GHz, it is the floor noise that meets the requirement of FCC rule.**

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



## **7.0 20dB Bandwidth Measurement**

### **7.1 Regulation**

According to §15.247(b)(1), for frequency hopping systems operating in the 2400-2483.5 MHz band employing at least 75 non-overlapping hopping channels, and all frequency hopping systems in the 5725-5850 MHz band: 1 watt. For all other frequency hopping systems in the 2400-2483.5 MHz band: 0.125 watts. According to §15.247(b)(4), the conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

### **7.2 Limits of 20dB Bandwidth Measurement**

N/A

### **7.3 Test Procedure.**

1. Check the calibration of the measuring instrument (spectrum analyzer) using either an internal calibrator or a known signal from an external generator.
2. Set the spectrum analyzer as follows: Span = 3MHz, RBW=30 kHz, VBW=100 kHz,  
Sweep = auto Detector function = peak Trace = max hold
3. Measure the highest amplitude appearing on spectral display and record the level to calculate results. Repeat above procedures until all frequencies measured were complete.

### **7.4 Test Result:**

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



### GFSK Modulation

|             |                         |                   |                         |               |                     |          |            |
|-------------|-------------------------|-------------------|-------------------------|---------------|---------------------|----------|------------|
| EUT         |                         | Mushroom Jumbo    |                         | Model         |                     | Mushroom |            |
| Mode        |                         | Keep Transmitting |                         | Input Voltage |                     | DC3.7V   |            |
| Temperature |                         | 24 deg. C,        |                         | Humidity      |                     | 56% RH   |            |
| Channel     | Channel Frequency (MHz) | 20 dB             | Channel Bandwidth (kHz) |               | Maximum Limit (kHz) |          | Pass/ Fail |
| Low         | 2402                    |                   | 966                     |               | --                  |          | Pass       |
| Middle      | 2441                    |                   | 966                     |               | --                  |          | Pass       |
| High        | 2480                    |                   | 948                     |               | --                  |          | Pass       |

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Test Figure:

1. Condition: Low Channel



Date: 27.MAY.2014 19:56:17


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



2. Condition: Middle Channel



Date: 27.MAY.2014 19:57:23


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



3. Condition: High Channel



Date: 27.MAY.2014 19:58:18

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**π/4DQPSK Modulation**

|             |                            |                   |                            |               |                        |          |               |
|-------------|----------------------------|-------------------|----------------------------|---------------|------------------------|----------|---------------|
| EUT         |                            | Mushroom Jumbo    |                            | Model         |                        | Mushroom |               |
| Mode        |                            | Keep Transmitting |                            | Input Voltage |                        | DC3.7V   |               |
| Temperature |                            | 24 deg. C,        |                            | Humidity      |                        | 56% RH   |               |
| Channel     | Channel Frequency<br>(MHz) | 20 dB             | Channel Bandwidth<br>(kHz) |               | Maximum Limit<br>(kHz) |          | Pass/<br>Fail |
| Low         | 2402                       |                   | 1308                       |               | --                     |          | Pass          |
| Middle      | 2441                       |                   | 1314                       |               | --                     |          | Pass          |
| High        | 2480                       |                   | 1314                       |               | --                     |          | Pass          |

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Test Figure:

Low Channel



Date: 27.MAY.2014 20:00:55


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Middle Channel



Date:            27.MAY.2014    19:59:58


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



High Channel



Date: 27.MAY.2014 19:59:06

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



## 8DPSK Modulation

|             |                         |                   |                         |               |                     |          |            |
|-------------|-------------------------|-------------------|-------------------------|---------------|---------------------|----------|------------|
| EUT         |                         | Mushroom Jumbo    |                         | Model         |                     | Mushroom |            |
| Mode        |                         | Keep Transmitting |                         | Input Voltage |                     | DC3.7V   |            |
| Temperature |                         | 24 deg. C,        |                         | Humidity      |                     | 56% RH   |            |
| Channel     | Channel Frequency (MHz) | 20 dB             | Channel Bandwidth (kHz) |               | Maximum Limit (kHz) |          | Pass/ Fail |
| Low         | 2402                    |                   | 1296                    |               | --                  |          | Pass       |
| Middle      | 2441                    |                   | 1290                    |               | --                  |          | Pass       |
| High        | 2480                    |                   | 1302                    |               | --                  |          | Pass       |

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Test Figure:

Low Channel



Date: 27.MAY.2014 20:01:44


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Middle Channel



Date: 27.MAY.2014 20:02:33


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



High Channel



Date:            27.MAY.2014    20:03:32

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



## 8. Maximum Peak Output Power

### 8.1 Regulation

According to §15.247(b)(1), for frequency hopping systems operating in the 2400-2483.5 MHz band employing at least 75 non-overlapping hopping channels, and all frequency hopping systems in the 5725-5850 MHz band: 1 watt. For all other frequency hopping systems in the 2400-2483.5MHz band:0.125 watts. According to §15.247(b)(4), the conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

### 8.2 Limits of Maximum Peak Output Power

The Maximum Peak Output Power Measurement is 30dBm.

### 8.3 Test Procedure

1. Check the calibration of the measuring instrument (spectrum analyzer) using either an internal calibrator or a known signal from an external generator.
2. Set the spectrum analyzer as follows: Span = approximately 5 times the 20 dB bandwidth, centered on a hopping channel; RBW > the 20 dB bandwidth of the emission being measured; VBW  $\geq$  RBW; Sweep = auto; Detector function = peak; Trace = max hold
3. Measure the highest amplitude appearing on spectral display and record the level to calculate results.
4. Repeat above procedures until all frequencies measured were complete.

### 8.4Test Results (GFSK MODE)

|             |                         |                   |                         |               |                        |          |            |
|-------------|-------------------------|-------------------|-------------------------|---------------|------------------------|----------|------------|
| EUT         |                         | Mushroom Jumbo    |                         | Model         |                        | Mushroom |            |
| Mode        |                         | Keep Transmitting |                         | Input Voltage |                        | DC3.7V   |            |
| Temperature |                         | 24 deg. C,        |                         | Humidity      |                        | 56% RH   |            |
| Channel     | Channel Frequency (MHz) |                   | Peak Power Output (dBm) |               | Peak Power Limit (dBm) |          | Pass/ Fail |
| Low         | 2402                    |                   | -2.33                   |               | 30                     |          | Pass       |
| Middle      | 2441                    |                   | -2.39                   |               | 30                     |          | Pass       |
| High        | 2480                    |                   | -2.91                   |               | 30                     |          | Pass       |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



### 8.5 Test Results (II/4DQPSK MODE)

|             |                            |                            |                              |            |
|-------------|----------------------------|----------------------------|------------------------------|------------|
| EUT         |                            | Mushroom Jumbo             | Model                        | Mushroom   |
| Mode        |                            | Keep Transmitting          | Input Voltage                | DC3.7V     |
| Temperature |                            | 24 deg. C,                 | Humidity                     | 56% RH     |
| Channel     | Channel Frequency<br>(MHz) | Peak Power Output<br>(dBm) | Peak Power<br>Limit<br>(dBm) | Pass/ Fail |
| Low         | 2402                       | -4.10                      | 30                           | Pass       |
| Middle      | 2441                       | -4.19                      | 30                           | Pass       |
| High        | 2480                       | -4.80                      | 30                           | Pass       |

### 8.6 Test Results (8DPSK MODE)

|             |                            |                            |                              |            |
|-------------|----------------------------|----------------------------|------------------------------|------------|
| EUT         |                            | Mushroom Jumbo             | Model                        | Mushroom   |
| Mode        |                            | Keep Transmitting          | Input Voltage                | DC3.7V     |
| Temperature |                            | 24 deg. C,                 | Humidity                     | 56% RH     |
| Channel     | Channel Frequency<br>(MHz) | Peak Power Output<br>(dBm) | Peak Power<br>Limit<br>(dBm) | Pass/ Fail |
| Low         | 2402                       | -3.95                      | 30                           | Pass       |
| Middle      | 2441                       | -3.98                      | 30                           | Pass       |
| High        | 2480                       | -4.65                      | 30                           | Pass       |

Note: the result basic equation calculation as follow:

$$\text{Peak Power Output} = \text{Peak Power Reading} + \text{Cable loss} + \text{Attenuator}$$

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



## **9. Carrier Frequency Separation**

### **9.1 Regulation**

According to §15.247(a)(1), frequency hopping systems shall have hopping channel carrier frequencies separated by a minimum of 25 kHz or the 20 dB bandwidth of the hopping channel, whichever is greater. Alternatively, frequency hopping systems operating in the 2400-2483.5 MHz band may have hopping channel carrier frequencies that are separated by 25 kHz or two-thirds of the 20 dB bandwidth of the hopping channel, whichever is greater, provided the systems operate with an output power no greater than 125 mW.

### **9.2 Limits of Carrier Frequency Separation**

The Maximum Power Spectral Density Measurement is 25kHz or two-thirds of the 20dB bandwidth of the hopping Channel which is great.

### **9.3 Test Procedure**

1. Check the calibration of the measuring instrument using either an internal calibrator or a known signal from an external generator.
2. Set the spectrum analyzer as follows: Span = wide enough to capture the peaks of two adjacent channels: Resolution (or IF) Bandwidth (RBW)  $\geq$  1% of the span; Video (or Average) Bandwidth (VBW)  $\geq$  RBW; Sweep = auto; Detector function = peak; Trace = max hold
3. Measure the separation between the peaks of the adjacent channels using the marker-delta function.
4. Repeat above procedures until all frequencies measured were complete.

### **9.4 Test Result**

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




### GFSK Modulation

|             |                         |                |                              |               |                                           |          |            |
|-------------|-------------------------|----------------|------------------------------|---------------|-------------------------------------------|----------|------------|
| EUT         |                         | Mushroom Jumbo |                              | Model         |                                           | Mushroom |            |
| Mode        |                         | Hopping On     |                              | Input Voltage |                                           | DC3.7V   |            |
| Temperature |                         | 24 deg. C,     |                              | Humidity      |                                           | 56% RH   |            |
| Channel     | Channel Frequency (MHz) |                | Carrier Frequency Separation |               | Limit                                     |          | Pass/ Fail |
| Middle      | 2441                    |                | 1.010MHz                     |               | ≥ 25 kHz or two-thirds of 20 dB bandwidth |          | Pass       |

### Test Plots

#### Middle Channel



Date: 27.MAY.2014 20:39:13

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




### π/4DQPSK Modulation

|             |                         |                              |  |                                           |            |
|-------------|-------------------------|------------------------------|--|-------------------------------------------|------------|
| EUT         |                         | Mushroom Jumbo               |  | Model                                     | Mushroom   |
| Mode        |                         | Hopping On                   |  | Input Voltage                             | DC3.7V     |
| Temperature |                         | 24 deg. C,                   |  | Humidity                                  | 56% RH     |
| Channel     | Channel Frequency (MHz) | Carrier Frequency Separation |  | Limit                                     | Pass/ Fail |
| Middle      | 2441                    | 1.000MHz                     |  | ≥ 25 kHz or two-thirds of 20 dB bandwidth | Pass       |

### Test Plots

Middle Channel



Date: 27.MAY.2014 20:32:32

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




### 8DPSK Modulation

|             |                         |                              |  |                                           |            |
|-------------|-------------------------|------------------------------|--|-------------------------------------------|------------|
| EUT         |                         | Mushroom Jumbo               |  | Model                                     | Mushroom   |
| Mode        |                         | Hopping On                   |  | Input Voltage                             | DC3.7V     |
| Temperature |                         | 24 deg. C,                   |  | Humidity                                  | 56% RH     |
| Channel     | Channel Frequency (MHz) | Carrier Frequency Separation |  | Limit                                     | Pass/ Fail |
| Middle      | 2441                    | 1.000MHz                     |  | ≥ 25 kHz or two-thirds of 20 dB bandwidth | Pass       |

### Test Plots

#### Middle Channel



Date: 27.MAY.2014 20:28:28

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



## **10. Number of Hopping Channels**

### **10.1 Regulation**

According to §15.247(a)(1)(iii), frequency hopping systems in the 2400-2483.5 MHz band shall use at least 15 channels. The average time of occupancy on any channel shall not be greater than 0.4 seconds within a period of 0.4 seconds multiplied by the number of hopping channels employed. Frequency hopping systems may avoid or suppress transmissions on a particular hopping frequency provided that a minimum of 15 channels are used. According to §15.247(b)(1), for frequency hopping systems operating in the 2400-2483.5 MHz band employing at least 75 non-overlapping hopping channels, and all frequency hopping systems in the 5725-5850 MHz band: 1 watt. For all other frequency hopping systems in the 2400-2483.5 MHz band: 0.125 watts.

### **10.2 Limits of Number of Hopping Channels**

The frequency hopping systems in the 2400-2483.5MHz band shall use at least 15 channels.

### **10.3 Test Procedure**

1. Check the calibration of the measuring instrument using either an internal calibrator or a known signal from an external generator.
2. Set the spectrum analyzer as follows: Span = the frequency band of operation;  $RBW \geq 1\%$  of the span;  $VBW \geq RBW$ ; Sweep = auto; Detector function = peak; Trace = max hold
3. Record the number of hopping channels.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



#### 10.4 Test Result (GFSK MODE)

|                     |                            |               |            |
|---------------------|----------------------------|---------------|------------|
| EUT                 | Mushroom Jumbo             | Model         | Mushroom   |
| Mode                | Hopping On                 | Input Voltage | DC3.7V     |
| Temperature         | 24 deg. C,                 | Humidity      | 56% RH     |
| Operating Frequency | Number of hopping channels | Limit         | Pass/ Fail |
| 2402-2480MHz        | 79                         | $\geq 15$     | Pass       |

#### Test Plot (GFSK MODE)



Date: 27.MAY.2014 20:11:53

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



### 10.5 Test Result (Π/4DQPSK MODE)

|                     |                            |               |            |
|---------------------|----------------------------|---------------|------------|
| EUT                 | Mushroom Jumbo             | Model         | Mushroom   |
| Mode                | Hopping On                 | Input Voltage | DC3.7V     |
| Temperature         | 24 deg. C,                 | Humidity      | 56% RH     |
| Operating Frequency | Number of hopping channels | Limit         | Pass/ Fail |
| 2402-2480MHz        | 79                         | ≥ 15          | Pass       |

### Test Plot (Π/4DQPSK MODE)



Date: 27.MAY.2014 20:14:30

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



### 10.5 Test Result (8DSK MODE)

|                     |                            |               |            |
|---------------------|----------------------------|---------------|------------|
| EUT                 | Mushroom Jumbo             | Model         | Mushroom   |
| Mode                | Hopping On                 | Input Voltage | DC3.7V     |
| Temperature         | 24 deg. C,                 | Humidity      | 56% RH     |
| Operating Frequency | Number of hopping channels | Limit         | Pass/ Fail |
| 2402-2480MHz        | 79                         | $\geq 15$     | Pass       |

### Test Plot (8DPSK MODE)



Date: 27.MAY.2014 20:21:19

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



## **11. Time of Occupancy (Dwell Time)**

### **11.1 Regulation**

According to §15.247(a)(1)(iii), frequency hopping systems in the 2400-2483.5 MHz band shall use at least 15 channels. The average time of occupancy on any channel shall not be greater than 0.4 seconds within a period of 0.4 seconds multiplied by the number of hopping channels employed. Frequency hopping systems may avoid or suppress transmissions on a particular hopping frequency provided that a minimum of 15 channels are used.

### **11.2 Limits of Carrier Frequency Separation**

The average time of occupancy on any channel shall not be greater than 0.4 seconds within a period of 0.4 seconds multiplied by the number of hopping channels employed

### **11.3 Test Procedure**

1. Check the calibration of the measuring instrument using either an internal calibrator or a known signal from an external generator.
2. Set the spectrum analyzer as follows: Span = zero span, centered on a hopping channel; RBW = 1 MHz; VBW  $\geq$  RBW; Sweep = as necessary to capture the entire dwell time per hopping channel; Detector function = peak; Trace = max hold
3. Measure the dwell time using the marker-delta function.
4. Repeat above procedures until all frequencies measured were complete.
5. Repeat this test for different modes of operation (e.g., data rate, modulation format, etc.), if applicable.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



## 11.4 Test Result

### GFSK Modulation

|             |                   |               |        |               |          |
|-------------|-------------------|---------------|--------|---------------|----------|
| EUT         | Mushroom Jumbo    |               |        | Model         | Mushroom |
| Mode        | Keep Transmitting |               |        | Input Voltage | DC3.7    |
| Temperature | 24 deg. C,        |               |        | Humidity      | 56% RH   |
| Channel     | Reading           | Hopping Rate  | Actual | Limit         |          |
| Low         | 2.96              | 266.667 hop/s | 0.316  | 0.4s          |          |
| Middle      | 2.96              | 266.667 hop/s | 0.316  | 0.4s          |          |
| High        | 2.96              | 266.667 hop/s | 0.316  | 0.4s          |          |

Actual = Reading × (Hopping rate / Number of channels) × Test period, Test period = 0.4 [seconds / channel] × 79 [channel] = 31.6 [seconds] NOTE: The EUT makes worst case 1600 hops per second or 1 time slot has a length of 625μs with 79 channels. A DH1 Packet needs 5 time slot for transmitting and 1 time slot for receiving. Then the EUT makes worst case 266.667 hops per second with 79 channels.

**Note: DH5 is the worse case**

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Test Plots:

Low Channel:



Date: 27.MAY.2014 20:56:43


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Middle Channel:



Date: 27.MAY.2014 20:57:10


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



High Channel



Date: 27.MAY.2014 20:57:38

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



#### π/4DQPSK Modulation

|             |                   |               |        |               |          |
|-------------|-------------------|---------------|--------|---------------|----------|
| EUT         | Mushroom Jumbo    |               |        | Model         | Mushroom |
| Mode        | Keep Transmitting |               |        | Input Voltage | DC3.7    |
| Temperature | 24 deg. C,        |               |        | Humidity      | 56% RH   |
| Channel     | Reading           | Hopping Rate  | Actual | Limit         |          |
| Low         | 2.96              | 266.667 hop/s | 0.316  | 0.4s          |          |
| Middle      | 2.96              | 266.667 hop/s | 0.316  | 0.4s          |          |
| High        | 2.98              | 266.667 hop/s | 0.318  | 0.4s          |          |

Actual = Reading × (Hopping rate / Number of channels) × Test period, Test period = 0.4 [seconds / channel] × 79 [channel] = 31.6 [seconds] NOTE: The EUT makes worst case 1600 hops per second or 1 time slot has a length of 625μs with 79 channels. A DH1 Packet needs 5 time slot for transmitting and 1 time slot for receiving. Then the EUT makes worst case 266.667 hops per second with 79 channels.

**Note: DH5 is the worse case**

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.





Middle Channel



Date: 27.MAY.2014 20:58:44


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



High Channel



Date: 27.MAY.2014 20:58:15

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



## 8DPSK Modulation

|             |                   |               |        |               |          |
|-------------|-------------------|---------------|--------|---------------|----------|
| EUT         | Mushroom Jumbo    |               |        | Model         | Mushroom |
| Mode        | Keep Transmitting |               |        | Input Voltage | DC3.7    |
| Temperature | 24 deg. C,        |               |        | Humidity      | 56% RH   |
| Channel     | Reading           | Hopping Rate  | Actual | Limit         |          |
| Low         | 2.98              | 266.667 hop/s | 0.318  | 0.4s          |          |
| Middle      | 2.98              | 266.667 hop/s | 0.318  | 0.4s          |          |
| High        | 2.96              | 266.667 hop/s | 0.316  | 0.4s          |          |

Actual = Reading × (Hopping rate / Number of channels) × Test period, Test period = 0.4 [seconds / channel] × 79 [channel] = 31.6 [seconds] NOTE: The EUT makes worst case 1600 hops per second or 1 time slot has a length of 625μs with 79 channels. A DH1 Packet needs 5 time slot for transmitting and 1 time slot for receiving. Then the EUT makes worst case 266.667 hops per second with 79 channels.

**Note: DH5 is the worse case**


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Low Channel



Date: 27.MAY.2014 20:59:44


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Middle Channel



Date: 27.MAY.2014 21:00:32


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



High Channel



Date: 27.MAY.2014 21:00:58

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



## 12 Out of Band Measurement

### 12.1 Test Setup



The restricted band requirement based on radiated emission test; please see the clause 6 for the test setup

### 12.2 Limits of Out of Band Emissions Measurement

1. Below  $-20\text{dB}$  of the highest emission level of operating band (in 100kHz Resolution Bandwidth).
2. Fall in the restricted bands listed in section 15.205. The maximum permitted average field strength is listed in section 15.209.

### 12.3 Test Procedure

For signals in the restricted bands above and below the 2.4-2.483GHz allocated band a measurement was made of radiated emission test. (Peak values with  $\text{RBW}=\text{VBW}=1\text{MHz}$  and PK detector. AV value with  $\text{RBW}=1\text{MHz}$ ,  $\text{VBW}=10\text{Hz}$  and PK detector)

For bandage test, the spectrum set as follows:  $\text{RBW}=\text{VBW}=100\text{ kHz}$ . A conducted measurement used

Note: 1. For band-edge measurement, the frequency from 30MHz-25GHz was tested. And It met the FCC rule.

2. This is a handheld device. The radiated emissions should be tested under 3-axes position (Lying, Side, and Stand), After pre-test. It was found that the worse radiated emission was get at the lying position.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




**Type of Modulation: GFSK**

**12.4 Out of Band Test Result**

|                                      |                      |      |               |             |
|--------------------------------------|----------------------|------|---------------|-------------|
| Product:                             | Mushroom Jumbo       |      | Test Mode:    | Low Channel |
| Mode                                 | Keeping Transmitting |      | Input Voltage | DC3.7V      |
| Temperature                          | 24 deg. C            |      | Humidity      | 56% RH      |
| Test Result:                         | Pass                 |      | Detector      | PK          |
| The Max. FS in Restrict Band 2390MHz | PK (dBμV/m)          | 36.9 | Limit         | 74(dBμV/m)  |
|                                      | AV(dBμV/m)           | --   |               | 54(dBμV/m)  |

**Test Figure:**



Date: 27.MAY.2014 20:42:42

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Type of Modulation: GFSK

12.4 Out of Band Test Result

|                                        |                      |      |               |              |
|----------------------------------------|----------------------|------|---------------|--------------|
| Product:                               | Mushroom Jumbo       |      | Test Mode:    | High Channel |
| Mode                                   | Keeping Transmitting |      | Input Voltage | DC3.7V       |
| Temperature                            | 24 deg. C,           |      | Humidity      | 56% RH       |
| Test Result:                           | Pass                 |      | Detector      | PK           |
| The Max. FS in Restrict Band 2483.5MHz | PK (dBμV/m)          | 39.6 | Limit         | 74(dBμV/m)   |
|                                        | AV(dBμV/m)           | --   |               | 54(dBμV/m)   |

Test Figure:



Date: 27.MAY.2014 20:53:36

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




### Type of Modulation: GFSK

#### 12.4 Out of Band Test Result

|                                      |                |      |               |              |
|--------------------------------------|----------------|------|---------------|--------------|
| Product:                             | Mushroom Jumbo |      | Test Mode:    | Hopping mode |
| Mode                                 | Hopping On     |      | Input Voltage | DC3.7V       |
| Temperature                          | 24 deg. C,     |      | Humidity      | 56% RH       |
| Test Result:                         | Pass           |      | Detector      | PK           |
| The Max. FS in Restrict Band 2390MHz | PK (dBμV/m)    | 37.2 | Limit         | 74(dBμV/m)   |
|                                      | AV(dBμV/m)     | --   |               | 54(dBμV/m)   |

#### Test Figure:



Date: 27.MAY.2014 20:41:27

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




**Type of Modulation: GFSK**

**12.4 Out of Band Test Result**

|                                        |                |      |               |              |
|----------------------------------------|----------------|------|---------------|--------------|
| Product:                               | Mushroom Jumbo |      | Test Mode:    | Hopping mode |
| Mode                                   | Hopping On     |      | Input Voltage | DC3.7V       |
| Temperature                            | 24 deg. C,     |      | Humidity      | 56% RH       |
| Test Result:                           | Pass           |      | Detector      | PK           |
| The Max. FS in Restrict Band 2483.5MHz | PK (dBμV/m)    | 39.2 | Limit         | 74(dBμV/m)   |
|                                        | AV(dBμV/m)     | --   |               | 54(dBμV/m)   |

**Test Figure:**



Date: 27.MAY.2014 20:55:22

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




**Type of Modulation:**  $\pi/4$ DQPSK

**12.4 Out of Band Test Result**

|                                      |                      |      |               |                  |
|--------------------------------------|----------------------|------|---------------|------------------|
| Product:                             | Mushroom Jumbo       |      | Test Mode:    | Low Channel      |
| Mode                                 | Keeping Transmitting |      | Input Voltage | DC3.7V           |
| Temperature                          | 24 deg. C            |      | Humidity      | 56% RH           |
| Test Result:                         | Pass                 |      | Detector      | PK               |
| The Max. FS in Restrict Band 2390MHz | PK (dB $\mu$ V/m)    | 37.5 | Limit         | 74(dB $\mu$ V/m) |
|                                      | AV(dB $\mu$ V/m)     | --   |               | 54(dB $\mu$ V/m) |

**Test Figure:**



Date: 27.MAY.2014 20:43:20

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Type of Modulation:  $\pi/4$ DQPSK

12.4 Out of Band Test Result

|                                        |                      |      |               |              |
|----------------------------------------|----------------------|------|---------------|--------------|
| Product:                               | Mushroom Jumbo       |      | Test Mode:    | High Channel |
| Mode                                   | Keeping Transmitting |      | Input Voltage | DC3.7V       |
| Temperature                            | 24 deg. C,           |      | Humidity      | 56% RH       |
| Test Result:                           | Pass                 |      | Detector      | PK           |
| The Max. FS in Restrict Band 2483.5MHz | PK (dBμV/m)          | 38.7 | Limit         | 74(dBμV/m)   |
|                                        | AV(dBμV/m)           | --   |               | 54(dBμV/m)   |

Test Figure:



Date: 27.MAY.2014 20:52:27

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




**Type of Modulation:**  $\pi/4$ DQPSK

**12.4 Out of Band Test Result**

|                                      |                |      |               |              |
|--------------------------------------|----------------|------|---------------|--------------|
| Product:                             | Mushroom Jumbo |      | Test Mode:    | Hopping mode |
| Mode                                 | Hopping On     |      | Input Voltage | DC3.7V       |
| Temperature                          | 24 deg. C,     |      | Humidity      | 56% RH       |
| Test Result:                         | Pass           |      | Detector      | PK           |
| The Max. FS in Restrict Band 2390MHz | PK (dBμV/m)    | 36.6 | Limit         | 74(dBμV/m)   |
|                                      | AV(dBμV/m)     | --   |               | 54(dBμV/m)   |

**Test Figure:**



Date: 27.MAY.2014 20:45:04

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




**Type of Modulation:**  $\pi/4$ DQPSK

**12.4 Out of Band Test Result**

|                                        |                   |      |               |                  |
|----------------------------------------|-------------------|------|---------------|------------------|
| Product:                               | Mushroom Jumbo    |      | Test Mode:    | Hopping mode     |
| Mode                                   | Hopping On        |      | Input Voltage | DC3.7V           |
| Temperature                            | 24 deg. C,        |      | Humidity      | 56% RH           |
| Test Result:                           | Pass              |      | Detector      | PK               |
| The Max. FS in Restrict Band 2483.5MHz | PK (dB $\mu$ V/m) | 38.4 | Limit         | 74(dB $\mu$ V/m) |
|                                        | AV(dB $\mu$ V/m)  | --   |               | 54(dB $\mu$ V/m) |

**Test Figure:**



Date: 27.MAY.2014 20:51:43

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




**Type of Modulation: 8DPSK**

**12.4 Out of Band Test Result**

|                                      |                      |      |               |             |
|--------------------------------------|----------------------|------|---------------|-------------|
| Product:                             | Mushroom Jumbo       |      | Test Mode:    | Low Channel |
| Mode                                 | Keeping Transmitting |      | Input Voltage | DC3.7V      |
| Temperature                          | 24 deg. C            |      | Humidity      | 56% RH      |
| Test Result:                         | Pass                 |      | Detector      | PK          |
| The Max. FS in Restrict Band 2390MHz | PK (dBμV/m)          | 37.5 | Limit         | 74(dBμV/m)  |
|                                      | AV(dBμV/m)           | --   |               | 54(dBμV/m)  |

**Test Figure:**



Date: 27.MAY.2014 20:47:24

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




**Type of Modulation: 8DPSK**

**12.4 Out of Band Test Result**

|                                           |                      |      |               |              |
|-------------------------------------------|----------------------|------|---------------|--------------|
| Product:                                  | Mushroom Jumbo       |      | Test Mode:    | High Channel |
| Mode                                      | Keeping Transmitting |      | Input Voltage | DC3.7V       |
| Temperature                               | 24 deg. C,           |      | Humidity      | 56% RH       |
| Test Result:                              | Pass                 |      | Detector      | PK           |
| The Max. FS in Restrict Band<br>2483.5MHz | PK (dBμV/m)          | 38.9 | Limit         | 74(dBμV/m)   |
|                                           | AV(dBμV/m)           | --   |               | 54(dBμV/m)   |

**Test Figure:**



Date: 27.MAY.2014 20:48:33

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




**Type of Modulation: 8DPSK**

**12.4 Out of Band Test Result**

|                                      |                |      |               |              |
|--------------------------------------|----------------|------|---------------|--------------|
| Product:                             | Mushroom Jumbo |      | Test Mode:    | Hopping mode |
| Mode                                 | Hopping On     |      | Input Voltage | DC3.7V       |
| Temperature                          | 24 deg. C,     |      | Humidity      | 56% RH       |
| Test Result:                         | Pass           |      | Detector      | PK           |
| The Max. FS in Restrict Band 2390MHz | PK (dBμV/m)    | 37.0 | Limit         | 74(dBμV/m)   |
|                                      | AV(dBμV/m)     | --   |               | 54(dBμV/m)   |

**Test Figure:**



Date: 27.MAY.2014 20:46:28

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




**Type of Modulation: 8DPSK**

**12.4 Out of Band Test Result**

|                                        |                |      |               |              |
|----------------------------------------|----------------|------|---------------|--------------|
| Product:                               | Mushroom Jumbo |      | Test Mode:    | Hopping mode |
| Mode                                   | Hopping On     |      | Input Voltage | DC3.7V       |
| Temperature                            | 24 deg. C,     |      | Humidity      | 56% RH       |
| Test Result:                           | Pass           |      | Detector      | PK           |
| The Max. FS in Restrict Band 2483.5MHz | PK (dBμV/m)    | 38.3 | Limit         | 74(dBμV/m)   |
|                                        | AV(dBμV/m)     | --   |               | 54(dBμV/m)   |

**Test Figure:**



Date: 27.MAY.2014 20:50:14

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



### **13.0 Antenna Requirement**

#### **13.1 Standard Applicable**

For intentional device, according to FCC 47 CFR Section 15.203, an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

And according to FCC 47 CFR Section 15.247 (b), if transmitter antennas of directional gain greater than 6 dBi are used, the power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

#### **13.2 Antenna Connected construction**

There is a PCB printed antenna, and the maximum Gain of this antenna is 1.13dBi.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




#### 14.0 FCC ID Label

**FCC ID: Z2HMS5312**

The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

##### **Mark Location:**



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



## 15.0 Photo of testing

### 15.1 Conducted test View





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

## 15.2 Emission Radiated test View



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Photos of the Product



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Photos of the Product



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Photos of the Product




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Photos of the Product





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Photos of the Product



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Photos of the Product





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Photos of the Product




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

### Additional Li-ion Battery



**End of the report**

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the. Shenzhen HCT Technology Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen HCT Technology Co.,Ltd . to his customer. Supplier or others persons directly concerned. Shenzhen HCT Technology Co.,Ltd . will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen HCT Technology Co.,Ltd . reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.