


802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 95
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47538G	63.00	68.20	-5.20	47.39	3	Horizontal	0	1.95	-	38.20	10.57	33.16
PK	15.70662G	61.55	74.00	-12.45	45.40	3	Horizontal	322	1.61	-	37.53	13.25	34.63
AV	15.70692G	48.12	54.00	-5.88	31.97	3	Horizontal	322	1.61	-	37.53	13.25	34.63

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 91
03-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	60.52	74.00	-13.48	54.23	3	Vertical	91	1.37	-	34.00	7.17	34.88
AV	5.1496G	47.52	54.00	-6.48	41.23	3	Vertical	91	1.37	-	34.00	7.17	34.88
PK	5.2654G	125.11	Inf	-Inf	118.35	3	Vertical	91	1.37	-	34.43	7.20	34.87
AV	5.2636G	112.79	Inf	-Inf	106.03	3	Vertical	91	1.37	-	34.43	7.20	34.87
PK	5.3512G	61.42	74.00	-12.58	54.59	3	Vertical	91	1.37	-	34.50	7.20	34.87
AV	5.35G	49.84	54.00	-4.16	43.01	3	Vertical	91	1.37	-	34.50	7.20	34.87

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT V_4TX
Setting 91
03-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1382G	59.67	74.00	-14.33	53.40	3	Horizontal	139	1.98	-	33.98	7.17	34.88
AV	5.149G	46.53	54.00	-7.47	40.24	3	Horizontal	139	1.98	-	34.00	7.17	34.88
PK	5.2552G	116.52	Inf	-Inf	109.78	3	Horizontal	139	1.98	-	34.41	7.20	34.87
AV	5.2546G	103.93	Inf	-Inf	97.19	3	Horizontal	139	1.98	-	34.41	7.20	34.87
PK	5.3644G	59.93	74.00	-14.07	53.07	3	Horizontal	139	1.98	-	34.53	7.20	34.87
AV	5.3632G	47.58	54.00	-6.42	40.72	3	Horizontal	139	1.98	-	34.53	7.20	34.87

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 91
03-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.522G	68.06	68.20	-0.14	52.41	3	Vertical	268	1.19	-	38.20	10.58	33.13
PK	15.77952G	60.73	74.00	-13.27	44.30	3	Vertical	359	1.80	-	37.82	13.29	34.68
AV	15.79088G	47.84	54.00	-6.16	31.37	3	Vertical	359	1.80	-	37.86	13.30	34.69

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 91
03-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5096G	60.42	68.20	-7.78	44.72	3	Horizontal	286	1.67	-	38.20	10.58	33.08
PK	15.79056G	60.57	74.00	-13.43	44.10	3	Horizontal	356	2.46	-	37.86	13.30	34.69
AV	15.78512G	47.92	54.00	-6.08	31.47	3	Horizontal	356	2.46	-	37.84	13.29	34.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 92
03-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3016G	125.83	Inf	-Inf	119.00	3	Vertical	90	1.31	-	34.50	7.20	34.87	
AV	5.2972G	113.61	Inf	-Inf	106.79	3	Vertical	90	1.31	-	34.49	7.20	34.87	
PK	5.3528G	71.70	74.00	-2.30	64.86	3	Vertical	90	1.31	-	34.51	7.20	34.87	
AV	5.35G	53.86	54.00	-0.14	47.03	3	Vertical	90	1.31	-	34.50	7.20	34.87	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 92
03-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2916G	118.29	Inf	-Inf	111.48	3	Horizontal	73	1.80	-	34.48	7.20	34.87	
AV	5.292G	106.12	Inf	-Inf	99.31	3	Horizontal	73	1.80	-	34.48	7.20	34.87	
PK	5.35G	64.28	74.00	-9.72	57.45	3	Horizontal	73	1.80	-	34.50	7.20	34.87	
AV	5.3504G	48.96	54.00	-5.04	42.13	3	Horizontal	73	1.80	-	34.50	7.20	34.87	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 92
03-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.6016G	68.48	74.00	-5.52	53.09	3	Vertical	272	1.41	-	38.20	10.59	33.40	
AV	10.60152G	53.47	54.00	-0.53	38.08	3	Vertical	272	1.41	-	38.20	10.59	33.40	
PK	15.8904G	60.45	74.00	-13.55	44.23	3	Vertical	267	1.50	-	37.63	13.35	34.76	
AV	15.89032G	47.53	54.00	-6.47	31.31	3	Vertical	267	1.50	-	37.63	13.35	34.76	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 92
03-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.60044G	62.75	74.00	-11.25	47.36	3	Horizontal	316	1.60	-	38.20	10.59	33.40	
AV	10.60096G	47.49	54.00	-6.51	32.10	3	Horizontal	316	1.60	-	38.20	10.59	33.40	
PK	15.90976G	59.80	74.00	-14.20	43.64	3	Horizontal	8	2.80	-	37.58	13.35	34.77	
AV	15.88688G	47.44	54.00	-6.56	31.21	3	Horizontal	8	2.80	-	37.64	13.34	34.75	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Y_4TX
Setting 90
03-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.317G	124.37	Inf	-Inf	117.54	3	Vertical	91	1.23	-	34.50	7.20	34.87	
AV	5.3162G	112.13	Inf	-Inf	105.30	3	Vertical	91	1.23	-	34.50	7.20	34.87	
PK	5.3528G	66.64	74.00	-7.36	59.80	3	Vertical	91	1.23	-	34.51	7.20	34.87	
AV	5.3504G	53.56	54.00	-0.44	46.73	3	Vertical	91	1.23	-	34.50	7.20	34.87	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Y_4TX
Setting 90
03-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3268G	118.76	Inf	-Inf	111.93	3	Horizontal	156	1.80	-	34.50	7.20	34.87
AV	5.3284G	106.01	Inf	-Inf	99.18	3	Horizontal	156	1.80	-	34.50	7.20	34.87
PK	5.3546G	62.89	74.00	-11.11	56.05	3	Horizontal	156	1.80	-	34.51	7.20	34.87
AV	5.35G	50.09	54.00	-3.91	43.26	3	Horizontal	156	1.80	-	34.50	7.20	34.87

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.6404G	59.72	74.00	-14.28	44.37	3	Vertical	269	1.47	-	38.28	10.60	33.53	
AV	10.64028G	46.68	54.00	-7.32	31.33	3	Vertical	269	1.47	-	38.28	10.60	33.53	
PK	15.96776G	59.89	74.00	-14.11	43.86	3	Vertical	153	2.29	-	37.46	13.38	34.81	
AV	15.95208G	47.29	54.00	-6.71	31.21	3	Vertical	153	2.29	-	37.50	13.38	34.80	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.6374G	56.94	74.00	-17.06	41.59	3	Horizontal	321	1.80	-	38.27	10.60	33.52	
AV	10.63744G	43.80	54.00	-10.20	28.45	3	Horizontal	321	1.80	-	38.27	10.60	33.52	
PK	15.9592G	59.90	74.00	-14.10	43.84	3	Horizontal	287	1.19	-	37.48	13.38	34.80	
AV	15.9524G	47.07	54.00	-6.93	30.99	3	Horizontal	287	1.19	-	37.50	13.38	34.80	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.459G	64.93	74.00	-9.07	58.01	3	Vertical	84	1.42	-	34.52	7.26	34.86	
AV	5.46G	52.66	54.00	-1.34	45.74	3	Vertical	84	1.42	-	34.52	7.26	34.86	
PK	5.4694G	67.85	68.20	-0.35	60.90	3	Vertical	84	1.42	-	34.54	7.27	34.86	
PK	5.5056G	124.88	Inf	-Inf	117.83	3	Vertical	84	1.42	-	34.60	7.31	34.86	
AV	5.5034G	112.48	Inf	-Inf	105.44	3	Vertical	84	1.42	-	34.60	7.30	34.86	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4596G	64.38	74.00	-9.62	57.46	3	Horizontal	56	1.87	-	34.52	7.26	34.86	
AV	5.46G	50.01	54.00	-3.99	43.09	3	Horizontal	56	1.87	-	34.52	7.26	34.86	
PK	5.4616G	62.95	68.20	-5.25	56.03	3	Horizontal	56	1.87	-	34.52	7.26	34.86	
PK	5.4914G	117.09	Inf	-Inf	110.08	3	Horizontal	56	1.87	-	34.58	7.29	34.86	
AV	5.491G	105.29	Inf	-Inf	98.28	3	Horizontal	56	1.87	-	34.58	7.29	34.86	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00296G	57.30	74.00	-16.70	43.02	3	Vertical	90	1.80	-	38.40	10.65	34.77
AV	10.99928G	43.69	54.00	-10.31	29.41	3	Vertical	90	1.80	-	38.40	10.65	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99824G	55.41	74.00	-18.59	41.12	3	Horizontal	70	1.40	-	38.40	10.65	34.76
AV	11.00208G	42.53	54.00	-11.47	28.25	3	Horizontal	70	1.40	-	38.40	10.65	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT V_4TX
Setting 105
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.339G	62.21	68.20	-5.99	55.38	3	Vertical	90	1.22	-	34.50	7.20	34.87
AV	5.378G	52.59	54.00	-1.41	45.70	3	Vertical	90	1.22	-	34.56	7.20	34.87
PK	5.431G	65.05	74.00	-8.95	58.14	3	Vertical	90	1.22	-	34.54	7.23	34.86
PK	5.462G	66.33	68.20	-1.87	59.41	3	Vertical	90	1.22	-	34.52	7.26	34.86
PK	5.583G	130.25	Inf	-Inf	123.15	3	Vertical	90	1.22	-	34.60	7.38	34.88
AV	5.578G	118.62	Inf	-Inf	111.52	3	Vertical	90	1.22	-	34.60	7.38	34.88
PK	5.772G	64.93	68.20	-3.27	58.25	3	Vertical	90	1.22	-	34.20	7.40	34.92

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT V_4TX
Setting 105
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.335G	60.24	68.20	-7.96	53.41	3	Horizontal	191	1.80	-	34.50	7.20	34.87
PK	5.416G	60.74	74.00	-13.26	53.82	3	Horizontal	191	1.80	-	34.57	7.22	34.87
AV	5.425G	48.33	54.00	-5.67	41.41	3	Horizontal	191	1.80	-	34.55	7.23	34.86
PK	5.463G	60.17	68.20	-8.03	53.24	3	Horizontal	191	1.80	-	34.53	7.26	34.86
PK	5.581G	121.07	Inf	-Inf	113.97	3	Horizontal	191	1.80	-	34.60	7.38	34.88
AV	5.584G	104.95	Inf	-Inf	97.85	3	Horizontal	191	1.80	-	34.60	7.38	34.88
PK	5.763G	62.87	68.20	-5.33	56.19	3	Horizontal	191	1.80	-	34.20	7.40	34.92

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 105
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.15652G	63.03	74.00	-10.97	48.60	3	Vertical	86	2.29	-	38.56	10.67	34.80	
AV	11.15886G	49.93	54.00	-4.07	35.50	3	Vertical	86	2.29	-	38.56	10.67	34.80	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 105
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15658G	60.72	74.00	-13.28	46.29	3	Horizontal	0	2.68	-	38.56	10.67	34.80
AV	11.16042G	47.05	54.00	-6.95	32.62	3	Horizontal	0	2.68	-	38.56	10.67	34.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 68
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6918G	119.54	Inf	-Inf	112.71	3	Vertical	90	1.62	-	34.33	7.40	34.90
AV	5.6976G	106.61	Inf	-Inf	99.80	3	Vertical	90	1.62	-	34.31	7.40	34.90
PK	5.7316G	67.55	68.20	-0.65	60.82	3	Vertical	90	1.62	-	34.24	7.40	34.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 68
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.708G	115.14	Inf	-Inf	108.37	3	Horizontal	166	1.46	-	34.28	7.40	34.91
AV	5.7086G	102.93	Inf	-Inf	96.16	3	Horizontal	166	1.46	-	34.28	7.40	34.91
PK	5.7256G	65.51	68.20	-2.69	58.77	3	Horizontal	166	1.46	-	34.25	7.40	34.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 68
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.41044G	56.44	74.00	-17.56	41.75	3	Vertical	328	1.80	-	38.82	10.71	34.84	
AV	11.41248G	43.12	54.00	-10.88	28.43	3	Vertical	328	1.80	-	38.82	10.71	34.84	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 68
03-D-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.39736G	55.78	74.00	-18.22	41.11	3	Horizontal	249	1.80	-	38.80	10.71	34.84
AV	11.4069G	42.79	54.00	-11.21	28.11	3	Horizontal	249	1.80	-	38.81	10.71	34.84

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_4TX
Setting 108
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4498G	59.88	74.00	-14.12	52.99	3	Vertical	96	1.23	-	34.50	7.25	34.86
AV	5.4414G	48.38	54.00	-5.62	41.48	3	Vertical	96	1.23	-	34.52	7.24	34.86
PK	5.461G	60.42	68.20	-7.78	53.50	3	Vertical	96	1.23	-	34.52	7.26	34.86
PK	5.7186G	129.50	Inf	-Inf	122.75	3	Vertical	96	1.23	-	34.26	7.40	34.91
AV	5.7284G	116.42	Inf	-Inf	109.69	3	Vertical	96	1.23	-	34.24	7.40	34.91
PK	5.8516G	65.88	68.20	-2.32	59.06	3	Vertical	96	1.23	-	34.31	7.45	34.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_4TX
Setting 108
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3812G	59.24	74.00	-14.76	52.35	3	Horizontal	190	1.85	-	34.56	7.20	34.87	
AV	5.4092G	47.31	54.00	-6.69	40.39	3	Horizontal	190	1.85	-	34.58	7.21	34.87	
PK	5.468G	58.89	68.20	-9.31	51.94	3	Horizontal	190	1.85	-	34.54	7.27	34.86	
PK	5.72G	119.91	Inf	-Inf	113.16	3	Horizontal	190	1.85	-	34.26	7.40	34.91	
AV	5.7116G	106.86	Inf	-Inf	100.09	3	Horizontal	190	1.85	-	34.28	7.40	34.91	
PK	5.85G	64.75	68.20	-3.45	57.94	3	Horizontal	190	1.85	-	34.30	7.45	34.94	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 108
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43784G	62.76	74.00	-11.24	48.01	3	Vertical	68	1.86	-	38.88	10.72	34.85
AV	11.4397G	50.20	54.00	-3.80	35.45	3	Vertical	68	1.86	-	38.88	10.72	34.85
PK	17.14764G	64.41	68.20	-3.79	43.93	3	Vertical	38	1.89	-	40.39	14.20	34.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 108
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43964G	62.07	74.00	-11.93	47.32	3	Horizontal	224	2.76	-	38.88	10.72	34.85
AV	11.4403G	49.68	54.00	-4.32	34.93	3	Horizontal	224	2.76	-	38.88	10.72	34.85
PK	17.16804G	64.40	68.20	-3.80	43.83	3	Horizontal	116	2.73	-	40.47	14.22	34.12

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 103
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	68.03	68.20	-0.17	60.98	3	Vertical	265	1.67	-	34.54	7.40	34.89
PK	5.736G	127.33	Inf	-Inf	120.61	3	Vertical	265	1.67	-	34.23	7.40	34.91
AV	5.736G	115.77	Inf	-Inf	109.05	3	Vertical	265	1.67	-	34.23	7.40	34.91
PK	5.989G	59.45	68.20	-8.75	52.03	3	Vertical	265	1.67	-	34.80	7.59	34.97

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Y_4TX
Setting 103
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.649G	61.43	68.20	-6.77	54.42	3	Horizontal	193	1.71	-	34.50	7.40	34.89	
PK	5.74G	118.08	Inf	-Inf	111.37	3	Horizontal	193	1.71	-	34.22	7.40	34.91	
AV	5.739G	105.17	Inf	-Inf	98.46	3	Horizontal	193	1.71	-	34.22	7.40	34.91	
PK	5.946G	59.37	68.20	-8.83	52.00	3	Horizontal	193	1.71	-	34.78	7.55	34.96	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 103
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.47818G	61.66	74.00	-12.34	46.84	3	Vertical	324	2.13	-	38.96	10.72	34.86	
AV	11.48136G	47.96	54.00	-6.04	33.14	3	Vertical	324	2.13	-	38.96	10.72	34.86	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 103
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48958G	60.98	74.00	-13.02	46.14	3	Horizontal	235	2.07	-	38.98	10.72	34.86
AV	11.4897G	47.41	54.00	-6.59	32.57	3	Horizontal	235	2.07	-	38.98	10.72	34.86

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.58G	64.09	68.20	-4.11	56.99	3	Vertical	264	1.30	-	34.60	7.38	34.88
PK	5.777G	127.03	Inf	-Inf	120.35	3	Vertical	264	1.30	-	34.20	7.40	34.92
AV	5.776G	115.59	Inf	-Inf	108.91	3	Vertical	264	1.30	-	34.20	7.40	34.92
PK	6.01G	59.70	68.20	-8.50	52.25	3	Vertical	264	1.30	-	34.82	7.60	34.97

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.576G	61.57	68.20	-6.63	54.47	3	Horizontal	173	1.55	-	34.60	7.38	34.88	
PK	5.781G	123.06	Inf	-Inf	116.38	3	Horizontal	173	1.55	-	34.20	7.40	34.92	
AV	5.784G	111.92	Inf	-Inf	105.24	3	Horizontal	173	1.55	-	34.20	7.40	34.92	
PK	6.012G	59.95	68.20	-8.25	52.49	3	Horizontal	173	1.55	-	34.82	7.61	34.97	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56934G	61.30	74.00	-12.70	46.17	3	Vertical	221	2.08	-	39.28	10.74	34.89
AV	11.56676G	48.90	54.00	-5.10	33.78	3	Vertical	221	2.08	-	39.27	10.74	34.89
PK	17.34702G	66.59	68.20	-1.61	45.03	3	Vertical	67	1.37	-	41.39	14.34	34.17

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5715G	61.02	74.00	-12.98	45.89	3	Horizontal	222	1.61	-	39.29	10.74	34.90
AV	11.57006G	48.38	54.00	-5.62	33.26	3	Horizontal	222	1.61	-	39.28	10.74	34.90
PK	17.34552G	67.19	68.20	-1.01	45.64	3	Horizontal	-0	1.80	-	41.38	14.34	34.17

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 108
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.618G	64.16	68.20	-4.04	57.09	3	Vertical	260	1.78	-	34.56	7.40	34.89	
PK	5.818G	125.16	Inf	-Inf	118.43	3	Vertical	260	1.78	-	34.24	7.42	34.93	
AV	5.816G	114.20	Inf	-Inf	107.48	3	Vertical	260	1.78	-	34.23	7.42	34.93	
PK	5.945G	59.67	68.20	-8.53	52.31	3	Vertical	260	1.78	-	34.78	7.54	34.96	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_V_4TX
Setting 108
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.617G	61.95	68.20	-6.25	54.87	3	Horizontal	191	1.70	-	34.57	7.40	34.89	
PK	5.818G	122.41	Inf	-Inf	115.68	3	Horizontal	191	1.70	-	34.24	7.42	34.93	
AV	5.817G	110.49	Inf	-Inf	103.77	3	Horizontal	191	1.70	-	34.23	7.42	34.93	
PK	5.942G	60.30	68.20	-7.90	52.95	3	Horizontal	191	1.70	-	34.77	7.54	34.96	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 108
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.662G	63.51	74.00	-10.49	48.30	3	Vertical	67	1.46	-	39.40	10.75	34.94	
AV	11.65408G	50.45	54.00	-3.55	35.24	3	Vertical	67	1.46	-	39.40	10.75	34.94	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 108
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.662G	64.90	74.00	-9.10	49.69	3	Horizontal	166	2.18	-	39.40	10.75	34.94
AV	11.65876G	51.50	54.00	-2.50	36.29	3	Horizontal	166	2.18	-	39.40	10.75	34.94

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Y_4TX
Setting 79
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1496G	67.70	74.00	-6.30	61.41	3	Vertical	92	1.77	-	34.00	7.17	34.88	
AV	5.1492G	53.94	54.00	-0.06	47.65	3	Vertical	92	1.77	-	34.00	7.17	34.88	
PK	5.2012G	119.01	Inf	-Inf	112.49	3	Vertical	92	1.77	-	34.20	7.20	34.88	
AV	5.2024G	106.07	Inf	-Inf	99.54	3	Vertical	92	1.77	-	34.21	7.20	34.88	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 79
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1464G	59.17	74.00	-14.83	52.89	3	Horizontal	184	2.37	-	33.99	7.17	34.88	
AV	5.15G	47.60	54.00	-6.40	41.31	3	Horizontal	184	2.37	-	34.00	7.17	34.88	
PK	5.1976G	110.10	Inf	-Inf	103.59	3	Horizontal	184	2.37	-	34.19	7.20	34.88	
AV	5.196G	96.88	Inf	-Inf	90.38	3	Horizontal	184	2.37	-	34.18	7.20	34.88	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 79
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37952G	62.01	68.20	-6.19	46.84	3	Vertical	180	1.41	-	38.18	10.56	33.57
PK	15.55518G	62.10	74.00	-11.90	45.14	3	Vertical	143	1.49	-	38.31	13.18	34.53
AV	15.5553G	47.80	54.00	-6.20	30.84	3	Vertical	143	1.49	-	38.31	13.18	34.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 79
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37982G	61.32	68.20	-6.88	46.15	3	Horizontal	316	2.38	-	38.18	10.56	33.57
PK	15.56772G	61.32	74.00	-12.68	44.45	3	Horizontal	146	1.80	-	38.23	13.18	34.54
AV	15.55848G	47.68	54.00	-6.32	30.74	3	Horizontal	146	1.80	-	38.29	13.18	34.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT V_4TX
Setting 91
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.29	74.00	-5.71	62.00	3	Vertical	96	1.80	-	34.00	7.17	34.88
AV	5.15G	53.91	54.00	-0.09	47.62	3	Vertical	96	1.80	-	34.00	7.17	34.88
PK	5.2312G	122.42	Inf	-Inf	115.78	3	Vertical	96	1.80	-	34.32	7.20	34.88
AV	5.233G	109.09	Inf	-Inf	102.44	3	Vertical	96	1.80	-	34.33	7.20	34.88
PK	5.3578G	64.27	74.00	-9.73	57.42	3	Vertical	96	1.80	-	34.52	7.20	34.87
AV	5.35G	50.19	54.00	-3.81	43.36	3	Vertical	96	1.80	-	34.50	7.20	34.87

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT V_4TX
Setting 91
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	63.94	74.00	-10.06	57.65	3	Horizontal	181	2.13	-	34.00	7.17	34.88
AV	5.15G	49.76	54.00	-4.24	43.47	3	Horizontal	181	2.13	-	34.00	7.17	34.88
PK	5.2138G	117.31	Inf	-Inf	110.73	3	Horizontal	181	2.13	-	34.26	7.20	34.88
AV	5.2126G	104.75	Inf	-Inf	98.18	3	Horizontal	181	2.13	-	34.25	7.20	34.88
PK	5.3584G	60.54	74.00	-13.46	53.69	3	Horizontal	181	2.13	-	34.52	7.20	34.87
AV	5.3578G	47.82	54.00	-6.18	40.97	3	Horizontal	181	2.13	-	34.52	7.20	34.87

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 91
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46168G	62.99	68.20	-5.21	47.44	3	Vertical	182	1.21	-	38.20	10.57	33.22
PK	15.69138G	60.95	74.00	-13.05	44.78	3	Vertical	359	1.80	-	37.54	13.25	34.62
AV	15.69582G	47.42	54.00	-6.58	31.27	3	Vertical	359	1.80	-	37.52	13.25	34.62

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Y_4TX
Setting 91
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46G	58.50	68.20	-9.70	42.95	3	Horizontal	358	2.63	-	38.20	10.57	33.22
PK	15.67842G	60.65	74.00	-13.35	44.41	3	Horizontal	360	1.40	-	37.61	13.24	34.61
AV	15.69804G	47.62	54.00	-6.38	31.48	3	Horizontal	360	1.40	-	37.51	13.25	34.62

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT V_4TX
Setting 91
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	60.67	74.00	-13.33	54.38	3	Vertical	96	1.50	-	34.00	7.17	34.88
AV	5.1482G	48.64	54.00	-5.36	42.35	3	Vertical	96	1.50	-	34.00	7.17	34.88
PK	5.2856G	123.02	Inf	-Inf	116.22	3	Vertical	96	1.50	-	34.47	7.20	34.87
AV	5.273G	110.05	Inf	-Inf	103.27	3	Vertical	96	1.50	-	34.45	7.20	34.87
PK	5.3528G	68.66	74.00	-5.34	61.82	3	Vertical	96	1.50	-	34.51	7.20	34.87
AV	5.35G	53.70	54.00	-0.30	46.87	3	Vertical	96	1.50	-	34.50	7.20	34.87

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT V_4TX
Setting 91
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1422G	59.53	74.00	-14.47	53.26	3	Horizontal	184	1.95	-	33.98	7.17	34.88
AV	5.15G	47.30	54.00	-6.70	41.01	3	Horizontal	184	1.95	-	34.00	7.17	34.88
PK	5.2748G	116.09	Inf	-Inf	109.31	3	Horizontal	184	1.95	-	34.45	7.20	34.87
AV	5.2538G	102.63	Inf	-Inf	95.89	3	Horizontal	184	1.95	-	34.41	7.20	34.87
PK	5.351G	64.56	74.00	-9.44	57.73	3	Horizontal	184	1.95	-	34.50	7.20	34.87
AV	5.351G	49.88	54.00	-4.12	43.05	3	Horizontal	184	1.95	-	34.50	7.20	34.87

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 91
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54564G	64.78	68.20	-3.42	49.21	3	Vertical	264	1.31	-	38.20	10.58	33.21
PK	15.80154G	61.71	74.00	-12.29	45.21	3	Vertical	360	1.80	-	37.90	13.30	34.70
AV	15.79782G	47.70	54.00	-6.30	31.20	3	Vertical	360	1.80	-	37.89	13.30	34.69

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 91
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54012G	59.66	68.20	-8.54	44.07	3	Horizontal	285	1.80	-	38.20	10.58	33.19
PK	15.8013G	61.05	74.00	-12.95	44.54	3	Horizontal	130	1.68	-	37.90	13.30	34.69
AV	15.79686G	47.67	54.00	-6.33	31.17	3	Horizontal	130	1.68	-	37.89	13.30	34.69

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 75
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3164G	117.35	Inf	-Inf	110.52	3	Vertical	87	1.85	-	34.50	7.20	34.87
AV	5.294G	105.19	Inf	-Inf	98.37	3	Vertical	87	1.85	-	34.49	7.20	34.87
PK	5.3572G	69.13	74.00	-4.87	62.29	3	Vertical	87	1.85	-	34.51	7.20	34.87
AV	5.35G	53.98	54.00	-0.02	47.15	3	Vertical	87	1.85	-	34.50	7.20	34.87

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Y_4TX
Setting 75
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3152G	109.51	Inf	-Inf	102.68	3	Horizontal	183	1.80	-	34.50	7.20	34.87	
AV	5.292G	96.45	Inf	-Inf	89.64	3	Horizontal	183	1.80	-	34.48	7.20	34.87	
PK	5.3536G	61.86	74.00	-12.14	55.02	3	Horizontal	183	1.80	-	34.51	7.20	34.87	
AV	5.35G	49.57	54.00	-4.43	42.74	3	Horizontal	183	1.80	-	34.50	7.20	34.87	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Y_4TX
Setting 75
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.62156G	57.45	74.00	-16.55	42.09	3	Vertical	259	1.03	-	38.24	10.59	33.47	
AV	10.61406G	44.15	54.00	-9.85	28.77	3	Vertical	259	1.03	-	38.23	10.59	33.44	
PK	15.92694G	60.80	74.00	-13.20	44.67	3	Vertical	142	1.80	-	37.55	13.36	34.78	
AV	15.9213G	47.29	54.00	-6.71	31.15	3	Vertical	142	1.80	-	37.56	13.36	34.78	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Y_4TX
Setting 75
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6074G	56.58	74.00	-17.42	41.20	3	Horizontal	295	1.50	-	38.21	10.59	33.42
AV	10.61058G	43.22	54.00	-10.78	27.84	3	Horizontal	295	1.50	-	38.22	10.59	33.43
PK	15.93102G	60.78	74.00	-13.22	44.65	3	Horizontal	265	1.51	-	37.54	13.37	34.78
AV	15.91782G	47.25	54.00	-6.75	31.10	3	Horizontal	265	1.51	-	37.56	13.36	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 85
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	67.06	74.00	-6.94	60.14	3	Vertical	86	1.78	-	34.52	7.26	34.86
AV	5.4596G	52.31	54.00	-1.69	45.39	3	Vertical	86	1.78	-	34.52	7.26	34.86
PK	5.4672G	67.77	68.20	-0.43	60.83	3	Vertical	86	1.78	-	34.53	7.27	34.86
PK	5.5112G	120.08	Inf	-Inf	113.03	3	Vertical	86	1.78	-	34.60	7.31	34.86
AV	5.5276G	107.31	Inf	-Inf	100.25	3	Vertical	86	1.78	-	34.60	7.33	34.87

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_V_4TX
Setting 85
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.418G	62.30	74.00	-11.70	55.38	3	Horizontal	179	1.80	-	34.56	7.22	34.86	
PK	5.468G	64.10	68.20	-4.10	57.15	3	Horizontal	179	1.80	-	34.54	7.27	34.86	
AV	5.46G	49.90	54.00	-4.10	42.98	3	Horizontal	179	1.80	-	34.52	7.26	34.86	
PK	5.4936G	110.63	Inf	-Inf	103.61	3	Horizontal	179	1.80	-	34.59	7.29	34.86	
AV	5.496G	96.83	Inf	-Inf	89.80	3	Horizontal	179	1.80	-	34.59	7.30	34.86	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 85
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01064G	55.43	74.00	-18.57	41.14	3	Vertical	96	1.80	-	38.41	10.65	34.77
AV	11.02666G	42.13	54.00	-11.87	27.82	3	Vertical	96	1.80	-	38.43	10.65	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 85
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.02768G	55.37	74.00	-18.63	41.06	3	Horizontal	347	1.80	-	38.43	10.65	34.77	
AV	11.00614G	41.94	54.00	-12.06	27.65	3	Horizontal	347	1.80	-	38.41	10.65	34.77	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4552G	66.53	74.00	-7.47	59.62	3	Vertical	268	1.80	-	34.51	7.26	34.86	
AV	5.4594G	51.00	54.00	-3.00	44.08	3	Vertical	268	1.80	-	34.52	7.26	34.86	
PK	5.4684G	67.88	68.20	-0.32	60.93	3	Vertical	268	1.80	-	34.54	7.27	34.86	
PK	5.5374G	119.76	Inf	-Inf	112.69	3	Vertical	268	1.80	-	34.60	7.34	34.87	
AV	5.547G	107.65	Inf	-Inf	100.57	3	Vertical	268	1.80	-	34.60	7.35	34.87	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_V_4TX
Setting 90
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.448G	61.56	74.00	-12.44	54.67	3	Horizontal	172	2.03	-	34.50	7.25	34.86	
PK	5.460G	65.28	68.20	-2.92	58.36	3	Horizontal	172	2.03	-	34.52	7.26	34.86	
AV	5.46G	48.74	54.00	-5.26	41.82	3	Horizontal	172	2.03	-	34.52	7.26	34.86	
PK	5.556G	113.66	Inf	-Inf	106.57	3	Horizontal	172	2.03	-	34.60	7.36	34.87	
AV	5.568G	96.39	Inf	-Inf	89.29	3	Horizontal	172	2.03	-	34.60	7.37	34.87	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.08938G	56.97	74.00	-17.03	42.61	3	Vertical	99	1.80	-	38.49	10.66	34.79
AV	11.10096G	43.23	54.00	-10.77	28.85	3	Vertical	99	1.80	-	38.50	10.67	34.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10252G	55.92	74.00	-18.08	41.54	3	Horizontal	-0	1.76	-	38.50	10.67	34.79
AV	11.10684G	42.15	54.00	-11.85	27.76	3	Horizontal	-0	1.76	-	38.51	10.67	34.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 77
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.47G	58.35	68.20	-9.85	51.40	3	Vertical	267	1.95	-	34.54	7.27	34.86	
PK	5.6788G	118.56	Inf	-Inf	111.68	3	Vertical	267	1.95	-	34.38	7.40	34.90	
AV	5.6788G	106.19	Inf	-Inf	99.31	3	Vertical	267	1.95	-	34.38	7.40	34.90	
PK	5.7356G	67.91	68.20	-0.29	61.19	3	Vertical	267	1.95	-	34.23	7.40	34.91	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 77
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.47G	58.58	68.20	-9.62	51.63	3	Horizontal	178	1.80	-	34.54	7.27	34.86	
PK	5.6764G	111.18	Inf	-Inf	104.29	3	Horizontal	178	1.80	-	34.39	7.40	34.90	
AV	5.6596G	96.00	Inf	-Inf	89.04	3	Horizontal	178	1.80	-	34.46	7.40	34.90	
PK	5.7316G	62.39	68.20	-5.81	55.66	3	Horizontal	178	1.80	-	34.24	7.40	34.91	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 77
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.33634G	57.31	74.00	-16.69	42.70	3	Vertical	356	1.80	-	38.74	10.70	34.83	
AV	11.33298G	42.33	54.00	-11.67	27.73	3	Vertical	356	1.80	-	38.73	10.70	34.83	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 77
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3373G	55.71	74.00	-18.29	41.10	3	Horizontal	18	1.15	-	38.74	10.70	34.83
AV	11.3373G	42.12	54.00	-11.88	27.51	3	Horizontal	18	1.15	-	38.74	10.70	34.83

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 104
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4566G	61.28	74.00	-12.72	54.37	3	Vertical	272	1.78	-	34.51	7.26	34.86
PK	5.4608G	60.86	68.20	-7.34	53.94	3	Vertical	272	1.78	-	34.52	7.26	34.86
AV	5.4594G	49.31	54.00	-4.69	42.39	3	Vertical	272	1.78	-	34.52	7.26	34.86
PK	5.703G	124.49	Inf	-Inf	117.70	3	Vertical	272	1.78	-	34.29	7.40	34.90
AV	5.703G	112.88	Inf	-Inf	106.09	3	Vertical	272	1.78	-	34.29	7.40	34.90
PK	5.85G	67.95	68.20	-0.25	61.14	3	Vertical	272	1.78	-	34.30	7.45	34.94

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_4TX
Setting 104
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4566G	60.50	74.00	-13.50	53.59	3	Horizontal	168	1.80	-	34.51	7.26	34.86
AV	5.4538G	47.37	54.00	-6.63	40.47	3	Horizontal	168	1.80	-	34.51	7.25	34.86
PK	5.4636G	59.42	68.20	-8.78	52.49	3	Horizontal	168	1.80	-	34.53	7.26	34.86
PK	5.7184G	117.43	Inf	-Inf	110.68	3	Horizontal	168	1.80	-	34.26	7.40	34.91
AV	5.7282G	104.66	Inf	-Inf	97.93	3	Horizontal	168	1.80	-	34.24	7.40	34.91
PK	5.85G	65.16	68.20	-3.04	58.35	3	Horizontal	168	1.80	-	34.30	7.45	34.94

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 104
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41646G	58.90	74.00	-15.10	44.20	3	Vertical	125	1.63	-	38.83	10.71	34.84
AV	11.43434G	44.70	54.00	-9.30	29.96	3	Vertical	125	1.63	-	38.87	10.72	34.85
PK	17.14026G	63.86	68.20	-4.34	43.41	3	Vertical	360	2.16	-	40.36	14.20	34.11

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 104
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41988G	58.64	74.00	-15.36	43.94	3	Horizontal	242	1.79	-	38.84	10.71	34.85
AV	11.4191G	44.55	54.00	-9.45	29.85	3	Horizontal	242	1.79	-	38.84	10.71	34.85
PK	17.13804G	65.30	68.20	-2.90	44.86	3	Horizontal	55	1.87	-	40.35	14.20	34.11

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 101
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.647G	67.47	68.20	-0.73	60.45	3	Vertical	261	1.78	-	34.51	7.40	34.89	
PK	5.759G	122.47	Inf	-Inf	115.79	3	Vertical	261	1.78	-	34.20	7.40	34.92	
AV	5.739G	110.42	Inf	-Inf	103.71	3	Vertical	261	1.78	-	34.22	7.40	34.91	
PK	5.93G	59.74	68.20	-8.46	52.44	3	Vertical	261	1.78	-	34.72	7.53	34.95	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Y_4TX
Setting 101
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.648G	64.14	68.20	-4.06	57.13	3	Horizontal	173	1.80	-	34.50	7.40	34.89	
PK	5.762G	117.41	Inf	-Inf	110.73	3	Horizontal	173	1.80	-	34.20	7.40	34.92	
AV	5.756G	104.32	Inf	-Inf	97.64	3	Horizontal	173	1.80	-	34.20	7.40	34.92	
PK	5.947G	59.16	68.20	-9.04	51.78	3	Horizontal	173	1.80	-	34.79	7.55	34.96	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 101
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.5097G	58.82	74.00	-15.18	43.91	3	Vertical	223	2.09	-	39.04	10.73	34.86	
AV	11.51222G	45.09	54.00	-8.91	30.18	3	Vertical	223	2.09	-	39.05	10.73	34.87	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 101
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.51G	61.83	74.00	-12.17	46.93	3	Horizontal	234	2.13	-	39.04	10.73	34.87	
AV	11.50712G	44.77	54.00	-9.23	29.87	3	Horizontal	234	2.13	-	39.03	10.73	34.86	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 103
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	67.60	68.20	-0.60	60.56	3	Vertical	270	1.67	-	34.53	7.40	34.89
PK	5.8G	122.50	Inf	-Inf	115.83	3	Vertical	270	1.67	-	34.20	7.40	34.93
AV	5.783G	110.73	Inf	-Inf	104.05	3	Vertical	270	1.67	-	34.20	7.40	34.92
PK	5.99G	59.89	68.20	-8.31	52.47	3	Vertical	270	1.67	-	34.80	7.59	34.97

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 103
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.646G	62.18	68.20	-6.02	55.16	3	Horizontal	145	1.80	-	34.51	7.40	34.89	
PK	5.791G	116.19	Inf	-Inf	109.51	3	Horizontal	145	1.80	-	34.20	7.40	34.92	
AV	5.785G	101.50	Inf	-Inf	94.82	3	Horizontal	145	1.80	-	34.20	7.40	34.92	
PK	6.037G	59.59	68.20	-8.61	52.07	3	Horizontal	145	1.80	-	34.87	7.62	34.97	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 103
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58982G	61.77	74.00	-12.23	46.57	3	Vertical	312	1.63	-	39.36	10.74	34.90
AV	11.57524G	45.36	54.00	-8.64	30.22	3	Vertical	312	1.63	-	39.30	10.74	34.90

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 103
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5897G	61.65	74.00	-12.35	46.45	3	Horizontal	227	2.11	-	39.36	10.74	34.90
AV	11.59012G	45.78	54.00	-8.22	30.59	3	Horizontal	227	2.11	-	39.36	10.74	34.91

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 78
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	65.57	74.00	-8.43	59.29	3	Vertical	98	1.94	-	33.99	7.17	34.88
AV	5.147G	53.75	54.00	-0.25	47.47	3	Vertical	98	1.94	-	33.99	7.17	34.88
PK	5.213G	115.86	Inf	-Inf	109.29	3	Vertical	98	1.94	-	34.25	7.20	34.88
AV	5.219G	102.71	Inf	-Inf	96.11	3	Vertical	98	1.94	-	34.28	7.20	34.88
PK	5.372G	61.92	74.00	-12.08	55.05	3	Vertical	98	1.94	-	34.54	7.20	34.87
AV	5.35G	49.58	54.00	-4.42	42.75	3	Vertical	98	1.94	-	34.50	7.20	34.87

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_V_4TX
Setting 78
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	60.04	74.00	-13.96	53.76	3	Horizontal	116	1.46	-	33.99	7.17	34.88
AV	5.149G	48.06	54.00	-5.94	41.77	3	Horizontal	116	1.46	-	34.00	7.17	34.88
PK	5.235G	105.67	Inf	-Inf	99.01	3	Horizontal	116	1.46	-	34.34	7.20	34.88
AV	5.235G	94.37	Inf	-Inf	87.71	3	Horizontal	116	1.46	-	34.34	7.20	34.88
PK	5.408G	60.45	74.00	-13.55	53.53	3	Horizontal	116	1.46	-	34.58	7.21	34.87
AV	5.371G	47.38	54.00	-6.62	40.51	3	Horizontal	116	1.46	-	34.54	7.20	34.87

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 78
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41424G	59.40	68.20	-8.80	44.06	3	Vertical	185	1.46	-	38.20	10.56	33.42
PK	15.6339G	61.42	74.00	-12.58	44.95	3	Vertical	107	1.82	-	37.83	13.22	34.58
AV	15.6366G	47.67	54.00	-6.33	31.21	3	Vertical	107	1.82	-	37.82	13.22	34.58

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 78
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4056G	57.53	68.20	-10.67	42.23	3	Horizontal	169	1.80	-	38.20	10.56	33.46
PK	15.62952G	61.18	74.00	-12.82	44.70	3	Horizontal	214	1.93	-	37.85	13.21	34.58
AV	15.63234G	47.57	54.00	-6.43	31.09	3	Horizontal	214	1.93	-	37.84	13.22	34.58

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT V_4TX
Setting 71
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	58.56	74.00	-15.44	52.27	3	Vertical	96	1.80	-	34.00	7.17	34.88
AV	5.147G	47.02	54.00	-6.98	40.74	3	Vertical	96	1.80	-	33.99	7.17	34.88
PK	5.281G	114.30	Inf	-Inf	107.51	3	Vertical	96	1.80	-	34.46	7.20	34.87
AV	5.274G	101.22	Inf	-Inf	94.44	3	Vertical	96	1.80	-	34.45	7.20	34.87
PK	5.357G	64.98	74.00	-9.02	58.14	3	Vertical	96	1.80	-	34.51	7.20	34.87
AV	5.35G	53.88	54.00	-0.12	47.05	3	Vertical	96	1.80	-	34.50	7.20	34.87
PK	5.504G	60.23	68.20	-7.97	53.19	3	Vertical	96	1.80	-	34.60	7.30	34.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_V_4TX
Setting 71
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.139G	58.54	74.00	-15.46	52.27	3	Horizontal	187	2.01	-	33.98	7.17	34.88
AV	5.15G	46.09	54.00	-7.91	39.80	3	Horizontal	187	2.01	-	34.00	7.17	34.88
PK	5.255G	105.23	Inf	-Inf	98.49	3	Horizontal	187	2.01	-	34.41	7.20	34.87
AV	5.253G	92.33	Inf	-Inf	85.59	3	Horizontal	187	2.01	-	34.41	7.20	34.87
PK	5.393G	60.14	74.00	-13.86	53.22	3	Horizontal	187	2.01	-	34.59	7.20	34.87
AV	5.35G	48.06	54.00	-5.94	41.23	3	Horizontal	187	2.01	-	34.50	7.20	34.87
PK	5.536G	59.91	68.20	-8.29	52.84	3	Horizontal	187	2.01	-	34.60	7.34	34.87

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 71
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.56806G	57.49	68.20	-10.71	41.98	3	Vertical	186	1.12	-	38.20	10.59	33.28
PK	15.85704G	63.08	74.00	-10.92	46.75	3	Vertical	308	1.80	-	37.73	13.33	34.73
AV	15.8646G	47.67	54.00	-6.33	31.37	3	Vertical	308	1.80	-	37.71	13.33	34.74

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 71
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5695G	56.75	68.20	-11.45	41.25	3	Horizontal	18	1.81	-	38.20	10.59	33.29
PK	15.88008G	61.06	74.00	-12.94	44.81	3	Horizontal	151	1.80	-	37.66	13.34	34.75
AV	15.87474G	47.63	54.00	-6.37	31.35	3	Horizontal	151	1.80	-	37.68	13.34	34.74

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_V_4TX
Setting 90
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.348G	62.56	68.20	-5.64	55.73	3	Vertical	264	2.46	-	34.50	7.20	34.87
PK	5.455G	68.08	74.00	-5.92	61.18	3	Vertical	264	2.46	-	34.51	7.25	34.86
AV	5.457G	53.85	54.00	-0.15	46.94	3	Vertical	264	2.46	-	34.51	7.26	34.86
PK	5.464G	67.78	68.20	-0.42	60.85	3	Vertical	264	2.46	-	34.53	7.26	34.86
PK	5.547G	115.94	Inf	-Inf	108.86	3	Vertical	264	2.46	-	34.60	7.35	34.87
AV	5.546G	103.79	Inf	-Inf	96.71	3	Vertical	264	2.46	-	34.60	7.35	34.87
PK	5.729G	62.42	68.20	-5.78	55.69	3	Vertical	264	2.46	-	34.24	7.40	34.91

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT V_4TX
Setting 90
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.294G	60.15	68.20	-8.05	53.33	3	Horizontal	71	1.80	-	34.49	7.20	34.87
PK	5.46G	66.67	74.00	-7.33	59.75	3	Horizontal	71	1.80	-	34.52	7.26	34.86
AV	5.459G	53.09	54.00	-0.91	46.17	3	Horizontal	71	1.80	-	34.52	7.26	34.86
PK	5.47G	67.43	68.20	-0.77	60.48	3	Horizontal	71	1.80	-	34.54	7.27	34.86
PK	5.562G	108.42	Inf	-Inf	101.33	3	Horizontal	71	1.80	-	34.60	7.36	34.87
AV	5.529G	95.83	Inf	-Inf	88.77	3	Horizontal	71	1.80	-	34.60	7.33	34.87
PK	5.771G	59.66	68.20	-8.54	52.98	3	Horizontal	71	1.80	-	34.20	7.40	34.92

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.06426G	56.43	74.00	-17.57	42.09	3	Vertical	277	1.39	-	38.46	10.66	34.78	
AV	11.04734G	42.31	54.00	-11.69	27.98	3	Vertical	277	1.39	-	38.45	10.66	34.78	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06642G	55.79	74.00	-18.21	41.44	3	Horizontal	334	1.80	-	38.47	10.66	34.78
AV	11.05808G	42.14	54.00	-11.86	27.80	3	Horizontal	334	1.80	-	38.46	10.66	34.78

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 76
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	62.02	74.00	-11.98	55.10	3	Vertical	268	1.65	-	34.52	7.26	34.86
AV	5.458G	49.20	54.00	-4.80	42.28	3	Vertical	268	1.65	-	34.52	7.26	34.86
PK	5.464G	61.83	68.20	-6.37	54.90	3	Vertical	268	1.65	-	34.53	7.26	34.86
PK	5.619G	116.54	Inf	-Inf	109.47	3	Vertical	268	1.65	-	34.56	7.40	34.89
AV	5.616G	103.47	Inf	-Inf	96.39	3	Vertical	268	1.65	-	34.57	7.40	34.89
PK	5.728G	67.82	68.20	-0.38	61.09	3	Vertical	268	1.65	-	34.24	7.40	34.91

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_V_4TX
Setting 76
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.404G	60.66	74.00	-13.34	53.74	3	Horizontal	167	1.80	-	34.59	7.20	34.87
AV	5.429G	47.80	54.00	-6.20	40.89	3	Horizontal	167	1.80	-	34.54	7.23	34.86
PK	5.462G	59.05	68.20	-9.15	52.13	3	Horizontal	167	1.80	-	34.52	7.26	34.86
PK	5.639G	110.85	Inf	-Inf	103.82	3	Horizontal	167	1.80	-	34.52	7.40	34.89
AV	5.598G	97.20	Inf	-Inf	90.08	3	Horizontal	167	1.80	-	34.60	7.40	34.88
PK	5.728G	62.67	68.20	-5.53	55.94	3	Horizontal	167	1.80	-	34.24	7.40	34.91

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 76
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.22038G	55.89	74.00	-18.11	41.40	3	Vertical	110	1.70	-	38.62	10.68	34.81	
AV	11.22048G	42.04	54.00	-11.96	27.55	3	Vertical	110	1.70	-	38.62	10.68	34.81	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 76
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21969G	56.37	74.00	-17.63	41.88	3	Horizontal	189	1.04	-	38.62	10.68	34.81
AV	11.22002G	42.01	54.00	-11.99	27.52	3	Horizontal	189	1.04	-	38.62	10.68	34.81

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 93
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	63.11	74.00	-10.89	56.20	3	Vertical	269	1.60	-	34.51	7.26	34.86
AV	5.4596G	50.66	54.00	-3.34	43.74	3	Vertical	269	1.60	-	34.52	7.26	34.86
PK	5.468G	63.53	68.20	-4.67	56.58	3	Vertical	269	1.60	-	34.54	7.27	34.86
PK	5.6996G	122.16	Inf	-Inf	115.36	3	Vertical	269	1.60	-	34.30	7.40	34.90
AV	5.7008G	108.83	Inf	-Inf	102.03	3	Vertical	269	1.60	-	34.30	7.40	34.90
PK	5.852G	67.87	68.20	-0.33	61.05	3	Vertical	269	1.60	-	34.31	7.45	34.94

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_4TX
Setting 93
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	60.07	74.00	-13.93	53.17	3	Horizontal	220	1.80	-	34.51	7.25	34.86
AV	5.45G	47.36	54.00	-6.64	40.47	3	Horizontal	220	1.80	-	34.50	7.25	34.86
PK	5.4632G	60.03	68.20	-8.17	53.10	3	Horizontal	220	1.80	-	34.53	7.26	34.86
PK	5.7104G	114.25	Inf	-Inf	107.48	3	Horizontal	220	1.80	-	34.28	7.40	34.91
AV	5.714G	101.83	Inf	-Inf	95.07	3	Horizontal	220	1.80	-	34.27	7.40	34.91
PK	5.85G	62.14	68.20	-6.06	55.33	3	Horizontal	220	1.80	-	34.30	7.45	34.94

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 93
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37984G	55.48	74.00	-18.52	40.83	3	Vertical	23	2.85	-	38.78	10.71	34.84
AV	11.37966G	42.24	54.00	-11.76	27.59	3	Vertical	23	2.85	-	38.78	10.71	34.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 93
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37961G	56.21	74.00	-17.79	41.56	3	Horizontal	344	1.15	-	38.78	10.71	34.84
AV	11.37969G	42.30	54.00	-11.70	27.65	3	Horizontal	344	1.15	-	38.78	10.71	34.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 91
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.65G	68.14	68.20	-0.06	61.13	3	Vertical	269	1.58	-	34.50	7.40	34.89	
PK	5.763G	118.90	Inf	-Inf	112.22	3	Vertical	269	1.58	-	34.20	7.40	34.92	
AV	5.763G	105.90	Inf	-Inf	99.22	3	Vertical	269	1.58	-	34.20	7.40	34.92	
PK	5.984G	59.58	68.20	-8.62	52.17	3	Vertical	269	1.58	-	34.80	7.58	34.97	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 91
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.635G	62.69	68.20	-5.51	55.65	3	Horizontal	172	1.42	-	34.53	7.40	34.89	
PK	5.76G	114.64	Inf	-Inf	107.96	3	Horizontal	172	1.42	-	34.20	7.40	34.92	
AV	5.761G	102.32	Inf	-Inf	95.64	3	Horizontal	172	1.42	-	34.20	7.40	34.92	
PK	5.974G	60.43	68.20	-7.77	53.02	3	Horizontal	172	1.42	-	34.80	7.57	34.96	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 91
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.55002G	56.80	74.00	-17.20	41.76	3	Vertical	128	1.95	-	39.20	10.73	34.89	
AV	11.54962G	43.01	54.00	-10.99	27.96	3	Vertical	128	1.95	-	39.20	10.73	34.88	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 91
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55042G	56.51	74.00	-17.49	41.47	3	Horizontal	271	2.41	-	39.20	10.73	34.89
AV	11.54956G	43.08	54.00	-10.92	28.03	3	Horizontal	271	2.41	-	39.20	10.73	34.88

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_V_4TX
Setting 60
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.141G	61.92	74.00	-12.08	55.65	3	Vertical	93	1.77	-	33.98	7.17	34.88
AV	5.147G	48.23	54.00	-5.77	41.95	3	Vertical	93	1.77	-	33.99	7.17	34.88
PK	5.283G	112.25	Inf	-Inf	105.45	3	Vertical	93	1.77	-	34.47	7.20	34.87
AV	5.274G	98.42	Inf	-Inf	91.64	3	Vertical	93	1.77	-	34.45	7.20	34.87
PK	5.356G	66.47	74.00	-7.53	59.63	3	Vertical	93	1.77	-	34.51	7.20	34.87
AV	5.35G	53.87	54.00	-0.13	47.04	3	Vertical	93	1.77	-	34.50	7.20	34.87

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_V_4TX
Setting 60
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.134G	59.36	74.00	-14.64	53.10	3	Horizontal	178	1.77	-	33.97	7.17	34.88
AV	5.15G	46.56	54.00	-7.44	40.27	3	Horizontal	178	1.77	-	34.00	7.17	34.88
PK	5.22G	105.35	Inf	-Inf	98.75	3	Horizontal	178	1.77	-	34.28	7.20	34.88
AV	5.218G	92.91	Inf	-Inf	86.32	3	Horizontal	178	1.77	-	34.27	7.20	34.88
PK	5.374G	61.82	74.00	-12.18	54.94	3	Horizontal	178	1.77	-	34.55	7.20	34.87
AV	5.364G	48.62	54.00	-5.38	41.76	3	Horizontal	178	1.77	-	34.53	7.20	34.87

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT Y_4TX
Setting 60
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74964G	60.87	74.00	-13.13	44.56	3	Vertical	237	1.97	-	37.70	13.27	34.66
AV	15.75024G	47.21	54.00	-6.79	30.89	3	Vertical	237	1.97	-	37.70	13.28	34.66

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT Y_4TX
Setting 60
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7497G	60.98	74.00	-13.02	44.67	3	Horizontal	39	2.74	-	37.70	13.27	34.66
AV	15.75004G	47.11	54.00	-6.89	30.79	3	Horizontal	39	2.74	-	37.70	13.28	34.66

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT V_4TX
Setting 70
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	70.30	74.00	-3.70	63.39	3	Vertical	97	1.30	-	34.51	7.26	34.86
AV	5.46G	50.43	54.00	-3.57	43.51	3	Vertical	97	1.30	-	34.52	7.26	34.86
PK	5.464G	67.97	68.20	-0.23	61.04	3	Vertical	97	1.30	-	34.53	7.26	34.86
PK	5.598G	112.20	Inf	-Inf	105.08	3	Vertical	97	1.30	-	34.60	7.40	34.88
AV	5.596G	100.16	Inf	-Inf	93.04	3	Vertical	97	1.30	-	34.60	7.40	34.88
PK	5.727G	66.98	68.20	-1.22	60.24	3	Vertical	97	1.30	-	34.25	7.40	34.91

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_V_4TX
Setting 70
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	64.09	74.00	-9.91	57.20	3	Horizontal	147	1.65	-	34.51	7.24	34.86
AV	5.451G	48.63	54.00	-5.37	41.74	3	Horizontal	147	1.65	-	34.50	7.25	34.86
PK	5.462G	67.76	68.20	-0.44	60.84	3	Horizontal	147	1.65	-	34.52	7.26	34.86
PK	5.589G	105.08	Inf	-Inf	97.97	3	Horizontal	147	1.65	-	34.60	7.39	34.88
AV	5.589G	92.87	Inf	-Inf	85.76	3	Horizontal	147	1.65	-	34.60	7.39	34.88
PK	5.725G	65.28	68.20	-2.92	58.54	3	Horizontal	147	1.65	-	34.25	7.40	34.91

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT Y_4TX
Setting 70
03-D-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.14016G	56.01	74.00	-17.99	41.60	3	Vertical	43	2.85	-	38.54	10.67	34.80
AV	11.14005G	41.80	54.00	-12.20	27.39	3	Vertical	43	2.85	-	38.54	10.67	34.80

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT Y_4TX
Setting 70
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13978G	55.26	74.00	-18.74	40.85	3	Horizontal	84	1.15	-	38.54	10.67	34.80
AV	11.14025G	41.86	54.00	-12.14	27.45	3	Horizontal	84	1.15	-	38.54	10.67	34.80