


Test_Mode	802.11 g Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/5.28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1574.305	13.51	35.51	49.02	74.00	24.98	PASS	Vertical	PK
2	2810.5207	17.26	37.49	54.75	74.00	19.25	PASS	Vertical	PK
3	5016.1344	-8.09	48.73	40.64	74.00	33.36	PASS	Vertical	PK
4	8188.3459	-1.36	46.71	45.35	74.00	28.65	PASS	Vertical	PK
5	13189.6793	6.35	43.29	49.64	74.00	24.36	PASS	Vertical	PK
6	17897.9932	14.99	38.29	53.28	74.00	20.72	PASS	Vertical	PK
7	2809.854	17.27	18.38	35.65	54.00	18.35	PASS	Vertical	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/5.28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18855.8142	-26.28	63.01	36.73	74.00	37.27	PASS	Horizontal	PK
2	19930.2572	-24.83	61.25	36.42	74.00	37.58	PASS	Horizontal	PK
3	21563.0025	-25.77	61.31	35.54	74.00	38.46	PASS	Horizontal	PK
4	22783.3113	-25.05	59.54	34.49	74.00	39.51	PASS	Horizontal	PK
5	24051.222	-22.12	58.48	36.36	74.00	37.64	PASS	Horizontal	PK
6	25133.4853	-21.40	57.06	35.66	74.00	38.34	PASS	Horizontal	PK

Test_Mode	802.11 g Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/5.28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18858.5343	-26.28	62.50	36.22	74.00	37.78	PASS	Vertical	PK
2	20747.6499	-25.76	61.18	35.42	74.00	38.58	PASS	Vertical	PK
3	22140.0056	-25.53	60.61	35.08	74.00	38.92	PASS	Vertical	PK
4	23415.0566	-23.52	58.66	35.14	74.00	38.86	PASS	Vertical	PK
5	25069.2228	-21.76	57.06	35.30	74.00	38.70	PASS	Vertical	PK
6	26020.9208	-20.95	58.11	37.16	74.00	36.84	PASS	Vertical	PK

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/5/5.28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1562.4375	13.50	37.02	50.52	74.00	23.48	PASS	Horizontal	PK
2	2956.2638	17.70	37.41	55.11	74.00	18.89	PASS	Horizontal	PK
3	3817.0545	-12.31	54.14	41.83	74.00	32.17	PASS	Horizontal	PK
4	6212.2141	-4.68	47.30	42.62	74.00	31.38	PASS	Horizontal	PK
5	9899.46	1.46	43.32	44.78	74.00	29.22	PASS	Horizontal	PK
6	17779.9853	16.22	36.97	53.19	74.00	20.81	PASS	Horizontal	PK
7	2941.4628	17.65	17.99	35.64	54.00	18.36	PASS	Horizontal	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/5/5.28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1641.5094	14.04	36.56	50.60	74.00	23.40	PASS	Vertical	PK
2	2740.116	16.86	36.87	53.73	74.00	20.27	PASS	Vertical	PK
3	3751.0501	-12.85	53.34	40.49	74.00	33.51	PASS	Vertical	PK
4	6142.2095	-4.83	46.37	41.54	74.00	32.46	PASS	Vertical	PK
5	10707.5138	2.46	42.68	45.14	74.00	28.86	PASS	Vertical	PK
6	17750.9834	16.87	37.74	54.61	74.00	19.39	PASS	Vertical	PK
7	17773.9849	16.35	19.87	36.22	54.00	17.78	PASS	Vertical	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/5/5.28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18527.7011	-26.69	62.96	36.27	74.00	37.73	PASS	Horizontal	PK
2	19789.1516	-25.25	60.28	35.03	74.00	38.97	PASS	Horizontal	PK
3	21065.2226	-25.92	60.31	34.39	74.00	39.61	PASS	Horizontal	PK
4	22279.0712	-25.28	58.84	33.56	74.00	40.44	PASS	Horizontal	PK
5	23718.3487	-22.63	56.83	34.20	74.00	39.80	PASS	Horizontal	PK
6	25194.0078	-21.07	56.09	35.02	74.00	38.98	PASS	Horizontal	PK

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/5/5.28


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18558.9824	-26.69	62.22	35.53	74.00	38.47	PASS	Vertical	PK
2	19811.5925	-25.20	60.58	35.38	74.00	38.62	PASS	Vertical	PK
3	21085.9634	-25.89	60.74	34.85	74.00	39.15	PASS	Vertical	PK
4	22561.2825	-25.02	59.08	34.06	74.00	39.94	PASS	Vertical	PK
5	24393.2757	-21.71	55.65	33.94	74.00	40.06	PASS	Vertical	PK
6	25751.2901	-20.79	56.25	35.46	74.00	38.54	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/5/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1550.0367	13.49	35.79	49.28	74.00	24.72	PASS	Horizontal	PK
2	2663.7109	16.98	37.15	54.13	74.00	19.87	PASS	Horizontal	PK
3	3812.0541	-12.35	53.70	41.35	74.00	32.65	PASS	Horizontal	PK
4	5531.1687	-6.37	49.83	43.46	74.00	30.54	PASS	Horizontal	PK
5	9357.4238	1.06	43.90	44.96	74.00	29.04	PASS	Horizontal	PK
6	16957.9305	13.19	39.46	52.65	74.00	21.35	PASS	Horizontal	PK
7	2698.7799	17.08	18.40	35.48	54.00	18.52	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/5/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1249.75	11.63	37.66	49.29	74.00	24.71	PASS	Vertical	PK
2	2790.5194	17.30	37.07	54.37	74.00	19.63	PASS	Vertical	PK
3	4077.0718	-11.15	51.05	39.90	74.00	34.10	PASS	Vertical	PK
4	7582.3055	-2.16	45.40	43.24	74.00	30.76	PASS	Vertical	PK
5	12626.6418	4.57	44.79	49.36	74.00	24.64	PASS	Vertical	PK
6	16919.928	13.31	40.14	53.45	74.00	20.55	PASS	Vertical	PK
7	2801.7201	17.24	17.98	35.22	54.00	18.78	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/5/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19084.3034	-26.18	61.45	35.27	74.00	38.73	PASS	Horizontal	PK
2	19984.3194	-24.66	59.50	34.84	74.00	39.16	PASS	Horizontal	PK
3	20861.2144	-25.76	59.98	34.22	74.00	39.78	PASS	Horizontal	PK
4	21955.3782	-25.75	60.30	34.55	74.00	39.45	PASS	Horizontal	PK
5	23068.9228	-25.19	58.34	33.15	74.00	40.85	PASS	Horizontal	PK
6	24535.4014	-21.81	54.97	33.16	74.00	40.84	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/5/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19082.9433	-26.18	60.75	34.57	74.00	39.43	PASS	Vertical	PK
2	20093.4637	-25.04	60.24	35.20	74.00	38.80	PASS	Vertical	PK
3	21861.1944	-25.62	60.49	34.87	74.00	39.13	PASS	Vertical	PK
4	23601.3841	-23.06	57.70	34.64	74.00	39.36	PASS	Vertical	PK
5	25129.0652	-21.43	55.13	33.70	74.00	40.30	PASS	Vertical	PK
6	26062.4025	-21.04	55.18	34.14	74.00	39.86	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1661.7775	13.78	36.00	49.78	74.00	24.22	PASS	Horizontal	PK
2	2839.1893	17.50	36.25	53.75	74.00	20.25	PASS	Horizontal	PK
3	3823.0549	-12.27	54.06	41.79	74.00	32.21	PASS	Horizontal	PK
4	6719.248	-3.33	45.28	41.95	74.00	32.05	PASS	Horizontal	PK
5	10600.5067	2.11	43.16	45.27	74.00	28.73	PASS	Horizontal	PK
6	17438.9626	13.74	39.77	53.51	74.00	20.49	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1620.4414	13.70	36.47	50.17	74.00	23.83	PASS	Vertical	PK
2	2800.3867	17.24	36.65	53.89	74.00	20.11	PASS	Vertical	PK
3	3788.0525	-12.54	54.45	41.91	74.00	32.09	PASS	Vertical	PK
4	6053.2035	-5.04	46.39	41.35	74.00	32.65	PASS	Vertical	PK
5	11187.5458	2.16	44.66	46.82	74.00	27.18	PASS	Vertical	PK
6	17857.9905	15.91	37.70	53.61	74.00	20.39	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19139.7256	-26.12	61.35	35.23	74.00	38.77	PASS	Horizontal	PK
2	20010.1604	-24.67	59.42	34.75	74.00	39.25	PASS	Horizontal	PK
3	21209.3884	-25.76	60.36	34.60	74.00	39.40	PASS	Horizontal	PK
4	22422.5569	-25.09	59.04	33.95	74.00	40.05	PASS	Horizontal	PK
5	23824.773	-22.28	56.98	34.70	74.00	39.30	PASS	Horizontal	PK
6	25648.946	-20.74	56.02	35.28	74.00	38.72	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/30

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19299.872	-25.84	60.89	35.05	74.00	38.95	PASS	Vertical	PK
2	20519.1608	-25.83	59.62	33.79	74.00	40.21	PASS	Vertical	PK
3	22293.0117	-25.26	58.18	32.92	74.00	41.08	PASS	Vertical	PK
4	24002.6001	-21.95	57.75	35.80	74.00	38.20	PASS	Vertical	PK
5	24957.6983	-22.10	55.02	32.92	74.00	41.08	PASS	Vertical	PK
6	26083.4833	-21.09	55.18	34.09	74.00	39.91	PASS	Vertical	PK