


Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/5/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1622.9749	13.74	36.99	50.73	74.00	23.27	PASS	Horizontal	PK
2	2786.2524	17.22	37.05	54.27	74.00	19.73	PASS	Horizontal	PK
3	4234.0823	-10.71	52.12	41.41	74.00	32.59	PASS	Horizontal	PK
4	5877.1918	-5.56	47.81	42.25	74.00	31.75	PASS	Horizontal	PK
5	11288.5526	2.43	43.93	46.36	74.00	27.64	PASS	Horizontal	PK
6	17709.9807	15.81	37.49	53.30	74.00	20.70	PASS	Horizontal	PK
7	2793.4529	17.28	18.28	35.56	54.00	18.44	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/5/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1505.2337	13.31	36.88	50.19	74.00	23.81	PASS	Vertical	PK
2	2673.8449	17.11	36.66	53.77	74.00	20.23	PASS	Vertical	PK
3	3847.0565	-12.10	54.83	42.73	74.00	31.27	PASS	Vertical	PK
4	6033.2022	-5.14	46.34	41.20	74.00	32.80	PASS	Vertical	PK
5	10275.485	1.93	43.74	45.67	74.00	28.33	PASS	Vertical	PK
6	17834.989	15.99	37.69	53.68	74.00	20.32	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/5/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19098.5839	-26.17	60.96	34.79	74.00	39.21	PASS	Horizontal	PK
2	20372.9549	-25.48	59.86	34.38	74.00	39.62	PASS	Horizontal	PK
3	21845.8938	-25.59	60.92	35.33	74.00	38.67	PASS	Horizontal	PK
4	23392.6157	-23.58	57.70	34.12	74.00	39.88	PASS	Horizontal	PK
5	24854.6742	-22.01	56.54	34.53	74.00	39.47	PASS	Horizontal	PK
6	25970.2588	-20.89	55.21	34.32	74.00	39.68	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/5/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18673.5669	-26.54	61.53	34.99	74.00	39.01	PASS	Vertical	PK
2	19955.7582	-24.76	60.46	35.70	74.00	38.30	PASS	Vertical	PK
3	21349.814	-25.85	60.28	34.43	74.00	39.57	PASS	Vertical	PK
4	22852.6741	-25.22	58.49	33.27	74.00	40.73	PASS	Vertical	PK
5	24294.3318	-22.19	55.71	33.52	74.00	40.48	PASS	Vertical	PK
6	25824.393	-20.83	57.03	36.20	74.00	37.80	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Remark:	/	Test_Date	2026/5/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1453.0969	13.05	35.59	48.64	74.00	25.36	PASS	Horizontal	PK
2	2668.3779	17.09	36.99	54.08	74.00	19.92	PASS	Horizontal	PK
3	4780.1187	-8.62	49.12	40.50	74.00	33.50	PASS	Horizontal	PK
4	7720.3147	-1.58	45.57	43.99	74.00	30.01	PASS	Horizontal	PK
5	13693.7129	7.28	43.23	50.51	74.00	23.49	PASS	Horizontal	PK
6	17741.9828	16.67	37.26	53.93	74.00	20.07	PASS	Horizontal	PK
7	2681.9788	17.12	18.40	35.52	54.00	18.48	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Remark:	/	Test_Date	2026/5/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1402.8269	12.82	36.90	49.72	74.00	24.28	PASS	Vertical	PK
2	2882.9255	17.46	36.37	53.83	74.00	20.17	PASS	Vertical	PK
3	4324.0883	-10.10	51.09	40.99	74.00	33.01	PASS	Vertical	PK
4	7790.3194	-1.96	47.13	45.17	74.00	28.83	PASS	Vertical	PK
5	13243.6829	6.23	43.39	49.62	74.00	24.38	PASS	Vertical	PK
6	17751.9835	16.84	36.46	53.30	74.00	20.70	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Remark:	/	Test_Date	2026/5/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19164.8866	-26.10	60.55	34.45	74.00	39.55	PASS	Horizontal	PK
2	20468.8388	-25.68	59.75	34.07	74.00	39.93	PASS	Horizontal	PK
3	21857.7943	-25.61	60.33	34.72	74.00	39.28	PASS	Horizontal	PK
4	23314.7526	-23.86	58.27	34.41	74.00	39.59	PASS	Horizontal	PK
5	24559.2024	-21.83	55.96	34.13	74.00	39.87	PASS	Horizontal	PK
6	25744.8298	-20.79	56.33	35.54	74.00	38.46	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Remark:	/	Test_Date	2026/5/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19525.981	-25.60	60.48	34.88	74.00	39.12	PASS	Vertical	PK
2	20964.2386	-25.94	59.77	33.83	74.00	40.17	PASS	Vertical	PK
3	22542.9217	-25.02	60.18	35.16	74.00	38.84	PASS	Vertical	PK
4	23883.9354	-22.17	57.51	35.34	74.00	38.66	PASS	Vertical	PK
5	24899.556	-22.05	55.49	33.44	74.00	40.56	PASS	Vertical	PK
6	25711.5085	-20.77	57.21	36.44	74.00	37.56	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1641.1094	14.04	35.89	49.93	74.00	24.07	PASS	Horizontal	PK
2	2921.1947	17.57	36.38	53.95	74.00	20.05	PASS	Horizontal	PK
3	4297.0865	-10.14	53.35	43.21	74.00	30.79	PASS	Horizontal	PK
4	7856.3238	-1.58	45.70	44.12	74.00	29.88	PASS	Horizontal	PK
5	13714.7143	7.24	43.23	50.47	74.00	23.53	PASS	Horizontal	PK
6	17857.9905	15.91	37.44	53.35	74.00	20.65	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1649.2433	14.02	35.84	49.86	74.00	24.14	PASS	Vertical	PK
2	2965.9977	17.87	36.82	54.69	74.00	19.31	PASS	Vertical	PK
3	4856.1237	-8.44	50.80	42.36	74.00	31.64	PASS	Vertical	PK
4	7755.317	-1.50	45.77	44.27	74.00	29.73	PASS	Vertical	PK
5	11980.5987	3.12	46.07	49.19	74.00	24.81	PASS	Vertical	PK
6	17965.9977	16.50	37.72	54.22	74.00	19.78	PASS	Vertical	PK
7	2975.7317	17.90	18.21	36.11	54.00	17.89	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19036.0214	-26.23	61.00	34.77	74.00	39.23	PASS	Horizontal	PK
2	20252.9301	-25.50	61.34	35.84	74.00	38.16	PASS	Horizontal	PK
3	21864.5946	-25.62	60.49	34.87	74.00	39.13	PASS	Horizontal	PK
4	23305.9122	-23.90	58.51	34.61	74.00	39.39	PASS	Horizontal	PK
5	24407.5563	-21.69	56.18	34.49	74.00	39.51	PASS	Horizontal	PK
6	25886.9555	-20.85	57.86	37.01	74.00	36.99	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19014.2606	-26.26	61.78	35.52	74.00	38.48	PASS	Vertical	PK
2	20384.1754	-25.48	60.58	35.10	74.00	38.90	PASS	Vertical	PK
3	21754.0902	-25.58	59.61	34.03	74.00	39.97	PASS	Vertical	PK
4	23187.2475	-24.36	58.95	34.59	74.00	39.41	PASS	Vertical	PK
5	24376.2751	-21.80	56.25	34.45	74.00	39.55	PASS	Vertical	PK
6	25825.753	-20.83	56.73	35.90	74.00	38.10	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Remark:	/	Test_Date	2026/5/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1783.9189	14.25	36.45	50.70	74.00	23.30	PASS	Horizontal	PK
2	2940.9294	17.65	35.83	53.48	74.00	20.52	PASS	Horizontal	PK
3	4379.0919	-10.08	51.01	40.93	74.00	33.07	PASS	Horizontal	PK
4	8522.3682	-0.54	45.59	45.05	74.00	28.95	PASS	Horizontal	PK
5	13191.6794	6.35	43.56	49.91	74.00	24.09	PASS	Horizontal	PK
6	17773.9849	16.35	37.26	53.61	74.00	20.39	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Remark:	/	Test_Date	2026/5/30

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBuV]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Result	Polarity	Remark
1	1602.4402	13.74	35.85	49.59	74.00	24.41	PASS	Vertical	PK
2	2659.0439	16.90	36.86	53.76	74.00	20.24	PASS	Vertical	PK
3	4221.0814	-10.83	52.71	41.88	74.00	32.12	PASS	Vertical	PK
4	6618.2412	-3.94	44.92	40.98	74.00	33.02	PASS	Vertical	PK
5	9835.4557	1.29	44.61	45.90	74.00	28.10	PASS	Vertical	PK
6	17307.9539	14.15	39.28	53.43	74.00	20.57	PASS	Vertical	PK