


|           |                          |                |           |
|-----------|--------------------------|----------------|-----------|
| Test_Mode | 802.11 a<br>Transmitting | Test_Frequency | 5785MHz   |
| Remark:   | /                        | Test_Date      | 2026/5/30 |

Test Graph




| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 1692.3677   | 14.12       | 34.13          | 48.25          | 74.00          | 25.75       | PASS   | Vertical | PK     |
| 2              | 3064.5626   | 18.36       | 34.12          | 52.48          | 68.20          | 15.72       | PASS   | Vertical | PK     |
| 3              | 6078.2431   | 27.61       | 32.99          | 60.60          | 68.20          | 7.60        | PASS   | Vertical | PK     |
| 4              | 7344.1422   | -2.78       | 49.46          | 46.68          | 74.00          | 27.32       | PASS   | Vertical | PK     |
| 5              | 11279.064   | 2.41        | 45.97          | 48.38          | 74.00          | 25.62       | PASS   | Vertical | PK     |
| 6              | 17583.1042  | 14.04       | 41.50          | 55.54          | 68.20          | 12.66       | PASS   | Vertical | PK     |
| 7              | 6121.1448   | 28.02       | 9.17           | 37.19          | 54.00          | 16.81       | PASS   | Vertical | AV     |
| 8              | 17569.8785  | 13.98       | 25.38          | 39.36          | 54.00          | 14.64       | PASS   | Vertical | AV     |



|           |                          |                |           |
|-----------|--------------------------|----------------|-----------|
| Test_Mode | 802.11 a<br>Transmitting | Test_Frequency | 5785MHz   |
| Remark:   | /                        | Test_Date      | 2026/5/30 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 20156.0862  | -25.31      | 58.00          | 32.69          | 74.00          | 41.31       | PASS   | Vertical | PK     |
| 2              | 23397.2559  | -23.57      | 56.58          | 33.01          | 68.20          | 35.19       | PASS   | Vertical | PK     |
| 3              | 26282.8913  | -21.28      | 54.67          | 33.39          | 68.20          | 34.81       | PASS   | Vertical | PK     |
| 4              | 29315.4926  | -21.38      | 53.96          | 32.58          | 68.20          | 35.62       | PASS   | Vertical | PK     |
| 5              | 31811.2725  | -19.94      | 52.17          | 32.23          | 68.20          | 35.97       | PASS   | Vertical | PK     |
| 6              | 35516.2206  | -16.13      | 47.54          | 31.41          | 68.20          | 36.79       | PASS   | Vertical | PK     |

|           |                          |                |           |
|-----------|--------------------------|----------------|-----------|
| Test_Mode | 802.11 a<br>Transmitting | Test_Frequency | 5825MHz   |
| Remark:   | /                        | Test_Date      | 2026/5/30 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 1954.8382   | 14.87       | 33.67          | 48.54          | 68.20          | 19.66       | PASS   | Horizontal | PK     |
| 2              | 3448.4779   | 19.37       | 32.42          | 51.79          | 68.20          | 16.41       | PASS   | Horizontal | PK     |
| 3              | 5551.102    | 26.89       | 33.75          | 60.64          | 68.20          | 7.56        | PASS   | Horizontal | PK     |
| 4              | 7245.8123   | -2.82       | 51.66          | 48.84          | 68.20          | 19.36       | PASS   | Horizontal | PK     |
| 5              | 10413.6457  | 1.91        | 45.35          | 47.26          | 68.20          | 20.94       | PASS   | Horizontal | PK     |
| 6              | 17577.3539  | 14.01       | 40.73          | 54.74          | 68.20          | 13.46       | PASS   | Horizontal | PK     |
| 7              | 5549.782    | 26.93       | 9.60           | 36.53          | 54.00          | 17.47       | PASS   | Horizontal | AV     |
| 8              | 17570.4535  | 13.98       | 24.95          | 38.93          | 54.00          | 15.07       | PASS   | Horizontal | AV     |

|           |                          |                |           |
|-----------|--------------------------|----------------|-----------|
| Test_Mode | 802.11 a<br>Transmitting | Test_Frequency | 5825MHz   |
| Remark:   | /                        | Test_Date      | 2026/5/30 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 1773.5509   | 14.49       | 33.80          | 48.29          | 68.20          | 19.91       | PASS   | Vertical | PK     |
| 2              | 3437.0375   | 19.42       | 32.57          | 51.99          | 68.20          | 16.21       | PASS   | Vertical | PK     |
| 3              | 6353.9142   | 28.50       | 31.74          | 60.24          | 68.20          | 7.96        | PASS   | Vertical | PK     |
| 4              | 7716.1858   | -1.79       | 48.14          | 46.35          | 74.00          | 27.65       | PASS   | Vertical | PK     |
| 5              | 11594.1797  | 2.33        | 44.98          | 47.31          | 74.00          | 26.69       | PASS   | Vertical | PK     |
| 6              | 17658.4329  | 14.54       | 40.49          | 55.03          | 68.20          | 13.17       | PASS   | Vertical | PK     |
| 7              | 6382.0753   | 28.24       | 9.43           | 37.67          | 54.00          | 16.33       | PASS   | Vertical | AV     |
| 8              | 17571.6036  | 13.98       | 24.91          | 38.89          | 54.00          | 15.11       | PASS   | Vertical | AV     |

|           |                          |                |           |
|-----------|--------------------------|----------------|-----------|
| Test_Mode | 802.11 a<br>Transmitting | Test_Frequency | 5825MHz   |
| Remark:   | /                        | Test_Date      | 2026/5/30 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 20046.9619  | -24.83      | 57.90          | 33.07          | 74.00          | 40.93       | PASS   | Horizontal | PK     |
| 2              | 22383.4553  | -25.12      | 57.43          | 32.31          | 74.00          | 41.69       | PASS   | Horizontal | PK     |
| 3              | 25262.9305  | -21.17      | 55.66          | 34.49          | 68.20          | 33.71       | PASS   | Horizontal | PK     |
| 4              | 28013.0405  | -21.21      | 54.78          | 33.57          | 68.20          | 34.63       | PASS   | Horizontal | PK     |
| 5              | 31907.1963  | -20.26      | 52.45          | 32.19          | 68.20          | 36.01       | PASS   | Horizontal | PK     |
| 6              | 36109.3644  | -16.98      | 46.60          | 29.62          | 68.20          | 38.58       | PASS   | Horizontal | PK     |

|           |                          |                |           |
|-----------|--------------------------|----------------|-----------|
| Test_Mode | 802.11 a<br>Transmitting | Test_Frequency | 5825MHz   |
| Remark:   | /                        | Test_Date      | 2026/5/30 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 19996.7999  | -24.63      | 57.95          | 33.32          | 74.00          | 40.68       | PASS   | Vertical | PK     |
| 2              | 23513.4205  | -23.27      | 55.43          | 32.16          | 68.20          | 36.04       | PASS   | Vertical | PK     |
| 3              | 26356.8143  | -21.21      | 54.37          | 33.16          | 68.20          | 35.04       | PASS   | Vertical | PK     |
| 4              | 29919.1968  | -21.03      | 52.86          | 31.83          | 68.20          | 36.37       | PASS   | Vertical | PK     |
| 5              | 32429.0572  | -18.16      | 53.12          | 34.96          | 68.20          | 33.24       | PASS   | Vertical | PK     |
| 6              | 35632.3853  | -16.26      | 47.52          | 31.26          | 68.20          | 36.94       | PASS   | Vertical | PK     |

|           |                                |                |           |
|-----------|--------------------------------|----------------|-----------|
| Test_Mode | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 5755MHz   |
| Remark:   | /                              | Test_Date      | 2026/5/30 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 1970.8988   | 14.76       | 34.14          | 48.90          | 68.20          | 19.30       | PASS   | Horizont | PK     |
| 2              | 3596.1038   | 19.80       | 33.53          | 53.33          | 68.20          | 14.87       | PASS   | Horizont | PK     |
| 3              | 5368.7147   | 27.94       | 32.48          | 60.42          | 74.00          | 13.58       | PASS   | Horizont | PK     |
| 4              | 7221.0861   | -3.10       | 51.01          | 47.91          | 68.20          | 20.29       | PASS   | Horizont | PK     |
| 5              | 11864.4432  | 3.10        | 46.77          | 49.87          | 74.00          | 24.13       | PASS   | Horizont | PK     |
| 6              | 17640.607   | 14.29       | 41.19          | 55.48          | 68.20          | 12.72       | PASS   | Horizont | PK     |
| 7              | 5328.4531   | 27.86       | 9.06           | 36.92          | 54.00          | 17.08       | PASS   | Horizont | AV     |
| 8              | 17557.2279  | 13.92       | 24.38          | 38.30          | 54.00          | 15.70       | PASS   | Horizont | AV     |

|           |                                |                |           |
|-----------|--------------------------------|----------------|-----------|
| Test_Mode | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 5755MHz   |
| Remark:   | /                              | Test_Date      | 2026/5/30 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 1919.6368   | 14.92       | 33.86          | 48.78          | 68.20          | 19.42       | PASS   | Vertical | PK     |
| 2              | 3201.4081   | 18.38       | 34.16          | 52.54          | 68.20          | 15.66       | PASS   | Vertical | PK     |
| 3              | 5272.3509   | 27.74       | 31.88          | 59.62          | 68.20          | 8.58        | PASS   | Vertical | PK     |
| 4              | 7716.1858   | -1.79       | 47.80          | 46.01          | 74.00          | 27.99       | PASS   | Vertical | PK     |
| 5              | 12495.2498  | 4.39        | 45.39          | 49.78          | 74.00          | 24.22       | PASS   | Vertical | PK     |
| 6              | 17002.9001  | 12.66       | 42.53          | 55.19          | 68.20          | 13.01       | PASS   | Vertical | PK     |
| 7              | 5329.1132   | 27.86       | 8.85           | 36.71          | 54.00          | 17.29       | PASS   | Vertical | AV     |
| 8              | 17032.8016  | 12.46       | 28.53          | 40.99          | 54.00          | 13.01       | PASS   | Vertical | AV     |

|           |                                |                |           |
|-----------|--------------------------------|----------------|-----------|
| Test_Mode | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 5755MHz   |
| Remark:   | /                              | Test_Date      | 2026/5/30 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 20227.3691  | -25.51      | 57.56          | 32.05          | 74.00          | 41.95       | PASS   | Horizontal | PK     |
| 2              | 23727.2691  | -22.60      | 55.50          | 32.90          | 74.00          | 41.10       | PASS   | Horizontal | PK     |
| 3              | 26951.7181  | -21.77      | 55.04          | 33.27          | 68.20          | 34.93       | PASS   | Horizontal | PK     |
| 4              | 30450.738   | -20.40      | 53.40          | 33.00          | 68.20          | 35.20       | PASS   | Horizontal | PK     |
| 5              | 34118.7247  | -17.60      | 49.07          | 31.47          | 68.20          | 36.73       | PASS   | Horizontal | PK     |
| 6              | 37547.3419  | -15.11      | 46.12          | 31.01          | 68.20          | 37.19       | PASS   | Horizontal | PK     |

|           |                                |                |           |
|-----------|--------------------------------|----------------|-----------|
| Test_Mode | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 5755MHz   |
| Remark:   | /                              | Test_Date      | 2026/5/30 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 20032.8813  | -24.77      | 57.80          | 33.03          | 74.00          | 40.97       | PASS   | Vertical | PK     |
| 2              | 22739.8696  | -25.04      | 56.61          | 31.57          | 74.00          | 42.43       | PASS   | Vertical | PK     |
| 3              | 25721.4289  | -20.78      | 54.02          | 33.24          | 68.20          | 34.96       | PASS   | Vertical | PK     |
| 4              | 28937.0775  | -21.36      | 53.79          | 32.43          | 68.20          | 35.77       | PASS   | Vertical | PK     |
| 5              | 32418.4967  | -18.12      | 51.15          | 33.03          | 68.20          | 35.17       | PASS   | Vertical | PK     |
| 6              | 36266.0106  | -16.74      | 48.25          | 31.51          | 68.20          | 36.69       | PASS   | Vertical | PK     |

|           |                                |                |           |
|-----------|--------------------------------|----------------|-----------|
| Test_Mode | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 5795MHz   |
| Remark:   | /                              | Test_Date      | 2026/5/30 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2230.7292   | 15.68       | 34.10          | 49.78          | 74.00          | 24.22       | PASS   | Horizontal | PK     |
| 2              | 3805.7722   | 20.68       | 33.07          | 53.75          | 74.00          | 20.25       | PASS   | Horizontal | PK     |
| 3              | 6390.4356   | 28.34       | 33.72          | 62.06          | 68.20          | 6.14        | PASS   | Horizontal | PK     |
| 4              | 9167.5584   | 0.19        | 46.36          | 46.55          | 74.00          | 27.45       | PASS   | Horizontal | PK     |
| 5              | 13747.6624  | 7.23        | 43.75          | 50.98          | 68.20          | 17.22       | PASS   | Horizontal | PK     |
| 6              | 17585.9793  | 14.06       | 41.87          | 55.93          | 68.20          | 12.27       | PASS   | Horizontal | PK     |
| 7              | 6418.1567   | 28.12       | 9.88           | 38.00          | 54.00          | 16.00       | PASS   | Horizontal | AV     |
| 8              | 17579.654   | 14.02       | 25.03          | 39.05          | 54.00          | 14.95       | PASS   | Horizontal | AV     |

|           |                                |                |           |
|-----------|--------------------------------|----------------|-----------|
| Test_Mode | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 5795MHz   |
| Remark:   | /                              | Test_Date      | 2026/5/30 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2021.2809   | 14.70       | 33.79          | 48.49          | 68.20          | 19.71       | PASS   | Vertical | PK     |
| 2              | 3536.2614   | 19.42       | 32.94          | 52.36          | 68.20          | 15.84       | PASS   | Vertical | PK     |
| 3              | 6119.8248   | 28.01       | 33.66          | 61.67          | 68.20          | 6.53        | PASS   | Vertical | PK     |
| 4              | 8466.5983   | -0.74       | 47.46          | 46.72          | 74.00          | 27.28       | PASS   | Vertical | PK     |
| 5              | 12702.2601  | 4.80        | 44.04          | 48.84          | 68.20          | 19.36       | PASS   | Vertical | PK     |
| 6              | 17720.536   | 15.71       | 39.83          | 55.54          | 74.00          | 18.46       | PASS   | Vertical | PK     |

|           |                                |                |           |
|-----------|--------------------------------|----------------|-----------|
| Test_Mode | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 5795MHz   |
| Remark:   | /                              | Test_Date      | 2026/5/30 |

Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBµV] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 20005.6002  | -24.64      | 57.87          | 33.23          | 74.00          | 40.77       | PASS   | Horizontal | PK     |
| 2              | 23814.3926  | -22.30      | 54.37          | 32.07          | 74.00          | 41.93       | PASS   | Horizontal | PK     |
| 3              | 26538.1015  | -21.13      | 52.79          | 31.66          | 68.20          | 36.54       | PASS   | Horizontal | PK     |
| 4              | 30160.3264  | -21.28      | 49.23          | 27.95          | 68.20          | 40.25       | PASS   | Horizontal | PK     |
| 5              | 33676.067   | -17.51      | 47.15          | 29.64          | 68.20          | 38.56       | PASS   | Horizontal | PK     |
| 6              | 38094.7238  | -14.60      | 39.26          | 24.66          | 68.20          | 43.54       | PASS   | Horizontal | PK     |