


|           |      |                |           |
|-----------|------|----------------|-----------|
| Test_Mode | lora | Test_Frequency | 923.9MHz  |
| Remark:   | /    | Test_Date      | 2026/5/30 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 1395.0395   | -21.72      | 59.44          | 37.72          | 74.00          | 36.28       | PASS   | Horizontal | PK     |
| 2              | 2039.704    | -19.38      | 58.26          | 38.88          | 74.00          | 35.12       | PASS   | Horizontal | PK     |
| 3              | 3054.0054   | -14.41      | 53.35          | 38.94          | 74.00          | 35.06       | PASS   | Horizontal | PK     |
| 4              | 5094.2094   | -7.63       | 48.49          | 40.86          | 74.00          | 33.14       | PASS   | Horizontal | PK     |
| 5              | 7843.9844   | -1.68       | 46.34          | 44.66          | 74.00          | 29.34       | PASS   | Horizontal | PK     |
| 6              | 13670.5671  | 7.37        | 42.97          | 50.34          | 74.00          | 23.66       | PASS   | Horizontal | PK     |

|           |      |                |           |
|-----------|------|----------------|-----------|
| Test_Mode | lora | Test_Frequency | 923.9MHz  |
| Remark:   | /    | Test_Date      | 2026/5/30 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 1454.2454   | -21.60      | 62.77          | 41.17          | 74.00          | 32.83       | PASS   | Vertical | PK     |
| 2              | 2460.5461   | -17.55      | 63.99          | 46.44          | 74.00          | 27.56       | PASS   | Vertical | PK     |
| 3              | 3186.0186   | -14.50      | 57.35          | 42.85          | 74.00          | 31.15       | PASS   | Vertical | PK     |
| 4              | 4894.6895   | -8.31       | 50.45          | 42.14          | 74.00          | 31.86       | PASS   | Vertical | PK     |
| 5              | 7755.4755   | -1.50       | 46.57          | 45.07          | 74.00          | 28.93       | PASS   | Vertical | PK     |
| 6              | 13684.0684  | 7.31        | 42.83          | 50.14          | 74.00          | 23.86       | PASS   | Vertical | PK     |

|           |      |                |           |
|-----------|------|----------------|-----------|
| Test_Mode | lora | Test_Frequency | 923.9MHz  |
| Remark:   | /    | Test_Date      | 2026/5/30 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 18949.998   | -26.28      | 62.73          | 36.45          | 74.00          | 37.55       | PASS   | Horizontal | PK     |
| 2              | 20085.9834  | -25.00      | 59.43          | 34.43          | 74.00          | 39.57       | PASS   | Horizontal | PK     |
| 3              | 21389.5956  | -25.87      | 60.25          | 34.38          | 74.00          | 39.62       | PASS   | Horizontal | PK     |
| 4              | 22912.1765  | -25.40      | 58.35          | 32.95          | 74.00          | 41.05       | PASS   | Horizontal | PK     |
| 5              | 24479.9792  | -21.76      | 54.27          | 32.51          | 74.00          | 41.49       | PASS   | Horizontal | PK     |
| 6              | 25931.8373  | -20.87      | 56.34          | 35.47          | 74.00          | 38.53       | PASS   | Horizontal | PK     |

|           |      |                |           |
|-----------|------|----------------|-----------|
| Test_Mode | lora | Test_Frequency | 923.9MHz  |
| Remark:   | /    | Test_Date      | 2026/5/30 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 18796.6519  | -26.30      | 62.05          | 35.75          | 74.00          | 38.25       | PASS   | Vertical | PK     |
| 2              | 19993.1597  | -24.64      | 59.85          | 35.21          | 74.00          | 38.79       | PASS   | Vertical | PK     |
| 3              | 21487.1795  | -25.82      | 60.14          | 34.32          | 74.00          | 39.68       | PASS   | Vertical | PK     |
| 4              | 22980.8592  | -25.62      | 58.10          | 32.48          | 74.00          | 41.52       | PASS   | Vertical | PK     |
| 5              | 24219.1888  | -22.54      | 56.42          | 33.88          | 74.00          | 40.12       | PASS   | Vertical | PK     |
| 6              | 25808.4123  | -20.83      | 56.57          | 35.74          | 74.00          | 38.26       | PASS   | Vertical | PK     |

|           |      |                |           |
|-----------|------|----------------|-----------|
| Test_Mode | lora | Test_Frequency | 924.5MHz  |
| Remark:   | /    | Test_Date      | 2026/5/30 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 1390.439    | -21.75      | 60.24          | 38.49          | 74.00          | 35.51       | PASS   | Horizontal | PK     |
| 2              | 2039.904    | -19.38      | 57.95          | 38.57          | 74.00          | 35.43       | PASS   | Horizontal | PK     |
| 3              | 3196.5197   | -14.47      | 59.51          | 45.04          | 74.00          | 28.96       | PASS   | Horizontal | PK     |
| 4              | 5062.7063   | -7.86       | 50.17          | 42.31          | 74.00          | 31.69       | PASS   | Horizontal | PK     |
| 5              | 8882.0882   | 0.04        | 44.16          | 44.20          | 74.00          | 29.80       | PASS   | Horizontal | PK     |
| 6              | 13655.5656  | 7.42        | 42.99          | 50.41          | 74.00          | 23.59       | PASS   | Horizontal | PK     |

|           |      |                |           |
|-----------|------|----------------|-----------|
| Test_Mode | lora | Test_Frequency | 924.5MHz  |
| Remark:   | /    | Test_Date      | 2026/5/30 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 1395.0395   | -21.72      | 61.66          | 39.94          | 74.00          | 34.06       | PASS   | Vertical | PK     |
| 2              | 2460.7461   | -17.55      | 63.90          | 46.35          | 74.00          | 27.65       | PASS   | Vertical | PK     |
| 3              | 3936.0936   | -11.93      | 52.50          | 40.57          | 74.00          | 33.43       | PASS   | Vertical | PK     |
| 4              | 6717.3717   | -3.33       | 46.53          | 43.20          | 74.00          | 30.80       | PASS   | Vertical | PK     |
| 5              | 10287.7288  | 1.92        | 45.11          | 47.03          | 74.00          | 26.97       | PASS   | Vertical | PK     |
| 6              | 16315.3315  | 11.16       | 41.12          | 52.28          | 74.00          | 21.72       | PASS   | Vertical | PK     |

|           |      |                |           |
|-----------|------|----------------|-----------|
| Test_Mode | lora | Test_Frequency | 924.5MHz  |
| Remark:   | /    | Test_Date      | 2026/5/30 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 18836.4335  | -26.29      | 61.97          | 35.68          | 74.00          | 38.32       | PASS   | Horizontal | PK     |
| 2              | 20012.8805  | -24.68      | 60.82          | 36.14          | 74.00          | 37.86       | PASS   | Horizontal | PK     |
| 3              | 21278.7512  | -25.80      | 60.86          | 35.06          | 74.00          | 38.94       | PASS   | Horizontal | PK     |
| 4              | 22684.7074  | -25.02      | 59.78          | 34.76          | 74.00          | 39.24       | PASS   | Horizontal | PK     |
| 5              | 24085.2234  | -22.24      | 57.81          | 35.57          | 74.00          | 38.43       | PASS   | Horizontal | PK     |
| 6              | 25838.3335  | -20.83      | 56.69          | 35.86          | 74.00          | 38.14       | PASS   | Horizontal | PK     |

|           |      |                |           |
|-----------|------|----------------|-----------|
| Test_Mode | lora | Test_Frequency | 924.5MHz  |
| Remark:   | /    | Test_Date      | 2026/5/30 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 18831.6733  | -26.29      | 62.09          | 35.80          | 74.00          | 38.20       | PASS   | Vertical | PK     |
| 2              | 19975.139   | -24.69      | 60.84          | 36.15          | 74.00          | 37.85       | PASS   | Vertical | PK     |
| 3              | 21219.5888  | -25.77      | 59.75          | 33.98          | 74.00          | 40.02       | PASS   | Vertical | PK     |
| 4              | 22505.5202  | -25.05      | 58.76          | 33.71          | 74.00          | 40.29       | PASS   | Vertical | PK     |
| 5              | 24014.8406  | -21.99      | 57.76          | 35.77          | 74.00          | 38.23       | PASS   | Vertical | PK     |
| 6              | 25766.9307  | -20.81      | 56.64          | 35.83          | 74.00          | 38.17       | PASS   | Vertical | PK     |

|           |      |                |           |
|-----------|------|----------------|-----------|
| Test_Mode | lora | Test_Frequency | 925.1MHz  |
| Remark:   | /    | Test_Date      | 2026/5/30 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 1247.8248   | -22.36      | 68.44          | 46.08          | 74.00          | 27.92       | PASS   | Horizontal | PK     |
| 2              | 2039.904    | -19.38      | 58.50          | 39.12          | 74.00          | 34.88       | PASS   | Horizontal | PK     |
| 3              | 3417.0417   | -13.93      | 53.09          | 39.16          | 74.00          | 34.84       | PASS   | Horizontal | PK     |
| 4              | 5349.2349   | -6.94       | 48.43          | 41.49          | 74.00          | 32.51       | PASS   | Horizontal | PK     |
| 5              | 8186.0186   | -1.35       | 45.70          | 44.35          | 74.00          | 29.65       | PASS   | Horizontal | PK     |
| 6              | 13754.5755  | 7.21        | 42.94          | 50.15          | 74.00          | 23.85       | PASS   | Horizontal | PK     |

|           |      |                |           |
|-----------|------|----------------|-----------|
| Test_Mode | lora | Test_Frequency | 925.1MHz  |
| Remark:   | /    | Test_Date      | 2026/5/30 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBµV] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 1435.2435   | -21.64      | 62.73          | 41.09          | 74.00          | 32.91       | PASS   | Vertical | PK     |
| 2              | 2464.1464   | -17.52      | 63.10          | 45.58          | 74.00          | 28.42       | PASS   | Vertical | PK     |
| 3              | 4339.634    | -10.08      | 50.32          | 40.24          | 74.00          | 33.76       | PASS   | Vertical | PK     |
| 4              | 7116.4116   | -3.20       | 45.50          | 42.30          | 74.00          | 31.70       | PASS   | Vertical | PK     |
| 5              | 10701.7702  | 2.48        | 42.95          | 45.43          | 74.00          | 28.57       | PASS   | Vertical | PK     |
| 6              | 16903.3903  | 13.33       | 38.66          | 51.99          | 74.00          | 22.01       | PASS   | Vertical | PK     |

|           |      |                |           |
|-----------|------|----------------|-----------|
| Test_Mode | lora | Test_Frequency | 925.1MHz  |
| Remark:   | /    | Test_Date      | 2026/5/30 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 18752.1101  | -26.39      | 62.85          | 36.46          | 74.00          | 37.54       | PASS   | Horizontal | PK     |
| 2              | 19896.5959  | -24.93      | 59.65          | 34.72          | 74.00          | 39.28       | PASS   | Horizontal | PK     |
| 3              | 21379.7352  | -25.86      | 59.55          | 33.69          | 74.00          | 40.31       | PASS   | Horizontal | PK     |
| 4              | 22692.1877  | -25.02      | 58.60          | 33.58          | 74.00          | 40.42       | PASS   | Horizontal | PK     |
| 5              | 23936.6375  | -22.07      | 56.92          | 34.85          | 74.00          | 39.15       | PASS   | Horizontal | PK     |
| 6              | 25829.4932  | -20.83      | 56.65          | 35.82          | 74.00          | 38.18       | PASS   | Horizontal | PK     |

|           |      |                |           |
|-----------|------|----------------|-----------|
| Test_Mode | lora | Test_Frequency | 925.1MHz  |
| Remark:   | /    | Test_Date      | 2026/5/30 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 18923.4769  | -26.28      | 61.20          | 34.92          | 74.00          | 39.08       | PASS   | Vertical | PK     |
| 2              | 20277.0711  | -25.50      | 60.44          | 34.94          | 74.00          | 39.06       | PASS   | Vertical | PK     |
| 3              | 21359.3344  | -25.86      | 59.38          | 33.52          | 74.00          | 40.48       | PASS   | Vertical | PK     |
| 4              | 22798.2719  | -25.05      | 58.63          | 33.58          | 74.00          | 40.42       | PASS   | Vertical | PK     |
| 5              | 23927.1171  | -22.08      | 57.59          | 35.51          | 74.00          | 38.49       | PASS   | Vertical | PK     |
| 6              | 25827.7931  | -20.83      | 57.19          | 36.36          | 74.00          | 37.64       | PASS   | Vertical | PK     |

|           |      |                |           |
|-----------|------|----------------|-----------|
| Test_Mode | lora | Test_Frequency | 925.7MHz  |
| Remark:   | /    | Test_Date      | 2026/5/30 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 1386.8387   | -21.77      | 60.57          | 38.80          | 74.00          | 35.20       | PASS   | Horizontal | PK     |
| 2              | 2437.1437   | -17.72      | 57.48          | 39.76          | 74.00          | 34.24       | PASS   | Horizontal | PK     |
| 3              | 4245.1245   | -10.59      | 52.10          | 41.51          | 74.00          | 32.49       | PASS   | Horizontal | PK     |
| 4              | 7810.9811   | -1.99       | 46.04          | 44.05          | 74.00          | 29.95       | PASS   | Horizontal | PK     |
| 5              | 13114.0114  | 6.24        | 43.98          | 50.22          | 74.00          | 23.78       | PASS   | Horizontal | PK     |
| 6              | 17308.4308  | 14.15       | 39.29          | 53.44          | 74.00          | 20.56       | PASS   | Horizontal | PK     |

|           |      |                |           |
|-----------|------|----------------|-----------|
| Test_Mode | lora | Test_Frequency | 925.7MHz  |
| Remark:   | /    | Test_Date      | 2026/5/30 |

Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 1451.8452   | -21.61      | 63.47          | 41.86          | 74.00          | 32.14       | PASS   | Vertical | PK     |
| 2              | 2464.1464   | -17.52      | 62.07          | 44.55          | 74.00          | 29.45       | PASS   | Vertical | PK     |
| 3              | 4162.6163   | -10.97      | 52.25          | 41.28          | 74.00          | 32.72       | PASS   | Vertical | PK     |
| 4              | 6528.3528   | -4.19       | 46.61          | 42.42          | 74.00          | 31.58       | PASS   | Vertical | PK     |
| 5              | 9860.186    | 1.40        | 44.78          | 46.18          | 74.00          | 27.82       | PASS   | Vertical | PK     |
| 6              | 16343.8344  | 11.51       | 40.49          | 52.00          | 74.00          | 22.00       | PASS   | Vertical | PK     |