

Appendix: Bluetooth Classic

Contents

Dwell Time 3

Duty Cycle 13

Maximum Peak Conducted Output Power 19

-20dB Bandwidth 25

Occupied Channel Bandwidth 31

Carrier Frequencies Separation 37

Band Edge 43


Band Edge(Hopping) 50

Conducted RF Spurious Emission 57


Number of Hopping Channel 67

Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH1	2402	Ant1	0.383	119.879	313	31600	400	Pass
NVNT	1-DH3	2402	Ant1	1.64	250.92	153	31600	400	Pass
NVNT	1-DH5	2402	Ant1	2.887	308.909	107	31600	400	Pass
NVNT	2-DH1	2402	Ant1	0.39	122.85	315	31600	400	Pass
NVNT	2-DH3	2402	Ant1	1.641	267.483	163	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.89	294.78	102	31600	400	Pass
NVNT	3-DH1	2402	Ant1	0.389	123.702	318	31600	400	Pass
NVNT	3-DH3	2402	Ant1	1.64	267.32	163	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.889	314.901	109	31600	400	Pass



Date: 11.MAY.2026 08:34:28



Date: 11.MAY.2026 08:35:00

