


Radiated Spurious Emission above 1GHz:

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Remark:	/	Test_Date	2026/5/5.27

Test Graph




Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1805.6537	14.24	35.77	50.01	74.00	23.99	PASS	Horizont	PK
2	2647.3098	16.87	37.05	53.92	74.00	20.08	PASS	Horizont	PK
3	5025.135	-8.05	49.05	41.00	74.00	33.00	PASS	Horizont	PK
4	7620.308	-2.17	45.57	43.40	74.00	30.60	PASS	Horizont	PK
5	12647.6432	4.46	45.19	49.65	74.00	24.35	PASS	Horizont	PK
6	17295.9531	14.09	38.56	52.65	74.00	21.35	PASS	Horizont	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Remark:	/	Test_Date	2026/5/5.27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1670.578	14.04	35.41	49.45	74.00	24.55	PASS	Vertical	PK
2	2824.1216	17.18	36.15	53.33	74.00	20.67	PASS	Vertical	PK
3	4401.0934	-10.07	52.05	41.98	74.00	32.02	PASS	Vertical	PK
4	7853.3236	-1.61	46.03	44.42	74.00	29.58	PASS	Vertical	PK
5	12642.6428	4.49	44.60	49.09	74.00	24.91	PASS	Vertical	PK
6	17227.9485	13.16	39.08	52.24	74.00	21.76	PASS	Vertical	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Remark:	/	Test_Date	2026/5/5.27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18607.6043	-26.67	59.48	32.81	74.00	41.19	PASS	Horizont	PK
2	19638.5255	-25.52	57.51	31.99	74.00	42.01	PASS	Horizont	PK
3	21147.1659	-25.82	57.82	32.00	74.00	42.00	PASS	Horizont	PK
4	22710.5484	-25.02	53.03	28.01	74.00	45.99	PASS	Horizont	PK
5	23867.2747	-22.20	49.59	27.39	74.00	46.61	PASS	Horizont	PK
6	25813.8526	-20.83	47.43	26.60	74.00	47.40	PASS	Horizont	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Remark:	/	Test_Date	2026/5/5.27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18485.1994	-26.70	58.60	31.90	74.00	42.10	PASS	Vertical	PK
2	19496.0598	-25.60	58.74	33.14	74.00	40.86	PASS	Vertical	PK
3	21100.584	-25.87	56.34	30.47	74.00	43.53	PASS	Vertical	PK
4	22426.9771	-25.08	53.41	28.33	74.00	45.67	PASS	Vertical	PK
5	24334.4534	-22.00	48.67	26.67	74.00	47.33	PASS	Vertical	PK
6	25829.8332	-20.83	48.19	27.36	74.00	46.64	PASS	Vertical	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2441MHz
Remark:	/	Test_Date	2026/5/5.27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1656.5771	13.83	35.96	49.79	74.00	24.21	PASS	Horizont	PK
2	2716.3811	17.05	35.98	53.03	74.00	20.97	PASS	Horizont	PK
3	4840.1227	-8.50	50.38	41.88	74.00	32.12	PASS	Horizont	PK
4	7760.3174	-1.57	45.95	44.38	74.00	29.62	PASS	Horizont	PK
5	11667.5778	2.50	45.80	48.30	74.00	25.70	PASS	Horizont	PK
6	16991.9328	12.78	39.34	52.12	74.00	21.88	PASS	Horizont	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2441MHz
Remark:	/	Test_Date	2026/5/5.27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1577.1051	13.52	36.24	49.76	74.00	24.24	PASS	Vertical	PK
2	2792.7862	17.29	36.43	53.72	74.00	20.28	PASS	Vertical	PK
3	5584.1723	-6.29	47.88	41.59	74.00	32.41	PASS	Vertical	PK
4	10239.4826	1.89	43.96	45.85	74.00	28.15	PASS	Vertical	PK
5	14254.7503	8.90	40.44	49.34	74.00	24.66	PASS	Vertical	PK
6	17302.9535	14.14	37.66	51.80	74.00	22.20	PASS	Vertical	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2441MHz
Remark:	/	Test_Date	2026/5/5.27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18713.3485	-26.46	59.54	33.08	74.00	40.92	PASS	Horizont	PK
2	19595.3438	-25.59	58.32	32.73	74.00	41.27	PASS	Horizont	PK
3	21116.9047	-25.86	57.76	31.90	74.00	42.10	PASS	Horizont	PK
4	22538.5015	-25.03	54.44	29.41	74.00	44.59	PASS	Horizont	PK
5	24418.0967	-21.69	48.30	26.61	74.00	47.39	PASS	Horizont	PK
6	25803.3121	-20.82	48.83	28.01	74.00	45.99	PASS	Horizont	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2441MHz
Remark:	/	Test_Date	2026/5/5.27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18571.5629	-26.69	59.70	33.01	74.00	40.99	PASS	Vertical	PK
2	19585.4834	-25.59	58.65	33.06	74.00	40.94	PASS	Vertical	PK
3	20982.9393	-25.97	57.58	31.61	74.00	42.39	PASS	Vertical	PK
4	22719.0488	-25.03	54.24	29.21	74.00	44.79	PASS	Vertical	PK
5	24004.3002	-21.95	51.51	29.56	74.00	44.44	PASS	Vertical	PK
6	25793.7918	-20.82	48.66	27.84	74.00	46.16	PASS	Vertical	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Remark:	/	Test_Date	2026/5/5.27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1489.4993	13.32	36.00	49.32	74.00	24.68	PASS	Horizont	PK
2	2711.4474	17.10	35.62	52.72	74.00	21.28	PASS	Horizont	PK
3	4769.1179	-8.63	49.67	41.04	74.00	32.96	PASS	Horizont	PK
4	7525.3017	-2.29	45.32	43.03	74.00	30.97	PASS	Horizont	PK
5	12889.6593	5.06	43.07	48.13	74.00	25.87	PASS	Horizont	PK
6	17324.955	14.16	38.26	52.42	74.00	21.58	PASS	Horizont	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Remark:	/	Test_Date	2026/5/5.27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1451.3634	13.06	35.78	48.84	74.00	25.16	PASS	Vertical	PK
2	2804.787	17.25	35.92	53.17	74.00	20.83	PASS	Vertical	PK
3	4841.1227	-8.50	49.80	41.30	74.00	32.70	PASS	Vertical	PK
4	8186.3458	-1.35	43.96	42.61	74.00	31.39	PASS	Vertical	PK
5	11788.5859	2.37	45.37	47.74	74.00	26.26	PASS	Vertical	PK
6	16846.9231	13.13	40.45	53.58	74.00	20.42	PASS	Vertical	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Remark:	/	Test_Date	2026/5/5.27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18370.6148	-26.74	59.61	32.87	74.00	41.13	PASS	Horizont	PK
2	19522.9209	-25.61	59.26	33.65	74.00	40.35	PASS	Horizont	PK
3	21110.1044	-25.86	57.34	31.48	74.00	42.52	PASS	Horizont	PK
4	22672.1269	-25.02	54.58	29.56	74.00	44.44	PASS	Horizont	PK
5	24024.361	-22.02	51.44	29.42	74.00	44.58	PASS	Horizont	PK
6	25795.8318	-20.82	49.38	28.56	74.00	45.44	PASS	Horizont	PK

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Remark:	/	Test_Date	2026/5/5.27

Test Graph




Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18354.6342	-26.76	59.59	32.83	74.00	41.17	PASS	Vertical	PK
2	19523.6009	-25.61	59.53	33.92	74.00	40.08	PASS	Vertical	PK
3	21147.5059	-25.82	57.61	31.79	74.00	42.21	PASS	Vertical	PK
4	22664.3066	-25.01	54.55	29.54	74.00	44.46	PASS	Vertical	PK
5	24022.6609	-22.01	50.50	28.49	74.00	45.51	PASS	Vertical	PK
6	25806.7123	-20.82	49.32	28.50	74.00	45.50	PASS	Vertical	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2402MHz
Remark:	/	Test_Date	2026/5/5.27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1473.8983	13.06	36.21	49.27	74.00	24.73	PASS	Horizont	PK
2	2885.059	17.51	36.01	53.52	74.00	20.48	PASS	Horizont	PK
3	4377.0918	-10.07	51.22	41.15	74.00	32.85	PASS	Horizont	PK
4	7581.3054	-2.16	45.90	43.74	74.00	30.26	PASS	Horizont	PK
5	12558.6372	4.36	44.81	49.17	74.00	24.83	PASS	Horizont	PK
6	17232.9489	13.23	39.32	52.55	74.00	21.45	PASS	Horizont	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2402MHz
Remark:	/	Test_Date	2026/5/5.27

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1417.4945	12.87	36.66	49.53	74.00	24.47	PASS	Vertical	PK
2	2844.2563	17.42	36.25	53.67	74.00	20.33	PASS	Vertical	PK
3	4873.1249	-8.39	50.39	42.00	74.00	32.00	PASS	Vertical	PK
4	8207.3472	-1.33	45.77	44.44	74.00	29.56	PASS	Vertical	PK
5	12616.6411	4.63	44.58	49.21	74.00	24.79	PASS	Vertical	PK
6	17325.9551	14.16	38.42	52.58	74.00	21.42	PASS	Vertical	PK