


Remark	FPC Antenna		
Mode:	812KHz Lora Transmitting	Channel:	2479 MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	41.03	57.32	74.00	16.68	PASS	Horizontal	PK
2	2483.5	16.29	24.77	41.06	54.00	12.94	PASS	Horizontal	AV

Remark	FPC Antenna		
Mode:	812KHz Lora Transmitting	Channel:	2479 MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	42.12	58.41	74.00	15.59	PASS	Vertical	PK
2	2483.5	16.29	24.81	41.10	54.00	12.90	PASS	Vertical	AV

Remark	Fiberglass Antenna		
Mode:	812KHz Lora Transmitting	Channel:	2403 MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	32.84	48.80	74.00	25.20	PASS	Horizontal	PK
2	2390	15.96	14.44	30.40	54.00	23.60	PASS	Horizontal	AV

Remark	Fiberglass Antenna		
Mode:	812KHz Lora Transmitting	Channel:	2403 MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	32.72	48.68	74.00	25.32	PASS	Vertical	PK
2	2390	15.96	14.10	30.06	54.00	23.94	PASS	Vertical	AV

Remark	Fiberglass Antenna		
Mode:	812KHz Lora Transmitting	Channel:	2479 MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	42.76	59.05	74.00	14.95	PASS	Horizontal	PK
2	2483.5	16.29	24.71	41.00	54.00	13.00	PASS	Horizontal	AV

Remark	Fiberglass Antenna		
Mode:	812KHz Lora Transmitting	Channel:	2479 MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	40.46	56.75	74.00	17.25	PASS	Vertical	PK
2	2483.5	16.29	24.78	41.07	54.00	12.93	PASS	Vertical	AV

Remark	Spring Antenna		
Mode:	812KHz Lora Transmitting	Channel:	2403 MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	32.69	48.65	74.00	25.35	PASS	Horizontal	PK
2	2390	15.96	17.19	33.15	54.00	20.85	PASS	Horizontal	AV

Remark	Spring Antenna		
Mode:	812KHz Lora Transmitting	Channel:	2403 MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	32.73	48.69	74.00	25.31	PASS	Vertical	PK
2	2390	15.96	14.64	30.60	54.00	23.40	PASS	Vertical	AV

Remark	Spring Antenna		
Mode:	812KHz Lora Transmitting	Channel:	2479 MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	41.55	57.84	74.00	16.16	PASS	Horizontal	PK
2	2483.5	16.29	24.81	41.10	54.00	12.90	PASS	Horizontal	AV

Remark	Spring Antenna		
Mode:	812KHz Lora Transmitting	Channel:	2479 MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	40.88	57.17	74.00	16.83	PASS	Vertical	PK
2	2483.5	16.29	24.66	40.95	54.00	13.05	PASS	Vertical	AV

Remark	FPC Antenna		
Mode:	2.4G FSK Transmitting	Channel:	2402 MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	36.94	52.90	74.00	21.10	PASS	Horizontal	PK
2	2390	15.96	22.17	38.13	54.00	15.87	PASS	Horizontal	AV

Remark	FPC Antenna		
Mode:	2.4G FSK Transmitting	Channel:	2402 MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	36.03	51.99	74.00	22.01	PASS	Vertical	PK
2	2390	15.96	22.63	38.59	54.00	15.41	PASS	Vertical	AV

Remark	FPC Antenna		
Mode:	2.4G FSK Transmitting	Channel:	2480 MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	36.98	53.27	74.00	20.73	PASS	Horizontal	PK
2	2483.5	16.29	24.85	41.14	54.00	12.86	PASS	Horizontal	AV

Remark	FPC Antenna		
Mode:	2.4G FSK Transmitting	Channel:	2480 MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	35.05	51.34	74.00	22.66	PASS	Vertical	PK
2	2483.5	16.29	22.42	38.71	54.00	15.29	PASS	Vertical	AV

Remark	Fiberglass Antenna		
Mode:	2.4G FSK Transmitting	Channel:	2402 MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	35.49	51.45	74.00	22.55	PASS	Horizontal	PK
2	2390	15.96	22.96	38.92	54.00	15.08	PASS	Horizontal	AV

Remark	Fiberglass Antenna		
Mode:	2.4G FSK Transmitting	Channel:	2402 MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	35.68	51.64	74.00	22.36	PASS	Vertical	PK
2	2390	15.96	22.43	38.39	54.00	15.61	PASS	Vertical	AV

Remark	Fiberglass Antenna		
Mode:	2.4G FSK Transmitting	Channel:	2480 MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	37.34	53.63	74.00	20.37	PASS	Horizontal	PK
2	2483.5	16.29	27.21	43.50	54.00	10.50	PASS	Horizontal	AV

Remark	Fiberglass Antenna		
Mode:	2.4G FSK Transmitting	Channel:	2480 MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	36.02	52.31	74.00	21.69	PASS	Vertical	PK
2	2483.5	16.29	22.11	38.40	54.00	15.60	PASS	Vertical	AV

Remark	Spring Antenna		
Mode:	2.4G FSK Transmitting	Channel:	2402 MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	36.07	52.03	74.00	21.97	PASS	Horizontal	PK
2	2390	15.96	22.88	38.84	54.00	15.16	PASS	Horizontal	AV

Remark	Spring Antenna		
Mode:	2.4G FSK Transmitting	Channel:	2402 MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	36.02	51.98	74.00	22.02	PASS	Vertical	PK
2	2390	15.96	22.58	38.54	54.00	15.46	PASS	Vertical	AV

Remark	Spring Antenna		
Mode:	2.4G FSK Transmitting	Channel:	2480 MHz


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	37.88	54.17	74.00	19.83	PASS	Horizontal	PK
2	2483.5	16.29	28.28	44.57	54.00	9.43	PASS	Horizontal	AV

Remark	Spring Antenna		
Mode:	2.4G FSK Transmitting	Channel:	2480 MHz

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	36.03	52.32	74.00	21.68	PASS	Vertical	PK
2	2483.5	16.29	22.80	39.09	54.00	14.91	PASS	Vertical	AV

6 Appendix A

Refer to Appendix: 2.4G FSK and 812KHz Lora of EED32R81228401

7 PHOTOGRAPHS

Refer to Appendix Photographs of Report No. EED32R81228401 .

Statement

1. This report is considered invalid without approved signature, special seal and the seal on the perforation;
2. The Company Name shown on Report and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn't verified;
3. The result(s) shown in this report refer(s) only to the sample(s) tested;
4. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule stated in ILAC-G8:09/2019/CNAS-GL015:2022;
5. Without written approval of CTI, this report can't be reproduced except in full;

*** End of Report ***