


Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Ant	/	Test_Date	2026/2/24

Test Graph




Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1203.3469	11.66	36.73	48.39	74.00	25.61	PASS	Vertical	PK
2	1726.7151	14.19	35.31	49.50	74.00	24.50	PASS	Vertical	PK
3	3154.0103	-14.60	54.72	40.12	74.00	33.88	PASS	Vertical	PK
4	4856.1237	-8.44	51.90	43.46	74.00	30.54	PASS	Vertical	PK
5	8522.3682	-0.54	45.72	45.18	74.00	28.82	PASS	Vertical	PK
6	14277.7518	8.71	41.23	49.94	74.00	24.06	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Ant	/	Test_Date	2026/2/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1267.8845	11.91	37.03	48.94	74.00	25.06	PASS	Horizontal	PK
2	2090.0727	15.01	36.58	51.59	74.00	22.41	PASS	Horizontal	PK
3	3322.0215	-14.06	53.29	39.23	74.00	34.77	PASS	Horizontal	PK
4	6006.2004	-5.34	47.69	42.35	74.00	31.65	PASS	Horizontal	PK
5	9688.4459	1.24	43.90	45.14	74.00	28.86	PASS	Horizontal	PK
6	16316.8878	11.18	41.46	52.64	74.00	21.36	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Ant	/	Test_Date	2026/2/24

Test Graph




Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1166.5444	11.47	38.28	49.75	74.00	24.25	PASS	Vertical	PK
2	1809.3873	14.26	37.06	51.32	74.00	22.68	PASS	Vertical	PK
3	3260.0173	-14.11	53.08	38.97	74.00	35.03	PASS	Vertical	PK
4	6655.2437	-3.90	51.14	47.24	74.00	26.76	PASS	Vertical	PK
5	9573.4382	1.15	43.84	44.99	74.00	29.01	PASS	Vertical	PK
6	13675.7117	7.35	43.86	51.21	74.00	22.79	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Ant	/	Test_Date	2026/2/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1218.2812	11.55	36.42	47.97	74.00	26.03	PASS	Horizontal	PK
2	1965.9311	14.63	35.67	50.30	74.00	23.70	PASS	Horizontal	PK
3	3372.0248	-13.99	53.83	39.84	74.00	34.16	PASS	Horizontal	PK
4	5490.166	-6.49	47.73	41.24	74.00	32.76	PASS	Horizontal	PK
5	9520.4347	0.98	44.42	45.40	74.00	28.60	PASS	Horizontal	PK
6	16452.8969	11.05	40.10	51.15	74.00	22.85	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Ant	/	Test_Date	2026/2/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1161.0774	11.47	37.18	48.65	74.00	25.35	PASS	Vertical	PK
2	1812.1875	14.29	35.36	49.65	74.00	24.35	PASS	Vertical	PK
3	3171.0114	-14.55	53.74	39.19	74.00	34.81	PASS	Vertical	PK
4	4904.1269	-8.27	51.02	42.75	74.00	31.25	PASS	Vertical	PK
5	8947.3965	-0.22	45.30	45.08	74.00	28.92	PASS	Vertical	PK
6	13686.7124	7.31	43.01	50.32	74.00	23.68	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412MHz
Ant	/	Test_Date	2026/2/24

Test Graph




Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1327.8885	12.26	35.50	47.76	74.00	26.24	PASS	Horizontal	PK
2	2082.7388	14.97	36.48	51.45	74.00	22.55	PASS	Horizontal	PK
3	3199.0133	-14.46	54.05	39.59	74.00	34.41	PASS	Horizontal	PK
4	4823.1215	-8.55	54.65	46.10	74.00	27.90	PASS	Horizontal	PK
5	7815.321	-1.94	46.71	44.77	74.00	29.23	PASS	Horizontal	PK
6	13669.7113	7.37	43.18	50.55	74.00	23.45	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412MHz
Ant	/	Test_Date	2026/2/24

Test Graph




Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1289.3526	11.99	36.36	48.35	74.00	25.65	PASS	Vertical	PK
2	1959.5306	14.62	34.89	49.51	74.00	24.49	PASS	Vertical	PK
3	3322.0215	-14.06	53.67	39.61	74.00	34.39	PASS	Vertical	PK
4	4823.1215	-8.55	53.35	44.80	74.00	29.20	PASS	Vertical	PK
5	9142.4095	0.09	44.83	44.92	74.00	29.08	PASS	Vertical	PK
6	14281.7521	8.69	40.52	49.21	74.00	24.79	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2437MHz
Ant	/	Test_Date	2026/2/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1202.6802	11.67	36.04	47.71	74.00	26.29	PASS	Horizontal	PK
2	1842.8562	14.35	35.10	49.45	74.00	24.55	PASS	Horizontal	PK
3	3121.0081	-14.67	53.59	38.92	74.00	35.08	PASS	Horizontal	PK
4	4872.1248	-8.39	52.24	43.85	74.00	30.15	PASS	Horizontal	PK
5	7757.3172	-1.52	45.40	43.88	74.00	30.12	PASS	Horizontal	PK
6	13680.712	7.34	42.93	50.27	74.00	23.73	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2437MHz
Ant	/	Test_Date	2026/2/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1304.687	12.12	35.63	47.75	74.00	26.25	PASS	Vertical	PK
2	2019.268	14.57	34.50	49.07	74.00	24.93	PASS	Vertical	PK
3	3051.0034	-14.39	55.45	41.06	74.00	32.94	PASS	Vertical	PK
4	4868.1245	-8.40	52.58	44.18	74.00	29.82	PASS	Vertical	PK
5	7702.3135	-1.68	45.83	44.15	74.00	29.85	PASS	Vertical	PK
6	13668.7112	7.38	43.42	50.80	74.00	23.20	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2462MHz
Ant	/	Test_Date	2026/2/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1264.8177	11.91	36.29	48.20	74.00	25.80	PASS	Horizontal	PK
2	1978.5986	14.53	34.86	49.39	74.00	24.61	PASS	Horizontal	PK
3	3451.0301	-13.86	52.65	38.79	74.00	35.21	PASS	Horizontal	PK
4	4923.1282	-8.17	54.39	46.22	74.00	27.78	PASS	Horizontal	PK
5	8407.3605	-0.80	45.61	44.81	74.00	29.19	PASS	Horizontal	PK
6	14880.7921	9.73	38.89	48.62	74.00	25.38	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2462MHz
Ant	/	Test_Date	2026/2/24

Test Graph



Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1264.8177	11.91	36.33	48.24	74.00	25.76	PASS	Vertical	PK
2	1876.3251	14.46	35.70	50.16	74.00	23.84	PASS	Vertical	PK
3	3185.0123	-14.50	54.21	39.71	74.00	34.29	PASS	Vertical	PK
4	4930.1287	-8.13	53.24	45.11	74.00	28.89	PASS	Vertical	PK
5	7498.2999	-2.32	46.33	44.01	74.00	29.99	PASS	Vertical	PK
6	13668.7112	7.38	44.00	51.38	74.00	22.62	PASS	Vertical	PK

Remark:


- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor
- Scan from 9kHz to 25GHz, the disturbance above 10GHz and below 30MHz was very low. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. As the PK values are all below 54dBμV/m. So, only the peak measurements were shown in the report.

Restricted bands:

Test plot as follows:

Test_Mode	802.11 b Transmitting	Test_Frequency	2412MHz
Ant	/	Test_Date	2026/2/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	36.71	52.67	74.00	21.33	PASS	Horizontal	PK
2	2390	15.96	23.76	39.72	54.00	14.28	PASS	Horizontal	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2412MHz
Ant	/	Test_Date	2026/2/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	33.72	49.68	74.00	24.32	PASS	Vertical	PK
2	2390	15.96	20.38	36.34	54.00	17.66	PASS	Vertical	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Ant	/	Test_Date	2026/2/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	34.97	51.26	74.00	22.74	PASS	Horizontal	PK
2	2483.5	16.29	21.83	38.12	54.00	15.88	PASS	Horizontal	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Ant	/	Test_Date	2026/2/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	34.70	50.99	74.00	23.01	PASS	Vertical	PK
2	2483.5	16.29	20.33	36.62	54.00	17.38	PASS	Vertical	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Ant	/	Test_Date	2026/2/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	39.20	55.49	74.00	18.51	PASS	Horizontal	PK
2	2483.5	16.29	31.89	48.18	54.00	5.82	PASS	Horizontal	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Ant	/	Test_Date	2026/2/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	33.96	50.25	74.00	23.75	PASS	Vertical	PK
2	2483.5	16.29	20.14	36.43	54.00	17.57	PASS	Vertical	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2412MHz
Ant	/	Test_Date	2026/2/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	44.87	60.83	74.00	13.17	PASS	Horizontal	PK
2	2390	15.96	33.40	49.36	54.00	4.64	PASS	Horizontal	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2412MHz
Ant	/	Test_Date	2026/2/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	37.28	53.24	74.00	20.76	PASS	Vertical	PK
2	2390	15.96	21.59	37.55	54.00	16.45	PASS	Vertical	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Ant	/	Test_Date	2026/2/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	43.35	59.64	74.00	14.36	PASS	Horizontal	PK
2	2483.5	16.29	33.92	50.21	54.00	3.79	PASS	Horizontal	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Ant	/	Test_Date	2026/2/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	36.02	52.31	74.00	21.69	PASS	Vertical	PK
2	2483.5	16.29	20.89	37.18	54.00	16.82	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Ant	/	Test_Date	2026/2/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	45.98	61.94	74.00	12.06	PASS	Horizontal	PK
2	2390	15.96	32.80	48.76	54.00	5.24	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Ant	/	Test_Date	2026/2/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	38.31	54.27	74.00	19.73	PASS	Vertical	PK
2	2390	15.96	25.01	40.97	54.00	13.03	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Ant	/	Test_Date	2026/2/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	49.06	65.35	74.00	8.65	PASS	Horizontal	PK
2	2483.5	16.29	34.94	51.23	54.00	2.77	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Ant	/	Test_Date	2026/2/24

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	36.47	52.76	74.00	21.24	PASS	Vertical	PK
2	2483.5	16.29	20.46	36.75	54.00	17.25	PASS	Vertical	AV


Test Graph



Hotline:400-6788-333 www.cti-cert.com E-mail:info@cti-cert.com Complaint call:0755-33681700 Complaint E-mail:complaint@cti-cert.com

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Ant	/	Test_Date	2026/2/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	37.93	53.89	74.00	20.11	PASS	Vertical	PK
2	2390	15.96	23.60	39.56	54.00	14.44	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Ant	/	Test_Date	2026/2/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	47.18	63.47	74.00	10.53	PASS	Horizontal	PK
2	2483.5	16.29	31.91	48.20	54.00	5.80	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Ant	/	Test_Date	2026/2/24

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	36.10	52.39	74.00	21.61	PASS	Vertical	PK
2	2483.5	16.29	23.38	39.67	54.00	14.33	PASS	Vertical	AV