Mode	2	
	Band Edge - L	
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2381.76 55.08 74.00 -18.92 39.06 32.00 8.44 34.32 9.90 399 138 PEAK	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2440.00 110.81 ------ ------ 94.55 32.10 8.54 34.30 9.92 399 138 PEAK
Avg	 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:0.470kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2388.26 44.85 54.00 -9.15 28.82 32.00 8.45 34.32 9.90 399 138 AVERAGE	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:0.470kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2440.00 110.04 ------ ------ 93.78 32.10 8.54 34.30 9.92 399 138 AVERAGE

Mode	2	
	Band Edge - R	
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2485.78 55.40 74.00 -18.60 38.87 32.26 8.62 34.28 9.93 399 138 PEAK	Blank
Avg	 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:0.470kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2486.86 45.53 54.00 -8.47 28.99 32.27 8.62 34.28 9.93 399 138 AVERAGE	Blank

Mode	2	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4066.00 44.89 74.00 -29.11 59.47 33.40 10.88 59.92 1.06 100 268 Peak 2 4066.00 43.31 54.00 -10.69 57.89 33.40 10.88 59.92 1.06 100 268 Average 3 4880.00 51.97 74.00 -22.03 63.55 34.50 11.96 59.02 0.98 100 236 PEAK 4 4880.00 50.22 54.00 -3.78 61.80 34.50 11.96 59.02 0.98 100 236 Average 5 7320.00 44.64 74.00 -29.36 50.98 35.80 14.58 57.74 1.02 -- -- PEAK	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4880.00 55.63 74.00 -18.37 67.21 34.50 11.96 59.02 0.98 100 161 PEAK 2 4880.00 53.60 54.00 -0.40 65.18 34.50 11.96 59.02 0.98 100 161 Average 3 6507.00 49.42 74.00 -24.58 54.76 35.80 13.90 56.02 0.98 -- -- Peak 4 7320.00 42.32 74.00 -31.68 48.66 35.80 14.58 57.74 1.02 -- -- PEAK

Mode	2	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL
17.7G ~18G Avg	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL

Mode	3	
	Band Edge	
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2485.32 62.15 74.00 -11.85 45.63 32.25 8.62 34.28 9.93 123 208 PEAK	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 114.55 ------ ------ 98.09 32.20 8.61 34.28 9.93 123 208 PEAK
Avg	 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:0.470kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.52 53.61 54.00 -0.39 37.11 32.24 8.61 34.28 9.93 123 208 AVERAGE	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:0.470kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 111.05 ------ ------ 94.59 32.20 8.61 34.28 9.93 123 208 AVERAGE

Mode	3	
	Band Edge	
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.78 59.14 74.00 -14.86 42.64 32.24 8.61 34.28 9.93 300 147 PEAK	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 110.69 ------ ------ 94.23 32.20 8.61 34.28 9.93 300 147 PEAK
Avg	 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:0.470kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.52 50.48 54.00 -3.52 33.98 32.24 8.61 34.28 9.93 300 147 AVERAGE	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:0.470kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 109.98 ------ ------ 93.52 32.20 8.61 34.28 9.93 300 147 AVERAGE

Mode	3	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4960.00 45.82 74.00 -28.18 57.09 34.54 12.04 58.84 0.99 100 235 PEAK 2 4960.00 44.93 54.00 -9.07 56.20 34.54 12.04 58.84 0.99 100 235 Average 3 7440.00 42.89 74.00 -31.11 49.23 35.82 14.70 57.89 1.03 -- -- PEAK	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4960.00 50.71 74.00 -23.29 61.98 34.54 12.04 58.84 0.99 100 346 PEAK 2 4960.00 49.42 54.00 -4.58 60.69 34.54 12.04 58.84 0.99 100 346 Average 3 6613.00 46.75 74.00 -27.25 52.34 35.77 13.99 56.31 0.96 -- -- Peak 4 7440.00 41.53 74.00 -32.47 47.87 35.82 14.70 57.89 1.03 -- -- PEAK

Mode	3	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL
17.7G ~18G Avg	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL

Mode	4	
	Band Edge	
	2400-2483.5_Bluetooth-LE GFSK _CH01_2404MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.15 58.21 74.00 -15.79 42.18 32.00 8.45 34.32 9.90 215 162 PEAK	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2404.00 112.93 ------ ------ 96.82 32.04 8.48 34.31 9.90 215 162 PEAK
Avg	 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.81 46.79 54.00 -7.21 30.76 32.00 8.45 34.32 9.90 215 162 AVERAGE	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2404.00 111.35 ------ ------ 95.24 32.04 8.48 34.31 9.90 215 162 AVERAGE

Mode	4	
	Band Edge	
	2400-2483.5_Bluetooth-LE GFSK _CH01_2404MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2388.87 55.86 74.00 -18.14 39.83 32.00 8.45 34.32 9.90 203 278 PEAK	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2404.00 112.59 ------ ------ 96.48 32.04 8.48 34.31 9.90 203 278 PEAK
Avg	 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2383.88 45.86 54.00 -8.14 29.84 32.00 8.44 34.32 9.90 203 278 AVERAGE	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2404.00 111.03 ------ ------ 94.92 32.04 8.48 34.31 9.90 203 278 AVERAGE

Mode	4	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK _CH01_2404MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4005.00 46.21 74.00 -27.79 60.88 33.40 10.80 59.93 1.06 200 107 Peak 2 4005.00 45.73 54.00 -8.27 60.40 33.40 10.80 59.93 1.06 200 107 Average 3 4808.00 53.41 74.00 -20.59 65.23 34.50 11.89 59.18 0.97 205 301 PEAK 4 4808.00 51.08 54.00 -2.92 62.90 34.50 11.89 59.18 0.97 205 301 Average 5 6420.00 48.31 74.00 -25.69 53.72 35.76 13.83 56.00 1.00 -- -- Peak	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4005.00 46.43 74.00 -27.57 61.10 33.40 10.80 59.93 1.06 400 54 Peak 2 4005.00 45.89 54.00 -8.11 60.56 33.40 10.80 59.93 1.06 400 54 Average 3 4808.00 51.40 74.00 -22.60 63.22 34.50 11.89 59.18 0.97 388 0 PEAK 4 4808.00 51.98 54.00 -2.02 63.80 34.50 11.89 59.18 0.97 388 0 Average

Mode	4	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK _CH01_2404MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL
17.7G ~18G Avg	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL

Mode	5	
	Band Edge - L	
	2400-2483.5_Bluetooth-LE GFSK _CH19_2440MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2373.44 55.02 74.00 -18.98 39.10 31.93 8.42 34.33 9.90 200 158 PEAK	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2440.00 112.91 ------ ------ 96.65 32.10 8.54 34.30 9.92 200 158 PEAK
Avg	 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2365.12 45.55 54.00 -8.45 29.72 31.85 8.41 34.33 9.90 200 158 AVERAGE	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2440.00 111.36 ------ ------ 95.10 32.10 8.54 34.30 9.92 200 158 AVERAGE

Mode	5	
	Band Edge - R	
	2400-2483.5_Bluetooth-LE GFSK _CH19_2440MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2486.80 55.49 74.00 -18.51 38.95 32.27 8.62 34.28 9.93 200 158 PEAK	Blank
Avg	 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.56 46.70 54.00 -7.30 30.20 32.24 8.61 34.28 9.93 200 158 AVERAGE	Blank

Mode	5	
	Band Edge - L	
	2400-2483.5_Bluetooth-LE GFSK _CH19_2440MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2380.98 54.63 74.00 -19.37 38.61 32.00 8.44 34.32 9.90 358 84 PEAK	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2440.00 111.93 ------ ------ 95.67 32.10 8.54 34.30 9.92 358 84 PEAK
Avg	 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2363.82 45.48 54.00 -8.52 29.66 31.84 8.41 34.33 9.90 358 84 AVERAGE	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2440.00 109.95 ------ ------ 93.69 32.10 8.54 34.30 9.92 358 84 AVERAGE

Mode	5	
	Band Edge - R	
	2400-2483.5_Bluetooth-LE GFSK _CH19_2440MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2498.62 54.82 74.00 -19.18 38.12 32.39 8.64 34.27 9.94 358 84 PEAK	Blank
Avg	 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2484.64 45.75 54.00 -8.25 29.24 32.25 8.61 34.28 9.93 358 84 AVERAGE	Blank

Mode	5	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK _CH19_2440MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 HORIZONTAL	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 VERTICAL

Horizontal:

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4066.00	45.51	74.00	-28.49	60.09	33.40	10.88	59.92	1.06	200	110	Peak
2	4066.00	44.62	54.00	-9.38	59.20	33.40	10.88	59.92	1.06	200	110	Average
3	4880.00	55.00	74.00	-19.00	66.58	34.50	11.96	59.02	0.98	220	313	PEAK
4	4880.00	50.52	54.00	-3.48	62.10	34.50	11.96	59.02	0.98	220	313	Average
5	6507.00	50.69	74.00	-23.31	56.03	35.80	13.90	56.02	0.98	--	--	Peak
6	7320.00	43.21	74.00	-30.79	49.55	35.80	14.58	57.74	1.02	--	--	PEAK

Vertical:

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4066.00	43.48	74.00	-30.52	58.06	33.40	10.88	59.92	1.06	400	58	Peak
2	4066.00	40.12	54.00	-13.88	54.70	33.40	10.88	59.92	1.06	400	58	Average
3	4880.00	55.41	74.00	-18.59	66.99	34.50	11.96	59.02	0.98	400	0	PEAK
4	4880.00	50.72	54.00	-3.28	62.30	34.50	11.96	59.02	0.98	400	0	Average
5	6507.00	45.95	74.00	-28.05	51.29	35.80	13.90	56.02	0.98	--	--	Peak
6	7320.00	42.62	74.00	-31.38	48.96	35.80	14.58	57.74	1.02	--	--	PEAK

Mode	5	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK _CH19_2440MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL
17.7G ~18G Avg	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL

Mode	6	
	Band Edge	
	2400-2483.5_Bluetooth-LE GFSK_CH38_2478MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.72 60.64 74.00 -13.36 44.14 32.24 8.61 34.28 9.93 219 165 PEAK	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2478.00 113.92 ------ ------ 97.45 32.22 8.60 34.28 9.93 219 165 PEAK
Avg	 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.52 52.46 54.00 -1.54 35.96 32.24 8.61 34.28 9.93 219 165 AVERAGE	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2478.00 111.36 ------ ------ 94.89 32.22 8.60 34.28 9.93 219 165 AVERAGE

Mode	6	
	Band Edge	
	2400-2483.5_Bluetooth-LE GFSK_CH38_2478MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2484.40 60.93 74.00 -13.07 44.43 32.24 8.61 34.28 9.93 310 267 PEAK	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2478.00 113.27 ------ ------ 96.80 32.22 8.60 34.28 9.93 310 267 PEAK
Avg	 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.54 52.16 54.00 -1.84 35.66 32.24 8.61 34.28 9.93 310 267 AVERAGE	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2478.00 111.77 ------ ------ 95.30 32.22 8.60 34.28 9.93 310 267 AVERAGE

Mode	6	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH38_2478MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 HORIZONTAL	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 VERTICAL

Horizontal:

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4127.00	43.08	74.00	-30.92	57.50	33.45	10.97	59.91	1.07	200	109	Peak
2	4127.00	39.17	54.00	-14.83	53.59	33.45	10.97	59.91	1.07	200	109	Average
3	4956.00	52.89	74.00	-21.11	64.19	34.52	12.04	58.85	0.99	200	60	PEAK
4	4956.00	47.95	54.00	-6.05	59.25	34.52	12.04	58.85	0.99	200	60	Average
5	7434.00	42.56	74.00	-31.44	48.89	35.83	14.69	57.88	1.03	--	--	PEAK

Vertical:

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4127.00	43.47	74.00	-30.53	57.89	33.45	10.97	59.91	1.07	400	31	Peak
2	4127.00	38.31	54.00	-15.69	52.73	33.45	10.97	59.91	1.07	400	31	Average
3	4956.00	50.00	74.00	-24.00	61.30	34.52	12.04	58.85	0.99	400	360	PEAK
4	4956.00	45.93	54.00	-8.07	57.23	34.52	12.04	58.85	0.99	400	360	Average
5	7434.00	42.68	74.00	-31.32	49.01	35.83	14.69	57.88	1.03	--	--	PEAK

Mode	6	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH38_2478MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL
17.7G ~18G Avg	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL

Mode	7	
	Band Edge	
	2400-2483.5_Bluetooth-LE GFSK_CH00_2402MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2387.00 55.82 74.00 -18.18 39.79 32.00 8.45 34.32 9.90 213 160 PEAK	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2402.00 112.27 ------ ------ 96.19 32.02 8.47 34.31 9.90 213 160 PEAK
Avg	 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:0.062kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2385.90 45.70 54.00 -8.30 29.67 32.00 8.45 34.32 9.90 213 160 AVERAGE	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:0.062kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2402.00 111.11 ------ ------ 95.03 32.02 8.47 34.31 9.90 213 160 AVERAGE

Mode	7	
	Band Edge	
	2400-2483.5_Bluetooth-LE GFSK_CH00_2402MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2386.18 55.25 74.00 -18.75 39.22 32.00 8.45 34.32 9.90 203 272 PEAK	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2402.00 112.63 ------ ------ 96.55 32.02 8.47 34.31 9.90 203 272 PEAK
Avg	 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:0.062kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2382.22 45.34 54.00 -8.66 29.32 32.00 8.44 34.32 9.90 203 272 AVERAGE	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:0.062kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2402.00 109.58 ------ ------ 93.50 32.02 8.47 34.31 9.90 203 272 AVERAGE

Mode	7	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH00_2402MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4002.00 50.36 74.00 -23.64 65.04 33.40 10.79 59.93 1.06 294 176 Peak 2 4002.00 47.78 54.00 -6.22 62.46 33.40 10.79 59.93 1.06 294 176 AVERAGE 3 4804.00 56.21 74.00 -17.79 68.05 34.50 11.88 59.19 0.97 179 305 PEAK 4 4804.00 53.29 54.00 -0.71 65.13 34.50 11.88 59.19 0.97 179 305 AVERAGE 5 6405.00 48.46 74.00 -25.54 53.86 35.79 13.81 56.01 1.01 -- -- Peak	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4002.00 49.70 74.00 -24.30 64.38 33.40 10.79 59.93 1.06 400 45 Peak 2 4002.00 46.50 54.00 -7.50 61.18 33.40 10.79 59.93 1.06 400 45 AVERAGE 3 4804.00 56.69 74.00 -17.31 68.53 34.50 11.88 59.19 0.97 391 0 PEAK 4 4804.00 53.55 54.00 -0.45 65.39 34.50 11.88 59.19 0.97 391 0 AVERAGE 5 6405.00 45.22 74.00 -28.78 50.62 35.79 13.81 56.01 1.01 -- -- Peak

Mode	7	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH00_2402MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL
17.7G ~18G Avg	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL

Mode	8	
	Band Edge - L	
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2387.48 54.90 74.00 -19.10 38.87 32.00 8.45 34.32 9.90 219 161 PEAK	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2440.00 112.57 ------ ------ 96.31 32.10 8.54 34.30 9.92 219 161 PEAK
Avg	 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:0.062kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2359.92 45.62 54.00 -8.38 29.85 31.80 8.40 34.33 9.90 219 161 AVERAGE	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:0.062kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2440.00 111.59 ------ ------ 95.33 32.10 8.54 34.30 9.92 219 161 AVERAGE

Mode	8	
	Band Edge - R	
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.62 56.14 74.00 -17.86 39.64 32.24 8.61 34.28 9.93 219 161 PEAK	Blank
Avg	 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:0.062kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2484.28 45.96 54.00 -8.04 29.46 32.24 8.61 34.28 9.93 219 161 AVERAGE	Blank

Mode	8	
	Band Edge - L	
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 2360.70 55.16 74.00 -18.84 39.38 31.81 8.40 34.33 9.90 207 223 PEAK	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 2440.00 112.17 ------ ------ 95.91 32.10 8.54 34.30 9.92 207 223 PEAK
Avg	 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:0.062kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 2359.92 44.94 54.00 -9.06 29.17 31.80 8.40 34.33 9.90 207 223 AVERAGE	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:0.062kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 2440.00 111.39 ------ ------ 95.13 32.10 8.54 34.30 9.92 207 223 AVERAGE

Mode	8	
	Band Edge - R	
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2497.42 56.40 74.00 -17.60 39.72 32.37 8.64 34.27 9.94 207 223 PEAK	Blank
Avg	 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:0.062kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2484.34 45.42 54.00 -8.58 28.92 32.24 8.61 34.28 9.93 207 223 AVERAGE	Blank

Mode	8	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 HORIZONTAL	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 VERTICAL

Horizontal:

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4065.00	46.44	74.00	-27.56	61.02	33.40	10.88	59.92	1.06	300	173	Peak
2	4065.00	41.79	54.00	-12.21	56.37	33.40	10.88	59.92	1.06	300	173	AVERAGE
3	4880.00	55.91	74.00	-18.09	67.49	34.50	11.96	59.02	0.98	197	54	PEAK
4	4880.00	53.22	54.00	-0.78	64.80	34.50	11.96	59.02	0.98	197	54	AVERAGE
5	6505.00	50.57	74.00	-23.43	55.90	35.80	13.90	56.01	0.98	--	--	Peak
6	7320.00	48.26	74.00	-25.74	54.60	35.80	14.58	57.74	1.02	100	129	PEAK
7	7320.00	40.64	54.00	-13.36	46.98	35.80	14.58	57.74	1.02	100	129	AVERAGE

Vertical:

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4065.00	45.35	74.00	-28.65	59.93	33.40	10.88	59.92	1.06	--	--	Peak
2	4880.00	56.16	74.00	-17.84	67.74	34.50	11.96	59.02	0.98	272	0	PEAK
3	4880.00	53.33	54.00	-0.67	64.91	34.50	11.96	59.02	0.98	272	0	AVERAGE
4	6505.00	46.08	74.00	-27.92	51.41	35.80	13.90	56.01	0.98	--	--	Peak
5	7320.00	44.42	74.00	-29.58	50.76	35.80	14.58	57.74	1.02	--	--	PEAK

Mode	8	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL
17.7G ~18G Avg	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL

Mode	9	
	Band Edge	
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.76 61.86 74.00 -12.14 45.36 32.24 8.61 34.28 9.93 246 185 PEAK	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 114.65 ------ ------ 98.19 32.20 8.61 34.28 9.93 246 185 PEAK
Avg	 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:0.062kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.52 53.18 54.00 -0.82 36.68 32.24 8.61 34.28 9.93 246 185 AVERAGE	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:0.062kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 113.86 ------ ------ 97.40 32.20 8.61 34.28 9.93 246 185 AVERAGE

Mode	9	
	Band Edge	
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.52 62.81 74.00 -11.19 46.31 32.24 8.61 34.28 9.93 300 268 PEAK	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 114.22 ------ ------ 97.76 32.20 8.61 34.28 9.93 300 268 PEAK
Avg	 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:0.062kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.52 52.71 54.00 -1.29 36.21 32.24 8.61 34.28 9.93 300 268 AVERAGE	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:0.062kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 112.78 ------ ------ 96.32 32.20 8.61 34.28 9.93 300 268 AVERAGE

Mode	9	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4960.00 52.43 74.00 -21.57 63.70 34.54 12.04 58.84 0.99 201 75 PEAK 2 4960.00 48.98 54.00 -5.02 60.25 34.54 12.04 58.84 0.99 201 75 AVERAGE 3 6615.00 49.38 74.00 -24.62 54.97 35.77 13.99 56.31 0.96 -- -- Peak 4 7440.00 43.33 74.00 -30.67 49.67 35.82 14.70 57.89 1.03 -- -- PEAK	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4960.00 51.35 74.00 -22.65 62.62 34.54 12.04 58.84 0.99 190 16 PEAK 2 4960.00 47.55 54.00 -6.45 58.82 34.54 12.04 58.84 0.99 190 16 AVERAGE 3 6615.00 46.32 74.00 -27.68 51.91 35.77 13.99 56.31 0.96 -- -- Peak 4 7440.00 45.36 74.00 -28.64 51.70 35.82 14.70 57.89 1.03 -- -- PEAK

Mode	9	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL
17.7G ~18G Avg	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL

Mode	10	
	Band Edge	
	2400-2483.5_Bluetooth-LE GFSK _CH00_2402MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2388.75 54.14 74.00 -19.86 38.11 32.00 8.45 34.32 9.90 201 134 PEAK	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2402.00 101.88 ------ ------ 85.80 32.02 8.47 34.31 9.90 201 134 PEAK
Avg	 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:0.240kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2382.22 43.60 54.00 -10.40 27.58 32.00 8.44 34.32 9.90 201 134 AVERAGE	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:0.240kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2402.00 100.80 ------ ------ 84.72 32.02 8.47 34.31 9.90 201 134 AVERAGE

Mode	10	
	Band Edge	
	2400-2483.5_Bluetooth-LE GFSK _CH00_2402MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2382.77 54.32 74.00 -19.68 38.30 32.00 8.44 34.32 9.90 334 67 PEAK	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2402.00 101.22 ------ ------ 85.14 32.02 8.47 34.31 9.90 334 67 PEAK
Avg	 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2388.94 43.61 54.00 -10.39 27.58 32.00 8.45 34.32 9.90 334 67 AVERAGE	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2402.00 100.30 ------ ------ 84.22 32.02 8.47 34.31 9.90 334 67 AVERAGE

Mode	10	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK _CH00_2402MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4804.00 48.08 74.00 -25.92 59.92 34.50 11.88 59.19 0.97 191 306 PEAK 2 4804.00 43.60 54.00 -10.40 55.44 34.50 11.88 59.19 0.97 191 306 AVERAGE 3 6405.00 49.53 74.00 -24.47 54.93 35.79 13.81 56.01 1.01 -- -- Peak	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4804.00 49.78 74.00 -24.22 61.62 34.50 11.88 59.19 0.97 371 0 PEAK 2 4804.00 45.42 54.00 -8.58 57.26 34.50 11.88 59.19 0.97 371 0 AVERAGE