







Mode	10	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH00_2402MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL	Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL
17.7G ~18G Avg	Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL	Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL







Mode	11																																																																																																			
	Band Edge - L																																																																																																			
	2400-2483.5 Bluetooth-LE GFSK_CH19_2440MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227800 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2364.99</td><td>56.09</td><td>74.00</td><td>-17.91</td><td>40.26</td><td>31.85</td><td>8.41</td><td>34.33</td><td>9.90</td><td>219</td><td>161</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2364.99	56.09	74.00	-17.91	40.26	31.85	8.41	34.33	9.90	219	161	PEAK	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227800 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>112.54</td><td>-----</td><td>-----</td><td>96.28</td><td>32.10</td><td>8.54</td><td>34.30</td><td>9.92</td><td>219</td><td>161</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	112.54	-----	-----	96.28	32.10	8.54	34.30	9.92	219	161	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2364.99	56.09	74.00	-17.91	40.26	31.85	8.41	34.33	9.90	219	161	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2440.00	112.54	-----	-----	96.28	32.10	8.54	34.30	9.92	219	161	PEAK																																																																																								
Avg	 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227800 HORIZONTAL : RBW:1000.000kHz VBW:0.240kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2359.92</td><td>45.41</td><td>54.00</td><td>-8.59</td><td>29.64</td><td>31.80</td><td>8.40</td><td>34.33</td><td>9.90</td><td>219</td><td>161</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2359.92	45.41	54.00	-8.59	29.64	31.80	8.40	34.33	9.90	219	161	AVERAGE	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227800 HORIZONTAL : RBW:1000.000kHz VBW:0.240kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>111.63</td><td>-----</td><td>-----</td><td>95.37</td><td>32.10</td><td>8.54</td><td>34.30</td><td>9.92</td><td>219</td><td>161</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	111.63	-----	-----	95.37	32.10	8.54	34.30	9.92	219	161	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2359.92	45.41	54.00	-8.59	29.64	31.80	8.40	34.33	9.90	219	161	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2440.00	111.63	-----	-----	95.37	32.10	8.54	34.30	9.92	219	161	AVERAGE																																																																																								



Mode	11																																													
	Band Edge - R																																													
	2400-2483.5_Bluetooth-LE GFSK _CH19_2440MHz																																													
ANT	1																																													
Pol.	Horizontal	Fundamental																																												
Peak	Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>56.19</td><td>74.00</td><td>-17.81</td><td>39.69</td><td>32.24</td><td>8.61</td><td>34.28</td><td>9.93</td><td>219</td><td>161</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	56.19	74.00	-17.81	39.69	32.24	8.61	34.28	9.93	219	161	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2483.56	56.19	74.00	-17.81	39.69	32.24	8.61	34.28	9.93	219	161	PEAK																																		
Avg	Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.98</td><td>46.24</td><td>54.00</td><td>-7.76</td><td>29.74</td><td>32.24</td><td>8.61</td><td>34.28</td><td>9.93</td><td>219</td><td>161</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.98	46.24	54.00	-7.76	29.74	32.24	8.61	34.28	9.93	219	161	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2483.98	46.24	54.00	-7.76	29.74	32.24	8.61	34.28	9.93	219	161	AVERAGE																																		





		11																																																																																															
Mode	Band Edge - L																																																																																																
	2400-2483.5_Bluetooth-LE GFSK _CH19_2440MHz																																																																																																
ANT	1																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2335.09</td><td>55.00</td><td>74.00</td><td>-19.00</td><td>39.18</td><td>31.90</td><td>8.36</td><td>34.34</td><td>9.90</td><td>238</td><td>233 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2335.09	55.00	74.00	-19.00	39.18	31.90	8.36	34.34	9.90	238	233 PEAK	Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>112.51</td><td>-----</td><td>-----</td><td>96.25</td><td>32.10</td><td>8.54</td><td>34.30</td><td>9.92</td><td>238</td><td>233 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	112.51	-----	-----	96.25	32.10	8.54	34.30	9.92	238
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2335.09	55.00	74.00	-19.00	39.18	31.90	8.36	34.34	9.90	238	233 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2440.00	112.51	-----	-----	96.25	32.10	8.54	34.30	9.92	238	233 PEAK																																																																																						
Avg																																																																																																	
	Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.44</td><td>44.93</td><td>54.00</td><td>-9.07</td><td>28.90</td><td>32.00</td><td>8.45</td><td>34.32</td><td>9.90</td><td>238</td><td>233 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.44	44.93	54.00	-9.07	28.90	32.00	8.45	34.32	9.90	238	233 AVERAGE	Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>111.59</td><td>-----</td><td>-----</td><td>95.33</td><td>32.10</td><td>8.54</td><td>34.30</td><td>9.92</td><td>238</td><td>233 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	111.59	-----	-----	95.33	32.10	8.54	34.30	9.92	238
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2386.44	44.93	54.00	-9.07	28.90	32.00	8.45	34.32	9.90	238	233 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2440.00	111.59	-----	-----	95.33	32.10	8.54	34.30	9.92	238	233 AVERAGE																																																																																						



Mode	11																																								
	Band Edge - R																																								
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz																																								
ANT	1																																								
Pol.	Vertical	Fundamental																																							
Peak	Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2485.06</td><td>56.04</td><td>74.00</td><td>-17.96</td><td>39.53</td><td>32.25</td><td>8.61</td><td>34.28</td><td>9.93</td><td>238</td><td>233</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2485.06	56.04	74.00	-17.96	39.53	32.25	8.61	34.28	9.93	238	233	PEAK	Blank
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																													
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																														
1	2485.06	56.04	74.00	-17.96	39.53	32.25	8.61	34.28	9.93	238	233	PEAK																													
Avg	Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2485.54</td><td>45.50</td><td>54.00</td><td>-8.50</td><td>28.97</td><td>32.26</td><td>8.62</td><td>34.28</td><td>9.93</td><td>238</td><td>233</td><td>AVERAGE</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2485.54	45.50	54.00	-8.50	28.97	32.26	8.62	34.28	9.93	238	233	AVERAGE	Blank
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																													
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																														
1	2485.54	45.50	54.00	-8.50	28.97	32.26	8.62	34.28	9.93	238	233	AVERAGE																													







		11										
Mode	Harmonic											
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz											
ANT	1											
Pol.	Horizontal						Vertical					
Peak Avg												
	Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 HORIZONTAL						Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 VERTICAL					
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4066.00	46.32	74.00	-27.68	60.90	33.40	10.88	59.92	1.06	127	152	Peak
2	4066.00	41.32	54.00	-12.68	55.90	33.40	10.88	59.92	1.06	127	152	Average
3	4880.00	56.27	74.00	-17.73	67.85	34.50	11.96	59.02	0.98	193	49	PEAK
4	4880.00	53.66	54.00	-0.34	65.24	34.50	11.96	59.02	0.98	193	49	AVERAGE
5	6507.00	51.56	74.00	-22.44	56.90	35.80	13.90	56.02	0.98	--	--	Peak
6	7320.00	44.12	74.00	-29.88	50.46	35.80	14.58	57.74	1.02	--	--	Peak
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4066.00	45.26	74.00	-28.74	59.84	33.40	10.88	59.92	1.06	400	103	Peak
2	4066.00	41.59	54.00	-12.41	56.17	33.40	10.88	59.92	1.06	400	103	Average
3	4880.00	56.28	74.00	-17.72	67.86	34.50	11.96	59.02	0.98	293	356	PEAK
4	4880.00	53.73	54.00	-0.27	65.31	34.50	11.96	59.02	0.98	293	356	AVERAGE
5	6507.00	46.48	74.00	-27.52	51.82	35.80	13.90	56.02	0.98	--	--	Peak
6	7320.00	43.76	74.00	-30.24	50.10	35.80	14.58	57.74	1.02	--	--	Peak







Mode	11	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL	Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL
17.7G ~18G Avg	Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL	Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL





Mode	12																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.58</td><td>62.75</td><td>74.00</td><td>-11.25</td><td>46.25</td><td>32.24</td><td>8.61</td><td>34.28</td><td>9.93</td><td>244</td><td>185</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.58	62.75	74.00	-11.25	46.25	32.24	8.61	34.28	9.93	244	185	PEAK	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>115.05</td><td>-----</td><td>-----</td><td>98.59</td><td>32.20</td><td>8.61</td><td>34.28</td><td>9.93</td><td>244</td><td>185</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	115.05	-----	-----	98.59	32.20	8.61	34.28	9.93	244	185	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.58	62.75	74.00	-11.25	46.25	32.24	8.61	34.28	9.93	244	185	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	115.05	-----	-----	98.59	32.20	8.61	34.28	9.93	244	185	PEAK																																																																																								
Avg	 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>53.42</td><td>54.00</td><td>-0.58</td><td>36.92</td><td>32.24</td><td>8.61</td><td>34.28</td><td>9.93</td><td>244</td><td>185</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	53.42	54.00	-0.58	36.92	32.24	8.61	34.28	9.93	244	185	AVERAGE	 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>112.07</td><td>-----</td><td>-----</td><td>95.61</td><td>32.20</td><td>8.61</td><td>34.28</td><td>9.93</td><td>244</td><td>185</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	112.07	-----	-----	95.61	32.20	8.61	34.28	9.93	244	185	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.52	53.42	54.00	-0.58	36.92	32.24	8.61	34.28	9.93	244	185	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	112.07	-----	-----	95.61	32.20	8.61	34.28	9.93	244	185	AVERAGE																																																																																								



Mode	12																																																																																															
	Band Edge																																																																																															
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz																																																																																															
ANT	1																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2485.06</td><td>62.81</td><td>74.00</td><td>-11.19</td><td>46.30</td><td>32.25</td><td>8.61</td><td>34.28</td><td>9.93</td><td>300</td><td>268</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2485.06	62.81	74.00	-11.19	46.30	32.25	8.61	34.28	9.93	300	268	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2480.00</td><td>114.24</td><td>-----</td><td>-----</td><td>97.78</td><td>32.20</td><td>8.61</td><td>34.28</td><td>9.93</td><td>300</td><td>268</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2480.00	114.24	-----	-----	97.78	32.20	8.61	34.28	9.93	300	268
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 2485.06	62.81	74.00	-11.19	46.30	32.25	8.61	34.28	9.93	300	268	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 2480.00	114.24	-----	-----	97.78	32.20	8.61	34.28	9.93	300	268	PEAK																																																																																					
Avg																																																																																																
	Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto						Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2483.52</td><td>52.93</td><td>54.00</td><td>-1.07</td><td>36.43</td><td>32.24</td><td>8.61</td><td>34.28</td><td>9.93</td><td>300</td><td>268</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2483.52	52.93	54.00	-1.07	36.43	32.24	8.61	34.28	9.93	300	268	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2480.00</td><td>113.45</td><td>-----</td><td>-----</td><td>96.99</td><td>32.20</td><td>8.61</td><td>34.28</td><td>9.93</td><td>300</td><td>268</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2480.00	113.45	-----	-----	96.99	32.20	8.61	34.28	9.93	300	268
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 2483.52	52.93	54.00	-1.07	36.43	32.24	8.61	34.28	9.93	300	268	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 2480.00	113.45	-----	-----	96.99	32.20	8.61	34.28	9.93	300	268	AVERAGE																																																																																					





Mode	12																																																																																																																																													
	Harmonic																																																																																																																																													
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 4960.00</td><td>52.36</td><td>74.00</td><td>-21.64</td><td>63.63</td><td>34.54</td><td>12.04</td><td>58.84</td><td>0.99</td><td>200 64 PEAK</td></tr><tr><td>2 4960.00</td><td>50.56</td><td>54.00</td><td>-3.44</td><td>61.83</td><td>34.54</td><td>12.04</td><td>58.84</td><td>0.99</td><td>200 64 Average</td></tr><tr><td>3 6613.00</td><td>49.50</td><td>74.00</td><td>-24.50</td><td>55.09</td><td>35.77</td><td>13.99</td><td>56.31</td><td>0.96</td><td>-- -- Peak</td></tr><tr><td>4 7440.00</td><td>42.02</td><td>74.00</td><td>-31.98</td><td>48.36</td><td>35.82</td><td>14.70</td><td>57.89</td><td>1.03</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 4960.00	52.36	74.00	-21.64	63.63	34.54	12.04	58.84	0.99	200 64 PEAK	2 4960.00	50.56	54.00	-3.44	61.83	34.54	12.04	58.84	0.99	200 64 Average	3 6613.00	49.50	74.00	-24.50	55.09	35.77	13.99	56.31	0.96	-- -- Peak	4 7440.00	42.02	74.00	-31.98	48.36	35.82	14.70	57.89	1.03	-- -- PEAK	 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00227880 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 4960.00</td><td>50.68</td><td>74.00</td><td>-23.32</td><td>61.95</td><td>34.54</td><td>12.04</td><td>58.84</td><td>0.99</td><td>309 0 PEAK</td></tr><tr><td>2 4960.00</td><td>49.12</td><td>54.00</td><td>-4.88</td><td>60.39</td><td>34.54</td><td>12.04</td><td>58.84</td><td>0.99</td><td>309 0 Average</td></tr><tr><td>3 6613.00</td><td>45.27</td><td>74.00</td><td>-28.73</td><td>50.86</td><td>35.77</td><td>13.99</td><td>56.31</td><td>0.96</td><td>-- -- Peak</td></tr><tr><td>4 7440.00</td><td>41.95</td><td>74.00</td><td>-32.05</td><td>48.29</td><td>35.82</td><td>14.70</td><td>57.89</td><td>1.03</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 4960.00	50.68	74.00	-23.32	61.95	34.54	12.04	58.84	0.99	309 0 PEAK	2 4960.00	49.12	54.00	-4.88	60.39	34.54	12.04	58.84	0.99	309 0 Average	3 6613.00	45.27	74.00	-28.73	50.86	35.77	13.99	56.31	0.96	-- -- Peak	4 7440.00	41.95	74.00	-32.05	48.29	35.82	14.70	57.89	1.03	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1 4960.00	52.36	74.00	-21.64	63.63	34.54	12.04	58.84	0.99	200 64 PEAK																																																																																																																																					
2 4960.00	50.56	54.00	-3.44	61.83	34.54	12.04	58.84	0.99	200 64 Average																																																																																																																																					
3 6613.00	49.50	74.00	-24.50	55.09	35.77	13.99	56.31	0.96	-- -- Peak																																																																																																																																					
4 7440.00	42.02	74.00	-31.98	48.36	35.82	14.70	57.89	1.03	-- -- PEAK																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1 4960.00	50.68	74.00	-23.32	61.95	34.54	12.04	58.84	0.99	309 0 PEAK																																																																																																																																					
2 4960.00	49.12	54.00	-4.88	60.39	34.54	12.04	58.84	0.99	309 0 Average																																																																																																																																					
3 6613.00	45.27	74.00	-28.73	50.86	35.77	13.99	56.31	0.96	-- -- Peak																																																																																																																																					
4 7440.00	41.95	74.00	-32.05	48.29	35.82	14.70	57.89	1.03	-- -- PEAK																																																																																																																																					





Mode	12	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL	Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL
17.7G ~18G Avg	Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 HORIZONTAL	Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00227880 VERTICAL



Mode	13																																																																																																			
	SHF																																																																																																			
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak	 Site : Condition: PEAK_74 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>24762.00</td><td>38.84</td><td>74.00</td><td>-35.16</td><td>48.29</td><td>39.02</td><td>18.71</td><td>57.64</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	24762.00	38.84	74.00	-35.16	48.29	39.02	18.71	57.64	-9.54	--	--	Peak	 Site : Condition: PEAK_74 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>22235.00</td><td>38.75</td><td>74.00</td><td>-35.25</td><td>52.23</td><td>38.10</td><td>17.63</td><td>59.67</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	22235.00	38.75	74.00	-35.25	52.23	38.10	17.63	59.67	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	24762.00	38.84	74.00	-35.16	48.29	39.02	18.71	57.64	-9.54	--	--	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	22235.00	38.75	74.00	-35.25	52.23	38.10	17.63	59.67	-9.54	--	--	Peak																																																																																								



Mode	14																																																																																																																																																																																				
	LF																																																																																																																																																																																				
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz																																																																																																																																																																																				
ANT	1																																																																																																																																																																																				
Pol.	Horizontal	Vertical																																																																																																																																																																																			
QPI/ Peak	 Site : 03CH07-HY Condition: QP 3m Bilog_35419 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>30.97</td><td>21.24</td><td>40.00</td><td>-18.76</td><td>26.12</td><td>24.01</td><td>1.09</td><td>29.98</td><td>0.00 -- -- Peak</td></tr><tr><td>2</td><td>138.64</td><td>28.30</td><td>43.50</td><td>-15.20</td><td>38.71</td><td>17.27</td><td>2.20</td><td>29.88</td><td>0.00 -- -- Peak</td></tr><tr><td>3</td><td>225.94</td><td>35.19</td><td>46.00</td><td>-10.81</td><td>46.56</td><td>15.68</td><td>2.77</td><td>29.82</td><td>0.00 -- -- Peak</td></tr><tr><td>4</td><td>439.34</td><td>32.12</td><td>46.00</td><td>-13.88</td><td>35.77</td><td>22.34</td><td>3.77</td><td>29.76</td><td>0.00 -- -- Peak</td></tr><tr><td>5</td><td>625.58</td><td>36.08</td><td>46.00</td><td>-9.92</td><td>35.55</td><td>25.76</td><td>4.45</td><td>29.68</td><td>0.00 -- -- Peak</td></tr><tr><td>6</td><td>796.38</td><td>36.59</td><td>46.00</td><td>-9.41</td><td>33.59</td><td>27.27</td><td>4.99</td><td>29.26</td><td>0.00 -- -- Peak</td></tr></table>  Site : 03CH07-HY Condition: QP 3m Bilog_35419 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>30.00</td><td>31.79</td><td>40.00</td><td>-8.21</td><td>36.41</td><td>24.29</td><td>1.07</td><td>29.98</td><td>0.00 -- -- Peak</td></tr><tr><td>2</td><td>91.11</td><td>30.00</td><td>43.50</td><td>-13.50</td><td>43.35</td><td>14.76</td><td>1.81</td><td>29.92</td><td>0.00 -- -- Peak</td></tr><tr><td>3</td><td>127.97</td><td>30.27</td><td>43.50</td><td>-13.23</td><td>40.55</td><td>17.50</td><td>2.11</td><td>29.89</td><td>0.00 -- -- Peak</td></tr><tr><td>4</td><td>624.61</td><td>38.01</td><td>46.00</td><td>-7.99</td><td>37.41</td><td>25.84</td><td>4.45</td><td>29.69</td><td>0.00 -- -- Peak</td></tr><tr><td>5</td><td>806.00</td><td>35.90</td><td>46.00</td><td>-10.10</td><td>33.03</td><td>27.06</td><td>5.03</td><td>29.22</td><td>0.00 -- -- Peak</td></tr><tr><td>6</td><td>960.23</td><td>38.90</td><td>54.00</td><td>-15.10</td><td>32.25</td><td>29.74</td><td>5.44</td><td>28.53</td><td>0.00 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	30.97	21.24	40.00	-18.76	26.12	24.01	1.09	29.98	0.00 -- -- Peak	2	138.64	28.30	43.50	-15.20	38.71	17.27	2.20	29.88	0.00 -- -- Peak	3	225.94	35.19	46.00	-10.81	46.56	15.68	2.77	29.82	0.00 -- -- Peak	4	439.34	32.12	46.00	-13.88	35.77	22.34	3.77	29.76	0.00 -- -- Peak	5	625.58	36.08	46.00	-9.92	35.55	25.76	4.45	29.68	0.00 -- -- Peak	6	796.38	36.59	46.00	-9.41	33.59	27.27	4.99	29.26	0.00 -- -- Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	30.00	31.79	40.00	-8.21	36.41	24.29	1.07	29.98	0.00 -- -- Peak	2	91.11	30.00	43.50	-13.50	43.35	14.76	1.81	29.92	0.00 -- -- Peak	3	127.97	30.27	43.50	-13.23	40.55	17.50	2.11	29.89	0.00 -- -- Peak	4	624.61	38.01	46.00	-7.99	37.41	25.84	4.45	29.69	0.00 -- -- Peak	5	806.00	35.90	46.00	-10.10	33.03	27.06	5.03	29.22	0.00 -- -- Peak	6	960.23	38.90	54.00	-15.10	32.25	29.74	5.44	28.53	0.00 -- -- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																												
1	30.97	21.24	40.00	-18.76	26.12	24.01	1.09	29.98	0.00 -- -- Peak																																																																																																																																																																												
2	138.64	28.30	43.50	-15.20	38.71	17.27	2.20	29.88	0.00 -- -- Peak																																																																																																																																																																												
3	225.94	35.19	46.00	-10.81	46.56	15.68	2.77	29.82	0.00 -- -- Peak																																																																																																																																																																												
4	439.34	32.12	46.00	-13.88	35.77	22.34	3.77	29.76	0.00 -- -- Peak																																																																																																																																																																												
5	625.58	36.08	46.00	-9.92	35.55	25.76	4.45	29.68	0.00 -- -- Peak																																																																																																																																																																												
6	796.38	36.59	46.00	-9.41	33.59	27.27	4.99	29.26	0.00 -- -- Peak																																																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																												
1	30.00	31.79	40.00	-8.21	36.41	24.29	1.07	29.98	0.00 -- -- Peak																																																																																																																																																																												
2	91.11	30.00	43.50	-13.50	43.35	14.76	1.81	29.92	0.00 -- -- Peak																																																																																																																																																																												
3	127.97	30.27	43.50	-13.23	40.55	17.50	2.11	29.89	0.00 -- -- Peak																																																																																																																																																																												
4	624.61	38.01	46.00	-7.99	37.41	25.84	4.45	29.69	0.00 -- -- Peak																																																																																																																																																																												
5	806.00	35.90	46.00	-10.10	33.03	27.06	5.03	29.22	0.00 -- -- Peak																																																																																																																																																																												
6	960.23	38.90	54.00	-15.10	32.25	29.74	5.44	28.53	0.00 -- -- Peak																																																																																																																																																																												



Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
Bluetooth - LE for 1Mbps	30.47	2133	0.47	0.47kHz
Bluetooth - LE for 2Mbps	26.90	1077	0.93	1kHz
Bluetooth - LE for 125kbps	29.95	17070	0.06	62Hz
Bluetooth - LE for 500kbps	32.38	4533	0.22	240Hz

