



802.11ax(HEW20)_HCH_5720MHz_RU242_Left_Ant2_NTNV



802.11ax(HEW20)_HCH_5720MHz_RU242_Left_MIMO_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


802.11ax(HEW40)_LCH_5755MHz_RU484_Left_Ant1_NTNV




802.11ax(HEW40)_LCH_5755MHz_RU484_Left_Ant2_NTNV



802.11ax(HEW40)_LCH_5755MHz_RU484_Left_MIMO_NTNV



802.11ax(HEW40)_HCH_5795MHz_RU484_Left_Ant1_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


802.11ax(HEW40)_HCH_5795MHz_RU484_Left_Ant2_NTNV




802.11ax(HEW40)_HCH_5795MHz_RU484_Left_MIMO_NTNV



802.11ax(HEW40)_HCH_5710MHz_RU484_Left_Ant1_NTNV



802.11ax(HEW40)_HCH_5710MHz_RU484_Left_Ant2_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
 Shenzhen Branch Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


802.11ax(HEW40)_HCH_5710MHz_RU484_Left_MIMO_NTNV




802.11ax(HEW80)_MCH_5775MHz_RU996_Left_Ant1_NTNV



802.11ax(HEW80)_MCH_5775MHz_RU996_Left_Ant2_NTNV




802.11ax(HEW80)_MCH_5775MHz_RU996_Left_MIMO_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

802.11ax(HEW80)_HCH_5690MHz_RU996_Left_Ant1_NTNV




802.11ax(HEW80)_HCH_5690MHz_RU996_Left_Ant2_NTNV



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

802.11ax(HEW80)_HCH_5690MHz_RU996_Left_MIMO_NTNV



SGS-CSTC Standards Technical Services Co., Ltd.
 Shenzhen Branch Calibration Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1									
Mode	Tx Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	/	/	20	102	5180.020	5150 to 5250	Pass
						120	5180.020	5150 to 5250	Pass
						138	5180.000	5150 to 5250	Pass
					-30	120	5180.000	5150 to 5250	Pass
					-20	120	5180.000	5150 to 5250	Pass
					-10	120	5180.020	5150 to 5250	Pass
					0	120	5180.000	5150 to 5250	Pass
					10	120	5180.020	5150 to 5250	Pass
					30	120	5179.980	5150 to 5250	Pass
					40	120	5180.000	5150 to 5250	Pass
					50	120	5180.020	5150 to 5250	Pass
		5200	/	/	20	102	5200.020	5150 to 5250	Pass
						120	5200.000	5150 to 5250	Pass
						138	5199.980	5150 to 5250	Pass
					-30	120	5200.020	5150 to 5250	Pass
					-20	120	5200.020	5150 to 5250	Pass
					-10	120	5200.020	5150 to 5250	Pass
					0	120	5199.980	5150 to 5250	Pass
					10	120	5200.000	5150 to 5250	Pass
					30	120	5200.040	5150 to 5250	Pass
					40	120	5200.020	5150 to 5250	Pass
					50	120	5200.020	5150 to 5250	Pass
		5240	/	/	20	102	5240.020	5150 to 5250	Pass
						120	5240.020	5150 to 5250	Pass
						138	5240.000	5150 to 5250	Pass
					-30	120	5240.040	5150 to 5250	Pass
					-20	120	5240.020	5150 to 5250	Pass
					-10	120	5240.000	5150 to 5250	Pass
					0	120	5240.040	5150 to 5250	Pass
					10	120	5240.020	5150 to 5250	Pass
					30	120	5240.000	5150 to 5250	Pass
					40	120	5240.020	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区W-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 423 of 453

				50	120	5240.000	5150 to 5250	Pass
				20	102	5260.000	5250 to 5350	Pass
					120	5260.020	5250 to 5350	Pass
					138	5260.020	5250 to 5350	Pass
					-30	5260.020	5250 to 5350	Pass
				-20	120	5260.000	5250 to 5350	Pass
				-10	120	5260.020	5250 to 5350	Pass
				0	120	5260.020	5250 to 5350	Pass
				10	120	5259.980	5250 to 5350	Pass
				30	120	5260.020	5250 to 5350	Pass
				40	120	5260.020	5250 to 5350	Pass
				50	120	5260.000	5250 to 5350	Pass
				20	102	5300.020	5250 to 5350	Pass
					120	5300.020	5250 to 5350	Pass
					138	5300.020	5250 to 5350	Pass
					-30	5300.040	5250 to 5350	Pass
				-20	120	5300.020	5250 to 5350	Pass
				-10	120	5300.040	5250 to 5350	Pass
				0	120	5300.020	5250 to 5350	Pass
				10	120	5300.020	5250 to 5350	Pass
				30	120	5300.000	5250 to 5350	Pass
				40	120	5300.020	5250 to 5350	Pass
				50	120	5300.040	5250 to 5350	Pass
				20	102	5320.020	5250 to 5350	Pass
					120	5320.040	5250 to 5350	Pass
					138	5320.040	5250 to 5350	Pass
					-30	5320.020	5250 to 5350	Pass
				-20	120	5320.040	5250 to 5350	Pass
				-10	120	5320.040	5250 to 5350	Pass
				0	120	5320.040	5250 to 5350	Pass
				10	120	5320.020	5250 to 5350	Pass
				30	120	5320.020	5250 to 5350	Pass
				40	120	5320.040	5250 to 5350	Pass
				50	120	5320.020	5250 to 5350	Pass
				20	102	5500.020	5470 to 5725	Pass
					120	5500.040	5470 to 5725	Pass
					138	5500.020	5470 to 5725	Pass
					-30	5500.040	5470 to 5725	Pass
				-20	120	5500.020	5470 to 5725	Pass
				-10	120	5500.020	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 424 of 453

					0	120	5500.020	5470 to 5725	Pass
					10	120	5500.040	5470 to 5725	Pass
					30	120	5500.040	5470 to 5725	Pass
					40	120	5500.040	5470 to 5725	Pass
					50	120	5500.020	5470 to 5725	Pass
		5580	/	/	20	102	5580.040	5470 to 5725	Pass
						120	5580.040	5470 to 5725	Pass
						138	5580.040	5470 to 5725	Pass
					-30	120	5580.040	5470 to 5725	Pass
					-20	120	5580.040	5470 to 5725	Pass
					-10	120	5580.020	5470 to 5725	Pass
					0	120	5580.020	5470 to 5725	Pass
					10	120	5580.020	5470 to 5725	Pass
					30	120	5580.040	5470 to 5725	Pass
					40	120	5580.040	5470 to 5725	Pass
					50	120	5580.020	5470 to 5725	Pass
		5700	/	/	20	102	5700.020	5470 to 5725	Pass
						120	5700.020	5470 to 5725	Pass
						138	5700.020	5470 to 5725	Pass
					-30	120	5700.000	5470 to 5725	Pass
					-20	120	5700.020	5470 to 5725	Pass
					-10	120	5700.040	5470 to 5725	Pass
					0	120	5700.020	5470 to 5725	Pass
					10	120	5700.020	5470 to 5725	Pass
					30	120	5700.020	5470 to 5725	Pass
					40	120	5700.020	5470 to 5725	Pass
					50	120	5700.020	5470 to 5725	Pass
		5745	/	/	20	102	5745.040	5725 to 5850	Pass
						120	5745.020	5725 to 5850	Pass
						138	5745.040	5725 to 5850	Pass
					-30	120	5744.980	5725 to 5850	Pass
					-20	120	5745.020	5725 to 5850	Pass
					-10	120	5744.980	5725 to 5850	Pass
					0	120	5745.020	5725 to 5850	Pass
					10	120	5745.000	5725 to 5850	Pass
					30	120	5745.020	5725 to 5850	Pass
					40	120	5745.000	5725 to 5850	Pass
					50	120	5745.000	5725 to 5850	Pass
		5785	/	/	20	102	5785.020	5725 to 5850	Pass
						120	5785.000	5725 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 425 of 453

						138	5785.000	5725 to 5850	Pass
					-30	120	5785.020	5725 to 5850	Pass
					-20	120	5785.000	5725 to 5850	Pass
					-10	120	5785.020	5725 to 5850	Pass
					0	120	5785.020	5725 to 5850	Pass
					10	120	5784.980	5725 to 5850	Pass
					30	120	5785.000	5725 to 5850	Pass
					40	120	5785.000	5725 to 5850	Pass
					50	120	5785.020	5725 to 5850	Pass
		5825	/	/	20	102	5825.020	5725 to 5850	Pass
						120	5825.000	5725 to 5850	Pass
						138	5825.020	5725 to 5850	Pass
					-30	120	5825.020	5725 to 5850	Pass
					-20	120	5825.000	5725 to 5850	Pass
					-10	120	5825.020	5725 to 5850	Pass
					0	120	5825.020	5725 to 5850	Pass
					10	120	5825.020	5725 to 5850	Pass
					30	120	5825.020	5725 to 5850	Pass
					40	120	5825.020	5725 to 5850	Pass
					50	120	5825.020	5725 to 5850	Pass
		5720	/	/	20	102	5720.000	5470 to 5850	Pass
						120	5720.020	5470 to 5850	Pass
						138	5720.020	5470 to 5850	Pass
					-30	120	5720.020	5470 to 5850	Pass
					-20	120	5720.020	5470 to 5850	Pass
					-10	120	5720.020	5470 to 5850	Pass
					0	120	5720.020	5470 to 5850	Pass
					10	120	5720.040	5470 to 5850	Pass
					30	120	5720.000	5470 to 5850	Pass
					40	120	5720.000	5470 to 5850	Pass
50	120	5720.040	5470 to 5850	Pass					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 426 of 453

802.11n (HT20)	MIMO	5180	/	/	20	102	5180.000	5150 to 5250	Pass
						120	5180.000	5150 to 5250	Pass
						138	5180.000	5150 to 5250	Pass
					-30	120	5180.000	5150 to 5250	Pass
					-20	120	5179.980	5150 to 5250	Pass
					-10	120	5179.980	5150 to 5250	Pass
					0	120	5179.980	5150 to 5250	Pass
					10	120	5180.000	5150 to 5250	Pass
					30	120	5179.980	5150 to 5250	Pass
					40	120	5180.000	5150 to 5250	Pass
					50	120	5180.000	5150 to 5250	Pass
		5200	/	/	20	102	5199.980	5150 to 5250	Pass
						120	5200.000	5150 to 5250	Pass
						138	5200.000	5150 to 5250	Pass
					-30	120	5200.000	5150 to 5250	Pass
					-20	120	5200.020	5150 to 5250	Pass
					-10	120	5200.000	5150 to 5250	Pass
					0	120	5200.000	5150 to 5250	Pass
					10	120	5200.020	5150 to 5250	Pass
					30	120	5200.000	5150 to 5250	Pass
					40	120	5200.000	5150 to 5250	Pass
					50	120	5200.000	5150 to 5250	Pass
		5240	/	/	20	102	5240.000	5150 to 5250	Pass
						120	5239.980	5150 to 5250	Pass
						138	5240.020	5150 to 5250	Pass
					-30	120	5239.980	5150 to 5250	Pass
					-20	120	5240.000	5150 to 5250	Pass
					-10	120	5240.020	5150 to 5250	Pass
					0	120	5239.980	5150 to 5250	Pass
					10	120	5240.000	5150 to 5250	Pass
					30	120	5240.000	5150 to 5250	Pass
					40	120	5240.020	5150 to 5250	Pass
					50	120	5240.000	5150 to 5250	Pass
		5260	/	/	20	102	5259.980	5250 to 5350	Pass
						120	5260.000	5250 to 5350	Pass
						138	5260.020	5250 to 5350	Pass
					-30	120	5260.000	5250 to 5350	Pass
					-20	120	5260.000	5250 to 5350	Pass
					-10	120	5260.000	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 427 of 453

					0	120	5260.000	5250 to 5350	Pass
					10	120	5260.000	5250 to 5350	Pass
					30	120	5260.000	5250 to 5350	Pass
					40	120	5260.000	5250 to 5350	Pass
					50	120	5259.980	5250 to 5350	Pass
		5300	/	/	20	102	5299.980	5250 to 5350	Pass
						120	5299.980	5250 to 5350	Pass
						138	5300.020	5250 to 5350	Pass
					-30	120	5300.000	5250 to 5350	Pass
					-20	120	5300.000	5250 to 5350	Pass
					-10	120	5300.000	5250 to 5350	Pass
					0	120	5300.000	5250 to 5350	Pass
					10	120	5300.000	5250 to 5350	Pass
					30	120	5300.000	5250 to 5350	Pass
					40	120	5299.980	5250 to 5350	Pass
					50	120	5300.000	5250 to 5350	Pass
		5320	/	/	20	102	5320.000	5250 to 5350	Pass
						120	5320.000	5250 to 5350	Pass
						138	5320.020	5250 to 5350	Pass
					-30	120	5320.000	5250 to 5350	Pass
					-20	120	5320.000	5250 to 5350	Pass
					-10	120	5320.000	5250 to 5350	Pass
					0	120	5320.020	5250 to 5350	Pass
					10	120	5320.000	5250 to 5350	Pass
					30	120	5320.000	5250 to 5350	Pass
					40	120	5320.000	5250 to 5350	Pass
		5500	/	/	20	102	5500.000	5470 to 5725	Pass
						120	5499.980	5470 to 5725	Pass
						138	5499.980	5470 to 5725	Pass
					-30	120	5499.980	5470 to 5725	Pass
					-20	120	5500.000	5470 to 5725	Pass
					-10	120	5499.980	5470 to 5725	Pass
					0	120	5499.980	5470 to 5725	Pass
					10	120	5499.980	5470 to 5725	Pass
					30	120	5499.980	5470 to 5725	Pass
					40	120	5500.020	5470 to 5725	Pass
		5580	/	/	20	102	5579.960	5470 to 5725	Pass
						120	5580.000	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 428 of 453

						138	5579.980	5470 to 5725	Pass
					-30	120	5580.000	5470 to 5725	Pass
					-20	120	5579.980	5470 to 5725	Pass
					-10	120	5580.000	5470 to 5725	Pass
					0	120	5579.980	5470 to 5725	Pass
					10	120	5580.000	5470 to 5725	Pass
					30	120	5580.000	5470 to 5725	Pass
					40	120	5579.980	5470 to 5725	Pass
					50	120	5579.980	5470 to 5725	Pass
		5700	/	/	20	102	5699.980	5470 to 5725	Pass
						120	5699.980	5470 to 5725	Pass
						138	5699.960	5470 to 5725	Pass
					-30	120	5699.980	5470 to 5725	Pass
					-20	120	5699.980	5470 to 5725	Pass
					-10	120	5699.980	5470 to 5725	Pass
					0	120	5699.980	5470 to 5725	Pass
					10	120	5699.940	5470 to 5725	Pass
					30	120	5699.940	5470 to 5725	Pass
					40	120	5700.000	5470 to 5725	Pass
					50	120	5699.940	5470 to 5725	Pass
		5745	/	/	20	102	5744.980	5725 to 5850	Pass
						120	5744.980	5725 to 5850	Pass
						138	5744.960	5725 to 5850	Pass
					-30	120	5744.980	5725 to 5850	Pass
					-20	120	5744.980	5725 to 5850	Pass
					-10	120	5745.020	5725 to 5850	Pass
					0	120	5745.000	5725 to 5850	Pass
					10	120	5744.980	5725 to 5850	Pass
					30	120	5745.000	5725 to 5850	Pass
					40	120	5744.980	5725 to 5850	Pass
					50	120	5745.020	5725 to 5850	Pass
		5785	/	/	20	102	5785.000	5725 to 5850	Pass
						120	5784.960	5725 to 5850	Pass
						138	5784.980	5725 to 5850	Pass
					-30	120	5784.980	5725 to 5850	Pass
					-20	120	5785.000	5725 to 5850	Pass
					-10	120	5784.980	5725 to 5850	Pass
					0	120	5784.980	5725 to 5850	Pass
					10	120	5784.980	5725 to 5850	Pass
					30	120	5785.000	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 429 of 453

		5825	/	/	40	120	5785.000	5725 to 5850	Pass
					50	120	5785.000	5725 to 5850	Pass
					20	102	5825.000	5725 to 5850	Pass
						120	5825.000	5725 to 5850	Pass
						138	5824.980	5725 to 5850	Pass
					-30	120	5825.000	5725 to 5850	Pass
					-20	120	5825.000	5725 to 5850	Pass
					-10	120	5825.000	5725 to 5850	Pass
					0	120	5825.000	5725 to 5850	Pass
					10	120	5825.000	5725 to 5850	Pass
					30	120	5825.000	5725 to 5850	Pass
					40	120	5824.980	5725 to 5850	Pass
					50	120	5824.980	5725 to 5850	Pass
		5720	/	/	20	102	5720.000	5470 to 5850	Pass
						120	5719.980	5470 to 5850	Pass
						138	5719.980	5470 to 5850	Pass
					-30	120	5719.980	5470 to 5850	Pass
					-20	120	5719.980	5470 to 5850	Pass
					-10	120	5720.000	5470 to 5850	Pass
					0	120	5719.980	5470 to 5850	Pass
					10	120	5719.960	5470 to 5850	Pass
					30	120	5719.960	5470 to 5850	Pass
					40	120	5719.980	5470 to 5850	Pass
					50	120	5719.980	5470 to 5850	Pass

802.11n (HT40)	MIMO	5190	/	/	20	102	5190.000	5150 to 5250	Pass
						120	5190.040	5150 to 5250	Pass
						138	5190.000	5150 to 5250	Pass
					-30	120	5190.040	5150 to 5250	Pass
					-20	120	5190.000	5150 to 5250	Pass
					-10	120	5190.040	5150 to 5250	Pass
					0	120	5190.040	5150 to 5250	Pass
					10	120	5190.000	5150 to 5250	Pass
					30	120	5190.040	5150 to 5250	Pass
					40	120	5190.000	5150 to 5250	Pass
					50	120	5190.000	5150 to 5250	Pass
		5230	/	/	20	102	5230.000	5150 to 5250	Pass
						120	5230.080	5150 to 5250	Pass
						138	5230.040	5150 to 5250	Pass
					-30	120	5230.040	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 430 of 453

					-20	120	5230.040	5150 to 5250	Pass
					-10	120	5230.000	5150 to 5250	Pass
					0	120	5230.000	5150 to 5250	Pass
					10	120	5230.040	5150 to 5250	Pass
					30	120	5230.040	5150 to 5250	Pass
					40	120	5230.000	5150 to 5250	Pass
					50	120	5230.040	5150 to 5250	Pass
		5270	/	/	20	102	5270.040	5250 to 5350	Pass
						120	5270.040	5250 to 5350	Pass
						138	5270.040	5250 to 5350	Pass
					-30	120	5270.040	5250 to 5350	Pass
					-20	120	5270.000	5250 to 5350	Pass
					-10	120	5270.080	5250 to 5350	Pass
					0	120	5270.040	5250 to 5350	Pass
					10	120	5270.040	5250 to 5350	Pass
					30	120	5270.040	5250 to 5350	Pass
					40	120	5270.040	5250 to 5350	Pass
					50	120	5270.040	5250 to 5350	Pass
		5310	/	/	20	102	5310.040	5250 to 5350	Pass
						120	5310.040	5250 to 5350	Pass
						138	5310.040	5250 to 5350	Pass
					-30	120	5310.040	5250 to 5350	Pass
					-20	120	5310.040	5250 to 5350	Pass
					-10	120	5310.040	5250 to 5350	Pass
					0	120	5310.040	5250 to 5350	Pass
					10	120	5310.080	5250 to 5350	Pass
					30	120	5310.040	5250 to 5350	Pass
					40	120	5310.040	5250 to 5350	Pass
					50	120	5310.040	5250 to 5350	Pass
		5510	/	/	20	102	5510.000	5470 to 5725	Pass
						120	5510.000	5470 to 5725	Pass
						138	5510.000	5470 to 5725	Pass
					-30	120	5510.000	5470 to 5725	Pass
					-20	120	5510.040	5470 to 5725	Pass
					-10	120	5510.000	5470 to 5725	Pass
					0	120	5510.000	5470 to 5725	Pass
					10	120	5510.040	5470 to 5725	Pass
					30	120	5510.040	5470 to 5725	Pass
					40	120	5510.040	5470 to 5725	Pass
					50	120	5510.000	5470 to 5725	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Calibration Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 431 of 453

		5550	/	/	20	102	5550.000	5470 to 5725	Pass
						120	5550.040	5470 to 5725	Pass
						138	5550.000	5470 to 5725	Pass
					-30	120	5550.080	5470 to 5725	Pass
					-20	120	5550.000	5470 to 5725	Pass
					-10	120	5550.040	5470 to 5725	Pass
					0	120	5550.080	5470 to 5725	Pass
					10	120	5550.040	5470 to 5725	Pass
					30	120	5550.040	5470 to 5725	Pass
					40	120	5550.040	5470 to 5725	Pass
					50	120	5550.040	5470 to 5725	Pass
		5670	/	/	20	102	5670.040	5470 to 5725	Pass
						120	5670.040	5470 to 5725	Pass
						138	5670.000	5470 to 5725	Pass
					-30	120	5670.080	5470 to 5725	Pass
					-20	120	5670.000	5470 to 5725	Pass
					-10	120	5670.000	5470 to 5725	Pass
					0	120	5670.000	5470 to 5725	Pass
					10	120	5670.000	5470 to 5725	Pass
					30	120	5670.000	5470 to 5725	Pass
					40	120	5670.000	5470 to 5725	Pass
					50	120	5670.000	5470 to 5725	Pass
		5755	/	/	20	102	5755.000	5725 to 5850	Pass
						120	5755.000	5725 to 5850	Pass
						138	5755.000	5725 to 5850	Pass
					-30	120	5755.000	5725 to 5850	Pass
					-20	120	5755.040	5725 to 5850	Pass
					-10	120	5755.000	5725 to 5850	Pass
					0	120	5755.040	5725 to 5850	Pass
					10	120	5755.000	5725 to 5850	Pass
					30	120	5755.000	5725 to 5850	Pass
					40	120	5755.000	5725 to 5850	Pass
					50	120	5755.000	5725 to 5850	Pass
		5795	/	/	20	102	5795.000	5725 to 5850	Pass
						120	5795.040	5725 to 5850	Pass
						138	5795.000	5725 to 5850	Pass
					-30	120	5795.000	5725 to 5850	Pass
					-20	120	5795.000	5725 to 5850	Pass
					-10	120	5795.000	5725 to 5850	Pass
					0	120	5795.000	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 432 of 453

					10	120	5795.000	5725 to 5850	Pass
					30	120	5795.040	5725 to 5850	Pass
					40	120	5795.040	5725 to 5850	Pass
					50	120	5795.040	5725 to 5850	Pass
		5710	/	/	20	102	5710.000	5470 to 5850	Pass
						120	5710.040	5470 to 5850	Pass
						138	5710.000	5470 to 5850	Pass
					-30	120	5710.040	5470 to 5850	Pass
					-20	120	5710.000	5470 to 5850	Pass
					-10	120	5710.000	5470 to 5850	Pass
					0	120	5710.000	5470 to 5850	Pass
					10	120	5710.040	5470 to 5850	Pass
					30	120	5710.000	5470 to 5850	Pass
					40	120	5710.000	5470 to 5850	Pass
					50	120	5710.000	5470 to 5850	Pass

802.11ac (VHT20)	MIMO	5180	/	/	20	102	5180.000	5150 to 5250	Pass
						120	5180.000	5150 to 5250	Pass
						138	5180.000	5150 to 5250	Pass
					-30	120	5180.000	5150 to 5250	Pass
					-20	120	5179.980	5150 to 5250	Pass
					-10	120	5179.980	5150 to 5250	Pass
					0	120	5179.980	5150 to 5250	Pass
					10	120	5180.000	5150 to 5250	Pass
					30	120	5179.980	5150 to 5250	Pass
					40	120	5179.980	5150 to 5250	Pass
					50	120	5180.000	5150 to 5250	Pass
		5200	/	/	20	102	5200.000	5150 to 5250	Pass
						120	5200.020	5150 to 5250	Pass
						138	5200.020	5150 to 5250	Pass
					-30	120	5199.980	5150 to 5250	Pass
					-20	120	5200.000	5150 to 5250	Pass
					-10	120	5200.000	5150 to 5250	Pass
					0	120	5199.980	5150 to 5250	Pass
					10	120	5200.020	5150 to 5250	Pass
					30	120	5199.980	5150 to 5250	Pass
					40	120	5200.000	5150 to 5250	Pass
					50	120	5199.980	5150 to 5250	Pass
		5240	/	/	20	102	5240.000	5150 to 5250	Pass
						120	5239.980	5150 to 5250	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Calibration Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 433 of 453

						138	5240.000	5150 to 5250	Pass
					-30	120	5240.000	5150 to 5250	Pass
					-20	120	5239.980	5150 to 5250	Pass
					-10	120	5240.000	5150 to 5250	Pass
					0	120	5240.000	5150 to 5250	Pass
					10	120	5240.000	5150 to 5250	Pass
					30	120	5239.980	5150 to 5250	Pass
					40	120	5239.980	5150 to 5250	Pass
					50	120	5240.000	5150 to 5250	Pass
		5260	/	/	20	102	5260.000	5250 to 5350	Pass
						120	5260.000	5250 to 5350	Pass
						138	5260.000	5250 to 5350	Pass
					-30	120	5259.980	5250 to 5350	Pass
					-20	120	5259.980	5250 to 5350	Pass
					-10	120	5259.980	5250 to 5350	Pass
					0	120	5259.980	5250 to 5350	Pass
					10	120	5260.000	5250 to 5350	Pass
					30	120	5260.020	5250 to 5350	Pass
					40	120	5260.000	5250 to 5350	Pass
					50	120	5260.000	5250 to 5350	Pass
		5300	/	/	20	102	5300.020	5250 to 5350	Pass
						120	5300.000	5250 to 5350	Pass
						138	5300.000	5250 to 5350	Pass
					-30	120	5300.020	5250 to 5350	Pass
					-20	120	5300.000	5250 to 5350	Pass
					-10	120	5300.000	5250 to 5350	Pass
					0	120	5300.000	5250 to 5350	Pass
					10	120	5300.000	5250 to 5350	Pass
					30	120	5300.000	5250 to 5350	Pass
					40	120	5300.000	5250 to 5350	Pass
					50	120	5300.020	5250 to 5350	Pass
		5320	/	/	20	102	5320.000	5250 to 5350	Pass
						120	5320.000	5250 to 5350	Pass
						138	5320.020	5250 to 5350	Pass
					-30	120	5320.000	5250 to 5350	Pass
					-20	120	5320.000	5250 to 5350	Pass
					-10	120	5320.020	5250 to 5350	Pass
					0	120	5319.980	5250 to 5350	Pass
					10	120	5320.000	5250 to 5350	Pass
					30	120	5320.000	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 434 of 453

					40	120	5320.000	5250 to 5350	Pass
					50	120	5320.000	5250 to 5350	Pass
		5500	/	/	20	102	5499.980	5470 to 5725	Pass
						120	5500.020	5470 to 5725	Pass
						138	5499.980	5470 to 5725	Pass
					-30	120	5499.980	5470 to 5725	Pass
					-20	120	5499.960	5470 to 5725	Pass
					-10	120	5499.980	5470 to 5725	Pass
					0	120	5499.980	5470 to 5725	Pass
					10	120	5499.980	5470 to 5725	Pass
					30	120	5499.980	5470 to 5725	Pass
					40	120	5499.980	5470 to 5725	Pass
					50	120	5499.980	5470 to 5725	Pass
		5580	/	/	20	102	5579.980	5470 to 5725	Pass
						120	5579.960	5470 to 5725	Pass
						138	5580.020	5470 to 5725	Pass
					-30	120	5580.000	5470 to 5725	Pass
					-20	120	5580.020	5470 to 5725	Pass
					-10	120	5579.960	5470 to 5725	Pass
					0	120	5580.000	5470 to 5725	Pass
					10	120	5580.000	5470 to 5725	Pass
					30	120	5580.020	5470 to 5725	Pass
					40	120	5579.980	5470 to 5725	Pass
					50	120	5579.960	5470 to 5725	Pass
		5700	/	/	20	102	5699.960	5470 to 5725	Pass
						120	5699.980	5470 to 5725	Pass
						138	5700.000	5470 to 5725	Pass
					-30	120	5699.980	5470 to 5725	Pass
					-20	120	5699.980	5470 to 5725	Pass
					-10	120	5700.000	5470 to 5725	Pass
					0	120	5699.960	5470 to 5725	Pass
					10	120	5699.960	5470 to 5725	Pass
					30	120	5700.000	5470 to 5725	Pass
					40	120	5699.980	5470 to 5725	Pass
					50	120	5699.980	5470 to 5725	Pass
		5745	/	/	20	102	5745.000	5725 to 5850	Pass
						120	5744.980	5725 to 5850	Pass
						138	5744.980	5725 to 5850	Pass
					-30	120	5744.960	5725 to 5850	Pass
					-20	120	5745.000	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 435 of 453

					-10	120	5745.000	5725 to 5850	Pass
					0	120	5744.980	5725 to 5850	Pass
					10	120	5745.000	5725 to 5850	Pass
					30	120	5744.980	5725 to 5850	Pass
					40	120	5745.000	5725 to 5850	Pass
					50	120	5745.000	5725 to 5850	Pass
		5785	/	/	20	102	5785.000	5725 to 5850	Pass
						120	5784.980	5725 to 5850	Pass
						138	5784.980	5725 to 5850	Pass
					-30	120	5784.980	5725 to 5850	Pass
					-20	120	5784.960	5725 to 5850	Pass
					-10	120	5785.000	5725 to 5850	Pass
					0	120	5784.980	5725 to 5850	Pass
					10	120	5784.960	5725 to 5850	Pass
					30	120	5784.980	5725 to 5850	Pass
					40	120	5784.940	5725 to 5850	Pass
					50	120	5784.980	5725 to 5850	Pass
		5825	/	/	20	102	5824.980	5725 to 5850	Pass
						120	5825.000	5725 to 5850	Pass
						138	5825.000	5725 to 5850	Pass
					-30	120	5825.000	5725 to 5850	Pass
					-20	120	5825.000	5725 to 5850	Pass
					-10	120	5825.000	5725 to 5850	Pass
					0	120	5825.000	5725 to 5850	Pass
					10	120	5825.000	5725 to 5850	Pass
					30	120	5824.960	5725 to 5850	Pass
					40	120	5824.980	5725 to 5850	Pass
					50	120	5824.980	5725 to 5850	Pass
		5720	/	/	20	102	5719.980	5470 to 5850	Pass
						120	5719.980	5470 to 5850	Pass
						138	5719.980	5470 to 5850	Pass
					-30	120	5720.000	5470 to 5850	Pass
					-20	120	5719.980	5470 to 5850	Pass
					-10	120	5719.940	5470 to 5850	Pass
					0	120	5720.000	5470 to 5850	Pass
					10	120	5719.980	5470 to 5850	Pass
					30	120	5719.980	5470 to 5850	Pass
					40	120	5719.980	5470 to 5850	Pass
					50	120	5719.980	5470 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 436 of 453

802.11ac (VHT40)	MIMO	5190	/	/	20	102	5190.040	5150 to 5250	Pass
						120	5190.000	5150 to 5250	Pass
						138	5190.040	5150 to 5250	Pass
					-30	120	5190.040	5150 to 5250	Pass
					-20	120	5190.040	5150 to 5250	Pass
					-10	120	5190.040	5150 to 5250	Pass
					0	120	5189.960	5150 to 5250	Pass
					10	120	5190.040	5150 to 5250	Pass
					30	120	5190.040	5150 to 5250	Pass
					40	120	5190.000	5150 to 5250	Pass
					50	120	5190.000	5150 to 5250	Pass
		5230	/	/	20	102	5230.040	5150 to 5250	Pass
						120	5230.040	5150 to 5250	Pass
						138	5230.040	5150 to 5250	Pass
					-30	120	5230.080	5150 to 5250	Pass
					-20	120	5230.000	5150 to 5250	Pass
					-10	120	5230.000	5150 to 5250	Pass
					0	120	5230.040	5150 to 5250	Pass
					10	120	5230.040	5150 to 5250	Pass
					30	120	5230.040	5150 to 5250	Pass
					40	120	5230.040	5150 to 5250	Pass
					50	120	5230.000	5150 to 5250	Pass
		5270	/	/	20	102	5270.000	5250 to 5350	Pass
						120	5270.040	5250 to 5350	Pass
						138	5270.000	5250 to 5350	Pass
					-30	120	5270.000	5250 to 5350	Pass
					-20	120	5270.040	5250 to 5350	Pass
					-10	120	5270.040	5250 to 5350	Pass
					0	120	5270.040	5250 to 5350	Pass
					10	120	5270.040	5250 to 5350	Pass
					30	120	5270.040	5250 to 5350	Pass
					40	120	5270.040	5250 to 5350	Pass
					50	120	5270.040	5250 to 5350	Pass
		5310	/	/	20	102	5310.040	5250 to 5350	Pass
						120	5310.040	5250 to 5350	Pass
						138	5310.040	5250 to 5350	Pass
					-30	120	5310.040	5250 to 5350	Pass
					-20	120	5310.040	5250 to 5350	Pass
					-10	120	5310.040	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 437 of 453

					0	120	5310.040	5250 to 5350	Pass
					10	120	5310.040	5250 to 5350	Pass
					30	120	5310.080	5250 to 5350	Pass
					40	120	5310.080	5250 to 5350	Pass
					50	120	5310.040	5250 to 5350	Pass
		5510	/	/	20	102	5510.000	5470 to 5725	Pass
						120	5510.000	5470 to 5725	Pass
						138	5510.000	5470 to 5725	Pass
					-30	120	5510.000	5470 to 5725	Pass
					-20	120	5509.960	5470 to 5725	Pass
					-10	120	5510.000	5470 to 5725	Pass
					0	120	5510.000	5470 to 5725	Pass
					10	120	5510.000	5470 to 5725	Pass
					30	120	5510.040	5470 to 5725	Pass
					40	120	5510.000	5470 to 5725	Pass
					50	120	5510.000	5470 to 5725	Pass
		5550	/	/	20	102	5550.000	5470 to 5725	Pass
						120	5550.040	5470 to 5725	Pass
						138	5550.040	5470 to 5725	Pass
					-30	120	5550.040	5470 to 5725	Pass
					-20	120	5550.040	5470 to 5725	Pass
					-10	120	5550.040	5470 to 5725	Pass
					0	120	5550.040	5470 to 5725	Pass
					10	120	5550.040	5470 to 5725	Pass
					30	120	5550.040	5470 to 5725	Pass
					40	120	5550.040	5470 to 5725	Pass
		5670	/	/	20	102	5670.040	5470 to 5725	Pass
						120	5670.040	5470 to 5725	Pass
						138	5670.040	5470 to 5725	Pass
					-30	120	5670.000	5470 to 5725	Pass
					-20	120	5669.960	5470 to 5725	Pass
					-10	120	5670.040	5470 to 5725	Pass
					0	120	5670.000	5470 to 5725	Pass
					10	120	5670.040	5470 to 5725	Pass
					30	120	5670.000	5470 to 5725	Pass
					40	120	5670.040	5470 to 5725	Pass
		5755	/	/	20	102	5755.040	5725 to 5850	Pass
						120	5755.040	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 438 of 453

						138	5755.000	5725 to 5850	Pass
					-30	120	5755.000	5725 to 5850	Pass
					-20	120	5755.000	5725 to 5850	Pass
					-10	120	5755.040	5725 to 5850	Pass
					0	120	5755.000	5725 to 5850	Pass
					10	120	5755.000	5725 to 5850	Pass
					30	120	5755.000	5725 to 5850	Pass
					40	120	5755.000	5725 to 5850	Pass
					50	120	5755.000	5725 to 5850	Pass
		5795	/	/	20	102	5795.040	5725 to 5850	Pass
						120	5795.000	5725 to 5850	Pass
						138	5795.000	5725 to 5850	Pass
					-30	120	5795.040	5725 to 5850	Pass
					-20	120	5794.960	5725 to 5850	Pass
					-10	120	5795.000	5725 to 5850	Pass
					0	120	5795.040	5725 to 5850	Pass
					10	120	5795.040	5725 to 5850	Pass
					30	120	5795.000	5725 to 5850	Pass
					40	120	5795.040	5725 to 5850	Pass
					50	120	5795.040	5725 to 5850	Pass
		5710	/	/	20	102	5709.960	5470 to 5850	Pass
						120	5710.040	5470 to 5850	Pass
						138	5710.000	5470 to 5850	Pass
					-30	120	5710.040	5470 to 5850	Pass
					-20	120	5710.040	5470 to 5850	Pass
					-10	120	5710.040	5470 to 5850	Pass
					0	120	5710.040	5470 to 5850	Pass
					10	120	5710.040	5470 to 5850	Pass
					30	120	5710.000	5470 to 5850	Pass
					40	120	5710.000	5470 to 5850	Pass
50	120	5710.040	5470 to 5850	Pass					

802.11ac (VHT80)	MIMO	5210	/	/	20	102	5210.000	5150 to 5250	Pass
						120	5210.000	5150 to 5250	Pass
						138	5210.000	5150 to 5250	Pass
					-30	120	5210.075	5150 to 5250	Pass
					-20	120	5210.000	5150 to 5250	Pass
					-10	120	5210.000	5150 to 5250	Pass
					0	120	5210.075	5150 to 5250	Pass
					10	120	5210.075	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 439 of 453

					30	120	5210.000	5150 to 5250	Pass
					40	120	5210.075	5150 to 5250	Pass
					50	120	5210.000	5150 to 5250	Pass
5290	/	/		20	102	5290.000	5250 to 5350	Pass	
					120	5290.075	5250 to 5350	Pass	
					138	5290.075	5250 to 5350	Pass	
				-30	120	5290.075	5250 to 5350	Pass	
					120	5290.075	5250 to 5350	Pass	
					120	5290.075	5250 to 5350	Pass	
				-20	120	5290.075	5250 to 5350	Pass	
					120	5290.075	5250 to 5350	Pass	
					120	5290.075	5250 to 5350	Pass	
				-10	120	5290.075	5250 to 5350	Pass	
					120	5290.075	5250 to 5350	Pass	
					120	5290.075	5250 to 5350	Pass	
				0	120	5290.150	5250 to 5350	Pass	
					120	5290.075	5250 to 5350	Pass	
					120	5290.075	5250 to 5350	Pass	
5530	/	/		20	102	5530.075	5470 to 5725	Pass	
					120	5530.075	5470 to 5725	Pass	
					138	5530.075	5470 to 5725	Pass	
				-30	120	5530.075	5470 to 5725	Pass	
					120	5530.075	5470 to 5725	Pass	
					120	5530.075	5470 to 5725	Pass	
				-20	120	5530.075	5470 to 5725	Pass	
					120	5530.075	5470 to 5725	Pass	
					120	5530.075	5470 to 5725	Pass	
				-10	120	5530.075	5470 to 5725	Pass	
					120	5530.075	5470 to 5725	Pass	
					120	5530.075	5470 to 5725	Pass	
				0	120	5530.075	5470 to 5725	Pass	
					120	5530.075	5470 to 5725	Pass	
					120	5530.075	5470 to 5725	Pass	
5610	/	/		20	102	5610.075	5470 to 5725	Pass	
					120	5610.075	5470 to 5725	Pass	
					138	5610.075	5470 to 5725	Pass	
				-30	120	5610.000	5470 to 5725	Pass	
					120	5610.075	5470 to 5725	Pass	
					120	5610.075	5470 to 5725	Pass	
				-20	120	5610.075	5470 to 5725	Pass	
					120	5610.075	5470 to 5725	Pass	
					120	5610.075	5470 to 5725	Pass	
				-10	120	5610.000	5470 to 5725	Pass	
					120	5610.000	5470 to 5725	Pass	
					120	5610.000	5470 to 5725	Pass	
				0	120	5610.000	5470 to 5725	Pass	
					120	5610.000	5470 to 5725	Pass	
					120	5610.000	5470 to 5725	Pass	
5775	/	/		20	102	5775.000	5725 to 5850	Pass	
					120	5775.000	5725 to 5850	Pass	
					138	5775.000	5725 to 5850	Pass	
				-30	120	5775.000	5725 to 5850	Pass	
					120	5775.000	5725 to 5850	Pass	
					120	5775.000	5725 to 5850	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 440 of 453

					-20	120	5775.000	5725 to 5850	Pass
					-10	120	5775.075	5725 to 5850	Pass
					0	120	5775.075	5725 to 5850	Pass
					10	120	5774.925	5725 to 5850	Pass
					30	120	5775.075	5725 to 5850	Pass
					40	120	5775.000	5725 to 5850	Pass
					50	120	5774.925	5725 to 5850	Pass
		5690	/	/	20	102	5689.925	5470 to 5850	Pass
						120	5689.850	5470 to 5850	Pass
						138	5689.925	5470 to 5850	Pass
					-30	120	5690.000	5470 to 5850	Pass
					-20	120	5690.000	5470 to 5850	Pass
					-10	120	5690.000	5470 to 5850	Pass
					0	120	5690.000	5470 to 5850	Pass
					10	120	5690.000	5470 to 5850	Pass
					30	120	5689.925	5470 to 5850	Pass
					40	120	5690.000	5470 to 5850	Pass
					50	120	5690.075	5470 to 5850	Pass

					20	102	5569.925	5470 to 5725	Pass
						120	5569.625	5470 to 5725	Pass
						138	5569.700	5470 to 5725	Pass
		5570	/	/	-30	120	5569.925	5470 to 5725	Pass
					-20	120	5569.925	5470 to 5725	Pass
					-10	120	5569.550	5470 to 5725	Pass
					0	120	5569.700	5470 to 5725	Pass
					10	120	5569.850	5470 to 5725	Pass
					30	120	5569.850	5470 to 5725	Pass
					40	120	5570.000	5470 to 5725	Pass
					50	120	5569.925	5470 to 5725	Pass
802.11ac (VHT160)	MIMO				20	102	5250.150	5150 to 5350	Pass
						120	5250.075	5150 to 5350	Pass
						138	5250.075	5150 to 5350	Pass
		5250	/	/	-30	120	5250.075	5150 to 5350	Pass
					-20	120	5250.075	5150 to 5350	Pass
					-10	120	5250.150	5150 to 5350	Pass
					0	120	5250.075	5150 to 5350	Pass
					10	120	5250.075	5150 to 5350	Pass
					30	120	5250.075	5150 to 5350	Pass
					40	120	5250.075	5150 to 5350	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Calibration Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 441 of 453

					50	120	5250.075	5150 to 5350	Pass
802.11ax (HEW20)	MIMO	5180	RU242	Left	20	102	5179.980	5150 to 5250	Pass
						120	5180.000	5150 to 5250	Pass
						138	5179.980	5150 to 5250	Pass
					-30	120	5179.980	5150 to 5250	Pass
					-20	120	5179.960	5150 to 5250	Pass
					-10	120	5180.000	5150 to 5250	Pass
					0	120	5180.020	5150 to 5250	Pass
					10	120	5180.020	5150 to 5250	Pass
					30	120	5180.000	5150 to 5250	Pass
					40	120	5180.000	5150 to 5250	Pass
					50	120	5179.980	5150 to 5250	Pass
		5200	RU242	Left	20	102	5199.980	5150 to 5250	Pass
						120	5200.020	5150 to 5250	Pass
						138	5199.980	5150 to 5250	Pass
					-30	120	5199.960	5150 to 5250	Pass
					-20	120	5200.040	5150 to 5250	Pass
					-10	120	5200.000	5150 to 5250	Pass
					0	120	5200.000	5150 to 5250	Pass
					10	120	5200.000	5150 to 5250	Pass
					30	120	5200.000	5150 to 5250	Pass
					40	120	5200.000	5150 to 5250	Pass
					50	120	5199.980	5150 to 5250	Pass
		5240	RU242	Left	20	102	5240.020	5150 to 5250	Pass
						120	5240.000	5150 to 5250	Pass
						138	5239.980	5150 to 5250	Pass
					-30	120	5239.980	5150 to 5250	Pass
					-20	120	5240.000	5150 to 5250	Pass
					-10	120	5240.000	5150 to 5250	Pass
					0	120	5240.000	5150 to 5250	Pass
					10	120	5239.980	5150 to 5250	Pass
					30	120	5239.980	5150 to 5250	Pass
					40	120	5240.000	5150 to 5250	Pass
					50	120	5240.000	5150 to 5250	Pass
		5260	RU242	Left	20	102	5259.980	5250 to 5350	Pass
						120	5260.000	5250 to 5350	Pass
						138	5260.000	5250 to 5350	Pass
					-30	120	5260.000	5250 to 5350	Pass
					-20	120	5260.000	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 442 of 453

					-10	120	5259.980	5250 to 5350	Pass
					0	120	5260.000	5250 to 5350	Pass
					10	120	5259.920	5250 to 5350	Pass
					30	120	5260.020	5250 to 5350	Pass
					40	120	5260.020	5250 to 5350	Pass
					50	120	5260.020	5250 to 5350	Pass
		5300	RU242	Left	20	102	5300.020	5250 to 5350	Pass
						120	5300.020	5250 to 5350	Pass
						138	5300.020	5250 to 5350	Pass
					-30	120	5300.020	5250 to 5350	Pass
					-20	120	5299.980	5250 to 5350	Pass
					-10	120	5300.000	5250 to 5350	Pass
					0	120	5300.020	5250 to 5350	Pass
					10	120	5300.000	5250 to 5350	Pass
					30	120	5300.000	5250 to 5350	Pass
					40	120	5300.000	5250 to 5350	Pass
					50	120	5299.980	5250 to 5350	Pass
		5320	RU242	Left	20	102	5320.000	5250 to 5350	Pass
						120	5320.000	5250 to 5350	Pass
						138	5320.000	5250 to 5350	Pass
					-30	120	5319.960	5250 to 5350	Pass
					-20	120	5320.000	5250 to 5350	Pass
					-10	120	5320.000	5250 to 5350	Pass
					0	120	5319.980	5250 to 5350	Pass
					10	120	5320.000	5250 to 5350	Pass
					30	120	5319.980	5250 to 5350	Pass
					40	120	5320.000	5250 to 5350	Pass
					50	120	5320.020	5250 to 5350	Pass
		5500	RU242	Left	20	102	5499.980	5470 to 5725	Pass
						120	5500.000	5470 to 5725	Pass
						138	5499.980	5470 to 5725	Pass
					-30	120	5499.960	5470 to 5725	Pass
					-20	120	5500.000	5470 to 5725	Pass
					-10	120	5499.980	5470 to 5725	Pass
					0	120	5499.960	5470 to 5725	Pass
					10	120	5499.980	5470 to 5725	Pass
					30	120	5499.920	5470 to 5725	Pass
					40	120	5499.980	5470 to 5725	Pass
					50	120	5499.980	5470 to 5725	Pass
		5580	RU242	Left	20	102	5580.000	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 443 of 453

						120	5579.960	5470 to 5725	Pass	
						138	5580.000	5470 to 5725	Pass	
						-30	120	5580.000	5470 to 5725	Pass
						-20	120	5580.000	5470 to 5725	Pass
						-10	120	5580.020	5470 to 5725	Pass
						0	120	5579.960	5470 to 5725	Pass
						10	120	5579.980	5470 to 5725	Pass
						30	120	5580.000	5470 to 5725	Pass
						40	120	5580.020	5470 to 5725	Pass
						50	120	5579.980	5470 to 5725	Pass
		5700	RU242	Left	20	102	5699.960	5470 to 5725	Pass	
						120	5699.960	5470 to 5725	Pass	
						138	5699.980	5470 to 5725	Pass	
					-30	120	5699.980	5470 to 5725	Pass	
					-20	120	5700.020	5470 to 5725	Pass	
					-10	120	5700.000	5470 to 5725	Pass	
					0	120	5700.020	5470 to 5725	Pass	
					10	120	5699.960	5470 to 5725	Pass	
					30	120	5700.000	5470 to 5725	Pass	
					40	120	5699.980	5470 to 5725	Pass	
		50	120	5700.000	5470 to 5725	Pass				
		5745	RU242	Left	20	102	5745.020	5725 to 5850	Pass	
						120	5745.020	5725 to 5850	Pass	
						138	5745.000	5725 to 5850	Pass	
					-30	120	5744.980	5725 to 5850	Pass	
					-20	120	5745.020	5725 to 5850	Pass	
					-10	120	5745.040	5725 to 5850	Pass	
					0	120	5744.980	5725 to 5850	Pass	
					10	120	5745.000	5725 to 5850	Pass	
					30	120	5745.000	5725 to 5850	Pass	
					40	120	5745.020	5725 to 5850	Pass	
		50	120	5745.000	5725 to 5850	Pass				
		5785	RU242	Left	20	102	5784.960	5725 to 5850	Pass	
						120	5785.000	5725 to 5850	Pass	
						138	5784.980	5725 to 5850	Pass	
					-30	120	5784.980	5725 to 5850	Pass	
					-20	120	5785.000	5725 to 5850	Pass	
					-10	120	5785.000	5725 to 5850	Pass	
					0	120	5784.960	5725 to 5850	Pass	
					10	120	5785.020	5725 to 5850	Pass	



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Calibration Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 444 of 453

		5825	RU242	Left	30	120	5784.960	5725 to 5850	Pass
					40	120	5785.020	5725 to 5850	Pass
					50	120	5784.980	5725 to 5850	Pass
					20	102	5825.020	5725 to 5850	Pass
						120	5824.980	5725 to 5850	Pass
						138	5824.960	5725 to 5850	Pass
					-30	120	5824.920	5725 to 5850	Pass
					-20	120	5825.000	5725 to 5850	Pass
					-10	120	5824.980	5725 to 5850	Pass
					0	120	5825.000	5725 to 5850	Pass
					10	120	5825.000	5725 to 5850	Pass
					30	120	5825.000	5725 to 5850	Pass
					40	120	5825.020	5725 to 5850	Pass
					50	120	5824.980	5725 to 5850	Pass
		5720	RU242	Left	20	102	5720.000	5470 to 5850	Pass
						120	5720.000	5470 to 5850	Pass
						138	5719.980	5470 to 5850	Pass
					-30	120	5719.980	5470 to 5850	Pass
					-20	120	5719.980	5470 to 5850	Pass
					-10	120	5720.000	5470 to 5850	Pass
					0	120	5720.000	5470 to 5850	Pass
					10	120	5720.000	5470 to 5850	Pass
					30	120	5720.020	5470 to 5850	Pass
					40	120	5719.980	5470 to 5850	Pass
					50	120	5720.000	5470 to 5850	Pass

802.11ax (HEW40)	MIMO	5190	RU484	Left	20	102	5190.080	5150 to 5250	Pass
						120	5189.960	5150 to 5250	Pass
						138	5190.040	5150 to 5250	Pass
					-30	120	5190.040	5150 to 5250	Pass
					-20	120	5190.000	5150 to 5250	Pass
					-10	120	5190.040	5150 to 5250	Pass
					0	120	5190.000	5150 to 5250	Pass
					10	120	5190.040	5150 to 5250	Pass
					30	120	5190.000	5150 to 5250	Pass
					40	120	5190.000	5150 to 5250	Pass
					50	120	5190.040	5150 to 5250	Pass
		5230	RU484	Left	20	102	5230.040	5150 to 5250	Pass
						120	5230.000	5150 to 5250	Pass
						138	5230.040	5150 to 5250	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Calibration Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 445 of 453

					-30	120	5230.000	5150 to 5250	Pass
					-20	120	5230.080	5150 to 5250	Pass
					-10	120	5229.960	5150 to 5250	Pass
					0	120	5230.040	5150 to 5250	Pass
					10	120	5230.080	5150 to 5250	Pass
					30	120	5230.080	5150 to 5250	Pass
					40	120	5230.040	5150 to 5250	Pass
					50	120	5230.000	5150 to 5250	Pass
		5270	RU484	Left	20	102	5270.000	5250 to 5350	Pass
						120	5270.040	5250 to 5350	Pass
						138	5270.040	5250 to 5350	Pass
					-30	120	5270.040	5250 to 5350	Pass
					-20	120	5270.040	5250 to 5350	Pass
					-10	120	5270.040	5250 to 5350	Pass
					0	120	5270.040	5250 to 5350	Pass
					10	120	5270.040	5250 to 5350	Pass
					30	120	5270.040	5250 to 5350	Pass
					40	120	5270.040	5250 to 5350	Pass
					50	120	5270.040	5250 to 5350	Pass
		5310	RU484	Left	20	102	5310.080	5250 to 5350	Pass
						120	5310.040	5250 to 5350	Pass
						138	5309.960	5250 to 5350	Pass
					-30	120	5310.120	5250 to 5350	Pass
					-20	120	5310.040	5250 to 5350	Pass
					-10	120	5310.040	5250 to 5350	Pass
					0	120	5310.080	5250 to 5350	Pass
					10	120	5310.080	5250 to 5350	Pass
					30	120	5310.040	5250 to 5350	Pass
					40	120	5310.040	5250 to 5350	Pass
					50	120	5310.080	5250 to 5350	Pass
		5510	RU484	Left	20	102	5510.040	5470 to 5725	Pass
						120	5510.040	5470 to 5725	Pass
						138	5510.040	5470 to 5725	Pass
					-30	120	5510.000	5470 to 5725	Pass
					-20	120	5510.040	5470 to 5725	Pass
					-10	120	5510.000	5470 to 5725	Pass
					0	120	5510.040	5470 to 5725	Pass
					10	120	5510.080	5470 to 5725	Pass
					30	120	5510.000	5470 to 5725	Pass
					40	120	5510.040	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 446 of 453

					50	120	5510.000	5470 to 5725	Pass
		5550	RU484	Left	20	102	5550.040	5470 to 5725	Pass
						120	5550.040	5470 to 5725	Pass
						138	5550.000	5470 to 5725	Pass
						-30	120	5550.000	5470 to 5725
					-20	120	5550.080	5470 to 5725	Pass
					-10	120	5550.080	5470 to 5725	Pass
					0	120	5550.040	5470 to 5725	Pass
					10	120	5550.040	5470 to 5725	Pass
					30	120	5550.080	5470 to 5725	Pass
					40	120	5550.040	5470 to 5725	Pass
					50	120	5550.040	5470 to 5725	Pass
		5670	RU484	Left	20	102	5670.040	5470 to 5725	Pass
						120	5670.040	5470 to 5725	Pass
						138	5669.960	5470 to 5725	Pass
					-30	120	5670.040	5470 to 5725	Pass
					-20	120	5670.000	5470 to 5725	Pass
					-10	120	5670.000	5470 to 5725	Pass
					0	120	5670.040	5470 to 5725	Pass
					10	120	5670.000	5470 to 5725	Pass
					30	120	5670.080	5470 to 5725	Pass
					40	120	5670.040	5470 to 5725	Pass
					50	120	5670.040	5470 to 5725	Pass
		5755	RU484	Left	20	102	5755.040	5725 to 5850	Pass
						120	5755.040	5725 to 5850	Pass
						138	5755.040	5725 to 5850	Pass
					-30	120	5755.040	5725 to 5850	Pass
					-20	120	5755.000	5725 to 5850	Pass
					-10	120	5755.040	5725 to 5850	Pass
					0	120	5755.000	5725 to 5850	Pass
					10	120	5755.040	5725 to 5850	Pass
					30	120	5755.000	5725 to 5850	Pass
					40	120	5755.040	5725 to 5850	Pass
					50	120	5755.040	5725 to 5850	Pass
		5795	RU484	Left	20	102	5794.960	5725 to 5850	Pass
						120	5795.000	5725 to 5850	Pass
						138	5795.040	5725 to 5850	Pass
					-30	120	5795.080	5725 to 5850	Pass
					-20	120	5795.000	5725 to 5850	Pass
					-10	120	5795.040	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 447 of 453

					0	120	5794.960	5725 to 5850	Pass
					10	120	5795.040	5725 to 5850	Pass
					30	120	5795.040	5725 to 5850	Pass
					40	120	5795.000	5725 to 5850	Pass
					50	120	5795.000	5725 to 5850	Pass
		5710	RU484	Left	20	102	5710.000	5470 to 5850	Pass
						120	5710.040	5470 to 5850	Pass
						138	5710.040	5470 to 5850	Pass
					-30	120	5710.080	5470 to 5850	Pass
					-20	120	5710.000	5470 to 5850	Pass
					-10	120	5710.040	5470 to 5850	Pass
					0	120	5710.040	5470 to 5850	Pass
					10	120	5710.040	5470 to 5850	Pass
					30	120	5710.040	5470 to 5850	Pass
					40	120	5710.040	5470 to 5850	Pass
					50	120	5710.040	5470 to 5850	Pass

802.11ax (HEW80)	MIMO	5210	RU996	Left	20	102	5210.075	5150 to 5250	Pass
						120	5209.475	5150 to 5250	Pass
						138	5210.075	5150 to 5250	Pass
					-30	120	5210.000	5150 to 5250	Pass
					-20	120	5210.000	5150 to 5250	Pass
					-10	120	5210.075	5150 to 5250	Pass
					0	120	5210.000	5150 to 5250	Pass
					10	120	5210.000	5150 to 5250	Pass
					30	120	5210.000	5150 to 5250	Pass
					40	120	5210.075	5150 to 5250	Pass
					50	120	5210.000	5150 to 5250	Pass
		5290	RU996	Left	20	102	5290.075	5250 to 5350	Pass
						120	5290.075	5250 to 5350	Pass
						138	5290.150	5250 to 5350	Pass
					-30	120	5290.075	5250 to 5350	Pass
					-20	120	5290.075	5250 to 5350	Pass
					-10	120	5290.075	5250 to 5350	Pass
					0	120	5290.075	5250 to 5350	Pass
					10	120	5290.150	5250 to 5350	Pass
					30	120	5290.075	5250 to 5350	Pass
					40	120	5290.075	5250 to 5350	Pass
					50	120	5290.075	5250 to 5350	Pass
		5530	RU996	Left	20	102	5530.075	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 448 of 453

						120	5530.075	5470 to 5725	Pass
						138	5530.000	5470 to 5725	Pass
					-30	120	5530.000	5470 to 5725	Pass
					-20	120	5530.075	5470 to 5725	Pass
					-10	120	5530.000	5470 to 5725	Pass
					0	120	5530.000	5470 to 5725	Pass
					10	120	5530.075	5470 to 5725	Pass
					30	120	5530.000	5470 to 5725	Pass
					40	120	5530.000	5470 to 5725	Pass
					50	120	5530.000	5470 to 5725	Pass
		5610	RU996	Left	20	102	5610.075	5470 to 5725	Pass
						120	5610.000	5470 to 5725	Pass
						138	5610.075	5470 to 5725	Pass
					-30	120	5610.150	5470 to 5725	Pass
					-20	120	5610.000	5470 to 5725	Pass
					-10	120	5610.075	5470 to 5725	Pass
					0	120	5610.075	5470 to 5725	Pass
					10	120	5610.000	5470 to 5725	Pass
					30	120	5610.000	5470 to 5725	Pass
					40	120	5610.000	5470 to 5725	Pass
		50	120	5610.000	5470 to 5725	Pass			
		5775	RU996	Left	20	102	5774.925	5725 to 5850	Pass
						120	5775.000	5725 to 5850	Pass
						138	5775.000	5725 to 5850	Pass
					-30	120	5775.000	5725 to 5850	Pass
					-20	120	5775.075	5725 to 5850	Pass
					-10	120	5775.000	5725 to 5850	Pass
					0	120	5775.000	5725 to 5850	Pass
					10	120	5774.925	5725 to 5850	Pass
					30	120	5775.000	5725 to 5850	Pass
					40	120	5775.000	5725 to 5850	Pass
		50	120	5775.000	5725 to 5850	Pass			
		5690	RU996	Left	20	102	5689.850	5470 to 5850	Pass
						120	5690.000	5470 to 5850	Pass
						138	5689.850	5470 to 5850	Pass
					-30	120	5689.850	5470 to 5850	Pass
					-20	120	5690.000	5470 to 5850	Pass
					-10	120	5690.000	5470 to 5850	Pass
					0	120	5690.000	5470 to 5850	Pass
					10	120	5690.000	5470 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Calibration Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 449 of 453

					30	120	5690.000	5470 to 5850	Pass
					40	120	5689.925	5470 to 5850	Pass
					50	120	5689.925	5470 to 5850	Pass

802.11ax (HEW160)	MIMO	5570	2xRU996	Left	20	102	5569.700	5470 to 5725	Pass
						120	5569.550	5470 to 5725	Pass
						138	5569.475	5470 to 5725	Pass
					-30	120	5569.925	5470 to 5725	Pass
						120	5570.000	5470 to 5725	Pass
						120	5569.700	5470 to 5725	Pass
					0	120	5569.925	5470 to 5725	Pass
						120	5569.550	5470 to 5725	Pass
						120	5569.625	5470 to 5725	Pass
					40	120	5569.925	5470 to 5725	Pass
						120	5569.850	5470 to 5725	Pass
						120	5569.850	5470 to 5725	Pass
		5250	2xRU996	Left	20	102	5250.075	5150 to 5350	Pass
						120	5250.075	5150 to 5350	Pass
						138	5250.150	5150 to 5350	Pass
					-30	120	5250.450	5150 to 5350	Pass
						120	5250.150	5150 to 5350	Pass
						120	5250.075	5150 to 5350	Pass
					0	120	5250.150	5150 to 5350	Pass
						120	5250.075	5150 to 5350	Pass
						120	5250.075	5150 to 5350	Pass
					40	120	5250.225	5150 to 5350	Pass
						120	5250.375	5150 to 5350	Pass
						120	5250.375	5150 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036605

Page: 450 of 453

6. DFS

(DFS: Non-occupancy period; Channel Move Time; Channel Closing Transmission Time)

Note: All antennas type has been tested and we found the antenna 1 has the worst result.

Only record the worst test result.

Test plots as follows:

Radar Waveform Calibration Result

Radar Type 0

Test Data:

BW/Channel	Test Item	Test data	Limit	Results
160MHz/ 5250MHz	Non-occupancy period	Refer to test plots	>30 min	pass
	Channel Move Time	0.3174894s	<10 s	Pass
	Channel Closing Transmission Time	0.0019999s	<60ms	Pass

BW/Channel	Test Item	Test data	Limit	Results
160MHz/ 5570MHz	Non-occupancy period	Refer to test plots	>30 min	pass
	Channel Move Time	0.3269891s	<10 s	Pass
	Channel Closing Transmission Time	0.0015s	<60ms	Pass





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区W-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test plots as follows(5250MHz)





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test plots as follows(5570MHz)




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Rader:



Duty Cycle:



- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区W-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com