




802.11ax(HEW40)_HCH_6845MHz_RU484_Left_Ant1_NTNV




802.11ax(HEW80)_LCH_6625MHz_RU996_Left_Ant1_NTNV




802.11ax(HEW80)_MCH_6705MHz_RU996_Left_Ant1_NTNV



802.11ax(HEW80)_HCH_6785MHz_RU996_Left_Ant1_NTNV




802.11ax(HEW160)_MCH_6665MHz_2xRU996_Left_Ant1_NTNV




6.2.4 EMask


802.11a_LCH_6895MHz_Ant1_NTNV




802.11a_MCH_6995MHz_Ant1_NTNV




802.11a_HCH_7115MHz_Ant1_NTNV




802.11ax(HEW20)_LCH_6895MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20)_MCH_6995MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW20)_HCH_7115MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW40)_LCH_6925MHz_RU484_Left_Ant1_NTNV




802.11ax(HEW40)_MCH_7005MHz_RU484_Left_Ant1_NTNV



802.11ax(HEW40)_HCH_7085MHz_RU484_Left_Ant1_NTNV



802.11ax(HEW80)_LCH_6945MHz_RU996_Left_Ant1_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing & Calibration Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

802.11ax(HEW80)_HCH_7025MHz_RU996_Left_Ant1_NTNV




802.11ax(HEW160)_MCH_6985MHz_2xRU996_Left_Ant1_NTNV




6.2.5 EMask


802.11a_HCH_6875MHz_Ant1_NTNV




802.11ax(HEW20)_HCH_6875MHz_RU242_Left_Ant1_NTNV




802.11ax(HEW40)_HCH_6885MHz_RU484_Left_Ant1_NTNV



802.11ax(HEW80)_HCH_6865MHz_RU996_Left_Ant1_NTNV




802.11ax(HEW160)_HCH_6825MHz_2xRU996_Left_Ant1_NTNV




6.2.6 EMask


802.11ax(HEW40)_HCH_6525MHz_RU484_Left_Ant1_NTNV



802.11ax(HEW80)_HCH_6545MHz_RU996_Left_Ant1_NTNV



802.11ax(HEW160)_HCH_6505MHz_2xRU996_Left_Ant1_NTNV



7. Contention Based Protocol

7.1 Test Result

1.1.1 Duty Cycle_Band 5_Ant1

Ant1			
Mode	Freq. (MHz)	Incumbent Frequency (MHz)	Duty Cycle (%)
802.11ax (HEW20)	6175	6175.000	44.80
802.11ax (HEW160)	6185	6110.000	92.27
		6185.000	92.27
		6260.000	92.27

7.1.2 Contention Based Protocol_Detection Power_Band 5_Ant1

Ant1								
Mode	Freq. (MHz)	Incumbent Frequency (MHz)	EUT Status	Detected Power			Limit (dBm)	Verdict
				AWGN Power (dBm)	Antenna Gain (dBi)	Adjusted Power (dBm)		
802.11ax (HEW20)	6175	6175.000	OFF	-64.38	4.38	-68.76	<=-62	Pass
			Minimal	-66.38	4.38	-70.76	<=-62	Pass
			ON	-70.22	4.38	-74.60	<=-62	Pass
802.11ax (HEW160)	6185	6110.000	OFF	-66.13	4.38	-70.51	<=-62	Pass
			Minimal	-68.08	4.38	-72.46	<=-62	Pass
			ON	-70.87	4.38	-75.25	<=-62	Pass
		6185.000	OFF	-66.54	4.38	-70.92	<=-62	Pass
			Minimal	-68.54	4.38	-72.92	<=-62	Pass
			ON	-71.29	4.38	-75.67	<=-62	Pass
		6260.000	OFF	-63.33	4.38	-67.71	<=-62	Pass
			Minimal	-65.36	4.38	-69.74	<=-62	Pass
			ON	-67.21	4.38	-71.59	<=-62	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036606

Page: 518 of 571

7.1.3 Contention Based Protocol_Detection Probability_Band 5_Ant1

Ant1																
Mode	Freq. (MHz)	Incumbent Freq. (MHz)	1	2	3	4	5	6	7	8	9	10	Detected Probability (%)		Verdict	
													Result	Limit		
802.11ax (HEW20)	6175	6175.000	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	90	>=90	Pass	
802.11ax (HEW160)	6185	6110.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	90	>=90	Pass	
		6185.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	90	>=90	Pass	
		6260.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	90	>=90	Pass	
Note1: CBP Detection Trials (Y=Detection, N=No Detection)																

Note1: CBP Detection Trials (Y=Detection, N=No Detection)

7.1.4 Duty Cycle_Band 6_Ant1

Ant1			
Mode	Freq. (MHz)	Incumbent Frequency (MHz)	Duty Cycle (%)
802.11ax (HEW20)	6475	6475.000	39.67

7.1.5 Contention Based Protocol_Detection Power_Band 6_Ant1

Ant1								
Mode	Freq. (MHz)	Incumbent Frequency (MHz)	EUT Status	Detected Power			Limit (dBm)	Verdict
				AWGN Power (dBm)	Antenna Gain (dBi)	Adjusted Power (dBm)		
802.11ax (HEW20)	6475	6475.000	OFF	-63.97	4.38	-68.35	<=-62	Pass
			Minimal	-67.86	4.38	-72.24	<=-62	Pass
			ON	-70.75	4.38	-75.13	<=-62	Pass

7.1.6 Contention Based Protocol_Detection Probability_Band 6_Ant1

Ant1																
Mode	Freq. (MHz)	Incumbent Freq. (MHz)	1	2	3	4	5	6	7	8	9	10	Detected Probability (%)		Verdict	
													Result	Limit		
802.11ax (HEW20)	6475	6475.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100	>=90	Pass	
Note1: CBP Detection Trials (Y=Detection, N=No Detection)																

Note1: CBP Detection Trials (Y=Detection, N=No Detection)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036606

Page: 519 of 571

7.1.7 Duty Cycle_Band 7_Ant1

Ant1			
Mode	Freq. (MHz)	Incumbent Frequency (MHz)	Duty Cycle (%)
802.11ax (HEW20)	6695	6695.000	40.98
802.11ax (HEW160)	6665	6590.000	53.21
		6665.000	53.21
		6740.000	53.21

7.1.8 Contention Based Protocol_Detection Power_Band 7_Ant1

Ant1								
Mode	Freq. (MHz)	Incumbent Frequency (MHz)	EUT Status	Detected Power			Limit (dBm)	Verdict
				AWGN Power (dBm)	Antenna Gain (dBi)	Adjusted Power (dBm)		
802.11ax (HEW20)	6695	6695.000	OFF	-63.36	4.38	-67.74	<=-62	Pass
			Minimal	-66.29	4.38	-70.67	<=-62	Pass
			ON	-70.10	4.38	-74.48	<=-62	Pass
802.11ax (HEW160)	6665	6590.000	OFF	-64.17	4.38	-68.55	<=-62	Pass
			Minimal	-67.08	4.38	-71.46	<=-62	Pass
			ON	-69.96	4.38	-74.34	<=-62	Pass
		6665.000	OFF	-63.90	4.38	-68.28	<=-62	Pass
			Minimal	-66.82	4.38	-71.20	<=-62	Pass
			ON	-69.67	4.38	-74.05	<=-62	Pass
		6740.000	OFF	-62.06	4.38	-66.44	<=-62	Pass
			Minimal	-64.97	4.38	-69.35	<=-62	Pass
			ON	-67.97	4.38	-72.35	<=-62	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch, Inspection & Testing Services

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036606

Page: 520 of 571

7.1.9 Contention Based Protocol_Detection Probability_Band 7_Ant1

Ant1															
Mode	Freq. (MHz)	Incumbent Freq. (MHz)	1	2	3	4	5	6	7	8	9	10	Detected Probability (%)		Verdict
													Result	Limit	
802.11ax (HEW20)	6695	6695.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100	>=90	Pass
802.11ax (HEW160)	6665	6590.000	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	90	>=90	Pass
		6665.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	90	>=90	Pass
		6740.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100	>=90	Pass
Note1: CBP Detection Trials (Y=Detection, N=No Detection)															

7.1.10 Duty Cycle_Band 8_Ant1

Ant1			
Mode	Freq. (MHz)	Incumbent Frequency (MHz)	Duty Cycle (%)
802.11ax (HEW20)	6995	6995.000	38.74
802.11ax (HEW160)	6985	6910.000	53.47
		6985.000	53.47
		7060.000	53.47

7.1.11 Contention Based Protocol_Detection Power_Band 8_Ant1

Ant1								
Mode	Freq. (MHz)	Incumbent Frequency (MHz)	EUT Status	Detected Power			Limit (dBm)	Verdict
				AWGN Power (dBm)	Antenna Gain (dBi)	Adjusted Power (dBm)		
802.11ax (HEW20)	6995	6995.000	OFF	-62.86	4.38	-67.24	<=-62	Pass
			Minimal	-66.74	4.38	-71.12	<=-62	Pass
			ON	-69.51	4.38	-73.89	<=-62	Pass
802.11ax (HEW160)	6985	6910.000	OFF	-62.15	4.38	-66.53	<=-62	Pass
			Minimal	-64.11	4.38	-68.49	<=-62	Pass
			ON	-67.03	4.38	-71.41	<=-62	Pass
		6985.000	OFF	-62.33	4.38	-66.71	<=-62	Pass
			Minimal	-64.33	4.38	-68.71	<=-62	Pass
			ON	-67.19	4.38	-71.57	<=-62	Pass
		7060.000	OFF	-63.43	4.38	-67.81	<=-62	Pass
			Minimal	-65.38	4.38	-69.76	<=-62	Pass
			ON	-68.32	4.38	-72.70	<=-62	Pass

7.1.12 Contention Based Protocol_Detection Probability_Band 8_Ant1

Ant1															
Mode	Freq. (MHz)	Incumbent Freq. (MHz)	1	2	3	4	5	6	7	8	9	10	Detected Probability (%)		Verdict
													Result	Limit	
802.11ax (HEW20)	6995	6995.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100	>=90	Pass
802.11ax (HEW160)	6985	6910.000	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	90	>=90	Pass
		6985.000	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	90	>=90	Pass
		7060.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	90	>=90	Pass

Note1: CBP Detection Trials (Y=Detection, N=No Detection)

1.1.13 Duty Cycle_Band 7+8_Ant1

Ant1			
Mode	Freq. (MHz)	Incumbent Frequency (MHz)	Duty Cycle (%)
802.11ax (HEW20)	6875	6875.000	41.04
802.11ax (HEW160)	6825	6750.000	81.98
		6825.000	81.98
		6900.000	81.98

7.1.14 Contention Based Protocol_Detection Power_Band 7+8_Ant1

Ant1								
Mode	Freq. (MHz)	Incumbent Frequency (MHz)	EUT Status	Detected Power			Limit (dBm)	Verdict
				AWGN Power (dBm)	Antenna Gain (dBi)	Adjusted Power (dBm)		
802.11ax (HEW20)	6875	6875.000	OFF	-61.46	4.38	-65.84	<=-62	Pass
			Minimal	-63.44	4.38	-67.82	<=-62	Pass
			ON	-66.40	4.38	-70.78	<=-62	Pass
802.11ax (HEW160)	6825	6750.000	OFF	-62.37	4.38	-66.75	<=-62	Pass
			Minimal	-64.29	4.38	-68.67	<=-62	Pass
			ON	-67.26	4.38	-71.64	<=-62	Pass
		6825.000	OFF	-63.42	4.38	-67.80	<=-62	Pass
			Minimal	-66.40	4.38	-70.78	<=-62	Pass
			ON	-69.25	4.38	-73.63	<=-62	Pass
		6900.000	OFF	-62.86	4.38	-67.24	<=-62	Pass
			Minimal	-64.87	4.38	-69.25	<=-62	Pass
			ON	-67.74	4.38	-72.12	<=-62	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036606

Page: 523 of 571

7.1.15 Contention Based Protocol_Detection Probability_Band 7+8_Ant1

Ant1															
Mode	Freq. (MHz)	Incumbent Freq. (MHz)	1	2	3	4	5	6	7	8	9	10	Detected Probability (%)		Verdict
													Result	Limit	
802.11ax (HEW20)	6875	6875.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100	>=90	Pass
802.11ax (HEW160)	6825	6750.000	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	90	>=90	Pass
		6825.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	90	>=90	Pass
		6900.000	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	90	>=90	Pass

Note1: CBP Detection Trials (Y=Detection, N=No Detection)

7.1.16 Duty Cycle_Band 6+7_Ant1

Ant1			
Mode	Freq. (MHz)	Incumbent Frequency (MHz)	Duty Cycle (%)
802.11ax (HEW160)	6505	6430.000	47.55
		6505.000	47.55
		6580.000	47.55

7.1.17 Contention Based Protocol_Detection Power_Band 6+7_Ant1

Ant1								
Mode	Freq. (MHz)	Incumbent Frequency (MHz)	EUT Status	Detected Power			Limit (dBm)	Verdict
				AWGN Power (dBm)	Antenna Gain (dBi)	Adjusted Power (dBm)		
802.11ax (HEW160)	6505	6430.000	OFF	-61.40	4.38	-65.78	<=-62	Pass
			Minimal	-64.35	4.38	-68.73	<=-62	Pass
			ON	-67.31	4.38	-71.69	<=-62	Pass
		6505.000	OFF	-60.26	4.38	-64.64	<=-62	Pass
			Minimal	-63.20	4.38	-67.58	<=-62	Pass
			ON	-66.20	4.38	-70.58	<=-62	Pass
		6580.000	OFF	-62.16	4.38	-66.54	<=-62	Pass
			Minimal	-65.10	4.38	-69.48	<=-62	Pass
			ON	-68.03	4.38	-72.41	<=-62	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Services

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260100036606


Page: 524 of 571

7.1.18 Contention Based Protocol_Detection Probability_Band 6+7_Ant1

Ant1															
Mode	Freq. (MHz)	Incumbent Freq. (MHz)	1	2	3	4	5	6	7	8	9	10	Detected Probability (%)		Verdict
													Result	Limit	
802.11ax (HEW160)	6505	6430.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100	>=90	Pass
		6505.000	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	90	>=90	Pass
		6580.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100	>=90	Pass
Note1: CBP Detection Trials (Y=Detection, N=No Detection)															


7.2 Test Graph

7.2.1 Duty Cycle_Band 5_Ant1




7.2.2 Contention Based Protocol_Detection Power_Band 5_Ant1


802.11ax(HEW20)_MCH_6175MHz_Inject signal_6175MHz_Detection status_OFF




802.11ax(HEW20)_MCH_6175MHz_Inject signal_6175MHz_Detection status_Minimal




802.11ax(HEW20)_MCH_6175MHz_Inject signal_6175MHz_Detection status_ON




802.11ax(HEW160)_MCH_6185MHz_Inject signal_6110MHz_Detection status_OFF




802.11ax(HEW160)_MCH_6185MHz_Inject signal_6110MHz_Detection status_Minimal




802.11ax(HEW160)_MCH_6185MHz_Inject signal_6110MHz_Detection status_ON




802.11ax(HEW160)_MCH_6185MHz_Inject signal_6185MHz_Detection status_OFF




802.11ax(HEW160)_MCH_6185MHz_Inject signal_6185MHz_Detection status_Minimal




802.11ax(HEW160)_MCH_6185MHz_Inject signal_6185MHz_Detection status_ON




802.11ax(HEW160)_MCH_6185MHz_Inject signal_6260MHz_Detection status_OFF



802.11ax(HEW160)_MCH_6185MHz_Inject signal_6260MHz_Detection status_Minimal




802.11ax(HEW160)_MCH_6185MHz_Inject signal_6260MHz_Detection status_ON




7.2.3 Contention Based Protocol_Detection Probability_Band 5_Ant1


802.11ax(HEW20)_MCH_6175MHz_Inject signal_6175MHz_OFF




802.11ax(HEW160)_MCH_6185MHz_Inject signal_6110MHz_OFF




802.11ax(HEW160)_MCH_6185MHz_Inject signal_6185MHz_OFF



802.11ax(HEW160)_MCH_6185MHz_Inject signal_6260MHz_OFF




7.2.4 Duty Cycle_Band 6_Ant1




7.2.5 Contention Based Protocol_Detection Power_Band 6_Ant1


802.11ax(HEW20)_MCH_6475MHz_Inject signal_6475MHz_Detection status_OFF



802.11ax(HEW20)_MCH_6475MHz_Inject signal_6475MHz_Detection status_Minimal




802.11ax(HEW20)_MCH_6475MHz_Inject signal_6475MHz_Detection status_ON




7.2.6 Contention Based Protocol_Detection Probability_Band 6_Ant1

802.11ax(HEW20)_MCH_6475MHz_Inject signal_6475MHz_OFF




7.2.7 Duty Cycle_Band 7_Ant1




7.2.8 Contention Based Protocol_Detection Power_Band 7_Ant1


802.11ax(HEW20)_MCH_6695MHz_Inject signal_6695MHz_Detection status_OFF




802.11ax(HEW20)_MCH_6695MHz_Inject signal_6695MHz_Detection status_Minimal




802.11ax(HEW20)_MCH_6695MHz_Inject signal_6695MHz_Detection status_ON




802.11ax(HEW160)_MCH_6665MHz_Inject signal_6590MHz_Detection status_OFF




802.11ax(HEW160)_MCH_6665MHz_Inject signal_6590MHz_Detection status_Minimal




802.11ax(HEW160)_MCH_6665MHz_Inject signal_6590MHz_Detection status_ON




802.11ax(HEW160)_MCH_6665MHz_Inject signal_6665MHz_Detection status_OFF




802.11ax(HEW160)_MCH_6665MHz_Inject signal_6665MHz_Detection status_Minimal




802.11ax(HEW160)_MCH_6665MHz_Inject signal_6665MHz_Detection status_ON




802.11ax(HEW160)_MCH_6665MHz_Inject signal_6740MHz_Detection status_OFF



802.11ax(HEW160)_MCH_6665MHz_Inject signal_6740MHz_Detection status_Minimal




802.11ax(HEW160)_MCH_6665MHz_Inject signal_6740MHz_Detection status_ON




7.2.9 Contention Based Protocol_Detection Probability_Band 7_Ant1


802.11ax(HEW20)_MCH_6695MHz_Inject signal_6695MHz_OFF




802.11ax(HEW160)_MCH_6665MHz_Inject signal_6590MHz_OFF




802.11ax(HEW160)_MCH_6665MHz_Inject signal_6665MHz_OFF



802.11ax(HEW160)_MCH_6665MHz_Inject signal_6740MHz_OFF




7.2.10 Duty Cycle_Band 8_Ant1




7.2.11 Contention Based Protocol_Detection Power_Band 8_Ant1


802.11ax(HEW20)_MCH_6995MHz_Inject signal_6995MHz_Detection status_OFF




802.11ax(HEW20)_MCH_6995MHz_Inject signal_6995MHz_Detection status_Minimal



802.11ax(HEW20)_MCH_6995MHz_Inject signal_6995MHz_Detection status_ON



802.11ax(HEW160)_MCH_6985MHz_Inject signal_6910MHz_Detection status_OFF




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch, Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


802.11ax(HEW160)_MCH_6985MHz_Inject signal_6910MHz_Detection status_Minimal




802.11ax(HEW160)_MCH_6985MHz_Inject signal_6910MHz_Detection status_ON




802.11ax(HEW160)_MCH_6985MHz_Inject signal_6985MHz_Detection status_OFF




802.11ax(HEW160)_MCH_6985MHz_Inject signal_6985MHz_Detection status_Minimal




802.11ax(HEW160)_MCH_6985MHz_Inject signal_6985MHz_Detection status_ON




802.11ax(HEW160)_MCH_6985MHz_Inject signal_7060MHz_Detection status_OFF



802.11ax(HEW160)_MCH_6985MHz_Inject signal_7060MHz_Detection status_Minimal




802.11ax(HEW160)_MCH_6985MHz_Inject signal_7060MHz_Detection status_ON




7.2.12 Contention Based Protocol_Detection Probability_Band 8_Ant1


802.11ax(HEW20)_MCH_6995MHz_Inject signal_6995MHz_OFF




802.11ax(HEW160)_MCH_6985MHz_Inject signal_6910MHz_OFF



802.11ax(HEW160)_MCH_6985MHz_Inject signal_6985MHz_OFF



802.11ax(HEW160)_MCH_6985MHz_Inject signal_7060MHz_OFF




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

7.2.13 Duty Cycle_Band 7+8_Ant1

802.11ax(HEW20)_HCH_6875MHz_Inject signal_6875MHz




802.11ax(HEW160)_HCH_6825MHz_Inject signal_6750MHz




7.2.14 Contention Based Protocol_Detection Power_Band 7+8_Ant1


802.11ax(HEW20)_HCH_6875MHz_Inject signal_6875MHz_Detection status_OFF




802.11ax(HEW20)_HCH_6875MHz_Inject signal_6875MHz_Detection status_Minimal




802.11ax(HEW20)_HCH_6875MHz_Inject signal_6875MHz_Detection status_ON




802.11ax(HEW160)_HCH_6825MHz_Inject signal_6750MHz_Detection status_OFF




802.11ax(HEW160)_HCH_6825MHz_Inject signal_6750MHz_Detection status_Minimal




802.11ax(HEW160)_HCH_6825MHz_Inject signal_6750MHz_Detection status_ON




802.11ax(HEW160)_HCH_6825MHz_Inject signal_6825MHz_Detection status_OFF




802.11ax(HEW160)_HCH_6825MHz_Inject signal_6825MHz_Detection status_Minimal




802.11ax(HEW160)_HCH_6825MHz_Inject signal_6825MHz_Detection status_ON




802.11ax(HEW160)_HCH_6825MHz_Inject signal_6900MHz_Detection status_OFF



802.11ax(HEW160)_HCH_6825MHz_Inject signal_6900MHz_Detection status_Minimal




802.11ax(HEW160)_HCH_6825MHz_Inject signal_6900MHz_Detection status_ON




7.2.15 Contention Based Protocol_Detection Probability_Band 7+8_Ant1


802.11ax(HEW20)_HCH_6875MHz_Inject signal_6875MHz_OFF




802.11ax(HEW160)_HCH_6825MHz_Inject signal_6750MHz_OFF




802.11ax(HEW160)_HCH_6825MHz_Inject signal_6825MHz_OFF



802.11ax(HEW160)_HCH_6825MHz_Inject signal_6900MHz_OFF




7.2.16 Duty Cycle_Band 6+7_Ant1




7.2.17 Contention Based Protocol_Detection Power_Band 6+7_Ant1

802.11ax(HEW160)_HCH_6505MHz_Inject signal_6430MHz_Detection status_OFF



802.11ax(HEW160)_HCH_6505MHz_Inject signal_6430MHz_Detection status_Minimal




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch, Nanshan District, Shenzhen, Guangdong, China

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


802.11ax(HEW160)_HCH_6505MHz_Inject signal_6430MHz_Detection status_ON



802.11ax(HEW160)_HCH_6505MHz_Inject signal_6505MHz_Detection status_OFF



802.11ax(HEW160)_HCH_6505MHz_Inject signal_6505MHz_Detection status_Minimal



802.11ax(HEW160)_HCH_6505MHz_Inject signal_6505MHz_Detection status_ON

