


6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6565MHz\_TX




EUT\_V\_2TX  
Setting 15  
05-E-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.68984G    | 48.83             | 83.54             | -34.71         | 42.90         | 1           | Horizontal | 182            | 2.30          | -       | 37.86      | 19.66      | 51.59      |  |  |  |
| AV   | 19.6824G     | 38.74             | 63.54             | -24.80         | 32.75         | 1           | Horizontal | 182            | 2.30          | -       | 37.91      | 19.66      | 51.58      |  |  |  |

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TX




EUT V\_2TX  
Setting 15  
02-E-R-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.36996G    | 53.42             | 74.00             | -20.58         | 46.33         | 3           | Vertical  | 185            | 1.39          | -       | 40.44      | 9.38       | 42.73      |  |  |  |
| AV   | 13.37006G    | 44.61             | 54.00             | -9.39          | 37.52         | 3           | Vertical  | 185            | 1.39          | -       | 40.44      | 9.38       | 42.73      |  |  |  |

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TX




EUT V\_2TX  
Setting 15  
02-E-R-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.36436G    | 53.05             | 74.00             | -20.95         | 45.98         | 3           | Horizontal | 185            | 1.40          | -       | 40.43      | 9.37       | 42.73      |  |  |  |
| AV   | 13.37306G    | 39.09             | 54.00             | -14.91         | 31.99         | 3           | Horizontal | 185            | 1.40          | -       | 40.45      | 9.38       | 42.73      |  |  |  |

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TX




EUT\_V\_2TX  
Setting 15  
05-E-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.06956G | 50.12    | 83.54    | -33.42 | 44.38  | 1    | Vertical  | 44      | 2.21   | -       | 37.78 | 19.87 | 51.91 |  |  |  |
| AV   | 20.06896G | 36.16    | 63.54    | -27.38 | 30.42  | 1    | Vertical  | 44      | 2.21   | -       | 37.78 | 19.87 | 51.91 |  |  |  |

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TX




EUT\_V\_2TX  
Setting 15  
05-E-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.06096G | 49.69    | 83.54    | -33.85 | 43.99  | 1    | Horizontal | 234     | 2.22   | -       | 37.74 | 19.87 | 51.91 |  |  |  |
| AV   | 20.068G   | 37.82    | 63.54    | -25.72 | 32.09  | 1    | Horizontal | 234     | 2.22   | -       | 37.77 | 19.87 | 51.91 |  |  |  |

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6845MHz\_TX




EUT V\_2TX  
Setting 15  
02-E-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 13.69018G | 54.67    | 88.20    | -33.53 | 46.93  | 3    | Vertical  | 185     | 1.40   | -       | 40.86 | 9.53 | 42.65 |  |  |  |
| RMS  | 13.6901G  | 44.24    | 68.20    | -23.96 | 36.50  | 3    | Vertical  | 185     | 1.40   | -       | 40.86 | 9.53 | 42.65 |  |  |  |

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6845MHz\_TX




EUT\_Y\_2TX  
Setting 15  
02-E-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 13.6898G  | 56.07    | 88.20    | -32.13 | 48.33  | 3    | Horizontal | 181     | 1.40   | -       | 40.86 | 9.53 | 42.65 |  |  |  |
| RMS  | 13.69988G | 41.98    | 68.20    | -26.22 | 34.19  | 3    | Horizontal | 181     | 1.40   | -       | 40.90 | 9.53 | 42.64 |  |  |  |

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6845MHz\_TX




EUT\_Y\_2TX  
Setting 15  
05-E-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.54872G    | 51.19             | 83.54             | -32.35         | 45.49         | 1           | Vertical  | 196            | 1.78          | -       | 37.88      | 19.83      | 52.01      |  |  |  |
| AV   | 20.54872G    | 39.58             | 63.54             | -23.96         | 33.87         | 1           | Vertical  | 196            | 1.78          | -       | 37.89      | 19.83      | 52.01      |  |  |  |

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6845MHz\_TX




EUT\_V\_2TX  
Setting 15  
05-E-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.52548G | 50.18    | 83.54    | -33.36 | 44.61  | 1    | Horizontal | 279     | 1.19   | -       | 37.75 | 19.83 | 52.01 |  |  |  |
| AV   | 20.54828G | 38.49    | 63.54    | -25.05 | 32.78  | 1    | Horizontal | 279     | 1.19   | -       | 37.89 | 19.83 | 52.01 |  |  |  |

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT V\_2TX  
Setting 14.5  
02-E-R-6-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9242G      | 70.12             | 88.20             | -18.08         | 61.26         | 3           | Vertical  | -0             | 1.80          | -       | 34.25      | 5.77       | 31.16      |  |  |  |
| RMS  | 5.9246G      | 61.10             | 68.20             | -7.10          | 52.24         | 3           | Vertical  | -0             | 1.80          | -       | 34.25      | 5.77       | 31.16      |  |  |  |
| PK   | 5.963G       | 121.88            | Inf               | -Inf           | 112.94        | 3           | Vertical  | -0             | 1.80          | -       | 34.30      | 5.81       | 31.17      |  |  |  |
| RMS  | 5.9734G      | 112.46            | Inf               | -Inf           | 103.52        | 3           | Vertical  | -0             | 1.80          | -       | 34.30      | 5.82       | 31.18      |  |  |  |

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_V\_2TX  
Setting 14.5  
02-E-R-6-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.919G       | 70.68             | 88.20             | -17.52         | 61.83         | 3           | Horizontal | 360            | 1.70          | -       | 34.24      | 5.76       | 31.15      |  |  |  |
| RMS  | 5.9242G      | 60.01             | 68.20             | -8.19          | 51.15         | 3           | Horizontal | 360            | 1.70          | -       | 34.25      | 5.77       | 31.16      |  |  |  |
| PK   | 5.9566G      | 119.99            | Inf               | -Inf           | 111.06        | 3           | Horizontal | 360            | 1.70          | -       | 34.30      | 5.80       | 31.17      |  |  |  |
| RMS  | 5.9758G      | 110.66            | Inf               | -Inf           | 101.72        | 3           | Horizontal | 360            | 1.70          | -       | 34.30      | 5.82       | 31.18      |  |  |  |

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_Y\_2TX  
Setting 14.5  
02-E-R-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.96998G    | 51.85             | 74.00             | -22.15         | 47.04         | 3           | Vertical  | 182            | 1.40          | -       | 39.30      | 8.73       | 43.22      |  |  |  |
| AV   | 11.97004G    | 41.24             | 54.00             | -12.76         | 36.43         | 3           | Vertical  | 182            | 1.40          | -       | 39.30      | 8.73       | 43.22      |  |  |  |
| PK   | 17.96032G    | 64.52             | 74.00             | -9.48          | 47.53         | 3           | Vertical  | 178            | 1.50          | -       | 46.60      | 11.64      | 41.25      |  |  |  |
| AV   | 17.9568G     | 50.55             | 54.00             | -3.45          | 33.57         | 3           | Vertical  | 178            | 1.50          | -       | 46.60      | 11.64      | 41.26      |  |  |  |

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_Y\_2TX  
Setting 14.5  
02-E-R-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.96456G    | 51.69             | 74.00             | -22.31         | 46.89         | 3           | Horizontal | 185            | 1.40          | -       | 39.30      | 8.73       | 43.23      |  |  |  |
| AV   | 11.96998G    | 41.03             | 54.00             | -12.97         | 36.22         | 3           | Horizontal | 185            | 1.40          | -       | 39.30      | 8.73       | 43.22      |  |  |  |
| PK   | 17.95362G    | 64.32             | 74.00             | -9.68          | 47.34         | 3           | Horizontal | 12             | 1.98          | -       | 46.60      | 11.64      | 41.26      |  |  |  |
| AV   | 17.95528G    | 50.81             | 54.00             | -3.19          | 33.83         | 3           | Horizontal | 12             | 1.98          | -       | 46.60      | 11.64      | 41.26      |  |  |  |

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_V\_2TX  
Setting 14.5  
02-E-R-6

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 12.4498G  | 52.86    | 74.00    | -21.14 | 48.47  | 3    | Vertical  | 179     | 1.40   | -       | 38.60 | 8.95 | 43.16 |  |  |  |
| AV   | 12.44996G | 42.66    | 54.00    | -11.34 | 38.27  | 3    | Vertical  | 179     | 1.40   | -       | 38.60 | 8.95 | 43.16 |  |  |  |

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT V\_2TX  
Setting 14.5  
02-E-R-6

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 12.44238G | 51.83    | 74.00    | -22.17 | 47.44  | 3    | Horizontal | 185     | 1.45   | -       | 38.60 | 8.95 | 43.16 |  |  |  |
| AV   | 12.45002G | 40.47    | 54.00    | -13.53 | 36.08  | 3    | Horizontal | 185     | 1.45   | -       | 38.60 | 8.95 | 43.16 |  |  |  |

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_V\_2TX  
Setting 14.5  
05-E-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.67872G | 54.20    | 83.54    | -29.34 | 48.03  | 1    | Vertical  | 207     | 1.81   | -       | 37.69 | 18.96 | 50.48 |  |  |  |
| AV   | 18.66556G | 39.65    | 63.54    | -23.89 | 33.43  | 1    | Vertical  | 207     | 1.81   | -       | 37.74 | 18.95 | 50.47 |  |  |  |

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_V\_2TX  
Setting 14.5  
05-E-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.6866G  | 57.12    | 83.54    | -26.42 | 50.99  | 1    | Horizontal | 177     | 1.81   | -       | 37.65 | 18.97 | 50.49 |  |  |  |
| AV   | 18.67548G | 43.22    | 63.54    | -20.32 | 37.04  | 1    | Horizontal | 177     | 1.81   | -       | 37.70 | 18.96 | 50.48 |  |  |  |

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT V\_2TX  
Setting 14.5  
02-E-R-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.77464G    | 54.56             | 88.20             | -33.64         | 49.54         | 3           | Vertical  | 185            | 1.40          | -       | 38.80      | 9.10       | 42.88      |  |  |  |
| RMS  | 12.77458G    | 41.39             | 68.20             | -26.81         | 36.37         | 3           | Vertical  | 185            | 1.40          | -       | 38.80      | 9.10       | 42.88      |  |  |  |

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT V\_2TX  
Setting 14.5  
02-E-R-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.77464G    | 54.00             | 88.20             | -34.20         | 48.98         | 3           | Horizontal | 181            | 1.42          | -       | 38.80      | 9.10       | 42.88      |  |  |  |
| RMS  | 12.76322G    | 39.98             | 68.20             | -28.22         | 35.03         | 3           | Horizontal | 181            | 1.42          | -       | 38.75      | 9.09       | 42.89      |  |  |  |

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_V\_2TX  
Setting 14.5  
05-E-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.16288G | 52.66    | 83.54    | -30.88 | 46.58  | 1    | Vertical  | 81      | 1.93   | -       | 37.78 | 19.30 | 51.00 |  |  |  |
| AV   | 19.135G   | 41.03    | 63.54    | -22.51 | 34.95  | 1    | Vertical  | 81      | 1.93   | -       | 37.76 | 19.28 | 50.96 |  |  |  |

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_V\_2TX  
Setting 14.5  
05-E-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.14024G    | 53.57             | 83.54             | -29.97         | 47.52         | 1           | Horizontal | 188            | 2.46          | -       | 37.74      | 19.28      | 50.97      |  |  |  |
| AV   | 19.13524G    | 42.07             | 63.54             | -21.47         | 35.99         | 1           | Horizontal | 188            | 2.46          | -       | 37.76      | 19.28      | 50.96      |  |  |  |

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT V\_2TX  
Setting 15  
02-E-R-6

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 13.25006G | 51.97    | 74.00    | -22.03 | 45.06  | 3    | Vertical  | 196     | 1.35   | -       | 40.30 | 9.32 | 42.71 |  |  |  |
| AV   | 13.25002G | 41.64    | 54.00    | -12.36 | 34.73  | 3    | Vertical  | 196     | 1.35   | -       | 40.30 | 9.32 | 42.71 |  |  |  |

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT V\_2TX  
Setting 15  
02-E-R-6

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 13.25906G | 51.32    | 74.00    | -22.68 | 44.38  | 3    | Horizontal | 178     | 1.41   | -       | 40.32 | 9.33 | 42.71 |  |  |  |
| AV   | 13.25004G | 39.13    | 54.00    | -14.87 | 32.22  | 3    | Horizontal | 178     | 1.41   | -       | 40.30 | 9.32 | 42.71 |  |  |  |

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT V\_2TX  
Setting 15  
05-E-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.88964G    | 51.21             | 83.54             | -32.33         | 45.36         | 1           | Vertical  | 103            | 1.85          | -       | 37.84      | 19.80      | 51.79      |  |  |  |
| AV   | 19.8948G     | 40.32             | 63.54             | -23.22         | 34.43         | 1           | Vertical  | 103            | 1.85          | -       | 37.87      | 19.81      | 51.79      |  |  |  |

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT V\_2TX  
Setting 15  
05-E-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.88384G    | 52.01             | 83.54             | -31.53         | 46.19         | 1           | Horizontal | 275            | 1.37          | -       | 37.80      | 19.80      | 51.78      |  |  |  |
| AV   | 19.8946G     | 41.98             | 63.54             | -21.56         | 36.09         | 1           | Horizontal | 275            | 1.37          | -       | 37.87      | 19.81      | 51.79      |  |  |  |

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_Y\_2TX  
Setting 15  
02-E-R-6

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 13.4101G  | 55.99    | 88.20    | -32.21 | 48.83  | 3    | Vertical  | 186     | 1.46   | -       | 40.50 | 9.40 | 42.74 |  |  |  |
| RMS  | 13.40998G | 47.74    | 68.20    | -20.46 | 40.58  | 3    | Vertical  | 186     | 1.46   | -       | 40.50 | 9.40 | 42.74 |  |  |  |

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_Y\_2TX  
Setting 15  
02-E-R-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.41064G    | 54.60             | 88.20             | -33.60         | 47.44         | 3           | Horizontal | 184            | 1.34          | -       | 40.50      | 9.40       | 42.74      |  |  |  |
| RMS  | 13.40996G    | 41.64             | 68.20             | -26.56         | 34.48         | 3           | Horizontal | 184            | 1.34          | -       | 40.50      | 9.40       | 42.74      |  |  |  |

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_Y\_2TX  
Setting 15  
05-E-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.10136G    | 50.93             | 83.54             | -32.61         | 45.09         | 1           | Vertical  | 300            | 1.28          | -       | 37.89      | 19.87      | 51.92      |  |  |  |
| AV   | 20.10176G    | 41.13             | 63.54             | -22.41         | 35.29         | 1           | Vertical  | 300            | 1.28          | -       | 37.89      | 19.87      | 51.92      |  |  |  |

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_Y\_2TX  
Setting 15  
05-E-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.10332G    | 50.40             | 83.54             | -33.14         | 44.57         | 1           | Horizontal | 232            | 1.16          | -       | 37.88      | 19.87      | 51.92      |  |  |  |
| AV   | 20.1012G     | 39.02             | 63.54             | -24.52         | 33.18         | 1           | Horizontal | 232            | 1.16          | -       | 37.89      | 19.87      | 51.92      |  |  |  |

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT V\_2TX  
Setting 15  
02-E-R-6

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 13.57012G | 56.59    | 88.20    | -31.61 | 49.14  | 3    | Vertical  | 182     | 1.45   | -       | 40.70 | 9.47 | 42.72 |  |  |  |
| RMS  | 13.56996G | 47.11    | 68.20    | -21.09 | 39.66  | 3    | Vertical  | 182     | 1.45   | -       | 40.70 | 9.47 | 42.72 |  |  |  |

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT V\_2TX  
Setting 15  
02-E-R-6

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 13.56172G | 54.36    | 88.20    | -33.84 | 46.91  | 3    | Horizontal | 176     | 1.43   | -       | 40.70 | 9.47 | 42.72 |  |  |  |
| RMS  | 13.5701G  | 41.82    | 68.20    | -26.38 | 34.37  | 3    | Horizontal | 176     | 1.43   | -       | 40.70 | 9.47 | 42.72 |  |  |  |

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT V\_2TX  
Setting 15  
05-E-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.34416G    | 53.15             | 83.54             | -30.39         | 47.16         | 1           | Vertical  | 204            | 2.55          | -       | 38.11      | 19.85      | 51.97      |  |  |  |
| AV   | 20.33516G    | 41.32             | 63.54             | -22.22         | 35.31         | 1           | Vertical  | 204            | 2.55          | -       | 38.13      | 19.85      | 51.97      |  |  |  |

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT\_V\_2TX  
Setting 15  
05-E-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.35988G    | 50.96             | 83.54             | -32.58         | 45.00         | 1           | Horizontal | 306            | 2.05          | -       | 38.08      | 19.85      | 51.97      |  |  |  |
| AV   | 20.34436G    | 39.85             | 63.54             | -23.69         | 33.86         | 1           | Horizontal | 306            | 2.05          | -       | 38.11      | 19.85      | 51.97      |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_V\_2TX  
Setting 14.5  
02-E-R-6-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9146G      | 72.02             | 88.20             | -16.18         | 63.18         | 3           | Vertical  | 360            | 1.54          | -       | 34.23      | 5.76       | 31.15      |  |  |  |
| RMS  | 5.9226G      | 62.43             | 68.20             | -5.77          | 53.57         | 3           | Vertical  | 360            | 1.54          | -       | 34.25      | 5.76       | 31.15      |  |  |  |
| PK   | 6.0146G      | 118.36            | Inf               | -Inf           | 109.34        | 3           | Vertical  | 360            | 1.54          | -       | 34.36      | 5.85       | 31.19      |  |  |  |
| RMS  | 6.053G       | 109.27            | Inf               | -Inf           | 100.12        | 3           | Vertical  | 360            | 1.54          | -       | 34.50      | 5.86       | 31.21      |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_V\_2TX  
Setting 14.5  
02-E-R-6-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.8642G      | 71.38             | 88.20             | -16.82         | 62.75         | 3           | Horizontal | 360            | 1.64          | -       | 34.06      | 5.70       | 31.13      |  |  |  |
| RMS  | 5.9162G      | 61.49             | 68.20             | -6.71          | 52.65         | 3           | Horizontal | 360            | 1.64          | -       | 34.23      | 5.76       | 31.15      |  |  |  |
| PK   | 6.005G       | 116.99            | Inf               | -Inf           | 108.01        | 3           | Horizontal | 360            | 1.64          | -       | 34.32      | 5.85       | 31.19      |  |  |  |
| RMS  | 6.0066G      | 108.43            | Inf               | -Inf           | 99.44         | 3           | Horizontal | 360            | 1.64          | -       | 34.33      | 5.85       | 31.19      |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_V\_2TX  
Setting 14.5  
05-B-M-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF   | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB) | (dB) | (dB)  |  |  |  |
| PK   | 12.04958G | 54.65    | 74.00    | -19.35 | NaN    | 3    | Vertical  | 188     | 1.03   | -       | NaN  | NaN  | 43.21 |  |  |  |
| AV   | 12.05G    | 41.86    | 54.00    | -12.14 | NaN    | 3    | Vertical  | 188     | 1.03   | -       | NaN  | NaN  | 43.21 |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_V\_2TX  
Setting 14.5  
05-B-M-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF   | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB) | (dB) | (dB)  |  |  |  |
| PK   | 12.05016G | 54.09    | 74.00    | -19.91 | NaN    | 3    | Horizontal | 247     | 1.21   | -       | NaN  | NaN  | 43.21 |  |  |  |
| AV   | 12.04998G | 42.04    | 54.00    | -11.96 | NaN    | 3    | Horizontal | 247     | 1.21   | -       | NaN  | NaN  | 43.21 |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_V\_2TX  
Setting 14.5  
05-E-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.06356G | 50.90    | 83.54    | -32.64 | 44.61  | 1    | Vertical  | 58      | 1.62   | -       | 37.45 | 18.53 | 49.69 |  |  |  |
| AV   | 18.0588G  | 37.56    | 63.54    | -25.98 | 31.27  | 1    | Vertical  | 58      | 1.62   | -       | 37.44 | 18.53 | 49.68 |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_V\_2TX  
Setting 14.5  
05-E-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.08248G | 50.49    | 83.54    | -33.05 | 44.13  | 1    | Horizontal | 86      | 1.40   | -       | 37.53 | 18.55 | 49.72 |  |  |  |
| AV   | 18.06284G | 38.56    | 63.54    | -24.98 | 32.27  | 1    | Horizontal | 86      | 1.40   | -       | 37.45 | 18.53 | 49.69 |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_Y\_2TX  
Setting 14.5  
05-B-M-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.36998G | 54.41    | 74.00    | -19.59 | 47.48  | 3    | Vertical  | 192     | 1.00   | -       | 38.90 | 11.20 | 43.17 |  |  |  |
| AV   | 12.36998G | 42.98    | 54.00    | -11.02 | 36.05  | 3    | Vertical  | 192     | 1.00   | -       | 38.90 | 11.20 | 43.17 |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_Y\_2TX  
Setting 14.5  
05-B-M-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.37043G | 54.16    | 74.00    | -19.84 | 47.23  | 3    | Horizontal | 187     | 1.00   | -       | 38.90 | 11.20 | 43.17 |  |  |  |
| AV   | 12.37G    | 41.96    | 54.00    | -12.04 | 35.03  | 3    | Horizontal | 187     | 1.00   | -       | 38.90 | 11.20 | 43.17 |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_V\_2TX  
Setting 14.5  
05-E-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.54992G | 52.09    | 83.54    | -31.45 | 45.87  | 1    | Vertical  | 262     | 2.09   | -       | 37.70 | 18.87 | 50.35 |  |  |  |
| AV   | 18.56648G | 38.62    | 63.54    | -24.92 | 32.41  | 1    | Vertical  | 262     | 2.09   | -       | 37.70 | 18.88 | 50.37 |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_V\_2TX  
Setting 14.5  
05-E-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.53948G | 50.28    | 83.54    | -33.26 | 44.02  | 1    | Horizontal | 297     | 1.93   | -       | 37.74 | 18.86 | 50.34 |  |  |  |
| AV   | 18.53612G | 37.65    | 63.54    | -25.89 | 31.37  | 1    | Horizontal | 297     | 1.93   | -       | 37.76 | 18.86 | 50.34 |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT V\_2TX  
Setting 14.5  
05-B-M-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.68995G | 54.28    | 74.00    | -19.72 | 46.55  | 3    | Vertical  | 187     | 1.03   | -       | 39.38 | 11.31 | 42.96 |  |  |  |
| AV   | 12.69G    | 44.77    | 54.00    | -9.23  | 37.04  | 3    | Vertical  | 187     | 1.03   | -       | 39.38 | 11.31 | 42.96 |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_V\_2TX  
Setting 14.5  
05-B-M-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.69553G    | 54.13             | 74.00             | -19.87         | 46.38         | 3           | Horizontal | 161            | 1.80          | -       | 39.39      | 11.31      | 42.95      |  |  |  |
| AV   | 12.68348G    | 41.06             | 54.00             | -12.94         | 33.35         | 3           | Horizontal | 161            | 1.80          | -       | 39.37      | 11.31      | 42.97      |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_V\_2TX  
Setting 14.5  
05-E-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.04912G    | 51.23             | 83.54             | -32.31         | 44.97         | 1           | Vertical  | 36             | 1.91          | -       | 37.90      | 19.22      | 50.86      |  |  |  |
| AV   | 19.01704G    | 40.57             | 63.54             | -22.97         | 34.29         | 1           | Vertical  | 36             | 1.91          | -       | 37.90      | 19.20      | 50.82      |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_V\_2TX  
Setting 14.5  
05-E-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.01844G | 54.19    | 83.54    | -29.35 | 47.91  | 1    | Horizontal | 280     | 2.30   | -       | 37.90 | 19.20 | 50.82 |  |  |  |
| AV   | 19.01992G | 43.35    | 63.54    | -20.19 | 37.07  | 1    | Horizontal | 280     | 2.30   | -       | 37.90 | 19.20 | 50.82 |  |  |  |

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_V\_2TX  
Setting 15.5  
05-B-M-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.32978G | 53.18    | 74.00    | -20.82 | 44.35  | 3    | Vertical  | 181     | 2.27   | -       | 40.02 | 11.53 | 42.72 |  |  |  |
| AV   | 13.33003G | 42.37    | 54.00    | -11.63 | 33.54  | 3    | Vertical  | 181     | 2.27   | -       | 40.02 | 11.53 | 42.72 |  |  |  |

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_V\_2TX  
Setting 15.5  
05-B-M-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.33133G | 52.31    | 74.00    | -21.69 | 43.47  | 3    | Horizontal | 3       | 1.80   | -       | 40.03 | 11.53 | 42.72 |  |  |  |
| AV   | 13.33175G | 39.88    | 54.00    | -14.12 | 31.04  | 3    | Horizontal | 3       | 1.80   | -       | 40.03 | 11.53 | 42.72 |  |  |  |

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_V\_2TX  
Setting 15.5  
05-E-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.00015G    | 53.60             | 83.54             | -29.94         | 47.82         | 1           | Vertical  | 190            | 1.62          | -       | 37.80      | 19.88      | 51.90      |  |  |  |
| AV   | 20.00005G    | 43.89             | 63.54             | -19.65         | 38.11         | 1           | Vertical  | 190            | 1.62          | -       | 37.80      | 19.88      | 51.90      |  |  |  |

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TX



EUT\_V\_2TX  
Setting 15.5  
05-E-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.00045G | 53.02    | 83.54    | -30.52 | 47.24  | 1    | Horizontal | 169     | 1.54   | -       | 37.80 | 19.88 | 51.90 |  |  |  |
| AV   | 20.00005G | 44.30    | 63.54    | -19.24 | 38.52  | 1    | Horizontal | 169     | 1.54   | -       | 37.80 | 19.88 | 51.90 |  |  |  |




**Summary**

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|----------|
| 5.925-6.425GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             | -        |
| 802.11ax HEW160_Nss1,(MCS0)_2TX | Pass   | RMS  | 5.9074G      | 67.45             | 68.20             | -0.75          | 3           | Vertical  | 16             | 1.77          | -        |

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT\_V\_2TX  
Setting 19.5  
02-E-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9234G      | 68.09             | 88.20             | -20.11         | 59.22         | 3           | Vertical  | 12             | 1.58          | -       | 34.25      | 5.77       | 31.15      |  |  |  |
| RMS  | 5.9242G      | 59.15             | 68.20             | -9.05          | 50.29         | 3           | Vertical  | 12             | 1.58          | -       | 34.25      | 5.77       | 31.16      |  |  |  |
| PK   | 5.9544G      | 124.80            | Inf               | -Inf           | 115.87        | 3           | Vertical  | 12             | 1.58          | -       | 34.30      | 5.80       | 31.17      |  |  |  |
| RMS  | 5.9638G      | 116.15            | Inf               | -Inf           | 107.21        | 3           | Vertical  | 12             | 1.58          | -       | 34.30      | 5.81       | 31.17      |  |  |  |

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT\_V\_2TX  
Setting 19.5  
02-E-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.922G       | 68.49             | 88.20             | -19.71         | 59.64         | 3           | Horizontal | 360            | 1.57          | -       | 34.24      | 5.76       | 31.15      |  |  |  |
| RMS  | 5.9248G      | 58.36             | 68.20             | -9.84          | 49.50         | 3           | Horizontal | 360            | 1.57          | -       | 34.25      | 5.77       | 31.16      |  |  |  |
| PK   | 5.9638G      | 125.56            | Inf               | -Inf           | 116.62        | 3           | Horizontal | 360            | 1.57          | -       | 34.30      | 5.81       | 31.17      |  |  |  |
| RMS  | 5.9638G      | 115.62            | Inf               | -Inf           | 106.68        | 3           | Horizontal | 360            | 1.57          | -       | 34.30      | 5.81       | 31.17      |  |  |  |

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT\_V\_2TX  
Setting 19.5  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.91663G    | 55.91             | 74.00             | -18.09         | 73.05         | 3           | Vertical  | 189            | 1.04          | -       | 39.30      | 8.71       | 65.15      |  |  |  |
| AV   | 11.91009G    | 44.12             | 54.00             | -9.88          | 61.26         | 3           | Vertical  | 189            | 1.04          | -       | 39.30      | 8.71       | 65.15      |  |  |  |
| PK   | 17.85288G    | 64.14             | 74.00             | -9.86          | 69.09         | 3           | Vertical  | 75             | 2.45          | -       | 46.31      | 11.57      | 62.83      |  |  |  |
| AV   | 17.856G      | 50.36             | 54.00             | -3.64          | 55.30         | 3           | Vertical  | 75             | 2.45          | -       | 46.32      | 11.57      | 62.83      |  |  |  |

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT\_V\_2TX  
Setting 19.5  
02-E-V-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.90736G | 56.09    | 74.00    | -17.91 | 73.23  | 3    | Horizontal | 161     | 1.06   | -       | 39.30 | 8.71  | 65.15 |  |  |  |
| AV   | 11.91003G | 44.05    | 54.00    | -9.95  | 61.19  | 3    | Horizontal | 161     | 1.06   | -       | 39.30 | 8.71  | 65.15 |  |  |  |
| PK   | 17.87211G | 64.94    | 74.00    | -9.06  | 69.82  | 3    | Horizontal | 3       | 1.30   | -       | 46.39 | 11.58 | 62.85 |  |  |  |
| AV   | 17.85267G | 50.44    | 54.00    | -3.56  | 55.38  | 3    | Horizontal | 3       | 1.30   | -       | 46.31 | 11.57 | 62.82 |  |  |  |

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT V\_2TX  
Setting 19.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.81255G | 54.32    | 83.54    | -29.22 | 41.77  | 1    | Vertical  | 150     | 1.95   | -       | 39.02 | 20.81 | 47.28 |  |  |  |
| AV   | 23.82015G | 49.78    | 63.54    | -13.76 | 37.26  | 1    | Vertical  | 150     | 1.95   | -       | 38.98 | 20.82 | 47.28 |  |  |  |

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT V\_2TX  
Setting 19.5  
02-E-J-8

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.8201G | 56.57    | 83.54    | -26.97 | 44.05  | 1    | Horizontal | 205     | 1.55   | -       | 38.98 | 20.82 | 47.28 |  |  |  |
| AV   | 23.8199G | 48.97    | 63.54    | -14.57 | 36.45  | 1    | Horizontal | 205     | 1.55   | -       | 38.98 | 20.82 | 47.28 |  |  |  |

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6195MHz\_TX




EUT V\_2TX  
Setting 18.5  
02-E-V-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 12.39912G | 56.26    | 74.00    | -17.74 | 40.03  | 3    | Vertical  | 0       | 1.35   | -       | 38.60 | 8.93 | 31.30 |  |  |  |
| AV   | 12.40059G | 42.14    | 54.00    | -11.86 | 25.91  | 3    | Vertical  | 0       | 1.35   | -       | 38.60 | 8.93 | 31.30 |  |  |  |

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6195MHz\_TX




EUT V\_2TX  
Setting 18.5  
02-E-V-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 12.38787G | 56.65    | 74.00    | -17.35 | 40.41  | 3    | Horizontal | 38      | 1.18   | -       | 38.62 | 8.92 | 31.30 |  |  |  |
| AV   | 12.3786G  | 42.49    | 54.00    | -11.51 | 26.23  | 3    | Horizontal | 38      | 1.18   | -       | 38.64 | 8.92 | 31.30 |  |  |  |

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6195MHz\_TX




EUT\_V\_2TX  
Setting 18.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.56325G | 50.43    | 83.54    | -33.11 | 43.59  | 1    | Vertical  | 339     | 1.52   | -       | 37.70 | 18.88 | 49.74 |  |  |  |
| AV   | 18.5812G  | 37.38    | 63.54    | -26.16 | 30.51  | 1    | Vertical  | 339     | 1.52   | -       | 37.70 | 18.89 | 49.72 |  |  |  |

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6195MHz\_TX




EUT\_V\_2TX  
Setting 18.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.5909G  | 51.26    | 83.54    | -32.28 | 44.38  | 1    | Horizontal | 13      | 1.43   | -       | 37.70 | 18.90 | 49.72 |  |  |  |
| AV   | 18.60895G | 37.37    | 63.54    | -26.17 | 30.44  | 1    | Horizontal | 13      | 1.43   | -       | 37.72 | 18.91 | 49.70 |  |  |  |

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6415MHz\_TX




EUT\_V\_2TX  
Setting 18.5  
02-E-V-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 12.82133G | 55.31    | 88.20    | -32.89 | 38.82  | 3    | Vertical  | 157     | 2.66   | -       | 38.94 | 9.12 | 31.57 |  |  |  |
| RMS  | 12.83015G | 42.74    | 68.20    | -25.46 | 26.23  | 3    | Vertical  | 157     | 2.66   | -       | 38.96 | 9.13 | 31.58 |  |  |  |

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6415MHz\_TX




EUT\_V\_2TX  
Setting 18.5  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.83534G    | 54.84             | 88.20             | -33.36         | 38.32         | 3           | Horizontal | 146            | 1.80          | -       | 38.97      | 9.13       | 31.58      |  |  |  |
| RMS  | 12.84143G    | 41.31             | 68.20             | -26.89         | 24.79         | 3           | Horizontal | 146            | 1.80          | -       | 38.98      | 9.13       | 31.59      |  |  |  |

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6415MHz\_TX




EUT\_V\_2TX  
Setting 18.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.25135G | 50.03    | 83.54    | -33.51 | 42.36  | 1    | Vertical  | 328     | 1.92   | -       | 37.90 | 19.36 | 49.59 |  |  |  |
| AV   | 19.24915G | 37.11    | 63.54    | -26.43 | 29.43  | 1    | Vertical  | 328     | 1.92   | -       | 37.90 | 19.36 | 49.58 |  |  |  |

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6415MHz\_TX




EUT\_V\_2TX  
Setting 18.5  
02-E-J-8

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.2403G | 49.76    | 83.54    | -33.78 | 42.07  | 1    | Horizontal | 227     | 1.78   | -       | 37.92 | 19.35 | 49.58 |  |  |  |
| AV   | 19.2244G | 37.09    | 63.54    | -26.45 | 29.37  | 1    | Horizontal | 227     | 1.78   | -       | 37.95 | 19.34 | 49.57 |  |  |  |

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT\_V\_2TX  
Setting 21.5  
02-E-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.921G       | 78.15             | 88.20             | -10.05         | 69.30         | 3           | Vertical  | 6              | 1.58          | -       | 34.24      | 5.76       | 31.15      |  |  |  |
| RMS  | 5.925G       | 67.04             | 68.20             | -1.16          | 58.18         | 3           | Vertical  | 6              | 1.58          | -       | 34.25      | 5.77       | 31.16      |  |  |  |
| PK   | 5.9555G      | 124.15            | Inf               | -Inf           | 115.22        | 3           | Vertical  | 6              | 1.58          | -       | 34.30      | 5.80       | 31.17      |  |  |  |
| RMS  | 5.9735G      | 114.56            | Inf               | -Inf           | 105.62        | 3           | Vertical  | 6              | 1.58          | -       | 34.30      | 5.82       | 31.18      |  |  |  |

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT\_V\_2TX  
Setting 21.5  
02-E-J-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.923G       | 77.51             | 88.20             | -10.69         | 68.64         | 3           | Horizontal | 0              | 1.56          | -       | 34.25      | 5.77       | 31.15      |  |  |  |
| RMS  | 5.9235G      | 67.08             | 68.20             | -1.12          | 58.21         | 3           | Horizontal | 0              | 1.56          | -       | 34.25      | 5.77       | 31.15      |  |  |  |
| PK   | 5.9705G      | 123.28            | Inf               | -Inf           | 114.34        | 3           | Horizontal | 0              | 1.56          | -       | 34.30      | 5.82       | 31.18      |  |  |  |
| RMS  | 5.954G       | 114.09            | Inf               | -Inf           | 105.16        | 3           | Horizontal | 0              | 1.56          | -       | 34.30      | 5.80       | 31.17      |  |  |  |

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT Y\_2TX  
Setting 21.5  
02-E-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.92928G    | 55.90             | 74.00             | -18.10         | 73.04         | 3           | Vertical  | 168            | 1.80          | -       | 39.30      | 8.72       | 65.16      |  |  |  |
| AV   | 11.93G       | 43.31             | 54.00             | -10.69         | 60.45         | 3           | Vertical  | 168            | 1.80          | -       | 39.30      | 8.72       | 65.16      |  |  |  |
| PK   | 17.90943G    | 63.67             | 74.00             | -10.33         | 68.43         | 3           | Vertical  | 203            | 1.37          | -       | 46.52      | 11.61      | 62.89      |  |  |  |
| AV   | 17.90871G    | 50.45             | 54.00             | -3.55          | 55.21         | 3           | Vertical  | 203            | 1.37          | -       | 46.52      | 11.61      | 62.89      |  |  |  |

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT\_V\_2TX  
Setting 21.5  
02-E-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.92994G    | 55.99             | 74.00             | -18.01         | 73.13         | 3           | Horizontal | 183            | 1.08          | -       | 39.30      | 8.72       | 65.16      |  |  |  |
| AV   | 11.92997G    | 43.34             | 54.00             | -10.66         | 60.48         | 3           | Horizontal | 183            | 1.08          | -       | 39.30      | 8.72       | 65.16      |  |  |  |
| PK   | 17.90919G    | 62.74             | 74.00             | -11.26         | 67.50         | 3           | Horizontal | 43             | 1.37          | -       | 46.52      | 11.61      | 62.89      |  |  |  |
| AV   | 17.90952G    | 50.51             | 54.00             | -3.49          | 55.27         | 3           | Horizontal | 43             | 1.37          | -       | 46.52      | 11.61      | 62.89      |  |  |  |

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT V\_2TX  
Setting 21.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.86015G | 53.42    | 83.54    | -30.12 | 41.04  | 1    | Vertical  | 152     | 1.89   | -       | 38.80 | 20.84 | 47.26 |  |  |  |
| AV   | 23.86015G | 47.40    | 63.54    | -16.14 | 35.02  | 1    | Vertical  | 152     | 1.89   | -       | 38.80 | 20.84 | 47.26 |  |  |  |

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT\_V\_2TX  
Setting 21.5  
02-E-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 23.8602G     | 51.82             | 83.54             | -31.72         | 39.44         | 1           | Horizontal | 204            | 1.54          | -       | 38.80      | 20.84      | 47.26      |  |  |  |
| AV   | 23.86005G    | 45.70             | 63.54             | -17.84         | 33.32         | 1           | Horizontal | 204            | 1.54          | -       | 38.80      | 20.84      | 47.26      |  |  |  |

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6205MHz\_TX




EUT V\_2TX  
Setting 21.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 12.42248G | 55.00    | 74.00    | -19.00 | 38.76  | 3    | Vertical  | 275     | 1.68   | -       | 38.60 | 8.94 | 31.30 |  |  |  |
| AV   | 12.40961G | 42.07    | 54.00    | -11.93 | 25.84  | 3    | Vertical  | 275     | 1.68   | -       | 38.60 | 8.93 | 31.30 |  |  |  |

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6205MHz\_TX




EUT V\_2TX  
Setting 21.5  
02-E-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.41504G    | 55.07             | 74.00             | -18.93         | 38.84         | 3           | Horizontal | 222            | 1.70          | -       | 38.60      | 8.93       | 31.30      |  |  |  |
| AV   | 12.40526G    | 42.11             | 54.00             | -11.89         | 25.88         | 3           | Horizontal | 222            | 1.70          | -       | 38.60      | 8.93       | 31.30      |  |  |  |

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6205MHz\_TX




EUT\_V\_2TX  
Setting 21.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.60305G | 52.95    | 83.54    | -30.59 | 46.04  | 1    | Vertical  | 155     | 1.78   | -       | 37.71 | 18.91 | 49.71 |  |  |  |
| AV   | 18.6148G  | 40.03    | 63.54    | -23.51 | 33.08  | 1    | Vertical  | 155     | 1.78   | -       | 37.73 | 18.92 | 49.70 |  |  |  |

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6205MHz\_TX




EUT\_V\_2TX  
Setting 21.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.61345G | 51.56    | 83.54    | -31.98 | 44.61  | 1    | Horizontal | 178     | 1.80   | -       | 37.73 | 18.92 | 49.70 |  |  |  |
| AV   | 18.60435G | 38.92    | 63.54    | -24.62 | 32.01  | 1    | Horizontal | 178     | 1.80   | -       | 37.71 | 18.91 | 49.71 |  |  |  |

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6405MHz\_TX




EUT\_V\_2TX  
Setting 21.5  
02-E-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.79947G    | 54.22             | 88.20             | -33.98         | 37.76         | 3           | Vertical  | 79             | 1.71          | -       | 38.90      | 9.11       | 31.55      |  |  |  |
| RMS  | 12.79812G    | 41.70             | 68.20             | -26.50         | 25.25         | 3           | Vertical  | 79             | 1.71          | -       | 38.89      | 9.11       | 31.55      |  |  |  |

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6405MHz\_TX




EUT V\_2TX  
Setting 21.5  
02-E-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.81906G    | 55.49             | 88.20             | -32.71         | 39.00         | 3           | Horizontal | 56             | 1.62          | -       | 38.94      | 9.12       | 31.57      |  |  |  |
| RMS  | 12.79593G    | 41.76             | 68.20             | -26.44         | 25.32         | 3           | Horizontal | 56             | 1.62          | -       | 38.88      | 9.11       | 31.55      |  |  |  |

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6405MHz\_TX




EUT\_V\_2TX  
Setting 21.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.22965G | 50.15    | 83.54    | -33.39 | 42.44  | 1    | Vertical  | 42      | 1.44   | -       | 37.94 | 19.34 | 49.57 |  |  |  |
| AV   | 19.193G   | 37.29    | 63.54    | -26.25 | 29.56  | 1    | Vertical  | 42      | 1.44   | -       | 37.96 | 19.32 | 49.55 |  |  |  |

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6405MHz\_TX




EUT\_V\_2TX  
Setting 21.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.20115G | 49.60    | 83.54    | -33.94 | 41.83  | 1    | Horizontal | 48      | 2.00   | -       | 38.00 | 19.32 | 49.55 |  |  |  |
| AV   | 19.19685G | 37.39    | 63.54    | -26.15 | 29.64  | 1    | Horizontal | 48      | 2.00   | -       | 37.98 | 19.32 | 49.55 |  |  |  |

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_V\_2TX  
Setting 21  
02-E-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.925G       | 78.72             | 88.20             | -9.48          | 69.86         | 3           | Vertical  | 2              | 1.71          | -       | 34.25      | 5.77       | 31.16      |  |  |  |
| RMS  | 5.9238G      | 67.13             | 68.20             | -1.07          | 58.26         | 3           | Vertical  | 2              | 1.71          | -       | 34.25      | 5.77       | 31.15      |  |  |  |
| PK   | 5.9866G      | 121.47            | Inf               | -Inf           | 112.51        | 3           | Vertical  | 2              | 1.71          | -       | 34.30      | 5.84       | 31.18      |  |  |  |
| RMS  | 5.9942G      | 111.75            | Inf               | -Inf           | 102.80        | 3           | Vertical  | 2              | 1.71          | -       | 34.30      | 5.84       | 31.19      |  |  |  |

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_V\_2TX  
Setting 21  
02-E-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9238G      | 80.68             | 88.20             | -7.52          | 71.81         | 3           | Horizontal | 360            | 1.71          | -       | 34.25      | 5.77       | 31.15      |  |  |  |
| RMS  | 5.9242G      | 66.27             | 68.20             | -1.93          | 57.41         | 3           | Horizontal | 360            | 1.71          | -       | 34.25      | 5.77       | 31.16      |  |  |  |
| PK   | 5.9914G      | 121.16            | Inf               | -Inf           | 112.21        | 3           | Horizontal | 360            | 1.71          | -       | 34.30      | 5.84       | 31.19      |  |  |  |
| RMS  | 5.9938G      | 110.83            | Inf               | -Inf           | 101.88        | 3           | Horizontal | 360            | 1.71          | -       | 34.30      | 5.84       | 31.19      |  |  |  |

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT V\_2TX  
Setting 21  
02-E-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.97171G    | 55.87             | 74.00             | -18.13         | 73.02         | 3           | Vertical  | 85             | 1.96          | -       | 39.30      | 8.73       | 65.18      |  |  |  |
| AV   | 11.97312G    | 42.51             | 54.00             | -11.49         | 59.66         | 3           | Vertical  | 85             | 1.96          | -       | 39.30      | 8.73       | 65.18      |  |  |  |
| PK   | 17.94783G    | 64.57             | 74.00             | -9.43          | 69.27         | 3           | Vertical  | 157            | 1.62          | -       | 46.60      | 11.63      | 62.93      |  |  |  |
| AV   | 17.96766G    | 50.49             | 54.00             | -3.51          | 55.19         | 3           | Vertical  | 157            | 1.62          | -       | 46.60      | 11.65      | 62.95      |  |  |  |

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT Y\_2TX  
Setting 21  
02-E-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 11.97252G    | 55.60             | 74.00             | -18.40         | 72.75         | 3           | Horizontal | 296            | 2.02          | -       | 39.30      | 8.73       | 65.18      |  |  |  |  |
| AV   | 11.965G      | 42.50             | 54.00             | -11.50         | 59.64         | 3           | Horizontal | 296            | 2.02          | -       | 39.30      | 8.73       | 65.17      |  |  |  |  |
| PK   | 17.96814G    | 63.47             | 74.00             | -10.53         | 68.17         | 3           | Horizontal | 303            | 1.83          | -       | 46.60      | 11.65      | 62.95      |  |  |  |  |
| AV   | 17.96697G    | 50.39             | 54.00             | -3.61          | 55.09         | 3           | Horizontal | 303            | 1.83          | -       | 46.60      | 11.65      | 62.95      |  |  |  |  |

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_V\_2TX  
Setting 21  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.94035G | 55.07    | 83.54    | -28.47 | 42.52  | 1    | Vertical  | 162     | 2.35   | -       | 38.88 | 20.89 | 47.22 |  |  |  |
| AV   | 23.94025G | 48.95    | 63.54    | -14.59 | 36.40  | 1    | Vertical  | 162     | 2.35   | -       | 38.88 | 20.89 | 47.22 |  |  |  |

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_V\_2TX  
Setting 21  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.94G    | 56.49    | 83.54    | -27.05 | 43.94  | 1    | Horizontal | 147     | 2.05   | -       | 38.88 | 20.89 | 47.22 |  |  |  |
| AV   | 23.93985G | 47.59    | 63.54    | -15.95 | 35.04  | 1    | Horizontal | 147     | 2.05   | -       | 38.88 | 20.89 | 47.22 |  |  |  |

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_V\_2TX  
Setting 20  
02-E-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.45134G    | 55.00             | 74.00             | -19.00         | 38.75         | 3           | Vertical  | 135            | 2.67          | -       | 38.60      | 8.95       | 31.30      |  |  |  |
| AV   | 12.44681G    | 41.62             | 54.00             | -12.38         | 25.37         | 3           | Vertical  | 135            | 2.67          | -       | 38.60      | 8.95       | 31.30      |  |  |  |

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_V\_2TX  
Setting 20  
02-E-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.44681G    | 55.11             | 74.00             | -18.89         | 38.86         | 3           | Horizontal | 269            | 2.44          | -       | 38.60      | 8.95       | 31.30      |  |  |  |
| AV   | 12.44604G    | 41.62             | 54.00             | -12.38         | 25.37         | 3           | Horizontal | 269            | 2.44          | -       | 38.60      | 8.95       | 31.30      |  |  |  |

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_V\_2TX  
Setting 20  
02-E-J-8

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.6755G | 50.14    | 83.54    | -33.40 | 43.14  | 1    | Vertical  | 336     | 1.90   | -       | 37.70 | 18.96 | 49.66 |  |  |  |
| AV   | 18.6577G | 37.29    | 63.54    | -26.25 | 30.24  | 1    | Vertical  | 336     | 1.90   | -       | 37.77 | 18.95 | 49.67 |  |  |  |

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_V\_2TX  
Setting 20  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.67725G | 50.09    | 83.54    | -33.45 | 43.10  | 1    | Horizontal | 137     | 1.85   | -       | 37.69 | 18.96 | 49.66 |  |  |  |
| AV   | 18.65615G | 37.31    | 63.54    | -26.23 | 30.25  | 1    | Horizontal | 137     | 1.85   | -       | 37.78 | 18.95 | 49.67 |  |  |  |

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT V\_2TX  
Setting 20.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 12.77037G | 55.23    | 88.20    | -32.97 | 38.88  | 3    | Vertical  | 189     | 1.15   | -       | 38.78 | 9.10 | 31.53 |  |  |  |
| RMS  | 12.77029G | 41.67    | 68.20    | -26.53 | 25.32  | 3    | Vertical  | 189     | 1.15   | -       | 38.78 | 9.10 | 31.53 |  |  |  |

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_V\_2TX  
Setting 20.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 12.76746G | 55.83    | 88.20    | -32.37 | 39.48  | 3    | Horizontal | 27      | 2.81   | -       | 38.77 | 9.10 | 31.52 |  |  |  |
| RMS  | 12.77006G | 41.69    | 68.20    | -26.51 | 25.34  | 3    | Horizontal | 27      | 2.81   | -       | 38.78 | 9.10 | 31.53 |  |  |  |

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_V\_2TX  
Setting 20.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.16765G | 50.87    | 83.54    | -32.67 | 43.29  | 1    | Vertical  | 210     | 1.51   | -       | 37.81 | 19.30 | 49.53 |  |  |  |
| AV   | 19.1307G  | 37.32    | 63.54    | -26.22 | 29.77  | 1    | Vertical  | 210     | 1.51   | -       | 37.78 | 19.28 | 49.51 |  |  |  |

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_V\_2TX  
Setting 20.5  
02-E-J-8

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.1522G | 50.29    | 83.54    | -33.25 | 42.81  | 1    | Horizontal | 249     | 1.59   | -       | 37.71 | 19.29 | 49.52 |  |  |  |
| AV   | 19.1328G | 37.37    | 63.54    | -26.17 | 29.83  | 1    | Horizontal | 249     | 1.59   | -       | 37.77 | 19.28 | 49.51 |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_V\_2TX  
Setting 20.5  
02-E-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.921G       | 80.31             | 88.20             | -7.89          | 71.46         | 3           | Vertical  | 16             | 1.77          | -       | 34.24      | 5.76       | 31.15      |  |  |  |
| RMS  | 5.9074G      | 67.45             | 68.20             | -0.75          | 58.64         | 3           | Vertical  | 16             | 1.77          | -       | 34.21      | 5.75       | 31.15      |  |  |  |
| PK   | 6.0466G      | 118.77            | Inf               | -Inf           | 109.63        | 3           | Vertical  | 16             | 1.77          | -       | 34.49      | 5.86       | 31.21      |  |  |  |
| RMS  | 6.037G       | 108.06            | Inf               | -Inf           | 98.95         | 3           | Vertical  | 16             | 1.77          | -       | 34.45      | 5.86       | 31.20      |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_V\_2TX  
Setting 20.5  
02-E-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9226G      | 77.37             | 88.20             | -10.83         | 68.51         | 3           | Horizontal | 343            | 1.79          | -       | 34.25      | 5.76       | 31.15      |  |  |  |
| RMS  | 5.9114G      | 63.86             | 68.20             | -4.34          | 55.04         | 3           | Horizontal | 343            | 1.79          | -       | 34.22      | 5.75       | 31.15      |  |  |  |
| PK   | 6.0394G      | 119.55            | Inf               | -Inf           | 110.43        | 3           | Horizontal | 343            | 1.79          | -       | 34.46      | 5.86       | 31.20      |  |  |  |
| RMS  | 6.061G       | 109.06            | Inf               | -Inf           | 99.90         | 3           | Horizontal | 343            | 1.79          | -       | 34.50      | 5.87       | 31.21      |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT V\_2TX  
Setting 20.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 12.04572G | 55.44    | 74.00    | -18.56 | 38.84  | 3    | Vertical  | 313     | 2.75   | -       | 39.12 | 8.76 | 31.28 |  |  |  |
| AV   | 12.04915G | 42.07    | 54.00    | -11.93 | 25.49  | 3    | Vertical  | 313     | 2.75   | -       | 39.10 | 8.76 | 31.28 |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT V\_2TX  
Setting 20.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 12.05039G | 55.02    | 74.00    | -18.98 | 38.44  | 3    | Horizontal | 353     | 1.91   | -       | 39.10 | 8.76 | 31.28 |  |  |  |
| AV   | 12.05008G | 42.03    | 54.00    | -11.97 | 25.45  | 3    | Horizontal | 353     | 1.91   | -       | 39.10 | 8.76 | 31.28 |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_V\_2TX  
Setting 20.5  
02-E-J-8

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.0997G | 50.08    | 83.54    | -33.46 | 43.57  | 1    | Vertical  | 293     | 1.81   | -       | 37.60 | 18.56 | 49.65 |  |  |  |
| AV   | 18.0625G | 37.08    | 63.54    | -26.46 | 30.74  | 1    | Vertical  | 293     | 1.81   | -       | 37.45 | 18.53 | 49.64 |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_V\_2TX  
Setting 20.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.09895G | 50.67    | 83.54    | -32.87 | 44.16  | 1    | Horizontal | 134     | 1.36   | -       | 37.60 | 18.56 | 49.65 |  |  |  |
| AV   | 18.0625G  | 37.20    | 63.54    | -26.34 | 30.86  | 1    | Horizontal | 134     | 1.36   | -       | 37.45 | 18.53 | 49.64 |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT V\_2TX  
Setting 20  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 12.37406G | 55.18    | 74.00    | -18.82 | 38.91  | 3    | Vertical  | 162     | 2.79   | -       | 38.65 | 8.91 | 31.29 |  |  |  |
| AV   | 12.37461G | 41.64    | 54.00    | -12.36 | 25.37  | 3    | Vertical  | 162     | 2.79   | -       | 38.65 | 8.91 | 31.29 |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_V\_2TX  
Setting 20  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 12.36537G | 55.60    | 74.00    | -18.40 | 39.31  | 3    | Horizontal | 228     | 1.15   | -       | 38.67 | 8.91 | 31.29 |  |  |  |
| AV   | 12.36539G | 41.62    | 54.00    | -12.38 | 25.33  | 3    | Horizontal | 228     | 1.15   | -       | 38.67 | 8.91 | 31.29 |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_V\_2TX  
Setting 20  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.54835G | 50.45    | 83.54    | -33.09 | 43.62  | 1    | Vertical  | 98      | 1.70   | -       | 37.71 | 18.87 | 49.75 |  |  |  |
| AV   | 18.53G    | 37.56    | 63.54    | -25.98 | 30.68  | 1    | Vertical  | 98      | 1.70   | -       | 37.78 | 18.86 | 49.76 |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_V\_2TX  
Setting 20  
02-E-J-8

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.5657G | 50.31    | 83.54    | -33.23 | 43.46  | 1    | Horizontal | 325     | 1.75   | -       | 37.70 | 18.88 | 49.73 |  |  |  |
| AV   | 18.5309G | 37.50    | 63.54    | -26.04 | 30.62  | 1    | Horizontal | 325     | 1.75   | -       | 37.78 | 18.86 | 49.76 |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT V\_2TX  
Setting 21  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 12.68931G | 55.14    | 74.00    | -18.86 | 38.94  | 3    | Vertical  | 319     | 1.49   | -       | 38.60 | 9.06 | 31.46 |  |  |  |
| AV   | 12.68532G | 41.48    | 54.00    | -12.52 | 25.28  | 3    | Vertical  | 319     | 1.49   | -       | 38.60 | 9.06 | 31.46 |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_V\_2TX  
Setting 21  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 12.68961G | 55.02    | 74.00    | -18.98 | 38.82  | 3    | Horizontal | 242     | 1.12   | -       | 38.60 | 9.06 | 31.46 |  |  |  |
| AV   | 12.68795G | 41.45    | 54.00    | -12.55 | 25.25  | 3    | Horizontal | 242     | 1.12   | -       | 38.60 | 9.06 | 31.46 |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_V\_2TX  
Setting 21  
02-E-J-8

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.051G  | 50.98    | 83.54    | -32.56 | 43.32  | 1    | Vertical  | 299     | 1.72   | -       | 37.90 | 19.22 | 49.46 |  |  |  |
| AV   | 19.0593G | 37.92    | 63.54    | -25.62 | 30.26  | 1    | Vertical  | 299     | 1.72   | -       | 37.90 | 19.23 | 49.47 |  |  |  |

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TX



EUT\_V\_2TX  
Setting 21  
02-E-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.01965G    | 50.81             | 83.54             | -32.73         | 43.15         | 1           | Horizontal | 227            | 1.53          | -       | 37.90      | 19.20      | 49.44      |  |  |  |
| AV   | 19.01395G    | 37.96             | 63.54             | -25.58         | 30.31         | 1           | Horizontal | 227            | 1.53          | -       | 37.90      | 19.19      | 49.44      |  |  |  |




**Summary**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|----------|
| 6.525-6.875GHz                 | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             | -        |
| 802.11ax HEW20_Nss1.(MCS0)_2TX | Pass   | AV   | 13.39138G    | 47.97             | 54.00             | -6.03          | 3           | Vertical  | 180            | 1.24          | -        |

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6535MHz\_TX




EUT V\_2TX  
Setting 18  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.06991G    | 57.88             | 88.20             | -30.32         | 40.81         | 3           | Vertical  | 187            | 1.59          | -       | 39.62      | 9.24       | 31.79      |  |  |  |
| RMS  | 13.07003G    | 44.35             | 68.20             | -23.85         | 27.28         | 3           | Vertical  | 187            | 1.59          | -       | 39.62      | 9.24       | 31.79      |  |  |  |

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6535MHz\_TX




EUT V\_2TX  
Setting 18  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.06739G    | 56.24             | 88.20             | -31.96         | 39.19         | 3           | Horizontal | 203            | 1.12          | -       | 39.60      | 9.24       | 31.79      |  |  |  |
| RMS  | 13.06985G    | 42.67             | 68.20             | -25.53         | 25.60         | 3           | Horizontal | 203            | 1.12          | -       | 39.62      | 9.24       | 31.79      |  |  |  |

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6535MHz\_TX



EUT V\_2TX  
Setting 18  
02-E-J-8

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 19.5946G | 51.93    | 83.54    | -31.61 | 44.17  | 1    | Vertical  | 154     | 1.40   | -       | 37.83 | 19.60 | 49.67 |  |  |  |  |
| AV   | 19.5875G | 38.85    | 63.54    | -24.69 | 31.06  | 1    | Vertical  | 154     | 1.40   | -       | 37.87 | 19.59 | 49.67 |  |  |  |  |

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6535MHz\_TX




EUT V\_2TX  
Setting 18  
02-E-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.59425G    | 51.95             | 83.54             | -31.59         | 44.19         | 1           | Horizontal | 286            | 1.71          | -       | 37.83      | 19.60      | 49.67      |  |  |  |
| AV   | 19.5914G     | 38.87             | 63.54             | -24.67         | 31.09         | 1           | Horizontal | 286            | 1.71          | -       | 37.85      | 19.60      | 49.67      |  |  |  |

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6695MHz\_TX




EUT V\_2TX  
Setting 18.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 13.38322G | 60.63    | 74.00    | -13.37 | 42.91  | 3    | Vertical  | 180     | 1.24   | -       | 40.47 | 9.38 | 32.13 |  |  |  |
| AV   | 13.39138G | 47.97    | 54.00    | -6.03  | 30.23  | 3    | Vertical  | 180     | 1.24   | -       | 40.48 | 9.39 | 32.13 |  |  |  |

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6695MHz\_TX




EUT V\_2TX  
Setting 18.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 13.39078G | 57.17    | 74.00    | -16.83 | 39.43  | 3    | Horizontal | 231     | 1.77   | -       | 40.48 | 9.39 | 32.13 |  |  |  |
| AV   | 13.39045G | 44.59    | 54.00    | -9.41  | 26.85  | 3    | Horizontal | 231     | 1.77   | -       | 40.48 | 9.39 | 32.13 |  |  |  |

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6695MHz\_TX




EUT V\_2TX  
Setting 18.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.08325G | 51.58    | 83.54    | -31.96 | 43.24  | 1    | Vertical  | 242     | 1.87   | -       | 37.83 | 19.87 | 49.36 |  |  |  |
| AV   | 20.09045G | 39.42    | 63.54    | -24.12 | 31.05  | 1    | Vertical  | 242     | 1.87   | -       | 37.86 | 19.87 | 49.36 |  |  |  |

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6695MHz\_TX




EUT V\_2TX  
Setting 18.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.0631G  | 53.17    | 83.54    | -30.37 | 44.91  | 1    | Horizontal | 209     | 1.34   | -       | 37.75 | 19.87 | 49.36 |  |  |  |
| AV   | 20.07325G | 39.42    | 63.54    | -24.12 | 31.12  | 1    | Horizontal | 209     | 1.34   | -       | 37.79 | 19.87 | 49.36 |  |  |  |

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6855MHz\_TX




EUT\_V\_2TX  
Setting 18.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 13.71477G | 61.72    | 88.20    | -26.48 | 43.53  | 3    | Vertical  | 314     | 1.45   | -       | 40.93 | 9.54 | 32.28 |  |  |  |
| RMS  | 13.72209G | 48.04    | 68.20    | -20.16 | 29.85  | 3    | Vertical  | 314     | 1.45   | -       | 40.94 | 9.54 | 32.29 |  |  |  |

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6855MHz\_TX




EUT V\_2TX  
Setting 18.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 13.72425G | 61.43    | 88.20    | -26.77 | 43.23  | 3    | Horizontal | 162     | 1.94   | -       | 40.95 | 9.54 | 32.29 |  |  |  |
| RMS  | 13.71852G | 48.08    | 68.20    | -20.12 | 29.88  | 3    | Horizontal | 162     | 1.94   | -       | 40.94 | 9.54 | 32.28 |  |  |  |

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6855MHz\_TX




EUT V\_2TX  
Setting 18.5  
02-E-J-8

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.5818G | 52.53    | 83.54    | -31.01 | 44.05  | 1    | Vertical  | 41      | 1.66   | -       | 37.96 | 19.83 | 49.31 |  |  |  |
| AV   | 20.5755G | 39.54    | 63.54    | -24.00 | 31.08  | 1    | Vertical  | 41      | 1.66   | -       | 37.95 | 19.83 | 49.32 |  |  |  |

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

6855MHz\_TX




EUT\_V\_2TX  
Setting 18.5  
02-E-J-8

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.5615G | 52.35    | 83.54    | -31.19 | 43.92  | 1    | Horizontal | 184     | 1.72   | -       | 37.92 | 19.83 | 49.32 |  |  |  |
| AV   | 20.5834G | 39.52    | 63.54    | -24.02 | 31.03  | 1    | Horizontal | 184     | 1.72   | -       | 37.97 | 19.83 | 49.31 |  |  |  |

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6565MHz\_TX




EUT\_V\_2TX  
Setting 21.5  
02-E-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.12118G    | 56.26             | 88.20             | -31.94         | 39.01         | 3           | Vertical  | 185            | 1.47          | -       | 39.84      | 9.26       | 31.85      |  |  |  |
| RMS  | 13.13G       | 44.00             | 68.20             | -24.20         | 26.73         | 3           | Vertical  | 185            | 1.47          | -       | 39.86      | 9.27       | 31.86      |  |  |  |

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6565MHz\_TX




EUT V\_2TX  
Setting 21.5  
02-E-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.13405G    | 55.94             | 88.20             | -32.26         | 38.66         | 3           | Horizontal | 197            | 1.40          | -       | 39.87      | 9.27       | 31.86      |  |  |  |
| RMS  | 13.13027G    | 42.62             | 68.20             | -25.58         | 25.35         | 3           | Horizontal | 197            | 1.40          | -       | 39.86      | 9.27       | 31.86      |  |  |  |

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6565MHz\_TX




EUT V\_2TX  
Setting 21.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.71975G | 50.93    | 83.54    | -32.61 | 42.97  | 1    | Vertical  | 209     | 1.72   | -       | 37.84 | 19.69 | 49.57 |  |  |  |
| AV   | 19.6707G  | 38.28    | 63.54    | -25.26 | 30.26  | 1    | Vertical  | 209     | 1.72   | -       | 37.98 | 19.65 | 49.61 |  |  |  |

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6565MHz\_TX




EUT V\_2TX  
Setting 21.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.6865G  | 52.28    | 83.54    | -31.26 | 44.34  | 1    | Horizontal | 268     | 1.31   | -       | 37.88 | 19.66 | 49.60 |  |  |  |
| AV   | 19.67035G | 38.38    | 63.54    | -25.16 | 30.36  | 1    | Horizontal | 268     | 1.31   | -       | 37.98 | 19.65 | 49.61 |  |  |  |

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TX




EUT V\_2TX  
Setting 21.5  
02-E-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.36058G    | 59.85             | 74.00             | -14.15         | 42.16         | 3           | Vertical  | 180            | 1.22          | -       | 40.42      | 9.37       | 32.10      |  |  |  |
| AV   | 13.37177G    | 47.20             | 54.00             | -6.80          | 29.49         | 3           | Vertical  | 180            | 1.22          | -       | 40.44      | 9.38       | 32.11      |  |  |  |

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TX




EUT\_V\_2TX  
Setting 21.5  
02-E-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.38299G    | 56.99             | 74.00             | -17.01         | 39.27         | 3           | Horizontal | 197            | 1.80          | -       | 40.47      | 9.38       | 32.13      |  |  |  |
| AV   | 13.37378G    | 43.80             | 54.00             | -10.20         | 26.09         | 3           | Horizontal | 197            | 1.80          | -       | 40.45      | 9.38       | 32.12      |  |  |  |

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TX




EUT\_V\_2TX  
Setting 21.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.0452G  | 54.40    | 83.54    | -29.14 | 46.17  | 1    | Vertical  | 173     | 1.81   | -       | 37.71 | 19.88 | 49.36 |  |  |  |
| AV   | 20.05505G | 41.68    | 63.54    | -21.86 | 33.44  | 1    | Vertical  | 173     | 1.81   | -       | 37.72 | 19.88 | 49.36 |  |  |  |

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TX




EUT\_V\_2TX  
Setting 21.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.07605G | 54.90    | 83.54    | -28.64 | 46.59  | 1    | Horizontal | 338     | 1.61   | -       | 37.80 | 19.87 | 49.36 |  |  |  |
| AV   | 20.05515G | 41.53    | 63.54    | -22.01 | 33.29  | 1    | Horizontal | 338     | 1.61   | -       | 37.72 | 19.88 | 49.36 |  |  |  |

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6845MHz\_TX




EUT V\_2TX  
Setting 21  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 13.69125G | 60.96    | 88.20    | -27.24 | 42.85  | 3    | Vertical  | 241     | 2.60   | -       | 40.86 | 9.53 | 32.28 |  |  |  |
| RMS  | 13.69312G | 47.57    | 68.20    | -20.63 | 29.45  | 3    | Vertical  | 241     | 2.60   | -       | 40.87 | 9.53 | 32.28 |  |  |  |

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6845MHz\_TX




EUT V\_2TX  
Setting 21  
02-E-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.69317G    | 61.41             | 88.20             | -26.79         | 43.29         | 3           | Horizontal | 178            | 1.37          | -       | 40.87      | 9.53       | 32.28      |  |  |  |
| RMS  | 13.69433G    | 47.54             | 68.20             | -20.66         | 29.41         | 3           | Horizontal | 178            | 1.37          | -       | 40.88      | 9.53       | 32.28      |  |  |  |

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6845MHz\_TX




EUT\_V\_2TX  
Setting 21  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.54905G | 53.20    | 83.54    | -30.34 | 44.81  | 1    | Vertical  | 37      | 1.74   | -       | 37.89 | 19.83 | 49.33 |  |  |  |
| AV   | 20.55195G | 39.49    | 63.54    | -24.05 | 31.09  | 1    | Vertical  | 37      | 1.74   | -       | 37.90 | 19.83 | 49.33 |  |  |  |

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

6845MHz\_TX




EUT\_V\_2TX  
Setting 21  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.54035G | 52.72    | 83.54    | -30.82 | 44.38  | 1    | Horizontal | 207     | 1.31   | -       | 37.84 | 19.83 | 49.33 |  |  |  |
| AV   | 20.55525G | 39.42    | 63.54    | -24.12 | 31.00  | 1    | Horizontal | 207     | 1.31   | -       | 37.91 | 19.83 | 49.32 |  |  |  |

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT V\_2TX  
Setting 19  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 13.25047G | 56.80    | 74.00    | -17.20 | 39.17  | 3    | Vertical  | 153     | 2.13   | -       | 40.30 | 9.32 | 31.99 |  |  |  |
| AV   | 13.25065G | 42.76    | 54.00    | -11.24 | 25.13  | 3    | Vertical  | 153     | 2.13   | -       | 40.30 | 9.32 | 31.99 |  |  |  |

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT V\_2TX  
Setting 19  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 13.25269G | 56.19    | 74.00    | -17.81 | 38.55  | 3    | Horizontal | 190     | 1.37   | -       | 40.31 | 9.32 | 31.99 |  |  |  |
| AV   | 13.25305G | 42.81    | 54.00    | -11.19 | 25.17  | 3    | Horizontal | 190     | 1.37   | -       | 40.31 | 9.32 | 31.99 |  |  |  |

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT\_V\_2TX  
Setting 19  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.8582G  | 50.81    | 83.54    | -32.73 | 42.85  | 1    | Vertical  | 17      | 1.70   | -       | 37.65 | 19.78 | 49.47 |  |  |  |
| AV   | 19.89595G | 37.75    | 63.54    | -25.79 | 29.50  | 1    | Vertical  | 17      | 1.70   | -       | 37.88 | 19.81 | 49.44 |  |  |  |

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT\_V\_2TX  
Setting 19  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 19.8997G  | 50.58    | 83.54    | -32.96 | 42.31  | 1    | Horizontal | 287     | 1.54   | -       | 37.90 | 19.81 | 49.44 |  |  |  |  |
| AV   | 19.89905G | 37.68    | 63.54    | -25.86 | 29.42  | 1    | Horizontal | 287     | 1.54   | -       | 37.89 | 19.81 | 49.44 |  |  |  |  |

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT V\_2TX  
Setting 19.5  
02-E-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.40244G    | 58.24             | 88.20             | -29.96         | 40.50         | 3           | Vertical  | 182            | 1.20          | -       | 40.50      | 9.39       | 32.15      |  |  |  |
| RMS  | 13.41021G    | 45.04             | 68.20             | -23.16         | 27.29         | 3           | Vertical  | 182            | 1.20          | -       | 40.50      | 9.40       | 32.15      |  |  |  |

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT V\_2TX  
Setting 19.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 13.41525G | 56.69    | 88.20    | -31.51 | 38.95  | 3    | Horizontal | 220     | 1.37   | -       | 40.50 | 9.40 | 32.16 |  |  |  |
| RMS  | 13.40826G | 43.19    | 68.20    | -25.01 | 25.45  | 3    | Horizontal | 220     | 1.37   | -       | 40.50 | 9.39 | 32.15 |  |  |  |

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_V\_2TX  
Setting 19.5  
02-E-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.10345G    | 52.10             | 83.54             | -31.44         | 43.71         | 1           | Vertical  | 306            | 1.50          | -       | 37.88      | 19.87      | 49.36      |  |  |  |
| AV   | 20.10775G    | 39.18             | 63.54             | -24.36         | 30.82         | 1           | Vertical  | 306            | 1.50          | -       | 37.85      | 19.87      | 49.36      |  |  |  |

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT V\_2TX  
Setting 19.5  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.09745G | 52.06    | 83.54    | -31.48 | 43.66  | 1    | Horizontal | 66      | 1.90   | -       | 37.89 | 19.87 | 49.36 |  |  |  |
| AV   | 20.09325G | 39.25    | 63.54    | -24.29 | 30.87  | 1    | Horizontal | 66      | 1.90   | -       | 37.87 | 19.87 | 49.36 |  |  |  |

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT V\_2TX  
Setting 19  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 13.57249G | 56.92    | 88.20    | -31.28 | 39.01  | 3    | Vertical  | 283     | 1.80   | -       | 40.70 | 9.47 | 32.26 |  |  |  |
| RMS  | 13.55575G | 43.74    | 68.20    | -24.46 | 25.84  | 3    | Vertical  | 283     | 1.80   | -       | 40.70 | 9.46 | 32.26 |  |  |  |

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT V\_2TX  
Setting 19  
02-E-J-8

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 13.5685G | 56.86    | 88.20    | -31.34 | 38.95  | 3    | Horizontal | 359     | 2.47   | -       | 40.70 | 9.47 | 32.26 |  |  |  |
| RMS  | 13.5628G | 43.71    | 68.20    | -24.49 | 25.80  | 3    | Horizontal | 359     | 2.47   | -       | 40.70 | 9.47 | 32.26 |  |  |  |

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT V\_2TX  
Setting 19  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.36165G | 51.96    | 83.54    | -31.58 | 43.38  | 1    | Vertical  | 299     | 2.00   | -       | 38.08 | 19.85 | 49.35 |  |  |  |
| AV   | 20.33625G | 38.00    | 63.54    | -25.54 | 29.37  | 1    | Vertical  | 299     | 2.00   | -       | 38.13 | 19.85 | 49.35 |  |  |  |

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT\_V\_2TX  
Setting 19  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.37165G | 50.97    | 83.54    | -32.57 | 42.41  | 1    | Horizontal | 154     | 1.33   | -       | 38.06 | 19.85 | 49.35 |  |  |  |
| AV   | 20.33025G | 38.07    | 63.54    | -25.47 | 29.43  | 1    | Horizontal | 154     | 1.33   | -       | 38.14 | 19.85 | 49.35 |  |  |  |

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT V\_2TX  
Setting 19  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 13.32814G | 57.00    | 74.00    | -17.00 | 39.31  | 3    | Vertical  | 182     | 2.57   | -       | 40.40 | 9.36 | 32.07 |  |  |  |
| AV   | 13.33015G | 44.04    | 54.00    | -9.96  | 26.35  | 3    | Vertical  | 182     | 2.57   | -       | 40.40 | 9.36 | 32.07 |  |  |  |

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT V\_2TX  
Setting 19  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 13.31845G | 56.32    | 74.00    | -17.68 | 38.63  | 3    | Horizontal | 178     | 1.74   | -       | 40.40 | 9.35 | 32.06 |  |  |  |
| AV   | 13.33009G | 44.07    | 54.00    | -9.93  | 26.38  | 3    | Horizontal | 178     | 1.74   | -       | 40.40 | 9.36 | 32.07 |  |  |  |

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_V\_2TX  
Setting 19  
02-E-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.00195G    | 51.94             | 83.54             | -31.60         | 43.62         | 1           | Vertical  | 249            | 2.00          | -       | 37.80      | 19.88      | 49.36      |  |  |  |
| AV   | 19.99985G    | 39.36             | 63.54             | -24.18         | 31.04         | 1           | Vertical  | 249            | 2.00          | -       | 37.80      | 19.88      | 49.36      |  |  |  |

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TX



EUT\_V\_2TX  
Setting 19  
02-E-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.01925G | 51.89    | 83.54    | -31.65 | 43.61  | 1    | Horizontal | 59      | 1.47   | -       | 37.76 | 19.88 | 49.36 |  |  |  |
| AV   | 19.99995G | 39.46    | 63.54    | -24.08 | 31.14  | 1    | Horizontal | 59      | 1.47   | -       | 37.80 | 19.88 | 49.36 |  |  |  |

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

5955MHz\_TX

17/10/2023

CF (Hz)  
5.955G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 5.947127G | -5.90    | 5.9665G   | -38.20     | -25.92     | -12.28     | 1    |
| 5.945902G | -6.22    | 5.966225G | -38.24     | -26.34     | -11.90     | 2    |

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6195MHz\_TX

17/10/2023

CF (Hz)  
6.195G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 


| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.185777G | -5.05    | 6.20635G | -37.42     | -25.18     | -12.24     | 1    |
| 6.203348G | -5.29    | 6.1835G  | -39.11     | -25.43     | -13.68     | 2    |

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6415MHz\_TX

17/10/2023




6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6535MHz\_TX

17/10/2023




6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6695MHz\_TX

17/10/2023




6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6855MHz\_TX

17/10/2023




5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

5965MHz\_TX

17/10/2023




5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6205MHz\_TX

17/10/2023




5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6405MHz\_TX

17/10/2023




6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6565MHz\_TX

17/10/2023




6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6685MHz\_TX

17/10/2023




6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6845MHz\_TX

17/10/2023




5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

5985MHz\_TX

17/10/2023




5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6225MHz\_TX

17/10/2023




5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6385MHz\_TX

17/10/2023




| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.3871G | -1.65    | 6.4269G  | -38.64     | -21.25     | -17.39     | 1    |
| 6.378G  | -2.28    | 6.3428G  | -39.02     | -22.40     | -16.62     | 2    |

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6625MHz\_TX

17/10/2023




| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.6193G | -1.25    | 6.6667G  | -36.95     | -21.29     | -15.66     | 1    |
| 6.6235G | -1.71    | 6.5834G  | -35.85     | -21.71     | -14.14     | 2    |

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6705MHz\_TX

17/10/2023




6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6785MHz\_TX

17/10/2023




5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

MASK

6025MHz\_TX

17/10/2023




5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

MASK

6185MHz\_TX

17/10/2023



5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

MASK

6345MHz\_TX

17/10/2023

CF (Hz)  
6.345G


Span (Hz)  
800M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.32361G | -1.71    | 6.4282G  | -38.44     | -21.72     | -16.72     | 1    |
| 6.3576G  | -2.70    | 6.427G   | -35.84     | -22.70     | -13.14     | 2    |

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

MASK

6665MHz\_TX

17/10/2023

CF (Hz)  
6.665G


Span (Hz)  
800M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.64001G | -1.07    | 6.5824G  | -35.80     | -21.09     | -14.71     | 1    |
| 6.6846G  | -1.22    | 6.5822G  | -34.80     | -21.26     | -13.54     | 2    |