


5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6385MHz_TX

EUT_X_4TX
Setting 12
03-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.76995G	51.63	88.20	-36.57	66.24	3	Horizontal	318	1.80	-	38.88	11.77	65.26			
RMS	12.76997G	47.44	68.20	-20.76	62.05	3	Horizontal	318	1.80	-	38.88	11.77	65.26			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6385MHz_TX

EUT_X_4TX
Setting 12
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15572G	42.56	83.54	-40.98	38.79	1	Vertical	110	1.52	-	37.98	15.24	49.45			
AV	19.15G	31.14	63.54	-32.40	27.34	1	Vertical	110	1.52	-	38.00	15.24	49.44			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6385MHz_TX




EUT_X_4TX
Setting 12
03-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15696G	42.86	83.54	-40.68	39.10	1	Horizontal	231	1.52	-	37.97	15.24	49.45			
AV	19.1521G	31.19	63.54	-32.35	27.40	1	Horizontal	231	1.52	-	37.99	15.24	49.44			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6465MHz_TX

EUT_X_4TX
Setting 14
03-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.92994G	51.98	88.20	-36.22	66.20	3	Vertical	248	1.64	-	39.26	11.76	65.24			
RMS	12.92999G	47.57	68.20	-20.63	61.79	3	Vertical	248	1.64	-	39.26	11.76	65.24			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6465MHz_TX




EUT_X_4TX
Setting 14
03-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.93001G	53.12	88.20	-35.08	67.34	3	Horizontal	309	1.88	-	39.26	11.76	65.24			
RMS	12.92995G	49.34	68.20	-18.86	63.56	3	Horizontal	309	1.88	-	39.26	11.76	65.24			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6465MHz_TX

EUT_X_4TX
Setting 14
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39442G	42.58	83.54	-40.96	39.07	1	Vertical	263	1.58	-	37.89	15.23	49.61			
AV	19.39658G	31.78	63.54	-31.76	28.27	1	Vertical	263	1.58	-	37.89	15.23	49.61			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6465MHz_TX

EUT_X_4TX
Setting 14
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3916G	42.99	83.54	-40.55	39.49	1	Horizontal	349	1.53	-	37.88	15.23	49.61			
AV	19.39144G	31.82	63.54	-31.72	28.32	1	Horizontal	349	1.53	-	37.88	15.23	49.61			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6545MHz Straddle 6.425-6.525GHz_TX

EUT_X_4TX
Setting 14
03-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.09001G	49.20	88.20	-39.00	62.95	3	Vertical	293	2.10	-	39.56	11.75	65.06			
RMS	13.09G	43.32	68.20	-24.88	57.07	3	Vertical	293	2.10	-	39.56	11.75	65.06			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6545MHz Straddle 6.425-6.525GHz_TX

EUT_X_4TX
Setting 14
03-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.08992G	50.54	88.20	-37.66	64.29	3	Horizontal	297	1.80	-	39.56	11.75	65.06			
RMS	13.09G	46.17	68.20	-22.03	59.92	3	Horizontal	297	1.80	-	39.56	11.75	65.06			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
Setting 14
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63182G	42.55	83.54	-40.99	39.20	1	Vertical	333	1.51	-	37.70	15.22	49.57			
AV	19.63132G	30.47	63.54	-33.07	27.12	1	Vertical	333	1.51	-	37.70	15.22	49.57			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6545MHz Straddle 6.425-6.525GHz_TX

EUT_X_4TX
Setting 14
03-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.63344G	41.95	83.54	-41.59	38.60	1	Horizontal	314	1.55	-	37.70	15.22	49.57			
AV	19.63442G	30.50	63.54	-33.04	27.15	1	Horizontal	314	1.55	-	37.70	15.22	49.57			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6625MHz_TX

EUT_X_4TX
Setting 13
03-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24995G	48.60	88.20	-39.60	61.71	3	Vertical	302.1	1.55	-	39.90	11.74	64.75			
RMS	13.24993G	42.37	68.20	-25.83	55.48	3	Vertical	302.1	1.55	-	39.90	11.74	64.75			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6625MHz_TX




EUT_X_4TX
Setting 13
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2497G	50.02	88.20	-38.18	63.13	3	Horizontal	20	2.08	-	39.90	11.74	64.75			
RMS	13.24827G	43.67	68.20	-24.53	56.79	3	Horizontal	20	2.08	-	39.89	11.74	64.75			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6625MHz_TX

EUT_X_4TX
Setting 13
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87152G	41.92	83.54	-41.62	38.39	1	Vertical	85	1.58	-	37.70	15.21	49.38			
AV	19.87212G	30.39	63.54	-33.15	26.85	1	Vertical	85	1.58	-	37.70	15.21	49.37			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6625MHz_TX

EUT_X_4TX
Setting 13
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8756G	43.00	83.54	-40.54	39.46	1	Horizontal	257	1.52	-	37.70	15.21	49.37			
AV	19.87472G	30.43	63.54	-33.11	26.89	1	Horizontal	257	1.52	-	37.70	15.21	49.37			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6705MHz_TX




EUT_X_4TX
Setting 12
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40561G	45.90	88.20	-42.30	58.51	3	Vertical	260	1.18	-	40.11	11.72	64.44			
RMS	13.40816G	32.61	68.20	-35.59	45.21	3	Vertical	260	1.18	-	40.12	11.72	64.44			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6705MHz_TX

EUT_X_4TX
Setting 12
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40826G	45.81	88.20	-42.39	58.41	3	Horizontal	229	2.42	-	40.12	11.72	64.44			
RMS	13.40528G	32.60	68.20	-35.60	45.21	3	Horizontal	229	2.42	-	40.11	11.72	64.44			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6705MHz_TX

EUT_X_4TX
Setting 12
03-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11884G	42.00	83.54	-41.54	38.14	1	Vertical	121	1.56	-	37.80	15.30	49.24			
AV	20.11786G	30.53	63.54	-33.01	26.68	1	Vertical	121	1.56	-	37.80	15.29	49.24			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6705MHz_TX

EUT_X_4TX
Setting 12
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.1105G	39.88	83.54	-43.66	36.03	1	Horizontal	159	1.58	-	37.80	15.29	49.24			
AV	20.11344G	30.27	63.54	-33.27	26.42	1	Horizontal	159	1.58	-	37.80	15.29	49.24			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6785MHz_TX

EUT_X_4TX
Setting 13
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56979G	48.51	88.20	-39.69	60.69	3	Vertical	307	1.69	-	40.40	11.71	64.29			
RMS	13.56998G	39.20	68.20	-29.00	51.38	3	Vertical	307	1.69	-	40.40	11.71	64.29			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6785MHz_TX




EUT X_4TX
Setting 13
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.56999G	48.81	88.20	-39.39	60.99	3	Horizontal	45	1.90	-	40.40	11.71	64.29				
RMS	13.56996G	40.39	68.20	-27.81	52.57	3	Horizontal	45	1.90	-	40.40	11.71	64.29				

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6785MHz_TX

EUT_X_4TX
Setting 13
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35708G	42.25	83.54	-41.29	38.05	1	Vertical	300	1.53	-	37.89	15.49	49.18			
AV	20.35234G	30.83	63.54	-32.71	26.63	1	Vertical	300	1.53	-	37.90	15.48	49.18			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6785MHz_TX

EUT_X_4TX
Setting 13
03-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35662G	43.09	83.54	-40.45	38.89	1	Horizontal	324	1.57	-	37.89	15.49	49.18			
AV	20.35968G	31.02	63.54	-32.52	26.83	1	Horizontal	324	1.57	-	37.88	15.49	49.18			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6865MHz Straddle 6.525-6.875GHz_TX

EUT_X_4TX
Setting 14
03-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.72992G	47.43	88.20	-40.77	59.56	3	Vertical	53	1.80	-	40.52	11.70	64.35			
RMS	13.72996G	37.51	68.20	-30.69	49.64	3	Vertical	53	1.80	-	40.52	11.70	64.35			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_X_4TX
Setting 14
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72988G	48.11	88.20	-40.09	60.24	3	Horizontal	7	1.80	-	40.52	11.70	64.35			
RMS	13.72993G	39.79	68.20	-28.41	51.92	3	Horizontal	7	1.80	-	40.52	11.70	64.35			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6865MHz Straddle 6.525-6.875GHz_TX

EUT_X_4TX
Setting 14
03-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59218G	42.11	83.54	-41.43	37.63	1	Vertical	208	1.58	-	37.90	15.67	49.09			
AV	20.59696G	31.00	63.54	-32.54	26.51	1	Vertical	208	1.58	-	37.90	15.68	49.09			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6865MHz Straddle 6.525-6.875GHz_TX

EUT_X_4TX
Setting 14
03-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59464G	41.95	83.54	-41.59	37.46	1	Horizontal	290	1.53	-	37.90	15.68	49.09			
AV	20.59524G	30.94	63.54	-32.60	26.45	1	Horizontal	290	1.53	-	37.90	15.68	49.09			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6945MHz_TX

EUT_X_4TX
Setting 14
03-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.88977G	47.75	88.20	-40.45	59.60	3	Vertical	118	2.05	-	40.88	11.69	64.42			
RMS	13.88997G	38.77	68.20	-29.43	50.62	3	Vertical	118	2.05	-	40.88	11.69	64.42			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6945MHz_TX

EUT_X_4TX
Setting 14
03-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.89G	47.94	88.20	-40.26	59.79	3	Horizontal	239	1.80	-	40.88	11.69	64.42			
RMS	13.88993G	39.65	68.20	-28.55	51.50	3	Horizontal	239	1.80	-	40.88	11.69	64.42			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6945MHz_TX

EUT_X_4TX
Setting 14
03-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.83902G	41.81	83.54	-41.73	37.00	1	Vertical	120	1.53	-	37.90	15.87	48.96			
AV	20.83712G	31.26	63.54	-32.28	26.45	1	Vertical	120	1.53	-	37.90	15.87	48.96			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6945MHz_TX

EUT_X_4TX
Setting 14
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83502G	41.41	83.54	-42.13	36.61	1	Horizontal	300	1.52	-	37.90	15.87	48.97			
AV	20.8325G	31.30	63.54	-32.24	26.50	1	Horizontal	300	1.52	-	37.90	15.87	48.97			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

7025MHz_TX




EUT_X_4TX
Setting 15
03-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9878G	109.69	Inf	-Inf	100.81	3	Vertical	9	1.80	-	35.60	8.41	35.13			
RMS	7.0002G	100.97	Inf	-Inf	92.13	3	Vertical	9	1.80	-	35.60	8.37	35.13			
PK	7.1586G	63.38	88.20	-24.82	54.07	3	Vertical	9	1.80	-	35.95	8.50	35.14			
RMS	7.2242G	52.62	68.20	-15.58	42.86	3	Vertical	9	1.80	-	36.35	8.56	35.15			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

7025MHz_TX




EUT_X_4TX
Setting 15
03-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9922G	103.06	Inf	-Inf	94.19	3	Horizontal	0	1.61	-	35.60	8.40	35.13			
RMS	6.987G	88.63	Inf	-Inf	79.75	3	Horizontal	0	1.61	-	35.60	8.41	35.13			
PK	7.2234G	63.25	88.20	-24.95	53.50	3	Horizontal	0	1.61	-	36.34	8.56	35.15			
RMS	7.2246G	52.54	68.20	-15.66	42.78	3	Horizontal	0	1.61	-	36.35	8.56	35.15			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


7025MHz_TX

EUT_X_4TX
Setting 15
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04998G	49.49	88.20	-38.71	60.92	3	Vertical	290	1.89	-	41.20	11.72	64.35			
RMS	14.05G	39.20	68.20	-29.00	50.63	3	Vertical	290	1.89	-	41.20	11.72	64.35			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


7025MHz_TX

EUT_X_4TX
Setting 15
03-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.04996G	49.12	88.20	-39.08	60.55	3	Horizontal	346	1.86	-	41.20	11.72	64.35			
RMS	14.04993G	39.51	68.20	-28.69	50.94	3	Horizontal	346	1.86	-	41.20	11.72	64.35			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


7025MHz_TX

EUT_X_4TX
Setting 15
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07472G	43.84	83.54	-39.70	38.65	1	Vertical	122	1.50	-	38.00	16.06	48.87			
AV	21.07454G	31.96	63.54	-31.58	26.77	1	Vertical	122	1.50	-	38.00	16.06	48.87			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


7025MHz_TX

EUT_X_4TX
Setting 15
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07232G	43.85	83.54	-39.69	38.66	1	Horizontal	152	1.54	-	38.00	16.06	48.87			
AV	21.07046G	31.94	63.54	-31.60	26.75	1	Horizontal	152	1.54	-	38.00	16.06	48.87			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6025MHz_TX




EUT_X_4TX
Setting 13
03-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.879G	62.05	88.20	-26.15	54.79	3	Vertical	356	1.77	-	34.42	8.04	35.20			
RMS	5.9145G	53.18	68.20	-15.02	45.77	3	Vertical	356	1.77	-	34.53	8.08	35.20			
PK	5.989G	108.55	Inf	-Inf	100.98	3	Vertical	356	1.77	-	34.60	8.16	35.19			
RMS	5.964G	99.88	Inf	-Inf	92.34	3	Vertical	356	1.77	-	34.60	8.13	35.19			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6025MHz_TX




EUT_X_4TX
Setting 13
03-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.866G	60.52	88.20	-27.68	53.33	3	Horizontal	360	1.72	-	34.36	8.03	35.20			
RMS	5.92G	52.37	68.20	-15.83	44.94	3	Horizontal	360	1.72	-	34.54	8.09	35.20			
PK	5.9595G	107.62	Inf	-Inf	100.08	3	Horizontal	360	1.72	-	34.60	8.13	35.19			
RMS	6.0115G	90.48	Inf	-Inf	82.88	3	Horizontal	360	1.72	-	34.60	8.19	35.19			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6025MHz_TX

EUT_X_4TX
Setting 13
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04648G	45.42	74.00	-28.58	60.28	3	Vertical	188	2.29	-	39.01	11.83	65.70			
AV	12.05037G	32.97	54.00	-21.03	47.83	3	Vertical	188	2.29	-	39.00	11.83	65.69			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6025MHz_TX

EUT_X_4TX
Setting 13
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0487G	46.08	74.00	-27.92	60.95	3	Horizontal	257	2.56	-	39.00	11.83	65.70			
AV	12.05043G	32.88	54.00	-21.12	47.74	3	Horizontal	257	2.56	-	39.00	11.83	65.69			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6025MHz_TX

EUT_X_4TX
Setting 13
03-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07344G	47.97	83.54	-35.57	44.61	1	Vertical	70	1.05	-	37.54	15.30	49.48			
AV	18.0786G	35.23	63.54	-28.31	31.84	1	Vertical	70	1.05	-	37.57	15.30	49.48			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6025MHz_TX

EUT_X_4TX
Setting 13
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07558G	48.24	83.54	-35.30	44.87	1	Horizontal	132	2.01	-	37.55	15.30	49.48			
AV	18.07188G	35.23	63.54	-28.31	31.87	1	Horizontal	132	2.01	-	37.53	15.30	49.47			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6185MHz_TX

EUT_X_4TX
Setting 15
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37186G	45.23	74.00	-28.77	60.18	3	Vertical	16	2.55	-	38.66	11.80	65.41			
AV	12.37044G	32.81	54.00	-21.19	47.76	3	Vertical	16	2.55	-	38.66	11.80	65.41			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6185MHz_TX




EUT_X_4TX
Setting 15
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37131G	45.54	74.00	-28.46	60.49	3	Horizontal	197	1.91	-	38.66	11.80	65.41			
AV	12.37146G	32.82	54.00	-21.18	47.77	3	Horizontal	197	1.91	-	38.66	11.80	65.41			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6185MHz_TX

EUT_X_4TX
Setting 15
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55828G	48.22	83.54	-35.32	44.79	1	Vertical	239	2.29	-	37.80	15.27	49.64			
AV	18.55018G	34.91	63.54	-28.63	31.49	1	Vertical	239	2.29	-	37.80	15.27	49.65			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6185MHz_TX

EUT_X_4TX
Setting 15
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55454G	48.01	83.54	-35.53	44.58	1	Horizontal	180	2.72	-	37.80	15.27	49.64			
AV	18.55412G	34.99	63.54	-28.55	31.56	1	Horizontal	180	2.72	-	37.80	15.27	49.64			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6345MHz_TX

EUT_X_4TX
Setting 14
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69162G	44.58	74.00	-29.42	59.19	3	Vertical	334	2.33	-	38.88	11.78	65.27			
AV	12.6866G	31.88	54.00	-22.12	46.50	3	Vertical	334	2.33	-	38.87	11.78	65.27			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6345MHz_TX




EUT_X_4TX
Setting 14
03-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69207G	45.24	74.00	-28.76	59.85	3	Horizontal	172	1.61	-	38.88	11.78	65.27			
AV	12.69191G	31.74	54.00	-22.26	46.35	3	Horizontal	172	1.61	-	38.88	11.78	65.27			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6345MHz_TX

EUT_X_4TX
Setting 14
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03448G	48.13	83.54	-35.41	44.31	1	Vertical	80	1.73	-	37.93	15.25	49.36			
AV	19.03678G	34.76	63.54	-28.78	30.95	1	Vertical	80	1.73	-	37.93	15.25	49.37			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6345MHz_TX

EUT_X_4TX
Setting 14
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0361G	47.59	83.54	-35.95	43.77	1	Horizontal	250	2.45	-	37.93	15.25	49.36			
AV	19.03774G	34.97	63.54	-28.57	31.17	1	Horizontal	250	2.45	-	37.92	15.25	49.37			

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
Setting 15
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.00649G	46.44	88.20	-41.76	60.60	3	Vertical	10	1.17	-	39.31	11.75	65.22			
RMS	13.00924G	32.14	68.20	-36.06	46.28	3	Vertical	10	1.17	-	39.32	11.75	65.21			

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_X_4TX
Setting 15
03-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.00521G	45.07	88.20	-43.13	59.23	3	Horizontal	174	2.75	-	39.31	11.75	65.22			
RMS	13.00994G	32.23	68.20	-35.97	46.37	3	Horizontal	174	2.75	-	39.32	11.75	65.21			

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6505MHz Straddle 6.425-6.525GHz_TX

EUT_X_4TX
Setting 15
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51786G	48.53	83.54	-35.01	45.22	1	Vertical	261	1.80	-	37.76	15.22	49.67			
AV	19.51506G	35.55	63.54	-27.99	32.23	1	Vertical	261	1.80	-	37.77	15.22	49.67			

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6505MHz Straddle 6.425-6.525GHz_TX

EUT_X_4TX
Setting 15
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51498G	48.58	83.54	-34.96	45.26	1	Horizontal	252	1.50	-	37.77	15.22	49.67			
AV	19.5149G	37.13	63.54	-26.41	33.81	1	Horizontal	252	1.50	-	37.77	15.22	49.67			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6665MHz_TX


EUT_X_4TX
Setting 15
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3288G	45.56	74.00	-28.44	58.42	3	Vertical	113	2.69	-	40.00	11.73	64.59			
AV	13.32938G	32.49	54.00	-21.51	45.35	3	Vertical	113	2.69	-	40.00	11.73	64.59			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6665MHz_TX




EUT_X_4TX
Setting 15
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33451G	45.05	74.00	-28.95	57.90	3	Horizontal	16	2.54	-	40.00	11.73	64.58			
AV	13.32663G	32.64	54.00	-21.36	45.51	3	Horizontal	16	2.54	-	40.00	11.73	64.60			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6665MHz_TX

EUT_X_4TX
Setting 15
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33096G	43.70	83.54	-39.84	39.60	1	Vertical	312	1.80	-	27.92	12.80	36.62			
AV	13.32994G	32.87	63.54	-30.67	28.76	1	Vertical	312	1.80	-	27.92	12.80	36.61			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6665MHz_TX

EUT_X_4TX
Setting 15
03-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32992G	44.81	83.54	-38.73	40.70	1	Horizontal	263	1.80	-	27.92	12.80	36.61			
AV	13.33G	34.18	63.54	-29.36	30.07	1	Horizontal	263	1.80	-	27.92	12.80	36.61			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6825MHz Straddle 6.525-6.875GHz_TX

EUT_X_4TX
Setting 16
03-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.64982G	45.98	88.20	-42.22	58.19	3	Vertical	304	1.80	-	40.40	11.71	64.32			
RMS	13.65005G	34.34	68.20	-33.86	46.55	3	Vertical	304	1.80	-	40.40	11.71	64.32			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6825MHz Straddle 6.525-6.875GHz_TX

EUT_X_4TX
Setting 16
03-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.6501G	48.63	88.20	-39.57	60.84	3	Horizontal	7	1.82	-	40.40	11.71	64.32			
RMS	13.65003G	41.53	68.20	-26.67	53.74	3	Horizontal	7	1.82	-	40.40	11.71	64.32			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6825MHz Straddle 6.525-6.875GHz_TX

EUT_X_4TX
Setting 16
03-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47116G	48.75	83.54	-34.79	44.42	1	Vertical	254	1.80	-	37.90	15.58	49.15			
AV	20.47498G	35.98	63.54	-27.56	31.65	1	Vertical	254	1.80	-	37.90	15.58	49.15			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6825MHz Straddle 6.525-6.875GHz_TX

EUT_X_4TX
Setting 16
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47516G	48.14	83.54	-35.40	43.81	1	Horizontal	250	1.80	-	37.90	15.58	49.15			
AV	20.4748G	35.90	63.54	-27.64	31.57	1	Horizontal	250	1.80	-	37.90	15.58	49.15			

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6985MHz_TX




EUT_X_4TX
Setting 15
03-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9105G	113.07	Inf	-Inf	103.96	3	Vertical	352	1.78	-	35.60	8.66	35.15			
RMS	6.93G	98.76	Inf	-Inf	89.70	3	Vertical	352	1.78	-	35.60	8.60	35.14			
PK	7.1305G	62.99	88.20	-25.21	53.83	3	Vertical	352	1.78	-	35.82	8.48	35.14			
RMS	7.1725G	55.18	68.20	-13.02	45.77	3	Vertical	352	1.78	-	36.03	8.52	35.14			

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6985MHz_TX




EUT_X_4TX
Setting 15
03-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.917G	101.17	Inf	-Inf	92.07	3	Horizontal	311	1.69	-	35.60	8.64	35.14			
RMS	6.9175G	91.81	Inf	-Inf	82.71	3	Horizontal	311	1.69	-	35.60	8.64	35.14			
PK	7.1725G	62.39	88.20	-25.81	52.98	3	Horizontal	311	1.69	-	36.03	8.52	35.14			
RMS	7.142G	54.68	68.20	-13.52	45.46	3	Horizontal	311	1.69	-	35.87	8.49	35.14			

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6985MHz_TX

EUT_X_4TX
Setting 15
03-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97013G	50.48	88.20	-37.72	62.17	3	Vertical	60	1.80	-	41.08	11.68	64.45			
RMS	13.96998G	43.16	68.20	-25.04	54.85	3	Vertical	60	1.80	-	41.08	11.68	64.45			

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6985MHz_TX

EUT_X_4TX
Setting 15
03-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97007G	49.09	88.20	-39.11	60.78	3	Horizontal	242	1.68	-	41.08	11.68	64.45			
RMS	13.96992G	39.93	68.20	-28.27	51.62	3	Horizontal	242	1.68	-	41.08	11.68	64.45			

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6985MHz_TX

EUT_X_4TX
Setting 15
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95472G	49.37	83.54	-34.17	44.40	1	Vertical	255	1.82	-	37.91	15.96	48.90			
AV	20.955G	40.13	63.54	-23.41	35.16	1	Vertical	255	1.82	-	37.91	15.96	48.90			

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6985MHz_TX

EUT_X_4TX
Setting 15
03-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95506G	48.25	83.54	-35.29	43.28	1	Horizontal	260	1.80	-	37.91	15.96	48.90			
AV	20.95484G	36.15	63.54	-27.39	31.18	1	Horizontal	260	1.80	-	37.91	15.96	48.90			


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

09/10/2024

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.949101G	-20.23	5.907025G	-70.91	-60.23	-10.68	1
5.963098G	-20.41	5.919725G	-71.00	-60.41	-10.59	2
5.948177G	-19.72	5.913475G	-70.70	-59.72	-10.98	3
5.948752G	-20.56	5.915925G	-70.93	-60.56	-10.37	4


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

09/10/2024

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.191051G	-19.47	6.240025G	-70.63	-59.47	-11.16	1
6.199074G	-19.94	6.154525G	-71.01	-59.94	-11.07	2
6.188327G	-19.06	6.24125G	-70.34	-59.06	-11.28	3
6.188227G	-20.10	6.230525G	-70.90	-60.10	-10.80	4

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

09/10/2024




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

09/10/2024




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

09/10/2024




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

09/10/2024




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

09/10/2024




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

09/10/2024




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

09/10/2024




6.875-7.125GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

09/10/2024




6.875-7.125GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

09/10/2024




6.875-7.125GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

09/10/2024




6.875-7.125GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

7115MHz_TX

09/10/2024




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

09/10/2024




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

09/10/2024




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

09/10/2024




6.425-6.525GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

09/10/2024




6.425-6.525GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

09/10/2024




6.425-6.525GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

09/10/2024




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

09/10/2024




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

09/10/2024




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

09/10/2024




6.875-7.125GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

09/10/2024




6.875-7.125GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

09/10/2024




6.875-7.125GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

09/10/2024




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

09/10/2024




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

09/10/2024




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

09/10/2024




6.425-6.525GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

09/10/2024




6.425-6.525GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

09/10/2024



6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

09/10/2024

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6313G	-10.50	6.7863G	-61.52	-50.50	-11.02	1
6.6306G	-10.60	6.8063G	-61.60	-50.60	-11.00	2
6.6385G	-10.65	6.78G	-61.30	-50.65	-10.65	3
6.6349G	-11.20	6.7928G	-62.06	-51.20	-10.86	4

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

09/10/2024

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7122G	-8.81	6.8615G	-61.39	-48.81	-12.58	1
6.7134G	-11.03	6.8864G	-61.92	-51.03	-10.89	2
6.7131G	-9.46	6.8783G	-61.05	-49.46	-11.59	3
6.7145G	-10.59	6.8602G	-61.92	-50.59	-11.33	4

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

09/10/2024




6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

09/10/2024




6.875-7.125GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

09/10/2024




6.875-7.125GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

09/10/2024




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

09/10/2024




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

09/10/2024




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

09/10/2024




6.425-6.525GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

09/10/2024




6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

09/10/2024




6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

09/10/2024




6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

09/10/2024




5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

MASK

5955MHz_TX

09/10/2024




5.925-6.425GHz_802.11ax_HEW20-BF_Nss1,(MCS4)_4TX

MASK

6195MHz_TX

09/10/2024

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.200999G	-19.83	6.229825G	-66.71	-59.83	-6.88	1
6.202673G	-19.56	6.229975G	-66.20	-59.56	-6.64	2
6.197424G	-19.36	6.152025G	-66.57	-59.36	-7.21	3
6.200599G	-20.52	6.232875G	-66.51	-60.52	-5.99	4

Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11ax_HEW20-BF_Nss1,(MCS4)_4TX

MASK

6415MHz_TX

09/10/2024

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.406952G	-16.58	6.460425G	-65.93	-56.58	-9.35	1
6.420499G	-16.96	6.4611G	-65.44	-56.96	-8.48	2
6.409851G	-16.66	6.446125G	-65.78	-56.59	-9.19	3
6.419699G	-18.38	6.4544G	-66.06	-58.38	-7.68	4


Port 1
Port 2
Port 3
Port 4

6.425-6.525GHz_802.11ax_HEW20-BF_Nss1,(MCS4)_4TX

MASK

6435MHz_TX

09/10/2024




6.425-6.525GHz_802.11ax_HEW20-BF_Nss1,(MCS4)_4TX

MASK

6475MHz_TX

09/10/2024




6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

MASK

6515MHz_TX

09/10/2024




6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

MASK

6535MHz_TX

09/10/2024




6.525-6.875GHz_802.11ax_HEW20-BF_Nss1,(MCS4)_4TX

MASK

6695MHz_TX

09/10/2024




6.525-6.875GHz_802.11ax_HEW20-BF_Nss1,(MCS4)_4TX

MASK

6875MHz_TX

09/10/2024




6.875-7.125GHz_802.11ax_HEW20-BF_Nss1,(MCS4)_4TX

MASK

6895MHz_TX

09/10/2024




6.875-7.125GHz_802.11ax_HEW20-BF_Nss1,(MCS4)_4TX

MASK

6995MHz_TX

09/10/2024




6.875-7.125GHz_802.11ax_HEW20-BF_Nss1,(MCS4)_4TX

MASK

7095MHz_TX

09/10/2024

CF (Hz)
7.095G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.092376G	-16.28	7.059125G	-67.97	-56.28	-11.69	1
7.090226G	-17.57	7.0499G	-68.18	-57.57	-10.61	2
7.089126G	-17.03	7.05585G	-67.60	-57.03	-10.57	3
7.091176G	-16.52	7.05845G	-67.69	-56.52	-11.17	4

Port 1
Port 2
Port 3
Port 4


6.875-7.125GHz_802.11ax_HEW20-BF_Nss1,(MCS4)_4TX

MASK

7115MHz_TX

09/10/2024

CF (Hz)
7.115G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.108977G	-22.43	7.082875G	-68.30	-62.43	-5.87	1
7.109851G	-25.18	7.07745G	-68.36	-65.18	-3.18	2
7.115425G	-24.06	7.065425G	-67.86	-64.06	-3.80	3
7.121498G	-23.76	7.08215G	-68.11	-63.76	-4.35	4


Port 1
Port 2
Port 3
Port 4

5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS4)_4TX

MASK

5965MHz_TX

09/10/2024




5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS4)_4TX

MASK

6205MHz_TX

09/10/2024




5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS4)_4TX

MASK

6405MHz_TX

09/10/2024

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.400151G	-13.59	6.48505G	-62.22	-53.59	-8.63	1
6.414598G	-14.58	6.49245G	-61.72	-54.58	-7.14	2
6.399801G	-13.82	6.49265G	-61.77	-53.82	-7.95	3
6.393653G	-15.61	6.49105G	-62.24	-55.61	-6.63	4

Port 1
Port 2
Port 3
Port 4


6.425-6.525GHz_802.11ax_HEW40-BF_Nss1,(MCS4)_4TX

MASK

6445MHz_TX

09/10/2024

CF (Hz)
6.445G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.449049G	-14.46	6.545G	-61.67	-54.46	-7.21	1
6.436052G	-14.49	6.5182G	-61.30	-54.49	-6.81	2
6.447849G	-13.71	6.5383G	-61.78	-53.71	-8.07	3
6.458997G	-15.78	6.5433G	-62.09	-55.78	-6.31	4


Port 1
Port 2
Port 3
Port 4

6.425-6.525GHz_802.11ax_HEW40-BF_Nss1,(MCS4)_4TX

MASK

6485MHz_TX

09/10/2024




6.425-6.525GHz_802.11ax_HEW40-BF_Nss1,(MCS4)_4TX

MASK

6525MHz_TX

09/10/2024




6.525-6.875GHz_802.11ax_HEW40-BF_Nss1,(MCS4)_4TX

MASK

6565MHz_TX

09/10/2024




6.525-6.875GHz_802.11ax_HEW40-BF_Nss1,(MCS4)_4TX

MASK

6685MHz_TX

09/10/2024




6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

MASK

6885MHz_TX

09/10/2024

CF (Hz)
6.885G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.878602G	-11.25	6.816G	-60.33	-51.25	-9.08	1
6.878802G	-12.45	6.79005G	-60.31	-52.45	-7.86	2
6.869704G	-11.54	6.818G	-59.75	-51.54	-8.21	3
6.873003G	-13.19	6.78855G	-60.73	-53.19	-7.54	4


6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

MASK

6925MHz_TX

09/10/2024

CF (Hz)
6.925G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.922551G	-12.22	6.8437G	-60.31	-52.22	-8.09	1
6.915052G	-12.72	6.84065G	-60.31	-52.72	-7.59	2
6.910004G	-12.70	6.85745G	-59.94	-52.70	-7.24	3
6.922101G	-13.42	6.83085G	-60.63	-53.42	-7.21	4

6.875-7.125GHz_802.11ax_HEW40-BF_Nss1,(MCS4)_4TX

MASK

7005MHz_TX

09/10/2024




6.875-7.125GHz_802.11ax_HEW40-BF_Nss1,(MCS4)_4TX

MASK

7085MHz_TX

09/10/2024




5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS4)_4TX

MASK

5985MHz_TX

09/10/2024

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.95001G	-11.07	6.1243G	-59.54	-51.07	-8.47	1
5.94691G	-14.24	6.1733G	-59.27	-54.24	-5.03	2
5.9665G	-14.07	5.8498G	-59.47	-54.04	-5.43	3
5.95781G	-14.41	5.8513G	-59.97	-54.41	-5.56	4

Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS4)_4TX

MASK

6225MHz_TX

09/10/2024

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2387G	-13.54	6.4067G	-59.32	-53.54	-5.78	1
6.20461G	-13.62	6.0607G	-58.99	-53.62	-5.37	2
6.2114G	-13.89	6.0611G	-58.78	-53.89	-4.89	3
6.25109G	-14.56	6.051G	-59.50	-54.56	-4.94	4

Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

MASK

6385MHz_TX

09/10/2024

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37G	-10.38	6.2044G	-58.85	-50.38	-8.47	1
6.41639G	-13.41	6.5593G	-58.44	-53.41	-5.03	2
6.4014G	-12.85	6.585G	-58.53	-52.85	-5.68	3
6.3708G	-14.38	6.5642G	-58.94	-54.38	-4.56	4


6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

MASK

6465MHz_TX

09/10/2024

CF (Hz)
6.465G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44151G	-10.08	6.6601G	-58.06	-50.08	-7.98	1
6.4812G	-11.27	6.6539G	-57.94	-51.27	-6.67	2
6.4745G	-11.10	6.665G	-58.01	-51.10	-6.91	3
6.4596G	-12.28	6.6636G	-58.49	-52.28	-6.21	4


6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

MASK

6545MHz_TX

09/10/2024

CF (Hz)
6.545G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5416G	-10.97	6.6948G	-57.60	-50.97	-6.63	1
6.5416G	-11.28	6.6863G	-57.47	-51.28	-6.19	2
6.51661G	-11.35	6.6873G	-57.55	-51.35	-6.20	3
6.5502G	-11.37	6.7425G	-58.03	-51.37	-6.66	4

Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

MASK

6625MHz_TX

09/10/2024

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.64969G	-11.39	6.8157G	-57.42	-51.39	-6.03	1
6.6322G	-11.83	6.7613G	-57.41	-51.83	-5.58	2
6.64839G	-11.71	6.7977G	-57.29	-51.71	-5.58	3
6.6431G	-12.47	6.7937G	-57.97	-52.47	-5.50	4


Port 1
Port 2
Port 3
Port 4

6.525-6.875GHz_802.11ax_HEW80-BF_Nss1,(MCS4)_4TX

MASK

6705MHz_TX

09/10/2024




6.525-6.875GHz_802.11ax_HEW80-BF_Nss1,(MCS4)_4TX

MASK

6785MHz_TX

09/10/2024




6.525-6.875GHz_802.11ax_HEW80-BF_Nss1,(MCS4)_4TX

MASK

6865MHz_TX

09/10/2024




6.875-7.125GHz_802.11ax_HEW80-BF_Nss1,(MCS4)_4TX

MASK

6945MHz_TX

09/10/2024




6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

MASK

7025MHz_TX

09/10/2024




5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

MASK

6025MHz_TX

09/10/2024



5.925-6.425GHz_802.11ax_HEW160-BF_Nss1,(MCS4)_4TX

MASK

6185MHz_TX

10/10/2024

CF (Hz)
6.185G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.25298G	-8.51	5.9218G	-55.74	-48.51	-7.23	1
6.24878G	-9.18	5.895G	-55.60	-49.18	-6.42	2
6.11682G	-9.36	5.9024G	-55.33	-49.36	-5.97	3
6.22799G	-9.47	5.9054G	-56.02	-49.47	-6.55	4

5.925-6.425GHz_802.11ax_HEW160-BF_Nss1,(MCS4)_4TX

MASK

6345MHz_TX

10/10/2024

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.27182G	-6.85	6.7142G	-55.02	-46.85	-8.17	1
6.3394G	-10.55	6.6898G	-54.78	-50.55	-4.23	2
6.40299G	-10.44	6.718G	-54.87	-50.44	-4.43	3
6.27882G	-10.83	6.6784G	-55.42	-50.83	-4.59	4

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

MASK

6505MHz_TX

10/10/2024




6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

MASK

6665MHz_TX

10/10/2024




6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

MASK

6825MHz_TX

10/10/2024

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.76162G	-7.04	6.5732G	-55.00	-47.04	-7.96	1
6.77121G	-7.42	6.565G	-54.71	-47.42	-7.29	2
6.79341G	-7.47	6.5644G	-55.01	-47.47	-7.54	3
6.75702G	-8.21	6.56G	-55.43	-48.21	-7.22	4


6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

MASK

6985MHz_TX

10/10/2024

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90922G	-7.39	6.9036G	-30.98	-27.40	-3.58	1
6.91442G	-8.52	6.7112G	-54.10	-48.52	-5.58	2
6.92262G	-7.36	6.723G	-53.57	-47.36	-6.21	3
6.91162G	-8.94	6.729G	-54.11	-48.93	-5.18	4

Contention Based Protocol Threshold Level 802.11ax HEW20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-54.25	9.75	-64.00	≤ -62
						Minimal	-55.25	9.75	-65.00	≤ -62
						ON	-72.25	9.75	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-53.25	9.75	-63.00	≤ -62
						Minimal	-54.25	9.75	-64.00	≤ -62
						ON	-72.25	9.75	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-55.25	9.75	-65.00	≤ -62
						Minimal	-56.25	9.75	-66.00	≤ -62
						ON	-72.25	9.75	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-53.25	9.75	-63.00	≤ -62
						Minimal	-54.25	9.75	-64.00	≤ -62
						ON	-72.25	9.75	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11ax HEW160										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	47	160	6185	Low edge	6110	OFF	-54.25	9.75	-64.00	≤ -62
						Minimal	-55.25	9.75	-65.00	≤ -62
						ON	-72.25	9.75	-82.00	≤ -62
				Center	6185	OFF	-55.25	9.75	-65.00	≤ -62
						Minimal	-56.25	9.75	-66.00	≤ -62
						ON	-72.25	9.75	-82.00	≤ -62
				High edge	6260	OFF	-53.25	9.75	-63.00	≤ -62
						Minimal	-54.25	9.75	-64.00	≤ -62
						ON	-72.25	9.75	-82.00	≤ -62
6	111	160	6505	Low edge	6430	OFF	-54.25	9.75	-64.00	≤ -62
						Minimal	-55.25	9.75	-65.00	≤ -62
						ON	-72.25	9.75	-82.00	≤ -62
				Center	6505	OFF	-54.25	9.75	-64.00	≤ -62
						Minimal	-55.25	9.75	-65.00	≤ -62
						ON	-72.25	9.75	-82.00	≤ -62
				High edge	6580	OFF	-53.25	9.75	-63.00	≤ -62
						Minimal	-54.25	9.75	-64.00	≤ -62
						ON	-72.25	9.75	-82.00	≤ -62
7	143	160	6665	Low edge	6590	OFF	-55.25	9.75	-65.00	≤ -62
						Minimal	-56.25	9.75	-66.00	≤ -62
						ON	-72.25	9.75	-82.00	≤ -62
				Center	6665	OFF	-54.25	9.75	-64.00	≤ -62
						Minimal	-55.25	9.75	-65.00	≤ -62
						ON	-72.25	9.75	-82.00	≤ -62
				High edge	6740	OFF	-53.25	9.75	-63.00	≤ -62
						Minimal	-54.25	9.75	-64.00	≤ -62
						ON	-72.25	9.75	-82.00	≤ -62


8	207	160	6985	Low edge	6910	OFF	-53.25	9.75	-63.00	≤ -62
						Minimal	-54.25	9.75	-64.00	≤ -62
						ON	-72.25	9.75	-82.00	≤ -62
				Center	6985	OFF	-55.25	9.75	-65.00	≤ -62
						Minimal	-56.25	9.75	-66.00	≤ -62
						ON	-72.25	9.75	-82.00	≤ -62
				High edge	7060	OFF	-54.25	9.75	-64.00	≤ -62
						Minimal	-55.25	9.75	-65.00	≤ -62
						ON	-72.25	9.75	-82.00	≤ -62

Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-64.00	OFF	10	100	90	PASS
6	101	20	6455	Center	6455	-63.00	OFF	10	100	90	PASS
7	149	20	6695	Center	6695	-65.00	OFF	9	90	90	PASS
8	213	20	7015	Center	7015	-63.00	OFF	10	100	90	PASS

Contention Based protocol 802.11ax HEW160											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-64.00	OFF	9	90	90	PASS
				Center	6185	-65.00	OFF	9	90	90	PASS
				High edge	6260	-63.00	OFF	10	100	90	PASS
6	111	160	6505	Low edge	6430	-64.00	OFF	10	100	90	PASS
				Center	6505	-64.00	OFF	9	90	90	PASS
				High edge	6580	-63.00	OFF	10	100	90	PASS
7	143	160	6665	Low edge	6590	-65.00	OFF	10	100	90	PASS
				Center	6665	-64.00	OFF	9	90	90	PASS
				High edge	6740	-63.00	OFF	10	100	90	PASS
8	207	160	6985	Low edge	6910	-63.00	OFF	10	100	90	PASS
				Center	6985	-65.00	OFF	10	100	90	PASS
				High edge	7060	-64.00	OFF	9	90	90	PASS


Bandwidth: 20MHz

Traffic Loading Plot




Date: 28 APR 2025 22:08:43

Traffic Loading Calculation




Bandwidth: 160MHz

Traffic Loading Plot




Traffic Loading Calculation



Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz




Date: 29.APR.2025 13:02:47

Frequency (MHz): 6455 MHz




Date: 29.APR.2025 15:31:40

Frequency (MHz): 6695 MHz



Date: 29.APR.2025 13:03:33

Frequency (MHz): 7015 MHz



Date: 29.APR.2025 13:04:18


Bandwidth: 160MHz

Frequency (MHz): 6110 MHz




Date: 29.APR.2025 14:38:35

Frequency (MHz): 6185 MHz




Date: 29.APR.2025 14:39:21

Frequency (MHz): 6260 MHz




Date: 29.APR.2025 14:40:05

Frequency (MHz): 6430 MHz




Date: 29.APR.2025 14:40:53

Frequency (MHz): 6505 MHz




Date: 29.APR.2025 14:41:24

Frequency (MHz): 6580 MHz




Date: 29.APR.2025 14:41:56

Frequency (MHz): 6590 MHz




Date: 29.APR.2025 14:44:40

Frequency (MHz): 6665 MHz




Date: 29.APR.2025 14:45:23

Frequency (MHz): 6740 MHz




Date: 29.APR.2025 14:48:28

Frequency (MHz): 6910 MHz




Date: 29.APR.2025 14:49:21

Frequency (MHz): 6985 MHz



Date: 29.APR.2025 14:50:04

Frequency (MHz): 7060 MHz



Date: 29.APR.2025 14:50:52

Contention-Based Protocol Plot

Bandwidth: 20MHz


Test CH 53 ; Incumbent signal 6215 MHz



Date: 29.APR.2025 00:02:41

Note : M1 : Inject AWGN signal


Test CH 101 ; Incumbent signal 6455 MHz



Date: 29.APR.2025 03:20:37

Note : M1 : Inject AWGN signal


Test CH 149 ; Incumbent signal 6695 MHz



Date: 29 APR 2025 00:54:05

Note : M1 : Inject AWGN signal

Test CH 213 ; Incumbent signal 7015 MHz




Date: 29 APR 2025 01:04:16

Note : M1 : Inject AWGN signal

Bandwidth: 160MHz


Test CH 47 ; Incumbent signal 6110 MHz



Date: 29 APR 2025 01:39:38

Note : M1 : Inject AWGN signal


Test CH 47 ; Incumbent signal 6185 MHz



Date: 29 APR 2025 01:42:11

Note : M1 : Inject AWGN signal


Test CH 47 ; Incumbent signal 6260 MHz



Date: 29 APR 2025 01:44:41

Note : M1 : Inject AWGN signal


Test CH 111 ; Incumbent signal 6430 MHz



Date: 29 APR 2025 02:10:42

Note : M1 : Inject AWGN signal


Test CH 111 ; Incumbent signal 6505 MHz



Date: 29 APR 2025 02:14:20

Note : M1 : Inject AWGN signal


Test CH 111 ; Incumbent signal 6580 MHz



Date: 29 APR 2025 02:19:36

Note : M1 : Inject AWGN signal


Test CH 143 ; Incumbent signal 6590 MHz



Date: 29. APR 2025 02:53:09

Note : M1 : Inject AWGN signal


Test CH 143 ; Incumbent signal 6665 MHz



Date: 29. APR 2025 02:54:31

Note : M1 : Inject AWGN signal


Test CH 143 ; Incumbent signal 6740 MHz



Date: 29 APR 2025 02:56:12

Note : M1 : Inject AWGN signal


Test CH 207 ; Incumbent signal 6910 MHz



Date: 29 APR 2025 03:20:37

Note : M1 : Inject AWGN signal


Test CH 207 ; Incumbent signal 6985 MHz



Date: 29 APR 2025 03:37:50

Note : M1 : Inject AWGN signal

Test CH 207 ; Incumbent signal 7060 MHz



Date: 29 APR 2025 04:05:29

Note : M1 : Inject AWGN signal