


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5580MHz_TX


EUT_Y_4TX
Setting 24
01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3485G	58.84	68.20	-9.36	51.54	3	Horizontal	9	2.78	-	33.10	6.70	32.50			
PK	5.423G	65.71	74.00	-8.29	58.03	3	Horizontal	9	2.78	-	33.39	6.77	32.48			
AV	5.425G	53.77	54.00	-0.23	46.07	3	Horizontal	9	2.78	-	33.40	6.78	32.48			
PK	5.469G	59.12	68.20	-9.08	51.12	3	Horizontal	9	2.78	-	33.61	6.86	32.47			
PK	5.5775G	123.45	Inf	-Inf	114.95	3	Horizontal	9	2.78	-	33.90	7.06	32.46			
AV	5.5785G	112.78	Inf	-Inf	104.28	3	Horizontal	9	2.78	-	33.90	7.06	32.46			
PK	5.7375G	65.99	68.20	-2.21	57.07	3	Horizontal	9	2.78	-	34.10	7.27	32.45			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Y_4TX
Setting 24
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15901G	59.88	74.00	-14.12	42.06	3	Vertical	262	1.25	-	38.80	11.50	32.48			
AV	11.1599G	45.54	54.00	-8.46	27.72	3	Vertical	262	1.25	-	38.80	11.50	32.48			
PK	16.7391G	65.44	68.20	-2.76	43.90	3	Vertical	230	2.31	-	39.96	13.86	32.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 24
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.15914G	59.62	74.00	-14.38	41.80	3	Horizontal	246	2.71	-	38.80	11.50	32.48			
AV	11.16065G	45.58	54.00	-8.42	27.76	3	Horizontal	246	2.71	-	38.80	11.50	32.48			
PK	16.74085G	66.74	68.20	-1.46	45.20	3	Horizontal	195	2.38	-	39.96	13.86	32.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 21.5
01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4585G	59.48	74.00	-14.52	51.56	3	Vertical	298	1.80	-	33.55	6.84	32.47			
AV	5.4585G	48.14	54.00	-5.86	40.22	3	Vertical	298	1.80	-	33.55	6.84	32.47			
PK	5.47G	60.67	68.20	-7.53	52.66	3	Vertical	298	1.80	-	33.62	6.86	32.47			
PK	5.6985G	122.44	Inf	-Inf	113.57	3	Vertical	298	1.80	-	34.10	7.22	32.45			
AV	5.6985G	111.65	Inf	-Inf	102.78	3	Vertical	298	1.80	-	34.10	7.22	32.45			
PK	5.726G	66.68	68.20	-1.52	57.77	3	Vertical	298	1.80	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 21.5
01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4525G	59.56	74.00	-14.44	51.68	3	Horizontal	17	3.00	-	33.52	6.83	32.47
PK	5.461G	59.85	68.20	-8.35	51.91	3	Horizontal	17	3.00	-	33.57	6.84	32.47
AV	5.4585G	47.59	54.00	-6.41	39.67	3	Horizontal	17	3.00	-	33.55	6.84	32.47
PK	5.701G	118.88	Inf	-Inf	110.00	3	Horizontal	17	3.00	-	34.10	7.23	32.45
AV	5.701G	109.07	Inf	-Inf	100.19	3	Horizontal	17	3.00	-	34.10	7.23	32.45
PK	5.7255G	63.90	68.20	-4.30	54.99	3	Horizontal	17	3.00	-	34.10	7.26	32.45

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 21.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3997G	61.58	74.00	-12.42	43.28	3	Vertical	66	2.32	-	39.10	11.75	32.55			
AV	11.40046G	46.31	54.00	-7.69	28.01	3	Vertical	66	2.32	-	39.10	11.75	32.55			
PK	17.09908G	65.75	68.20	-2.45	42.70	3	Vertical	27	1.37	-	41.10	13.97	32.02			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Y_4TX
Setting 21.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40063G	60.10	74.00	-13.90	41.80	3	Horizontal	309	1.27	-	39.10	11.75	32.55			
AV	11.40059G	46.26	54.00	-7.74	27.96	3	Horizontal	309	1.27	-	39.10	11.75	32.55			
PK	17.09969G	64.58	68.20	-3.62	41.53	3	Horizontal	158	2.23	-	41.10	13.97	32.02			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 31
01-C-R-7-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.47G	59.25	68.20	-8.95	51.24	3	Vertical	302	1.80	-	33.62	6.86	32.47				
PK	5.719G	125.86	Inf	-Inf	116.96	3	Vertical	302	1.80	-	34.10	7.25	32.45				
AV	5.7185G	115.61	Inf	-Inf	106.71	3	Vertical	302	1.80	-	34.10	7.25	32.45				
PK	5.8735G	63.38	68.20	-4.82	53.78	3	Vertical	302	1.80	-	34.64	7.41	32.45				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 31
01-C-R-7-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.47G	57.35	68.20	-10.85	49.34	3	Horizontal	20	3.00	-	33.62	6.86	32.47			
PK	5.7195G	125.13	Inf	-Inf	116.23	3	Horizontal	20	3.00	-	34.10	7.25	32.45			
AV	5.7205G	114.34	Inf	-Inf	105.44	3	Horizontal	20	3.00	-	34.10	7.25	32.45			
PK	5.873G	63.28	68.20	-4.92	53.69	3	Horizontal	20	3.00	-	34.64	7.40	32.45			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 31
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43984G	60.86	74.00	-13.14	42.61	3	Vertical	15	1.23	-	39.02	11.79	32.56			
AV	11.43967G	46.67	54.00	-7.33	28.42	3	Vertical	15	1.23	-	39.02	11.79	32.56			
PK	17.16058G	65.79	68.20	-2.41	42.56	3	Vertical	255	1.81	-	41.22	13.99	31.98			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 31
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43961G	60.39	74.00	-13.61	42.14	3	Horizontal	299	2.33	-	39.02	11.79	32.56			
AV	11.4398G	46.59	54.00	-7.41	28.34	3	Horizontal	299	2.33	-	39.02	11.79	32.56			
PK	17.16038G	64.79	68.20	-3.41	41.56	3	Horizontal	64	2.31	-	41.22	13.99	31.98			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 24
01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.101G	62.48	74.00	-11.52	55.69	3	Vertical	54	1.80	-	32.70	6.65	32.56
AV	5.098G	50.84	54.00	-3.16	44.05	3	Vertical	54	1.80	-	32.70	6.65	32.56
PK	5.2685G	119.71	Inf	-Inf	112.63	3	Vertical	54	1.80	-	32.94	6.66	32.52
AV	5.269G	109.74	Inf	-Inf	102.66	3	Vertical	54	1.80	-	32.94	6.66	32.52
PK	5.3505G	64.76	74.00	-9.24	57.45	3	Vertical	54	1.80	-	33.10	6.71	32.50
AV	5.35G	52.88	54.00	-1.12	45.57	3	Vertical	54	1.80	-	33.10	6.71	32.50
PK	5.5085G	60.88	68.20	-7.32	52.59	3	Vertical	54	1.80	-	33.82	6.93	32.46

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 24
01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.135G	62.24	74.00	-11.76	55.38	3	Horizontal	9	2.95	-	32.77	6.64	32.55
AV	5.115G	50.95	54.00	-3.05	44.12	3	Horizontal	9	2.95	-	32.73	6.65	32.55
PK	5.2685G	121.60	Inf	-Inf	114.52	3	Horizontal	9	2.95	-	32.94	6.66	32.52
AV	5.2685G	109.17	Inf	-Inf	102.09	3	Horizontal	9	2.95	-	32.94	6.66	32.52
PK	5.35G	65.45	74.00	-8.55	58.14	3	Horizontal	9	2.95	-	33.10	6.71	32.50
AV	5.35G	52.56	54.00	-1.44	45.25	3	Horizontal	9	2.95	-	33.10	6.71	32.50
PK	5.515G	61.54	68.20	-6.66	53.23	3	Horizontal	9	2.95	-	33.83	6.94	32.46

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 24
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54086G	59.53	68.20	-8.67	41.99	3	Vertical	59	1.98	-	39.08	10.87	32.41			
PK	15.81059G	63.57	74.00	-10.43	44.31	3	Vertical	318	1.91	-	38.40	13.63	32.77			
AV	15.8106G	50.03	54.00	-3.97	30.77	3	Vertical	318	1.91	-	38.40	13.63	32.77			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 24
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.54099G	59.00	68.20	-9.20	41.46	3	Horizontal	343	1.81	-	39.08	10.87	32.41				
PK	15.81065G	63.53	74.00	-10.47	44.27	3	Horizontal	173	2.02	-	38.40	13.63	32.77				
AV	15.8106G	49.98	54.00	-4.02	30.72	3	Horizontal	173	2.02	-	38.40	13.63	32.77				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 19
01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	60.27	74.00	-13.73	53.40	3	Vertical	52	2.46	-	32.78	6.64	32.55
AV	5.14G	49.30	54.00	-4.70	42.43	3	Vertical	52	2.46	-	32.78	6.64	32.55
PK	5.2915G	115.16	Inf	-Inf	108.01	3	Vertical	52	2.46	-	32.98	6.68	32.51
AV	5.292G	104.71	Inf	-Inf	97.56	3	Vertical	52	2.46	-	32.98	6.68	32.51
PK	5.3535G	63.55	74.00	-10.45	56.23	3	Vertical	52	2.46	-	33.11	6.71	32.50
AV	5.352G	52.07	54.00	-1.93	44.75	3	Vertical	52	2.46	-	33.11	6.71	32.50
PK	5.4725G	60.54	68.20	-7.66	52.52	3	Vertical	52	2.46	-	33.63	6.86	32.47

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5310MHz_TX


EUT_Y_4TX
Setting 19
01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.138G	59.69	74.00	-14.31	52.82	3	Horizontal	8	2.90	-	32.78	6.64	32.55			
AV	5.1385G	47.91	54.00	-6.09	41.04	3	Horizontal	8	2.90	-	32.78	6.64	32.55			
PK	5.3095G	113.79	Inf	-Inf	106.60	3	Horizontal	8	2.90	-	33.02	6.68	32.51			
AV	5.308G	103.75	Inf	-Inf	96.56	3	Horizontal	8	2.90	-	33.02	6.68	32.51			
PK	5.35G	64.58	74.00	-9.42	57.27	3	Horizontal	8	2.90	-	33.10	6.71	32.50			
AV	5.35G	52.54	54.00	-1.46	45.23	3	Horizontal	8	2.90	-	33.10	6.71	32.50			
PK	5.4805G	62.04	68.20	-6.16	53.94	3	Horizontal	8	2.90	-	33.68	6.88	32.46			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5310MHz_TX


EUT_Y_4TX
Setting 19
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61983G	59.59	74.00	-14.41	41.91	3	Vertical	306	2.75	-	39.14	10.95	32.41			
AV	10.6199G	45.69	54.00	-8.31	28.01	3	Vertical	306	2.75	-	39.14	10.95	32.41			
PK	15.93045G	63.13	74.00	-10.87	43.74	3	Vertical	83	2.49	-	38.54	13.64	32.79			
AV	15.93086G	49.21	54.00	-4.79	29.82	3	Vertical	83	2.49	-	38.54	13.64	32.79			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 19
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61941G	60.08	74.00	-13.92	42.40	3	Horizontal	135	2.91	-	39.14	10.95	32.41			
AV	10.62001G	45.71	54.00	-8.29	28.03	3	Horizontal	135	2.91	-	39.14	10.95	32.41			
PK	15.93057G	64.07	74.00	-9.93	44.68	3	Horizontal	188	2.33	-	38.54	13.64	32.79			
AV	15.93079G	49.22	54.00	-4.78	29.83	3	Horizontal	188	2.33	-	38.54	13.64	32.79			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 21
01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.35G	59.94	68.20	-8.26	52.64	3	Vertical	301	1.80	-	33.10	6.70	32.50				
PK	5.449G	61.34	74.00	-12.66	53.49	3	Vertical	301	1.80	-	33.50	6.82	32.47				
PK	5.47G	67.04	68.20	-1.16	59.03	3	Vertical	301	1.80	-	33.62	6.86	32.47				
AV	5.46G	49.93	54.00	-4.07	42.00	3	Vertical	301	1.80	-	33.56	6.84	32.47				
PK	5.5285G	118.27	Inf	-Inf	109.90	3	Vertical	301	1.80	-	33.86	6.97	32.46				
AV	5.5285G	107.89	Inf	-Inf	99.52	3	Vertical	301	1.80	-	33.86	6.97	32.46				
PK	5.7315G	61.91	68.20	-6.29	53.00	3	Vertical	301	1.80	-	34.10	7.26	32.45				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5510MHz_TX


EUT_Y_4TX
Setting 21
01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3395G	59.37	68.20	-8.83	52.09	3	Horizontal	10	2.83	-	33.08	6.70	32.50				
PK	5.374G	61.43	74.00	-12.57	54.00	3	Horizontal	10	2.83	-	33.20	6.72	32.49				
AV	5.3745G	49.85	54.00	-4.15	42.42	3	Horizontal	10	2.83	-	33.20	6.72	32.49				
PK	5.4685G	66.27	68.20	-1.93	58.27	3	Horizontal	10	2.83	-	33.61	6.86	32.47				
PK	5.528G	119.88	Inf	-Inf	111.51	3	Horizontal	10	2.83	-	33.86	6.97	32.46				
AV	5.5285G	107.15	Inf	-Inf	98.78	3	Horizontal	10	2.83	-	33.86	6.97	32.46				
PK	5.758G	61.58	68.20	-6.62	52.61	3	Horizontal	10	2.83	-	34.12	7.30	32.45				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 21
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02071G	59.08	74.00	-14.92	41.10	3	Vertical	285	1.15	-	39.06	11.36	32.44			
AV	11.02006G	45.45	54.00	-8.55	27.47	3	Vertical	285	1.15	-	39.06	11.36	32.44			
PK	16.52936G	62.64	68.20	-5.56	41.68	3	Vertical	154	1.87	-	39.60	13.80	32.44			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 21
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.02069G	59.73	74.00	-14.27	41.75	3	Horizontal	250	1.30	-	39.06	11.36	32.44			
AV	11.01942G	45.42	54.00	-8.58	27.44	3	Horizontal	250	1.30	-	39.06	11.36	32.44			
PK	16.5303G	62.16	68.20	-6.04	41.20	3	Horizontal	289	1.69	-	39.60	13.80	32.44			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5550MHz_TX

EUT_Y_4TX
Setting 24
01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3335G	59.12	68.20	-9.08	51.85	3	Vertical	295	1.80	-	33.07	6.70	32.50
PK	5.43G	62.72	74.00	-11.28	54.99	3	Vertical	295	1.80	-	33.42	6.79	32.48
AV	5.4125G	50.71	54.00	-3.29	43.09	3	Vertical	295	1.80	-	33.35	6.75	32.48
PK	5.469G	68.17	68.20	-0.03	60.17	3	Vertical	295	1.80	-	33.61	6.86	32.47
PK	5.5675G	123.18	Inf	-Inf	114.70	3	Vertical	295	1.80	-	33.90	7.04	32.46
AV	5.568G	111.31	Inf	-Inf	102.83	3	Vertical	295	1.80	-	33.90	7.04	32.46
PK	5.7335G	62.82	68.20	-5.38	53.90	3	Vertical	295	1.80	-	34.10	7.27	32.45

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5550MHz_TX

EUT_Y_4TX
Setting 24
01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.331G	58.86	68.20	-9.34	51.60	3	Horizontal	14	2.93	-	33.06	6.70	32.50
PK	5.394G	61.61	74.00	-12.39	54.09	3	Horizontal	14	2.93	-	33.28	6.73	32.49
AV	5.4145G	50.81	54.00	-3.19	43.17	3	Horizontal	14	2.93	-	33.36	6.76	32.48
PK	5.4685G	67.64	68.20	-0.56	59.64	3	Horizontal	14	2.93	-	33.61	6.86	32.47
PK	5.5485G	119.53	Inf	-Inf	111.09	3	Horizontal	14	2.93	-	33.90	7.00	32.46
AV	5.549G	110.07	Inf	-Inf	101.62	3	Horizontal	14	2.93	-	33.90	7.01	32.46
PK	5.763G	61.29	68.20	-6.91	52.31	3	Horizontal	14	2.93	-	34.13	7.30	32.45

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 24
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09921G	60.29	74.00	-13.71	42.31	3	Vertical	217	1.47	-	39.00	11.44	32.46			
AV	11.10061G	46.02	54.00	-7.98	28.04	3	Vertical	217	1.47	-	39.00	11.44	32.46			
PK	16.64941G	62.52	68.20	-5.68	41.23	3	Vertical	155	2.32	-	39.80	13.84	32.35			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5550MHz_TX

EUT_Y_4TX
Setting 24
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10043G	60.84	74.00	-13.16	42.86	3	Horizontal	133	1.26	-	39.00	11.44	32.46			
AV	11.09983G	46.03	54.00	-7.97	28.05	3	Horizontal	133	1.26	-	39.00	11.44	32.46			
PK	16.64963G	62.80	68.20	-5.40	41.51	3	Horizontal	52	1.02	-	39.80	13.84	32.35			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 22.5
01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4465G	59.74	74.00	-14.26	51.90	3	Vertical	298	1.80	-	33.49	6.82	32.47			
AV	5.4465G	48.30	54.00	-5.70	40.46	3	Vertical	298	1.80	-	33.49	6.82	32.47			
PK	5.468G	60.54	68.20	-7.66	52.54	3	Vertical	298	1.80	-	33.61	6.86	32.47			
PK	5.6685G	123.30	Inf	-Inf	114.52	3	Vertical	298	1.80	-	34.04	7.19	32.45			
AV	5.6685G	109.85	Inf	-Inf	101.07	3	Vertical	298	1.80	-	34.04	7.19	32.45			
PK	5.7285G	65.57	68.20	-2.63	56.66	3	Vertical	298	1.80	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 22.5
01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.443G	59.05	74.00	-14.95	51.24	3	Horizontal	15	3.00	-	33.47	6.81	32.47
AV	5.4475G	47.59	54.00	-6.41	39.75	3	Horizontal	15	3.00	-	33.49	6.82	32.47
PK	5.4685G	60.32	68.20	-7.88	52.32	3	Horizontal	15	3.00	-	33.61	6.86	32.47
PK	5.671G	118.50	Inf	-Inf	109.72	3	Horizontal	15	3.00	-	34.04	7.19	32.45
AV	5.6705G	107.10	Inf	-Inf	98.32	3	Horizontal	15	3.00	-	34.04	7.19	32.45
PK	5.8055G	64.24	68.20	-3.96	55.11	3	Horizontal	15	3.00	-	34.23	7.35	32.45

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 22.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3401G	60.04	74.00	-13.96	41.80	3	Vertical	190	2.21	-	39.08	11.69	32.53			
AV	11.33921G	45.96	54.00	-8.04	27.72	3	Vertical	190	2.21	-	39.08	11.69	32.53			
PK	17.01002G	64.61	68.20	-3.59	42.08	3	Vertical	307	2.44	-	40.66	13.94	32.07			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Y_4TX
Setting 22.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3402G	59.86	74.00	-14.14	41.62	3	Horizontal	109	2.32	-	39.08	11.69	32.53			
AV	11.33946G	45.95	54.00	-8.05	27.71	3	Horizontal	109	2.32	-	39.08	11.69	32.53			
PK	17.01071G	64.59	68.20	-3.61	42.06	3	Horizontal	35	3.00	-	40.66	13.94	32.07			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX


EUT_Y_4TX
Setting 26
01-C-R-7-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3308G	58.62	68.20	-9.58	51.36	3	Vertical	301	1.80	-	33.06	6.70	32.50			
AV	5.35G	46.81	54.00	-7.19	39.50	3	Vertical	301	1.80	-	33.10	6.71	32.50			
PK	5.4188G	64.98	74.00	-9.02	57.32	3	Vertical	301	1.80	-	33.38	6.76	32.48			
AV	5.418G	53.76	54.00	-0.24	46.11	3	Vertical	301	1.80	-	33.37	6.76	32.48			
PK	5.4644G	61.08	68.20	-7.12	53.11	3	Vertical	301	1.80	-	33.59	6.85	32.47			
PK	5.7084G	123.60	Inf	-Inf	114.71	3	Vertical	301	1.80	-	34.10	7.24	32.45			
AV	5.7084G	113.19	Inf	-Inf	104.30	3	Vertical	301	1.80	-	34.10	7.24	32.45			
PK	5.85G	64.06	68.20	-4.14	54.62	3	Vertical	301	1.80	-	34.50	7.39	32.45			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_4TX
Setting 26
01-C-R-7-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3476G	57.88	68.20	-10.32	50.58	3	Horizontal	20	3.00	-	33.10	6.70	32.50			
AV	5.35G	46.34	54.00	-7.66	39.03	3	Horizontal	20	3.00	-	33.10	6.71	32.50			
PK	5.4012G	64.33	74.00	-9.67	56.78	3	Horizontal	20	3.00	-	33.30	6.73	32.48			
AV	5.3996G	52.67	54.00	-1.33	45.12	3	Horizontal	20	3.00	-	33.30	6.73	32.48			
PK	5.4636G	59.21	68.20	-8.99	51.25	3	Horizontal	20	3.00	-	33.58	6.85	32.47			
PK	5.7124G	122.29	Inf	-Inf	113.40	3	Horizontal	20	3.00	-	34.10	7.24	32.45			
AV	5.7108G	110.27	Inf	-Inf	101.38	3	Horizontal	20	3.00	-	34.10	7.24	32.45			
PK	5.85G	62.86	68.20	-5.34	53.42	3	Horizontal	20	3.00	-	34.50	7.39	32.45			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 26
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.42023G	60.51	74.00	-13.49	42.24	3	Vertical	150	2.23	-	39.06	11.77	32.56			
AV	11.42022G	46.60	54.00	-7.40	28.33	3	Vertical	150	2.23	-	39.06	11.77	32.56			
PK	17.13067G	65.93	68.20	-2.27	42.79	3	Vertical	28	2.64	-	41.16	13.98	32.00			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 26
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4193G	60.38	74.00	-13.62	42.11	3	Horizontal	21	2.43	-	39.06	11.77	32.56			
AV	11.42022G	46.51	54.00	-7.49	28.24	3	Horizontal	21	2.43	-	39.06	11.77	32.56			
PK	17.13002G	65.34	68.20	-2.86	42.20	3	Horizontal	273	2.91	-	41.16	13.98	32.00			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 19.5
01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.136G	59.93	74.00	-14.07	53.07	3	Vertical	57	1.80	-	32.77	6.64	32.55
AV	5.002G	49.03	54.00	-4.97	42.04	3	Vertical	57	1.80	-	32.90	6.67	32.58
PK	5.289G	112.13	Inf	-Inf	104.99	3	Vertical	57	1.80	-	32.98	6.67	32.51
AV	5.269G	100.49	Inf	-Inf	93.41	3	Vertical	57	1.80	-	32.94	6.66	32.52
PK	5.35G	64.04	74.00	-9.96	56.73	3	Vertical	57	1.80	-	33.10	6.71	32.50
AV	5.35G	51.74	54.00	-2.26	44.43	3	Vertical	57	1.80	-	33.10	6.71	32.50
PK	5.584G	63.29	68.20	-4.91	54.78	3	Vertical	57	1.80	-	33.90	7.07	32.46

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5290MHz_TX


EUT_Y_4TX
Setting 19.5
01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.115G	60.46	74.00	-13.54	53.63	3	Horizontal	10	2.95	-	32.73	6.65	32.55			
AV	5.117G	48.57	54.00	-5.43	41.74	3	Horizontal	10	2.95	-	32.73	6.65	32.55			
PK	5.268G	111.44	Inf	-Inf	104.36	3	Horizontal	10	2.95	-	32.94	6.66	32.52			
AV	5.268G	100.22	Inf	-Inf	93.14	3	Horizontal	10	2.95	-	32.94	6.66	32.52			
PK	5.369G	62.89	74.00	-11.11	55.49	3	Horizontal	10	2.95	-	33.18	6.71	32.49			
AV	5.35G	51.28	54.00	-2.72	43.97	3	Horizontal	10	2.95	-	33.10	6.71	32.50			
PK	5.633G	63.85	68.20	-4.35	55.19	3	Horizontal	10	2.95	-	33.97	7.14	32.45			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 19.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58088G	60.13	68.20	-8.07	42.53	3	Vertical	275	1.20	-	39.10	10.91	32.41			
PK	15.86998G	63.49	74.00	-10.51	44.15	3	Vertical	295	2.83	-	38.48	13.64	32.78			
AV	15.87057G	49.58	54.00	-4.42	30.24	3	Vertical	295	2.83	-	38.48	13.64	32.78			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 19.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57992G	59.67	68.20	-8.53	42.07	3	Horizontal	187	1.14	-	39.10	10.91	32.41			
PK	15.87045G	63.27	74.00	-10.73	43.93	3	Horizontal	95	1.78	-	38.48	13.64	32.78			
AV	15.87054G	49.61	54.00	-4.39	30.27	3	Horizontal	95	1.78	-	38.48	13.64	32.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 19.5
01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.224G	63.14	68.20	-5.06	56.13	3	Vertical	300	1.80	-	32.90	6.64	32.53
PK	5.448G	60.47	74.00	-13.53	52.63	3	Vertical	300	1.80	-	33.49	6.82	32.47
AV	5.449G	48.37	54.00	-5.63	40.52	3	Vertical	300	1.80	-	33.50	6.82	32.47
PK	5.47G	61.66	68.20	-6.54	53.65	3	Vertical	300	1.80	-	33.62	6.86	32.47
PK	5.51G	113.61	Inf	-Inf	105.32	3	Vertical	300	1.80	-	33.82	6.93	32.46
AV	5.529G	102.05	Inf	-Inf	93.68	3	Vertical	300	1.80	-	33.86	6.97	32.46
PK	5.814G	61.38	68.20	-6.82	52.19	3	Vertical	300	1.80	-	34.28	7.36	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 19.5
01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.233G	62.92	68.20	-5.28	55.89	3	Horizontal	12	3.00	-	32.90	6.65	32.52				
PK	5.449G	60.21	74.00	-13.79	52.36	3	Horizontal	12	3.00	-	33.50	6.82	32.47				
AV	5.449G	48.41	54.00	-5.59	40.56	3	Horizontal	12	3.00	-	33.50	6.82	32.47				
PK	5.469G	61.07	68.20	-7.13	53.07	3	Horizontal	12	3.00	-	33.61	6.86	32.47				
PK	5.509G	111.68	Inf	-Inf	103.39	3	Horizontal	12	3.00	-	33.82	6.93	32.46				
AV	5.509G	100.48	Inf	-Inf	92.19	3	Horizontal	12	3.00	-	33.82	6.93	32.46				
PK	5.874G	62.61	68.20	-5.59	53.01	3	Horizontal	12	3.00	-	34.64	7.41	32.45				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX

EUT_Y_4TX
Setting 19.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06067G	59.84	74.00	-14.16	41.89	3	Vertical	145	2.01	-	39.00	11.40	32.45			
AV	11.06074G	46.08	54.00	-7.92	28.13	3	Vertical	145	2.01	-	39.00	11.40	32.45			
PK	16.59069G	65.94	68.20	-2.26	44.91	3	Vertical	75	1.34	-	39.60	13.82	32.39			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 19.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05953G	59.74	74.00	-14.26	41.79	3	Horizontal	190	2.92	-	39.00	11.40	32.45			
AV	11.061G	46.04	54.00	-7.96	28.09	3	Horizontal	190	2.92	-	39.00	11.40	32.45			
PK	16.59023G	65.73	68.20	-2.47	44.70	3	Horizontal	170	1.22	-	39.60	13.82	32.39			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 15.5
01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.119G	46.11	54.00	-7.89	39.27	3	Vertical	296	1.80	-	32.74	6.65	32.55
PK	5.313G	59.97	68.20	-8.23	52.75	3	Vertical	296	1.80	-	33.03	6.69	32.50
PK	5.455G	59.80	74.00	-14.20	51.91	3	Vertical	296	1.80	-	33.53	6.83	32.47
AV	5.453G	48.76	54.00	-5.24	40.88	3	Vertical	296	1.80	-	33.52	6.83	32.47
PK	5.469G	60.52	68.20	-7.68	52.52	3	Vertical	296	1.80	-	33.61	6.86	32.47
PK	5.587G	110.98	Inf	-Inf	102.46	3	Vertical	296	1.80	-	33.90	7.08	32.46
AV	5.608G	100.38	Inf	-Inf	91.81	3	Vertical	296	1.80	-	33.92	7.11	32.46
PK	5.783G	61.76	68.20	-6.44	52.71	3	Vertical	296	1.80	-	34.17	7.33	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 15.5
01-C-J-10-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.118G	45.98	54.00	-8.02	39.14	3	Horizontal	13	2.78	-	32.74	6.65	32.55			
PK	5.307G	61.22	68.20	-6.98	54.04	3	Horizontal	13	2.78	-	33.01	6.68	32.51			
PK	5.458G	60.01	74.00	-13.99	52.09	3	Horizontal	13	2.78	-	33.55	6.84	32.47			
AV	5.436G	48.42	54.00	-5.58	40.66	3	Horizontal	13	2.78	-	33.44	6.80	32.48			
PK	5.462G	59.18	68.20	-9.02	51.24	3	Horizontal	13	2.78	-	33.57	6.84	32.47			
PK	5.608G	108.31	Inf	-Inf	99.74	3	Horizontal	13	2.78	-	33.92	7.11	32.46			
AV	5.608G	97.98	Inf	-Inf	89.41	3	Horizontal	13	2.78	-	33.92	7.11	32.46			
PK	5.98G	61.77	68.20	-6.43	51.51	3	Horizontal	13	2.78	-	35.22	7.48	32.44			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 15.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22011G	59.15	74.00	-14.85	41.25	3	Vertical	237	1.99	-	38.84	11.56	32.50			
AV	11.21957G	45.71	54.00	-8.29	27.81	3	Vertical	237	1.99	-	38.84	11.56	32.50			
PK	16.82952G	64.03	68.20	-4.17	42.03	3	Vertical	94	2.49	-	40.32	13.89	32.21			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX

EUT_Y_4TX
Setting 15.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21915G	59.62	74.00	-14.38	41.72	3	Horizontal	107	2.62	-	38.84	11.56	32.50			
AV	11.22092G	45.74	54.00	-8.26	27.83	3	Horizontal	107	2.62	-	38.84	11.57	32.50			
PK	16.82938G	64.30	68.20	-3.90	42.30	3	Horizontal	53	1.04	-	40.32	13.89	32.21			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 15
01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.23G	58.55	68.20	-9.65	51.53	3	Vertical	301	1.80	-	32.90	6.64	32.52			
PK	5.374G	60.29	74.00	-13.71	52.86	3	Vertical	301	1.80	-	33.20	6.72	32.49			
AV	5.35G	46.98	54.00	-7.02	39.67	3	Vertical	301	1.80	-	33.10	6.71	32.50			
AV	5.414G	48.36	54.00	-5.64	40.72	3	Vertical	301	1.80	-	33.36	6.76	32.48			
PK	5.462G	59.27	68.20	-8.93	51.33	3	Vertical	301	1.80	-	33.57	6.84	32.47			
PK	5.729G	109.72	Inf	-Inf	100.81	3	Vertical	301	1.80	-	34.10	7.26	32.45			
AV	5.708G	97.90	Inf	-Inf	89.02	3	Vertical	301	1.80	-	34.10	7.23	32.45			
PK	5.946G	61.29	68.20	-6.91	51.19	3	Vertical	301	1.80	-	35.08	7.46	32.44			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX


EUT_V_4TX
Setting 15
01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.346G	60.06	68.20	-8.14	52.77	3	Horizontal	16	2.70	-	33.09	6.70	32.50			
AV	5.35G	47.25	54.00	-6.75	39.94	3	Horizontal	16	2.70	-	33.10	6.71	32.50			
PK	5.42G	61.00	74.00	-13.00	53.33	3	Horizontal	16	2.70	-	33.38	6.77	32.48			
AV	5.404G	48.10	54.00	-5.90	40.52	3	Horizontal	16	2.70	-	33.32	6.74	32.48			
PK	5.466G	58.18	68.20	-10.02	50.20	3	Horizontal	16	2.70	-	33.60	6.85	32.47			
PK	5.71G	106.29	Inf	-Inf	97.40	3	Horizontal	16	2.70	-	34.10	7.24	32.45			
AV	5.669G	95.42	Inf	-Inf	86.64	3	Horizontal	16	2.70	-	34.04	7.19	32.45			
PK	5.85G	61.10	68.20	-7.10	51.66	3	Horizontal	16	2.70	-	34.50	7.39	32.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX


EUT_Y_4TX
Setting 15
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.3797G	60.97	74.00	-13.03	42.68	3	Vertical	29	1.59	-	39.10	11.73	32.54			
AV	11.38082G	46.60	54.00	-7.40	28.31	3	Vertical	29	1.59	-	39.10	11.73	32.54			
PK	17.06991G	65.69	68.20	-2.51	42.79	3	Vertical	57	2.47	-	40.98	13.96	32.04			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX


EUT_Y_4TX
Setting 15
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.3804G	60.70	74.00	-13.30	42.41	3	Horizontal	189	2.12	-	39.10	11.73	32.54			
AV	11.38028G	46.52	54.00	-7.48	28.23	3	Horizontal	189	2.12	-	39.10	11.73	32.54			
PK	17.06927G	65.18	68.20	-3.02	42.28	3	Horizontal	161	2.52	-	40.98	13.96	32.04			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 19.5
01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.109G	64.84	74.00	-9.16	58.02	3	Vertical	55	1.80	-	32.72	6.65	32.55
AV	5.109G	52.76	54.00	-1.24	45.94	3	Vertical	55	1.80	-	32.72	6.65	32.55
PK	5.269G	110.58	Inf	-Inf	103.50	3	Vertical	55	1.80	-	32.94	6.66	32.52
AV	5.269G	98.92	Inf	-Inf	91.84	3	Vertical	55	1.80	-	32.94	6.66	32.52
PK	5.39G	66.38	74.00	-7.62	58.88	3	Vertical	55	1.80	-	33.26	6.73	32.49
AV	5.409G	53.71	54.00	-0.29	46.10	3	Vertical	55	1.80	-	33.34	6.75	32.48
PK	5.537G	61.35	68.20	-6.85	52.96	3	Vertical	55	1.80	-	33.87	6.98	32.46

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 19.5
01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.089G	63.59	74.00	-10.41	56.78	3	Horizontal	12	3.00	-	32.72	6.65	32.56				
AV	5.089G	51.39	54.00	-2.61	44.58	3	Horizontal	12	3.00	-	32.72	6.65	32.56				
PK	5.229G	108.60	Inf	-Inf	101.59	3	Horizontal	12	3.00	-	32.90	6.64	32.53				
AV	5.209G	97.46	Inf	-Inf	90.46	3	Horizontal	12	3.00	-	32.90	6.63	32.53				
PK	5.368G	64.77	74.00	-9.23	57.38	3	Horizontal	12	3.00	-	33.17	6.71	32.49				
AV	5.35G	52.43	54.00	-1.57	45.12	3	Horizontal	12	3.00	-	33.10	6.71	32.50				
PK	5.614G	61.47	68.20	-6.73	52.88	3	Horizontal	12	3.00	-	33.93	7.12	32.46				

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 19.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49908G	59.46	68.20	-8.74	42.04	3	Vertical	103	1.04	-	39.00	10.83	32.41			
PK	15.75065G	64.80	74.00	-9.20	45.53	3	Vertical	104	2.31	-	38.40	13.63	32.76			
AV	15.74901G	49.30	54.00	-4.70	30.04	3	Vertical	104	2.31	-	38.40	13.62	32.76			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 19.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.49904G	59.14	68.20	-9.06	41.72	3	Horizontal	311	2.34	-	39.00	10.83	32.41			
PK	15.74954G	65.27	74.00	-8.73	46.01	3	Horizontal	316	2.24	-	38.40	13.62	32.76			
AV	15.74976G	48.34	54.00	-5.66	29.08	3	Horizontal	316	2.24	-	38.40	13.62	32.76			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 20.5
01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.316G	61.50	68.20	-6.70	54.28	3	Vertical	294	1.80	-	33.03	6.69	32.50			
PK	5.449G	66.85	74.00	-7.15	59.00	3	Vertical	294	1.80	-	33.50	6.82	32.47			
AV	5.45G	53.70	54.00	-0.30	45.85	3	Vertical	294	1.80	-	33.50	6.82	32.47			
PK	5.468G	67.68	68.20	-0.52	59.68	3	Vertical	294	1.80	-	33.61	6.86	32.47			
PK	5.588G	114.75	Inf	-Inf	106.23	3	Vertical	294	1.80	-	33.90	7.08	32.46			
AV	5.549G	101.31	Inf	-Inf	92.86	3	Vertical	294	1.80	-	33.90	7.01	32.46			
PK	5.729G	67.50	68.20	-0.70	58.59	3	Vertical	294	1.80	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 20.5
01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.285G	60.95	68.20	-7.25	53.82	3	Horizontal	10	2.84	-	32.97	6.67	32.51			
PK	5.45G	64.22	74.00	-9.78	56.37	3	Horizontal	10	2.84	-	33.50	6.82	32.47			
AV	5.449G	52.49	54.00	-1.51	44.64	3	Horizontal	10	2.84	-	33.50	6.82	32.47			
PK	5.468G	66.35	68.20	-1.85	58.35	3	Horizontal	10	2.84	-	33.61	6.86	32.47			
AV	5.528G	100.06	Inf	-Inf	91.69	3	Horizontal	10	2.84	-	33.86	6.97	32.46			
PK	5.589G	111.91	Inf	-Inf	103.39	3	Horizontal	10	2.84	-	33.90	7.08	32.46			
PK	5.728G	66.21	68.20	-1.99	57.30	3	Horizontal	10	2.84	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5570MHz_TX

EUT_Y_4TX
Setting 20.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.1395G	59.82	74.00	-14.18	41.97	3	Vertical	228	1.49	-	38.84	11.48	32.47			
AV	11.14005G	46.17	54.00	-7.83	28.32	3	Vertical	228	1.49	-	38.84	11.48	32.47			
PK	16.70922G	65.61	68.20	-2.59	44.21	3	Vertical	28	1.36	-	39.84	13.86	32.30			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX

EUT_Y_4TX
Setting 20.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13993G	60.25	74.00	-13.75	42.40	3	Horizontal	139	1.87	-	38.84	11.48	32.47			
AV	11.13947G	46.15	54.00	-7.85	28.30	3	Horizontal	139	1.87	-	38.84	11.48	32.47			
PK	16.70997G	65.34	68.20	-2.86	43.94	3	Horizontal	308	2.26	-	39.84	13.86	32.30			




Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1.(MCS0)_4TX	Pass	AV	5.3512G	53.91	54.00	-0.09	3	Vertical	61	1.88	-

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 27
06-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1048G	63.99	74.00	-10.01	59.48	3	Vertical	64.9	2.10	-	31.82	6.71	34.02			
AV	5.1056G	52.01	54.00	-1.99	47.50	3	Vertical	64.9	2.10	-	31.82	6.71	34.02			
PK	5.2608G	128.66	Inf	-Inf	124.49	3	Vertical	64.9	2.10	-	31.38	6.86	34.07			
AV	5.2592G	117.86	Inf	-Inf	113.69	3	Vertical	64.9	2.10	-	31.38	6.86	34.07			
PK	5.3608G	60.80	74.00	-13.20	56.62	3	Vertical	64.9	2.10	-	31.42	6.87	34.11			
AV	5.3528G	48.08	54.00	-5.92	43.90	3	Vertical	64.9	2.10	-	31.41	6.87	34.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 27
06-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.104G	62.13	74.00	-11.87	57.62	3	Horizontal	7	2.96	-	31.82	6.71	34.02			
AV	5.1048G	50.78	54.00	-3.22	46.27	3	Horizontal	7	2.96	-	31.82	6.71	34.02			
PK	5.2584G	125.07	Inf	-Inf	120.90	3	Horizontal	7	2.96	-	31.38	6.86	34.07			
AV	5.2584G	114.24	Inf	-Inf	110.07	3	Horizontal	7	2.96	-	31.38	6.86	34.07			
PK	5.3592G	59.11	74.00	-14.89	54.92	3	Horizontal	7	2.96	-	31.42	6.87	34.10			
AV	5.3592G	46.18	54.00	-7.82	41.99	3	Horizontal	7	2.96	-	31.42	6.87	34.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 27
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52438G	57.79	68.20	-10.41	41.46	3	Vertical	254	1.62	-	39.70	11.12	34.49			
PK	15.78416G	60.68	74.00	-13.32	43.94	3	Vertical	123	2.32	-	37.66	13.27	34.19			
AV	15.77852G	46.51	54.00	-7.49	29.75	3	Vertical	123	2.32	-	37.69	13.26	34.19			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX

EUT_Y_4TX
Setting 27
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.5158G	57.60	68.20	-10.60	41.27	3	Horizontal	7	1.09	-	39.70	11.12	34.49				
PK	15.77804G	60.46	74.00	-13.54	43.70	3	Horizontal	260	1.09	-	37.69	13.26	34.19				
AV	15.7758G	47.14	54.00	-6.86	30.37	3	Horizontal	260	1.09	-	37.70	13.26	34.19				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 24
06-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)					
PK	5.1456G	63.13	74.00	-10.87	58.42	3	Vertical	66	1.97	-	31.98	6.77	34.04					
AV	5.1448G	51.08	54.00	-2.92	46.37	3	Vertical	66	1.97	-	31.98	6.77	34.04					
PK	5.2992G	125.22	Inf	-Inf	121.15	3	Vertical	66	1.97	-	31.30	6.86	34.09					
AV	5.2992G	115.08	Inf	-Inf	111.01	3	Vertical	66	1.97	-	31.30	6.86	34.09					
PK	5.3584G	69.53	74.00	-4.47	65.34	3	Vertical	66	1.97	-	31.42	6.87	34.10					
AV	5.35G	53.89	54.00	-0.11	49.72	3	Vertical	66	1.97	-	31.40	6.87	34.10					
PK	5.4752G	58.14	68.20	-10.06	53.64	3	Vertical	66	1.97	-	31.75	6.89	34.14					

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 24
06-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1448G	60.99	74.00	-13.01	56.28	3	Horizontal	13	2.92	-	31.98	6.77	34.04				
AV	5.1448G	49.29	54.00	-4.71	44.58	3	Horizontal	13	2.92	-	31.98	6.77	34.04				
PK	5.2984G	122.36	Inf	-Inf	118.29	3	Horizontal	13	2.92	-	31.30	6.86	34.09				
AV	5.2984G	111.93	Inf	-Inf	107.86	3	Horizontal	13	2.92	-	31.30	6.86	34.09				
PK	5.3584G	65.26	74.00	-8.74	61.07	3	Horizontal	13	2.92	-	31.42	6.87	34.10				
AV	5.35G	48.69	54.00	-5.31	44.52	3	Horizontal	13	2.92	-	31.40	6.87	34.10				
PK	5.4992G	57.21	68.20	-10.99	52.67	3	Horizontal	13	2.92	-	31.80	6.89	34.15				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 24
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60416G	57.93	74.00	-16.07	41.40	3	Vertical	224	2.18	-	39.80	11.17	34.44			
PK	15.90284G	61.39	74.00	-12.61	44.57	3	Vertical	200	1.37	-	37.69	13.35	34.22			
AV	15.90214G	47.15	54.00	-6.85	30.33	3	Vertical	200	1.37	-	37.69	13.35	34.22			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 24
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60356G	58.09	74.00	-15.91	41.56	3	Horizontal	347	1.82	-	39.80	11.17	34.44			
PK	15.9049G	61.07	74.00	-12.93	44.26	3	Horizontal	95	2.39	-	37.68	13.35	34.22			
AV	15.9041G	46.98	54.00	-7.02	30.17	3	Horizontal	95	2.39	-	37.68	13.35	34.22			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 22
06-E-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3186G	123.61	Inf	-Inf	119.49	3	Vertical	61.9	1.84	-	31.34	6.87	34.09				
AV	5.3186G	113.35	Inf	-Inf	109.23	3	Vertical	61.9	1.84	-	31.34	6.87	34.09				
PK	5.3508G	69.22	74.00	-4.78	65.05	3	Vertical	61.9	1.84	-	31.40	6.87	34.10				
AV	5.3502G	53.81	54.00	-0.19	49.64	3	Vertical	61.9	1.84	-	31.40	6.87	34.10				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 22
06-E-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3182G	120.53	Inf	-Inf	116.41	3	Horizontal	12.9	2.89	-	31.34	6.87	34.09			
AV	5.3186G	110.10	Inf	-Inf	105.98	3	Horizontal	12.9	2.89	-	31.34	6.87	34.09			
PK	5.3566G	61.91	74.00	-12.09	57.73	3	Horizontal	12.9	2.89	-	31.41	6.87	34.10			
AV	5.3512G	47.13	54.00	-6.87	42.96	3	Horizontal	12.9	2.89	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 22
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64224G	59.30	74.00	-14.70	42.72	3	Vertical	321	1.56	-	39.80	11.20	34.42			
AV	10.63968G	45.29	54.00	-8.71	28.71	3	Vertical	321	1.56	-	39.80	11.20	34.42			
PK	15.95926G	61.16	74.00	-12.84	44.55	3	Vertical	56	1.80	-	37.46	13.39	34.24			
AV	15.95748G	47.37	54.00	-6.63	30.75	3	Vertical	56	1.80	-	37.47	13.39	34.24			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 22
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64074G	58.18	74.00	-15.82	41.60	3	Horizontal	249	2.33	-	39.80	11.20	34.42			
AV	10.63998G	44.55	54.00	-9.45	27.97	3	Horizontal	249	2.33	-	39.80	11.20	34.42			
PK	15.96034G	61.04	74.00	-12.96	44.43	3	Horizontal	27	1.97	-	37.46	13.39	34.24			
AV	15.95722G	47.26	54.00	-6.74	30.64	3	Horizontal	27	1.97	-	37.47	13.39	34.24			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 27
06-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.108G	63.06	74.00	-10.94	58.53	3	Vertical	63	2.12	-	31.83	6.72	34.02				
AV	5.1072G	51.55	54.00	-2.45	47.02	3	Vertical	63	2.12	-	31.83	6.72	34.02				
PK	5.2592G	128.84	Inf	-Inf	124.67	3	Vertical	63	2.12	-	31.38	6.86	34.07				
AV	5.2592G	117.55	Inf	-Inf	113.38	3	Vertical	63	2.12	-	31.38	6.86	34.07				
PK	5.3624G	64.60	74.00	-9.40	60.42	3	Vertical	63	2.12	-	31.42	6.87	34.11				
AV	5.3608G	49.74	54.00	-4.26	45.56	3	Vertical	63	2.12	-	31.42	6.87	34.11				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 27
06-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1048G	61.72	74.00	-12.28	57.21	3	Horizontal	9.4	2.99	-	31.82	6.71	34.02
AV	5.104G	50.17	54.00	-3.83	45.66	3	Horizontal	9.4	2.99	-	31.82	6.71	34.02
PK	5.2592G	125.08	Inf	-Inf	120.91	3	Horizontal	9.4	2.99	-	31.38	6.86	34.07
AV	5.2584G	113.54	Inf	-Inf	109.37	3	Horizontal	9.4	2.99	-	31.38	6.86	34.07
PK	5.3608G	61.16	74.00	-12.84	56.98	3	Horizontal	9.4	2.99	-	31.42	6.87	34.11
AV	5.36G	48.25	54.00	-5.75	44.07	3	Horizontal	9.4	2.99	-	31.42	6.87	34.11

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 27
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.51714G	57.85	68.20	-10.35	41.52	3	Vertical	20	1.12	-	39.70	11.12	34.49				
PK	15.78466G	60.93	74.00	-13.07	44.19	3	Vertical	104	2.59	-	37.66	13.27	34.19				
AV	15.77588G	47.04	54.00	-6.96	30.27	3	Vertical	104	2.59	-	37.70	13.26	34.19				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 27
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51742G	57.16	68.20	-11.04	40.83	3	Horizontal	208	1.96	-	39.70	11.12	34.49			
PK	15.77536G	60.96	74.00	-13.04	44.19	3	Horizontal	258	2.57	-	37.70	13.26	34.19			
AV	15.77944G	47.18	54.00	-6.82	30.42	3	Horizontal	258	2.57	-	37.68	13.27	34.19			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 23.5
06-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1456G	62.61	74.00	-11.39	57.90	3	Vertical	63	1.99	-	31.98	6.77	34.04				
AV	5.1448G	50.85	54.00	-3.15	46.14	3	Vertical	63	1.99	-	31.98	6.77	34.04				
PK	5.2992G	125.57	Inf	-Inf	121.50	3	Vertical	63	1.99	-	31.30	6.86	34.09				
AV	5.2992G	114.49	Inf	-Inf	110.42	3	Vertical	63	1.99	-	31.30	6.86	34.09				
PK	5.3568G	69.50	74.00	-4.50	65.32	3	Vertical	63	1.99	-	31.41	6.87	34.10				
AV	5.3512G	53.04	54.00	-0.96	48.87	3	Vertical	63	1.99	-	31.40	6.87	34.10				
PK	5.4904G	57.66	68.20	-10.54	53.14	3	Vertical	63	1.99	-	31.78	6.89	34.15				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 23.5
06-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1448G	61.51	74.00	-12.49	56.80	3	Horizontal	9.9	2.91	-	31.98	6.77	34.04				
AV	5.144G	49.05	54.00	-4.95	44.34	3	Horizontal	9.9	2.91	-	31.98	6.77	34.04				
PK	5.2984G	121.87	Inf	-Inf	117.80	3	Horizontal	9.9	2.91	-	31.30	6.86	34.09				
AV	5.2984G	111.31	Inf	-Inf	107.24	3	Horizontal	9.9	2.91	-	31.30	6.86	34.09				
PK	5.3576G	65.08	74.00	-8.92	60.89	3	Horizontal	9.9	2.91	-	31.42	6.87	34.10				
AV	5.35G	49.43	54.00	-4.57	45.26	3	Horizontal	9.9	2.91	-	31.40	6.87	34.10				
PK	5.48G	56.99	68.20	-11.21	52.48	3	Horizontal	9.9	2.91	-	31.76	6.89	34.14				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 23.5
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60474G	57.92	74.00	-16.08	41.39	3	Vertical	57	1.04	-	39.80	11.17	34.44			
PK	15.89904G	60.89	74.00	-13.11	44.06	3	Vertical	16	1.84	-	37.70	13.35	34.22			
AV	15.90488G	47.21	54.00	-6.79	30.40	3	Vertical	16	1.84	-	37.68	13.35	34.22			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 23.5
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59938G	57.98	68.20	-10.22	41.45	3	Horizontal	2	2.15	-	39.80	11.17	34.44			
PK	15.89692G	60.67	74.00	-13.33	43.85	3	Horizontal	167	2.32	-	37.69	13.35	34.22			
AV	15.90218G	47.34	54.00	-6.66	30.52	3	Horizontal	167	2.32	-	37.69	13.35	34.22			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 21.5
06-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	58.15	74.00	-15.85	53.44	3	Vertical	61	1.88	-	31.98	6.77	34.04
AV	5.148G	45.72	54.00	-8.28	41.00	3	Vertical	61	1.88	-	31.99	6.77	34.04
PK	5.3192G	123.01	Inf	-Inf	118.89	3	Vertical	61	1.88	-	31.34	6.87	34.09
AV	5.3184G	112.42	Inf	-Inf	108.30	3	Vertical	61	1.88	-	31.34	6.87	34.09
PK	5.3592G	72.31	74.00	-1.69	68.12	3	Vertical	61	1.88	-	31.42	6.87	34.10
AV	5.3512G	53.91	54.00	-0.09	49.74	3	Vertical	61	1.88	-	31.40	6.87	34.10
PK	5.488G	57.26	68.20	-10.94	52.74	3	Vertical	61	1.88	-	31.78	6.89	34.15

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 21.5
06-E-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1448G	57.64	74.00	-16.36	52.93	3	Horizontal	12.4	2.89	-	31.98	6.77	34.04					
AV	5.144G	45.20	54.00	-8.80	40.49	3	Horizontal	12.4	2.89	-	31.98	6.77	34.04					
PK	5.3184G	121.17	Inf	-Inf	117.05	3	Horizontal	12.4	2.89	-	31.34	6.87	34.09					
AV	5.3184G	110.06	Inf	-Inf	105.94	3	Horizontal	12.4	2.89	-	31.34	6.87	34.09					
PK	5.3576G	68.71	74.00	-5.29	64.52	3	Horizontal	12.4	2.89	-	31.42	6.87	34.10					
AV	5.3576G	50.66	54.00	-3.34	46.47	3	Horizontal	12.4	2.89	-	31.42	6.87	34.10					
PK	5.5184G	57.61	68.20	-10.59	53.08	3	Horizontal	12.4	2.89	-	31.80	6.90	34.17					

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
Setting 21.5
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.63988G	59.09	74.00	-14.91	42.51	3	Vertical	195	2.02	-	39.80	11.20	34.42	
AV	10.64102G	45.05	54.00	-8.95	28.47	3	Vertical	195	2.02	-	39.80	11.20	34.42	
PK	15.95808G	61.24	74.00	-12.76	44.62	3	Vertical	57	1.35	-	37.47	13.39	34.24	
AV	15.96194G	47.81	54.00	-6.19	31.21	3	Vertical	57	1.35	-	37.45	13.39	34.24	

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 21.5
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.63754G	58.29	74.00	-15.71	41.72	3	Horizontal	36	2.55	-	39.80	11.19	34.42				
AV	10.64332G	45.06	54.00	-8.94	28.48	3	Horizontal	36	2.55	-	39.80	11.20	34.42				
PK	15.9628G	61.46	74.00	-12.54	44.86	3	Horizontal	152	1.29	-	37.45	13.39	34.24				
AV	15.95686G	47.41	54.00	-6.59	30.79	3	Horizontal	152	1.29	-	37.47	13.39	34.24				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 22.5
06-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1348G	61.49	74.00	-12.51	56.82	3	Vertical	60.9	1.98	-	31.94	6.76	34.03				
AV	5.1148G	49.64	54.00	-4.36	45.08	3	Vertical	60.9	1.98	-	31.86	6.73	34.03				
PK	5.2708G	122.68	Inf	-Inf	118.54	3	Vertical	60.9	1.98	-	31.36	6.86	34.08				
AV	5.2692G	111.37	Inf	-Inf	107.23	3	Vertical	60.9	1.98	-	31.36	6.86	34.08				
PK	5.35G	72.07	74.00	-1.93	67.90	3	Vertical	60.9	1.98	-	31.40	6.87	34.10				
AV	5.35G	53.66	54.00	-0.34	49.49	3	Vertical	60.9	1.98	-	31.40	6.87	34.10				
PK	5.4612G	57.34	68.20	-10.86	52.87	3	Vertical	60.9	1.98	-	31.72	6.89	34.14				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 22.5
06-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1148G	59.91	74.00	-14.09	55.35	3	Horizontal	12.9	2.94	-	31.86	6.73	34.03				
AV	5.134G	48.21	54.00	-5.79	43.55	3	Horizontal	12.9	2.94	-	31.94	6.75	34.03				
PK	5.2676G	119.39	Inf	-Inf	115.25	3	Horizontal	12.9	2.94	-	31.36	6.86	34.08				
AV	5.2684G	107.84	Inf	-Inf	103.70	3	Horizontal	12.9	2.94	-	31.36	6.86	34.08				
PK	5.35G	64.86	74.00	-9.14	60.69	3	Horizontal	12.9	2.94	-	31.40	6.87	34.10				
AV	5.35G	50.30	54.00	-3.70	46.13	3	Horizontal	12.9	2.94	-	31.40	6.87	34.10				
PK	5.4652G	56.43	68.20	-11.77	51.95	3	Horizontal	12.9	2.94	-	31.73	6.89	34.14				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 22.5
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53682G	57.01	68.20	-11.19	40.66	3	Vertical	297	1.43	-	39.70	11.13	34.48			
PK	15.81026G	60.19	74.00	-13.81	43.50	3	Vertical	15	2.74	-	37.60	13.29	34.20			
AV	15.80698G	46.52	54.00	-7.48	29.84	3	Vertical	15	2.74	-	37.60	13.28	34.20			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5270MHz_TX


EUT_Y_4TX
Setting 22.5
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.54224G	57.58	68.20	-10.62	41.23	3	Horizontal	15	1.81	-	39.70	11.13	34.48			
PK	15.80518G	59.95	74.00	-14.05	43.27	3	Horizontal	331	1.75	-	37.60	13.28	34.20			
AV	15.80974G	46.40	54.00	-7.60	29.71	3	Horizontal	331	1.75	-	37.60	13.29	34.20			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 16
06-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1372G	59.33	74.00	-14.67	54.65	3	Vertical	62	2.07	-	31.95	6.76	34.03
AV	5.138G	47.45	54.00	-6.55	42.77	3	Vertical	62	2.07	-	31.95	6.76	34.03
PK	5.3092G	115.97	Inf	-Inf	111.87	3	Vertical	62	2.07	-	31.32	6.87	34.09
AV	5.3092G	105.06	Inf	-Inf	100.96	3	Vertical	62	2.07	-	31.32	6.87	34.09
PK	5.35G	65.39	74.00	-8.61	61.22	3	Vertical	62	2.07	-	31.40	6.87	34.10
AV	5.35G	53.55	54.00	-0.45	49.38	3	Vertical	62	2.07	-	31.40	6.87	34.10
PK	5.4852G	57.26	68.20	-10.94	52.75	3	Vertical	62	2.07	-	31.77	6.89	34.15

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 16
06-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	57.98	74.00	-16.02	53.28	3	Horizontal	14	2.92	-	31.97	6.77	34.04
AV	5.15G	45.95	54.00	-8.05	41.21	3	Horizontal	14	2.92	-	32.00	6.78	34.04
PK	5.3284G	112.45	Inf	-Inf	108.32	3	Horizontal	14	2.92	-	31.36	6.87	34.10
AV	5.3084G	101.43	Inf	-Inf	97.33	3	Horizontal	14	2.92	-	31.32	6.87	34.09
PK	5.35G	61.60	74.00	-12.40	57.43	3	Horizontal	14	2.92	-	31.40	6.87	34.10
AV	5.35G	50.12	54.00	-3.88	45.95	3	Horizontal	14	2.92	-	31.40	6.87	34.10
PK	5.4884G	57.78	68.20	-10.42	53.26	3	Horizontal	14	2.92	-	31.78	6.89	34.15

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 16
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.62416G	58.70	74.00	-15.30	42.14	3	Vertical	56	2.52	-	39.80	11.19	34.43				
AV	10.62326G	44.85	54.00	-9.15	28.29	3	Vertical	56	2.52	-	39.80	11.19	34.43				
PK	15.92588G	61.22	74.00	-12.78	44.48	3	Vertical	106	1.37	-	37.60	13.37	34.23				
AV	15.92592G	48.06	54.00	-5.94	31.32	3	Vertical	106	1.37	-	37.60	13.37	34.23				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5310MHz_TX

EUT_Y_4TX
Setting 16
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.61984G	58.21	74.00	-15.79	41.66	3	Horizontal	275	1.28	-	39.80	11.18	34.43				
AV	10.6215G	44.72	54.00	-9.28	28.17	3	Horizontal	275	1.28	-	39.80	11.18	34.43				
PK	15.92804G	61.38	74.00	-12.62	44.65	3	Horizontal	193	1.39	-	37.59	13.37	34.23				
AV	15.92862G	48.00	54.00	-6.00	31.27	3	Horizontal	193	1.39	-	37.59	13.37	34.23				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX


5290MHz_TX

EUT_Y_4TX
Setting 16.5
06-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1204G	58.85	74.00	-15.15	54.27	3	Vertical	64	2.02	-	31.88	6.73	34.03
AV	5.1356G	47.05	54.00	-6.95	42.38	3	Vertical	64	2.02	-	31.94	6.76	34.03
PK	5.2684G	115.96	Inf	-Inf	111.82	3	Vertical	64	2.02	-	31.36	6.86	34.08
AV	5.27G	102.22	Inf	-Inf	98.08	3	Vertical	64	2.02	-	31.36	6.86	34.08
PK	5.35G	64.83	74.00	-9.17	60.66	3	Vertical	64	2.02	-	31.40	6.87	34.10
AV	5.35G	53.01	54.00	-0.99	48.84	3	Vertical	64	2.02	-	31.40	6.87	34.10
PK	5.4884G	57.51	68.20	-10.69	52.99	3	Vertical	64	2.02	-	31.78	6.89	34.15

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX


5290MHz_TX


EUT_Y_4TX
Setting 16.5
06-E-E-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1388G	58.28	74.00	-15.72	53.59	3	Horizontal	7	2.93	-	31.96	6.76	34.03				
AV	5.1364G	46.16	54.00	-7.84	41.48	3	Horizontal	7	2.93	-	31.95	6.76	34.03				
PK	5.2684G	110.30	Inf	-Inf	106.16	3	Horizontal	7	2.93	-	31.36	6.86	34.08				
AV	5.2884G	98.20	Inf	-Inf	94.10	3	Horizontal	7	2.93	-	31.32	6.86	34.08				
PK	5.3508G	60.48	74.00	-13.52	56.31	3	Horizontal	7	2.93	-	31.40	6.87	34.10				
AV	5.35G	47.91	54.00	-6.09	43.74	3	Horizontal	7	2.93	-	31.40	6.87	34.10				
PK	5.4692G	57.23	68.20	-10.97	52.74	3	Horizontal	7	2.93	-	31.74	6.89	34.14				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 16.5
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5795G	58.30	68.20	-9.90	41.83	3	Vertical	29	1.63	-	39.76	11.16	34.45			
PK	15.8690G	60.21	74.00	-13.79	43.45	3	Vertical	38	1.94	-	37.64	13.33	34.21			
AV	15.8670G	46.55	54.00	-7.45	29.80	3	Vertical	38	1.94	-	37.63	13.33	34.21			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5290MHz_TX




EUT Y_4TX
Setting 16.5
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.58488G	58.74	68.20	-9.46	42.26	3	Horizontal	60	1.17	-	39.77	11.16	34.45			
PK	15.8656G	60.67	74.00	-13.33	43.92	3	Horizontal	73	1.11	-	37.63	13.33	34.21			
AV	15.87188G	46.75	54.00	-7.25	29.99	3	Horizontal	73	1.11	-	37.64	13.33	34.21			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 16.5
06-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13G	65.23	74.00	-8.77	60.59	3	Vertical	61.7	1.94	-	31.92	6.75	34.03
AV	5.1492G	53.35	54.00	-0.65	48.61	3	Vertical	61.7	1.94	-	32.00	6.78	34.04
PK	5.2292G	112.44	Inf	-Inf	108.13	3	Vertical	61.7	1.94	-	31.52	6.85	34.06
AV	5.1892G	99.80	Inf	-Inf	95.26	3	Vertical	61.7	1.94	-	31.76	6.83	34.05
PK	5.35G	64.97	74.00	-9.03	60.80	3	Vertical	61.7	1.94	-	31.40	6.87	34.10
AV	5.35G	53.72	54.00	-0.28	49.55	3	Vertical	61.7	1.94	-	31.40	6.87	34.10
PK	5.5812G	57.55	68.20	-10.65	53.14	3	Vertical	61.7	1.94	-	31.74	6.91	34.24

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 16.5
06-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	60.96	74.00	-13.04	56.24	3	Horizontal	5	2.89	-	31.99	6.77	34.04
AV	5.1476G	48.78	54.00	-5.22	44.06	3	Horizontal	5	2.89	-	31.99	6.77	34.04
PK	5.1892G	107.85	Inf	-Inf	103.31	3	Horizontal	5	2.89	-	31.76	6.83	34.05
AV	5.1876G	95.47	Inf	-Inf	90.92	3	Horizontal	5	2.89	-	31.77	6.83	34.05
PK	5.35G	61.97	74.00	-12.03	57.80	3	Horizontal	5	2.89	-	31.40	6.87	34.10
AV	5.3572G	49.53	54.00	-4.47	45.35	3	Horizontal	5	2.89	-	31.41	6.87	34.10
PK	5.5316G	57.16	68.20	-11.04	52.64	3	Horizontal	5	2.89	-	31.80	6.90	34.18

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 16.5
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49808G	57.75	68.20	-10.45	41.45	3	Vertical	351	2.03	-	39.70	11.10	34.50			
PK	15.75468G	60.75	74.00	-13.25	43.90	3	Vertical	252	2.69	-	37.78	13.25	34.18			
AV	15.7538G	47.00	54.00	-7.00	30.15	3	Vertical	252	2.69	-	37.78	13.25	34.18			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5250MHz Straddle 5.25-5.35GHz_TX



EUT_Y_4TX
Setting 16.5
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.49698G	58.34	68.20	-9.86	42.04	3	Horizontal	326	1.81	-	39.70	11.10	34.50			
PK	15.74562G	60.87	74.00	-13.13	44.02	3	Horizontal	320	2.75	-	37.79	13.24	34.18			
AV	15.75264G	46.79	54.00	-7.21	29.93	3	Horizontal	320	2.75	-	37.79	13.25	34.18			




Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS14)_4TX	Pass	AV	5.4524G	53.98	54.00	-0.02	3	Vertical	351.1	2.49	-

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 18.5
06-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	59.10	74.00	-14.90	54.63	3	Vertical	7	2.24	-	31.72	6.89	34.14			
AV	5.4596G	45.92	54.00	-8.08	41.45	3	Vertical	7	2.24	-	31.72	6.89	34.14			
PK	5.4694G	66.44	68.20	-1.76	61.95	3	Vertical	7	2.24	-	31.74	6.89	34.14			
PK	5.5056G	117.05	Inf	-Inf	112.51	3	Vertical	7	2.24	-	31.80	6.90	34.16			
AV	5.5052G	106.79	Inf	-Inf	102.25	3	Vertical	7	2.24	-	31.80	6.90	34.16			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 18.5
06-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4576G	59.15	74.00	-14.85	54.68	3	Horizontal	107	2.46	-	31.72	6.89	34.14			
AV	5.4596G	44.82	54.00	-9.18	40.35	3	Horizontal	107	2.46	-	31.72	6.89	34.14			
PK	5.4698G	61.30	68.20	-6.90	56.81	3	Horizontal	107	2.46	-	31.74	6.89	34.14			
PK	5.5068G	112.19	Inf	-Inf	107.65	3	Horizontal	107	2.46	-	31.80	6.90	34.16			
AV	5.5072G	101.73	Inf	-Inf	97.19	3	Horizontal	107	2.46	-	31.80	6.90	34.16			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 18.5
06-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.9981G	57.64	74.00	-16.36	40.22	3	Vertical	177	2.22	-	40.20	11.43	34.21			
AV	10.9987G	44.38	54.00	-9.62	26.96	3	Vertical	177	2.22	-	40.20	11.43	34.21			
PK	16.4865G	64.23	68.20	-3.97	45.35	3	Vertical	339	1.57	-	39.57	13.59	34.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 18.5
06-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0019G	57.65	74.00	-16.35	40.24	3	Horizontal	136	1.15	-	40.19	11.43	34.21			
AV	10.9935G	44.32	54.00	-9.68	26.89	3	Horizontal	136	1.15	-	40.21	11.43	34.21			
PK	16.5166G	64.13	68.20	-4.07	45.11	3	Horizontal	261	1.74	-	39.70	13.60	34.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 21.5
06-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4512G	57.65	74.00	-16.35	53.19	3	Vertical	13	2.48	-	31.70	6.89	34.13			
AV	5.4336G	46.30	54.00	-7.70	41.91	3	Vertical	13	2.48	-	31.63	6.89	34.13			
PK	5.4664G	57.55	68.20	-10.65	53.07	3	Vertical	13	2.48	-	31.73	6.89	34.14			
PK	5.5856G	122.37	Inf	-Inf	117.97	3	Vertical	13	2.48	-	31.73	6.91	34.24			
AV	5.584G	112.09	Inf	-Inf	107.69	3	Vertical	13	2.48	-	31.73	6.91	34.24			
PK	5.7392G	68.03	68.20	-0.17	63.23	3	Vertical	13	2.48	-	32.10	7.10	34.40			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 21.5
06-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.44G	57.76	74.00	-16.24	53.34	3	Horizontal	245	2.52	-	31.66	6.89	34.13			
AV	5.432G	44.82	54.00	-9.18	40.44	3	Horizontal	245	2.52	-	31.63	6.88	34.13			
PK	5.464G	57.67	68.20	-10.53	53.19	3	Horizontal	245	2.52	-	31.73	6.89	34.14			
PK	5.576G	114.83	Inf	-Inf	110.40	3	Horizontal	245	2.52	-	31.75	6.91	34.23			
AV	5.5768G	104.77	Inf	-Inf	100.34	3	Horizontal	245	2.52	-	31.75	6.91	34.23			
PK	5.732G	58.70	68.20	-9.50	53.91	3	Horizontal	245	2.52	-	32.10	7.09	34.40			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 21.5
06-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1389G	58.42	74.00	-15.58	41.76	3	Vertical	360	1.10	-	39.57	11.52	34.43			
AV	11.158G	44.92	54.00	-9.08	28.37	3	Vertical	360	1.10	-	39.48	11.53	34.46			
PK	16.7387G	63.63	68.20	-4.57	44.30	3	Vertical	358	1.80	-	39.93	13.67	34.27			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 21.5
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.1577G	61.27	74.00	-12.73	44.72	3	Horizontal	328	1.99	-	39.48	11.53	34.46			
AV	11.1584G	48.22	54.00	-5.78	31.67	3	Horizontal	328	1.99	-	39.48	11.53	34.46			
PK	16.7378G	66.20	68.20	-2.00	46.87	3	Horizontal	42	1.83	-	39.93	13.67	34.27			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 18.5
06-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7026G	120.82	Inf	-Inf	116.03	3	Vertical	348	2.86	-	32.10	7.05	34.36			
AV	5.7034G	110.54	Inf	-Inf	105.76	3	Vertical	348	2.86	-	32.10	7.05	34.37			
PK	5.725G	66.45	68.20	-1.75	61.66	3	Vertical	348	2.86	-	32.10	7.08	34.39			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX


EUT_Z_4TX
Setting 18.5
06-E-E-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7056G	112.50	Inf	-Inf	107.72	3	Horizontal	3	2.40	-	32.10	7.05	34.37			
AV	5.7054G	101.81	Inf	-Inf	97.03	3	Horizontal	3	2.40	-	32.10	7.05	34.37			
PK	5.7262G	66.04	68.20	-2.16	61.25	3	Horizontal	3	2.40	-	32.10	7.08	34.39			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 18.5
06-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4056G	57.81	74.00	-16.19	41.16	3	Vertical	227	2.62	-	39.80	11.69	34.84			
AV	11.3781G	44.27	54.00	-9.73	27.63	3	Vertical	227	2.62	-	39.76	11.68	34.80			
PK	17.0928G	64.18	68.20	-4.02	44.22	3	Vertical	4	2.77	-	40.41	13.79	34.24			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 18.5
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.3968G	57.49	74.00	-16.51	40.85	3	Horizontal	300	2.14	-	39.77	11.68	34.81			
AV	11.3972G	44.48	54.00	-9.52	27.83	3	Horizontal	300	2.14	-	39.79	11.69	34.83			
PK	17.09094G	63.14	68.20	-5.06	43.17	3	Horizontal	68	2.26	-	40.42	13.79	34.24			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX


EUT_Z_4TX
Setting 26
06-E-E-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.7232G	129.31	Inf	-Inf	124.52	3	Vertical	345	2.84	-	32.10	7.08	34.39				
AV	5.7232G	117.57	Inf	-Inf	112.78	3	Vertical	345	2.84	-	32.10	7.08	34.39				
PK	5.8736G	62.98	68.20	-5.22	58.01	3	Vertical	345	2.84	-	32.29	7.23	34.55				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 26
06-E-E-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7264G	116.95	Inf	-Inf	112.16	3	Horizontal	360.1	2.53	-	32.10	7.08	34.39			
AV	5.7264G	106.52	Inf	-Inf	101.73	3	Horizontal	360.1	2.53	-	32.10	7.08	34.39			
PK	5.8816G	58.62	68.20	-9.58	53.60	3	Horizontal	360.1	2.53	-	32.33	7.24	34.55			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 24
06-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.45044G	63.62	74.00	-10.38	47.01	3	Vertical	4	1.80	-	39.80	11.72	34.91			
AV	11.45038G	47.68	54.00	-6.32	31.07	3	Vertical	4	1.80	-	39.80	11.72	34.91			
PK	17.1462G	63.00	68.20	-5.20	42.93	3	Vertical	3	1.17	-	40.49	13.81	34.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 24
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.45038G	66.60	74.00	-7.40	49.99	3	Horizontal	19	1.80	-	39.80	11.72	34.91			
AV	11.44786G	52.10	54.00	-1.90	35.49	3	Horizontal	19	1.80	-	39.80	11.72	34.91			
PK	17.16396G	67.78	68.20	-0.42	47.60	3	Horizontal	45	1.80	-	40.58	13.82	34.22			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5500MHz_TX

EUT_Z_4TX
Setting 18
06-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.457G	59.85	74.00	-14.15	55.39	3	Vertical	345	2.36	-	31.71	6.89	34.14			
AV	5.4566G	46.31	54.00	-7.69	41.85	3	Vertical	345	2.36	-	31.71	6.89	34.14			
PK	5.4696G	67.77	68.20	-0.43	63.28	3	Vertical	345	2.36	-	31.74	6.89	34.14			
PK	5.5088G	118.73	Inf	-Inf	114.19	3	Vertical	345	2.36	-	31.80	6.90	34.16			
AV	5.5088G	106.42	Inf	-Inf	101.88	3	Vertical	345	2.36	-	31.80	6.90	34.16			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5500MHz_TX


EUT_Z_4TX
Setting 18
06-E-E-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.452G	57.14	74.00	-16.86	52.68	3	Horizontal	107	2.45	-	31.70	6.89	34.13			
AV	5.4594G	45.00	54.00	-9.00	40.53	3	Horizontal	107	2.45	-	31.72	6.89	34.14			
PK	5.4686G	60.94	68.20	-7.26	56.45	3	Horizontal	107	2.45	-	31.74	6.89	34.14			
PK	5.5074G	114.41	Inf	-Inf	109.87	3	Horizontal	107	2.45	-	31.80	6.90	34.16			
AV	5.507G	101.67	Inf	-Inf	97.13	3	Horizontal	107	2.45	-	31.80	6.90	34.16			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 18
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.00198G	57.91	74.00	-16.09	40.50	3	Vertical	245	1.20	-	40.19	11.43	34.21			
AV	10.99304G	44.17	54.00	-9.83	26.74	3	Vertical	245	1.20	-	40.21	11.43	34.21			
PK	16.4976G	65.28	68.20	-2.92	46.29	3	Vertical	56	2.23	-	39.68	13.59	34.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 18
06-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99136G	57.73	74.00	-16.27	40.31	3	Horizontal	97	2.38	-	40.22	11.42	34.22			
AV	10.99346G	44.19	54.00	-9.81	26.76	3	Horizontal	97	2.38	-	40.21	11.43	34.21			
PK	16.50354G	64.54	68.20	-3.66	45.53	3	Horizontal	221	2.93	-	39.70	13.59	34.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 26
06-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4344G	59.06	74.00	-14.94	54.66	3	Vertical	13	2.45	-	31.64	6.89	34.13
AV	5.4336G	46.48	54.00	-7.52	42.09	3	Vertical	13	2.45	-	31.63	6.89	34.13
PK	5.468G	59.74	68.20	-8.46	55.25	3	Vertical	13	2.45	-	31.74	6.89	34.14
PK	5.5848G	128.90	Inf	-Inf	124.50	3	Vertical	13	2.45	-	31.73	6.91	34.24
AV	5.5848G	116.06	Inf	-Inf	111.66	3	Vertical	13	2.45	-	31.73	6.91	34.24
PK	5.736G	67.57	68.20	-0.63	62.78	3	Vertical	13	2.45	-	32.10	7.09	34.40

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 26
06-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	57.70	74.00	-16.30	53.24	3	Horizontal	246.1	2.52	-	31.71	6.89	34.14
PK	5.4624G	56.82	68.20	-11.38	52.35	3	Horizontal	246.1	2.52	-	31.72	6.89	34.14
AV	5.4584G	44.99	54.00	-9.01	40.52	3	Horizontal	246.1	2.52	-	31.72	6.89	34.14
PK	5.576G	120.51	Inf	-Inf	116.08	3	Horizontal	246.1	2.52	-	31.75	6.91	34.23
AV	5.576G	109.20	Inf	-Inf	104.77	3	Horizontal	246.1	2.52	-	31.75	6.91	34.23
PK	5.7288G	59.18	68.20	-9.02	54.39	3	Horizontal	246.1	2.52	-	32.10	7.08	34.39

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 23
06-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1531G	58.89	74.00	-15.11	42.32	3	Vertical	5	1.17	-	39.49	11.53	34.45			
AV	11.16498G	45.48	54.00	-8.52	28.94	3	Vertical	5	1.17	-	39.47	11.54	34.47			
PK	16.72908G	64.32	68.20	-3.88	45.05	3	Vertical	0	1.80	-	39.87	13.67	34.27			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Y_4TX
Setting 23
06-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15868G	61.37	74.00	-12.63	44.82	3	Horizontal	329	2.04	-	39.48	11.53	34.46			
AV	11.15892G	47.73	54.00	-6.27	31.18	3	Horizontal	329	2.04	-	39.48	11.53	34.46			
PK	16.73544G	67.42	68.20	-0.78	48.11	3	Horizontal	43	1.80	-	39.91	13.67	34.27			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5700MHz_TX


EUT_Z_4TX
Setting 15.5
06-E-E-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.7046G	117.79	Inf	-Inf	113.01	3	Vertical	345	2.62	-	32.10	7.05	34.37				
AV	5.7038G	105.34	Inf	-Inf	100.56	3	Vertical	345	2.62	-	32.10	7.05	34.37				
PK	5.7258G	67.71	68.20	-0.49	62.92	3	Vertical	345	2.62	-	32.10	7.08	34.39				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5700MHz_TX


EUT_Z_4TX
Setting 15.5
06-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7064G	110.20	Inf	-Inf	105.42	3	Horizontal	3	2.46	-	32.10	7.05	34.37			
AV	5.7058G	97.66	Inf	-Inf	92.88	3	Horizontal	3	2.46	-	32.10	7.05	34.37			
PK	5.748G	64.98	68.20	-3.22	60.18	3	Horizontal	3	2.46	-	32.10	7.11	34.41			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 15.5
06-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39382G	58.23	74.00	-15.77	41.57	3	Vertical	95	1.51	-	39.79	11.69	34.82			
AV	11.39766G	44.33	54.00	-9.67	27.67	3	Vertical	95	1.51	-	39.80	11.69	34.83			
PK	17.0967G	63.08	68.20	-5.12	43.12	3	Vertical	321	2.96	-	40.41	13.79	34.24			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 15.5
06-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41152G	58.29	74.00	-15.71	41.64	3	Horizontal	147	2.73	-	39.80	11.70	34.85			
AV	11.3976G	44.42	54.00	-9.58	27.76	3	Horizontal	147	2.73	-	39.80	11.69	34.83			
PK	17.1147G	64.08	68.20	-4.12	44.08	3	Horizontal	228	1.11	-	40.43	13.80	34.23			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 26
06-E-E-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7232G	128.04	Inf	-Inf	123.25	3	Vertical	345	2.57	-	32.10	7.08	34.39			
AV	5.724G	115.73	Inf	-Inf	110.94	3	Vertical	345	2.57	-	32.10	7.08	34.39			
PK	5.8776G	60.85	68.20	-7.35	55.86	3	Vertical	345	2.57	-	32.31	7.23	34.55			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 26
06-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.728G	117.12	Inf	-Inf	112.33	3	Horizontal	360.1	2.52	-	32.10	7.08	34.39			
AV	5.7256G	106.12	Inf	-Inf	101.33	3	Horizontal	360.1	2.52	-	32.10	7.08	34.39			
PK	5.8824G	58.05	68.20	-10.15	53.04	3	Horizontal	360.1	2.52	-	32.33	7.24	34.56			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 24
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.45182G	62.80	74.00	-11.20	46.19	3	Vertical	121	2.26	-	39.80	11.72	34.91			
AV	11.43124G	48.11	54.00	-5.89	31.48	3	Vertical	121	2.26	-	39.80	11.71	34.88			
PK	17.17014G	63.48	68.20	-4.72	43.26	3	Vertical	333	1.31	-	40.62	13.82	34.22			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 24
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42902G	68.81	74.00	-5.19	52.18	3	Horizontal	20	1.80	-	39.80	11.71	34.88			
AV	11.4475G	52.54	54.00	-1.46	35.93	3	Horizontal	20	1.80	-	39.80	11.72	34.91			
PK	17.16528G	66.46	68.20	-1.74	46.27	3	Horizontal	43.9	1.87	-	40.59	13.82	34.22			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
Setting 17.5
06-E-E-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4596G	69.34	74.00	-4.66	64.87	3	Vertical	345	2.38	-	31.72	6.89	34.14			
AV	5.4596G	51.58	54.00	-2.42	47.11	3	Vertical	345	2.38	-	31.72	6.89	34.14			
PK	5.4668G	67.96	68.20	-0.24	63.48	3	Vertical	345	2.38	-	31.73	6.89	34.14			
PK	5.5188G	115.71	Inf	-Inf	111.18	3	Vertical	345	2.38	-	31.80	6.90	34.17			
AV	5.52G	103.28	Inf	-Inf	98.75	3	Vertical	345	2.38	-	31.80	6.90	34.17			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
Setting 17.5
06-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	59.64	74.00	-14.36	55.17	3	Horizontal	324	2.37	-	31.72	6.89	34.14			
AV	5.46G	46.65	54.00	-7.35	42.18	3	Horizontal	324	2.37	-	31.72	6.89	34.14			
PK	5.462G	60.83	68.20	-7.37	56.36	3	Horizontal	324	2.37	-	31.72	6.89	34.14			
PK	5.4996G	105.67	Inf	-Inf	101.13	3	Horizontal	324	2.37	-	31.80	6.89	34.15			
AV	5.5208G	94.27	Inf	-Inf	89.74	3	Horizontal	324	2.37	-	31.80	6.90	34.17			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 17.5
06-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01526G	56.83	74.00	-17.17	39.48	3	Vertical	18	1.29	-	40.14	11.44	34.23			
AV	11.00536G	44.24	54.00	-9.76	26.85	3	Vertical	18	1.29	-	40.18	11.43	34.22			
PK	16.521G	64.11	68.20	-4.09	45.09	3	Vertical	103	1.69	-	39.70	13.60	34.28			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 17.5
06-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00506G	57.58	74.00	-16.42	40.19	3	Horizontal	205	2.16	-	40.18	11.43	34.22			
AV	11.00524G	44.18	54.00	-9.82	26.79	3	Horizontal	205	2.16	-	40.18	11.43	34.22			
PK	16.52028G	64.35	68.20	-3.85	45.33	3	Horizontal	177	1.90	-	39.70	13.60	34.28			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
Setting 22
06-E-E-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4534G	69.49	74.00	-4.51	65.03	3	Vertical	10.9	2.39	-	31.71	6.89	34.14			
AV	5.454G	53.92	54.00	-0.08	49.46	3	Vertical	10.9	2.39	-	31.71	6.89	34.14			
PK	5.4696G	66.86	68.20	-1.34	62.37	3	Vertical	10.9	2.39	-	31.74	6.89	34.14			
PK	5.5344G	122.51	Inf	-Inf	118.00	3	Vertical	10.9	2.39	-	31.80	6.90	34.19			
AV	5.5344G	110.47	Inf	-Inf	105.96	3	Vertical	10.9	2.39	-	31.80	6.90	34.19			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
Setting 22
06-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4468G	59.31	74.00	-14.69	54.86	3	Horizontal	245.9	2.53	-	31.69	6.89	34.13			
PK	5.466G	62.73	68.20	-5.47	58.25	3	Horizontal	245.9	2.53	-	31.73	6.89	34.14			
AV	5.4594G	46.81	54.00	-7.19	42.34	3	Horizontal	245.9	2.53	-	31.72	6.89	34.14			
PK	5.5482G	114.91	Inf	-Inf	110.41	3	Horizontal	245.9	2.53	-	31.80	6.90	34.20			
AV	5.547G	102.54	Inf	-Inf	98.04	3	Horizontal	245.9	2.53	-	31.80	6.90	34.20			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 22
06-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.08998G	57.77	74.00	-16.23	40.79	3	Vertical	256	1.83	-	39.84	11.49	34.35			
AV	11.08644G	44.21	54.00	-9.79	27.21	3	Vertical	256	1.83	-	39.85	11.49	34.34			
PK	16.64352G	63.07	68.20	-5.13	44.03	3	Vertical	303	1.33	-	39.67	13.64	34.27			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5550MHz_TX

EUT_Y_4TX
Setting 22
06-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1015G	61.03	74.00	-12.97	44.11	3	Horizontal	221	2.60	-	39.79	11.50	34.37			
AV	11.0859G	47.40	54.00	-6.60	30.39	3	Horizontal	221	2.60	-	39.86	11.49	34.34			
PK	16.64136G	62.81	68.20	-5.39	43.77	3	Horizontal	193	1.71	-	39.67	13.64	34.27			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Z_4TX
Setting 19.5
06-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6736G	120.01	Inf	-Inf	115.34	3	Vertical	354	2.60	-	31.99	7.01	34.33			
AV	5.6748G	108.35	Inf	-Inf	103.68	3	Vertical	354	2.60	-	32.00	7.01	34.34			
PK	5.7348G	67.85	68.20	-0.35	63.06	3	Vertical	354	2.60	-	32.10	7.09	34.40			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Z_4TX
Setting 19.5
06-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6754G	110.88	Inf	-Inf	106.21	3	Horizontal	3.9	2.54	-	32.00	7.01	34.34
AV	5.676G	99.28	Inf	-Inf	94.61	3	Horizontal	3.9	2.54	-	32.00	7.01	34.34
PK	5.7252G	62.02	68.20	-6.18	57.23	3	Horizontal	3.9	2.54	-	32.10	7.08	34.39

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 19.5
06-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.35098G	57.39	74.00	-16.61	40.79	3	Vertical	94	1.48	-	39.70	11.66	34.76			
AV	11.35242G	44.31	54.00	-9.69	27.71	3	Vertical	94	1.48	-	39.70	11.66	34.76			
PK	17.01342G	63.30	68.20	-4.90	43.45	3	Vertical	171	2.45	-	40.35	13.76	34.26			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Y_4TX
Setting 19.5
06-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.35086G	57.63	74.00	-16.37	41.03	3	Horizontal	150	1.16	-	39.70	11.66	34.76			
AV	11.34774G	44.39	54.00	-9.61	27.79	3	Horizontal	150	1.16	-	39.69	11.66	34.75			
PK	17.00532G	63.25	68.20	-4.95	43.43	3	Horizontal	260	2.76	-	40.32	13.76	34.26			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 25.5
06-E-E-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.7148G	126.24	Inf	-Inf	121.46	3	Vertical	350	2.60	-	32.10	7.06	34.38				
AV	5.694G	115.38	Inf	-Inf	110.62	3	Vertical	350	2.60	-	32.08	7.04	34.36				
PK	5.8532G	67.38	68.20	-0.82	62.47	3	Vertical	350	2.60	-	32.21	7.22	34.52				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX


EUT_Z_4TX
Setting 25.5
06-E-E-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6948G	116.73	Inf	-Inf	111.97	3	Horizontal	5	2.58	-	32.08	7.04	34.36			
AV	5.6948G	105.42	Inf	-Inf	100.66	3	Horizontal	5	2.58	-	32.08	7.04	34.36			
PK	5.8516G	66.97	68.20	-1.23	62.06	3	Horizontal	5	2.58	-	32.21	7.22	34.52			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 23.5
06-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.414G	58.35	74.00	-15.65	41.71	3	Vertical	159	1.18	-	39.80	11.70	34.86			
AV	11.4284G	45.24	54.00	-8.76	28.61	3	Vertical	159	1.18	-	39.80	11.71	34.88			
PK	17.1394G	62.66	68.20	-5.54	42.60	3	Vertical	214	1.50	-	40.48	13.81	34.23			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 23.5
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.4087G	65.43	74.00	-8.57	48.78	3	Horizontal	29	1.73	-	39.80	11.70	34.85			
AV	11.4089G	51.76	54.00	-2.24	35.11	3	Horizontal	29	1.73	-	39.80	11.70	34.85			
PK	17.1334G	64.54	68.20	-3.66	44.49	3	Horizontal	97	2.67	-	40.47	13.81	34.23			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5530MHz_TX




EUT_Z_4TX
Setting 14.5
06-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.336G	57.35	68.20	-10.85	53.21	3	Vertical	352	2.36	-	31.37	6.87	34.10			
PK	5.455G	66.24	74.00	-7.76	61.78	3	Vertical	352	2.36	-	31.71	6.89	34.14			
AV	5.454G	53.56	54.00	-0.44	49.10	3	Vertical	352	2.36	-	31.71	6.89	34.14			
PK	5.461G	61.74	68.20	-6.46	57.27	3	Vertical	352	2.36	-	31.72	6.89	34.14			
PK	5.554G	113.49	Inf	-Inf	109.01	3	Vertical	352	2.36	-	31.79	6.90	34.21			
AV	5.554G	99.87	Inf	-Inf	95.39	3	Vertical	352	2.36	-	31.79	6.90	34.21			
PK	5.748G	58.17	68.20	-10.03	53.37	3	Vertical	352	2.36	-	32.10	7.11	34.41			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5530MHz_TX




EUT_Z_4TX
Setting 14.5
06-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.308G	56.30	68.20	-11.90	52.20	3	Horizontal	248	2.45	-	31.32	6.87	34.09			
PK	5.448G	58.92	74.00	-15.08	54.47	3	Horizontal	248	2.45	-	31.69	6.89	34.13			
PK	5.467G	61.09	68.20	-7.11	56.61	3	Horizontal	248	2.45	-	31.73	6.89	34.14			
AV	5.46G	47.77	54.00	-6.23	43.30	3	Horizontal	248	2.45	-	31.72	6.89	34.14			
PK	5.547G	104.34	Inf	-Inf	99.84	3	Horizontal	248	2.45	-	31.80	6.90	34.20			
AV	5.547G	92.00	Inf	-Inf	87.50	3	Horizontal	248	2.45	-	31.80	6.90	34.20			
PK	5.733G	57.43	68.20	-10.77	52.64	3	Horizontal	248	2.45	-	32.10	7.09	34.40			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 14.5
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.0623G	57.54	74.00	-16.46	40.43	3	Vertical	327	2.01	-	39.95	11.47	34.31			
AV	11.0771G	44.32	54.00	-9.68	27.28	3	Vertical	327	2.01	-	39.89	11.48	34.33			
PK	16.5702G	63.76	68.20	-4.44	44.81	3	Vertical	223	1.08	-	39.62	13.61	34.28			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 14.5
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.0388G	58.41	74.00	-15.59	41.18	3	Horizontal	330	1.56	-	40.04	11.46	34.27				
AV	11.0773G	44.37	54.00	-9.63	27.33	3	Horizontal	330	1.56	-	39.89	11.48	34.33				
PK	16.5731G	64.26	68.20	-3.94	45.32	3	Horizontal	164	2.92	-	39.61	13.61	34.28				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5610MHz_TX




EUT_Z_4TX
Setting 21.5
06-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	66.06	74.00	-7.94	61.60	3	Vertical	13	2.40	-	31.71	6.89	34.14
AV	5.454G	52.37	54.00	-1.63	47.91	3	Vertical	13	2.40	-	31.71	6.89	34.14
PK	5.47G	66.20	68.20	-2.00	61.71	3	Vertical	13	2.40	-	31.74	6.89	34.14
PK	5.596G	117.84	Inf	-Inf	113.47	3	Vertical	13	2.40	-	31.71	6.91	34.25
AV	5.635G	105.90	Inf	-Inf	101.39	3	Vertical	13	2.40	-	31.84	6.96	34.29
PK	5.735G	67.54	68.20	-0.66	62.75	3	Vertical	13	2.40	-	32.10	7.09	34.40

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX


5610MHz_TX

EUT_Z_4TX
Setting 21.5
06-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.443G	59.42	74.00	-14.58	54.99	3	Horizontal	350	2.76	-	31.67	6.89	34.13
AV	5.456G	46.31	54.00	-7.69	41.85	3	Horizontal	350	2.76	-	31.71	6.89	34.14
PK	5.469G	58.96	68.20	-9.24	54.47	3	Horizontal	350	2.76	-	31.74	6.89	34.14
PK	5.596G	108.05	Inf	-Inf	103.68	3	Horizontal	350	2.76	-	31.71	6.91	34.25
AV	5.636G	95.71	Inf	-Inf	91.20	3	Horizontal	350	2.76	-	31.84	6.96	34.29
PK	5.725G	61.55	68.20	-6.65	56.76	3	Horizontal	350	2.76	-	32.10	7.08	34.39

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 21.5
06-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.2062G	57.47	74.00	-16.53	41.03	3	Vertical	105	1.94	-	39.41	11.56	34.53			
AV	11.2119G	44.09	54.00	-9.91	27.64	3	Vertical	105	1.94	-	39.42	11.57	34.54			
PK	16.8452G	63.63	68.20	-4.57	43.33	3	Vertical	27	1.52	-	40.86	13.71	34.27			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 21.5
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.2128G	57.80	74.00	-16.20	41.34	3	Horizontal	80	1.76	-	39.43	11.57	34.54			
AV	11.2147G	44.19	54.00	-9.81	27.73	3	Horizontal	80	1.76	-	39.43	11.57	34.54			
PK	16.8063G	62.99	68.20	-5.21	43.02	3	Horizontal	20	2.84	-	40.55	13.69	34.27			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 23
06-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	59.89	74.00	-14.11	55.42	3	Vertical	349.9	2.55	-	31.71	6.89	34.13
AV	5.453G	48.38	54.00	-5.62	43.91	3	Vertical	349.9	2.55	-	31.71	6.89	34.13
PK	5.467G	59.79	68.20	-8.41	55.31	3	Vertical	349.9	2.55	-	31.73	6.89	34.14
PK	5.693G	122.23	Inf	-Inf	117.47	3	Vertical	349.9	2.55	-	32.07	7.04	34.35
AV	5.674G	109.00	Inf	-Inf	104.32	3	Vertical	349.9	2.55	-	32.00	7.01	34.33
PK	5.855G	67.12	68.20	-1.08	62.21	3	Vertical	349.9	2.55	-	32.22	7.22	34.53

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX


5690MHz Straddle 5.47-5.725GHz_TX


EUT_Z_4TX
Setting 23
06-E-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.445G	57.12	74.00	-16.88	52.68	3	Horizontal	281	2.49	-	31.68	6.89	34.13			
PK	5.466G	57.25	68.20	-10.95	52.77	3	Horizontal	281	2.49	-	31.73	6.89	34.14			
AV	5.46G	45.12	54.00	-8.88	40.65	3	Horizontal	281	2.49	-	31.72	6.89	34.14			
PK	5.658G	110.87	Inf	-Inf	106.27	3	Horizontal	281	2.49	-	31.93	6.99	34.32			
AV	5.678G	98.74	Inf	-Inf	94.05	3	Horizontal	281	2.49	-	32.01	7.02	34.34			
PK	5.853G	59.94	68.20	-8.26	55.03	3	Horizontal	281	2.49	-	32.21	7.22	34.52			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 23
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.3561G	58.64	74.00	-15.36	42.04	3	Vertical	264	1.41	-	39.71	11.66	34.77			
AV	11.4005G	45.65	54.00	-8.35	28.99	3	Vertical	264	1.41	-	39.80	11.69	34.83			
PK	17.0661G	64.01	68.20	-4.19	44.01	3	Vertical	197	2.48	-	40.47	13.78	34.25			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS14)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 23
06-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3618G	61.78	74.00	-12.22	45.16	3	Horizontal	36	1.80	-	39.72	11.67	34.77			
AV	11.3633G	47.25	54.00	-6.75	30.63	3	Horizontal	36	1.80	-	39.73	11.67	34.78			
PK	17.0475G	63.21	68.20	-4.99	43.19	3	Horizontal	43	1.40	-	40.49	13.78	34.25			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5570MHz_TX




EUT_Z_4TX
Setting 14
06-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.2808G	56.83	68.20	-11.37	52.71	3	Vertical	351.1	2.49	-	31.34	6.86	34.08				
PK	5.4332G	70.20	74.00	-3.80	65.82	3	Vertical	351.1	2.49	-	31.63	6.88	34.13				
PK	5.47G	63.96	68.20	-4.24	59.47	3	Vertical	351.1	2.49	-	31.74	6.89	34.14				
AV	5.4524G	53.98	54.00	-0.02	49.52	3	Vertical	351.1	2.49	-	31.70	6.89	34.13				
PK	5.5544G	109.47	Inf	-Inf	104.99	3	Vertical	351.1	2.49	-	31.79	6.90	34.21				
AV	5.6348G	97.43	Inf	-Inf	92.92	3	Vertical	351.1	2.49	-	31.84	6.96	34.29				
PK	5.7356G	66.65	68.20	-1.55	61.86	3	Vertical	351.1	2.49	-	32.10	7.09	34.40				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_4TX


5570MHz_TX

EUT_Z_4TX
Setting 14
06-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3156G	56.67	68.20	-11.53	52.56	3	Horizontal	244	2.59	-	31.33	6.87	34.09				
PK	5.4464G	63.06	74.00	-10.94	58.61	3	Horizontal	244	2.59	-	31.69	6.89	34.13				
AV	5.4464G	47.08	54.00	-6.92	42.63	3	Horizontal	244	2.59	-	31.69	6.89	34.13				
PK	5.4656G	59.86	68.20	-8.34	55.38	3	Horizontal	244	2.59	-	31.73	6.89	34.14				
PK	5.6456G	100.04	Inf	-Inf	95.49	3	Horizontal	244	2.59	-	31.88	6.97	34.30				
AV	5.6264G	87.97	Inf	-Inf	83.49	3	Horizontal	244	2.59	-	31.81	6.95	34.28				
PK	5.8424G	58.31	68.20	-9.89	53.43	3	Horizontal	244	2.59	-	32.18	7.21	34.51				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 14
06-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1384G	57.56	74.00	-16.44	40.90	3	Vertical	243	1.61	-	39.57	11.52	34.43			
AV	11.1391G	44.07	54.00	-9.93	27.41	3	Vertical	243	1.61	-	39.57	11.52	34.43			
PK	16.7299G	63.97	68.20	-4.23	44.69	3	Vertical	234	1.15	-	39.88	13.67	34.27			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS14)_4TX

5570MHz_TX



EUT_Y_4TX
Setting 14
06-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1308G	57.77	74.00	-16.23	41.04	3	Horizontal	151	2.64	-	39.62	11.52	34.41			
AV	11.1395G	44.05	54.00	-9.95	27.40	3	Horizontal	151	2.64	-	39.56	11.52	34.43			
PK	16.7322G	63.74	68.20	-4.46	44.45	3	Horizontal	38	2.30	-	39.89	13.67	34.27			