




EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6985MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6425MHz;TX




EIRP PSD;Band:6.4G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6585MHz;TX




EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6745MHz;TX




EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6905MHz;TX




EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX




EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX




EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX




EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6435MHz;TX




EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6475MHz;TX




EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6515MHz;TX




EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX




EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6875MHz;TX




EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6895MHz;TX




EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6995MHz;TX




EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7095MHz;TX




EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7115MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX




EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6445MHz;TX




EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6485MHz;TX




EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6525MHz;TX




EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6885MHz;TX




EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6925MHz;TX




EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7005MHz;TX




EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7085MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX




EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6465MHz;TX




EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6545MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6865MHz;TX




EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6945MHz;TX




EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:7025MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




EIRP PSD;Band:6.4G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6505MHz;TX




EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6825MHz;TX




EIRP PSD;Band:7.0G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6985MHz;TX




EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX




EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX




EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6425MHz;TX




EIRP PSD;Band:6.4G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6585MHz;TX



EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6745MHz;TX



EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6905MHz;TX






Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq	Level	Limit	Margin	Condition
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	
Mode 1	Pass	PK	474.26M	41.54	46.00	-4.46	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
QP	30M	34.70	40.00	-5.30	-7.45	3	Vertical	220	1.00	"Worst"	42.15	24.33	0.54	32.32		
PK	53.28M	31.27	40.00	-8.73	-18.66	3	Vertical	233	1.50	-	49.93	12.94	0.68	32.28		
PK	88M	31.75	43.50	-11.75	-16.97	3	Vertical	233	1.50	-	48.72	14.35	0.97	32.29		
PK	460.68M	35.83	46.00	-10.17	-7.13	3	Vertical	0	1.25	-	42.96	22.72	2.11	31.96		
PK	476.2M	37.90	46.00	-8.10	-6.66	3	Vertical	0	1.25	-	44.56	23.08	2.15	31.89		
PK	483.96M	38.51	46.00	-7.49	-6.51	3	Vertical	360	1.25	-	45.02	23.17	2.18	31.86		

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	33.88M	34.65	40.00	-5.35	-9.52	3	Horizontal	120	1.50	-	44.17	22.22	0.56	32.30		
PK	439.34M	38.05	46.00	-7.95	-7.50	3	Horizontal	12	2.00	-	45.55	22.44	2.06	32.00		
PK	460.68M	41.33	46.00	-4.67	-7.13	3	Horizontal	2	2.00	-	48.46	22.72	2.11	31.96		
PK	474.26M	41.54	46.00	-4.46	-6.69	3	Horizontal	360	3.00	"Worst"	48.23	23.06	2.15	31.90		
PK	483.96M	40.20	46.00	-5.80	-6.51	3	Horizontal	0	2.00	-	46.71	23.17	2.18	31.86		
PK	502.39M	34.23	46.00	-11.77	-6.28	3	Horizontal	0	2.00	-	40.51	23.30	2.22	31.80		




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	RMS	7.1255G	67.91	68.20	-0.29	3	Vertical	348	2.08	BP 1MHz

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 7
03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8758G	60.01	88.20	-28.19	53.10	3	Vertical	335	2.70	-	34.40	7.59	35.08			
RMS	5.9162G	49.53	68.20	-18.67	42.48	3	Vertical	335	2.70	-	34.53	7.62	35.10			
PK	5.9526G	108.43	Inf	-Inf	101.30	3	Vertical	335	2.70	-	34.60	7.65	35.12			
RMS	5.9516G	99.59	Inf	-Inf	92.46	3	Vertical	335	2.70	-	34.60	7.65	35.12			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 7
03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9178G	61.33	88.20	-26.87	54.27	3	Horizontal	7	2.24	-	34.54	7.62	35.10			
RMS	5.9206G	49.43	68.20	-18.77	42.36	3	Horizontal	7	2.24	-	34.54	7.63	35.10			
PK	5.9566G	99.82	Inf	-Inf	92.68	3	Horizontal	7	2.24	-	34.60	7.66	35.12			
RMS	5.9582G	91.17	Inf	-Inf	84.03	3	Horizontal	7	2.24	-	34.60	7.66	35.12			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5955MHz_TX

EUT Y_4TX
Setting 7
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9111G	59.55	74.00	-14.45	43.28	3	Vertical	59	1.60	-	39.20	11.47	34.40			
AV	11.91182G	45.78	54.00	-8.22	29.51	3	Vertical	59	1.60	-	39.20	11.47	34.40			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5955MHz_TX

EUT Y_4TX
Setting 7
03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90634G	59.57	74.00	-14.43	43.30	3	Horizontal	289	1.68	-	39.20	11.47	34.40			
AV	11.91152G	45.73	54.00	-8.27	29.46	3	Horizontal	289	1.68	-	39.20	11.47	34.40			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5955MHz_TX

EUT V_4TX
Setting 7
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81228G	50.68	83.54	-32.86	41.49	1	Vertical	251	2.56	-	39.03	17.34	47.18			
AV	23.81056G	37.06	63.54	-26.48	27.86	1	Vertical	251	2.56	-	39.04	17.34	47.18			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_Y_4TX
Setting 7
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8158G	50.81	83.54	-32.73	41.64	1	Horizontal	261	1.91	-	39.01	17.34	47.18			
AV	23.82536G	36.96	63.54	-26.58	27.84	1	Horizontal	261	1.91	-	38.95	17.35	47.18			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6195MHz_TX

EUT_Y_4TX
Setting 8
03-C-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38668G	58.66	74.00	-15.34	42.44	3	Vertical	153	1.41	-	38.63	11.65	34.06			
AV	12.39002G	45.66	54.00	-8.34	29.45	3	Vertical	153	1.41	-	38.62	11.65	34.06			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 8
03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38594G	59.59	74.00	-14.41	43.37	3	Horizontal	213	1.88	-	38.63	11.65	34.06			
AV	12.3901G	45.62	54.00	-8.38	29.41	3	Horizontal	213	1.88	-	38.62	11.65	34.06			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 8
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.57976G	65.12	83.54	-18.42	61.78	1	Vertical	7	1.60	-	37.70	15.27	49.63			
AV	18.5806G	49.47	63.54	-14.07	46.13	1	Vertical	7	1.60	-	37.70	15.27	49.63			
PK	24.78004G	62.74	97.74	-35.00	52.57	1	Vertical	14	1.62	-	39.30	17.52	46.65			
RMS	24.78G	59.84	77.74	-17.90	49.67	1	Vertical	14	1.62	-	39.30	17.52	46.65			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 8
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.57944G	67.12	83.54	-16.42	63.78	1	Horizontal	19	1.60	-	37.70	15.27	49.63			
AV	18.57908G	52.77	63.54	-10.77	49.43	1	Horizontal	19	1.60	-	37.70	15.27	49.63			
PK	24.77992G	64.95	97.74	-32.79	54.78	1	Horizontal	38	1.51	-	39.30	17.52	46.65			
RMS	24.78G	58.90	77.74	-18.84	48.73	1	Horizontal	38	1.51	-	39.30	17.52	46.65			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 10
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83368G	59.24	88.20	-28.96	41.84	3	Vertical	240	1.07	-	39.13	11.80	33.53			
RMS	12.83492G	45.74	68.20	-22.46	28.32	3	Vertical	240	1.07	-	39.14	11.80	33.52			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6415MHz_TX

EUT_Y_4TX
Setting 10
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82834G	59.42	88.20	-28.78	42.04	3	Horizontal	267	1.93	-	39.11	11.80	33.53			
RMS	12.82946G	45.68	68.20	-22.52	28.29	3	Horizontal	267	1.93	-	39.12	11.80	33.53			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6415MHz_TX

EUT_Y_4TX
Setting 10
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24038G	45.91	83.54	-37.63	42.25	1	Vertical	70	1.51	-	37.92	15.24	49.50			
AV	19.24486G	32.80	63.54	-30.74	29.16	1	Vertical	70	1.51	-	37.91	15.24	49.51			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6415MHz_TX

EUT_Y_4TX
Setting 10
03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24554G	45.87	83.54	-37.67	42.23	1	Horizontal	21	1.57	-	37.91	15.24	49.51			
AV	19.24014G	32.90	63.54	-30.64	29.24	1	Horizontal	21	1.57	-	37.92	15.24	49.50			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 8
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87118G	60.28	88.20	-27.92	42.74	3	Vertical	357	2.66	-	39.20	11.82	33.48			
RMS	12.86824G	46.28	68.20	-21.92	28.74	3	Vertical	357	2.66	-	39.20	11.82	33.48			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 8
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8712G	60.03	88.20	-28.17	42.49	3	Horizontal	219	1.05	-	39.20	11.82	33.48			
RMS	12.874G	46.26	68.20	-21.94	28.71	3	Horizontal	219	1.05	-	39.20	11.82	33.47			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 8
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30262G	45.58	83.54	-37.96	41.91	1	Vertical	173	1.56	-	37.99	15.23	49.55			
AV	19.30252G	32.39	63.54	-31.15	28.72	1	Vertical	173	1.56	-	37.99	15.23	49.55			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT V_4TX
Setting 8
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3005G	45.76	83.54	-37.78	42.07	1	Horizontal	247	1.51	-	38.00	15.23	49.54			
AV	19.30216G	32.41	63.54	-31.13	28.74	1	Horizontal	247	1.51	-	37.99	15.23	49.55			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 8
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.948G	60.44	88.20	-27.76	42.67	3	Vertical	310	1.32	-	39.30	11.84	33.37			
RMS	12.9539G	46.71	88.20	-41.49	28.93	3	Vertical	310	1.32	-	39.30	11.84	33.36			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6475MHz_TX

EUT_V_4TX
Setting 8
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.94848G	60.17	88.20	-28.03	42.40	3	Horizontal	316	2.60	-	39.30	11.84	33.37			
RMS	12.94552G	46.88	68.20	-21.32	29.12	3	Horizontal	316	2.60	-	39.29	11.84	33.37			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT V_4TX
Setting 8
03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.4246G	46.54	83.54	-37.00	43.04	1	Vertical	94	1.52	-	37.90	15.23	49.63			
AV	19.42956G	32.27	63.54	-31.27	28.79	1	Vertical	94	1.52	-	37.88	15.23	49.63			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6475MHz_TX

EUT_V_4TX
Setting 8
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4256G	46.06	83.54	-37.48	42.56	1	Horizontal	246	1.50	-	37.90	15.23	49.63			
AV	19.4222G	32.28	63.54	-31.26	28.77	1	Horizontal	246	1.50	-	37.91	15.23	49.63			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
Setting 10
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03388G	60.45	88.20	-27.75	42.47	3	Vertical	271	1.37	-	39.37	11.87	33.26			
RMS	13.03406G	47.03	68.20	-21.17	29.05	3	Vertical	271	1.37	-	39.37	11.87	33.26			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 10
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02848G	60.98	88.20	-27.22	43.02	3	Horizontal	174	2.18	-	39.36	11.87	33.27			
RMS	13.02772G	46.97	68.20	-21.23	29.01	3	Horizontal	174	2.18	-	39.36	11.87	33.27			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6515MHz_TX

EUT_Y_4TX
Setting 10
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.543G	47.66	83.54	-35.88	43.99	1	Vertical	46	1.58	-	38.09	15.22	49.64			
AV	19.54896G	33.25	63.54	-30.29	29.57	1	Vertical	46	1.58	-	38.10	15.22	49.64			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 10
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.54126G	46.66	83.54	-36.88	43.01	1	Horizontal	302	1.58	-	38.08	15.22	49.65			
AV	19.54538G	33.13	63.54	-30.41	29.46	1	Horizontal	302	1.58	-	38.09	15.22	49.64			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 7
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.0706G	60.52	88.20	-27.68	42.38	3	Vertical	198	1.53	-	39.48	11.88	33.22				
RMS	13.0691G	46.89	68.20	-21.31	28.75	3	Vertical	198	1.53	-	39.48	11.88	33.22				

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6535MHz_TX

EUT_V_4TX
Setting 7
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07388G	60.90	88.20	-27.30	42.72	3	Horizontal	27	2.92	-	39.50	11.89	33.21			
RMS	13.07162G	46.87	68.20	-21.33	28.71	3	Horizontal	27	2.92	-	39.49	11.88	33.21			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6535MHz_TX

EUT_V_4TX
Setting 7
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60176G	47.36	83.54	-36.18	43.93	1	Vertical	120	1.51	-	37.81	15.22	49.60			
AV	19.60894G	33.69	63.54	-29.85	30.21	1	Vertical	120	1.51	-	37.85	15.22	49.59			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT V_4TX
Setting 7
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60378G	46.99	83.54	-36.55	43.54	1	Horizontal	326	1.55	-	37.82	15.22	49.59			
AV	19.60784G	33.69	63.54	-29.85	30.21	1	Horizontal	326	1.55	-	37.85	15.22	49.59			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 8
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38874G	60.05	74.00	-13.95	40.81	3	Vertical	259	2.33	-	40.08	11.99	32.83			
AV	13.38664G	46.58	54.00	-7.42	27.36	3	Vertical	259	2.33	-	40.07	11.99	32.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 8
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3853G	59.95	74.00	-14.05	40.73	3	Horizontal	152	2.97	-	40.07	11.99	32.84			
AV	13.39116G	46.63	54.00	-7.37	27.39	3	Horizontal	152	2.97	-	40.08	11.99	32.83			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6695MHz_TX

EUT V_4TX
Setting 8
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08284G	46.83	83.54	-36.71	42.98	1	Vertical	181	1.53	-	37.83	15.27	49.25			
AV	20.08892G	33.58	63.54	-29.96	29.70	1	Vertical	181	1.53	-	37.86	15.27	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6695MHz_TX

EUT_V_4TX
Setting 8
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08768G	46.97	83.54	-36.57	43.10	1	Horizontal	261	1.57	-	37.85	15.27	49.25			
AV	20.08758G	33.57	63.54	-29.97	29.70	1	Horizontal	261	1.57	-	37.85	15.27	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 8.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.751366G	63.70	88.20	-24.50	43.63	3	Vertical	7	2.83	-	40.60	12.12	32.65			
RMS	13.74766G	49.70	68.20	-18.50	29.65	3	Vertical	7	2.83	-	40.59	12.11	32.65			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 8.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75164G	63.84	88.20	-24.36	43.77	3	Horizontal	313	1.56	-	40.60	12.12	32.65			
RMS	13.75094G	49.69	68.20	-18.51	29.62	3	Horizontal	313	1.56	-	40.60	12.12	32.65			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 8.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.624G	52.51	83.54	-31.03	47.94	1	Vertical	270	1.52	-	37.95	15.70	49.08			
AV	20.62402G	47.56	63.54	-15.98	42.99	1	Vertical	270	1.52	-	37.95	15.70	49.08			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 8.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62398G	52.33	83.54	-31.21	47.76	1	Horizontal	194	1.58	-	37.95	15.70	49.08			
AV	20.62402G	47.55	63.54	-15.99	42.98	1	Horizontal	194	1.58	-	37.95	15.70	49.08			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 8.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79284G	63.78	88.20	-24.42	43.60	3	Vertical	312	2.50	-	40.69	12.13	32.64			
RMS	13.79326G	49.81	68.20	-18.39	29.63	3	Vertical	312	2.50	-	40.69	12.13	32.64			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 8.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7944G	63.35	88.20	-24.85	43.17	3	Horizontal	356	2.54	-	40.69	12.13	32.64			
RMS	13.79328G	49.68	68.20	-18.52	29.50	3	Horizontal	356	2.54	-	40.69	12.13	32.64			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 8.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68706G	48.20	83.54	-35.34	43.59	1	Vertical	331	1.56	-	37.90	15.75	49.04			
AV	20.6801G	34.47	63.54	-29.07	29.88	1	Vertical	331	1.56	-	37.90	15.74	49.05			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT V_4TX
Setting 8.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68426G	47.54	83.54	-36.00	42.93	1	Horizontal	16	1.54	-	37.90	15.75	49.04			
AV	20.68006G	34.43	63.54	-29.11	29.84	1	Horizontal	16	1.54	-	37.90	15.74	49.05			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
Setting 10
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99234G	64.53	88.20	-23.67	43.76	3	Vertical	53	1.48	-	41.17	12.20	32.60			
RMS	13.98558G	51.14	68.20	-17.06	30.40	3	Vertical	53	1.48	-	41.14	12.20	32.60			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 10
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99034G	64.99	88.20	-23.21	44.23	3	Horizontal	306	1.17	-	41.16	12.20	32.60			
RMS	13.99094G	51.08	68.20	-17.12	30.32	3	Horizontal	306	1.17	-	41.16	12.20	32.60			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT V_4TX
Setting 10
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98798G	46.63	83.54	-36.91	41.58	1	Vertical	284	1.51	-	37.95	15.99	48.89			
AV	20.9823G	33.33	63.54	-30.21	28.26	1	Vertical	284	1.51	-	37.97	15.99	48.89			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6995MHz_TX

EUT_V_4TX
Setting 10
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.98004G	46.46	83.54	-37.08	41.39	1	Horizontal	173	1.51	-	37.98	15.98	48.89			
AV	20.98228G	33.37	63.54	-30.17	28.30	1	Horizontal	173	1.51	-	37.97	15.99	48.89			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 7
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0862G	108.35	Inf	-Inf	99.40	3	Vertical	348	2.19	-	35.67	8.42	35.14			
RMS	7.0864G	98.11	Inf	-Inf	89.16	3	Vertical	348	2.19	-	35.67	8.42	35.14			
PK	7.1258G	61.07	88.20	-27.13	51.98	3	Vertical	348	2.19	-	35.80	8.43	35.14			
RMS	7.1384G	50.97	68.20	-17.23	41.83	3	Vertical	348	2.19	-	35.85	8.43	35.14			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 7
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.103G	97.50	Inf	-Inf	88.50	3	Horizontal	332	2.76	-	35.71	8.43	35.14			
RMS	7.103G	89.32	Inf	-Inf	80.32	3	Horizontal	332	2.76	-	35.71	8.43	35.14			
PK	7.1794G	61.47	88.20	-26.73	52.09	3	Horizontal	332	2.76	-	36.08	8.44	35.14			
RMS	7.1848G	50.86	68.20	-17.34	41.44	3	Horizontal	332	2.76	-	36.11	8.45	35.14			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 7
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19482G	63.94	88.20	-24.26	43.53	3	Vertical	78	2.30	-	41.68	12.26	33.53			
RMS	14.18936G	50.55	68.20	-17.65	30.15	3	Vertical	78	2.30	-	41.66	12.26	33.52			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 7
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.18616G	64.12	88.20	-24.08	43.74	3	Horizontal	47	1.40	-	41.64	12.26	33.52			
RMS	14.18948G	50.61	68.20	-17.59	30.21	3	Horizontal	47	1.40	-	41.66	12.26	33.52			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7095MHz_TX

EUT_V_4TX
Setting 7
03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28934G	48.87	83.54	-34.67	43.18	1	Vertical	327	1.53	-	38.31	16.23	48.85			
AV	21.2807G	35.41	63.54	-28.13	29.79	1	Vertical	327	1.53	-	38.25	16.22	48.85			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7095MHz_TX

EUT_V_4TX
Setting 7
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28678G	48.79	83.54	-34.75	43.12	1	Horizontal	37	1.58	-	38.29	16.23	48.85			
AV	21.28796G	35.57	63.54	-27.97	29.89	1	Horizontal	37	1.58	-	38.30	16.23	48.85			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Z_4TX
Setting 0
03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1075G	99.86	Inf	-Inf	90.84	3	Vertical	348	2.08	BP 1MHz	35.73	8.43	35.14			
RMS	7.1065G	93.54	Inf	-Inf	84.52	3	Vertical	348	2.08	BP 1MHz	35.73	8.43	35.14			
PK	7.1255G	76.95	88.20	-11.25	67.86	3	Vertical	348	2.08	BP 1MHz	35.80	8.43	35.14			
RMS	7.1255G	67.91	68.20	-0.29	58.82	3	Vertical	348	2.08	BP 1MHz	35.80	8.43	35.14			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Z_4TX
Setting 0
03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1235G	92.70	Inf	-Inf	83.62	3	Horizontal	336	2.11	BP 1MHz	35.79	8.43	35.14			
RMS	7.1235G	86.62	Inf	-Inf	77.54	3	Horizontal	336	2.11	BP 1MHz	35.79	8.43	35.14			
PK	7.1255G	71.49	88.20	-16.71	62.40	3	Horizontal	336	2.11	BP 1MHz	35.80	8.43	35.14			
RMS	7.1255G	62.05	68.20	-6.15	52.96	3	Horizontal	336	2.11	BP 1MHz	35.80	8.43	35.14			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_V_4TX
Setting 0
03-C-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.2291G	63.77	88.20	-24.43	43.30	3	Vertical	122	2.80	-	41.76	12.27	33.56			
RMS	14.22778G	50.42	68.20	-17.78	29.95	3	Vertical	122	2.80	-	41.76	12.27	33.56			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_V_4TX
Setting 0
03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.23002G	63.94	88.20	-24.26	43.47	3	Horizontal	178	1.06	-	41.76	12.27	33.56			
RMS	14.23386G	50.38	68.20	-17.82	29.90	3	Horizontal	178	1.06	-	41.77	12.27	33.56			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT Y_4TX
Setting 0
03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.34G	49.26	83.54	-34.28	43.51	1	Vertical	230	1.58	-	38.32	16.27	48.84			
AV	21.3494G	35.66	63.54	-27.88	29.92	1	Vertical	230	1.58	-	38.30	16.28	48.84			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT Y_4TX
Setting 0
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34094G	49.52	83.54	-34.02	43.77	1	Horizontal	13	1.52	-	38.32	16.27	48.84			
AV	21.3487G	35.78	63.54	-27.76	30.04	1	Horizontal	13	1.52	-	38.30	16.28	48.84			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 9.5
03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9202G	59.87	88.20	-28.33	52.90	3	Vertical	330	2.72	-	34.54	7.63	35.20			
RMS	5.9228G	49.56	68.20	-18.64	42.58	3	Vertical	330	2.72	-	34.55	7.63	35.20			
PK	5.981G	108.82	Inf	-Inf	101.74	3	Vertical	330	2.72	-	34.60	7.67	35.19			
RMS	5.981G	99.94	Inf	-Inf	92.86	3	Vertical	330	2.72	-	34.60	7.67	35.19			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 9.5
03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8654G	59.71	88.20	-28.49	52.97	3	Horizontal	2	2.21	-	34.36	7.58	35.20			
RMS	5.9198G	49.10	68.20	-19.10	42.13	3	Horizontal	2	2.21	-	34.54	7.63	35.20			
PK	5.971G	100.98	Inf	-Inf	93.90	3	Horizontal	2	2.21	-	34.60	7.67	35.19			
RMS	5.969G	91.27	Inf	-Inf	84.19	3	Horizontal	2	2.21	-	34.60	7.67	35.19			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_V_4TX
Setting 9.5
03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93308G	59.40	74.00	-14.60	43.47	3	Vertical	263	2.35	-	39.20	11.48	34.75			
AV	11.92724G	44.99	54.00	-9.01	29.05	3	Vertical	263	2.35	-	39.20	11.48	34.74			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_V_4TX
Setting 9.5
03-C-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.92816G	58.92	74.00	-15.08	42.98	3	Horizontal	83	2.24	-	39.20	11.48	34.74			
AV	11.92702G	44.97	54.00	-9.03	29.03	3	Horizontal	83	2.24	-	39.20	11.48	34.74			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 9.5
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86452G	49.93	83.54	-33.61	40.93	1	Vertical	7	2.49	-	38.80	17.36	47.16			
AV	23.8508G	36.57	63.54	-26.97	27.57	1	Vertical	295	2.61	-	38.80	17.36	47.16			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT V_4TX
Setting 9.5
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.851G	49.60	83.54	-33.94	40.60	1	Horizontal	165	2.18	-	38.80	17.36	47.16			
AV	23.86692G	36.56	63.54	-26.98	27.56	1	Horizontal	165	2.18	-	38.80	17.36	47.16			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 11
03-C-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40966G	59.66	74.00	-14.34	43.44	3	Vertical	284	1.01	-	38.60	11.66	34.04			
AV	12.408G	45.02	54.00	-8.98	28.80	3	Vertical	284	1.01	-	38.60	11.66	34.04			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 11
03-C-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4075G	59.30	74.00	-14.70	43.08	3	Horizontal	15	2.97	-	38.60	11.66	34.04			
AV	12.41394G	45.02	54.00	-8.98	28.79	3	Horizontal	15	2.97	-	38.60	11.66	34.03			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6205MHz_TX

EUT_Y_4TX
Setting 11
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61026G	48.07	83.54	-35.47	44.69	1	Vertical	181	1.58	-	37.72	15.27	49.61			
AV	18.6129G	33.25	63.54	-30.29	29.85	1	Vertical	181	1.58	-	37.73	15.27	49.60			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6205MHz_TX

EUT_Y_4TX
Setting 11
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61738G	47.44	83.54	-36.10	44.04	1	Horizontal	37	1.53	-	37.73	15.27	49.60			
AV	18.61884G	33.26	63.54	-30.28	29.85	1	Horizontal	37	1.53	-	37.74	15.27	49.60			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 11
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81028G	58.90	88.20	-29.30	41.91	3	Vertical	66	2.39	-	39.04	11.80	33.85			
RMS	12.8148G	44.68	68.20	-23.52	27.66	3	Vertical	66	2.39	-	39.06	11.80	33.84			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 11
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.80674G	59.63	88.20	-28.57	42.66	3	Horizontal	328	2.28	-	39.03	11.79	33.85			
RMS	12.81458G	44.68	68.20	-23.52	27.66	3	Horizontal	328	2.28	-	39.06	11.80	33.84			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6405MHz_TX

EUT_Y_4TX
Setting 11
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2149G	46.40	83.54	-37.14	42.68	1	Vertical	293	1.57	-	37.97	15.24	49.49			
AV	19.21004G	32.77	63.54	-30.77	29.03	1	Vertical	293	1.57	-	37.98	15.24	49.48			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6405MHz_TX

EUT_Y_4TX
Setting 11
03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21264G	46.21	83.54	-37.33	42.48	1	Horizontal	139	1.51	-	37.97	15.24	49.48			
AV	19.2127G	32.76	63.54	-30.78	29.03	1	Horizontal	139	1.51	-	37.97	15.24	49.48			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 10
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88976G	59.54	88.20	-28.66	42.36	3	Vertical	65	1.98	-	39.20	11.82	33.84			
RMS	12.89402G	45.58	68.20	-22.62	28.40	3	Vertical	65	1.98	-	39.20	11.82	33.84			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 10
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89044G	59.22	88.20	-28.98	42.04	3	Horizontal	93	1.10	-	39.20	11.82	33.84			
RMS	12.89406G	45.54	68.20	-22.66	28.36	3	Horizontal	93	1.10	-	39.20	11.82	33.84			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6445MHz_TX

EUT_Y_4TX
Setting 10
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3336G	45.41	83.54	-38.13	41.88	1	Vertical	292	1.50	-	37.87	15.23	49.57			
AV	19.33066G	31.76	63.54	-31.78	28.21	1	Vertical	292	1.50	-	37.88	15.23	49.56			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 10
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33456G	45.52	83.54	-38.02	42.00	1	Horizontal	153	1.53	-	37.86	15.23	49.57			
AV	19.3304G	31.78	63.54	-31.76	28.23	1	Horizontal	153	1.53	-	37.88	15.23	49.56			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
Setting 9.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.97052G	60.06	88.20	-28.14	42.74	3	Vertical	33	2.46	-	39.30	11.85	33.83			
RMS	12.96796G	45.82	68.20	-22.38	28.50	3	Vertical	33	2.46	-	39.30	11.85	33.83			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 9.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.96764G	59.86	88.20	-28.34	42.54	3	Horizontal	209	1.11	-	39.30	11.85	33.83			
RMS	12.96768G	45.83	68.20	-22.37	28.51	3	Horizontal	209	1.11	-	39.30	11.85	33.83			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
Setting 9.5
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4581G	46.62	83.54	-36.92	43.21	1	Vertical	65	1.53	-	37.83	15.23	49.65			
AV	19.45176G	31.81	63.54	-31.73	28.42	1	Vertical	65	1.53	-	37.81	15.23	49.65			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
Setting 9.5
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45124G	45.40	83.54	-38.14	42.02	1	Horizontal	125	1.57	-	37.80	15.23	49.65			
AV	19.45166G	31.82	63.54	-31.72	28.43	1	Horizontal	125	1.57	-	37.81	15.23	49.65			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 9.5
03-C-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0473G	60.29	88.20	-27.91	42.74	3	Vertical	51	1.53	-	39.39	11.88	33.72			
RMS	13.04704G	46.01	68.20	-22.19	28.46	3	Vertical	51	1.53	-	39.39	11.88	33.72			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 9.5
03-C-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.05298G	60.25	88.20	-27.95	42.66	3	Horizontal	305	2.17	-	39.41	11.88	33.70			
RMS	13.04674G	45.98	68.20	-22.22	28.43	3	Horizontal	305	2.17	-	39.39	11.88	33.72			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 9.5
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57696G	47.22	83.54	-36.32	43.68	1	Vertical	70	1.50	-	37.94	15.22	49.62			
AV	19.57952G	33.02	63.54	-30.52	29.49	1	Vertical	70	1.50	-	37.92	15.22	49.61			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 9.5
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5707G	46.41	83.54	-37.13	42.83	1	Horizontal	90	1.56	-	37.98	15.22	49.62			
AV	19.57874G	33.01	63.54	-30.53	29.48	1	Horizontal	90	1.56	-	37.93	15.22	49.62			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 10
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13036G	60.06	88.20	-28.14	42.08	3	Vertical	59	1.35	-	39.60	11.90	33.52			
RMS	13.13276G	46.06	68.20	-22.14	28.06	3	Vertical	59	1.35	-	39.60	11.91	33.51			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6565MHz_TX

EUT_V_4TX
Setting 10
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13392G	59.81	88.20	-28.39	41.81	3	Horizontal	82	1.53	-	39.60	11.91	33.51			
RMS	13.12996G	46.08	68.20	-22.12	28.10	3	Horizontal	82	1.53	-	39.60	11.90	33.52			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 10
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69614G	47.66	83.54	-35.88	44.14	1	Vertical	247	1.50	-	37.82	15.22	49.52			
AV	19.69216G	33.70	63.54	-29.84	30.15	1	Vertical	247	1.50	-	37.85	15.22	49.52			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 10
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6917G	47.44	83.54	-36.10	43.89	1	Horizontal	240	1.51	-	37.85	15.22	49.52			
AV	19.69118G	33.74	63.54	-29.80	30.19	1	Horizontal	240	1.51	-	37.85	15.22	49.52			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 10
03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36954G	60.09	74.00	-13.91	41.00	3	Vertical	77	1.88	-	40.04	11.99	32.94			
AV	13.3658G	46.27	54.00	-7.73	27.21	3	Vertical	77	1.88	-	40.03	11.98	32.95			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 10
03-C-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36616G	60.38	74.00	-13.62	41.32	3	Horizontal	231	1.29	-	40.03	11.98	32.95			
AV	13.3687G	46.26	54.00	-7.74	27.18	3	Horizontal	231	1.29	-	40.04	11.99	32.95			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 10
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05722G	46.59	83.54	-36.95	42.87	1	Vertical	296	1.55	-	37.73	15.25	49.26			
AV	20.05824G	32.48	63.54	-31.06	28.75	1	Vertical	296	1.55	-	37.73	15.25	49.25			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 10
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05752G	46.09	83.54	-37.45	42.37	1	Horizontal	127	1.53	-	37.73	15.25	49.26			
AV	20.05756G	32.48	63.54	-31.06	28.76	1	Horizontal	127	1.53	-	37.73	15.25	49.26			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 10.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77336G	63.26	88.20	-24.94	43.51	3	Vertical	322	1.11	-	40.65	12.12	33.02			
RMS	13.77024G	48.95	68.20	-19.25	29.20	3	Vertical	322	1.11	-	40.64	12.12	33.01			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 10.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7729G	64.36	88.20	-23.84	44.61	3	Horizontal	258	2.76	-	40.65	12.12	33.02			
RMS	13.76848G	48.96	68.20	-19.24	29.21	3	Horizontal	258	2.76	-	40.64	12.12	33.01			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 10.5
03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.65298G	47.83	83.54	-35.71	43.27	1	Vertical	150	1.54	-	37.90	15.72	49.06			
AV	20.65706G	33.95	63.54	-29.59	29.38	1	Vertical	150	1.54	-	37.90	15.73	49.06			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 10.5
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.65106G	47.64	83.54	-35.90	43.08	1	Horizontal	300	1.56	-	37.90	15.72	49.06			
AV	20.65682G	33.91	63.54	-29.63	29.34	1	Horizontal	300	1.56	-	37.90	15.73	49.06			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 11
03-C-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8544G	63.06	88.20	-25.14	43.23	3	Vertical	38	2.14	-	40.81	12.15	33.13			
RMS	13.8532G	49.08	68.20	-19.12	29.25	3	Vertical	38	2.14	-	40.81	12.15	33.13			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 11
03-C-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.84724G	63.47	88.20	-24.73	43.65	3	Horizontal	322	2.80	-	40.79	12.15	33.12			
RMS	13.84646G	49.10	68.20	-19.10	29.28	3	Horizontal	322	2.80	-	40.79	12.15	33.12			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6925MHz_TX

EUT_Y_4TX
Setting 11
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77184G	48.31	83.54	-35.23	43.52	1	Vertical	48	1.56	-	37.97	15.82	49.00			
AV	20.77896G	34.46	63.54	-29.08	29.60	1	Vertical	48	1.56	-	38.03	15.82	48.99			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT V_4TX
Setting 11
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77832G	48.50	83.54	-35.04	43.65	1	Horizontal	174	1.56	-	38.03	15.82	49.00			
AV	20.7789G	34.47	63.54	-29.07	29.61	1	Horizontal	174	1.56	-	38.03	15.82	48.99			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_V_4TX
Setting 11.5
03-C-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.00676G	63.72	88.20	-24.48	43.67	3	Vertical	343	1.00	-	41.20	12.20	33.35			
RMS	14.00772G	49.70	68.20	-18.50	29.65	3	Vertical	343	1.00	-	41.20	12.20	33.35			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_V_4TX
Setting 11.5
03-C-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01124G	63.70	88.20	-24.50	43.65	3	Horizontal	176	2.47	-	41.20	12.20	33.35			
RMS	14.00782G	49.70	68.20	-18.50	29.65	3	Horizontal	176	2.47	-	41.20	12.20	33.35			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 11.5
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01002G	46.92	83.54	-36.62	41.79	1	Vertical	103	1.54	-	38.00	16.01	48.88			
AV	21.01896G	33.06	63.54	-30.48	27.83	1	Vertical	103	1.54	-	38.09	16.02	48.88			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_V_4TX
Setting 11.5
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01674G	46.61	83.54	-36.93	41.41	1	Horizontal	64	1.54	-	38.07	16.01	48.88			
AV	21.01922G	33.05	63.54	-30.49	27.82	1	Horizontal	64	1.54	-	38.09	16.02	48.88			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 11
03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.075G	108.51	Inf	-Inf	99.58	3	Vertical	346	2.16	-	35.65	8.42	35.14			
RMS	7.0968G	99.68	Inf	-Inf	90.71	3	Vertical	346	2.16	-	35.69	8.42	35.14			
PK	7.151G	62.39	88.20	-25.81	53.18	3	Vertical	346	2.16	-	35.91	8.44	35.14			
RMS	7.1348G	52.22	68.20	-15.98	43.09	3	Vertical	346	2.16	-	35.84	8.43	35.14			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 11
03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0834G	97.25	Inf	-Inf	88.30	3	Horizontal	136	1.80	-	35.67	8.42	35.14			
RMS	7.0836G	87.25	Inf	-Inf	78.30	3	Horizontal	136	1.80	-	35.67	8.42	35.14			
PK	7.1558G	62.54	88.20	-25.66	53.31	3	Horizontal	136	1.80	-	35.93	8.44	35.14			
RMS	7.182G	52.13	68.20	-16.07	42.73	3	Horizontal	136	1.80	-	36.09	8.45	35.14			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7085MHz_TX

EUT_Y_4TX
Setting 11
03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.17494G	64.16	88.20	-24.04	43.82	3	Vertical	27	2.83	-	41.60	12.25	33.51			
RMS	14.17028G	49.96	68.20	-18.24	29.63	3	Vertical	27	2.83	-	41.58	12.25	33.50			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 11
03-C-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.17142G	64.43	88.20	-23.77	44.09	3	Horizontal	109	1.68	-	41.59	12.25	33.50			
RMS	14.17008G	49.95	68.20	-18.25	29.62	3	Horizontal	109	1.68	-	41.58	12.25	33.50			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7085MHz_TX

EUT_Y_4TX
Setting 11
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25176G	48.56	83.54	-34.98	43.20	1	Vertical	15	1.50	-	38.01	16.20	48.85			
AV	21.2596G	34.72	63.54	-28.82	29.28	1	Vertical	15	1.50	-	38.08	16.21	48.85			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 11
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25508G	48.06	83.54	-35.48	42.67	1	Horizontal	54	1.57	-	38.04	16.20	48.85			
AV	21.25902G	34.75	63.54	-28.79	29.32	1	Horizontal	54	1.57	-	38.07	16.21	48.85			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 12
03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	62.77	88.20	-25.43	55.80	3	Vertical	331	2.77	-	34.54	7.63	35.20			
RMS	5.9206G	52.31	68.20	-15.89	45.34	3	Vertical	331	2.77	-	34.54	7.63	35.20			
PK	6.021G	110.26	Inf	-Inf	103.14	3	Vertical	331	2.77	-	34.60	7.71	35.19			
RMS	6.021G	99.90	Inf	-Inf	92.78	3	Vertical	331	2.77	-	34.60	7.71	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 12
03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9138G	60.37	88.20	-27.83	53.42	3	Horizontal	2	2.28	-	34.53	7.62	35.20			
RMS	5.924G	49.39	68.20	-18.81	42.41	3	Horizontal	2	2.28	-	34.55	7.63	35.20			
PK	5.9478G	102.15	Inf	-Inf	95.10	3	Horizontal	2	2.28	-	34.60	7.65	35.20			
RMS	5.969G	91.88	Inf	-Inf	84.80	3	Horizontal	2	2.28	-	34.60	7.67	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_V_4TX
Setting 12
03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9699G	58.74	74.00	-15.26	42.86	3	Vertical	173	2.97	-	39.16	11.50	34.78			
AV	11.96522G	45.26	54.00	-8.74	29.37	3	Vertical	173	2.97	-	39.17	11.50	34.78			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_V_4TX
Setting 12
03-C-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.97462G	59.19	74.00	-14.81	43.32	3	Horizontal	161	1.39	-	39.15	11.51	34.79			
AV	11.96548G	45.26	54.00	-8.74	29.37	3	Horizontal	161	1.39	-	39.17	11.50	34.78			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 12
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93136G	50.03	83.54	-33.51	40.91	1	Vertical	340	2.22	-	38.86	17.38	47.12			
AV	23.94392G	37.03	63.54	-26.51	27.88	1	Vertical	340	2.22	-	38.89	17.38	47.12			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_Y_4TX
Setting 12
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9368G	50.09	83.54	-33.45	40.96	1	Horizontal	238	1.41	-	38.87	17.38	47.12			
AV	23.94488G	37.01	63.54	-26.53	27.86	1	Horizontal	238	1.41	-	38.89	17.38	47.12			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 13.5
03-C-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4459G	59.65	74.00	-14.35	43.35	3	Vertical	184	1.48	-	38.60	11.67	33.97			
AV	12.44606G	45.71	54.00	-8.29	29.41	3	Vertical	184	1.48	-	38.60	11.67	33.97			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 13.5
03-C-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44554G	59.65	74.00	-14.35	43.35	3	Horizontal	156	1.01	-	38.60	11.67	33.97			
AV	12.45214G	45.63	54.00	-8.37	29.32	3	Horizontal	156	1.01	-	38.60	11.67	33.96			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6225MHz_TX

EUT_V_4TX
Setting 13.5
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67022G	47.77	83.54	-35.77	44.34	1	Vertical	153	1.58	-	37.72	15.27	49.56			
AV	18.67546G	33.78	63.54	-29.76	30.37	1	Vertical	153	1.58	-	37.70	15.27	49.56			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6225MHz_TX

EUT_V_4TX
Setting 13.5
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67098G	47.46	83.54	-36.08	44.03	1	Horizontal	189	1.52	-	37.72	15.27	49.56			
AV	18.67194G	33.82	63.54	-29.72	30.40	1	Horizontal	189	1.52	-	37.71	15.27	49.56			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 14
03-C-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7711G	58.58	88.20	-29.62	41.77	3	Vertical	126	2.11	-	38.88	11.78	33.85			
RMS	12.76546G	44.89	68.20	-23.31	28.10	3	Vertical	126	2.11	-	38.86	11.78	33.85			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 14
03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.77394G	58.86	88.20	-29.34	42.03	3	Horizontal	157	2.98	-	38.90	11.78	33.85			
RMS	12.76636G	44.88	68.20	-23.32	28.08	3	Horizontal	157	2.98	-	38.87	11.78	33.85			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 14
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15494G	47.27	83.54	-36.27	43.75	1	Vertical	92	1.55	-	37.73	15.24	49.45			
AV	19.151G	33.19	63.54	-30.35	29.68	1	Vertical	92	1.55	-	37.71	15.24	49.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 14
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15704G	46.27	83.54	-37.27	42.74	1	Horizontal	357	1.54	-	37.74	15.24	49.45			
AV	19.15348G	33.18	63.54	-30.36	29.66	1	Horizontal	357	1.54	-	37.72	15.24	49.44			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 13
03-C-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.92502G	60.11	88.20	-28.09	42.87	3	Vertical	150	1.53	-	39.25	11.83	33.84			
RMS	12.93486G	46.10	68.20	-22.10	28.83	3	Vertical	150	1.53	-	39.27	11.84	33.84			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 13
03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.93294G	59.54	88.20	-28.66	42.27	3	Horizontal	157	1.20	-	39.27	11.84	33.84			
RMS	12.92942G	46.11	68.20	-22.09	28.85	3	Horizontal	157	1.20	-	39.26	11.84	33.84			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6465MHz_TX

EUT_Y_4TX
Setting 13
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39544G	46.10	83.54	-37.44	42.50	1	Vertical	21	1.52	-	37.98	15.23	49.61			
AV	19.39732G	32.45	63.54	-31.09	28.84	1	Vertical	21	1.52	-	37.99	15.23	49.61			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6465MHz_TX

EUT_V_4TX
Setting 13
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39632G	45.82	83.54	-37.72	42.21	1	Horizontal	116	1.51	-	37.99	15.23	49.61			
AV	19.3971G	32.58	63.54	-30.96	28.97	1	Horizontal	116	1.51	-	37.99	15.23	49.61			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX

EUT_Y_4TX
Setting 12.5
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08746G	60.05	88.20	-28.15	42.23	3	Vertical	71	1.45	-	39.55	11.89	33.62			
RMS	13.09332G	46.63	68.20	-21.57	28.78	3	Vertical	71	1.45	-	39.57	11.89	33.61			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 12.5
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0901G	60.39	88.20	-27.81	42.55	3	Horizontal	80	2.27	-	39.56	11.89	33.61			
RMS	13.0946G	46.64	68.20	-21.56	28.77	3	Horizontal	80	2.27	-	39.58	11.89	33.60			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 12.5
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63996G	47.41	83.54	-36.13	43.72	1	Vertical	173	1.57	-	38.04	15.22	49.57			
AV	19.63962G	34.10	63.54	-29.44	30.41	1	Vertical	173	1.57	-	38.04	15.22	49.57			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 12.5
03-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63458G	48.61	83.54	-34.93	44.95	1	Horizontal	310	1.50	-	38.01	15.22	49.57			
AV	19.63226G	34.07	63.54	-29.47	30.43	1	Horizontal	310	1.50	-	37.99	15.22	49.57			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 13
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24772G	60.49	88.20	-27.71	41.90	3	Vertical	345	2.88	-	39.89	11.94	33.24			
AV	13.25064G	46.55	54.00	-7.45	27.93	3	Vertical	345	2.88	-	39.90	11.95	33.23			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT V_4TX
Setting 13
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25402G	60.76	74.00	-13.24	42.12	3	Horizontal	67	1.31	-	39.91	11.95	33.22			
AV	13.24794G	46.57	68.20	-21.63	27.97	3	Horizontal	67	1.31	-	39.89	11.94	33.23			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6625MHz_TX

EUT_V_4TX
Setting 13
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87744G	46.22	83.54	-37.32	42.62	1	Vertical	41	1.57	-	37.76	15.21	49.37			
AV	19.87488G	32.77	63.54	-30.77	29.18	1	Vertical	41	1.57	-	37.75	15.21	49.37			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT V_4TX
Setting 13
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87972G	46.40	83.54	-37.14	42.78	1	Horizontal	92	1.53	-	37.78	15.21	49.37			
AV	19.87538G	32.70	63.54	-30.84	29.11	1	Horizontal	92	1.53	-	37.75	15.21	49.37			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 13
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40786G	60.59	88.20	-27.61	41.32	3	Vertical	302	2.56	-	40.12	12.00	32.85			
AV	13.41418G	46.96	68.20	-21.24	27.67	3	Vertical	302	2.56	-	40.13	12.00	32.84			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 13
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.41432G	61.07	88.20	-27.13	41.78	3	Horizontal	109	2.84	-	40.13	12.00	32.84			
AV	13.41444G	46.92	68.20	-21.28	27.63	3	Horizontal	109	2.84	-	40.13	12.00	32.84			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6705MHz_TX

EUT_V_4TX
Setting 13
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11698G	46.88	83.54	-36.66	43.03	1	Vertical	231	1.50	-	37.80	15.29	49.24			
AV	20.11236G	34.06	63.54	-29.48	30.18	1	Vertical	231	1.50	-	37.83	15.29	49.24			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6705MHz_TX

EUT_V_4TX
Setting 13
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11376G	47.39	83.54	-36.15	43.52	1	Horizontal	41	1.52	-	37.82	15.29	49.24			
AV	20.11062G	34.04	63.54	-29.50	30.15	1	Horizontal	41	1.52	-	37.84	15.29	49.24			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6785MHz_TX

EUT Y_4TX
Setting 14
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.56584G	62.16	88.20	-26.04	42.43	3	Vertical	229	1.06	-	40.40	12.05	32.72			
AV	13.5744G	47.91	68.20	-20.29	28.19	3	Vertical	229	1.06	-	40.40	12.06	32.74			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 14
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57056G	61.93	88.20	-26.27	42.21	3	Horizontal	75	2.81	-	40.40	12.05	32.73			
AV	13.57122G	48.02	68.20	-20.18	28.30	3	Horizontal	75	2.81	-	40.40	12.05	32.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6785MHz_TX

EUT_Y_4TX
Setting 14
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35148G	47.85	83.54	-35.69	43.45	1	Vertical	341	1.52	-	38.10	15.48	49.18			
AV	20.3563G	34.51	63.54	-29.03	30.11	1	Vertical	341	1.52	-	38.09	15.49	49.18			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6785MHz_TX

EUT_Y_4TX
Setting 14
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.3554G	47.94	83.54	-35.60	43.55	1	Horizontal	6	1.54	-	38.09	15.48	49.18			
AV	20.35298G	34.56	63.54	-28.98	30.17	1	Horizontal	6	1.54	-	38.09	15.48	49.18			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 14.5
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.728G	63.17	88.20	-25.03	43.50	3	Vertical	244	2.85	-	40.51	12.11	32.95			
RMS	13.73396G	49.45	68.20	-18.75	29.76	3	Vertical	244	2.85	-	40.54	12.11	32.96			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 14.5
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7288G	63.85	88.20	-24.35	44.17	3	Horizontal	289	2.03	-	40.52	12.11	32.95			
RMS	13.7267G	49.36	68.20	-18.84	29.69	3	Horizontal	289	2.03	-	40.51	12.11	32.95			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 14.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59174G	47.47	83.54	-36.07	42.91	1	Vertical	50	1.52	-	37.98	15.67	49.09			
AV	20.59478G	34.01	63.54	-29.53	29.43	1	Vertical	50	1.52	-	37.99	15.68	49.09			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 14.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59796G	47.72	83.54	-35.82	43.13	1	Horizontal	291	1.54	-	38.00	15.68	49.09			
AV	20.59784G	34.03	63.54	-29.51	29.44	1	Horizontal	291	1.54	-	38.00	15.68	49.09			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6945MHz_TX

EUT_Y_4TX
Setting 15
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.88724G	63.22	88.20	-24.98	43.37	3	Vertical	197	1.86	-	40.87	12.16	33.18			
RMS	13.88984G	49.64	68.20	-18.56	29.78	3	Vertical	197	1.86	-	40.88	12.16	33.18			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 15
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.88976G	63.05	88.20	-25.15	43.19	3	Horizontal	122	2.55	-	40.88	12.16	33.18			
RMS	13.8922G	49.64	68.20	-18.56	29.79	3	Horizontal	122	2.55	-	40.88	12.16	33.19			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 15
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.83814G	47.92	83.54	-35.62	42.81	1	Vertical	295	1.50	-	38.20	15.87	48.96			
AV	20.834G	34.87	63.54	-28.67	29.77	1	Vertical	295	1.50	-	38.20	15.87	48.97			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 15
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.8314G	48.92	83.54	-34.62	43.82	1	Horizontal	145	1.54	-	38.20	15.87	48.97			
AV	20.83302G	34.91	63.54	-28.63	29.81	1	Horizontal	145	1.54	-	38.20	15.87	48.97			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 14
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0186G	109.51	Inf	-Inf	100.64	3	Vertical	325	2.87	-	35.60	8.40	35.13			
RMS	6.9986G	99.86	Inf	-Inf	90.99	3	Vertical	325	2.87	-	35.60	8.40	35.13			
PK	7.193G	62.80	88.20	-25.40	53.34	3	Vertical	325	2.87	-	36.16	8.45	35.15			
RMS	7.2114G	52.80	68.20	-15.40	43.23	3	Vertical	325	2.87	-	36.27	8.45	35.15			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 14
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0194G	101.93	Inf	-Inf	93.06	3	Horizontal	155	2.12	-	35.60	8.40	35.13			
RMS	6.999G	92.23	Inf	-Inf	83.36	3	Horizontal	155	2.12	-	35.60	8.40	35.13			
PK	7.1706G	62.43	88.20	-25.77	53.11	3	Horizontal	155	2.12	-	36.02	8.44	35.14			
RMS	7.2182G	52.37	68.20	-15.83	42.76	3	Horizontal	155	2.12	-	36.31	8.45	35.15			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 14
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05476G	63.55	88.20	-24.65	43.51	3	Vertical	146	2.70	-	41.21	12.22	33.39			
RMS	14.05176G	50.28	68.20	-17.92	30.25	3	Vertical	146	2.70	-	41.20	12.22	33.39			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 14
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05414G	64.25	88.20	-23.95	44.21	3	Horizontal	317	2.41	-	41.21	12.22	33.39			
RMS	14.05276G	50.29	68.20	-17.91	30.25	3	Horizontal	317	2.41	-	41.21	12.22	33.39			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 14
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07576G	46.90	83.54	-36.64	41.46	1	Vertical	40	1.50	-	38.25	16.06	48.87			
AV	21.07298G	33.61	63.54	-29.93	28.16	1	Vertical	40	1.50	-	38.26	16.06	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 14
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07808G	46.95	83.54	-36.59	41.53	1	Horizontal	83	1.54	-	38.23	16.06	48.87			
AV	21.07082G	33.66	63.54	-29.88	28.19	1	Horizontal	83	1.54	-	38.28	16.06	48.87			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 16.5
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.917G	65.89	88.20	-22.31	58.94	3	Vertical	67	2.16	-	34.53	7.62	35.20			
RMS	5.9182G	56.19	68.20	-12.01	49.23	3	Vertical	67	2.16	-	34.54	7.62	35.20			
PK	6.0778G	109.35	Inf	-Inf	101.99	3	Vertical	67	2.16	-	34.77	7.78	35.19			
RMS	6.097G	99.72	Inf	-Inf	92.24	3	Vertical	67	2.16	-	34.88	7.80	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 16.5
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.917G	61.19	88.20	-27.01	54.24	3	Horizontal	-0	2.42	-	34.53	7.62	35.20			
RMS	5.9122G	52.13	68.20	-16.07	45.19	3	Horizontal	-0	2.42	-	34.52	7.62	35.20			
PK	6.089G	103.56	Inf	-Inf	96.14	3	Horizontal	-0	2.42	-	34.83	7.79	35.20			
RMS	6.0486G	92.78	Inf	-Inf	85.62	3	Horizontal	-0	2.42	-	34.60	7.75	35.19			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 16.5
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05258G	58.42	74.00	-15.58	42.60	3	Vertical	125	2.59	-	38.99	11.54	34.71			
AV	12.05354G	45.07	54.00	-8.93	29.25	3	Vertical	125	2.59	-	38.99	11.54	34.71			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 16.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04924G	58.64	74.00	-15.36	42.82	3	Horizontal	23	1.48	-	39.00	11.54	34.72			
AV	12.05154G	45.05	54.00	-8.95	29.22	3	Horizontal	23	1.48	-	39.00	11.54	34.71			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 16.5
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07118G	48.12	83.54	-35.42	44.81	1	Vertical	1	1.56	-	37.48	15.30	49.47			
AV	18.07244G	35.04	63.54	-28.50	31.72	1	Vertical	1	1.56	-	37.49	15.30	49.47			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 16.5
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07946G	48.79	83.54	-34.75	45.45	1	Horizontal	51	1.58	-	37.52	15.30	49.48			
AV	18.07762G	34.97	63.54	-28.57	31.64	1	Horizontal	51	1.58	-	37.51	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 17
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.367G	58.86	74.00	-15.14	42.67	3	Vertical	63	2.92	-	38.67	11.64	34.12			
AV	12.36844G	45.07	54.00	-8.93	28.88	3	Vertical	63	2.92	-	38.66	11.65	34.12			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_Y_4TX
Setting 17
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37166G	58.86	74.00	-15.14	42.66	3	Horizontal	102	1.28	-	38.66	11.65	34.11			
AV	12.36806G	45.08	54.00	-8.92	28.89	3	Horizontal	102	1.28	-	38.66	11.65	34.12			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_Y_4TX
Setting 17
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55996G	46.01	83.54	-37.53	42.68	1	Vertical	357	1.56	-	37.70	15.27	49.64			
AV	18.55968G	33.34	63.54	-30.20	30.01	1	Vertical	357	1.56	-	37.70	15.27	49.64			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_V_4TX
Setting 17
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55478G	46.37	83.54	-37.17	43.04	1	Horizontal	152	1.57	-	37.70	15.27	49.64			
AV	18.5553G	33.34	63.54	-30.20	30.01	1	Horizontal	152	1.57	-	37.70	15.27	49.64			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 16
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69048G	58.96	74.00	-15.04	42.18	3	Vertical	244	1.48	-	38.88	11.75	33.85			
AV	12.6904G	45.13	54.00	-8.87	28.35	3	Vertical	244	1.48	-	38.88	11.75	33.85			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_V_4TX
Setting 16
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69274G	58.85	74.00	-15.15	42.05	3	Horizontal	209	2.33	-	38.89	11.76	33.85			
AV	12.69024G	45.19	54.00	-8.81	28.41	3	Horizontal	209	2.33	-	38.88	11.75	33.85			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_V_4TX
Setting 16
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03138G	47.03	83.54	-36.51	43.24	1	Vertical	155	1.54	-	37.90	15.25	49.36			
AV	19.03428G	32.66	63.54	-30.88	28.87	1	Vertical	155	1.54	-	37.90	15.25	49.36			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_V_4TX
Setting 16
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03058G	46.26	83.54	-37.28	42.47	1	Horizontal	57	1.54	-	37.90	15.25	49.36			
AV	19.03914G	32.75	63.54	-30.79	28.97	1	Horizontal	57	1.54	-	37.90	15.25	49.37			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 15.5
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.00886G	60.74	88.20	-27.46	43.37	3	Vertical	119	1.91	-	39.32	11.86	33.81			
RMS	13.015G	46.39	68.20	-21.81	28.98	3	Vertical	119	1.91	-	39.33	11.87	33.79			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 15.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.01464G	60.13	88.20	-28.07	42.73	3	Horizontal	114	1.64	-	39.33	11.86	33.79			
RMS	13.00504G	46.34	68.20	-21.86	28.99	3	Horizontal	114	1.64	-	39.31	11.86	33.82			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 15.5
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51304G	45.85	83.54	-37.69	42.27	1	Vertical	269	1.51	-	38.03	15.22	49.67			
AV	19.51092G	32.49	63.54	-31.05	28.92	1	Vertical	269	1.51	-	38.02	15.22	49.67			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX

EUT_Y_4TX
Setting 15.5
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5138G	46.18	83.54	-37.36	42.60	1	Horizontal	26	1.57	-	38.03	15.22	49.67			
AV	19.51424G	32.52	63.54	-31.02	28.94	1	Horizontal	26	1.57	-	38.03	15.22	49.67			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 16
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32874G	60.00	74.00	-14.00	41.07	3	Vertical	351	1.48	-	40.00	11.97	33.04			
AV	13.3324G	46.53	54.00	-7.47	27.59	3	Vertical	351	1.48	-	40.00	11.97	33.03			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 16
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.33358G	60.24	74.00	-13.76	41.30	3	Horizontal	327	1.94	-	40.00	11.97	33.03			
AV	13.33056G	46.48	54.00	-7.52	27.55	3	Horizontal	327	1.94	-	40.00	11.97	33.04			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 16
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9932G	46.24	83.54	-37.30	42.52	1	Vertical	322	1.55	-	37.80	15.20	49.28			
AV	19.99662G	32.63	63.54	-30.91	28.90	1	Vertical	322	1.55	-	37.80	15.20	49.27			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_Y_4TX
Setting 16
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99844G	45.58	83.54	-37.96	41.85	1	Horizontal	206	1.53	-	37.80	15.20	49.27			
AV	19.99232G	32.52	63.54	-31.02	28.80	1	Horizontal	206	1.53	-	37.80	15.20	49.28			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 17
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.65488G	63.26	88.20	-24.94	43.63	3	Vertical	27	2.66	-	40.40	12.08	32.85			
RMS	13.64796G	49.36	68.20	-18.84	29.72	3	Vertical	27	2.66	-	40.40	12.08	32.84			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 17
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.64992G	62.81	88.20	-25.39	43.17	3	Horizontal	346	2.47	-	40.40	12.08	32.84			
RMS	13.64798G	49.37	68.20	-18.83	29.73	3	Horizontal	346	2.47	-	40.40	12.08	32.84			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT V_4TX
Setting 17
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47196G	47.55	83.54	-35.99	43.30	1	Vertical	81	1.56	-	37.82	15.58	49.15			
AV	20.47102G	33.41	63.54	-30.13	29.15	1	Vertical	81	1.56	-	37.83	15.58	49.15			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 17
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47274G	47.14	83.54	-36.40	42.89	1	Horizontal	2	1.56	-	37.82	15.58	49.15			
AV	20.47078G	33.34	63.54	-30.20	29.08	1	Horizontal	2	1.56	-	37.83	15.58	49.15			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 17
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.908G	108.43	Inf	-Inf	99.62	3	Vertical	339	2.59	-	35.60	8.36	35.15			
RMS	6.9085G	99.74	Inf	-Inf	90.93	3	Vertical	339	2.59	-	35.60	8.36	35.15			
PK	7.129G	69.79	88.20	-18.41	60.68	3	Vertical	339	2.59	-	35.82	8.43	35.14			
RMS	7.1285G	60.91	68.20	-7.29	51.81	3	Vertical	339	2.59	-	35.81	8.43	35.14			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 17
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.924G	103.05	Inf	-Inf	94.22	3	Horizontal	8	2.03	-	35.60	8.37	35.14			
RMS	6.9105G	93.31	Inf	-Inf	84.50	3	Horizontal	8	2.03	-	35.60	8.36	35.15			
PK	7.13G	66.34	88.20	-21.86	57.23	3	Horizontal	8	2.03	-	35.82	8.43	35.14			
RMS	7.131G	54.33	68.20	-13.87	45.22	3	Horizontal	8	2.03	-	35.82	8.43	35.14			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 17
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97376G	64.29	88.20	-23.91	44.30	3	Vertical	283	1.54	-	41.10	12.19	33.30			
RMS	13.97218G	50.37	68.20	-17.83	30.39	3	Vertical	283	1.54	-	41.09	12.19	33.30			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 17
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96998G	63.94	88.20	-24.26	43.97	3	Horizontal	92	2.51	-	41.08	12.19	33.30			
RMS	13.96626G	50.30	68.20	-17.90	30.33	3	Horizontal	92	2.51	-	41.07	12.19	33.29			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Y_4TX
Setting 17
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95068G	47.01	83.54	-36.53	41.86	1	Vertical	237	1.55	-	38.10	15.96	48.91			
AV	20.95002G	33.78	63.54	-29.76	28.63	1	Vertical	237	1.55	-	38.10	15.96	48.91			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Y_4TX
Setting 17
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9501G	47.27	83.54	-36.27	42.12	1	Horizontal	218	1.58	-	38.10	15.96	48.91			
AV	20.95126G	33.71	63.54	-29.83	28.57	1	Horizontal	218	1.58	-	38.09	15.96	48.91			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 19.5
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	72.75	88.20	-15.45	65.77	3	Vertical	235	2.36	-	34.55	7.63	35.20			
RMS	5.9079G	64.21	68.20	-3.99	57.27	3	Vertical	235	2.36	-	34.52	7.62	35.20			
PK	6.1266G	108.06	Inf	-Inf	100.52	3	Vertical	235	2.36	-	34.90	7.84	35.20			
RMS	6.0663G	99.64	Inf	-Inf	92.36	3	Vertical	235	2.36	-	34.70	7.77	35.19			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 19.5
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9088G	66.38	88.20	-21.82	59.44	3	Horizontal	2	2.33	-	34.52	7.62	35.20			
RMS	5.9088G	57.21	68.20	-10.99	50.27	3	Horizontal	2	2.33	-	34.52	7.62	35.20			
PK	6.1086G	104.35	Inf	-Inf	96.84	3	Horizontal	2	2.33	-	34.90	7.81	35.20			
RMS	6.069G	93.78	Inf	-Inf	86.49	3	Horizontal	2	2.33	-	34.71	7.77	35.19			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT V_4TX
Setting 19.5
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21014G	58.78	74.00	-15.22	42.88	3	Vertical	249	2.23	-	38.72	11.59	34.41			
AV	12.20522G	43.95	54.00	-10.05	28.07	3	Vertical	249	2.23	-	38.71	11.59	34.42			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT V_4TX
Setting 19.5
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21116G	58.54	74.00	-15.46	42.64	3	Horizontal	337	2.17	-	38.72	11.59	34.41			
AV	12.20642G	43.99	54.00	-10.01	28.11	3	Horizontal	337	2.17	-	38.71	11.59	34.42			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT V_4TX
Setting 19.5
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3124G	45.90	83.54	-37.64	42.71	1	Vertical	229	1.56	-	37.50	15.28	49.59			
AV	18.31042G	32.08	63.54	-31.46	28.89	1	Vertical	229	1.56	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 19.5
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31174G	46.34	83.54	-37.20	43.15	1	Horizontal	63	1.54	-	37.50	15.28	49.59			
AV	18.31024G	32.15	63.54	-31.39	28.96	1	Horizontal	63	1.54	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6265MHz_TX

EUT Y_4TX
Setting 19
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52948G	59.58	74.00	-14.42	43.05	3	Vertical	95	1.22	-	38.70	11.70	33.87			
AV	12.52556G	45.11	54.00	-8.89	28.58	3	Vertical	95	1.22	-	38.70	11.70	33.87			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6265MHz_TX

EUT Y_4TX
Setting 19
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.53068G	59.09	74.00	-14.91	42.56	3	Horizontal	19	1.42	-	38.70	11.70	33.87			
AV	12.52552G	45.12	54.00	-8.88	28.59	3	Horizontal	19	1.42	-	38.70	11.70	33.87			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_Y_4TX
Setting 19
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79808G	46.66	83.54	-36.88	43.08	1	Vertical	351	1.58	-	37.80	15.26	49.48			
AV	18.7901G	32.86	63.54	-30.68	29.28	1	Vertical	351	1.58	-	37.80	15.26	49.48			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6265MHz_TX

EUT V_4TX
Setting 19
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79068G	47.49	83.54	-36.05	43.91	1	Horizontal	128	1.53	-	37.80	15.26	49.48			
AV	18.79G	32.83	63.54	-30.71	29.25	1	Horizontal	128	1.53	-	37.80	15.26	49.48			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_V_4TX
Setting 20
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.85406G	59.91	88.20	-28.29	42.74	3	Vertical	194	2.25	-	39.20	11.81	33.84			
RMS	12.85452G	45.39	68.20	-22.81	28.22	3	Vertical	194	2.25	-	39.20	11.81	33.84			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6425MHz Straddle 5.925-6.425GHz_TX

EUT_V_4TX
Setting 20
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.85016G	59.41	88.20	-28.79	42.24	3	Horizontal	250	2.88	-	39.20	11.81	33.84			
RMS	12.85496G	45.38	68.20	-22.82	28.21	3	Horizontal	250	2.88	-	39.20	11.81	33.84			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6425MHz Straddle 5.925-6.425GHz_TX

EUT Y_4TX
Setting 20
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27122G	45.60	83.54	-37.94	41.94	1	Vertical	297	1.53	-	37.94	15.24	49.52			
AV	19.27022G	32.09	63.54	-31.45	28.43	1	Vertical	297	1.53	-	37.94	15.24	49.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6425MHz Straddle 5.925-6.425GHz_TX

EUT_V_4TX
Setting 20
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27124G	46.71	83.54	-36.83	43.05	1	Horizontal	219	1.52	-	37.94	15.24	49.52			
AV	19.27G	32.07	63.54	-31.47	28.41	1	Horizontal	219	1.52	-	37.94	15.24	49.52			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 18.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.17256G	59.77	88.20	-28.43	41.62	3	Vertical	80	2.35	-	39.65	11.92	33.42			
RMS	13.1655G	46.06	68.20	-22.14	27.94	3	Vertical	80	2.35	-	39.63	11.92	33.43			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 18.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.17244G	60.87	88.20	-27.33	42.73	3	Horizontal	264	1.73	-	39.64	11.92	33.42			
RMS	13.165G	46.07	68.20	-22.13	27.95	3	Horizontal	264	1.73	-	39.63	11.92	33.43			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT V_4TX
Setting 18.5
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7575G	46.66	83.54	-36.88	42.99	1	Vertical	59	1.58	-	37.93	15.21	49.47			
AV	19.75768G	33.27	63.54	-30.27	29.60	1	Vertical	59	1.58	-	37.93	15.21	49.47			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6585MHz Straddle 6.425-6.525GHz_TX

EUT_Y_4TX
Setting 18.5
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7558G	47.00	83.54	-36.54	43.34	1	Horizontal	100	1.57	-	37.92	15.21	49.47			
AV	19.75132G	33.28	63.54	-30.26	29.63	1	Horizontal	100	1.57	-	37.91	15.21	49.47			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 19.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.49684G	61.28	88.20	-26.92	41.60	3	Vertical	10	1.35	-	40.29	12.03	32.64			
RMS	13.49G	49.16	68.20	-19.04	29.50	3	Vertical	10	1.35	-	40.28	12.03	32.65			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 19.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.48164G	61.03	88.20	-27.17	41.42	3	Horizontal	0	1.36	-	40.26	12.02	32.67			
RMS	13.49012G	47.33	68.20	-20.87	27.67	3	Horizontal	0	1.36	-	40.28	12.03	32.65			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT V_4TX
Setting 19.5
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23412G	48.62	83.54	-34.92	44.47	1	Vertical	149	1.52	-	37.97	15.39	49.21			
AV	20.23126G	34.57	63.54	-28.97	30.43	1	Vertical	149	1.52	-	37.96	15.39	49.21			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6745MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 19.5
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23828G	48.58	83.54	-34.96	44.42	1	Horizontal	124	1.50	-	37.98	15.39	49.21			
AV	20.23116G	34.56	63.54	-28.98	30.43	1	Horizontal	124	1.50	-	37.96	15.38	49.21			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 20
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8882G	110.20	Inf	-Inf	101.39	3	Vertical	338	2.52	-	35.60	8.36	35.15			
RMS	6.8888G	100.42	Inf	-Inf	91.61	3	Vertical	338	2.52	-	35.60	8.36	35.15			
PK	7.1282G	75.54	88.20	-12.66	66.44	3	Vertical	338	2.52	-	35.81	8.43	35.14			
RMS	7.1288G	64.19	68.20	-4.01	55.08	3	Vertical	338	2.52	-	35.82	8.43	35.14			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 20
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8882G	98.15	Inf	-Inf	89.34	3	Horizontal	354	1.80	-	35.60	8.36	35.15			
RMS	6.7688G	89.32	Inf	-Inf	80.71	3	Horizontal	354	1.80	-	35.48	8.30	35.17			
PK	7.1378G	65.64	88.20	-22.56	56.50	3	Horizontal	354	1.80	-	35.85	8.43	35.14			
RMS	7.1366G	56.08	68.20	-12.12	46.94	3	Horizontal	354	1.80	-	35.85	8.43	35.14			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz Straddle 6.525-6.875GHz_TX

EUT Y_4TX
Setting 20
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80394G	62.94	88.20	-25.26	43.16	3	Vertical	248	1.80	-	40.71	12.13	33.06			
RMS	13.8163G	49.93	68.20	-18.27	30.14	3	Vertical	248	1.80	-	40.73	12.14	33.08			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 20
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.854G	63.12	88.20	-25.08	43.29	3	Horizontal	288	1.80	-	40.81	12.15	33.13			
RMS	13.8486G	50.19	68.20	-18.01	30.37	3	Horizontal	288	1.80	-	40.80	12.15	33.13			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 20
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71986G	50.84	83.54	-32.70	46.23	1	Vertical	111	1.50	-	37.86	15.78	49.03			
AV	20.72G	43.59	63.54	-19.95	38.98	1	Vertical	111	1.50	-	37.86	15.78	49.03			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX

EUT V_4TX
Setting 20
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71996G	50.87	83.54	-32.67	46.26	1	Horizontal	297	1.53	-	37.86	15.78	49.03			
AV	20.72G	43.55	63.54	-19.99	38.94	1	Horizontal	297	1.53	-	37.86	15.78	49.03			


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

04/01/2025

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.946852G	-11.74	5.966825G	-42.65	-30.94	-11.71	1
5.948577G	-11.63	5.9921G	-64.54	-51.63	-12.91	2
5.946402G	-12.21	5.992425G	-65.12	-52.21	-12.91	3
5.963423G	-11.73	5.9668G	-43.62	-31.75	-11.87	4


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

04/01/2025

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.197899G	-11.69	6.156075G	-64.69	-51.69	-13.00	1
6.202498G	-12.11	6.149875G	-64.11	-52.11	-12.00	2
6.202273G	-12.57	6.160925G	-64.20	-52.57	-11.63	3
6.201448G	-12.35	6.23125G	-64.98	-52.35	-12.63	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

04/01/2025




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

04/01/2025




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

04/01/2025




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

04/01/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

04/01/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

04/01/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

04/01/2025




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

04/01/2025



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

04/01/2025

CF (Hz)
6.995G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.988402G	-13.44	6.961025G	-62.86	-53.44	-9.42	1
6.987302G	-13.53	6.956875G	-63.07	-53.53	-9.54	2
7.003723G	-14.16	6.9596G	-63.33	-54.16	-9.17	3
6.986102G	-13.20	6.958025G	-63.09	-53.20	-9.89	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

04/01/2025

CF (Hz)
7.095G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.092601G	-14.88	7.12995G	-64.40	-54.88	-9.52	1
7.088477G	-14.87	7.141625G	-64.12	-54.87	-9.25	2
7.086527G	-15.14	7.139125G	-63.89	-55.14	-8.75	3
7.086052G	-14.18	7.1295G	-64.41	-54.18	-10.23	4


6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7115MHz_TX

04/01/2025

CF (Hz)
7.115G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.117374G	-16.44	7.1548G	-63.95	-56.44	-7.51	1
7.122023G	-16.08	7.161675G	-64.03	-56.08	-7.95	2
7.106477G	-16.46	7.1639G	-63.99	-56.46	-7.53	3
7.123998G	-15.73	7.1576G	-64.34	-55.73	-8.61	4

Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

04/01/2025

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.967149G	-7.86	6.0487G	-60.63	-47.86	-12.77	1
5.961151G	-8.00	5.9873G	-38.82	-28.01	-10.81	2
5.983395G	-8.78	5.9424G	-40.59	-28.82	-11.77	3
5.970649G	-7.94	5.9874G	-39.39	-27.96	-11.43	4


Port 1
Port 2
Port 3
Port 4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

04/01/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

04/01/2025




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

04/01/2025




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

04/01/2025



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

04/01/2025

CF (Hz)
6.525G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.522901G	-6.76	6.54775G	-39.20	-26.81	-12.39	1
6.511703G	-7.39	6.54695G	-37.98	-27.45	-10.53	2
6.506405G	-7.44	6.5035G	-35.30	-27.50	-7.80	3
6.511303G	-7.39	6.45595G	-59.89	-47.39	-12.50	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

04/01/2025

CF (Hz)
6.565G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.557102G	-6.88	6.5876G	-38.82	-26.58	-12.24	1
6.550454G	-7.38	6.4925G	-59.48	-47.38	-12.10	2
6.546805G	-7.85	6.543G	-38.64	-27.87	-10.77	3
6.576647G	-7.40	6.5872G	-39.30	-27.41	-11.89	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

04/01/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

04/01/2025



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

04/01/2025

CF (Hz)
6.925G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.906455G	-7.79	6.9989G	-58.90	-47.79	-11.11	1
6.928299G	-8.04	7.00395G	-58.65	-48.04	-10.61	2
6.918752G	-8.17	6.99435G	-59.01	-48.17	-10.84	3
6.908754G	-7.95	6.90285G	-37.91	-28.12	-9.79	4

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

04/01/2025

CF (Hz)
7.005G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.002501G	-7.30	6.9825G	-38.63	-27.34	-11.29	1
6.986705G	-7.64	6.91915G	-58.73	-47.64	-11.09	2
7.016447G	-8.89	6.9341G	-59.05	-48.89	-10.16	3
6.989154G	-7.91	6.9221G	-58.32	-47.91	-10.41	4

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

04/01/2025

CF (Hz)
7.085G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.068254G	-9.60	6.99465G	-58.63	-49.60	-9.03	1
7.088899G	-10.59	6.9862G	-58.87	-50.59	-8.28	2
7.100946G	-10.24	6.99675G	-59.32	-50.24	-9.08	3
7.071503G	-9.81	6.9944G	-59.36	-49.81	-9.55	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

04/01/2025

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9751G	-5.00	5.9401G	-34.58	-25.04	-9.54	1
5.995G	-5.33	6.0307G	-36.28	-25.34	-10.94	2
5.981G	-5.99	5.9404G	-35.59	-26.00	-9.59	3
5.9866G	-5.33	6.1489G	-53.89	-45.33	-8.56	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

04/01/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

04/01/2025



6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

04/01/2025

CF (Hz)
6.465G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4599G	-2.80	6.5108G	-33.70	-22.87	-10.83	1
6.452G	-3.38	6.4212G	-31.85	-23.38	-8.47	2
6.42861G	-3.36	6.4212G	-30.94	-23.40	-7.54	3
6.49849G	-3.32	6.6087G	-52.02	-43.32	-8.70	4

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

04/01/2025

CF (Hz)
6.545G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5438G	-4.16	6.5907G	-34.13	-24.23	-9.90	1
6.57289G	-4.72	6.589G	-32.89	-24.76	-8.13	2
6.50881G	-4.97	6.5018G	-32.61	-25.01	-7.60	3
6.57579G	-4.88	6.6792G	-52.67	-44.88	-7.79	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

04/01/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

04/01/2025



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

04/01/2025

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8012G	-5.87	6.7405G	-34.87	-25.96	-8.91	1
6.76461G	-6.68	6.9731G	-55.70	-46.68	-9.02	2
6.7931G	-6.21	6.9418G	-55.23	-46.21	-9.02	3
6.7709G	-5.93	6.9235G	-55.02	-45.93	-9.09	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

04/01/2025

CF (Hz)
6.865G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8708G	-4.92	6.8205G	-34.17	-24.93	-9.24	1
6.84251G	-5.85	7G	-55.79	-45.85	-9.94	2
6.8626G	-5.92	7.0017G	-55.09	-45.92	-9.17	3
6.8531G	-5.36	6.8209G	-33.77	-25.42	-8.35	4


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

04/01/2025

CF (Hz)
6.945G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91861G	-5.34	6.9003G	-34.65	-25.35	-9.30	1
6.91001G	-5.95	6.9001G	-35.70	-26.03	-9.67	2
6.91481G	-6.35	7.1296G	-55.50	-46.35	-9.15	3
6.90901G	-5.60	6.7745G	-54.35	-45.60	-8.75	4


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

04/01/2025

CF (Hz)
7.025G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99721G	-6.58	6.8718G	-55.90	-46.58	-9.32	1
7.0069G	-7.59	6.9816G	-35.24	-27.60	-7.64	2
7.0138G	-8.42	7.1914G	-55.75	-48.42	-7.33	3
6.99421G	-7.12	6.8709G	-54.11	-47.12	-6.99	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

04/01/2025

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05339G	-2.88	6.2784G	-53.62	-42.88	-10.74	1
6.0416G	-3.30	6.281G	-53.66	-43.30	-10.36	2
5.95202G	-3.93	6.286G	-53.72	-43.93	-9.79	3
6.0384G	-2.93	6.3952G	-50.53	-42.93	-7.60	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

04/01/2025

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1798G	-3.99	6.4416G	-53.75	-43.99	-9.76	1
6.11922G	-3.79	5.9326G	-53.71	-43.79	-9.92	2
6.16341G	-4.75	5.9346G	-52.81	-44.69	-8.12	3
6.2024G	-3.97	6.5034G	-50.83	-43.97	-6.86	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

04/01/2025

CF (Hz)
6.345G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41798G	-3.07	6.0676G	-52.86	-43.07	-9.79	1
6.27122G	-2.88	6.086G	-50.95	-42.88	-8.07	2
6.27802G	-3.68	6.0824G	-52.42	-43.68	-8.74	3
6.42098G	-3.25	6.054G	-49.38	-43.25	-6.13	4

Port 1
Port 2
Port 3
Port 4


6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

04/01/2025

CF (Hz)
6.505G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.54019G	-0.31	6.2422G	-50.53	-40.31	-10.22	1
6.43742G	-0.60	6.2286G	-48.14	-40.60	-7.54	2
6.42782G	-0.72	6.2516G	-50.02	-40.72	-9.30	3
6.46181G	-0.58	6.2312G	-47.01	-40.58	-6.43	4


Port 1
Port 2
Port 3
Port 4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

04/01/2025



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

04/01/2025

