


**5.15-5.25GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX**

**5210MHz\_TX**




EUT\_Y\_4TX  
 Setting 20  
 01-C-J-10-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 5.15G        | 61.58             | 74.00             | -12.42         | 54.68         | 3           | Vertical  | 56             | 1.80          | -       | 32.80      | 6.64       | 32.54      |  |  |  |  |
| AV   | 5.15G        | 50.36             | 54.00             | -3.64          | 43.46         | 3           | Vertical  | 56             | 1.80          | -       | 32.80      | 6.64       | 32.54      |  |  |  |  |
| PK   | 5.189G       | 112.94            | Inf               | -Inf           | 105.96        | 3           | Vertical  | 56             | 1.80          | -       | 32.88      | 6.63       | 32.53      |  |  |  |  |
| AV   | 5.229G       | 101.27            | Inf               | -Inf           | 94.26         | 3           | Vertical  | 56             | 1.80          | -       | 32.90      | 6.64       | 32.53      |  |  |  |  |
| PK   | 5.403G       | 59.59             | 74.00             | -14.41         | 52.02         | 3           | Vertical  | 56             | 1.80          | -       | 33.31      | 6.74       | 32.48      |  |  |  |  |
| AV   | 5.401G       | 48.29             | 54.00             | -5.71          | 40.74         | 3           | Vertical  | 56             | 1.80          | -       | 33.30      | 6.73       | 32.48      |  |  |  |  |
| PK   | 5.535G       | 63.30             | 68.20             | -4.90          | 54.91         | 3           | Vertical  | 56             | 1.80          | -       | 33.87      | 6.98       | 32.46      |  |  |  |  |

**5.15-5.25GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX**

**5210MHz\_TX**




EUT\_Y\_4TX  
 Setting 19.5  
 01-C-J-10-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.129G       | 61.12             | 74.00             | -12.88         | 54.27         | 3           | Horizontal | 12             | 3.00          | -       | 32.76      | 6.64       | 32.55      |  |  |  |
| AV   | 5.15G        | 50.04             | 54.00             | -3.96          | 43.14         | 3           | Horizontal | 12             | 3.00          | -       | 32.80      | 6.64       | 32.54      |  |  |  |
| PK   | 5.187G       | 111.92            | Inf               | -Inf           | 104.96        | 3           | Horizontal | 12             | 3.00          | -       | 32.87      | 6.63       | 32.54      |  |  |  |
| AV   | 5.209G       | 101.30            | Inf               | -Inf           | 94.30         | 3           | Horizontal | 12             | 3.00          | -       | 32.90      | 6.63       | 32.53      |  |  |  |
| PK   | 5.378G       | 59.75             | 74.00             | -14.25         | 52.31         | 3           | Horizontal | 12             | 3.00          | -       | 33.21      | 6.72       | 32.49      |  |  |  |
| AV   | 5.36G        | 48.40             | 54.00             | -5.60          | 41.04         | 3           | Horizontal | 12             | 3.00          | -       | 33.14      | 6.71       | 32.49      |  |  |  |
| PK   | 5.514G       | 64.41             | 68.20             | -3.79          | 56.10         | 3           | Horizontal | 12             | 3.00          | -       | 33.83      | 6.94       | 32.46      |  |  |  |

**5.15-5.25GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX**

**5210MHz\_TX**




EUT\_Y\_4TX  
 Setting 19.5  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.41926G    | 58.68             | 68.20             | -9.52          | 41.67         | 3           | Vertical  | 54             | 2.27          | -       | 38.74      | 10.75      | 32.48      |  |  |  |
| PK   | 15.62939G    | 64.18             | 74.00             | -9.82          | 45.09         | 3           | Vertical  | 304            | 1.45          | -       | 38.22      | 13.61      | 32.74      |  |  |  |
| AV   | 15.62912G    | 50.56             | 54.00             | -3.44          | 31.46         | 3           | Vertical  | 304            | 1.45          | -       | 38.23      | 13.61      | 32.74      |  |  |  |

**5.15-5.25GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX**

**5210MHz\_TX**




EUT\_Y\_4TX  
 Setting 19.5  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.42014G    | 58.25             | 68.20             | -9.95          | 41.24         | 3           | Horizontal | 114            | 2.30          | -       | 38.74      | 10.75      | 32.48      |  |  |  |
| PK   | 15.63088G    | 64.72             | 74.00             | -9.28          | 45.64         | 3           | Horizontal | 298            | 2.66          | -       | 38.21      | 13.61      | 32.74      |  |  |  |
| AV   | 15.63083G    | 50.56             | 54.00             | -3.44          | 31.47         | 3           | Horizontal | 298            | 2.66          | -       | 38.22      | 13.61      | 32.74      |  |  |  |

**5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX**

**5775MHz\_TX**




EUT\_Y\_4TX  
 Setting 16.5  
 01-C-J-10-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.505G       | 63.25             | 68.20             | -4.95          | 54.98         | 3           | Vertical  | 300            | 1.80          | -       | 33.81      | 6.92       | 32.46      |  |  |  |
| AV   | 5.46G        | 50.10             | 54.00             | -3.90          | 42.17         | 3           | Vertical  | 300            | 1.80          | -       | 33.56      | 6.84       | 32.47      |  |  |  |
| PK   | 5.755G       | 111.37            | Inf               | -Inf           | 102.42        | 3           | Vertical  | 300            | 1.80          | -       | 34.11      | 7.29       | 32.45      |  |  |  |
| AV   | 5.754G       | 99.77             | Inf               | -Inf           | 90.82         | 3           | Vertical  | 300            | 1.80          | -       | 34.11      | 7.29       | 32.45      |  |  |  |
| PK   | 6.073G       | 62.67             | 68.20             | -5.53          | 52.17         | 3           | Vertical  | 300            | 1.80          | -       | 35.40      | 7.53       | 32.43      |  |  |  |

5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5775MHz\_TX




EUT\_Y\_4TX  
 Setting 16.5  
 01-C-J-10-10

| Type | Freq   | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|--------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.504G | 62.71    | 68.20    | -5.49  | 54.44  | 3    | Horizontal | 16      | 2.82   | -       | 33.81 | 6.92 | 32.46 |  |  |  |
| AV   | 5.449G | 48.92    | 54.00    | -5.08  | 41.07  | 3    | Horizontal | 16      | 2.82   | -       | 33.50 | 6.82 | 32.47 |  |  |  |
| PK   | 5.754G | 109.80   | Inf      | -Inf   | 100.85 | 3    | Horizontal | 16      | 2.82   | -       | 34.11 | 7.29 | 32.45 |  |  |  |
| AV   | 5.755G | 97.78    | Inf      | -Inf   | 88.83  | 3    | Horizontal | 16      | 2.82   | -       | 34.11 | 7.29 | 32.45 |  |  |  |
| PK   | 6.1G   | 62.36    | 68.20    | -5.84  | 51.85  | 3    | Horizontal | 16      | 2.82   | -       | 35.40 | 7.54 | 32.43 |  |  |  |

5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5775MHz\_TX




EUT\_Y\_4TX  
 Setting 16.5  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.55012G    | 60.96             | 74.00             | -13.04         | 42.66         | 3           | Vertical  | 92             | 2.65          | -       | 39.00      | 11.90      | 32.60      |  |  |  |
| AV   | 11.55064G    | 46.84             | 54.00             | -7.16          | 28.54         | 3           | Vertical  | 92             | 2.65          | -       | 39.00      | 11.90      | 32.60      |  |  |  |
| PK   | 17.32402G    | 66.30             | 68.20             | -1.90          | 42.39         | 3           | Vertical  | 326            | 1.42          | -       | 41.75      | 14.03      | 31.87      |  |  |  |

5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5775MHz\_TX



EUT\_Y\_4TX  
 Setting 16.5  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.54947G    | 60.37             | 74.00             | -13.63         | 42.07         | 3           | Horizontal | 43             | 2.59          | -       | 39.00      | 11.90      | 32.60      |  |  |  |
| AV   | 11.55081G    | 46.80             | 54.00             | -7.20          | 28.50         | 3           | Horizontal | 43             | 2.59          | -       | 39.00      | 11.90      | 32.60      |  |  |  |
| PK   | 17.32547G    | 66.45             | 68.20             | -1.75          | 42.54         | 3           | Horizontal | 97             | 1.79          | -       | 41.75      | 14.03      | 31.87      |  |  |  |




**Summary**

| Mode                     | Result | Type | Freq   | Level    | Limit    | Margin | Dist | Condition  | Azimuth | Height | Comments |
|--------------------------|--------|------|--------|----------|----------|--------|------|------------|---------|--------|----------|
|                          |        |      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (m)  |            | (°)     | (m)    |          |
| 5.47-5.725GHz            | -      | -    | -      | -        | -        | -      | -    | -          | -       | -      | -        |
| 802.11a_Nss1,(6Mbps)_4TX | Pass   | AV   | 5.425G | 53.99    | 54.00    | -0.01  | 3    | Horizontal | 12      | 2.78   | -        |

**5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX**

**5260MHz\_TX**




EUT\_Y\_4TX  
 Setting 22  
 01-C-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 5.1032G      | 65.29             | 74.00             | -8.71          | 58.49         | 3           | Vertical  | 58             | 1.80          | -       | 32.71      | 6.65       | 32.56      |  |  |  |  |
| AV   | 5.1052G      | 52.77             | 54.00             | -1.23          | 45.96         | 3           | Vertical  | 58             | 1.80          | -       | 32.71      | 6.65       | 32.55      |  |  |  |  |
| PK   | 5.2584G      | 120.49            | Inf               | -Inf           | 113.43        | 3           | Vertical  | 58             | 1.80          | -       | 32.92      | 6.66       | 32.52      |  |  |  |  |
| AV   | 5.2592G      | 110.71            | Inf               | -Inf           | 103.65        | 3           | Vertical  | 58             | 1.80          | -       | 32.92      | 6.66       | 32.52      |  |  |  |  |
| PK   | 5.412G       | 64.77             | 74.00             | -9.23          | 57.15         | 3           | Vertical  | 58             | 1.80          | -       | 33.35      | 6.75       | 32.48      |  |  |  |  |
| AV   | 5.4116G      | 53.94             | 54.00             | -0.06          | 46.32         | 3           | Vertical  | 58             | 1.80          | -       | 33.35      | 6.75       | 32.48      |  |  |  |  |

**5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX**

**5260MHz\_TX**




EUT\_Y\_4TX  
 Setting 22  
 01-C-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1088G      | 63.36             | 74.00             | -10.64         | 56.54         | 3           | Horizontal | 10             | 2.97          | -       | 32.72      | 6.65       | 32.55      |  |  |  |
| AV   | 5.1052G      | 52.26             | 54.00             | -1.74          | 45.45         | 3           | Horizontal | 10             | 2.97          | -       | 32.71      | 6.65       | 32.55      |  |  |  |
| PK   | 5.258G       | 119.64            | Inf               | -Inf           | 112.58        | 3           | Horizontal | 10             | 2.97          | -       | 32.92      | 6.66       | 32.52      |  |  |  |
| AV   | 5.2588G      | 109.69            | Inf               | -Inf           | 102.63        | 3           | Horizontal | 10             | 2.97          | -       | 32.92      | 6.66       | 32.52      |  |  |  |
| PK   | 5.4096G      | 64.52             | 74.00             | -9.48          | 56.91         | 3           | Horizontal | 10             | 2.97          | -       | 33.34      | 6.75       | 32.48      |  |  |  |
| AV   | 5.4108G      | 52.44             | 54.00             | -1.56          | 44.83         | 3           | Horizontal | 10             | 2.97          | -       | 33.34      | 6.75       | 32.48      |  |  |  |

**5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX**

**5260MHz\_TX**




EUT\_Y\_4TX  
 Setting 22  
 01-C-C-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 10.50821G | 58.75    | 68.20    | -9.45  | 41.30  | 3    | Vertical  | 286     | 1.56   | -       | 39.02 | 10.84 | 32.41 |  |  |  |  |
| PK   | 15.78261G | 63.67    | 74.00    | -10.33 | 44.41  | 3    | Vertical  | 260     | 1.61   | -       | 38.40 | 13.63 | 32.77 |  |  |  |  |
| AV   | 15.77628G | 49.56    | 54.00    | -4.44  | 30.29  | 3    | Vertical  | 260     | 1.61   | -       | 38.40 | 13.63 | 32.76 |  |  |  |  |

**5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX**

**5260MHz\_TX**




EUT\_Y\_4TX  
 Setting 22  
 01-C-C-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 10.52633G | 58.58    | 68.20    | -9.62  | 41.08  | 3    | Horizontal | 284     | 1.83   | -       | 39.05 | 10.86 | 32.41 |  |  |  |  |
| PK   | 15.77682G | 63.36    | 74.00    | -10.64 | 44.09  | 3    | Horizontal | 156     | 1.53   | -       | 38.40 | 13.63 | 32.76 |  |  |  |  |
| AV   | 15.77511G | 49.49    | 54.00    | -4.51  | 30.22  | 3    | Horizontal | 156     | 1.53   | -       | 38.40 | 13.63 | 32.76 |  |  |  |  |

**5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX**

**5300MHz\_TX**




EUT\_Y\_4TX  
 Setting 26.5  
 01-C-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 5.144G       | 63.47             | 74.00             | -10.53         | 56.59         | 3           | Vertical  | 50             | 1.80          | -       | 32.79      | 6.64       | 32.55      |  |  |  |  |
| AV   | 5.1452G      | 52.04             | 54.00             | -1.96          | 45.16         | 3           | Vertical  | 50             | 1.80          | -       | 32.79      | 6.64       | 32.55      |  |  |  |  |
| PK   | 5.2992G      | 123.52            | Inf               | -Inf           | 116.35        | 3           | Vertical  | 50             | 1.80          | -       | 33.00      | 6.68       | 32.51      |  |  |  |  |
| AV   | 5.2988G      | 113.90            | Inf               | -Inf           | 106.73        | 3           | Vertical  | 50             | 1.80          | -       | 33.00      | 6.68       | 32.51      |  |  |  |  |
| PK   | 5.358G       | 70.42             | 74.00             | -3.58          | 63.07         | 3           | Vertical  | 50             | 1.80          | -       | 33.13      | 6.71       | 32.49      |  |  |  |  |
| PK   | 5.4904G      | 60.73             | 68.20             | -7.47          | 52.55         | 3           | Vertical  | 50             | 1.80          | -       | 33.74      | 6.90       | 32.46      |  |  |  |  |
| AV   | 5.4508G      | 53.53             | 54.00             | -0.47          | 45.68         | 3           | Vertical  | 50             | 1.80          | -       | 33.50      | 6.82       | 32.47      |  |  |  |  |

**5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX**

**5300MHz\_TX**




EUT\_Y\_4TX  
 Setting 26.5  
 01-C-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.144G       | 63.30             | 74.00             | -10.70         | 56.42         | 3           | Horizontal | 9              | 2.92          | -       | 32.79      | 6.64       | 32.55      |
| AV   | 5.1452G      | 52.44             | 54.00             | -1.56          | 45.56         | 3           | Horizontal | 9              | 2.92          | -       | 32.79      | 6.64       | 32.55      |
| PK   | 5.2984G      | 123.61            | Inf               | -Inf           | 116.44        | 3           | Horizontal | 9              | 2.92          | -       | 33.00      | 6.68       | 32.51      |
| AV   | 5.2988G      | 113.67            | Inf               | -Inf           | 106.50        | 3           | Horizontal | 9              | 2.92          | -       | 33.00      | 6.68       | 32.51      |
| PK   | 5.3576G      | 70.73             | 74.00             | -3.27          | 63.38         | 3           | Horizontal | 9              | 2.92          | -       | 33.13      | 6.71       | 32.49      |
| PK   | 5.4644G      | 60.95             | 68.20             | -7.25          | 52.98         | 3           | Horizontal | 9              | 2.92          | -       | 33.59      | 6.85       | 32.47      |
| AV   | 5.4508G      | 53.84             | 54.00             | -0.16          | 45.99         | 3           | Horizontal | 9              | 2.92          | -       | 33.50      | 6.82       | 32.47      |

**5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX**

**5300MHz\_TX**




EUT\_Y\_4TX  
 Setting 26.5  
 01-C-C-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.6023G     | 58.91             | 74.00             | -15.09         | 41.29         | 3           | Vertical  | 202            | 1.97          | -       | 39.10      | 10.93      | 32.41      |  |  |  |
| AV   | 10.61G       | 45.15             | 54.00             | -8.85          | 27.50         | 3           | Vertical  | 202            | 1.97          | -       | 39.12      | 10.94      | 32.41      |  |  |  |
| PK   | 15.89525G    | 63.10             | 74.00             | -10.90         | 43.66         | 3           | Vertical  | 212            | 1.67          | -       | 38.58      | 13.64      | 32.78      |  |  |  |
| AV   | 15.89631G    | 49.08             | 54.00             | -4.92          | 29.63         | 3           | Vertical  | 212            | 1.67          | -       | 38.59      | 13.64      | 32.78      |  |  |  |

**5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX**

**5300MHz\_TX**




EUT\_Y\_4TX  
 Setting 26.5  
 01-C-C-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 10.5996G  | 59.44    | 68.20    | -8.76  | 41.82  | 3    | Horizontal | 339     | 1.62   | -       | 39.10 | 10.93 | 32.41 |  |  |  |
| AV   | 10.60061G | 45.03    | 54.00    | -8.97  | 27.41  | 3    | Horizontal | 339     | 1.62   | -       | 39.10 | 10.93 | 32.41 |  |  |  |
| PK   | 15.90336G | 62.35    | 74.00    | -11.65 | 42.90  | 3    | Horizontal | 230     | 1.56   | -       | 38.59 | 13.64 | 32.78 |  |  |  |
| AV   | 15.90475G | 48.97    | 54.00    | -5.03  | 29.52  | 3    | Horizontal | 230     | 1.56   | -       | 38.59 | 13.64 | 32.78 |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5320MHz\_TX




EUT\_Y\_4TX  
 Setting 24.5  
 01-C-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 5.1364G      | 58.40             | 74.00             | -15.60         | 51.54         | 3           | Vertical  | 54             | 1.80          | -       | 32.77      | 6.64       | 32.55      |  |  |  |  |
| AV   | 5.148G       | 46.37             | 54.00             | -7.63          | 39.47         | 3           | Vertical  | 54             | 1.80          | -       | 32.80      | 6.64       | 32.54      |  |  |  |  |
| PK   | 5.3184G      | 121.16            | Inf               | -Inf           | 113.93        | 3           | Vertical  | 54             | 1.80          | -       | 33.04      | 6.69       | 32.50      |  |  |  |  |
| AV   | 5.3192G      | 111.26            | Inf               | -Inf           | 104.03        | 3           | Vertical  | 54             | 1.80          | -       | 33.04      | 6.69       | 32.50      |  |  |  |  |
| PK   | 5.3508G      | 68.78             | 74.00             | -5.22          | 61.47         | 3           | Vertical  | 54             | 1.80          | -       | 33.10      | 6.71       | 32.50      |  |  |  |  |
| AV   | 5.3512G      | 53.56             | 54.00             | -0.44          | 46.25         | 3           | Vertical  | 54             | 1.80          | -       | 33.10      | 6.71       | 32.50      |  |  |  |  |
| PK   | 5.472G       | 65.71             | 68.20             | -2.49          | 57.69         | 3           | Vertical  | 54             | 1.80          | -       | 33.63      | 6.86       | 32.47      |  |  |  |  |

**5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX**

**5320MHz\_TX**




EUT\_Y\_4TX  
 Setting 24.5  
 01-C-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1312G      | 59.23             | 74.00             | -14.77         | 52.38         | 3           | Horizontal | 11             | 3.00          | -       | 32.76      | 6.64       | 32.55      |
| AV   | 5.1344G      | 46.11             | 54.00             | -7.89          | 39.25         | 3           | Horizontal | 11             | 3.00          | -       | 32.77      | 6.64       | 32.55      |
| PK   | 5.3184G      | 120.82            | Inf               | -Inf           | 113.59        | 3           | Horizontal | 11             | 3.00          | -       | 33.04      | 6.69       | 32.50      |
| AV   | 5.3188G      | 110.95            | Inf               | -Inf           | 103.72        | 3           | Horizontal | 11             | 3.00          | -       | 33.04      | 6.69       | 32.50      |
| PK   | 5.356G       | 67.75             | 74.00             | -6.25          | 60.41         | 3           | Horizontal | 11             | 3.00          | -       | 33.12      | 6.71       | 32.49      |
| AV   | 5.358G       | 53.23             | 54.00             | -0.77          | 45.88         | 3           | Horizontal | 11             | 3.00          | -       | 33.13      | 6.71       | 32.49      |
| PK   | 5.4708G      | 64.70             | 68.20             | -3.50          | 56.69         | 3           | Horizontal | 11             | 3.00          | -       | 33.62      | 6.86       | 32.47      |

**5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX**

**5320MHz\_TX**




EUT\_Y\_4TX  
 Setting 24.5  
 01-C-C-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.64421G    | 58.76             | 74.00             | -15.24         | 41.01         | 3           | Vertical  | 344            | 1.39          | -       | 39.19      | 10.98      | 32.42      |  |  |  |
| AV   | 10.6382G     | 45.29             | 54.00             | -8.71          | 27.56         | 3           | Vertical  | 344            | 1.39          | -       | 39.18      | 10.97      | 32.42      |  |  |  |
| PK   | 15.95709G    | 63.61             | 74.00             | -10.39         | 44.28         | 3           | Vertical  | 323            | 1.59          | -       | 38.47      | 13.65      | 32.79      |  |  |  |
| AV   | 15.9649G     | 49.49             | 54.00             | -4.51          | 30.19         | 3           | Vertical  | 323            | 1.59          | -       | 38.44      | 13.65      | 32.79      |  |  |  |

**5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX**

**5320MHz\_TX**




EUT\_Y\_4TX  
 Setting 24.5  
 01-C-C-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.63887G    | 59.47             | 74.00             | -14.53         | 41.74         | 3           | Horizontal | 341            | 1.82          | -       | 39.18      | 10.97      | 32.42      |  |  |  |
| AV   | 10.6406G     | 45.26             | 54.00             | -8.74          | 27.53         | 3           | Horizontal | 341            | 1.82          | -       | 39.18      | 10.97      | 32.42      |  |  |  |
| PK   | 15.7632G     | 63.89             | 74.00             | -10.11         | 44.62         | 3           | Horizontal | 213            | 1.93          | -       | 38.40      | 13.63      | 32.76      |  |  |  |
| AV   | 15.742G      | 50.44             | 54.00             | -3.56          | 31.21         | 3           | Horizontal | 213            | 1.93          | -       | 38.37      | 13.62      | 32.76      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5500MHz\_TX




EUT\_Y\_4TX  
 Setting 24  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.342G       | 63.65             | 68.20             | -4.55          | 56.37         | 3           | Vertical  | 295            | 1.80          | -       | 33.08      | 6.70       | 32.50      |  |  |  |
| AV   | 5.3545G      | 49.65             | 54.00             | -4.35          | 42.31         | 3           | Vertical  | 295            | 1.80          | -       | 33.12      | 6.71       | 32.49      |  |  |  |
| PK   | 5.458G       | 64.30             | 74.00             | -9.70          | 56.38         | 3           | Vertical  | 295            | 1.80          | -       | 33.55      | 6.84       | 32.47      |  |  |  |
| PK   | 5.47G        | 68.07             | 68.20             | -0.13          | 60.06         | 3           | Vertical  | 295            | 1.80          | -       | 33.62      | 6.86       | 32.47      |  |  |  |
| PK   | 5.498G       | 124.50            | Inf               | -Inf           | 116.26        | 3           | Vertical  | 295            | 1.80          | -       | 33.79      | 6.91       | 32.46      |  |  |  |
| AV   | 5.4985G      | 114.71            | Inf               | -Inf           | 106.47        | 3           | Vertical  | 295            | 1.80          | -       | 33.79      | 6.91       | 32.46      |  |  |  |
| PK   | 5.7375G      | 62.06             | 68.20             | -6.14          | 53.14         | 3           | Vertical  | 295            | 1.80          | -       | 34.10      | 7.27       | 32.45      |  |  |  |

**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX**

**5500MHz\_TX**




EUT\_Y\_4TX  
 Setting 24  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 5.345G       | 64.97             | 68.20             | -3.23          | 57.68         | 3           | Horizontal | 12             | 3.00          | -       | 33.09      | 6.70       | 32.50      |  |  |  |  |
| AV   | 5.35G        | 52.31             | 54.00             | -1.69          | 45.00         | 3           | Horizontal | 12             | 3.00          | -       | 33.10      | 6.71       | 32.50      |  |  |  |  |
| PK   | 5.4605G      | 65.37             | 68.20             | -2.83          | 57.44         | 3           | Horizontal | 12             | 3.00          | -       | 33.56      | 6.84       | 32.47      |  |  |  |  |
| PK   | 5.468G       | 63.43             | 68.20             | -4.77          | 55.43         | 3           | Horizontal | 12             | 3.00          | -       | 33.61      | 6.86       | 32.47      |  |  |  |  |
| PK   | 5.4985G      | 122.79            | Inf               | -Inf           | 114.55        | 3           | Horizontal | 12             | 3.00          | -       | 33.79      | 6.91       | 32.46      |  |  |  |  |
| AV   | 5.499G       | 112.83            | Inf               | -Inf           | 104.59        | 3           | Horizontal | 12             | 3.00          | -       | 33.79      | 6.91       | 32.46      |  |  |  |  |
| PK   | 5.7375G      | 61.86             | 68.20             | -6.34          | 52.94         | 3           | Horizontal | 12             | 3.00          | -       | 34.10      | 7.27       | 32.45      |  |  |  |  |

**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX**

**5500MHz\_TX**




EUT\_Y\_4TX  
 Setting 24  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.00495G    | 59.05             | 74.00             | -14.95         | 41.04         | 3           | Vertical  | 342            | 1.48          | -       | 39.09      | 11.35      | 32.43      |  |  |  |
| AV   | 10.98593G    | 44.84             | 54.00             | -9.16          | 26.81         | 3           | Vertical  | 342            | 1.48          | -       | 39.13      | 11.33      | 32.43      |  |  |  |
| PK   | 16.49931G    | 64.38             | 68.20             | -3.82          | 43.45         | 3           | Vertical  | 41             | 1.80          | -       | 39.60      | 13.79      | 32.46      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5500MHz\_TX




EUT\_Y\_4TX  
 Setting 24  
 01-C-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.98545G    | 59.34             | 74.00             | -14.66         | 41.31         | 3           | Horizontal | 336            | 2.20          | -       | 39.13      | 11.33      | 32.43      |  |  |  |
| AV   | 10.9856G     | 44.84             | 54.00             | -9.16          | 26.81         | 3           | Horizontal | 336            | 2.20          | -       | 39.13      | 11.33      | 32.43      |  |  |  |
| PK   | 16.49541G    | 64.88             | 68.20             | -3.32          | 43.97         | 3           | Horizontal | 14             | 1.80          | -       | 39.58      | 13.79      | 32.46      |  |  |  |

**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX**

**5580MHz\_TX**




EUT\_Y\_4TX  
 Setting 24  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.338G       | 58.52             | 68.20             | -9.68          | 51.24         | 3           | Vertical  | 298            | 1.80          | -       | 33.08      | 6.70       | 32.50      |  |  |  |
| AV   | 5.35G        | 46.61             | 54.00             | -7.39          | 39.30         | 3           | Vertical  | 298            | 1.80          | -       | 33.10      | 6.71       | 32.50      |  |  |  |
| PK   | 5.4195G      | 62.70             | 74.00             | -11.30         | 55.03         | 3           | Vertical  | 298            | 1.80          | -       | 33.38      | 6.77       | 32.48      |  |  |  |
| AV   | 5.423G       | 51.90             | 54.00             | -2.10          | 44.22         | 3           | Vertical  | 298            | 1.80          | -       | 33.39      | 6.77       | 32.48      |  |  |  |
| PK   | 5.4685G      | 59.92             | 68.20             | -8.28          | 51.92         | 3           | Vertical  | 298            | 1.80          | -       | 33.61      | 6.86       | 32.47      |  |  |  |
| PK   | 5.578G       | 123.50            | Inf               | -Inf           | 115.00        | 3           | Vertical  | 298            | 1.80          | -       | 33.90      | 7.06       | 32.46      |  |  |  |
| AV   | 5.5785G      | 113.85            | Inf               | -Inf           | 105.35        | 3           | Vertical  | 298            | 1.80          | -       | 33.90      | 7.06       | 32.46      |  |  |  |
| PK   | 5.729G       | 66.08             | 68.20             | -2.12          | 57.17         | 3           | Vertical  | 298            | 1.80          | -       | 34.10      | 7.26       | 32.45      |  |  |  |

**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX**

**5580MHz\_TX**




EUT\_Y\_4TX  
 Setting 24  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3305G      | 59.29             | 68.20             | -8.91          | 52.03         | 3           | Horizontal | 12             | 2.78          | -       | 33.06      | 6.70       | 32.50      |  |  |  |
| AV   | 5.35G        | 46.28             | 54.00             | -7.72          | 38.97         | 3           | Horizontal | 12             | 2.78          | -       | 33.10      | 6.71       | 32.50      |  |  |  |
| PK   | 5.4245G      | 64.83             | 74.00             | -9.17          | 57.13         | 3           | Horizontal | 12             | 2.78          | -       | 33.40      | 6.78       | 32.48      |  |  |  |
| AV   | 5.425G       | 53.99             | 54.00             | -0.01          | 46.29         | 3           | Horizontal | 12             | 2.78          | -       | 33.40      | 6.78       | 32.48      |  |  |  |
| PK   | 5.464G       | 60.61             | 68.20             | -7.59          | 52.65         | 3           | Horizontal | 12             | 2.78          | -       | 33.58      | 6.85       | 32.47      |  |  |  |
| PK   | 5.5795G      | 123.13            | Inf               | -Inf           | 114.63        | 3           | Horizontal | 12             | 2.78          | -       | 33.90      | 7.06       | 32.46      |  |  |  |
| AV   | 5.579G       | 113.47            | Inf               | -Inf           | 104.97        | 3           | Horizontal | 12             | 2.78          | -       | 33.90      | 7.06       | 32.46      |  |  |  |
| PK   | 5.731G       | 66.96             | 68.20             | -1.24          | 58.05         | 3           | Horizontal | 12             | 2.78          | -       | 34.10      | 7.26       | 32.45      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5580MHz\_TX




EUT\_Y\_4TX  
 Setting 24  
 01-C-J-10

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.15961G | 58.77    | 74.00    | -15.23 | 40.95  | 3    | Vertical  | 74      | 1.64   | -       | 38.80 | 11.50 | 32.48 |  |  |  |
| AV   | 11.15966G | 44.54    | 54.00    | -9.46  | 26.72  | 3    | Vertical  | 74      | 1.64   | -       | 38.80 | 11.50 | 32.48 |  |  |  |
| PK   | 16.7404G  | 64.20    | 68.20    | -4.00  | 42.66  | 3    | Vertical  | 351     | 1.97   | -       | 39.96 | 13.86 | 32.28 |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5580MHz\_TX




EUT\_Y\_4TX  
 Setting 24  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.16031G    | 59.84             | 74.00             | -14.16         | 42.02         | 3           | Horizontal | 163            | 1.23          | -       | 38.80      | 11.50      | 32.48      |  |  |  |
| AV   | 11.15944G    | 44.53             | 54.00             | -9.47          | 26.71         | 3           | Horizontal | 163            | 1.23          | -       | 38.80      | 11.50      | 32.48      |  |  |  |
| PK   | 16.74095G    | 65.02             | 68.20             | -3.18          | 43.48         | 3           | Horizontal | 157            | 1.76          | -       | 39.96      | 13.86      | 32.28      |  |  |  |

**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX**

**5700MHz\_TX**




EUT\_Y\_4TX  
 Setting 23  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4555G      | 60.45             | 74.00             | -13.55         | 52.56         | 3           | Vertical  | 298            | 1.80          | -       | 33.53      | 6.83       | 32.47      |  |  |  |
| AV   | 5.4555G      | 48.18             | 54.00             | -5.82          | 40.29         | 3           | Vertical  | 298            | 1.80          | -       | 33.53      | 6.83       | 32.47      |  |  |  |
| PK   | 5.465G       | 60.32             | 68.20             | -7.88          | 52.35         | 3           | Vertical  | 298            | 1.80          | -       | 33.59      | 6.85       | 32.47      |  |  |  |
| PK   | 5.6985G      | 123.06            | Inf               | -Inf           | 114.19        | 3           | Vertical  | 298            | 1.80          | -       | 34.10      | 7.22       | 32.45      |  |  |  |
| AV   | 5.6985G      | 113.35            | Inf               | -Inf           | 104.48        | 3           | Vertical  | 298            | 1.80          | -       | 34.10      | 7.22       | 32.45      |  |  |  |
| PK   | 5.7265G      | 66.17             | 68.20             | -2.03          | 57.26         | 3           | Vertical  | 298            | 1.80          | -       | 34.10      | 7.26       | 32.45      |  |  |  |

**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX**

**5700MHz\_TX**




EUT\_Y\_4TX  
 Setting 23  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4565G      | 58.97             | 74.00             | -15.03         | 51.07         | 3           | Horizontal | 18             | 3.00          | -       | 33.54      | 6.83       | 32.47      |
| AV   | 5.4545G      | 47.18             | 54.00             | -6.82          | 39.29         | 3           | Horizontal | 18             | 3.00          | -       | 33.53      | 6.83       | 32.47      |
| PK   | 5.4685G      | 58.87             | 68.20             | -9.33          | 50.87         | 3           | Horizontal | 18             | 3.00          | -       | 33.61      | 6.86       | 32.47      |
| PK   | 5.701G       | 119.97            | Inf               | -Inf           | 111.09        | 3           | Horizontal | 18             | 3.00          | -       | 34.10      | 7.23       | 32.45      |
| AV   | 5.701G       | 110.43            | Inf               | -Inf           | 101.55        | 3           | Horizontal | 18             | 3.00          | -       | 34.10      | 7.23       | 32.45      |
| PK   | 5.7285G      | 66.16             | 68.20             | -2.04          | 57.25         | 3           | Horizontal | 18             | 3.00          | -       | 34.10      | 7.26       | 32.45      |

**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX**

**5700MHz\_TX**




EUT\_Y\_4TX  
 Setting 23  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.40059G    | 59.87             | 74.00             | -14.13         | 41.57         | 3           | Vertical  | 213            | 2.02          | -       | 39.10      | 11.75      | 32.55      |  |  |  |
| AV   | 11.40059G    | 45.68             | 54.00             | -8.32          | 27.38         | 3           | Vertical  | 213            | 2.02          | -       | 39.10      | 11.75      | 32.55      |  |  |  |
| PK   | 17.0991G     | 66.37             | 68.20             | -1.83          | 43.32         | 3           | Vertical  | 157            | 2.79          | -       | 41.10      | 13.97      | 32.02      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5700MHz\_TX

EUT\_Y\_4TX  
Setting 23  
01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.40095G    | 59.84             | 74.00             | -14.16         | 41.54         | 3           | Horizontal | 158            | 2.98          | -       | 39.10      | 11.75      | 32.55      |  |  |  |
| AV   | 11.40021G    | 45.66             | 54.00             | -8.34          | 27.36         | 3           | Horizontal | 158            | 2.98          | -       | 39.10      | 11.75      | 32.55      |  |  |  |
| PK   | 17.10032G    | 66.35             | 68.20             | -1.85          | 43.30         | 3           | Horizontal | 72             | 1.42          | -       | 41.10      | 13.97      | 32.02      |  |  |  |

**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX**

**5720MHz Straddle 5.47-5.725GHz\_TX**




EUT\_Y\_4TX  
 Setting 31  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.47G        | 60.37             | 68.20             | -7.83          | 52.36         | 3           | Vertical  | 301            | 1.80          | -       | 33.62      | 6.86       | 32.47      |  |  |  |
| PK   | 5.7185G      | 126.60            | Inf               | -Inf           | 117.70        | 3           | Vertical  | 301            | 1.80          | -       | 34.10      | 7.25       | 32.45      |  |  |  |
| AV   | 5.7185G      | 116.61            | Inf               | -Inf           | 107.71        | 3           | Vertical  | 301            | 1.80          | -       | 34.10      | 7.25       | 32.45      |  |  |  |
| PK   | 5.871G       | 63.63             | 68.20             | -4.57          | 54.05         | 3           | Vertical  | 301            | 1.80          | -       | 34.63      | 7.40       | 32.45      |  |  |  |

**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX**

**5720MHz Straddle 5.47-5.725GHz\_TX**




EUT\_Y\_4TX  
 Setting 31  
 01-C-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 5.47G   | 58.54    | 68.20    | -9.66  | 50.53  | 3    | Horizontal | 20      | 3.00   | -       | 33.62 | 6.86 | 32.47 |  |  |  |  |
| PK   | 5.721G  | 123.97   | Inf      | -Inf   | 115.07 | 3    | Horizontal | 20      | 3.00   | -       | 34.10 | 7.25 | 32.45 |  |  |  |  |
| AV   | 5.7205G | 114.16   | Inf      | -Inf   | 105.26 | 3    | Horizontal | 20      | 3.00   | -       | 34.10 | 7.25 | 32.45 |  |  |  |  |
| PK   | 5.8765G | 64.22    | 68.20    | -3.98  | 54.59  | 3    | Horizontal | 20      | 3.00   | -       | 34.66 | 7.41 | 32.44 |  |  |  |  |

**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX**

**5720MHz Straddle 5.47-5.725GHz\_TX**




EUT\_Y\_4TX  
 Setting 31  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 11.4404G     | 60.00             | 74.00             | -14.00         | 41.75         | 3           | Vertical  | 93             | 1.69          | -       | 39.02      | 11.79      | 32.56      |  |  |  |  |
| AV   | 11.43987G    | 45.96             | 54.00             | -8.04          | 27.71         | 3           | Vertical  | 93             | 1.69          | -       | 39.02      | 11.79      | 32.56      |  |  |  |  |
| PK   | 17.15979G    | 66.49             | 68.20             | -1.71          | 43.26         | 3           | Vertical  | 212            | 2.38          | -       | 41.22      | 13.99      | 31.98      |  |  |  |  |

**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX**

**5720MHz Straddle 5.47-5.725GHz\_TX**




EUT\_Y\_4TX  
 Setting 31  
 01-C-J-10

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.44026G | 59.91    | 74.00    | -14.09 | 41.66  | 3    | Horizontal | 138     | 2.42   | -       | 39.02 | 11.79 | 32.56 |  |  |  |
| AV   | 11.44019G | 45.96    | 54.00    | -8.04  | 27.71  | 3    | Horizontal | 138     | 2.42   | -       | 39.02 | 11.79 | 32.56 |  |  |  |
| PK   | 17.1598G  | 66.26    | 68.20    | -1.94  | 43.03  | 3    | Horizontal | 347     | 1.46   | -       | 41.22 | 13.99 | 31.98 |  |  |  |

**5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX**

**5260MHz\_TX**




EUT\_Y\_4TX  
 Setting 25  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 5.1035G      | 64.75             | 74.00             | -9.25          | 57.95         | 3           | Vertical  | 56             | 1.80          | -       | 32.71      | 6.65       | 32.56      |  |  |  |  |
| AV   | 5.1045G      | 52.83             | 54.00             | -1.17          | 46.02         | 3           | Vertical  | 56             | 1.80          | -       | 32.71      | 6.65       | 32.55      |  |  |  |  |
| PK   | 5.2585G      | 123.56            | Inf               | -Inf           | 116.50        | 3           | Vertical  | 56             | 1.80          | -       | 32.92      | 6.66       | 32.52      |  |  |  |  |
| AV   | 5.259G       | 112.59            | Inf               | -Inf           | 105.53        | 3           | Vertical  | 56             | 1.80          | -       | 32.92      | 6.66       | 32.52      |  |  |  |  |
| PK   | 5.412G       | 64.94             | 74.00             | -9.06          | 57.32         | 3           | Vertical  | 56             | 1.80          | -       | 33.35      | 6.75       | 32.48      |  |  |  |  |
| AV   | 5.4115G      | 53.94             | 54.00             | -0.06          | 46.32         | 3           | Vertical  | 56             | 1.80          | -       | 33.35      | 6.75       | 32.48      |  |  |  |  |
| PK   | 5.4795G      | 60.84             | 68.20             | -7.36          | 52.74         | 3           | Vertical  | 56             | 1.80          | -       | 33.68      | 6.88       | 32.46      |  |  |  |  |

**5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX**

**5260MHz\_TX**




EUT\_Y\_4TX  
 Setting 25  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1045G      | 64.35             | 74.00             | -9.65          | 57.54         | 3           | Horizontal | 10             | 2.96          | -       | 32.71      | 6.65       | 32.55      |
| AV   | 5.1055G      | 52.90             | 54.00             | -1.10          | 46.09         | 3           | Horizontal | 10             | 2.96          | -       | 32.71      | 6.65       | 32.55      |
| PK   | 5.2605G      | 122.99            | Inf               | -Inf           | 115.93        | 3           | Horizontal | 10             | 2.96          | -       | 32.92      | 6.66       | 32.52      |
| AV   | 5.259G       | 112.58            | Inf               | -Inf           | 105.52        | 3           | Horizontal | 10             | 2.96          | -       | 32.92      | 6.66       | 32.52      |
| PK   | 5.4115G      | 64.76             | 74.00             | -9.24          | 57.14         | 3           | Horizontal | 10             | 2.96          | -       | 33.35      | 6.75       | 32.48      |
| AV   | 5.411G       | 53.76             | 54.00             | -0.24          | 46.15         | 3           | Horizontal | 10             | 2.96          | -       | 33.34      | 6.75       | 32.48      |
| PK   | 5.5015G      | 60.89             | 68.20             | -7.31          | 52.63         | 3           | Horizontal | 10             | 2.96          | -       | 33.80      | 6.92       | 32.46      |

**5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX**

**5260MHz\_TX**




EUT\_Y\_4TX  
 Setting 25  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.5205G     | 59.17             | 68.20             | -9.03          | 41.69         | 3           | Vertical  | 18             | 1.38          | -       | 39.04      | 10.85      | 32.41      |  |  |  |
| PK   | 15.77997G    | 63.72             | 74.00             | -10.28         | 44.45         | 3           | Vertical  | 265            | 2.47          | -       | 38.40      | 13.63      | 32.76      |  |  |  |
| AV   | 15.78081G    | 49.62             | 54.00             | -4.38          | 30.35         | 3           | Vertical  | 265            | 2.47          | -       | 38.40      | 13.63      | 32.76      |  |  |  |

**5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX**

**5260MHz\_TX**




EUT\_Y\_4TX  
 Setting 25  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.51942G    | 59.11             | 68.20             | -9.09          | 41.63         | 3           | Horizontal | 41             | 1.36          | -       | 39.04      | 10.85      | 32.41      |  |  |  |
| PK   | 15.77999G    | 63.25             | 74.00             | -10.75         | 43.98         | 3           | Horizontal | 92             | 1.10          | -       | 38.40      | 13.63      | 32.76      |  |  |  |
| AV   | 15.78045G    | 49.59             | 54.00             | -4.41          | 30.32         | 3           | Horizontal | 92             | 1.10          | -       | 38.40      | 13.63      | 32.76      |  |  |  |

**5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX**

**5300MHz\_TX**




EUT\_Y\_4TX  
 Setting 23  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.148G       | 64.15             | 74.00             | -9.85          | 57.25         | 3           | Vertical  | 64             | 2.73          | -       | 32.80      | 6.64       | 32.54      |
| AV   | 5.15G        | 52.97             | 54.00             | -1.03          | 46.07         | 3           | Vertical  | 64             | 2.73          | -       | 32.80      | 6.64       | 32.54      |
| PK   | 5.303G       | 121.96            | Inf               | -Inf           | 114.78        | 3           | Vertical  | 64             | 2.73          | -       | 33.01      | 6.68       | 32.51      |
| AV   | 5.3025G      | 111.60            | Inf               | -Inf           | 104.42        | 3           | Vertical  | 64             | 2.73          | -       | 33.01      | 6.68       | 32.51      |
| PK   | 5.456G       | 64.26             | 74.00             | -9.74          | 56.36         | 3           | Vertical  | 64             | 2.73          | -       | 33.54      | 6.83       | 32.47      |
| AV   | 5.4555G      | 53.18             | 54.00             | -0.82          | 45.29         | 3           | Vertical  | 64             | 2.73          | -       | 33.53      | 6.83       | 32.47      |
| PK   | 5.4625G      | 62.60             | 68.20             | -5.60          | 54.64         | 3           | Vertical  | 64             | 2.73          | -       | 33.58      | 6.85       | 32.47      |

**5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX**

**5300MHz\_TX**




EUT\_Y\_4TX  
 Setting 23  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1455G      | 63.33             | 74.00             | -10.67         | 56.45         | 3           | Horizontal | 8              | 2.91          | -       | 32.79      | 6.64       | 32.55      |
| AV   | 5.144G       | 51.97             | 54.00             | -2.03          | 45.09         | 3           | Horizontal | 8              | 2.91          | -       | 32.79      | 6.64       | 32.55      |
| PK   | 5.2985G      | 121.39            | Inf               | -Inf           | 114.22        | 3           | Horizontal | 8              | 2.91          | -       | 33.00      | 6.68       | 32.51      |
| AV   | 5.299G       | 111.06            | Inf               | -Inf           | 103.89        | 3           | Horizontal | 8              | 2.91          | -       | 33.00      | 6.68       | 32.51      |
| PK   | 5.4525G      | 64.47             | 74.00             | -9.53          | 56.59         | 3           | Horizontal | 8              | 2.91          | -       | 33.52      | 6.83       | 32.47      |
| AV   | 5.4505G      | 53.77             | 54.00             | -0.23          | 45.92         | 3           | Horizontal | 8              | 2.91          | -       | 33.50      | 6.82       | 32.47      |
| PK   | 5.4605G      | 61.23             | 68.20             | -6.97          | 53.30         | 3           | Horizontal | 8              | 2.91          | -       | 33.56      | 6.84       | 32.47      |

**5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX**

**5300MHz\_TX**




EUT\_Y\_4TX  
 Setting 23  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.59914G    | 59.69             | 68.20             | -8.51          | 42.07         | 3           | Vertical  | 323            | 2.30          | -       | 39.10      | 10.93      | 32.41      |  |  |  |
| AV   | 10.60046G    | 45.53             | 54.00             | -8.47          | 27.91         | 3           | Vertical  | 323            | 2.30          | -       | 39.10      | 10.93      | 32.41      |  |  |  |
| PK   | 15.90082G    | 62.99             | 74.00             | -11.01         | 43.53         | 3           | Vertical  | 163            | 2.96          | -       | 38.60      | 13.64      | 32.78      |  |  |  |
| AV   | 15.8992G     | 49.21             | 54.00             | -4.79          | 29.75         | 3           | Vertical  | 163            | 2.96          | -       | 38.60      | 13.64      | 32.78      |  |  |  |

**5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX**

**5300MHz\_TX**




EUT\_Y\_4TX  
 Setting 23  
 01-C-J-10

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 10.59976G | 59.58    | 68.20    | -8.62  | 41.96  | 3    | Horizontal | 300     | 1.49   | -       | 39.10 | 10.93 | 32.41 |  |  |  |  |
| AV   | 10.6005G  | 45.56    | 54.00    | -8.44  | 27.94  | 3    | Horizontal | 300     | 1.49   | -       | 39.10 | 10.93 | 32.41 |  |  |  |  |
| PK   | 15.89989G | 63.56    | 74.00    | -10.44 | 44.10  | 3    | Horizontal | 293     | 1.91   | -       | 38.60 | 13.64 | 32.78 |  |  |  |  |
| AV   | 15.89918G | 49.21    | 54.00    | -4.79  | 29.75  | 3    | Horizontal | 293     | 1.91   | -       | 38.60 | 13.64 | 32.78 |  |  |  |  |

**5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX**

**5320MHz\_TX**




EUT\_Y\_4TX  
 Setting 21.5  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1355G      | 59.81             | 74.00             | -14.19         | 52.95         | 3           | Vertical  | 51             | 3.00          | -       | 32.77      | 6.64       | 32.55      |
| AV   | 5.081G       | 47.11             | 54.00             | -6.89          | 40.28         | 3           | Vertical  | 51             | 3.00          | -       | 32.74      | 6.65       | 32.56      |
| PK   | 5.3115G      | 119.12            | Inf               | -Inf           | 111.92        | 3           | Vertical  | 51             | 3.00          | -       | 33.02      | 6.69       | 32.51      |
| AV   | 5.3115G      | 109.12            | Inf               | -Inf           | 101.92        | 3           | Vertical  | 51             | 3.00          | -       | 33.02      | 6.69       | 32.51      |
| PK   | 5.3505G      | 66.44             | 74.00             | -7.56          | 59.13         | 3           | Vertical  | 51             | 3.00          | -       | 33.10      | 6.71       | 32.50      |
| AV   | 5.35G        | 52.78             | 54.00             | -1.22          | 45.47         | 3           | Vertical  | 51             | 3.00          | -       | 33.10      | 6.71       | 32.50      |
| PK   | 5.4835G      | 64.18             | 68.20             | -4.02          | 56.06         | 3           | Vertical  | 51             | 3.00          | -       | 33.70      | 6.88       | 32.46      |

**5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX**

**5320MHz\_TX**




EUT\_Y\_4TX  
 Setting 21.5  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 5.15G        | 60.39             | 74.00             | -13.61         | 53.49         | 3           | Horizontal | 10             | 3.00          | -       | 32.80      | 6.64       | 32.54      |  |  |  |  |
| AV   | 5.0725G      | 46.89             | 54.00             | -7.11          | 40.03         | 3           | Horizontal | 10             | 3.00          | -       | 32.76      | 6.66       | 32.56      |  |  |  |  |
| PK   | 5.319G       | 119.95            | Inf               | -Inf           | 112.72        | 3           | Horizontal | 10             | 3.00          | -       | 33.04      | 6.69       | 32.50      |  |  |  |  |
| AV   | 5.318G       | 108.58            | Inf               | -Inf           | 101.35        | 3           | Horizontal | 10             | 3.00          | -       | 33.04      | 6.69       | 32.50      |  |  |  |  |
| PK   | 5.3585G      | 62.56             | 74.00             | -11.44         | 55.21         | 3           | Horizontal | 10             | 3.00          | -       | 33.13      | 6.71       | 32.49      |  |  |  |  |
| AV   | 5.358G       | 49.11             | 54.00             | -4.89          | 41.76         | 3           | Horizontal | 10             | 3.00          | -       | 33.13      | 6.71       | 32.49      |  |  |  |  |
| PK   | 5.4715G      | 64.04             | 68.20             | -4.16          | 56.02         | 3           | Horizontal | 10             | 3.00          | -       | 33.63      | 6.86       | 32.47      |  |  |  |  |

## 5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


## 5320MHz\_TX

EUT\_Y\_4TX  
Setting 21.5  
01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.64091G    | 60.25             | 74.00             | -13.75         | 42.52         | 3           | Vertical  | 1              | 1.45          | -       | 39.18      | 10.97      | 32.42      |  |  |  |
| AV   | 10.6396G     | 45.59             | 54.00             | -8.41          | 27.86         | 3           | Vertical  | 1              | 1.45          | -       | 39.18      | 10.97      | 32.42      |  |  |  |
| PK   | 15.96085G    | 63.11             | 74.00             | -10.89         | 43.79         | 3           | Vertical  | 204            | 2.86          | -       | 38.46      | 13.65      | 32.79      |  |  |  |
| AV   | 15.96087G    | 49.48             | 54.00             | -4.52          | 30.16         | 3           | Vertical  | 204            | 2.86          | -       | 38.46      | 13.65      | 32.79      |  |  |  |

**5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX**

**5320MHz\_TX**




EUT\_Y\_4TX  
 Setting 21.5  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.64041G    | 59.82             | 74.00             | -14.18         | 42.09         | 3           | Horizontal | 232            | 2.77          | -       | 39.18      | 10.97      | 32.42      |  |  |  |
| AV   | 10.63915G    | 45.61             | 54.00             | -8.39          | 27.88         | 3           | Horizontal | 232            | 2.77          | -       | 39.18      | 10.97      | 32.42      |  |  |  |
| PK   | 15.95994G    | 63.46             | 74.00             | -10.54         | 44.14         | 3           | Horizontal | 76             | 1.53          | -       | 38.46      | 13.65      | 32.79      |  |  |  |
| AV   | 15.96047G    | 49.51             | 54.00             | -4.49          | 30.19         | 3           | Horizontal | 76             | 1.53          | -       | 38.46      | 13.65      | 32.79      |  |  |  |

**5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX**

**5500MHz\_TX**




EUT\_Y\_4TX  
 Setting 23  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 5.337G       | 64.59             | 68.20             | -3.61          | 57.32         | 3           | Vertical  | 298            | 1.80          | -       | 33.07      | 6.70       | 32.50      |  |  |  |  |
| PK   | 5.4595G      | 66.35             | 74.00             | -7.65          | 58.42         | 3           | Vertical  | 298            | 1.80          | -       | 33.56      | 6.84       | 32.47      |  |  |  |  |
| AV   | 5.459G       | 52.01             | 54.00             | -1.99          | 44.09         | 3           | Vertical  | 298            | 1.80          | -       | 33.55      | 6.84       | 32.47      |  |  |  |  |
| PK   | 5.47G        | 65.74             | 68.20             | -2.46          | 57.73         | 3           | Vertical  | 298            | 1.80          | -       | 33.62      | 6.86       | 32.47      |  |  |  |  |
| PK   | 5.4985G      | 124.38            | Inf               | -Inf           | 116.14        | 3           | Vertical  | 298            | 1.80          | -       | 33.79      | 6.91       | 32.46      |  |  |  |  |
| AV   | 5.499G       | 113.87            | Inf               | -Inf           | 105.63        | 3           | Vertical  | 298            | 1.80          | -       | 33.79      | 6.91       | 32.46      |  |  |  |  |
| PK   | 5.7375G      | 61.16             | 68.20             | -7.04          | 52.24         | 3           | Vertical  | 298            | 1.80          | -       | 34.10      | 7.27       | 32.45      |  |  |  |  |

**5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX**

**5500MHz\_TX**




EUT\_Y\_4TX  
 Setting 23  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.344G       | 64.31             | 68.20             | -3.89          | 57.02         | 3           | Horizontal | 11             | 3.00          | -       | 33.09      | 6.70       | 32.50      |
| AV   | 5.35G        | 51.38             | 54.00             | -2.62          | 44.07         | 3           | Horizontal | 11             | 3.00          | -       | 33.10      | 6.71       | 32.50      |
| PK   | 5.459G       | 64.75             | 74.00             | -9.25          | 56.83         | 3           | Horizontal | 11             | 3.00          | -       | 33.55      | 6.84       | 32.47      |
| PK   | 5.4605G      | 63.06             | 68.20             | -5.14          | 55.13         | 3           | Horizontal | 11             | 3.00          | -       | 33.56      | 6.84       | 32.47      |
| PK   | 5.4985G      | 122.90            | Inf               | -Inf           | 114.66        | 3           | Horizontal | 11             | 3.00          | -       | 33.79      | 6.91       | 32.46      |
| AV   | 5.4985G      | 111.63            | Inf               | -Inf           | 103.39        | 3           | Horizontal | 11             | 3.00          | -       | 33.79      | 6.91       | 32.46      |
| PK   | 5.7345G      | 62.18             | 68.20             | -6.02          | 53.26         | 3           | Horizontal | 11             | 3.00          | -       | 34.10      | 7.27       | 32.45      |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5500MHz\_TX




EUT\_Y\_4TX  
 Setting 23  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.00084G    | 59.77             | 74.00             | -14.23         | 41.76         | 3           | Vertical  | 49             | 2.75          | -       | 39.10      | 11.34      | 32.43      |  |  |  |
| AV   | 10.99984G    | 45.56             | 54.00             | -8.44          | 27.55         | 3           | Vertical  | 49             | 2.75          | -       | 39.10      | 11.34      | 32.43      |  |  |  |
| PK   | 16.50056G    | 65.35             | 68.20             | -2.85          | 44.41         | 3           | Vertical  | 117            | 1.06          | -       | 39.60      | 13.80      | 32.46      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5500MHz\_TX




EUT\_Y\_4TX  
 Setting 23  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.00099G    | 59.96             | 74.00             | -14.04         | 41.95         | 3           | Horizontal | 359            | 1.87          | -       | 39.10      | 11.34      | 32.43      |  |  |  |
| AV   | 10.99991G    | 45.55             | 54.00             | -8.45          | 27.54         | 3           | Horizontal | 359            | 1.87          | -       | 39.10      | 11.34      | 32.43      |  |  |  |
| PK   | 16.49997G    | 64.90             | 68.20             | -3.30          | 43.97         | 3           | Horizontal | 99             | 2.85          | -       | 39.60      | 13.79      | 32.46      |  |  |  |

**5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX**

**5580MHz\_TX**




EUT\_Y\_4TX  
 Setting 24  
 01-C-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |  |
| PK   | 5.3405G | 58.29    | 68.20    | -9.91  | 51.01  | 3    | Vertical  | 298     | 1.80   | -       | 33.08 | 6.70 | 32.50 |  |  |  |  |  |
| PK   | 5.4215G | 62.54    | 74.00    | -11.46 | 54.86  | 3    | Vertical  | 298     | 1.80   | -       | 33.39 | 6.77 | 32.48 |  |  |  |  |  |
| AV   | 5.423G  | 51.61    | 54.00    | -2.39  | 43.93  | 3    | Vertical  | 298     | 1.80   | -       | 33.39 | 6.77 | 32.48 |  |  |  |  |  |
| PK   | 5.4645G | 59.40    | 68.20    | -8.80  | 51.43  | 3    | Vertical  | 298     | 1.80   | -       | 33.59 | 6.85 | 32.47 |  |  |  |  |  |
| PK   | 5.578G  | 124.51   | Inf      | -Inf   | 116.01 | 3    | Vertical  | 298     | 1.80   | -       | 33.90 | 7.06 | 32.46 |  |  |  |  |  |
| AV   | 5.579G  | 113.78   | Inf      | -Inf   | 105.28 | 3    | Vertical  | 298     | 1.80   | -       | 33.90 | 7.06 | 32.46 |  |  |  |  |  |
| PK   | 5.7295G | 64.92    | 68.20    | -3.28  | 56.01  | 3    | Vertical  | 298     | 1.80   | -       | 34.10 | 7.26 | 32.45 |  |  |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5580MHz\_TX




EUT\_Y\_4TX  
 Setting 24  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3485G      | 58.84             | 68.20             | -9.36          | 51.54         | 3           | Horizontal | 9              | 2.78          | -       | 33.10      | 6.70       | 32.50      |  |  |  |
| PK   | 5.423G       | 65.71             | 74.00             | -8.29          | 58.03         | 3           | Horizontal | 9              | 2.78          | -       | 33.39      | 6.77       | 32.48      |  |  |  |
| AV   | 5.425G       | 53.77             | 54.00             | -0.23          | 46.07         | 3           | Horizontal | 9              | 2.78          | -       | 33.40      | 6.78       | 32.48      |  |  |  |
| PK   | 5.469G       | 59.12             | 68.20             | -9.08          | 51.12         | 3           | Horizontal | 9              | 2.78          | -       | 33.61      | 6.86       | 32.47      |  |  |  |
| PK   | 5.5775G      | 123.45            | Inf               | -Inf           | 114.95        | 3           | Horizontal | 9              | 2.78          | -       | 33.90      | 7.06       | 32.46      |  |  |  |
| AV   | 5.5785G      | 112.78            | Inf               | -Inf           | 104.28        | 3           | Horizontal | 9              | 2.78          | -       | 33.90      | 7.06       | 32.46      |  |  |  |
| PK   | 5.7375G      | 65.99             | 68.20             | -2.21          | 57.07         | 3           | Horizontal | 9              | 2.78          | -       | 34.10      | 7.27       | 32.45      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5580MHz\_TX




EUT\_Y\_4TX  
 Setting 24  
 01-C-J-10

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.15901G | 59.88    | 74.00    | -14.12 | 42.06  | 3    | Vertical  | 262     | 1.25   | -       | 38.80 | 11.50 | 32.48 |  |  |  |
| AV   | 11.1599G  | 45.54    | 54.00    | -8.46  | 27.72  | 3    | Vertical  | 262     | 1.25   | -       | 38.80 | 11.50 | 32.48 |  |  |  |
| PK   | 16.7391G  | 65.44    | 68.20    | -2.76  | 43.90  | 3    | Vertical  | 230     | 2.31   | -       | 39.96 | 13.86 | 32.28 |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5580MHz\_TX




EUT\_Y\_4TX  
 Setting 24  
 01-C-J-10

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.15914G | 59.62    | 74.00    | -14.38 | 41.80  | 3    | Horizontal | 246     | 2.71   | -       | 38.80 | 11.50 | 32.48 |  |  |  |
| AV   | 11.16065G | 45.58    | 54.00    | -8.42  | 27.76  | 3    | Horizontal | 246     | 2.71   | -       | 38.80 | 11.50 | 32.48 |  |  |  |
| PK   | 16.74085G | 66.74    | 68.20    | -1.46  | 45.20  | 3    | Horizontal | 195     | 2.38   | -       | 39.96 | 13.86 | 32.28 |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5700MHz\_TX




EUT\_Y\_4TX  
 Setting 21.5  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4585G      | 59.48             | 74.00             | -14.52         | 51.56         | 3           | Vertical  | 298            | 1.80          | -       | 33.55      | 6.84       | 32.47      |  |  |  |
| AV   | 5.4585G      | 48.14             | 54.00             | -5.86          | 40.22         | 3           | Vertical  | 298            | 1.80          | -       | 33.55      | 6.84       | 32.47      |  |  |  |
| PK   | 5.47G        | 60.67             | 68.20             | -7.53          | 52.66         | 3           | Vertical  | 298            | 1.80          | -       | 33.62      | 6.86       | 32.47      |  |  |  |
| PK   | 5.6985G      | 122.44            | Inf               | -Inf           | 113.57        | 3           | Vertical  | 298            | 1.80          | -       | 34.10      | 7.22       | 32.45      |  |  |  |
| AV   | 5.6985G      | 111.65            | Inf               | -Inf           | 102.78        | 3           | Vertical  | 298            | 1.80          | -       | 34.10      | 7.22       | 32.45      |  |  |  |
| PK   | 5.726G       | 66.68             | 68.20             | -1.52          | 57.77         | 3           | Vertical  | 298            | 1.80          | -       | 34.10      | 7.26       | 32.45      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5700MHz\_TX




EUT\_Y\_4TX  
 Setting 21.5  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4525G      | 59.56             | 74.00             | -14.44         | 51.68         | 3           | Horizontal | 17             | 3.00          | -       | 33.52      | 6.83       | 32.47      |  |  |  |
| PK   | 5.461G       | 59.85             | 68.20             | -8.35          | 51.91         | 3           | Horizontal | 17             | 3.00          | -       | 33.57      | 6.84       | 32.47      |  |  |  |
| AV   | 5.4585G      | 47.59             | 54.00             | -6.41          | 39.67         | 3           | Horizontal | 17             | 3.00          | -       | 33.55      | 6.84       | 32.47      |  |  |  |
| PK   | 5.701G       | 118.88            | Inf               | -Inf           | 110.00        | 3           | Horizontal | 17             | 3.00          | -       | 34.10      | 7.23       | 32.45      |  |  |  |
| AV   | 5.701G       | 109.07            | Inf               | -Inf           | 100.19        | 3           | Horizontal | 17             | 3.00          | -       | 34.10      | 7.23       | 32.45      |  |  |  |
| PK   | 5.7255G      | 63.90             | 68.20             | -4.30          | 54.99         | 3           | Horizontal | 17             | 3.00          | -       | 34.10      | 7.26       | 32.45      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5700MHz\_TX




EUT\_Y\_4TX  
 Setting 21.5  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.3997G     | 61.58             | 74.00             | -12.42         | 43.28         | 3           | Vertical  | 66             | 2.32          | -       | 39.10      | 11.75      | 32.55      |  |  |  |
| AV   | 11.40046G    | 46.31             | 54.00             | -7.69          | 28.01         | 3           | Vertical  | 66             | 2.32          | -       | 39.10      | 11.75      | 32.55      |  |  |  |
| PK   | 17.09908G    | 65.75             | 68.20             | -2.45          | 42.70         | 3           | Vertical  | 27             | 1.37          | -       | 41.10      | 13.97      | 32.02      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5700MHz\_TX




EUT\_Y\_4TX  
 Setting 21.5  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.40063G    | 60.10             | 74.00             | -13.90         | 41.80         | 3           | Horizontal | 309            | 1.27          | -       | 39.10      | 11.75      | 32.55      |  |  |  |
| AV   | 11.40059G    | 46.26             | 54.00             | -7.74          | 27.96         | 3           | Horizontal | 309            | 1.27          | -       | 39.10      | 11.75      | 32.55      |  |  |  |
| PK   | 17.09969G    | 64.58             | 68.20             | -3.62          | 41.53         | 3           | Horizontal | 158            | 2.23          | -       | 41.10      | 13.97      | 32.02      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 Setting 31  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 5.47G        | 59.25             | 68.20             | -8.95          | 51.24         | 3           | Vertical  | 302            | 1.80          | -       | 33.62      | 6.86       | 32.47      |  |  |  |  |
| PK   | 5.719G       | 125.86            | Inf               | -Inf           | 116.96        | 3           | Vertical  | 302            | 1.80          | -       | 34.10      | 7.25       | 32.45      |  |  |  |  |
| AV   | 5.7185G      | 115.61            | Inf               | -Inf           | 106.71        | 3           | Vertical  | 302            | 1.80          | -       | 34.10      | 7.25       | 32.45      |  |  |  |  |
| PK   | 5.8735G      | 63.38             | 68.20             | -4.82          | 53.78         | 3           | Vertical  | 302            | 1.80          | -       | 34.64      | 7.41       | 32.45      |  |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 Setting 31  
 01-C-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 5.47G   | 57.35    | 68.20    | -10.85 | 49.34  | 3    | Horizontal | 20      | 3.00   | -       | 33.62 | 6.86 | 32.47 |  |  |  |  |
| PK   | 5.7195G | 125.13   | Inf      | -Inf   | 116.23 | 3    | Horizontal | 20      | 3.00   | -       | 34.10 | 7.25 | 32.45 |  |  |  |  |
| AV   | 5.7205G | 114.34   | Inf      | -Inf   | 105.44 | 3    | Horizontal | 20      | 3.00   | -       | 34.10 | 7.25 | 32.45 |  |  |  |  |
| PK   | 5.873G  | 63.28    | 68.20    | -4.92  | 53.69  | 3    | Horizontal | 20      | 3.00   | -       | 34.64 | 7.40 | 32.45 |  |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 Setting 31  
 01-C-J-10

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 11.43984G | 60.86    | 74.00    | -13.14 | 42.61  | 3    | Vertical  | 15      | 1.23   | -       | 39.02 | 11.79 | 32.56 |  |  |  |  |
| AV   | 11.43967G | 46.67    | 54.00    | -7.33  | 28.42  | 3    | Vertical  | 15      | 1.23   | -       | 39.02 | 11.79 | 32.56 |  |  |  |  |
| PK   | 17.16058G | 65.79    | 68.20    | -2.41  | 42.56  | 3    | Vertical  | 255     | 1.81   | -       | 41.22 | 13.99 | 31.98 |  |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 Setting 31  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.43961G    | 60.39             | 74.00             | -13.61         | 42.14         | 3           | Horizontal | 299            | 2.33          | -       | 39.02      | 11.79      | 32.56      |
| AV   | 11.4398G     | 46.59             | 54.00             | -7.41          | 28.34         | 3           | Horizontal | 299            | 2.33          | -       | 39.02      | 11.79      | 32.56      |
| PK   | 17.16038G    | 64.79             | 68.20             | -3.41          | 41.56         | 3           | Horizontal | 64             | 2.31          | -       | 41.22      | 13.99      | 31.98      |

**5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX**

**5270MHz\_TX**




EUT\_Y\_4TX  
 Setting 24  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.101G       | 62.48             | 74.00             | -11.52         | 55.69         | 3           | Vertical  | 54             | 1.80          | -       | 32.70      | 6.65       | 32.56      |
| AV   | 5.098G       | 50.84             | 54.00             | -3.16          | 44.05         | 3           | Vertical  | 54             | 1.80          | -       | 32.70      | 6.65       | 32.56      |
| PK   | 5.2685G      | 119.71            | Inf               | -Inf           | 112.63        | 3           | Vertical  | 54             | 1.80          | -       | 32.94      | 6.66       | 32.52      |
| AV   | 5.269G       | 109.74            | Inf               | -Inf           | 102.66        | 3           | Vertical  | 54             | 1.80          | -       | 32.94      | 6.66       | 32.52      |
| PK   | 5.3505G      | 64.76             | 74.00             | -9.24          | 57.45         | 3           | Vertical  | 54             | 1.80          | -       | 33.10      | 6.71       | 32.50      |
| AV   | 5.35G        | 52.88             | 54.00             | -1.12          | 45.57         | 3           | Vertical  | 54             | 1.80          | -       | 33.10      | 6.71       | 32.50      |
| PK   | 5.5085G      | 60.88             | 68.20             | -7.32          | 52.59         | 3           | Vertical  | 54             | 1.80          | -       | 33.82      | 6.93       | 32.46      |

**5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX**

**5270MHz\_TX**




EUT\_Y\_4TX  
 Setting 24  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.135G       | 62.24             | 74.00             | -11.76         | 55.38         | 3           | Horizontal | 9              | 2.95          | -       | 32.77      | 6.64       | 32.55      |  |  |  |
| AV   | 5.115G       | 50.95             | 54.00             | -3.05          | 44.12         | 3           | Horizontal | 9              | 2.95          | -       | 32.73      | 6.65       | 32.55      |  |  |  |
| PK   | 5.2685G      | 121.60            | Inf               | -Inf           | 114.52        | 3           | Horizontal | 9              | 2.95          | -       | 32.94      | 6.66       | 32.52      |  |  |  |
| AV   | 5.2685G      | 109.17            | Inf               | -Inf           | 102.09        | 3           | Horizontal | 9              | 2.95          | -       | 32.94      | 6.66       | 32.52      |  |  |  |
| PK   | 5.35G        | 65.45             | 74.00             | -8.55          | 58.14         | 3           | Horizontal | 9              | 2.95          | -       | 33.10      | 6.71       | 32.50      |  |  |  |
| AV   | 5.35G        | 52.56             | 54.00             | -1.44          | 45.25         | 3           | Horizontal | 9              | 2.95          | -       | 33.10      | 6.71       | 32.50      |  |  |  |
| PK   | 5.515G       | 61.54             | 68.20             | -6.66          | 53.23         | 3           | Horizontal | 9              | 2.95          | -       | 33.83      | 6.94       | 32.46      |  |  |  |

**5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX**

**5270MHz\_TX**




EUT\_Y\_4TX  
 Setting 24  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.54086G    | 59.53             | 68.20             | -8.67          | 41.99         | 3           | Vertical  | 59             | 1.98          | -       | 39.08      | 10.87      | 32.41      |  |  |  |
| PK   | 15.81059G    | 63.57             | 74.00             | -10.43         | 44.31         | 3           | Vertical  | 318            | 1.91          | -       | 38.40      | 13.63      | 32.77      |  |  |  |
| AV   | 15.8106G     | 50.03             | 54.00             | -3.97          | 30.77         | 3           | Vertical  | 318            | 1.91          | -       | 38.40      | 13.63      | 32.77      |  |  |  |

**5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX**

**5270MHz\_TX**




EUT\_Y\_4TX  
 Setting 24  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.54099G    | 59.00             | 68.20             | -9.20          | 41.46         | 3           | Horizontal | 343            | 1.81          | -       | 39.08      | 10.87      | 32.41      |  |  |  |
| PK   | 15.81065G    | 63.53             | 74.00             | -10.47         | 44.27         | 3           | Horizontal | 173            | 2.02          | -       | 38.40      | 13.63      | 32.77      |  |  |  |
| AV   | 15.8106G     | 49.98             | 54.00             | -4.02          | 30.72         | 3           | Horizontal | 173            | 2.02          | -       | 38.40      | 13.63      | 32.77      |  |  |  |

**5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX**

**5310MHz\_TX**




EUT\_Y\_4TX  
 Setting 19  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.138G       | 60.27             | 74.00             | -13.73         | 53.40         | 3           | Vertical  | 52             | 2.46          | -       | 32.78      | 6.64       | 32.55      |
| AV   | 5.14G        | 49.30             | 54.00             | -4.70          | 42.43         | 3           | Vertical  | 52             | 2.46          | -       | 32.78      | 6.64       | 32.55      |
| PK   | 5.2915G      | 115.16            | Inf               | -Inf           | 108.01        | 3           | Vertical  | 52             | 2.46          | -       | 32.98      | 6.68       | 32.51      |
| AV   | 5.292G       | 104.71            | Inf               | -Inf           | 97.56         | 3           | Vertical  | 52             | 2.46          | -       | 32.98      | 6.68       | 32.51      |
| PK   | 5.3535G      | 63.55             | 74.00             | -10.45         | 56.23         | 3           | Vertical  | 52             | 2.46          | -       | 33.11      | 6.71       | 32.50      |
| AV   | 5.352G       | 52.07             | 54.00             | -1.93          | 44.75         | 3           | Vertical  | 52             | 2.46          | -       | 33.11      | 6.71       | 32.50      |
| PK   | 5.4725G      | 60.54             | 68.20             | -7.66          | 52.52         | 3           | Vertical  | 52             | 2.46          | -       | 33.63      | 6.86       | 32.47      |

**5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX**

**5310MHz\_TX**




EUT\_Y\_4TX  
 Setting 19  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.138G       | 59.69             | 74.00             | -14.31         | 52.82         | 3           | Horizontal | 8              | 2.90          | -       | 32.78      | 6.64       | 32.55      |
| AV   | 5.1385G      | 47.91             | 54.00             | -6.09          | 41.04         | 3           | Horizontal | 8              | 2.90          | -       | 32.78      | 6.64       | 32.55      |
| PK   | 5.3095G      | 113.79            | Inf               | -Inf           | 106.60        | 3           | Horizontal | 8              | 2.90          | -       | 33.02      | 6.68       | 32.51      |
| AV   | 5.308G       | 103.75            | Inf               | -Inf           | 96.56         | 3           | Horizontal | 8              | 2.90          | -       | 33.02      | 6.68       | 32.51      |
| PK   | 5.35G        | 64.58             | 74.00             | -9.42          | 57.27         | 3           | Horizontal | 8              | 2.90          | -       | 33.10      | 6.71       | 32.50      |
| AV   | 5.35G        | 52.54             | 54.00             | -1.46          | 45.23         | 3           | Horizontal | 8              | 2.90          | -       | 33.10      | 6.71       | 32.50      |
| PK   | 5.4805G      | 62.04             | 68.20             | -6.16          | 53.94         | 3           | Horizontal | 8              | 2.90          | -       | 33.68      | 6.88       | 32.46      |

**5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX**

**5310MHz\_TX**




EUT\_Y\_4TX  
 Setting 19  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.61983G    | 59.59             | 74.00             | -14.41         | 41.91         | 3           | Vertical  | 306            | 2.75          | -       | 39.14      | 10.95      | 32.41      |  |  |  |
| AV   | 10.6199G     | 45.69             | 54.00             | -8.31          | 28.01         | 3           | Vertical  | 306            | 2.75          | -       | 39.14      | 10.95      | 32.41      |  |  |  |
| PK   | 15.93045G    | 63.13             | 74.00             | -10.87         | 43.74         | 3           | Vertical  | 83             | 2.49          | -       | 38.54      | 13.64      | 32.79      |  |  |  |
| AV   | 15.93086G    | 49.21             | 54.00             | -4.79          | 29.82         | 3           | Vertical  | 83             | 2.49          | -       | 38.54      | 13.64      | 32.79      |  |  |  |

**5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX**

**5310MHz\_TX**




EUT\_Y\_4TX  
 Setting 19  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.61941G    | 60.08             | 74.00             | -13.92         | 42.40         | 3           | Horizontal | 135            | 2.91          | -       | 39.14      | 10.95      | 32.41      |  |  |  |
| AV   | 10.62001G    | 45.71             | 54.00             | -8.29          | 28.03         | 3           | Horizontal | 135            | 2.91          | -       | 39.14      | 10.95      | 32.41      |  |  |  |
| PK   | 15.93057G    | 64.07             | 74.00             | -9.93          | 44.68         | 3           | Horizontal | 188            | 2.33          | -       | 38.54      | 13.64      | 32.79      |  |  |  |
| AV   | 15.93079G    | 49.22             | 54.00             | -4.78          | 29.83         | 3           | Horizontal | 188            | 2.33          | -       | 38.54      | 13.64      | 32.79      |  |  |  |

**5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX**

**5510MHz\_TX**




EUT\_Y\_4TX  
 Setting 21  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 5.35G        | 59.94             | 68.20             | -8.26          | 52.64         | 3           | Vertical  | 301            | 1.80          | -       | 33.10      | 6.70       | 32.50      |  |  |  |  |
| PK   | 5.449G       | 61.34             | 74.00             | -12.66         | 53.49         | 3           | Vertical  | 301            | 1.80          | -       | 33.50      | 6.82       | 32.47      |  |  |  |  |
| PK   | 5.47G        | 67.04             | 68.20             | -1.16          | 59.03         | 3           | Vertical  | 301            | 1.80          | -       | 33.62      | 6.86       | 32.47      |  |  |  |  |
| AV   | 5.46G        | 49.93             | 54.00             | -4.07          | 42.00         | 3           | Vertical  | 301            | 1.80          | -       | 33.56      | 6.84       | 32.47      |  |  |  |  |
| PK   | 5.5285G      | 118.27            | Inf               | -Inf           | 109.90        | 3           | Vertical  | 301            | 1.80          | -       | 33.86      | 6.97       | 32.46      |  |  |  |  |
| AV   | 5.5285G      | 107.89            | Inf               | -Inf           | 99.52         | 3           | Vertical  | 301            | 1.80          | -       | 33.86      | 6.97       | 32.46      |  |  |  |  |
| PK   | 5.7315G      | 61.91             | 68.20             | -6.29          | 53.00         | 3           | Vertical  | 301            | 1.80          | -       | 34.10      | 7.26       | 32.45      |  |  |  |  |

**5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX**

**5510MHz\_TX**




EUT\_Y\_4TX  
 Setting 21  
 01-C-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |  |
| PK   | 5.3395G | 59.37    | 68.20    | -8.83  | 52.09  | 3    | Horizontal | 10      | 2.83   | -       | 33.08 | 6.70 | 32.50 |  |  |  |  |  |
| PK   | 5.374G  | 61.43    | 74.00    | -12.57 | 54.00  | 3    | Horizontal | 10      | 2.83   | -       | 33.20 | 6.72 | 32.49 |  |  |  |  |  |
| AV   | 5.3745G | 49.85    | 54.00    | -4.15  | 42.42  | 3    | Horizontal | 10      | 2.83   | -       | 33.20 | 6.72 | 32.49 |  |  |  |  |  |
| PK   | 5.4685G | 66.27    | 68.20    | -1.93  | 58.27  | 3    | Horizontal | 10      | 2.83   | -       | 33.61 | 6.86 | 32.47 |  |  |  |  |  |
| PK   | 5.528G  | 119.88   | Inf      | -Inf   | 111.51 | 3    | Horizontal | 10      | 2.83   | -       | 33.86 | 6.97 | 32.46 |  |  |  |  |  |
| AV   | 5.5285G | 107.15   | Inf      | -Inf   | 98.78  | 3    | Horizontal | 10      | 2.83   | -       | 33.86 | 6.97 | 32.46 |  |  |  |  |  |
| PK   | 5.758G  | 61.58    | 68.20    | -6.62  | 52.61  | 3    | Horizontal | 10      | 2.83   | -       | 34.12 | 7.30 | 32.45 |  |  |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5510MHz\_TX




EUT\_Y\_4TX  
 Setting 21  
 01-C-J-10

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.02071G | 59.08    | 74.00    | -14.92 | 41.10  | 3    | Vertical  | 285     | 1.15   | -       | 39.06 | 11.36 | 32.44 |  |  |  |
| AV   | 11.02006G | 45.45    | 54.00    | -8.55  | 27.47  | 3    | Vertical  | 285     | 1.15   | -       | 39.06 | 11.36 | 32.44 |  |  |  |
| PK   | 16.52936G | 62.64    | 68.20    | -5.56  | 41.68  | 3    | Vertical  | 154     | 1.87   | -       | 39.60 | 13.80 | 32.44 |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5510MHz\_TX

EUT\_Y\_4TX  
Setting 21  
01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.02069G    | 59.73             | 74.00             | -14.27         | 41.75         | 3           | Horizontal | 250            | 1.30          | -       | 39.06      | 11.36      | 32.44      |  |  |  |
| AV   | 11.01942G    | 45.42             | 54.00             | -8.58          | 27.44         | 3           | Horizontal | 250            | 1.30          | -       | 39.06      | 11.36      | 32.44      |  |  |  |
| PK   | 16.5303G     | 62.16             | 68.20             | -6.04          | 41.20         | 3           | Horizontal | 289            | 1.69          | -       | 39.60      | 13.80      | 32.44      |  |  |  |

**5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX**

**5550MHz\_TX**




EUT\_Y\_4TX  
 Setting 24  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3335G      | 59.12             | 68.20             | -9.08          | 51.85         | 3           | Vertical  | 295            | 1.80          | -       | 33.07      | 6.70       | 32.50      |
| PK   | 5.43G        | 62.72             | 74.00             | -11.28         | 54.99         | 3           | Vertical  | 295            | 1.80          | -       | 33.42      | 6.79       | 32.48      |
| AV   | 5.4125G      | 50.71             | 54.00             | -3.29          | 43.09         | 3           | Vertical  | 295            | 1.80          | -       | 33.35      | 6.75       | 32.48      |
| PK   | 5.469G       | 68.17             | 68.20             | -0.03          | 60.17         | 3           | Vertical  | 295            | 1.80          | -       | 33.61      | 6.86       | 32.47      |
| PK   | 5.5675G      | 123.18            | Inf               | -Inf           | 114.70        | 3           | Vertical  | 295            | 1.80          | -       | 33.90      | 7.04       | 32.46      |
| AV   | 5.568G       | 111.31            | Inf               | -Inf           | 102.83        | 3           | Vertical  | 295            | 1.80          | -       | 33.90      | 7.04       | 32.46      |
| PK   | 5.7335G      | 62.82             | 68.20             | -5.38          | 53.90         | 3           | Vertical  | 295            | 1.80          | -       | 34.10      | 7.27       | 32.45      |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5550MHz\_TX




EUT\_Y\_4TX  
 Setting 24  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.331G       | 58.86             | 68.20             | -9.34          | 51.60         | 3           | Horizontal | 14             | 2.93          | -       | 33.06      | 6.70       | 32.50      |
| PK   | 5.394G       | 61.61             | 74.00             | -12.39         | 54.09         | 3           | Horizontal | 14             | 2.93          | -       | 33.28      | 6.73       | 32.49      |
| AV   | 5.4145G      | 50.81             | 54.00             | -3.19          | 43.17         | 3           | Horizontal | 14             | 2.93          | -       | 33.36      | 6.76       | 32.48      |
| PK   | 5.4685G      | 67.64             | 68.20             | -0.56          | 59.64         | 3           | Horizontal | 14             | 2.93          | -       | 33.61      | 6.86       | 32.47      |
| PK   | 5.5485G      | 119.53            | Inf               | -Inf           | 111.09        | 3           | Horizontal | 14             | 2.93          | -       | 33.90      | 7.00       | 32.46      |
| AV   | 5.549G       | 110.07            | Inf               | -Inf           | 101.62        | 3           | Horizontal | 14             | 2.93          | -       | 33.90      | 7.01       | 32.46      |
| PK   | 5.763G       | 61.29             | 68.20             | -6.91          | 52.31         | 3           | Horizontal | 14             | 2.93          | -       | 34.13      | 7.30       | 32.45      |

5550MHz\_TX

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5550MHz\_TX




EUT\_Y\_4TX  
 Setting 24  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.10043G    | 60.84             | 74.00             | -13.16         | 42.86         | 3           | Horizontal | 133            | 1.26          | -       | 39.00      | 11.44      | 32.46      |  |  |  |
| AV   | 11.09983G    | 46.03             | 54.00             | -7.97          | 28.05         | 3           | Horizontal | 133            | 1.26          | -       | 39.00      | 11.44      | 32.46      |  |  |  |
| PK   | 16.64963G    | 62.80             | 68.20             | -5.40          | 41.51         | 3           | Horizontal | 52             | 1.02          | -       | 39.80      | 13.84      | 32.35      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUT\_Y\_4TX  
 Setting 22.5  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4465G      | 59.74             | 74.00             | -14.26         | 51.90         | 3           | Vertical  | 298            | 1.80          | -       | 33.49      | 6.82       | 32.47      |  |  |  |
| AV   | 5.4465G      | 48.30             | 54.00             | -5.70          | 40.46         | 3           | Vertical  | 298            | 1.80          | -       | 33.49      | 6.82       | 32.47      |  |  |  |
| PK   | 5.468G       | 60.54             | 68.20             | -7.66          | 52.54         | 3           | Vertical  | 298            | 1.80          | -       | 33.61      | 6.86       | 32.47      |  |  |  |
| PK   | 5.6685G      | 123.30            | Inf               | -Inf           | 114.52        | 3           | Vertical  | 298            | 1.80          | -       | 34.04      | 7.19       | 32.45      |  |  |  |
| AV   | 5.6685G      | 109.85            | Inf               | -Inf           | 101.07        | 3           | Vertical  | 298            | 1.80          | -       | 34.04      | 7.19       | 32.45      |  |  |  |
| PK   | 5.7285G      | 65.57             | 68.20             | -2.63          | 56.66         | 3           | Vertical  | 298            | 1.80          | -       | 34.10      | 7.26       | 32.45      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUT\_Y\_4TX  
 Setting 22.5  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.443G       | 59.05             | 74.00             | -14.95         | 51.24         | 3           | Horizontal | 15             | 3.00          | -       | 33.47      | 6.81       | 32.47      |
| AV   | 5.4475G      | 47.59             | 54.00             | -6.41          | 39.75         | 3           | Horizontal | 15             | 3.00          | -       | 33.49      | 6.82       | 32.47      |
| PK   | 5.4685G      | 60.32             | 68.20             | -7.88          | 52.32         | 3           | Horizontal | 15             | 3.00          | -       | 33.61      | 6.86       | 32.47      |
| PK   | 5.671G       | 118.50            | Inf               | -Inf           | 109.72        | 3           | Horizontal | 15             | 3.00          | -       | 34.04      | 7.19       | 32.45      |
| AV   | 5.6705G      | 107.10            | Inf               | -Inf           | 98.32         | 3           | Horizontal | 15             | 3.00          | -       | 34.04      | 7.19       | 32.45      |
| PK   | 5.8055G      | 64.24             | 68.20             | -3.96          | 55.11         | 3           | Horizontal | 15             | 3.00          | -       | 34.23      | 7.35       | 32.45      |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUT\_Y\_4TX  
 Setting 22.5  
 01-C-J-10

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.3401G  | 60.04    | 74.00    | -13.96 | 41.80  | 3    | Vertical  | 190     | 2.21   | -       | 39.08 | 11.69 | 32.53 |  |  |  |
| AV   | 11.33921G | 45.96    | 54.00    | -8.04  | 27.72  | 3    | Vertical  | 190     | 2.21   | -       | 39.08 | 11.69 | 32.53 |  |  |  |
| PK   | 17.01002G | 64.61    | 68.20    | -3.59  | 42.08  | 3    | Vertical  | 307     | 2.44   | -       | 40.66 | 13.94 | 32.07 |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUT\_Y\_4TX  
 Setting 22.5  
 01-C-J-10

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.3402G  | 59.86    | 74.00    | -14.14 | 41.62  | 3    | Horizontal | 109     | 2.32   | -       | 39.08 | 11.69 | 32.53 |  |  |  |
| AV   | 11.33946G | 45.95    | 54.00    | -8.05  | 27.71  | 3    | Horizontal | 109     | 2.32   | -       | 39.08 | 11.69 | 32.53 |  |  |  |
| PK   | 17.01071G | 64.59    | 68.20    | -3.61  | 42.06  | 3    | Horizontal | 35      | 3.00   | -       | 40.66 | 13.94 | 32.07 |  |  |  |

**5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX**

**5710MHz Straddle 5.47-5.725GHz\_TX**




EUT\_Y\_4TX  
 Setting 26  
 01-C-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3308G      | 58.62             | 68.20             | -9.58          | 51.36         | 3           | Vertical  | 301            | 1.80          | -       | 33.06      | 6.70       | 32.50      |
| AV   | 5.35G        | 46.81             | 54.00             | -7.19          | 39.50         | 3           | Vertical  | 301            | 1.80          | -       | 33.10      | 6.71       | 32.50      |
| PK   | 5.4188G      | 64.98             | 74.00             | -9.02          | 57.32         | 3           | Vertical  | 301            | 1.80          | -       | 33.38      | 6.76       | 32.48      |
| AV   | 5.418G       | 53.76             | 54.00             | -0.24          | 46.11         | 3           | Vertical  | 301            | 1.80          | -       | 33.37      | 6.76       | 32.48      |
| PK   | 5.4644G      | 61.08             | 68.20             | -7.12          | 53.11         | 3           | Vertical  | 301            | 1.80          | -       | 33.59      | 6.85       | 32.47      |
| PK   | 5.7084G      | 123.60            | Inf               | -Inf           | 114.71        | 3           | Vertical  | 301            | 1.80          | -       | 34.10      | 7.24       | 32.45      |
| AV   | 5.7084G      | 113.19            | Inf               | -Inf           | 104.30        | 3           | Vertical  | 301            | 1.80          | -       | 34.10      | 7.24       | 32.45      |
| PK   | 5.85G        | 64.06             | 68.20             | -4.14          | 54.62         | 3           | Vertical  | 301            | 1.80          | -       | 34.50      | 7.39       | 32.45      |

**5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX**

**5710MHz Straddle 5.47-5.725GHz\_TX**




EUT\_Y\_4TX  
 Setting 26  
 01-C-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.3476G | 57.88    | 68.20    | -10.32 | 50.58  | 3    | Horizontal | 20      | 3.00   | -       | 33.10 | 6.70 | 32.50 |  |  |  |
| AV   | 5.35G   | 46.34    | 54.00    | -7.66  | 39.03  | 3    | Horizontal | 20      | 3.00   | -       | 33.10 | 6.71 | 32.50 |  |  |  |
| PK   | 5.4012G | 64.33    | 74.00    | -9.67  | 56.78  | 3    | Horizontal | 20      | 3.00   | -       | 33.30 | 6.73 | 32.48 |  |  |  |
| AV   | 5.3996G | 52.67    | 54.00    | -1.33  | 45.12  | 3    | Horizontal | 20      | 3.00   | -       | 33.30 | 6.73 | 32.48 |  |  |  |
| PK   | 5.4636G | 59.21    | 68.20    | -8.99  | 51.25  | 3    | Horizontal | 20      | 3.00   | -       | 33.58 | 6.85 | 32.47 |  |  |  |
| PK   | 5.7124G | 122.29   | Inf      | -Inf   | 113.40 | 3    | Horizontal | 20      | 3.00   | -       | 34.10 | 7.24 | 32.45 |  |  |  |
| AV   | 5.7108G | 110.27   | Inf      | -Inf   | 101.38 | 3    | Horizontal | 20      | 3.00   | -       | 34.10 | 7.24 | 32.45 |  |  |  |
| PK   | 5.85G   | 62.86    | 68.20    | -5.34  | 53.42  | 3    | Horizontal | 20      | 3.00   | -       | 34.50 | 7.39 | 32.45 |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 Setting 26  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.42023G    | 60.51             | 74.00             | -13.49         | 42.24         | 3           | Vertical  | 150            | 2.23          | -       | 39.06      | 11.77      | 32.56      |  |  |  |
| AV   | 11.42022G    | 46.60             | 54.00             | -7.40          | 28.33         | 3           | Vertical  | 150            | 2.23          | -       | 39.06      | 11.77      | 32.56      |  |  |  |
| PK   | 17.13067G    | 65.93             | 68.20             | -2.27          | 42.79         | 3           | Vertical  | 28             | 2.64          | -       | 41.16      | 13.98      | 32.00      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 Setting 26  
 01-C-J-10

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 11.4193G  | 60.38    | 74.00    | -13.62 | 42.11  | 3    | Horizontal | 21      | 2.43   | -       | 39.06 | 11.77 | 32.56 |  |  |  |  |
| AV   | 11.42022G | 46.51    | 54.00    | -7.49  | 28.24  | 3    | Horizontal | 21      | 2.43   | -       | 39.06 | 11.77 | 32.56 |  |  |  |  |
| PK   | 17.13002G | 65.34    | 68.20    | -2.86  | 42.20  | 3    | Horizontal | 273     | 2.91   | -       | 41.16 | 13.98 | 32.00 |  |  |  |  |

**5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX**

**5290MHz\_TX**




EUT\_Y\_4TX  
 Setting 19.5  
 01-C-J-10-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.136G       | 59.93             | 74.00             | -14.07         | 53.07         | 3           | Vertical  | 57             | 1.80          | -       | 32.77      | 6.64       | 32.55      |  |  |  |
| AV   | 5.002G       | 49.03             | 54.00             | -4.97          | 42.04         | 3           | Vertical  | 57             | 1.80          | -       | 32.90      | 6.67       | 32.58      |  |  |  |
| PK   | 5.289G       | 112.13            | Inf               | -Inf           | 104.99        | 3           | Vertical  | 57             | 1.80          | -       | 32.98      | 6.67       | 32.51      |  |  |  |
| AV   | 5.269G       | 100.49            | Inf               | -Inf           | 93.41         | 3           | Vertical  | 57             | 1.80          | -       | 32.94      | 6.66       | 32.52      |  |  |  |
| PK   | 5.35G        | 64.04             | 74.00             | -9.96          | 56.73         | 3           | Vertical  | 57             | 1.80          | -       | 33.10      | 6.71       | 32.50      |  |  |  |
| AV   | 5.35G        | 51.74             | 54.00             | -2.26          | 44.43         | 3           | Vertical  | 57             | 1.80          | -       | 33.10      | 6.71       | 32.50      |  |  |  |
| PK   | 5.584G       | 63.29             | 68.20             | -4.91          | 54.78         | 3           | Vertical  | 57             | 1.80          | -       | 33.90      | 7.07       | 32.46      |  |  |  |

**5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX**

**5290MHz\_TX**




EUT\_Y\_4TX  
 Setting 19.5  
 01-C-J-10-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.115G       | 60.46             | 74.00             | -13.54         | 53.63         | 3           | Horizontal | 10             | 2.95          | -       | 32.73      | 6.65       | 32.55      |
| AV   | 5.117G       | 48.57             | 54.00             | -5.43          | 41.74         | 3           | Horizontal | 10             | 2.95          | -       | 32.73      | 6.65       | 32.55      |
| PK   | 5.268G       | 111.44            | Inf               | -Inf           | 104.36        | 3           | Horizontal | 10             | 2.95          | -       | 32.94      | 6.66       | 32.52      |
| AV   | 5.268G       | 100.22            | Inf               | -Inf           | 93.14         | 3           | Horizontal | 10             | 2.95          | -       | 32.94      | 6.66       | 32.52      |
| PK   | 5.369G       | 62.89             | 74.00             | -11.11         | 55.49         | 3           | Horizontal | 10             | 2.95          | -       | 33.18      | 6.71       | 32.49      |
| AV   | 5.35G        | 51.28             | 54.00             | -2.72          | 43.97         | 3           | Horizontal | 10             | 2.95          | -       | 33.10      | 6.71       | 32.50      |
| PK   | 5.633G       | 63.85             | 68.20             | -4.35          | 55.19         | 3           | Horizontal | 10             | 2.95          | -       | 33.97      | 7.14       | 32.45      |

## 5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


## 5290MHz\_TX

EUT\_Y\_4TX  
Setting 19.5  
01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.58088G    | 60.13             | 68.20             | -8.07          | 42.53         | 3           | Vertical  | 275            | 1.20          | -       | 39.10      | 10.91      | 32.41      |  |  |  |
| PK   | 15.86998G    | 63.49             | 74.00             | -10.51         | 44.15         | 3           | Vertical  | 295            | 2.83          | -       | 38.48      | 13.64      | 32.78      |  |  |  |
| AV   | 15.87057G    | 49.58             | 54.00             | -4.42          | 30.24         | 3           | Vertical  | 295            | 2.83          | -       | 38.48      | 13.64      | 32.78      |  |  |  |

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5290MHz\_TX




EUT\_Y\_4TX  
 Setting 19.5  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 10.57992G    | 59.67             | 68.20             | -8.53          | 42.07         | 3           | Horizontal | 187            | 1.14          | -       | 39.10      | 10.91      | 32.41      |  |  |  |  |
| PK   | 15.87045G    | 63.27             | 74.00             | -10.73         | 43.93         | 3           | Horizontal | 95             | 1.78          | -       | 38.48      | 13.64      | 32.78      |  |  |  |  |
| AV   | 15.87054G    | 49.61             | 54.00             | -4.39          | 30.27         | 3           | Horizontal | 95             | 1.78          | -       | 38.48      | 13.64      | 32.78      |  |  |  |  |

**5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX**

**5530MHz\_TX**




EUT\_Y\_4TX  
 Setting 19.5  
 01-C-J-10-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.224G       | 63.14             | 68.20             | -5.06          | 56.13         | 3           | Vertical  | 300            | 1.80          | -       | 32.90      | 6.64       | 32.53      |
| PK   | 5.448G       | 60.47             | 74.00             | -13.53         | 52.63         | 3           | Vertical  | 300            | 1.80          | -       | 33.49      | 6.82       | 32.47      |
| AV   | 5.449G       | 48.37             | 54.00             | -5.63          | 40.52         | 3           | Vertical  | 300            | 1.80          | -       | 33.50      | 6.82       | 32.47      |
| PK   | 5.47G        | 61.66             | 68.20             | -6.54          | 53.65         | 3           | Vertical  | 300            | 1.80          | -       | 33.62      | 6.86       | 32.47      |
| PK   | 5.51G        | 113.61            | Inf               | -Inf           | 105.32        | 3           | Vertical  | 300            | 1.80          | -       | 33.82      | 6.93       | 32.46      |
| AV   | 5.529G       | 102.05            | Inf               | -Inf           | 93.68         | 3           | Vertical  | 300            | 1.80          | -       | 33.86      | 6.97       | 32.46      |
| PK   | 5.814G       | 61.38             | 68.20             | -6.82          | 52.19         | 3           | Vertical  | 300            | 1.80          | -       | 34.28      | 7.36       | 32.45      |

**5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX**

**5530MHz\_TX**




EUT\_Y\_4TX  
 Setting 19.5  
 01-C-J-10-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 5.233G       | 62.92             | 68.20             | -5.28          | 55.89         | 3           | Horizontal | 12             | 3.00          | -       | 32.90      | 6.65       | 32.52      |  |  |  |  |
| PK   | 5.449G       | 60.21             | 74.00             | -13.79         | 52.36         | 3           | Horizontal | 12             | 3.00          | -       | 33.50      | 6.82       | 32.47      |  |  |  |  |
| AV   | 5.449G       | 48.41             | 54.00             | -5.59          | 40.56         | 3           | Horizontal | 12             | 3.00          | -       | 33.50      | 6.82       | 32.47      |  |  |  |  |
| PK   | 5.469G       | 61.07             | 68.20             | -7.13          | 53.07         | 3           | Horizontal | 12             | 3.00          | -       | 33.61      | 6.86       | 32.47      |  |  |  |  |
| PK   | 5.509G       | 111.68            | Inf               | -Inf           | 103.39        | 3           | Horizontal | 12             | 3.00          | -       | 33.82      | 6.93       | 32.46      |  |  |  |  |
| AV   | 5.509G       | 100.48            | Inf               | -Inf           | 92.19         | 3           | Horizontal | 12             | 3.00          | -       | 33.82      | 6.93       | 32.46      |  |  |  |  |
| PK   | 5.874G       | 62.61             | 68.20             | -5.59          | 53.01         | 3           | Horizontal | 12             | 3.00          | -       | 34.64      | 7.41       | 32.45      |  |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5530MHz\_TX




EUT\_Y\_4TX  
 Setting 19.5  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.06067G    | 59.84             | 74.00             | -14.16         | 41.89         | 3           | Vertical  | 145            | 2.01          | -       | 39.00      | 11.40      | 32.45      |  |  |  |
| AV   | 11.06074G    | 46.08             | 54.00             | -7.92          | 28.13         | 3           | Vertical  | 145            | 2.01          | -       | 39.00      | 11.40      | 32.45      |  |  |  |
| PK   | 16.59069G    | 65.94             | 68.20             | -2.26          | 44.91         | 3           | Vertical  | 75             | 1.34          | -       | 39.60      | 13.82      | 32.39      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5530MHz\_TX

EUT\_Y\_4TX  
Setting 19.5  
01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.05953G    | 59.74             | 74.00             | -14.26         | 41.79         | 3           | Horizontal | 190            | 2.92          | -       | 39.00      | 11.40      | 32.45      |  |  |  |
| AV   | 11.061G      | 46.04             | 54.00             | -7.96          | 28.09         | 3           | Horizontal | 190            | 2.92          | -       | 39.00      | 11.40      | 32.45      |  |  |  |
| PK   | 16.59023G    | 65.73             | 68.20             | -2.47          | 44.70         | 3           | Horizontal | 170            | 1.22          | -       | 39.60      | 13.82      | 32.39      |  |  |  |

**5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX**

**5610MHz\_TX**




EUT\_Y\_4TX  
 Setting 15.5  
 01-C-J-10-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| AV   | 5.119G       | 46.11             | 54.00             | -7.89          | 39.27         | 3           | Vertical  | 296            | 1.80          | -       | 32.74      | 6.65       | 32.55      |  |  |  |
| PK   | 5.313G       | 59.97             | 68.20             | -8.23          | 52.75         | 3           | Vertical  | 296            | 1.80          | -       | 33.03      | 6.69       | 32.50      |  |  |  |
| PK   | 5.455G       | 59.80             | 74.00             | -14.20         | 51.91         | 3           | Vertical  | 296            | 1.80          | -       | 33.53      | 6.83       | 32.47      |  |  |  |
| AV   | 5.453G       | 48.76             | 54.00             | -5.24          | 40.88         | 3           | Vertical  | 296            | 1.80          | -       | 33.52      | 6.83       | 32.47      |  |  |  |
| PK   | 5.469G       | 60.52             | 68.20             | -7.68          | 52.52         | 3           | Vertical  | 296            | 1.80          | -       | 33.61      | 6.86       | 32.47      |  |  |  |
| PK   | 5.587G       | 110.98            | Inf               | -Inf           | 102.46        | 3           | Vertical  | 296            | 1.80          | -       | 33.90      | 7.08       | 32.46      |  |  |  |
| AV   | 5.608G       | 100.38            | Inf               | -Inf           | 91.81         | 3           | Vertical  | 296            | 1.80          | -       | 33.92      | 7.11       | 32.46      |  |  |  |
| PK   | 5.783G       | 61.76             | 68.20             | -6.44          | 52.71         | 3           | Vertical  | 296            | 1.80          | -       | 34.17      | 7.33       | 32.45      |  |  |  |

**5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX**

**5610MHz\_TX**




EUT\_Y\_4TX  
 Setting 15.5  
 01-C-J-10-10

| Type | Freq   | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|--------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
| AV   | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| AV   | 5.118G | 45.98    | 54.00    | -8.02  | 39.14  | 3    | Horizontal | 13      | 2.78   | -       | 32.74 | 6.65 | 32.55 |  |  |  |
| PK   | 5.307G | 61.22    | 68.20    | -6.98  | 54.04  | 3    | Horizontal | 13      | 2.78   | -       | 33.01 | 6.68 | 32.51 |  |  |  |
| PK   | 5.458G | 60.01    | 74.00    | -13.99 | 52.09  | 3    | Horizontal | 13      | 2.78   | -       | 33.55 | 6.84 | 32.47 |  |  |  |
| AV   | 5.436G | 48.42    | 54.00    | -5.58  | 40.66  | 3    | Horizontal | 13      | 2.78   | -       | 33.44 | 6.80 | 32.48 |  |  |  |
| PK   | 5.462G | 59.18    | 68.20    | -9.02  | 51.24  | 3    | Horizontal | 13      | 2.78   | -       | 33.57 | 6.84 | 32.47 |  |  |  |
| PK   | 5.608G | 108.31   | Inf      | -Inf   | 99.74  | 3    | Horizontal | 13      | 2.78   | -       | 33.92 | 7.11 | 32.46 |  |  |  |
| AV   | 5.608G | 97.98    | Inf      | -Inf   | 89.41  | 3    | Horizontal | 13      | 2.78   | -       | 33.92 | 7.11 | 32.46 |  |  |  |
| PK   | 5.98G  | 61.77    | 68.20    | -6.43  | 51.51  | 3    | Horizontal | 13      | 2.78   | -       | 35.22 | 7.48 | 32.44 |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5610MHz\_TX




EUT\_Y\_4TX  
 Setting 15.5  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.22011G    | 59.15             | 74.00             | -14.85         | 41.25         | 3           | Vertical  | 237            | 1.99          | -       | 38.84      | 11.56      | 32.50      |  |  |  |
| AV   | 11.21957G    | 45.71             | 54.00             | -8.29          | 27.81         | 3           | Vertical  | 237            | 1.99          | -       | 38.84      | 11.56      | 32.50      |  |  |  |
| PK   | 16.82952G    | 64.03             | 68.20             | -4.17          | 42.03         | 3           | Vertical  | 94             | 2.49          | -       | 40.32      | 13.89      | 32.21      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5610MHz\_TX




EUT\_Y\_4TX  
 Setting 15.5  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.21915G    | 59.62             | 74.00             | -14.38         | 41.72         | 3           | Horizontal | 107            | 2.62          | -       | 38.84      | 11.56      | 32.50      |  |  |  |
| AV   | 11.22092G    | 45.74             | 54.00             | -8.26          | 27.83         | 3           | Horizontal | 107            | 2.62          | -       | 38.84      | 11.57      | 32.50      |  |  |  |
| PK   | 16.82938G    | 64.30             | 68.20             | -3.90          | 42.30         | 3           | Horizontal | 53             | 1.04          | -       | 40.32      | 13.89      | 32.21      |  |  |  |

**5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX**

**5690MHz Straddle 5.47-5.725GHz\_TX**




EUT\_Y\_4TX  
 Setting 15  
 01-C-J-10-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.23G        | 58.55             | 68.20             | -9.65          | 51.53         | 3           | Vertical  | 301            | 1.80          | -       | 32.90      | 6.64       | 32.52      |  |  |  |
| PK   | 5.374G       | 60.29             | 74.00             | -13.71         | 52.86         | 3           | Vertical  | 301            | 1.80          | -       | 33.20      | 6.72       | 32.49      |  |  |  |
| AV   | 5.35G        | 46.98             | 54.00             | -7.02          | 39.67         | 3           | Vertical  | 301            | 1.80          | -       | 33.10      | 6.71       | 32.50      |  |  |  |
| AV   | 5.414G       | 48.36             | 54.00             | -5.64          | 40.72         | 3           | Vertical  | 301            | 1.80          | -       | 33.36      | 6.76       | 32.48      |  |  |  |
| PK   | 5.462G       | 59.27             | 68.20             | -8.93          | 51.33         | 3           | Vertical  | 301            | 1.80          | -       | 33.57      | 6.84       | 32.47      |  |  |  |
| PK   | 5.729G       | 109.72            | Inf               | -Inf           | 100.81        | 3           | Vertical  | 301            | 1.80          | -       | 34.10      | 7.26       | 32.45      |  |  |  |
| AV   | 5.708G       | 97.90             | Inf               | -Inf           | 89.02         | 3           | Vertical  | 301            | 1.80          | -       | 34.10      | 7.23       | 32.45      |  |  |  |
| PK   | 5.946G       | 61.29             | 68.20             | -6.91          | 51.19         | 3           | Vertical  | 301            | 1.80          | -       | 35.08      | 7.46       | 32.44      |  |  |  |

**5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX**

**5690MHz Straddle 5.47-5.725GHz\_TX**




EUT\_Y\_4TX  
 Setting 15  
 01-C-J-10-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.346G       | 60.06             | 68.20             | -8.14          | 52.77         | 3           | Horizontal | 16             | 2.70          | -       | 33.09      | 6.70       | 32.50      |  |  |  |
| AV   | 5.35G        | 47.25             | 54.00             | -6.75          | 39.94         | 3           | Horizontal | 16             | 2.70          | -       | 33.10      | 6.71       | 32.50      |  |  |  |
| PK   | 5.42G        | 61.00             | 74.00             | -13.00         | 53.33         | 3           | Horizontal | 16             | 2.70          | -       | 33.38      | 6.77       | 32.48      |  |  |  |
| AV   | 5.404G       | 48.10             | 54.00             | -5.90          | 40.52         | 3           | Horizontal | 16             | 2.70          | -       | 33.32      | 6.74       | 32.48      |  |  |  |
| PK   | 5.466G       | 58.18             | 68.20             | -10.02         | 50.20         | 3           | Horizontal | 16             | 2.70          | -       | 33.60      | 6.85       | 32.47      |  |  |  |
| PK   | 5.71G        | 106.29            | Inf               | -Inf           | 97.40         | 3           | Horizontal | 16             | 2.70          | -       | 34.10      | 7.24       | 32.45      |  |  |  |
| AV   | 5.669G       | 95.42             | Inf               | -Inf           | 86.64         | 3           | Horizontal | 16             | 2.70          | -       | 34.04      | 7.19       | 32.45      |  |  |  |
| PK   | 5.85G        | 61.10             | 68.20             | -7.10          | 51.66         | 3           | Horizontal | 16             | 2.70          | -       | 34.50      | 7.39       | 32.45      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 Setting 15  
 01-C-J-10

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 11.3797G  | 60.97    | 74.00    | -13.03 | 42.68  | 3    | Vertical  | 29      | 1.59   | -       | 39.10 | 11.73 | 32.54 |  |  |  |  |
| AV   | 11.38082G | 46.60    | 54.00    | -7.40  | 28.31  | 3    | Vertical  | 29      | 1.59   | -       | 39.10 | 11.73 | 32.54 |  |  |  |  |
| PK   | 17.06991G | 65.69    | 68.20    | -2.51  | 42.79  | 3    | Vertical  | 57      | 2.47   | -       | 40.98 | 13.96 | 32.04 |  |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 Setting 15  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.3804G     | 60.70             | 74.00             | -13.30         | 42.41         | 3           | Horizontal | 189            | 2.12          | -       | 39.10      | 11.73      | 32.54      |  |  |  |
| AV   | 11.38028G    | 46.52             | 54.00             | -7.48          | 28.23         | 3           | Horizontal | 189            | 2.12          | -       | 39.10      | 11.73      | 32.54      |  |  |  |
| PK   | 17.06927G    | 65.18             | 68.20             | -3.02          | 42.28         | 3           | Horizontal | 161            | 2.52          | -       | 40.98      | 13.96      | 32.04      |  |  |  |

**5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX**

**5250MHz Straddle 5.25-5.35GHz\_TX**




EUT\_Y\_4TX  
 Setting 19.5  
 01-C-J-10-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.109G       | 64.84             | 74.00             | -9.16          | 58.02         | 3           | Vertical  | 55             | 1.80          | -       | 32.72      | 6.65       | 32.55      |  |  |  |
| AV   | 5.109G       | 52.76             | 54.00             | -1.24          | 45.94         | 3           | Vertical  | 55             | 1.80          | -       | 32.72      | 6.65       | 32.55      |  |  |  |
| PK   | 5.269G       | 110.58            | Inf               | -Inf           | 103.50        | 3           | Vertical  | 55             | 1.80          | -       | 32.94      | 6.66       | 32.52      |  |  |  |
| AV   | 5.269G       | 98.92             | Inf               | -Inf           | 91.84         | 3           | Vertical  | 55             | 1.80          | -       | 32.94      | 6.66       | 32.52      |  |  |  |
| PK   | 5.39G        | 66.38             | 74.00             | -7.62          | 58.88         | 3           | Vertical  | 55             | 1.80          | -       | 33.26      | 6.73       | 32.49      |  |  |  |
| AV   | 5.409G       | 53.71             | 54.00             | -0.29          | 46.10         | 3           | Vertical  | 55             | 1.80          | -       | 33.34      | 6.75       | 32.48      |  |  |  |
| PK   | 5.537G       | 61.35             | 68.20             | -6.85          | 52.96         | 3           | Vertical  | 55             | 1.80          | -       | 33.87      | 6.98       | 32.46      |  |  |  |

**5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX**

**5250MHz Straddle 5.25-5.35GHz\_TX**




EUT\_Y\_4TX  
 Setting 19.5  
 01-C-J-10-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.089G       | 63.59             | 74.00             | -10.41         | 56.78         | 3           | Horizontal | 12             | 3.00          | -       | 32.72      | 6.65       | 32.56      |  |  |  |
| AV   | 5.089G       | 51.39             | 54.00             | -2.61          | 44.58         | 3           | Horizontal | 12             | 3.00          | -       | 32.72      | 6.65       | 32.56      |  |  |  |
| PK   | 5.229G       | 108.60            | Inf               | -Inf           | 101.59        | 3           | Horizontal | 12             | 3.00          | -       | 32.90      | 6.64       | 32.53      |  |  |  |
| AV   | 5.209G       | 97.46             | Inf               | -Inf           | 90.46         | 3           | Horizontal | 12             | 3.00          | -       | 32.90      | 6.63       | 32.53      |  |  |  |
| PK   | 5.368G       | 64.77             | 74.00             | -9.23          | 57.38         | 3           | Horizontal | 12             | 3.00          | -       | 33.17      | 6.71       | 32.49      |  |  |  |
| AV   | 5.35G        | 52.43             | 54.00             | -1.57          | 45.12         | 3           | Horizontal | 12             | 3.00          | -       | 33.10      | 6.71       | 32.50      |  |  |  |
| PK   | 5.614G       | 61.47             | 68.20             | -6.73          | 52.88         | 3           | Horizontal | 12             | 3.00          | -       | 33.93      | 7.12       | 32.46      |  |  |  |

**5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX**

**5250MHz Straddle 5.25-5.35GHz\_TX**




EUT\_Y\_4TX  
 Setting 19.5  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.49908G    | 59.46             | 68.20             | -8.74          | 42.04         | 3           | Vertical  | 103            | 1.04          | -       | 39.00      | 10.83      | 32.41      |  |  |  |
| PK   | 15.75065G    | 64.80             | 74.00             | -9.20          | 45.53         | 3           | Vertical  | 104            | 2.31          | -       | 38.40      | 13.63      | 32.76      |  |  |  |
| AV   | 15.74901G    | 49.30             | 54.00             | -4.70          | 30.04         | 3           | Vertical  | 104            | 2.31          | -       | 38.40      | 13.62      | 32.76      |  |  |  |

**5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX**

**5250MHz Straddle 5.25-5.35GHz\_TX**




EUT\_Y\_4TX  
 Setting 19.5  
 01-C-J-10

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 10.49904G | 59.14    | 68.20    | -9.06  | 41.72  | 3    | Horizontal | 311     | 2.34   | -       | 39.00 | 10.83 | 32.41 |  |  |  |
| PK   | 15.74954G | 65.27    | 74.00    | -8.73  | 46.01  | 3    | Horizontal | 316     | 2.24   | -       | 38.40 | 13.62 | 32.76 |  |  |  |
| AV   | 15.74976G | 48.34    | 54.00    | -5.66  | 29.08  | 3    | Horizontal | 316     | 2.24   | -       | 38.40 | 13.62 | 32.76 |  |  |  |

**5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX**

**5570MHz\_TX**




EUT\_Y\_4TX  
 Setting 20.5  
 01-C-J-10-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.316G       | 61.50             | 68.20             | -6.70          | 54.28         | 3           | Vertical  | 294            | 1.80          | -       | 33.03      | 6.69       | 32.50      |  |  |  |
| PK   | 5.449G       | 66.85             | 74.00             | -7.15          | 59.00         | 3           | Vertical  | 294            | 1.80          | -       | 33.50      | 6.82       | 32.47      |  |  |  |
| AV   | 5.45G        | 53.70             | 54.00             | -0.30          | 45.85         | 3           | Vertical  | 294            | 1.80          | -       | 33.50      | 6.82       | 32.47      |  |  |  |
| PK   | 5.468G       | 67.68             | 68.20             | -0.52          | 59.68         | 3           | Vertical  | 294            | 1.80          | -       | 33.61      | 6.86       | 32.47      |  |  |  |
| PK   | 5.588G       | 114.75            | Inf               | -Inf           | 106.23        | 3           | Vertical  | 294            | 1.80          | -       | 33.90      | 7.08       | 32.46      |  |  |  |
| AV   | 5.549G       | 101.31            | Inf               | -Inf           | 92.86         | 3           | Vertical  | 294            | 1.80          | -       | 33.90      | 7.01       | 32.46      |  |  |  |
| PK   | 5.729G       | 67.50             | 68.20             | -0.70          | 58.59         | 3           | Vertical  | 294            | 1.80          | -       | 34.10      | 7.26       | 32.45      |  |  |  |

**5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX**

**5570MHz\_TX**




EUT\_Y\_4TX  
 Setting 20.5  
 01-C-J-10-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.285G       | 60.95             | 68.20             | -7.25          | 53.82         | 3           | Horizontal | 10             | 2.84          | -       | 32.97      | 6.67       | 32.51      |  |  |  |
| PK   | 5.45G        | 64.22             | 74.00             | -9.78          | 56.37         | 3           | Horizontal | 10             | 2.84          | -       | 33.50      | 6.82       | 32.47      |  |  |  |
| AV   | 5.449G       | 52.49             | 54.00             | -1.51          | 44.64         | 3           | Horizontal | 10             | 2.84          | -       | 33.50      | 6.82       | 32.47      |  |  |  |
| PK   | 5.468G       | 66.35             | 68.20             | -1.85          | 58.35         | 3           | Horizontal | 10             | 2.84          | -       | 33.61      | 6.86       | 32.47      |  |  |  |
| AV   | 5.528G       | 100.06            | Inf               | -Inf           | 91.69         | 3           | Horizontal | 10             | 2.84          | -       | 33.86      | 6.97       | 32.46      |  |  |  |
| PK   | 5.589G       | 111.91            | Inf               | -Inf           | 103.39        | 3           | Horizontal | 10             | 2.84          | -       | 33.90      | 7.08       | 32.46      |  |  |  |
| PK   | 5.728G       | 66.21             | 68.20             | -1.99          | 57.30         | 3           | Horizontal | 10             | 2.84          | -       | 34.10      | 7.26       | 32.45      |  |  |  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

5570MHz\_TX




EUT\_Y\_4TX  
 Setting 20.5  
 01-C-J-10

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.1395G  | 59.82    | 74.00    | -14.18 | 41.97  | 3    | Vertical  | 228     | 1.49   | -       | 38.84 | 11.48 | 32.47 |  |  |  |
| AV   | 11.14005G | 46.17    | 54.00    | -7.83  | 28.32  | 3    | Vertical  | 228     | 1.49   | -       | 38.84 | 11.48 | 32.47 |  |  |  |
| PK   | 16.70922G | 65.61    | 68.20    | -2.59  | 44.21  | 3    | Vertical  | 28      | 1.36   | -       | 39.84 | 13.86 | 32.30 |  |  |  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

5570MHz\_TX



EUT\_Y\_4TX  
 Setting 20.5  
 01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.13993G    | 60.25             | 74.00             | -13.75         | 42.40         | 3           | Horizontal | 139            | 1.87          | -       | 38.84      | 11.48      | 32.47      |  |  |  |
| AV   | 11.13947G    | 46.15             | 54.00             | -7.85          | 28.30         | 3           | Horizontal | 139            | 1.87          | -       | 38.84      | 11.48      | 32.47      |  |  |  |
| PK   | 16.70997G    | 65.34             | 68.20             | -2.86          | 43.94         | 3           | Horizontal | 308            | 2.26          | -       | 39.84      | 13.86      | 32.30      |  |  |  |

## <Radio 2>

For WLAN 5GHz: 47 CFR FCC Part 15, Subpart E (Section 15.407) - UNII 1~3

| Test Items                     | Mode (MHz)                                   | Reference Worst-Case ( $R_{dB}$ ) | Variant Test ( $V_{dB}$ ) | dB Difference ( $d_{dB}$ ) | Spot-Check Parameters                                                            | Pass Criterion ( $d_{dB} < d_{dBmax}(M_{dB})$ ) |
|--------------------------------|----------------------------------------------|-----------------------------------|---------------------------|----------------------------|----------------------------------------------------------------------------------|-------------------------------------------------|
| Maximum Conducted Output Power | 802.11be<br>EHT40_Nss1,(MCS0)_4TX<br>5795MHz | 29.81                             | 29.79                     | -0.02                      | $C_{dB}=30dBm$<br>$M_{dB}= C_{dB}-R_{dB} =0.19$<br>$d_{dBmax}(M_{dB})=3.01$      | Pass                                            |
| Unwanted Emissions Band-edge   | 802.11be<br>EHT20_Nss1,(MCS0)_4TX<br>5785MHz | 67.93                             | 63.18                     | -4.75                      | $C_{dB}=68.2dBuV/m$<br>$M_{dB}= C_{dB}-R_{dB} =0.27$<br>$d_{dBmax}(M_{dB})=3.01$ | Pass                                            |
| Unwanted Emissions Harmonic    | 802.11be<br>EHT20_Nss1,(MCS0)_4TX<br>5745MHz | 66.51                             | 56.09                     | -10.42                     | $C_{dB}=68.2dBuV/m$<br>$M_{dB}= C_{dB}-R_{dB} =1.69$<br>$d_{dBmax}(M_{dB})=3.08$ | Pass                                            |

## Compared Test Result

### Maximum Conducted Output Power

| Parent Device                                |        |          |              |              |              |              |                   |                   |
|----------------------------------------------|--------|----------|--------------|--------------|--------------|--------------|-------------------|-------------------|
| Mode                                         | Result | DG (dBi) | Port 1 (dBm) | Port 2 (dBm) | Port 3 (dBm) | Port 4 (dBm) | Total Power (dBm) | Power Limit (dBm) |
| 802.11be<br>EHT40_Nss1,(MCS0)_4TX<br>5795MHz | Pass   | 5.95     | 24.30        | 23.45        | 23.67        | 23.71        | 29.81             | 30.00             |

| Variant Device                               |        |          |              |              |              |              |                   |                   |
|----------------------------------------------|--------|----------|--------------|--------------|--------------|--------------|-------------------|-------------------|
| Mode                                         | Result | DG (dBi) | Port 1 (dBm) | Port 2 (dBm) | Port 3 (dBm) | Port 4 (dBm) | Total Power (dBm) | Power Limit (dBm) |
| 802.11be<br>EHT40_Nss1,(MCS0)_4TX<br>5795MHz | Pass   | 5.95     | 23.29        | 24.49        | 23.47        | 23.72        | 29.79             | 30.00             |


## Unwanted Emissions / Band-edge

Radio 2 / 802.11be EHT20\_Nss1,(MCS0)\_4TX 5785MHz

Parent Device

5.725-5.85GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5785MHz\_TX




EUT\_Y\_4TX  
Setting 28  
01-C-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.4858G   | 67.38          | 68.20          | -0.82       | 59.24      | 3        | Vertical  | 302         | 1.80       | -       | 33.71   | 6.89    | 32.46   |
| AV   | 5.46G     | 48.87          | 54.00          | -5.13       | 40.94      | 3        | Vertical  | 302         | 1.80       | -       | 33.56   | 6.84    | 32.47   |
| PK   | 5.7834G   | 127.50         | Inf            | -Inf        | 118.45     | 3        | Vertical  | 302         | 1.80       | -       | 34.17   | 7.33    | 32.45   |
| AV   | 5.7834G   | 115.41         | Inf            | -Inf        | 106.36     | 3        | Vertical  | 302         | 1.80       | -       | 34.17   | 7.33    | 32.45   |
| PK   | 6.1082G   | 62.44          | 68.20          | -5.76       | 51.94      | 3        | Vertical  | 302         | 1.80       | -       | 35.38   | 7.55    | 32.43   |

5.725-5.85GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5785MHz\_TX




EUT\_Y\_4TX  
Setting 28  
01-C-R-7-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.4754G   | 67.93          | 68.20          | -0.27       | 59.88      | 3        | Horizontal | 18          | 3.00       | -       | 33.65   | 6.87    | 32.47   |
| AV   | 5.46G     | 47.71          | 54.00          | -6.29       | 39.78      | 3        | Horizontal | 18          | 3.00       | -       | 33.56   | 6.84    | 32.47   |
| PK   | 5.7842G   | 123.73         | Inf            | -Inf        | 114.68     | 3        | Horizontal | 18          | 3.00       | -       | 34.17   | 7.33    | 32.45   |
| AV   | 5.7858G   | 113.42         | Inf            | -Inf        | 104.37     | 3        | Horizontal | 18          | 3.00       | -       | 34.17   | 7.33    | 32.45   |
| PK   | 6.0298G   | 62.29          | 68.20          | -5.91       | 51.86      | 3        | Horizontal | 18          | 3.00       | -       | 35.36   | 7.51    | 32.44   |

## Variant Device

5.725-5.85GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5785MHz\_TX




EUT\_Y\_4TX  
Setting 25  
04-V-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.4722G   | 62.78          | 68.20          | -5.42       | 69.24      | 3        | Vertical  | 300         | 1.80       | -       | 31.69   | 5.56    | 43.71   |
| AV   | 5.4522G   | 41.11          | 54.00          | -12.89      | 47.66      | 3        | Vertical  | 300         | 1.80       | -       | 31.61   | 5.56    | 43.72   |
| PK   | 5.7826G   | 118.28         | Inf            | -Inf        | 124.04     | 3        | Vertical  | 300         | 1.80       | -       | 32.10   | 5.56    | 43.42   |
| AV   | 5.7834G   | 109.42         | Inf            | -Inf        | 115.18     | 3        | Vertical  | 300         | 1.80       | -       | 32.10   | 5.56    | 43.42   |
| PK   | 5.9426G   | 63.18          | 68.20          | -5.02       | 68.49      | 3        | Vertical  | 300         | 1.80       | -       | 32.30   | 5.65    | 43.26   |

5.725-5.85GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5785MHz\_TX



EUT\_Y\_4TX  
Setting 25  
04-V-C-6-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| AV   | 5.46G     | 39.84          | 54.00          | -14.16      | 46.36      | 3        | Horizontal | 3           | 3.00       | -       | 31.64   | 5.56    | 43.72   |
| PK   | 5.6346G   | 61.72          | 68.20          | -6.48       | 68.00      | 3        | Horizontal | 3           | 3.00       | -       | 31.74   | 5.55    | 43.57   |
| PK   | 5.7938G   | 117.93         | Inf            | -Inf        | 123.68     | 3        | Horizontal | 3           | 3.00       | -       | 32.10   | 5.56    | 43.41   |
| AV   | 5.793G    | 109.59         | Inf            | -Inf        | 115.34     | 3        | Horizontal | 3           | 3.00       | -       | 32.10   | 5.56    | 43.41   |
| PK   | 5.9434G   | 62.86          | 68.20          | -5.34       | 68.17      | 3        | Horizontal | 3           | 3.00       | -       | 32.30   | 5.65    | 43.26   |


## Unwanted Emissions / Harmonic

Radio 2 / 802.11be EHT20\_Nss1,(MCS0)\_4TX 5745MHz

Parent Device

5.725-5.85GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5745MHz\_TX




EUT\_Y\_4TX  
Setting 25  
01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.48948G    | 61.07             | 74.00             | -12.93         | 42.89         | 3           | Vertical  | 176            | 1.90          | -       | 38.92      | 11.84      | 32.58      |
| AV   | 11.49013G    | 46.52             | 54.00             | -7.48          | 28.34         | 3           | Vertical  | 176            | 1.90          | -       | 38.92      | 11.84      | 32.58      |
| PK   | 17.23566G    | 66.51             | 68.20             | -1.69          | 42.99         | 3           | Vertical  | 245            | 1.25          | -       | 41.44      | 14.01      | 31.93      |

5.725-5.85GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5745MHz\_TX




EUT\_Y\_4TX  
Setting 25  
01-C-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.49026G    | 60.54             | 74.00             | -13.46         | 42.36         | 3           | Horizontal | 87             | 2.78          | -       | 38.92      | 11.84      | 32.58      |
| AV   | 11.48987G    | 46.50             | 54.00             | -7.50          | 28.32         | 3           | Horizontal | 87             | 2.78          | -       | 38.92      | 11.84      | 32.58      |
| PK   | 17.23489G    | 64.35             | 68.20             | -3.85          | 40.83         | 3           | Horizontal | 293            | 2.39          | -       | 41.44      | 14.01      | 31.93      |

## Variant Device

5.725-5.85GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5745MHz\_TX




EUT\_Y\_4TX  
Setting 24  
04-V-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 11.48838G | 51.65          | 74.00          | -22.35      | 43.95      | 3        | Vertical  | 260         | 2.53       | -       | 39.98   | 10.46   | 42.74   |
| AV   | 11.49747G | 39.01          | 54.00          | -14.99      | 31.29      | 3        | Vertical  | 260         | 2.53       | -       | 39.99   | 10.47   | 42.74   |
| PK   | 17.24661G | 56.09          | 68.20          | -12.11      | 41.89      | 3        | Vertical  | 319         | 1.80       | -       | 40.60   | 16.38   | 42.78   |

5.725-5.85GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5745MHz\_TX



EUT\_Y\_4TX  
Setting 24  
04-V-C-6

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 11.4972G  | 50.82          | 74.00          | -23.18      | 43.10      | 3        | Horizontal | 44          | 2.15       | -       | 39.99   | 10.47   | 42.74   |
| AV   | 11.49999G | 39.01          | 54.00          | -14.99      | 31.28      | 3        | Horizontal | 44          | 2.15       | -       | 40.00   | 10.47   | 42.74   |
| PK   | 17.24631G | 55.65          | 68.20          | -12.55      | 41.45      | 3        | Horizontal | 183         | 1.39       | -       | 40.60   | 16.38   | 42.78   |