


6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_V_4TX
Setting 13
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	28.01985G	61.65	97.74	-36.09	44.74	1	Horizontal	127	1.50	-	39.52	24.79	47.40			
RMS	28.02G	59.80	77.74	-17.94	42.89	1	Horizontal	127	1.50	-	39.52	24.79	47.40			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
Setting 13
03-W-1-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.089G	107.09	Inf	-Inf	98.08	3	Vertical	179	1.95	-	35.70	8.38	35.07				
RMS	7.0676G	95.96	Inf	-Inf	86.97	3	Vertical	179	1.95	-	35.70	8.37	35.08				
PK	7.1256G	66.86	88.20	-21.34	57.67	3	Vertical	179	1.95	-	35.85	8.40	35.06				
RMS	7.1302G	51.40	68.20	-16.80	42.17	3	Vertical	179	1.95	-	35.88	8.41	35.06				

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
Setting 13
03-W-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0706G	111.84	Inf	-Inf	102.84	3	Horizontal	169	1.92	-	35.70	8.38	35.08			
RMS	7.1026G	99.49	Inf	-Inf	90.45	3	Horizontal	169	1.92	-	35.72	8.39	35.07			
PK	7.1842G	62.99	88.20	-25.21	53.39	3	Horizontal	169	1.92	-	36.21	8.43	35.04			
RMS	7.1834G	51.18	68.20	-17.02	41.59	3	Horizontal	169	1.92	-	36.20	8.43	35.04			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT V_4TX
Setting 13
03-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.18765G	60.40	88.20	-27.80	40.99	3	Vertical	12	2.48	-	41.55	11.58	33.72			
RMS	14.1927G	49.22	68.20	-18.98	29.79	3	Vertical	12	2.48	-	41.57	11.58	33.72			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 13
03-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.1608G	60.13	88.20	-28.07	40.83	3	Horizontal	291	2.10	-	41.44	11.56	33.70			
RMS	14.18505G	49.21	68.20	-18.99	29.82	3	Horizontal	291	2.10	-	41.54	11.57	33.72			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT V_4TX
Setting 13
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	28.34006G	54.78	97.74	-42.96	38.20	1	Vertical	175	1.60	-	39.50	24.55	47.47			
RMS	28.34004G	51.98	77.74	-25.76	35.40	1	Vertical	175	1.60	-	39.50	24.55	47.47			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 13
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	28.3401G	56.30	97.74	-41.44	39.72	1	Horizontal	129	1.50	-	39.50	24.55	47.47			
RMS	28.34003G	53.87	77.74	-23.87	37.29	1	Horizontal	129	1.50	-	39.50	24.55	47.47			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 16
03-W-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9186G	60.03	88.20	-28.17	52.93	3	Vertical	169	2.02	-	34.57	7.52	34.99				
RMS	5.9186G	49.12	68.20	-19.08	42.02	3	Vertical	169	2.02	-	34.57	7.52	34.99				
PK	6.0026G	111.60	Inf	-Inf	104.37	3	Vertical	169	2.02	-	34.71	7.53	35.01				
RMS	5.979G	99.62	Inf	-Inf	92.39	3	Vertical	169	2.02	-	34.70	7.53	35.00				

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_Y_4TX
Setting 16
03-W-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9238G	62.45	88.20	-25.75	55.32	3	Horizontal	176	1.80	-	34.60	7.52	34.99			
RMS	5.921G	49.29	68.20	-18.91	42.18	3	Horizontal	176	1.80	-	34.58	7.52	34.99			
PK	5.9802G	110.91	Inf	-Inf	103.68	3	Horizontal	176	1.80	-	34.70	7.53	35.00			
RMS	5.9742G	98.92	Inf	-Inf	91.69	3	Horizontal	176	1.80	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 16
03-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.95435G	56.42	74.00	-17.58	41.50	3	Vertical	126	1.12	-	39.20	10.90	35.18				
AV	11.96915G	45.77	54.00	-8.23	30.85	3	Vertical	126	1.12	-	39.20	10.90	35.18				
PK	17.96865G	61.91	74.00	-12.09	37.95	3	Vertical	95	1.09	-	44.74	13.26	34.04				
AV	17.973G	49.85	54.00	-4.15	25.88	3	Vertical	95	1.09	-	44.75	13.26	34.04				

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 16
03-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.951G	56.47	74.00	-17.53	41.56	3	Horizontal	118	2.35	-	39.20	10.89	35.18			
AV	11.9719G	45.41	54.00	-8.59	30.49	3	Horizontal	118	2.35	-	39.20	10.90	35.18			
PK	17.9683G	61.43	74.00	-12.57	37.47	3	Horizontal	153	1.35	-	44.74	13.26	34.04			
AV	17.96245G	49.88	54.00	-4.12	25.94	3	Horizontal	153	1.35	-	44.72	13.25	34.03			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 16
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94011G	56.74	83.54	-26.80	42.30	1	Vertical	185	1.80	-	38.98	23.08	47.62			
AV	23.94002G	53.99	63.54	-9.55	39.55	1	Vertical	185	1.80	-	38.98	23.08	47.62			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_V_4TX
Setting 16
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93995G	59.41	83.54	-24.13	44.97	1	Horizontal	172	1.59	-	38.98	23.08	47.62			
AV	23.94004G	57.55	63.54	-5.99	43.11	1	Horizontal	172	1.59	-	38.98	23.08	47.62			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 16
03-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.43005G	56.82	74.00	-17.18	41.86	3	Vertical	350	1.14	-	38.80	11.03	34.87			
AV	12.47G	44.84	54.00	-9.16	29.83	3	Vertical	350	1.14	-	38.80	11.05	34.84			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 16
03-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.45355G	55.54	74.00	-18.46	40.55	3	Horizontal	339	2.46	-	38.80	11.04	34.85			
AV	12.47275G	45.04	54.00	-8.96	30.03	3	Horizontal	339	2.46	-	38.80	11.05	34.84			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6225MHz_TX

EUT_V_4TX
Setting 16
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	24.90006G	55.47	97.74	-42.27	40.62	1	Vertical	184	1.68	-	39.20	23.07	47.42			
RMS	24.90002G	52.79	77.74	-24.95	37.94	1	Vertical	184	1.68	-	39.20	23.07	47.42			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6225MHz_TX

EUT_V_4TX
Setting 16
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	24.90012G	56.46	97.74	-41.28	41.61	1	Horizontal	149	1.50	-	39.20	23.07	47.42			
RMS	24.90003G	53.62	77.74	-24.12	38.77	1	Horizontal	149	1.50	-	39.20	23.07	47.42			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 15
03-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.763G	55.64	88.20	-32.56	39.75	3	Vertical	40	2.90	-	39.03	11.13	34.27			
RMS	12.7799G	45.67	68.20	-22.53	29.70	3	Vertical	40	2.90	-	39.06	11.14	34.23			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 15
03-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77705G	56.71	88.20	-31.49	40.76	3	Horizontal	96	1.41	-	39.05	11.14	34.24			
RMS	12.7769G	45.28	68.20	-22.92	29.33	3	Horizontal	96	1.41	-	39.05	11.14	34.24			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 15
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	25.53994G	54.86	97.74	-42.88	39.63	1	Vertical	184	1.54	-	38.98	23.46	47.21			
RMS	25.54004G	49.71	77.74	-28.03	34.48	1	Vertical	184	1.54	-	38.98	23.46	47.21			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 15
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	25.53997G	57.77	97.74	-39.97	42.54	1	Horizontal	171	1.50	-	38.98	23.46	47.21			
RMS	25.54004G	55.13	77.74	-22.61	39.90	1	Horizontal	171	1.50	-	38.98	23.46	47.21			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 16
03-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.91455G	57.24	88.20	-30.96	40.65	3	Vertical	153	2.23	-	39.36	11.18	33.95			
RMS	12.91945G	46.19	68.20	-22.01	29.57	3	Vertical	153	2.23	-	39.38	11.18	33.94			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 16
03-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.92325G	56.86	88.20	-31.34	40.22	3	Horizontal	33	2.54	-	39.39	11.18	33.93			
RMS	12.91915G	46.21	68.20	-21.99	29.59	3	Horizontal	33	2.54	-	39.38	11.18	33.94			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 16
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	25.85984G	55.60	97.74	-42.14	41.00	1	Vertical	177	1.50	-	38.70	23.17	47.27			
RMS	25.86006G	52.59	77.74	-25.15	37.99	1	Vertical	177	1.50	-	38.70	23.17	47.27			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6465MHz_TX

EUT_V_4TX
Setting 16
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	25.86005G	57.69	88.20	-30.51	43.09	1	Horizontal	147	1.52	-	38.70	23.17	47.27			
RMS	25.86005G	55.33	77.74	-22.41	40.73	1	Horizontal	147	1.52	-	38.70	23.17	47.27			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_Y_4TX
Setting 15
03-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1003G	57.55	88.20	-30.65	40.37	3	Vertical	296	2.14	-	39.60	11.23	33.65			
RMS	13.1096G	46.50	68.20	-21.70	29.31	3	Vertical	296	2.14	-	39.60	11.23	33.64			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_V_4TX
Setting 15
03-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0863G	57.47	88.20	-30.73	40.34	3	Horizontal	33	2.83	-	39.57	11.23	33.67			
RMS	13.10915G	46.47	68.20	-21.73	29.28	3	Horizontal	33	2.83	-	39.60	11.23	33.64			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_V_4TX
Setting 15
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	26.18003G	56.45	97.74	-41.29	41.45	1	Vertical	134	1.52	-	38.94	23.36	47.30			
RMS	26.18003G	54.14	77.74	-23.60	39.14	1	Vertical	134	1.52	-	38.94	23.36	47.30			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_V_4TX
Setting 15
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	26.18003G	58.70	97.74	-39.04	43.70	1	Horizontal	155	1.63	-	38.94	23.36	47.30			
RMS	26.18006G	57.01	77.74	-20.73	42.01	1	Horizontal	155	1.63	-	38.94	23.36	47.30			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 16
03-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2352G	58.02	88.20	-30.18	40.30	3	Vertical	279	2.29	-	39.94	11.27	33.49			
RMS	13.2381G	46.74	68.20	-21.46	29.01	3	Vertical	279	2.29	-	39.95	11.27	33.49			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 16
03-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24045G	57.27	88.20	-30.93	39.53	3	Horizontal	308	1.29	-	39.96	11.27	33.49			
RMS	13.22595G	46.65	68.20	-21.55	28.98	3	Horizontal	308	1.29	-	39.90	11.27	33.50			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6625MHz_TX

EUT_V_4TX
Setting 16
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	26.50015G	53.86	97.74	-43.88	37.74	1	Vertical	136	1.50	-	39.50	23.92	47.30			
RMS	26.50004G	49.36	77.74	-28.38	33.24	1	Vertical	136	1.50	-	39.50	23.92	47.30			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT V_4TX
Setting 16
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	26.49989G	56.50	97.74	-41.24	40.38	1	Horizontal	152	1.51	-	39.50	23.92	47.30			
RMS	26.50002G	52.80	77.74	-24.94	36.68	1	Horizontal	152	1.51	-	39.50	23.92	47.30			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 17
03-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.422G	58.23	88.20	-29.97	39.94	3	Vertical	43	2.43	-	40.24	11.32	33.27			
RMS	13.43515G	47.28	68.20	-20.92	28.94	3	Vertical	43	2.43	-	40.27	11.33	33.26			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT V_4TX
Setting 17
03-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.41645G	57.69	88.20	-30.51	39.42	3	Horizontal	113	1.11	-	40.23	11.32	33.28			
RMS	13.4279G	47.16	68.20	-21.04	28.85	3	Horizontal	113	1.11	-	40.26	11.32	33.27			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 17
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	26.82009G	51.35	97.74	-46.39	35.31	1	Vertical	164	1.50	-	39.48	23.86	47.30			
RMS	26.82009G	46.24	77.74	-31.50	30.20	1	Vertical	164	1.50	-	39.48	23.86	47.30			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 17
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	26.81999G	55.50	97.74	-42.24	39.46	1	Horizontal	185.0	1.50	-	39.48	23.86	47.30			
RMS	26.82G	51.74	77.74	-26.00	35.70	1	Horizontal	185.0	1.50	-	39.48	23.86	47.30			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 16
03-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.5811G	58.46	88.20	-29.74	39.98	3	Vertical	74	1.20	-	40.36	11.37	33.25			
RMS	13.58825G	47.43	68.20	-20.77	28.94	3	Vertical	74	1.20	-	40.38	11.37	33.26			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 16
03-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.54755G	58.44	88.20	-29.76	40.00	3	Horizontal	61	1.22	-	40.30	11.36	33.22			
RMS	13.57965G	47.33	68.20	-20.87	28.85	3	Horizontal	61	1.22	-	40.36	11.37	33.25			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 16
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	27.14015G	54.07	88.20	-34.13	38.09	1	Vertical	167	1.50	-	39.46	23.82	47.30			
RMS	27.14001G	51.26	77.74	-26.48	35.28	1	Vertical	167	1.50	-	39.46	23.82	47.30			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 16
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	27.13983G	55.69	88.20	-32.51	39.71	1	Horizontal	134	1.54	-	39.46	23.82	47.30			
RMS	27.14005G	54.35	77.74	-23.39	38.37	1	Horizontal	134	1.54	-	39.46	23.82	47.30			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 16
03-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7085G	57.85	88.20	-30.35	39.27	3	Vertical	64	2.58	-	40.53	11.41	33.36			
RMS	13.746G	47.51	68.20	-20.69	28.81	3	Vertical	64	2.58	-	40.68	11.42	33.40			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 16
03-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7241G	58.26	88.20	-29.94	39.63	3	Horizontal	305	2.91	-	40.60	11.41	33.38			
RMS	13.75195G	47.66	68.20	-20.54	28.94	3	Horizontal	305	2.91	-	40.70	11.42	33.40			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT Y_4TX
Setting 16
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	27.46008G	52.02	97.74	-45.72	36.27	1	Vertical	196	1.50	-	39.26	23.79	47.30			
RMS	27.46004G	46.68	77.74	-31.06	30.93	1	Vertical	196	1.50	-	39.26	23.79	47.30			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 16
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	27.45997G	54.76	97.74	-42.98	39.01	1	Horizontal	137	1.85	-	39.26	23.79	47.30			
RMS	27.46001G	49.89	77.74	-27.85	34.14	1	Horizontal	137	1.85	-	39.26	23.79	47.30			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 17
03-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8687G	58.31	88.20	-29.89	39.56	3	Vertical	55	2.58	-	40.80	11.45	33.50			
RMS	13.9032G	47.97	68.20	-20.23	29.23	3	Vertical	55	2.58	-	40.81	11.46	33.53			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 17
03-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.91455G	58.56	88.20	-29.64	39.80	3	Horizontal	318	2.92	-	40.83	11.47	33.54			
RMS	13.9055G	47.99	68.20	-20.21	29.26	3	Horizontal	318	2.92	-	40.81	11.46	33.54			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 17
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	27.78003G	58.08	97.74	-39.66	41.68	1	Vertical	172	1.52	-	39.40	24.36	47.36			
RMS	27.78006G	55.66	77.74	-22.08	39.26	1	Vertical	172	1.52	-	39.40	24.36	47.36			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 17
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	27.78004G	59.04	97.74	-38.70	42.64	1	Horizontal	134	1.54	-	39.40	24.36	47.36			
RMS	27.78006G	56.99	77.74	-20.75	40.59	1	Horizontal	134	1.54	-	39.40	24.36	47.36			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 16
03-W-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0062G	109.26	Inf	-Inf	100.33	3	Vertical	190	1.88	-	35.70	8.34	35.11				
RMS	7.015G	97.43	Inf	-Inf	88.48	3	Vertical	190	1.88	-	35.70	8.35	35.10				
PK	7.1978G	63.41	88.20	-24.79	53.71	3	Vertical	190	1.88	-	36.29	8.44	35.03				
RMS	7.2158G	51.56	68.20	-16.64	41.73	3	Vertical	190	1.88	-	36.39	8.46	35.02				

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 16
03-W-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9938G	110.75	Inf	-Inf	101.83	3	Horizontal	173	1.80	-	35.69	8.34	35.11			
RMS	7.043G	98.93	Inf	-Inf	89.96	3	Horizontal	173	1.80	-	35.70	8.36	35.09			
PK	7.1902G	63.81	88.20	-24.39	54.16	3	Horizontal	173	1.80	-	36.24	8.44	35.03			
RMS	7.1874G	51.66	68.20	-16.54	42.05	3	Horizontal	173	1.80	-	36.22	8.43	35.04			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 16
03-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0495G	59.68	88.20	-28.52	40.62	3	Vertical	74	2.91	-	41.20	11.51	33.65			
RMS	14.05935G	48.35	68.20	-19.85	29.28	3	Vertical	74	2.91	-	41.20	11.52	33.65			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 16
03-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0566G	60.10	88.20	-28.10	41.03	3	Horizontal	63	1.64	-	41.20	11.52	33.65			
RMS	14.0727G	48.39	68.20	-19.81	29.33	3	Horizontal	63	1.64	-	41.20	11.52	33.66			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 16
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	28.10019G	59.01	97.74	-38.73	42.40	1	Vertical	174	1.60	-	39.30	24.73	47.42			
RMS	28.10002G	56.83	77.74	-20.91	40.22	1	Vertical	174	1.60	-	39.30	24.73	47.42			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 16
03-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	28.1G	61.42	97.74	-36.32	44.81	1	Horizontal	132	1.50	-	39.30	24.73	47.42			
RMS	28.10006G	58.33	77.74	-19.41	41.72	1	Horizontal	132	1.50	-	39.30	24.73	47.42			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT V_4TX
Setting 20
03-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.028G	56.09	74.00	-17.91	41.20	3	Vertical	156	1.82	-	39.14	10.92	35.17			
AV	12.0596G	45.25	54.00	-8.75	30.41	3	Vertical	156	1.82	-	39.06	10.93	35.15			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 20
03-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0395G	55.98	74.00	-18.02	41.10	3	Horizontal	45	1.28	-	39.12	10.92	35.16			
AV	12.03615G	45.20	54.00	-8.80	30.31	3	Horizontal	45	1.28	-	39.13	10.92	35.16			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT Y_4TX
Setting 20
03-W-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07476G	48.70	83.54	-34.84	39.34	1	Vertical	177	1.50	-	37.25	20.32	48.21			
AV	18.07505G	38.25	63.54	-25.29	28.90	1	Vertical	177	1.50	-	37.25	20.32	48.22			
PK	24.09984G	54.34	97.74	-43.40	39.88	1	Vertical	180	1.66	-	38.90	23.14	47.58			
RMS	24.10005G	50.81	77.74	-26.93	36.35	1	Vertical	180	1.66	-	38.90	23.14	47.58			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT Y_4TX
Setting 20
03-W-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	18.07487G	48.34	83.54	-35.20	38.98	1	Horizontal	199	1.50	-	37.25	20.32	48.21				
AV	18.07522G	37.50	63.54	-26.04	28.15	1	Horizontal	199	1.50	-	37.25	20.32	48.22				
PK	24.1001G	51.66	97.74	-46.08	37.20	1	Horizontal	144	1.51	-	38.90	23.14	47.58				
RMS	24.10003G	44.93	77.74	-32.81	30.47	1	Horizontal	144	1.51	-	38.90	23.14	47.58				

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 19
03-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36285G	57.00	74.00	-17.00	42.10	3	Vertical	229	2.27	-	38.80	11.02	34.92			
AV	12.36775G	45.17	54.00	-8.83	30.27	3	Vertical	229	2.27	-	38.80	11.02	34.92			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 19
03-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3549G	55.31	74.00	-18.69	40.43	3	Horizontal	191	2.02	-	38.80	11.01	34.93			
AV	12.36835G	45.05	54.00	-8.95	30.15	3	Horizontal	191	2.02	-	38.80	11.02	34.92			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 19
03-W-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55504G	50.00	83.54	-33.54	40.23	1	Vertical	173	1.70	-	37.52	20.61	48.36			
AV	18.55502G	42.68	63.54	-20.86	32.91	1	Vertical	173	1.70	-	37.52	20.61	48.36			
PK	24.73981G	51.08	97.74	-46.66	36.36	1	Vertical	143	1.74	-	39.04	23.13	47.45			
RMS	24.74005G	44.74	77.74	-33.00	30.02	1	Vertical	143	1.74	-	39.04	23.13	47.45			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 19
03-W-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	18.55517G	51.03	83.54	-32.51	41.26	1	Horizontal	133	1.53	-	37.52	20.61	48.36				
AV	18.555G	43.75	63.54	-19.79	33.97	1	Horizontal	133	1.53	-	37.52	20.61	48.35				
PK	24.74007G	54.49	97.74	-43.25	39.77	1	Horizontal	178.6	1.50	-	39.04	23.13	47.45				
RMS	24.74006G	51.04	77.74	-26.70	36.32	1	Horizontal	178.6	1.50	-	39.04	23.13	47.45				

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 18
03-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68145G	55.95	74.00	-18.05	40.38	3	Vertical	212	2.00	-	38.90	11.11	34.44			
AV	12.69665G	45.66	54.00	-8.34	30.06	3	Vertical	212	2.00	-	38.90	11.11	34.41			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 18
03-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.6904G	55.75	74.00	-18.25	40.16	3	Horizontal	359	2.80	-	38.90	11.11	34.42			
AV	12.6898G	45.30	54.00	-8.70	29.71	3	Horizontal	359	2.80	-	38.90	11.11	34.42			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 18
03-W-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	19.03508G	48.26	83.54	-35.28	38.62	1	Vertical	170	1.70	-	37.77	20.67	48.80				
AV	19.035G	39.61	63.54	-23.93	29.97	1	Vertical	170	1.70	-	37.77	20.67	48.80				
PK	25.38016G	59.86	97.74	-37.88	44.68	1	Vertical	181	1.63	-	39.04	23.39	47.25				
RMS	25.38002G	58.63	77.74	-19.11	43.45	1	Vertical	181	1.63	-	39.04	23.39	47.25				

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 18
03-W-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	19.03359G	47.69	83.54	-35.85	38.05	1	Horizontal	161	1.52	-	37.77	20.67	48.80				
AV	19.03512G	38.63	63.54	-24.91	28.99	1	Horizontal	161	1.52	-	37.77	20.67	48.80				
PK	25.38G	62.63	97.74	-35.11	47.45	1	Horizontal	186	1.50	-	39.04	23.39	47.25				
RMS	25.38007G	60.21	77.74	-17.53	45.03	1	Horizontal	186	1.50	-	39.04	23.39	47.25				

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_V_4TX
Setting 18
03-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9896G	56.49	88.20	-31.71	39.58	3	Vertical	15	1.28	-	39.50	11.20	33.79			
RMS	12.99485G	46.08	68.20	-22.12	29.16	3	Vertical	15	1.28	-	39.50	11.20	33.78			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_V_4TX
Setting 18
03-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.005G	56.41	88.20	-31.79	39.47	3	Horizontal	129	1.63	-	39.50	11.20	33.76			
RMS	13.0123G	45.93	68.20	-22.27	28.99	3	Horizontal	129	1.63	-	39.50	11.20	33.76			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_V_4TX
Setting 18
03-W-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	26.01995G	56.19	97.74	-41.55	41.83	1	Vertical	191	1.69	-	38.58	23.08	47.30			
RMS	26.02003G	53.77	77.74	-23.97	39.41	1	Vertical	191	1.69	-	38.58	23.08	47.30			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_V_4TX
Setting 18
03-W-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	26.02012G	57.90	97.74	-39.84	43.54	1	Horizontal	137	1.56	-	38.58	23.08	47.30			
RMS	26.02003G	56.19	77.74	-21.55	41.83	1	Horizontal	137	1.56	-	38.58	23.08	47.30			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT V_4TX
Setting 19
03-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3437G	57.60	74.00	-16.40	39.56	3	Vertical	190	1.46	-	40.10	11.30	33.36			
AV	13.3137G	47.09	54.00	-6.91	29.10	3	Vertical	190	1.46	-	40.10	11.29	33.40			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 19
03-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32425G	58.71	74.00	-15.29	40.71	3	Horizontal	224	2.84	-	40.10	11.29	33.39			
AV	13.3118G	47.03	54.00	-6.97	29.04	3	Horizontal	224	2.84	-	40.10	11.29	33.40			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_V_4TX
Setting 19
03-W-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	26.65989G	51.88	97.74	-45.86	35.19	1	Vertical	134	1.50	-	40.10	23.89	47.30			
RMS	26.66004G	46.51	77.74	-31.23	29.82	1	Vertical	134	1.50	-	40.10	23.89	47.30			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 19
03-W-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	26.66012G	53.08	97.74	-44.66	36.39	1	Horizontal	173	1.50	-	40.10	23.89	47.30			
RMS	26.66002G	48.90	77.74	-28.84	32.21	1	Horizontal	173	1.50	-	40.10	23.89	47.30			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT V_4TX
Setting 19
03-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65135G	57.93	88.20	-30.27	39.45	3	Vertical	316	2.87	-	40.40	11.39	33.31			
RMS	13.6622G	47.57	68.20	-20.63	29.08	3	Vertical	316	2.87	-	40.42	11.39	33.32			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 19
03-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6537G	57.69	88.20	-30.51	39.21	3	Horizontal	162	1.67	-	40.41	11.39	33.32			
RMS	13.64015G	47.52	68.20	-20.68	29.03	3	Horizontal	162	1.67	-	40.40	11.39	33.30			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6825MHz_TX

EUT_V_4TX
Setting 19
03-W-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	27.30003G	51.88	97.74	-45.86	35.87	1	Vertical	166	1.50	-	39.50	23.81	47.30			
RMS	27.30001G	46.47	77.74	-31.27	30.46	1	Vertical	166	1.50	-	39.50	23.81	47.30			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 19
03-W-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	27.29978G	50.20	97.74	-47.54	34.19	1	Horizontal	150	1.50	-	39.50	23.81	47.30			
RMS	27.30011G	43.39	77.74	-34.35	27.38	1	Horizontal	150	1.50	-	39.50	23.81	47.30			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 21
03-W-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.9305G	104.20	Inf	-Inf	95.37	3	Vertical	173	2.99	-	35.64	8.30	35.11				
RMS	7.062G	93.98	Inf	-Inf	85.00	3	Vertical	173	2.99	-	35.70	8.37	35.09				
PK	7.2195G	63.22	88.20	-24.98	53.36	3	Vertical	173	2.99	-	36.42	8.46	35.02				
RMS	7.125G	53.09	68.20	-15.11	43.90	3	Vertical	173	2.99	-	35.85	8.40	35.06				

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 21
03-W-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9225G	109.33	Inf	-Inf	100.49	3	Horizontal	170	1.06	-	35.66	8.29	35.11			
RMS	6.9225G	99.38	Inf	-Inf	90.54	3	Horizontal	170	1.06	-	35.66	8.29	35.11			
PK	7.1745G	63.85	88.20	-24.35	54.31	3	Horizontal	170	1.06	-	36.15	8.43	35.04			
RMS	7.1275G	53.30	68.20	-14.90	44.09	3	Horizontal	170	1.06	-	35.87	8.40	35.06			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 21
03-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9741G	59.34	88.20	-28.86	40.46	3	Vertical	107	1.32	-	41.00	11.48	33.60			
RMS	13.98655G	48.53	68.20	-19.67	29.60	3	Vertical	107	1.32	-	41.05	11.49	33.61			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 21
03-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9741G	58.91	88.20	-29.29	40.03	3	Horizontal	194	1.86	-	41.00	11.48	33.60			
RMS	13.98895G	48.22	68.20	-19.98	29.28	3	Horizontal	194	1.86	-	41.06	11.49	33.61			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 21
03-W-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	27.93991G	56.60	97.74	-41.14	39.85	1	Vertical	174	1.61	-	39.46	24.68	47.39			
RMS	27.94017G	54.99	77.74	-22.75	38.24	1	Vertical	174	1.61	-	39.46	24.68	47.39			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_V_4TX
Setting 21
03-W-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	27.94003G	60.03	97.74	-37.71	43.28	1	Horizontal	152	1.50	-	39.46	24.68	47.39			
RMS	27.94G	57.75	77.74	-19.99	41.00	1	Horizontal	152	1.50	-	39.46	24.68	47.39			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 20
03-W-J-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9186G	71.32	88.20	-16.88	64.22	3	Vertical	171	1.80	-	34.57	7.52	34.99			
RMS	5.9186G	59.91	68.20	-8.29	52.81	3	Vertical	171	1.80	-	34.57	7.52	34.99			
PK	5.9506G	110.35	Inf	-Inf	103.12	3	Vertical	171	1.80	-	34.70	7.53	35.00			
RMS	6.0082G	98.39	Inf	-Inf	91.14	3	Vertical	171	1.80	-	34.72	7.54	35.01			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 20
03-W-J-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	70.94	88.20	-17.26	63.82	3	Horizontal	182	1.82	-	34.59	7.52	34.99			
RMS	5.9242G	59.03	68.20	-9.17	51.90	3	Horizontal	182	1.82	-	34.60	7.52	34.99			
PK	6.001G	110.33	Inf	-Inf	103.11	3	Horizontal	182	1.82	-	34.70	7.53	35.01			
RMS	6.0186G	97.99	Inf	-Inf	90.71	3	Horizontal	182	1.82	-	34.74	7.55	35.01			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT V_4TX
Setting 20
03-W-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21043G	55.89	74.00	-18.11	71.71	3	Vertical	142	1.80	-	38.88	10.97	65.67			
AV	12.20997G	44.81	54.00	-9.19	60.63	3	Vertical	142	1.80	-	38.88	10.97	65.67			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 20
03-W-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2103G	57.19	74.00	-16.81	73.01	3	Horizontal	141	1.80	-	38.88	10.97	65.67			
AV	12.2099G	45.77	54.00	-8.23	61.59	3	Horizontal	141	1.80	-	38.88	10.97	65.67			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 20
03-W-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	24.4199G	51.47	97.74	-46.27	36.94	1	Vertical	219	1.66	-	38.84	23.21	47.52			
RMS	24.42008G	44.36	77.74	-33.38	29.83	1	Vertical	219	1.66	-	38.84	23.21	47.52			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 20
03-W-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	24.42014G	52.74	97.74	-45.00	38.21	1	Horizontal	137	1.50	-	38.84	23.21	47.52			
RMS	24.42002G	48.35	77.74	-29.39	33.82	1	Horizontal	137	1.50	-	38.84	23.21	47.52			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 22
03-W-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52979G	53.69	74.00	-20.31	69.36	3	Vertical	154	2.07	-	38.80	11.06	65.53			
AV	12.52999G	46.25	54.00	-7.75	61.92	3	Vertical	154	2.07	-	38.80	11.06	65.53			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_Y_4TX
Setting 22
03-W-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.52999G	55.64	74.00	-18.36	71.31	3	Horizontal	142	1.71	-	38.80	11.06	65.53			
AV	12.53002G	46.66	54.00	-7.34	62.33	3	Horizontal	142	1.71	-	38.80	11.06	65.53			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 22
03-W-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	25.06006G	59.84	97.74	-37.90	45.03	1	Vertical	157	1.56	-	39.10	23.09	47.38			
RMS	25.06006G	57.77	77.74	-19.97	42.96	1	Vertical	157	1.56	-	39.10	23.09	47.38			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 22
03-W-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	25.06006G	60.81	97.74	-36.93	46.00	1	Horizontal	134	1.55	-	39.10	23.09	47.38			
RMS	25.06004G	58.76	77.74	-18.98	43.95	1	Horizontal	134	1.55	-	39.10	23.09	47.38			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT V_4TX
Setting 22
03-W-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84991G	51.13	88.20	-37.07	65.86	3	Vertical	160	1.89	-	39.20	11.16	65.09			
RMS	12.85002G	43.96	68.20	-24.24	58.69	3	Vertical	160	1.89	-	39.20	11.16	65.09			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_V_4TX
Setting 22
03-W-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.85001G	51.35	88.20	-36.85	66.08	3	Horizontal	186	1.86	-	39.20	11.16	65.09			
RMS	12.85001G	46.11	68.20	-22.09	60.84	3	Horizontal	186	1.86	-	39.20	11.16	65.09			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6425MHz_TX

EUT_V_4TX
Setting 22
03-W-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	25.69996G	58.52	97.74	-39.22	43.54	1	Vertical	217	1.53	-	38.90	23.32	47.24			
RMS	25.70004G	55.91	77.74	-21.83	40.93	1	Vertical	217	1.53	-	38.90	23.32	47.24			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6425MHz_TX

EUT_V_4TX
Setting 22
03-W-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	25.7001G	57.92	97.74	-39.82	42.94	1	Horizontal	203	1.75	-	38.90	23.32	47.24			
RMS	25.70006G	55.18	77.74	-22.56	40.20	1	Horizontal	203	1.75	-	38.90	23.32	47.24			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_Y_4TX
Setting 21
03-W-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.17012G	55.20	88.20	-33.00	69.13	3	Vertical	201	2.08	-	39.68	11.25	64.86			
RMS	13.17016G	44.67	68.20	-23.53	58.60	3	Vertical	201	2.08	-	39.68	11.25	64.86			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT V_4TX
Setting 21
03-W-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.16992G	59.04	88.20	-29.16	72.97	3	Horizontal	192	1.80	-	39.68	11.25	64.86			
RMS	13.17007G	47.95	68.20	-20.25	61.88	3	Horizontal	192	1.80	-	39.68	11.25	64.86			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6585MHz_TX

EUT_Y_4TX
Setting 21
03-W-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	26.34006G	52.56	97.74	-45.18	37.24	1	Vertical	170	1.64	-	38.98	23.64	47.30			
RMS	26.34008G	47.48	77.74	-30.26	32.16	1	Vertical	170	1.64	-	38.98	23.64	47.30			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_V_4TX
Setting 21
03-W-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	26.34006G	55.15	97.74	-42.59	39.83	1	Horizontal	166	1.56	-	38.98	23.64	47.30			
RMS	26.34006G	51.56	77.74	-26.18	36.24	1	Horizontal	166	1.56	-	38.98	23.64	47.30			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT V_4TX
Setting 22
03-W-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.48998G	54.17	88.20	-34.03	67.36	3	Vertical	153	2.18	-	40.30	11.34	64.83			
RMS	13.49009G	46.42	68.20	-21.78	59.61	3	Vertical	153	2.18	-	40.30	11.34	64.83			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT V_4TX
Setting 22
03-W-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.49029G	57.01	88.20	-31.19	70.20	3	Horizontal	200	1.95	-	40.30	11.34	64.83			
RMS	13.49009G	46.94	68.20	-21.26	60.13	3	Horizontal	200	1.95	-	40.30	11.34	64.83			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_Y_4TX
Setting 22
03-W-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	26.98018G	55.00	97.74	-42.74	38.93	1	Vertical	169	1.54	-	39.54	23.83	47.30			
RMS	26.98014G	50.65	77.74	-27.09	34.58	1	Vertical	169	1.54	-	39.54	23.83	47.30			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_Y_4TX
Setting 22
03-W-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	26.98002G	54.72	97.74	-43.02	38.65	1	Horizontal	180	1.50	-	39.54	23.83	47.30			
RMS	26.98006G	50.23	77.74	-27.51	34.16	1	Horizontal	180	1.50	-	39.54	23.83	47.30			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 21
03-W-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	6.7482G	109.49	Inf	-Inf	100.94	3	Vertical	177	1.80	-	35.49	8.18	35.12				
RMS	6.7538G	97.47	Inf	-Inf	88.87	3	Vertical	177	1.80	-	35.52	8.19	35.11				
PK	7.2746G	57.68	74.00	-16.32	47.46	3	Vertical	177	1.80	-	36.70	8.52	35.00				
AV	7.2682G	46.36	54.00	-7.64	36.18	3	Vertical	177	1.80	-	36.67	8.51	35.00				

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 21
03-W-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7506G	111.36	Inf	-Inf	102.79	3	Horizontal	175	1.85	-	35.50	8.18	35.11			
RMS	6.7474G	99.17	Inf	-Inf	90.62	3	Horizontal	175	1.85	-	35.49	8.18	35.12			
PK	7.2554G	59.24	74.00	-14.76	49.13	3	Horizontal	175	1.85	-	36.62	8.50	35.01			
AV	7.2514G	47.99	54.00	-6.01	37.90	3	Horizontal	175	1.85	-	36.61	8.49	35.01			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 21
03-W-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81015G	47.93	88.20	-40.27	60.47	3	Vertical	178	1.80	-	40.72	11.43	64.69			
RMS	13.81008G	39.02	68.20	-29.18	51.56	3	Vertical	178	1.80	-	40.72	11.43	64.69			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT V_4TX
Setting 21
03-W-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8102G	49.18	88.20	-39.02	61.72	3	Horizontal	140	1.71	-	40.72	11.43	64.69			
RMS	13.81008G	42.93	68.20	-25.27	55.47	3	Horizontal	140	1.71	-	40.72	11.43	64.69			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX

EUT_V_4TX
Setting 21
03-W-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	27.62016G	57.93	97.74	-39.81	41.76	1	Vertical	206	1.59	-	39.46	24.03	47.32			
RMS	27.62002G	55.53	77.74	-22.21	39.36	1	Vertical	206	1.59	-	39.46	24.03	47.32			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX

EUT_V_4TX
Setting 21
03-W-J-5


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	27.62014G	57.13	97.74	-40.61	40.96	1	Horizontal	132	1.50	-	39.46	24.03	47.32			
RMS	27.62008G	53.61	77.74	-24.13	37.44	1	Horizontal	132	1.50	-	39.46	24.03	47.32			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

24/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.946327G	-14.86	5.966775G	-47.07	-34.76	-12.31	1
5.948127G	-14.49	5.942725G	-49.37	-34.55	-14.82	2
5.947552G	-14.57	5.967025G	-47.58	-33.97	-13.61	3
5.963573G	-13.97	5.967025G	-47.48	-34.05	-13.43	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

24/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.193G	-14.80	6.207G	-46.26	-34.84	-11.42	1
6.188702G	-14.67	6.206975G	-47.51	-34.17	-13.34	2
6.186427G	-14.84	6.20695G	-47.26	-34.98	-12.28	3
6.204273G	-14.17	6.182775G	-48.88	-34.19	-14.69	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

24/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.422173G	-15.06	6.4267G	-45.58	-35.18	-10.40	1
6.419349G	-14.70	6.402925G	-48.53	-34.78	-13.75	2
6.422098G	-14.73	6.4027G	-49.09	-34.84	-14.25	3
6.422923G	-14.74	6.427125G	-48.17	-34.75	-13.42	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

24/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.442373G	-15.04	6.422875G	-48.73	-35.05	-13.68	1
6.43685G	-15.18	6.447225G	-49.06	-35.36	-13.70	2
6.442798G	-14.81	6.42295G	-48.43	-34.71	-13.72	3
6.427952G	-14.66	6.447275G	-49.22	-34.70	-14.52	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

24/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.467027G	-14.19	6.462875G	-47.73	-34.23	-13.50	1
6.478899G	-14.16	6.462875G	-47.91	-34.22	-13.69	2
6.484098G	-13.76	6.463025G	-46.67	-33.76	-12.91	3
6.470576G	-14.10	6.487275G	-49.02	-34.16	-14.86	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

24/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.510951G	-15.80	6.5268G	-46.07	-34.00	-12.07	1
6.514625G	-15.80	6.50295G	-48.56	-35.86	-12.70	2
6.523348G	-15.50	6.474375G	-69.26	-55.50	-13.76	3
6.512051G	-15.43	6.526625G	-46.92	-35.03	-11.89	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

24/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.526227G	-15.39	6.48855G	-69.34	-55.39	-13.95	1
6.5356G	-15.22	6.5231G	-47.98	-35.27	-12.71	2
6.543373G	-14.86	6.523025G	-46.98	-34.93	-12.05	3
6.527577G	-14.58	6.547075G	-49.02	-34.48	-14.54	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

24/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.685902G	-15.61	6.683225G	-47.79	-35.51	-12.28	1
6.685752G	-15.64	6.6602G	-69.65	-55.64	-14.01	2
6.703798G	-15.63	6.683075G	-48.21	-35.73	-12.48	3
6.687602G	-15.12	6.683G	-48.35	-35.12	-13.23	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

24/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.869751G	-17.33	6.82875G	-69.75	-57.33	-12.42	1
6.867802G	-16.70	6.829725G	-69.49	-56.70	-12.79	2
6.867902G	-16.97	6.83645G	-69.46	-56.97	-12.49	3
6.868752G	-16.57	6.841725G	-69.15	-56.57	-12.58	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

24/11/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.885727G	-15.34	6.85505G	-69.45	-55.34	-14.11	1
6.902423G	-15.91	6.85115G	-69.01	-55.91	-13.10	2
6.886077G	-15.81	6.86145G	-68.83	-55.81	-13.02	3
6.887927G	-15.13	6.883325G	-46.92	-35.15	-11.77	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

24/11/2025

CF (Hz)
6.995G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.003548G	-14.69	6.95955G	-69.44	-54.66	-14.78	1
7.002898G	-15.00	7.00695G	-47.24	-35.12	-12.12	2
7.003773G	-15.19	7.00725G	-49.15	-35.19	-13.96	3
7.003698G	-14.51	7.007G	-48.07	-34.51	-13.56	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

24/11/2025

CF (Hz)
7.095G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.101523G	-15.06	7.107275G	-49.31	-35.10	-14.21	1
7.089301G	-15.07	7.107225G	-49.70	-35.07	-14.63	2
7.087477G	-14.88	7.106875G	-46.73	-34.89	-11.84	3
7.101273G	-14.21	7.107125G	-48.52	-34.25	-14.27	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7115MHz_TX

24/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.106827G	-20.62	7.067875G	-73.39	-60.62	-12.77	1
7.109876G	-20.42	7.071G	-73.33	-60.42	-12.91	2
7.110876G	-20.28	7.12695G	-52.85	-40.28	-12.57	3
7.109226G	-19.64	7.0749G	-73.15	-59.64	-13.51	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

24/11/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.976047G	-9.01	5.98765G	-41.88	-29.02	-12.86	1
5.980896G	-8.47	5.98775G	-40.76	-28.61	-12.15	2
5.977097G	-8.54	5.9875G	-40.06	-28.58	-11.48	3
5.978397G	-8.29	5.98745G	-39.00	-28.33	-10.67	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

24/11/2025

CF (Hz)
6.205G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.190504G	-8.80	6.18255G	-40.28	-28.87	-11.41	1
6.221996G	-8.28	6.22715G	-38.89	-28.43	-10.46	2
6.198452G	-8.12	6.18285G	-38.49	-28.20	-10.29	3
6.20645G	-8.10	6.2271G	-38.75	-28.14	-10.61	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

24/11/2025

CF (Hz)
6.405G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.422546G	-9.90	6.3827G	-41.80	-29.91	-11.89	1
6.389704G	-9.83	6.42735G	-41.13	-29.86	-11.27	2
6.391653G	-10.05	6.3822G	-42.03	-30.12	-11.91	3
6.388854G	-9.34	6.4271G	-39.64	-28.94	-10.70	4

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

24/11/2025




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

24/11/2025




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

24/11/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

24/11/2025



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

24/11/2025

CF (Hz)
6.685G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.693348G	-9.14	6.6618G	-42.96	-29.26	-13.70	1
6.692298G	-8.70	6.66255G	-39.63	-28.77	-10.86	2
6.693498G	-9.03	6.66225G	-41.67	-29.08	-12.59	3
6.684G	-8.20	6.7079G	-41.84	-28.22	-13.62	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

24/11/2025

CF (Hz)
6.885G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.872853G	-9.35	6.86275G	-39.93	-29.36	-10.57	1
6.872903G	-9.38	6.90735G	-39.99	-29.38	-10.61	2
6.866455G	-9.36	6.8619G	-43.56	-29.38	-14.18	3
6.867854G	-8.55	6.86285G	-39.34	-28.56	-10.78	4

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

24/11/2025

CF (Hz)
6.925G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.916152G	-9.90	6.90275G	-40.39	-29.93	-10.46	1
6.914153G	-9.78	6.9024G	-42.08	-29.80	-12.28	2
6.906955G	-9.72	6.90215G	-42.40	-29.75	-12.65	3
6.919151G	-8.88	6.8446G	-63.67	-48.88	-14.79	4

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

24/11/2025

CF (Hz)
7.005G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.987404G	-10.17	6.98255G	-42.90	-30.17	-12.73	1
6.997152G	-9.66	6.9826G	-41.38	-28.66	-12.72	2
6.999151G	-9.77	6.9825G	-41.56	-29.79	-11.77	3
6.986605G	-9.43	6.9819G	-43.59	-29.51	-14.08	4

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

24/11/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

24/11/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

24/11/2025

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2324G	-6.85	6.4159G	-54.06	-46.85	-7.21	1
6.18951G	-6.44	6.1811G	-34.45	-26.46	-7.99	2
6.18921G	-6.71	6.1809G	-34.93	-26.75	-8.18	3
6.2422G	-5.91	6.1792G	-37.39	-25.96	-11.43	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

24/11/2025

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3708G	-8.70	6.5325G	-55.82	-48.70	-7.12	1
6.35051G	-8.44	6.3412G	-35.93	-28.48	-7.45	2
6.35161G	-8.49	6.3396G	-38.99	-28.52	-10.47	3
6.36061G	-7.79	6.4283G	-36.07	-27.80	-8.27	4

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

24/11/2025

CF (Hz)
6.465G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4693G	-6.90	6.4205G	-35.43	-26.99	-8.44	1
6.42831G	-6.99	6.2735G	-58.25	-46.99	-11.26	2
6.452G	-7.30	6.5099G	-36.65	-27.32	-9.33	3
6.4685G	-7.05	6.5092G	-34.88	-27.09	-7.79	4

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

24/11/2025

CF (Hz)
6.545G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5415G	-7.70	6.5018G	-34.78	-27.71	-7.07	1
6.5282G	-7.66	6.4991G	-38.70	-27.77	-10.93	2
6.51351G	-7.91	6.5008G	-36.47	-27.97	-8.50	3
6.56889G	-6.75	6.4995G	-37.52	-26.78	-10.74	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

24/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58891G	-8.00	6.7645G	-55.88	-48.00	-7.88	1
6.6431G	-7.97	6.6696G	-36.96	-27.98	-8.98	2
6.59181G	-8.16	6.6702G	-37.94	-28.26	-9.68	3
6.66239G	-7.12	6.6691G	-35.31	-27.14	-8.17	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

24/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7105G	-9.01	6.522G	-56.29	-49.01	-7.28	1
6.67061G	-8.94	6.6605G	-37.34	-28.97	-8.37	2
6.67181G	-9.18	6.7507G	-40.29	-29.21	-11.08	3
6.73679G	-8.39	6.7507G	-39.14	-28.44	-10.70	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

24/11/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

24/11/2025




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

24/11/2025

CF (Hz)
6.945G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90941G	-10.54	6.783G	-56.40	-50.54	-5.86	1
6.97719G	-10.75	6.7629G	-60.63	-50.75	-9.88	2
6.90791G	-10.66	6.9894G	-39.23	-30.67	-8.56	3
6.91871G	-10.05	6.8986G	-39.82	-30.08	-9.74	4


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

24/11/2025

CF (Hz)
7.025G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99161G	-10.38	6.8713G	-58.20	-50.38	-7.82	1
6.99791G	-10.24	6.979G	-41.40	-30.32	-11.08	2
6.99901G	-10.50	6.9796G	-40.45	-30.60	-9.85	3
6.99901G	-10.14	6.9791G	-40.33	-30.27	-10.06	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

24/11/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

24/11/2025



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

24/11/2025

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.358G	-4.81	6.0538G	-51.69	-44.81	-6.88	1
6.28721G	-5.03	6.093G	-53.71	-45.01	-8.70	2
6.27902G	-4.79	6.0884G	-53.97	-44.79	-9.18	3
6.35G	-4.29	6.6856G	-55.63	-44.29	-11.34	4

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

24/11/2025

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4974G	-4.74	6.1936G	-51.57	-44.74	-6.83	1
6.42842G	-4.84	6.2522G	-53.10	-44.84	-8.26	2
6.45221G	-5.09	6.2466G	-54.31	-45.09	-9.22	3
6.55019G	-4.14	6.7654G	-55.18	-44.14	-11.04	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

24/11/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

24/11/2025



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

24/11/2025

CF (Hz)
6.985G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91382G	-7.22	6.6014G	-50.96	-47.22	-3.74	1
6.91682G	-7.91	6.728G	-54.91	-47.91	-7.00	2
6.997G	-7.88	6.7252G	-56.88	-47.88	-9.00	3
6.90942G	-6.27	6.7232G	-55.96	-46.27	-9.69	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

24/11/2025

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.14099G	-3.48	6.4834G	-45.45	-35.07	-10.38	1
6.08221G	-2.75	5.9378G	-36.14	-22.79	-13.35	2
5.99783G	-2.88	6.5978G	-56.50	-42.72	-13.78	3
6.05221G	-2.38	6.509G	-47.54	-35.61	-11.93	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

24/11/2025

CF (Hz)
6.265G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2542G	-3.91	5.9614G	-40.97	-30.47	-10.50	1
6.11104G	-3.37	5.957G	-42.73	-30.22	-12.51	2
6.11864G	-2.85	5.9542G	-41.45	-29.64	-11.81	3
6.11744G	-3.09	6.7754G	-52.24	-43.09	-9.15	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

24/11/2025

CF (Hz)
6.425G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4358G	-3.04	6.0234G	-44.31	-35.94	-8.37	1
6.30983G	-2.22	6.033G	-41.73	-34.21	-7.52	2
6.27104G	-2.60	6.0002G	-44.88	-37.01	-7.87	3
6.4406G	-2.94	6.0254G	-43.70	-35.62	-8.08	4

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

24/11/2025

CF (Hz)
6.585G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44104G	-3.89	6.1838G	-44.04	-36.68	-7.36	1
6.42984G	-3.91	6.063G	-51.67	-43.91	-7.76	2
6.43224G	-4.14	6.0854G	-51.71	-44.00	-7.71	3
6.72457G	-2.93	6.173G	-45.72	-36.58	-9.14	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

24/11/2025

CF (Hz)
6.745G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67542G	-4.59	6.2902G	-49.41	-41.32	-8.09	1
6.7546G	-4.99	6.229G	-53.10	-44.99	-8.11	2
6.7502G	-5.12	6.2086G	-53.61	-45.12	-8.49	3
6.7614G	-3.80	6.237G	-54.01	-43.80	-10.21	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

24/11/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

31/10/2025

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
100m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.964023G	-13.12	6.0027G	-64.24	-53.12	-11.12	1
5.956225G	-12.70	5.9892G	-64.78	-52.70	-12.08	2
5.959899G	-13.08	5.9154G	-64.66	-53.08	-11.58	3
5.963823G	-12.46	5.996875G	-64.39	-52.46	-11.93	4


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

31/10/2025

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
100m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.187052G	-14.86	6.2336G	-65.74	-54.86	-10.88	1
6.186177G	-14.94	6.154275G	-65.44	-54.94	-10.50	2
6.189951G	-14.14	6.149575G	-65.97	-54.14	-11.83	3
6.202598G	-14.50	6.15865G	-65.85	-54.50	-11.35	4

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

31/10/2025

CF (Hz)
6.415G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.411201G	-12.94	6.37665G	-63.06	-52.94	-10.12	1
6.420099G	-12.67	6.365875G	-62.98	-52.67	-10.31	2
6.422548G	-12.83	6.375475G	-63.30	-52.83	-10.47	3
6.406152G	-12.83	6.3744G	-62.99	-52.83	-10.16	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

31/10/2025

CF (Hz)
6.435G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.428852G	-13.04	6.387875G	-63.33	-53.04	-10.29	1
6.427627G	-13.06	6.3879G	-62.88	-53.06	-9.82	2
6.426227G	-13.33	6.39395G	-63.18	-53.33	-9.85	3
6.443323G	-12.97	6.39395G	-63.13	-52.97	-10.16	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

31/10/2025

CF (Hz)
6.475G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.483498G	-13.32	6.432675G	-63.33	-53.32	-10.01	1
6.482523G	-13.65	6.4359G	-63.58	-53.65	-9.93	2
6.482423G	-13.37	6.438775G	-63.57	-53.37	-10.20	3
6.468777G	-12.67	6.44005G	-63.20	-52.67	-10.53	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

31/10/2025

CF (Hz)
6.515G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.507502G	-12.58	6.480625G	-63.13	-52.58	-10.55	1
6.5165G	-12.96	6.4781G	-63.48	-52.96	-10.52	2
6.508202G	-13.16	6.473575G	-63.49	-53.16	-10.33	3
6.518824G	-12.34	6.56435G	-63.09	-52.34	-10.75	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

31/10/2025

CF (Hz)
6.535G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.527527G	-13.04	6.4964G	-63.31	-53.04	-10.27	1
6.541223G	-13.11	6.4967G	-63.26	-53.11	-10.15	2
6.542523G	-13.29	6.497475G	-63.53	-53.29	-10.24	3
6.542048G	-12.24	6.486225G	-63.29	-52.24	-11.05	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

31/10/2025

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.686702G	-12.24	6.7342G	-63.49	-52.24	-11.25	1
6.701223G	-11.91	6.736G	-63.19	-51.91	-11.28	2
6.687252G	-12.33	6.73765G	-63.00	-52.33	-10.67	3
6.701448G	-11.63	6.7335G	-63.03	-51.63	-11.40	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

31/10/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

31/10/2025



6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

31/10/2025

CF (Hz)
6.995G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.002548G	-12.99	6.96015G	-62.87	-52.99	-9.88	1
7.003073G	-12.46	6.956225G	-62.58	-52.46	-10.12	2
7.002848G	-13.52	6.958175G	-62.73	-53.52	-9.21	3
7.002423G	-12.01	6.956225G	-62.66	-52.01	-10.65	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

31/10/2025

CF (Hz)
7.095G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.099899G	-11.96	7.1306G	-65.32	-51.96	-13.36	1
7.102423G	-12.35	7.058825G	-65.51	-52.35	-13.16	2
7.103998G	-12.54	7.130625G	-65.14	-52.54	-12.60	3
7.103748G	-11.68	7.132775G	-65.06	-51.68	-13.38	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7115MHz_TX

31/10/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

31/10/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

31/10/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

31/10/2025



6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

31/10/2025

CF (Hz)
6.445G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
100m

Detector Type
RMS



Port 1 ☐

Port 2 ☐

Port 3 ☐

Port 4 ☐

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.427654G	-7.88	6.37775G	-58.50	-47.88	-10.62	1
6.426805G	-7.83	6.37645G	-58.49	-47.83	-10.66	2
6.427604G	-8.00	6.3626G	-58.69	-48.00	-10.69	3
6.462546G	-6.71	6.37915G	-58.19	-46.71	-11.48	4

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

31/10/2025

CF (Hz)
6.485G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
100m

Detector Type
RMS



Port 1 ☐

Port 2 ☐

Port 3 ☐

Port 4 ☐


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.482001G	-8.48	6.41665G	-58.63	-48.48	-10.15	1
6.487949G	-8.84	6.4149G	-58.74	-48.84	-9.90	2
6.472303G	-8.83	6.4166G	-58.85	-48.83	-10.02	3
6.478402G	-7.79	6.40325G	-58.75	-47.79	-10.96	4

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

31/10/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

31/10/2025



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

31/10/2025

CF (Hz)
6.685G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
100m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.668854G	-7.22	6.61935G	-58.39	-47.21	-11.18	1
6.698647G	-7.36	6.7605G	-58.28	-47.36	-10.92	2
6.667104G	-7.55	6.78375G	-58.46	-47.55	-10.91	3
6.702546G	-6.59	6.7736G	-57.95	-46.59	-11.36	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

31/10/2025

CF (Hz)
6.885G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
100m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.869904G	-5.94	6.98145G	-57.56	-45.94	-11.62	1
6.868104G	-6.62	6.97965G	-57.23	-46.62	-10.61	2
6.867354G	-5.67	6.98165G	-57.56	-45.67	-11.89	3
6.880101G	-5.70	6.8148G	-57.41	-45.70	-11.71	4

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

31/10/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

31/10/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

31/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.100296G	-7.42	7.15345G	-60.36	-47.42	-12.94	1
7.090649G	-7.44	7.10775G	-40.07	-27.45	-12.62	2
7.100496G	-7.52	7.16745G	-60.37	-47.52	-12.85	3
7.099896G	-7.05	7.0119G	-59.96	-47.05	-12.91	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

31/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.02279G	-7.39	6.1278G	-53.75	-47.39	-6.36	1
5.9775G	-7.36	6.0306G	-37.31	-27.45	-9.86	2
6.01729G	-7.44	6.0308G	-37.81	-27.45	-10.36	3
5.9914G	-7.00	6.0309G	-37.61	-27.02	-10.59	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

31/10/2025




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

31/10/2025



6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

31/10/2025




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

31/10/2025



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

31/10/2025

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
100m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59531G	-6.93	6.7593G	-54.30	-46.93	-7.37	1
6.6328G	-7.60	6.7757G	-57.36	-47.60	-9.76	2
6.59221G	-6.88	6.5803G	-36.07	-26.91	-9.16	3
6.66239G	-5.51	6.6702G	-35.11	-25.59	-9.52	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

31/10/2025

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
100m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67881G	-6.98	6.5462G	-54.12	-46.98	-7.14	1
6.6977G	-7.16	6.7508G	-37.14	-27.21	-9.93	2
6.73969G	-7.43	6.75G	-36.51	-27.43	-9.08	3
6.7204G	-6.29	6.8592G	-57.84	-46.29	-11.55	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

31/10/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

31/10/2025




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

31/10/2025




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

31/10/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

31/10/2025

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
100m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05279G	-2.30	6.3456G	-48.74	-42.30	-6.44	1
6.0346G	-1.89	6.2876G	-52.91	-41.89	-11.02	2
6.017G	-1.90	6.3494G	-54.36	-41.90	-12.46	3
6.09698G	-1.20	6.3746G	-53.08	-41.20	-11.88	4


5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

31/10/2025

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
100m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.26198G	-2.48	6.4778G	-49.48	-42.48	-7.00	1
6.10962G	-2.48	5.9214G	-52.58	-42.48	-10.10	2
6.15161G	-1.61	5.927G	-52.74	-41.60	-11.14	3
6.20959G	-1.64	6.4526G	-52.61	-41.64	-10.97	4

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

31/10/2025




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

31/10/2025



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

31/10/2025

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
100m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6518G	-2.10	6.3468G	-47.15	-42.10	-5.05	1
6.59582G	-3.40	6.3866G	-51.11	-43.40	-7.71	2
6.58882G	-3.17	6.4054G	-51.56	-43.11	-8.45	3
6.73698G	-1.70	6.9994G	-52.72	-41.70	-11.02	4

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

31/10/2025

CF (Hz)
6.825G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
100m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74842G	-2.21	6.4408G	-47.13	-42.21	-4.92	1
6.75682G	-2.86	6.563G	-51.08	-42.86	-8.22	2
6.75042G	-2.73	6.5708G	-51.72	-42.47	-9.25	3
6.79321G	-1.18	6.5544G	-52.92	-41.18	-11.74	4


6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

31/10/2025

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
100m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90902G	-1.77	6.705G	-44.17	-41.77	-2.40	1
7.05818G	-2.21	6.7122G	-48.64	-42.21	-6.43	2
7.03859G	-2.51	6.7132G	-48.81	-42.51	-6.30	3
6.94061G	-0.74	6.7102G	-48.02	-40.74	-7.28	4


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

31/10/2025

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
100m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13979G	-3.40	6.4118G	-38.82	-30.03	-8.79	1
6.05621G	-3.88	6.6206G	-54.35	-43.88	-10.47	2
5.95304G	-3.02	6.8394G	-54.62	-43.02	-11.60	3
6.121G	-2.89	6.6302G	-52.65	-42.89	-9.76	4


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

31/10/2025

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
100m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2586G	-1.16	6.5714G	-34.66	-24.19	-10.47	1
6.11904G	-1.87	5.9526G	-37.03	-28.62	-8.41	2
6.11624G	-0.62	5.9498G	-37.23	-27.74	-9.49	3
6.23701G	-1.07	6.5806G	-36.22	-27.93	-8.29	4


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

31/10/2025

CF (Hz)
6.425G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
100m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4162G	-1.70	6.0526G	-38.41	-32.36	-6.05	1
6.37261G	-2.27	6.049G	-38.33	-33.04	-5.29	2
6.29103G	-1.69	6.0474G	-38.48	-32.44	-6.04	3
6.4158G	-0.79	6.0506G	-38.90	-31.17	-7.73	4

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

31/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55981G	-2.08	6.2082G	-39.77	-32.70	-7.07	1
6.42984G	-3.19	6.193G	-42.07	-35.03	-7.04	2
6.43624G	-3.04	6.0682G	-47.41	-43.04	-4.37	3
6.73336G	-0.99	6.1918G	-40.50	-32.70	-7.80	4

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

31/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59664G	-2.89	6.1994G	-49.76	-42.89	-6.87	1
6.69741G	-4.23	6.2354G	-49.97	-44.23	-5.74	2
6.68981G	-4.26	6.2042G	-49.43	-44.26	-5.17	3
6.71181G	-2.16	6.1762G	-51.11	-42.16	-8.95	4

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

31/10/2025



Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-64.86	7.14	-72.00	≤ -62
						Minimal	-65.86	7.14	-73.00	≤ -62
						ON	-74.86	7.14	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-65.86	7.14	-73.00	≤ -62
						Minimal	-66.86	7.14	-74.00	≤ -62
						ON	-74.86	7.14	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-60.86	7.14	-68.00	≤ -62
						Minimal	-61.86	7.14	-69.00	≤ -62
						ON	-74.86	7.14	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-64.86	7.14	-72.00	≤ -62
						Minimal	-65.86	7.14	-73.00	≤ -62
						ON	-74.86	7.14	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11be EHT320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-65.86	7.14	-73.00	≤ -62
						Minimal	-66.86	7.14	-74.00	≤ -62
						ON	-74.86	7.14	-82.00	≤ -62
				Center	6105	OFF	-59.86	7.14	-67.00	≤ -62
						Minimal	-60.86	7.14	-68.00	≤ -62
						ON	-74.86	7.14	-82.00	≤ -62
				High edge	6260	OFF	-64.86	7.14	-72.00	≤ -62
						Minimal	-65.86	7.14	-73.00	≤ -62
						ON	-74.86	7.14	-82.00	≤ -62
5/6/7	95	320	6425	Low edge	6270	OFF	-60.86	7.14	-68.00	≤ -62
						Minimal	-61.86	7.14	-69.00	≤ -62
						ON	-74.86	7.14	-82.00	≤ -62
				Center	6425	OFF	-61.86	7.14	-69.00	≤ -62
						Minimal	-62.86	7.14	-70.00	≤ -62
						ON	-74.86	7.14	-82.00	≤ -62
				High edge	6580	OFF	-60.86	7.14	-68.00	≤ -62
						Minimal	-61.86	7.14	-69.00	≤ -62
						ON	-74.86	7.14	-82.00	≤ -62
7/8	159	320	6745	Low edge	6590	OFF	-67.86	7.14	-75.00	≤ -62
						Minimal	-68.86	7.14	-76.00	≤ -62
						ON	-74.86	7.14	-82.00	≤ -62
				Center	6745	OFF	-68.86	7.14	-76.00	≤ -62
						Minimal	-69.86	7.14	-77.00	≤ -62
						ON	-74.86	7.14	-82.00	≤ -62
				High edge	6900	OFF	-67.86	7.14	-75.00	≤ -62
						Minimal	-68.86	7.14	-76.00	≤ -62
						ON	-74.86	7.14	-82.00	≤ -62
7/8	191	320	6905	Low edge	6750	OFF	-64.86	7.14	-72.00	≤ -62
						Minimal	-65.86	7.14	-73.00	≤ -62
						ON	-74.86	7.14	-82.00	≤ -62
				Center	6905	OFF	-64.86	7.14	-72.00	≤ -62
						Minimal	-65.86	7.14	-73.00	≤ -62
						ON	-74.86	7.14	-82.00	≤ -62
				High edge	7060	OFF	-66.86	7.14	-74.00	≤ -62
						Minimal	-67.86	7.14	-75.00	≤ -62
						ON	-74.86	7.14	-82.00	≤ -62


Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-72.00	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-73.00	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-68.00	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-72.00	OFF	9	90	90	Pass

Contention Based protocol 802.11be EHT320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-73.00	OFF	10	100	90	Pass
				Center	6105	-67.00	OFF	9	90	90	Pass
				High edge	6260	-72.00	OFF	9	90	90	Pass
5/6/7	95	320	6425	Low edge	6270	-68.00	OFF	9	90	90	Pass
				Center	6425	-69.00	OFF	10	100	90	Pass
				High edge	6580	-68.00	OFF	10	100	90	Pass
6/7	159	320	6745	Low edge	6590	-75.00	OFF	10	100	90	Pass
				Center	6745	-76.00	OFF	10	100	90	Pass
				High edge	6900	-75.00	OFF	9	90	90	Pass
7/8	191	320	6905	Low edge	6750	-72.00	OFF	9	90	90	Pass
				Center	6905	-72.00	OFF	10	100	90	Pass
				High edge	7060	-74.00	OFF	10	100	90	Pass


Incumbent signal (AWGN) Plot

Bandwidth: 20MHz


Frequency (MHz): 6215 MHz



Frequency (MHz): 6455 MHz




Frequency (MHz): 6695 MHz



Date: 27.JAN.2026 11:19:48


Frequency (MHz): 7015 MHz



Date: 27.JAN.2026 11:20:18


Bandwidth: 320MHz

Frequency (MHz): 5950 MHz




Date: 27.JAN.2026 11:21:55

Frequency (MHz): 6105 MHz




Date: 27.JAN.2026 11:22:23

Frequency (MHz): 6260 MHz



Date: 27.JAN.2026 11:22:56

Frequency (MHz): 6270 MHz



Date: 27.JAN.2026 11:23:49