Test Data

Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Deviation (ppm)	Limit (ppm)	Verdict
HVNT	a	5260	Ant1	5259.98	-3.8	Within authorized band	Pass
HVNT	a	5260	Ant2	5260	0		Pass
HVNT	a	5260	Ant3	5259.98	-3.8		Pass
HVNT	a	5260	Ant4	5259.98	-3.8		Pass
LVNT	a	5260	Ant1	5260	0		Pass
LVNT	a	5260	Ant2	5260	0		Pass
LVNT	a	5260	Ant3	5259.98	-3.8		Pass
LVNT	a	5260	Ant4	5259.98	-3.8		Pass
NVHT	a	5260	Ant1	5259.98	-3.8		Pass
NVHT	a	5260	Ant2	5260	0		Pass
NVHT	a	5260	Ant3	5259.98	-3.8		Pass
NVHT	a	5260	Ant4	5260	0		Pass
NVLT	a	5260	Ant1	5260	0		Pass
NVLT	a	5260	Ant2	5260	0		Pass
NVLT	a	5260	Ant3	5259.98	-3.8		Pass
NVLT	a	5260	Ant4	5259.98	-3.8		Pass
NVNT	a	5260	Ant1	5260	0		Pass
NVNT	a	5260	Ant2	5260.02	3.8		Pass
NVNT	a	5260	Ant3	5260	0		Pass
NVNT	a	5260	Ant4	5259.98	-3.8		Pass
HVNT	ac80	5290	Sum	5290	0		Pass
LVNT	ac80	5290	Sum	5290	0		Pass
NVHT	ac80	5290	Sum	5290	0		Pass
NVLT	ac80	5290	Sum	5290	0		Pass
NVNT	ac80	5290	Sum	5290	0		Pass
HVNT	n20	5260	Sum	5260	0		Pass
LVNT	n20	5260	Sum	5260	0		Pass
NVHT	n20	5260	Sum	5260	0		Pass
NVLT	n20	5260	Sum	5259.98	-3.8		Pass
NVNT	n20	5260	Sum	5260	0		Pass
HVNT	n40	5270	Sum	5270	0		Pass
LVNT	n40	5270	Sum	5270	0		Pass
NVHT	n40	5270	Sum	5270	0		Pass
NVLT	n40	5270	Sum	5270	0		Pass
NVNT	n40	5270	Sum	5270	0		Pass
Remark: “NTNV” means Normal Temperature Normal Voltage, “NVHT” means Normal Voltage High Temperature, “NVLT” means Normal Voltage Low Temperature, “LVNT” means Low Voltage Normal Temperature, “HVNT” means High Voltage Normal Temperature.							

Test Graphs

Freq. Stability HVNT a 5260MHz Ant1



Freq. Stability HVNT a 5260MHz Ant2



Freq. Stability HVNT a 5260MHz Ant3



Freq. Stability HVNT a 5260MHz Ant4



Freq. Stability LVNT a 5260MHz Ant1



Freq. Stability LVNT a 5260MHz Ant2



Freq. Stability LVNT a 5260MHz Ant3



Freq. Stability LVNT a 5260MHz Ant4



Freq. Stability NVHT a 5260MHz Ant1



Freq. Stability NVHT a 5260MHz Ant2



Freq. Stability NVHT a 5260MHz Ant3



Freq. Stability NVHT a 5260MHz Ant4



Freq. Stability NVLT a 5260MHz Ant1



Freq. Stability NVLT a 5260MHz Ant2



Freq. Stability NVLT a 5260MHz Ant3



Freq. Stability NVLT a 5260MHz Ant4



Freq. Stability NVNT a 5260MHz Ant1



Freq. Stability NVNT a 5260MHz Ant2



Freq. Stability NVNT a 5260MHz Ant3



Freq. Stability NVNT a 5260MHz Ant4



Freq. Stability HVNT ac80 5290MHz Sum

Freq. Stability LVNT ac80 5290MHz Sum



Freq. Stability NVHT ac80 5290MHz Sum



Freq. Stability NVLT ac80 5290MHz Sum



Freq. Stability NVNT ac80 5290MHz Sum

Freq. Stability HVNT n20 5260MHz Sum



Freq. Stability LVNT n20 5260MHz Sum



Freq. Stability NVHT n20 5260MHz Sum



Freq. Stability NVLT n20 5260MHz Sum



Freq. Stability NVNT n20 5260MHz Sum



Freq. Stability HVNT n40 5270MHz Sum

Freq. Stability LVNT n40 5270MHz Sum



Freq. Stability NVHT n40 5270MHz Sum

Freq. Stability NVLT n40 5270MHz Sum



Freq. Stability NVNT n40 5270MHz Sum


Spectrum Analyzer 1
Swept SA
KEYSIGHT
Input: RF
Coupling: DC
Align: Auto
Input Z: 50 Ω
Corr CCorr
Freq Ref: Int (S)
#Atten: 30 dB
PNO: Fast
Gate: Off
IF Gain: Low
Sig Track: Off
Avg Type: Log-Power
Avg|Hold: 10/10
Trig: Free Run
1 Spectrum
Scale/Div 10 dB
Ref Lvl Offset 10.75 dB
Ref Level 20.00 dBm
Mkr1 5.270 00 GHz
-24.74 dBm
Center 5.27000 GHz
#Res BW 10 kHz
#Video BW 30 kHz
Span 80.00 MHz
Sweep 765 ms (1001 pts)
5 Marker Table
Mode Trace Scale X Y Function Function Width Function Value
1 N 1 f 5.270 00 GHz -24.74 dBm
2 N 1 f 5.251 76 GHz -18.00 dBm
3 N 1 f 5.288 24 GHz -18.51 dBm
Jul 15, 2025
3:37:05 PM

Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5260	Ant1	95.04	0.22
NVNT	a	5280	Ant1	95.57	0.2
NVNT	a	5320	Ant1	95.12	0.22
NVNT	a	5260	Ant2	95.1	0.22
NVNT	a	5280	Ant2	95.29	0.21
NVNT	a	5320	Ant2	95.01	0.22
NVNT	a	5260	Ant3	94.99	0.22
NVNT	a	5280	Ant3	95.28	0.21
NVNT	a	5320	Ant3	95.65	0.19
NVNT	a	5260	Ant4	95.2	0.21
NVNT	a	5280	Ant4	95.3	0.21
NVNT	a	5320	Ant4	94.57	0.24
NVNT	ac20	5260	Sum	97.82	0.1
NVNT	ac20	5280	Sum	97.91	0.09
NVNT	ac20	5320	Sum	98.06	0.09
NVNT	ac40	5270	Sum	98.15	0.08
NVNT	ac40	5310	Sum	97.69	0.1
NVNT	ac80	5290	Sum	96.04	0.18
NVNT	ax20	5260	Sum	98	0.09
NVNT	ax20	5280	Sum	98.07	0.08
NVNT	ax20	5320	Sum	98.12	0.08
NVNT	ax40	5270	Sum	97.38	0.12
NVNT	ax40	5310	Sum	97.27	0.12
NVNT	ax80	5290	Sum	95.76	0.19
NVNT	n20	5260	Sum	98.01	0.09
NVNT	n20	5280	Sum	98.09	0.08
NVNT	n20	5320	Sum	98.34	0.07
NVNT	n40	5270	Sum	98.13	0.08
NVNT	n40	5310	Sum	97.75	0.1

Test Graphs

Duty Cycle NVNT a 5260MHz Ant1



Duty Cycle NVNT a 5280MHz Ant1



Duty Cycle NVNT a 5320MHz Ant1



Duty Cycle NVNT a 5260MHz Ant2



Duty Cycle NVNT a 5280MHz Ant2



Duty Cycle NVNT a 5320MHz Ant2



Duty Cycle NVNT a 5260MHz Ant3



Duty Cycle NVNT a 5280MHz Ant3



Duty Cycle NVNT a 5320MHz Ant3



Duty Cycle NVNT a 5260MHz Ant4



Duty Cycle NVNT a 5280MHz Ant4



Duty Cycle NVNT a 5320MHz Ant4



Duty Cycle NVNT ac20 5260MHz Sum



Duty Cycle NVNT ac20 5280MHz Sum



Duty Cycle NVNT ac20 5320MHz Sum



Duty Cycle NVNT ac40 5270MHz Sum



Duty Cycle NVNT ac40 5310MHz Sum



Duty Cycle NVNT ac80 5290MHz Sum



Duty Cycle NVNT ax20 5260MHz Sum



Duty Cycle NVNT ax20 5280MHz Sum



Duty Cycle NVNT ax20 5320MHz Sum



Duty Cycle NVNT ax40 5270MHz Sum



Duty Cycle NVNT ax40 5310MHz Sum



Duty Cycle NVNT ax80 5290MHz Sum



Duty Cycle NVNT n20 5260MHz Sum



Duty Cycle NVNT n20 5280MHz Sum



Duty Cycle NVNT n20 5320MHz Sum



Duty Cycle NVNT n40 5270MHz Sum



Duty Cycle NVNT n40 5310MHz Sum


Spectrum Analyzer 1
Swept SA
KEYSIGHT
Input: RF
Coupling: DC
Align: Auto
Input Z: 50 Ω
Corr CCorr
Freq Ref: Int (S)
#Atten: 30 dB
PNO: Fast
Gate: Off
IF Gain: Low
Sig Track: Off
Avg Type: Voltage
Trig: Free Run
1 Spectrum
Scale/Div 10 dB
Log
Ref Lvl Offset 10.49 dB
Ref Level 20.00 dBm
Mkr1 5.310 ms
15.76 dBm
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
-70.0
Center 5.310000000 GHz
Res BW 8 MHz
#Video BW 8.0 MHz
Span 0 Hz
Sweep 100 ms (10001 pts)
Jun 05, 2025
2:02:48 PM

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	20.29	0.22	20.51	24	Pass
NVNT	a	5280	Ant1	20.6	0.2	20.8	24	Pass
NVNT	a	5320	Ant1	20.53	0.22	20.75	24	Pass
NVNT	a	5260	Ant2	20.39	0.22	20.61	24	Pass
NVNT	a	5280	Ant2	20.92	0.21	21.13	24	Pass
NVNT	a	5320	Ant2	20.33	0.22	20.55	24	Pass
NVNT	a	5260	Ant3	20.63	0.22	20.85	24	Pass
NVNT	a	5280	Ant3	20.74	0.21	20.95	24	Pass
NVNT	a	5320	Ant3	20.38	0.19	20.57	24	Pass
NVNT	a	5260	Ant4	20.79	0.21	21	24	Pass
NVNT	a	5280	Ant4	21	0.21	21.21	24	Pass
NVNT	a	5320	Ant4	21.08	0.24	21.32	24	Pass
NVNT	ac20	5260	Ant1	9.24	0.1	9.34	18.98	Pass
NVNT	ac20	5260	Ant2	8.71	0.1	8.81	18.98	Pass
NVNT	ac20	5260	Ant3	9.42	0.1	9.52	18.98	Pass
NVNT	ac20	5260	Ant4	10.42	0.1	10.52	18.98	Pass
NVNT	ac20	5260	Sum	15.513	0.1	15.613	18.98	Pass
NVNT	ac20	5280	Ant1	9.02	0.09	9.11	18.98	Pass
NVNT	ac20	5280	Ant2	9.26	0.09	9.35	18.98	Pass
NVNT	ac20	5280	Ant3	9.74	0.09	9.83	18.98	Pass
NVNT	ac20	5280	Ant4	10.7	0.09	10.79	18.98	Pass
NVNT	ac20	5280	Sum	15.75	0.09	15.84	18.98	Pass
NVNT	ac20	5320	Ant1	9.4	0.09	9.49	18.98	Pass
NVNT	ac20	5320	Ant2	9.44	0.09	9.53	18.98	Pass
NVNT	ac20	5320	Ant3	9.22	0.09	9.31	18.98	Pass
NVNT	ac20	5320	Ant4	10.81	0.09	10.9	18.98	Pass
NVNT	ac20	5320	Sum	15.787	0.09	15.877	18.98	Pass
NVNT	ac40	5270	Ant1	11.49	0.08	11.57	18.98	Pass
NVNT	ac40	5270	Ant2	11.82	0.08	11.9	18.98	Pass
NVNT	ac40	5270	Ant3	12.57	0.08	12.65	18.98	Pass
NVNT	ac40	5270	Ant4	13.53	0.08	13.61	18.98	Pass
NVNT	ac40	5270	Sum	18.446	0.08	18.526	18.98	Pass
NVNT	ac40	5310	Ant1	11.5	0.1	11.6	18.98	Pass
NVNT	ac40	5310	Ant2	11.66	0.1	11.76	18.98	Pass
NVNT	ac40	5310	Ant3	12.36	0.1	12.46	18.98	Pass
NVNT	ac40	5310	Ant4	13.29	0.1	13.39	18.98	Pass
NVNT	ac40	5310	Sum	18.282	0.1	18.382	18.98	Pass
NVNT	ac80	5290	Ant1	11.79	0.18	11.97	18.98	Pass
NVNT	ac80	5290	Ant2	12.2	0.18	12.38	18.98	Pass
NVNT	ac80	5290	Ant3	12.72	0.18	12.9	18.98	Pass

NVNT	ac80	5290	Ant4	13.71	0.18	13.89	18.98	Pass
NVNT	ac80	5290	Sum	18.686	0.18	18.866	18.98	Pass
NVNT	ax20	5260	Ant1	9.36	0.09	9.45	18.98	Pass
NVNT	ax20	5260	Ant2	9.41	0.09	9.5	18.98	Pass
NVNT	ax20	5260	Ant3	9.59	0.09	9.68	18.98	Pass
NVNT	ax20	5260	Ant4	10.38	0.09	10.47	18.98	Pass
NVNT	ax20	5260	Sum	15.726	0.09	15.816	18.98	Pass
NVNT	ax20	5280	Ant1	9.19	0.08	9.27	18.98	Pass
NVNT	ax20	5280	Ant2	9.71	0.08	9.79	18.98	Pass
NVNT	ax20	5280	Ant3	9.87	0.08	9.95	18.98	Pass
NVNT	ax20	5280	Ant4	10.54	0.08	10.62	18.98	Pass
NVNT	ax20	5280	Sum	15.875	0.08	15.955	18.98	Pass
NVNT	ax20	5320	Ant1	9.3	0.08	9.38	18.98	Pass
NVNT	ax20	5320	Ant2	8.88	0.08	8.96	18.98	Pass
NVNT	ax20	5320	Ant3	9.11	0.08	9.19	18.98	Pass
NVNT	ax20	5320	Ant4	10.16	0.08	10.24	18.98	Pass
NVNT	ax20	5320	Sum	15.411	0.08	15.491	18.98	Pass
NVNT	ax40	5270	Ant1	11.62	0.12	11.74	18.98	Pass
NVNT	ax40	5270	Ant2	12.15	0.12	12.27	18.98	Pass
NVNT	ax40	5270	Ant3	12.68	0.12	12.8	18.98	Pass
NVNT	ax40	5270	Ant4	13.51	0.12	13.63	18.98	Pass
NVNT	ax40	5270	Sum	18.567	0.12	18.687	18.98	Pass
NVNT	ax40	5310	Ant1	11.62	0.12	11.74	18.98	Pass
NVNT	ax40	5310	Ant2	11.78	0.12	11.9	18.98	Pass
NVNT	ax40	5310	Ant3	12.44	0.12	12.56	18.98	Pass
NVNT	ax40	5310	Ant4	13.33	0.12	13.45	18.98	Pass
NVNT	ax40	5310	Sum	18.367	0.12	18.487	18.98	Pass
NVNT	ax80	5290	Ant1	11.58	0.19	11.77	18.98	Pass
NVNT	ax80	5290	Ant2	12.01	0.19	12.2	18.98	Pass
NVNT	ax80	5290	Ant3	12.66	0.19	12.85	18.98	Pass
NVNT	ax80	5290	Ant4	13.5	0.19	13.69	18.98	Pass
NVNT	ax80	5290	Sum	18.519	0.19	18.709	18.98	Pass
NVNT	n20	5260	Ant1	9.23	0.09	9.32	18.98	Pass
NVNT	n20	5260	Ant2	8.76	0.09	8.85	18.98	Pass
NVNT	n20	5260	Ant3	9.42	0.09	9.51	18.98	Pass
NVNT	n20	5260	Ant4	10.47	0.09	10.56	18.98	Pass
NVNT	n20	5260	Sum	15.537	0.09	15.627	18.98	Pass
NVNT	n20	5280	Ant1	8.92	0.08	9	18.98	Pass
NVNT	n20	5280	Ant2	9.31	0.08	9.39	18.98	Pass
NVNT	n20	5280	Ant3	9.65	0.08	9.73	18.98	Pass
NVNT	n20	5280	Ant4	10.76	0.08	10.84	18.98	Pass
NVNT	n20	5280	Sum	15.737	0.08	15.817	18.98	Pass
NVNT	n20	5320	Ant1	9.39	0.07	9.46	18.98	Pass
NVNT	n20	5320	Ant2	9.54	0.07	9.61	18.98	Pass

NVNT	n20	5320	Ant3	9.11	0.07	9.18	18.98	Pass
NVNT	n20	5320	Ant4	10.92	0.07	10.99	18.98	Pass
NVNT	n20	5320	Sum	15.82	0.07	15.89	18.98	Pass
NVNT	n40	5270	Ant1	11.57	0.08	11.65	18.98	Pass
NVNT	n40	5270	Ant2	11.92	0.08	12	18.98	Pass
NVNT	n40	5270	Ant3	12.65	0.08	12.73	18.98	Pass
NVNT	n40	5270	Ant4	13.56	0.08	13.64	18.98	Pass
NVNT	n40	5270	Sum	18.514	0.08	18.594	18.98	Pass
NVNT	n40	5310	Ant1	11.56	0.1	11.66	18.98	Pass
NVNT	n40	5310	Ant2	11.65	0.1	11.75	18.98	Pass
NVNT	n40	5310	Ant3	12.49	0.1	12.59	18.98	Pass
NVNT	n40	5310	Ant4	13.37	0.1	13.47	18.98	Pass
NVNT	n40	5310	Sum	18.351	0.1	18.451	18.98	Pass

Note: The limits need reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

For MIMO mode: ant gain is 5+10*log10(4)=5+6.02=11.02 dBi, the limit is 24-(11.02-6)=18.98dbm.

-26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)
NVNT	a	5260	Ant1	19.39
NVNT	a	5280	Ant1	18.925
NVNT	a	5320	Ant1	19.171
NVNT	a	5260	Ant2	19.216
NVNT	a	5280	Ant2	19.192
NVNT	a	5320	Ant2	19.196
NVNT	a	5260	Ant3	19.316
NVNT	a	5280	Ant3	19.076
NVNT	a	5320	Ant3	19.333
NVNT	a	5260	Ant4	19.356
NVNT	a	5280	Ant4	19.168
NVNT	a	5320	Ant4	19.454
NVNT	ac20	5260	Ant1	20.047
NVNT	ac20	5260	Ant2	19.636
NVNT	ac20	5260	Ant3	20.11
NVNT	ac20	5260	Ant4	19.984
NVNT	ac20	5280	Ant1	20.092
NVNT	ac20	5280	Ant2	19.595
NVNT	ac20	5280	Ant3	20.133
NVNT	ac20	5280	Ant4	20.038
NVNT	ac20	5320	Ant1	20.405
NVNT	ac20	5320	Ant2	19.603
NVNT	ac20	5320	Ant3	19.945
NVNT	ac20	5320	Ant4	20.06
NVNT	ac40	5270	Ant1	39.071
NVNT	ac40	5270	Ant2	38.994
NVNT	ac40	5270	Ant3	39.091
NVNT	ac40	5270	Ant4	39.486
NVNT	ac40	5310	Ant1	39.408
NVNT	ac40	5310	Ant2	39.069
NVNT	ac40	5310	Ant3	39.481
NVNT	ac40	5310	Ant4	39.194
NVNT	ac80	5290	Ant1	81.032
NVNT	ac80	5290	Ant2	80.919
NVNT	ac80	5290	Ant3	81.242
NVNT	ac80	5290	Ant4	80.002
NVNT	ax20	5260	Ant1	20.821
NVNT	ax20	5260	Ant2	20.963
NVNT	ax20	5260	Ant3	20.635
NVNT	ax20	5260	Ant4	20.838
NVNT	ax20	5280	Ant1	21.205

NVNT	ax20	5280	Ant2	20.571
NVNT	ax20	5280	Ant3	20.561
NVNT	ax20	5280	Ant4	20.927
NVNT	ax20	5320	Ant1	20.763
NVNT	ax20	5320	Ant2	20.358
NVNT	ax20	5320	Ant3	20.824
NVNT	ax20	5320	Ant4	21.19
NVNT	ax40	5270	Ant1	39.809
NVNT	ax40	5270	Ant2	39.781
NVNT	ax40	5270	Ant3	40.004
NVNT	ax40	5270	Ant4	39.829
NVNT	ax40	5310	Ant1	39.78
NVNT	ax40	5310	Ant2	40.24
NVNT	ax40	5310	Ant3	39.92
NVNT	ax40	5310	Ant4	39.871
NVNT	ax80	5290	Ant1	81.315
NVNT	ax80	5290	Ant2	81.605
NVNT	ax80	5290	Ant3	81.502
NVNT	ax80	5290	Ant4	81.231
NVNT	n20	5260	Ant1	20.305
NVNT	n20	5260	Ant2	19.895
NVNT	n20	5260	Ant3	20.03
NVNT	n20	5260	Ant4	20.126
NVNT	n20	5280	Ant1	20.113
NVNT	n20	5280	Ant2	19.647
NVNT	n20	5280	Ant3	20.122
NVNT	n20	5280	Ant4	20.025
NVNT	n20	5320	Ant1	20.254
NVNT	n20	5320	Ant2	19.585
NVNT	n20	5320	Ant3	20.04
NVNT	n20	5320	Ant4	20.074
NVNT	n40	5270	Ant1	39.517
NVNT	n40	5270	Ant2	39.405
NVNT	n40	5270	Ant3	39.599
NVNT	n40	5270	Ant4	39.079
NVNT	n40	5310	Ant1	39.507
NVNT	n40	5310	Ant2	39.194
NVNT	n40	5310	Ant3	39.447
NVNT	n40	5310	Ant4	39.051

Test Graphs

-26dB Bandwidth NVNT a 5260MHz Ant1



-26dB Bandwidth NVNT a 5280MHz Ant1



-26dB Bandwidth NVNT a 5320MHz Ant1



-26dB Bandwidth NVNT a 5260MHz Ant2



-26dB Bandwidth NVNT a 5280MHz Ant2



-26dB Bandwidth NVNT a 5320MHz Ant2



-26dB Bandwidth NVNT a 5260MHz Ant3



-26dB Bandwidth NVNT a 5280MHz Ant3



-26dB Bandwidth NVNT a 5320MHz Ant3



-26dB Bandwidth NVNT a 5260MHz Ant4



-26dB Bandwidth NVNT a 5280MHz Ant4



-26dB Bandwidth NVNT a 5320MHz Ant4



-26dB Bandwidth NVNT ac20 5260MHz Ant1



-26dB Bandwidth NVNT ac20 5260MHz Ant2



-26dB Bandwidth NVNT ac20 5260MHz Ant3



-26dB Bandwidth NVNT ac20 5260MHz Ant4



-26dB Bandwidth NVNT ac20 5280MHz Ant1



-26dB Bandwidth NVNT ac20 5280MHz Ant2



-26dB Bandwidth NVNT ac20 5280MHz Ant3



-26dB Bandwidth NVNT ac20 5280MHz Ant4



-26dB Bandwidth NVNT ac20 5320MHz Ant1



-26dB Bandwidth NVNT ac20 5320MHz Ant2



-26dB Bandwidth NVNT ac20 5320MHz Ant3



-26dB Bandwidth NVNT ac20 5320MHz Ant4



-26dB Bandwidth NVNT ac40 5270MHz Ant1



-26dB Bandwidth NVNT ac40 5270MHz Ant2



-26dB Bandwidth NVNT ac40 5270MHz Ant3



-26dB Bandwidth NVNT ac40 5270MHz Ant4



-26dB Bandwidth NVNT ac40 5310MHz Ant1