







Mode	3	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 HORIZONTAL	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 VERTICAL
	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 HORIZONTAL	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 VERTICAL





Mode	4																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_Bluetooth-LE GFSK_CH01_2404MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.61</td><td>53.51</td><td>74.00</td><td>-20.49</td><td>42.52</td><td>27.27</td><td>6.80</td><td>33.20</td><td>10.12</td><td>394</td><td>190 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.61	53.51	74.00	-20.49	42.52	27.27	6.80	33.20	10.12	394	190 Peak	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>101.21</td><td>-----</td><td>-----</td><td>90.12</td><td>27.34</td><td>6.82</td><td>33.19</td><td>10.12</td><td>394</td><td>190 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	101.21	-----	-----	90.12	27.34	6.82	33.19	10.12	394	190 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2386.61	53.51	74.00	-20.49	42.52	27.27	6.80	33.20	10.12	394	190 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2404.00	101.21	-----	-----	90.12	27.34	6.82	33.19	10.12	394	190 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.90</td><td>41.96</td><td>54.00</td><td>-12.04</td><td>30.94</td><td>27.30</td><td>6.80</td><td>33.20</td><td>10.12</td><td>394</td><td>190 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.90	41.96	54.00	-12.04	30.94	27.30	6.80	33.20	10.12	394	190 Average	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>99.77</td><td>-----</td><td>-----</td><td>88.68</td><td>27.34</td><td>6.82</td><td>33.19</td><td>10.12</td><td>394</td><td>190 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	99.77	-----	-----	88.68	27.34	6.82	33.19	10.12	394	190 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.90	41.96	54.00	-12.04	30.94	27.30	6.80	33.20	10.12	394	190 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2404.00	99.77	-----	-----	88.68	27.34	6.82	33.19	10.12	394	190 Average																																																																																							







Mode	4																																																																									
	Band Edge																																																																									
	2400-2483.5_Bluetooth-LE GFSK_CH01_2404MHz																																																																									
ANT	1																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-11-04 Frequency (MHz) Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2344.69 53.47 74.00 -20.53</td><td>42.66</td><td>27.20</td><td>6.73</td><td>33.24</td><td>10.12</td><td>121</td><td></td><td>0 Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 2344.69 53.47 74.00 -20.53	42.66	27.20	6.73	33.24	10.12	121		0 Peak	Level (dBuV/m) Date: 2025-11-04 Frequency (MHz) Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2404.00 103.07</td><td>91.98</td><td>27.34</td><td>6.82</td><td>33.19</td><td>10.12</td><td>121</td><td></td><td>0 Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 2404.00 103.07	91.98	27.34	6.82	33.19	10.12	121		0 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																		
1 2344.69 53.47 74.00 -20.53	42.66	27.20	6.73	33.24	10.12	121		0 Peak																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																		
1 2404.00 103.07	91.98	27.34	6.82	33.19	10.12	121		0 Peak																																																																		
Avg	Level (dBuV/m) Date: 2025-11-04 Frequency (MHz) Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2389.52 42.06 54.00 -11.94</td><td>31.04</td><td>27.30</td><td>6.80</td><td>33.20</td><td>10.12</td><td>121</td><td></td><td>0 Average</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 2389.52 42.06 54.00 -11.94	31.04	27.30	6.80	33.20	10.12	121		0 Average	Level (dBuV/m) Date: 2025-11-04 Frequency (MHz) Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2404.00 101.61</td><td>90.52</td><td>27.34</td><td>6.82</td><td>33.19</td><td>10.12</td><td>121</td><td></td><td>0 Average</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 2404.00 101.61	90.52	27.34	6.82	33.19	10.12	121		0 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																		
1 2389.52 42.06 54.00 -11.94	31.04	27.30	6.80	33.20	10.12	121		0 Average																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																		
1 2404.00 101.61	90.52	27.34	6.82	33.19	10.12	121		0 Average																																																																		







Mode	4																																																																																																																																																						
	Harmonic																																																																																																																																																						
	2400-2483.5_Bluetooth-LE GFSK_CH01_2404MHz																																																																																																																																																						
ANT	1																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_250915 HORIZONTAL						Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_250915 VERTICAL																																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>50.76</td><td>74.00</td><td>-23.24</td><td>73.88</td><td>32.33</td><td>10.35</td><td>66.75</td><td>0.95</td><td>150</td><td>120</td><td>Peak</td></tr><tr><td>2</td><td>4808.00</td><td>44.99</td><td>54.00</td><td>-9.01</td><td>68.11</td><td>32.33</td><td>10.35</td><td>66.75</td><td>0.95</td><td>150</td><td>120</td><td>Average</td></tr><tr><td>3</td><td>7212.00</td><td>48.47</td><td>-----</td><td>-----</td><td>63.52</td><td>36.75</td><td>13.65</td><td>65.65</td><td>0.20</td><td>150</td><td>163</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4808.00	50.76	74.00	-23.24	73.88	32.33	10.35	66.75	0.95	150	120	Peak	2	4808.00	44.99	54.00	-9.01	68.11	32.33	10.35	66.75	0.95	150	120	Average	3	7212.00	48.47	-----	-----	63.52	36.75	13.65	65.65	0.20	150	163	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>52.83</td><td>74.00</td><td>-21.17</td><td>75.95</td><td>32.33</td><td>10.35</td><td>66.75</td><td>0.95</td><td>100</td><td>184</td><td>Peak</td></tr><tr><td>2</td><td>4808.00</td><td>47.76</td><td>54.00</td><td>-6.24</td><td>70.88</td><td>32.33</td><td>10.35</td><td>66.75</td><td>0.95</td><td>100</td><td>184</td><td>Average</td></tr><tr><td>3</td><td>7212.00</td><td>49.06</td><td>-----</td><td>-----</td><td>64.11</td><td>36.75</td><td>13.65</td><td>65.65</td><td>0.20</td><td>100</td><td>159</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4808.00	52.83	74.00	-21.17	75.95	32.33	10.35	66.75	0.95	100	184	Peak	2	4808.00	47.76	54.00	-6.24	70.88	32.33	10.35	66.75	0.95	100	184	Average	3	7212.00	49.06	-----	-----	64.11	36.75	13.65	65.65	0.20	100	159
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4808.00	50.76	74.00	-23.24	73.88	32.33	10.35	66.75	0.95	150	120	Peak																																																																																																																																											
2	4808.00	44.99	54.00	-9.01	68.11	32.33	10.35	66.75	0.95	150	120	Average																																																																																																																																											
3	7212.00	48.47	-----	-----	63.52	36.75	13.65	65.65	0.20	150	163	Peak																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4808.00	52.83	74.00	-21.17	75.95	32.33	10.35	66.75	0.95	100	184	Peak																																																																																																																																											
2	4808.00	47.76	54.00	-6.24	70.88	32.33	10.35	66.75	0.95	100	184	Average																																																																																																																																											
3	7212.00	49.06	-----	-----	64.11	36.75	13.65	65.65	0.20	100	159	Peak																																																																																																																																											

Remark: The unwanted signal at 7212.00 MHz can be ignored since it falls within the non-restricted band and meets the requirements of 15.247(d) and RSS-247 Section 6.6.



Mode	4	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH01_2404MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 HORIZONTAL	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 VERTICAL
	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 HORIZONTAL	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 VERTICAL







		5																																																																																																	
Mode	Band Edge - L																																																																																																		
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak	 Level (dBuV/m) Frequency (MHz) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2379.94</td><td>53.16</td><td>74.00</td><td>-20.84</td><td>42.26</td><td>27.20</td><td>6.79</td><td>33.21</td><td>10.12</td><td>390</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2379.94	53.16	74.00	-20.84	42.26	27.20	6.79	33.21	10.12	390	360	Peak	 Level (dBuV/m) Frequency (MHz) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>99.26</td><td>-----</td><td>-----</td><td>87.96</td><td>27.50</td><td>6.84</td><td>33.16</td><td>10.12</td><td>390</td><td>360</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	99.26	-----	-----	87.96	27.50	6.84	33.16	10.12	390	360	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2379.94	53.16	74.00	-20.84	42.26	27.20	6.79	33.21	10.12	390	360	Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2440.00	99.26	-----	-----	87.96	27.50	6.84	33.16	10.12	390	360	Peak																																																																																							
Avg	 Level (dBuV/m) Frequency (MHz) Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.57</td><td>41.89</td><td>54.00</td><td>-12.11</td><td>30.90</td><td>27.27</td><td>6.80</td><td>33.20</td><td>10.12</td><td>390</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.57	41.89	54.00	-12.11	30.90	27.27	6.80	33.20	10.12	390	360	Average	 Level (dBuV/m) Frequency (MHz) Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>97.74</td><td>-----</td><td>-----</td><td>86.44</td><td>27.50</td><td>6.84</td><td>33.16</td><td>10.12</td><td>390</td><td>360</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	97.74	-----	-----	86.44	27.50	6.84	33.16	10.12	390	360	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2386.57	41.89	54.00	-12.11	30.90	27.27	6.80	33.20	10.12	390	360	Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2440.00	97.74	-----	-----	86.44	27.50	6.84	33.16	10.12	390	360	Average																																																																																							



Mode	5											
	Band Edge - R											
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz											
ANT	1											
Pol.	Horizontal						Fundamental					
Peak												



Mode	5																																																																																									
	Band Edge - L																																																																																									
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2316.24</td><td>53.42</td><td>74.00</td><td>-20.58</td><td>42.69</td><td>27.20</td><td>6.68</td><td>33.27</td><td>10.12</td><td>149</td><td>168</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2316.24	53.42	74.00	-20.58	42.69	27.20	6.68	33.27	10.12	149	168	Peak	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2440.00</td><td>103.36</td><td>-----</td><td>-----</td><td>92.06</td><td>27.50</td><td>6.84</td><td>33.16</td><td>10.12</td><td>149</td><td>168</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2440.00	103.36	-----	-----	92.06	27.50	6.84	33.16	10.12	149	168	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2316.24	53.42	74.00	-20.58	42.69	27.20	6.68	33.27	10.12	149	168	Peak																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2440.00	103.36	-----	-----	92.06	27.50	6.84	33.16	10.12	149	168	Peak																																																																														
Avg	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2388.00</td><td>41.90</td><td>54.00</td><td>-12.10</td><td>30.90</td><td>27.28</td><td>6.80</td><td>33.20</td><td>10.12</td><td>149</td><td>168</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2388.00	41.90	54.00	-12.10	30.90	27.28	6.80	33.20	10.12	149	168	Average	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2440.00</td><td>101.85</td><td>-----</td><td>-----</td><td>90.55</td><td>27.50</td><td>6.84</td><td>33.16</td><td>10.12</td><td>149</td><td>168</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2440.00	101.85	-----	-----	90.55	27.50	6.84	33.16	10.12	149	168	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2388.00	41.90	54.00	-12.10	30.90	27.28	6.80	33.20	10.12	149	168	Average																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2440.00	101.85	-----	-----	90.55	27.50	6.84	33.16	10.12	149	168	Average																																																																														







Mode	5	
	Band Edge - R	
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	</	



Mode	5																																																																																																																																																														
	Harmonic																																																																																																																																																														
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz																																																																																																																																																														
ANT	1																																																																																																																																																														
Pol.	Horizontal	Vertical																																																																																																																																																													
Peak Avg	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>50.08</td><td>74.00</td><td>-23.92</td><td>72.55</td><td>32.62</td><td>10.66</td><td>66.70</td><td>0.95</td><td>150</td><td>186 Peak</td></tr><tr><td>2</td><td>4880.00</td><td>45.62</td><td>54.00</td><td>-8.38</td><td>68.09</td><td>32.62</td><td>10.66</td><td>66.70</td><td>0.95</td><td>150</td><td>186 Average</td></tr><tr><td>3</td><td>7320.00</td><td>53.67</td><td>74.00</td><td>-20.33</td><td>68.70</td><td>36.82</td><td>13.74</td><td>65.78</td><td>0.19</td><td>100</td><td>230 Peak</td></tr><tr><td>4</td><td>7320.00</td><td>49.18</td><td>54.00</td><td>-4.82</td><td>64.21</td><td>36.82</td><td>13.74</td><td>65.78</td><td>0.19</td><td>100</td><td>230 Average</td></tr></table> Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>49.54</td><td>74.00</td><td>-24.46</td><td>72.01</td><td>32.62</td><td>10.66</td><td>66.70</td><td>0.95</td><td>100</td><td>172 Peak</td></tr><tr><td>2</td><td>4880.00</td><td>44.86</td><td>54.00</td><td>-9.14</td><td>67.33</td><td>32.62</td><td>10.66</td><td>66.70</td><td>0.95</td><td>100</td><td>172 Average</td></tr><tr><td>3</td><td>7320.00</td><td>52.94</td><td>74.00</td><td>-21.06</td><td>67.97</td><td>36.82</td><td>13.74</td><td>65.78</td><td>0.19</td><td>100</td><td>149 Peak</td></tr><tr><td>4</td><td>7320.00</td><td>48.10</td><td>54.00</td><td>-5.90</td><td>63.13</td><td>36.82</td><td>13.74</td><td>65.78</td><td>0.19</td><td>100</td><td>149 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	50.08	74.00	-23.92	72.55	32.62	10.66	66.70	0.95	150	186 Peak	2	4880.00	45.62	54.00	-8.38	68.09	32.62	10.66	66.70	0.95	150	186 Average	3	7320.00	53.67	74.00	-20.33	68.70	36.82	13.74	65.78	0.19	100	230 Peak	4	7320.00	49.18	54.00	-4.82	64.21	36.82	13.74	65.78	0.19	100	230 Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	49.54	74.00	-24.46	72.01	32.62	10.66	66.70	0.95	100	172 Peak	2	4880.00	44.86	54.00	-9.14	67.33	32.62	10.66	66.70	0.95	100	172 Average	3	7320.00	52.94	74.00	-21.06	67.97	36.82	13.74	65.78	0.19	100	149 Peak	4	7320.00	48.10	54.00	-5.90	63.13	36.82	13.74	65.78	0.19	100	149 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																					
1	4880.00	50.08	74.00	-23.92	72.55	32.62	10.66	66.70	0.95	150	186 Peak																																																																																																																																																				
2	4880.00	45.62	54.00	-8.38	68.09	32.62	10.66	66.70	0.95	150	186 Average																																																																																																																																																				
3	7320.00	53.67	74.00	-20.33	68.70	36.82	13.74	65.78	0.19	100	230 Peak																																																																																																																																																				
4	7320.00	49.18	54.00	-4.82	64.21	36.82	13.74	65.78	0.19	100	230 Average																																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																					
1	4880.00	49.54	74.00	-24.46	72.01	32.62	10.66	66.70	0.95	100	172 Peak																																																																																																																																																				
2	4880.00	44.86	54.00	-9.14	67.33	32.62	10.66	66.70	0.95	100	172 Average																																																																																																																																																				
3	7320.00	52.94	74.00	-21.06	67.97	36.82	13.74	65.78	0.19	100	149 Peak																																																																																																																																																				
4	7320.00	48.10	54.00	-5.90	63.13	36.82	13.74	65.78	0.19	100	149 Average																																																																																																																																																				



Mode	5	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 HORIZONTAL	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 VERTICAL
	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 HORIZONTAL	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 VERTICAL



Mode	6																																																																									
	Band Edge																																																																									
	2400-2483.5_Bluetooth-LE GFSK_CH38_2478MHz																																																																									
ANT	1																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2497.04</td><td>54.06</td><td>74.00</td><td>-19.94</td><td>42.36</td><td>27.00</td><td>6.88</td><td>33.10</td><td>10.12</td><td>377</td><td>360</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2497.04	54.06	74.00	-19.94	42.36	27.00	6.88	33.10	10.12	377	360	Peak	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2478.00</td><td>96.06</td><td>-----</td><td>-----</td><td>85.39</td><td>27.60</td><td>6.87</td><td>33.12</td><td>10.12</td><td>377</td><td>360</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2478.00	96.06	-----	-----	85.39	27.60	6.87	33.12	10.12	377	360	Peak
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																
1 2497.04	54.06	74.00	-19.94	42.36	27.00	6.88	33.10	10.12	377	360	Peak																																																															
Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																
1 2478.00	96.06	-----	-----	85.39	27.60	6.87	33.12	10.12	377	360	Peak																																																															
Avg	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2483.52</td><td>43.15</td><td>54.00</td><td>-10.85</td><td>31.61</td><td>27.67</td><td>6.87</td><td>33.12</td><td>10.12</td><td>377</td><td>360</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2483.52	43.15	54.00	-10.85	31.61	27.67	6.87	33.12	10.12	377	360	Average	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2478.00</td><td>95.26</td><td>-----</td><td>-----</td><td>83.79</td><td>27.60</td><td>6.87</td><td>33.12</td><td>10.12</td><td>377</td><td>360</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2478.00	95.26	-----	-----	83.79	27.60	6.87	33.12	10.12	377	360	Average
Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																
1 2483.52	43.15	54.00	-10.85	31.61	27.67	6.87	33.12	10.12	377	360	Average																																																															
Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																
1 2478.00	95.26	-----	-----	83.79	27.60	6.87	33.12	10.12	377	360	Average																																																															



Mode	6																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE GFSK_CH38_2478MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.59</td><td>54.96</td><td>74.00</td><td>-19.04</td><td>43.42</td><td>27.67</td><td>6.87</td><td>33.12</td><td>10.12</td><td>171</td><td>259</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2483.59	54.96	74.00	-19.04	43.42	27.67	6.87	33.12	10.12	171	259	Peak	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2478.00</td><td>101.90</td><td>-----</td><td>-----</td><td>90.43</td><td>27.60</td><td>6.87</td><td>33.12</td><td>10.12</td><td>171</td><td>259</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2478.00	101.90	-----	-----	90.43	27.60	6.87	33.12	10.12	171	259	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2483.59	54.96	74.00	-19.04	43.42	27.67	6.87	33.12	10.12	171	259	Peak																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2478.00	101.90	-----	-----	90.43	27.60	6.87	33.12	10.12	171	259	Peak																																																																														
Avg	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.52</td><td>44.18</td><td>54.00</td><td>-9.82</td><td>32.64</td><td>27.67</td><td>6.87</td><td>33.12</td><td>10.12</td><td>171</td><td>259</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2483.52	44.18	54.00	-9.82	32.64	27.67	6.87	33.12	10.12	171	259	Average	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2478.00</td><td>100.40</td><td>-----</td><td>-----</td><td>88.93</td><td>27.60</td><td>6.87</td><td>33.12</td><td>10.12</td><td>171</td><td>259</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2478.00	100.40	-----	-----	88.93	27.60	6.87	33.12	10.12	171	259	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2483.52	44.18	54.00	-9.82	32.64	27.67	6.87	33.12	10.12	171	259	Average																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2478.00	100.40	-----	-----	88.93	27.60	6.87	33.12	10.12	171	259	Average																																																																														



Mode	6																																																																																																																																																																													
	Harmonic																																																																																																																																																																													
	2400-2483.5_Bluetooth-LE GFSK_CH38_2478MHz																																																																																																																																																																													
ANT	1																																																																																																																																																																													
Pol.	Horizontal							Vertical																																																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>49.01</td><td>74.00</td><td>-24.99</td><td>70.78</td><td>32.92</td><td>10.99</td><td>66.64</td><td>0.96</td><td>200</td><td>118</td><td>Peak</td></tr><tr><td>2</td><td>4956.00</td><td>44.37</td><td>54.00</td><td>-9.63</td><td>66.14</td><td>32.92</td><td>10.99</td><td>66.64</td><td>0.96</td><td>200</td><td>118</td><td>Average</td></tr><tr><td>3</td><td>7434.00</td><td>54.82</td><td>74.00</td><td>-19.18</td><td>70.41</td><td>36.30</td><td>13.85</td><td>65.92</td><td>0.18</td><td>100</td><td>228</td><td>Peak</td></tr><tr><td>4</td><td>7434.00</td><td>50.78</td><td>54.00</td><td>-3.22</td><td>66.37</td><td>36.30</td><td>13.85</td><td>65.92</td><td>0.18</td><td>100</td><td>228</td><td>Average</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	4956.00	49.01	74.00	-24.99	70.78	32.92	10.99	66.64	0.96	200	118	Peak	2	4956.00	44.37	54.00	-9.63	66.14	32.92	10.99	66.64	0.96	200	118	Average	3	7434.00	54.82	74.00	-19.18	70.41	36.30	13.85	65.92	0.18	100	228	Peak	4	7434.00	50.78	54.00	-3.22	66.37	36.30	13.85	65.92	0.18	100	228	Average	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>49.18</td><td>74.00</td><td>-24.82</td><td>70.95</td><td>32.92</td><td>10.99</td><td>66.64</td><td>0.96</td><td>100</td><td>241</td><td>Peak</td></tr><tr><td>2</td><td>4956.00</td><td>43.85</td><td>54.00</td><td>-10.15</td><td>65.62</td><td>32.92</td><td>10.99</td><td>66.64</td><td>0.96</td><td>100</td><td>241</td><td>Average</td></tr><tr><td>3</td><td>7434.00</td><td>55.62</td><td>74.00</td><td>-18.38</td><td>71.21</td><td>36.30</td><td>13.85</td><td>65.92</td><td>0.18</td><td>100</td><td>351</td><td>Peak</td></tr><tr><td>4</td><td>7434.00</td><td>49.60</td><td>54.00</td><td>-4.40</td><td>65.19</td><td>36.30</td><td>13.85</td><td>65.92</td><td>0.18</td><td>100</td><td>351</td><td>Average</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	4956.00	49.18	74.00	-24.82	70.95	32.92	10.99	66.64	0.96	100	241	Peak	2	4956.00	43.85	54.00	-10.15	65.62	32.92	10.99	66.64	0.96	100	241	Average	3	7434.00	55.62	74.00	-18.38	71.21	36.30	13.85	65.92	0.18	100	351	Peak	4	7434.00	49.60	54.00	-4.40	65.19	36.30	13.85	65.92	0.18	100	351	Average
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																
1	4956.00	49.01	74.00	-24.99	70.78	32.92	10.99	66.64	0.96	200	118	Peak																																																																																																																																																																		
2	4956.00	44.37	54.00	-9.63	66.14	32.92	10.99	66.64	0.96	200	118	Average																																																																																																																																																																		
3	7434.00	54.82	74.00	-19.18	70.41	36.30	13.85	65.92	0.18	100	228	Peak																																																																																																																																																																		
4	7434.00	50.78	54.00	-3.22	66.37	36.30	13.85	65.92	0.18	100	228	Average																																																																																																																																																																		
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																	
1	4956.00	49.18	74.00	-24.82	70.95	32.92	10.99	66.64	0.96	100	241	Peak																																																																																																																																																																		
2	4956.00	43.85	54.00	-10.15	65.62	32.92	10.99	66.64	0.96	100	241	Average																																																																																																																																																																		
3	7434.00	55.62	74.00	-18.38	71.21	36.30	13.85	65.92	0.18	100	351	Peak																																																																																																																																																																		
4	7434.00	49.60	54.00	-4.40	65.19	36.30	13.85	65.92	0.18	100	351	Average																																																																																																																																																																		



Mode	6	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH38_2478MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_250915 HORIZONTAL	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_250915 VERTICAL
	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_250915 HORIZONTAL	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_250915 VERTICAL





	7																																																																																																			
Mode	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE GFSK_CH00_2402MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2381.12</td><td>53.90</td><td>74.00</td><td>-20.10</td><td>42.99</td><td>27.21</td><td>6.79</td><td>33.21</td><td>10.12</td><td>395</td><td>188</td><td>Peak</td></tr></table> Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>101.06</td><td>-----</td><td>-----</td><td>89.99</td><td>27.32</td><td>6.82</td><td>33.19</td><td>10.12</td><td>395</td><td>188</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.12	53.90	74.00	-20.10	42.99	27.21	6.79	33.21	10.12	395	188	Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	101.06	-----	-----	89.99	27.32	6.82	33.19	10.12	395	188	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2381.12	53.90	74.00	-20.10	42.99	27.21	6.79	33.21	10.12	395	188	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2402.00	101.06	-----	-----	89.99	27.32	6.82	33.19	10.12	395	188	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.86</td><td>42.00</td><td>54.00</td><td>-12.00</td><td>30.98</td><td>27.30</td><td>6.80</td><td>33.20</td><td>10.12</td><td>395</td><td>188</td><td>Average</td></tr></table> Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>100.37</td><td>-----</td><td>-----</td><td>89.30</td><td>27.32</td><td>6.82</td><td>33.19</td><td>10.12</td><td>395</td><td>188</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.86	42.00	54.00	-12.00	30.98	27.30	6.80	33.20	10.12	395	188	Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	100.37	-----	-----	89.30	27.32	6.82	33.19	10.12	395	188	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.86	42.00	54.00	-12.00	30.98	27.30	6.80	33.20	10.12	395	188	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2402.00	100.37	-----	-----	89.30	27.32	6.82	33.19	10.12	395	188	Average																																																																																								



Mode	7																																																																																																
	Band Edge																																																																																																
	2400-2483.5_Bluetooth-LE GFSK_CH00_2402MHz																																																																																																
ANT	1																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2350.85</td><td>53.52</td><td>74.00</td><td>-20.48</td><td>42.70</td><td>27.20</td><td>6.74</td><td>33.24</td><td>10.12</td><td>118</td><td>0 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2350.85	53.52	74.00	-20.48	42.70	27.20	6.74	33.24	10.12	118	0 Peak	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>102.81</td><td>-----</td><td>-----</td><td>91.74</td><td>27.32</td><td>6.82</td><td>33.19</td><td>10.12</td><td>118</td><td>0 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	102.81	-----	-----	91.74	27.32	6.82	33.19	10.12	118	0 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2350.85	53.52	74.00	-20.48	42.70	27.20	6.74	33.24	10.12	118	0 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2402.00	102.81	-----	-----	91.74	27.32	6.82	33.19	10.12	118	0 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>42.02</td><td>54.00</td><td>-11.98</td><td>31.00</td><td>27.30</td><td>6.80</td><td>33.20</td><td>10.12</td><td>118</td><td>0 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	42.02	54.00	-11.98	31.00	27.30	6.80	33.20	10.12	118	0 Average	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>102.14</td><td>-----</td><td>-----</td><td>91.07</td><td>27.32</td><td>6.82</td><td>33.19</td><td>10.12</td><td>118</td><td>0 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	102.14	-----	-----	91.07	27.32	6.82	33.19	10.12	118	0 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2389.95	42.02	54.00	-11.98	31.00	27.30	6.80	33.20	10.12	118	0 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2402.00	102.14	-----	-----	91.07	27.32	6.82	33.19	10.12	118	0 Average																																																																																						



Mode	7																																																																																																																																																						
	Harmonic																																																																																																																																																						
	2400-2483.5_Bluetooth-LE GFSK_CH00_2402MHz																																																																																																																																																						
ANT	1																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg	 Level (dBuV/m) Date: 2025-11-04 PEAK_74 AVG_54 Frequency (MHz)						 Level (dBuV/m) Date: 2025-11-04 PEAK_74 AVG_54 Frequency (MHz)																																																																																																																																																
	Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_250915 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4804.00</td><td>51.22</td><td>74.00</td><td>-22.78</td><td>74.37</td><td>32.32</td><td>10.34</td><td>66.76</td><td>0.95</td><td>150</td><td>120</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>46.86</td><td>54.00</td><td>-7.14</td><td>70.01</td><td>32.32</td><td>10.34</td><td>66.76</td><td>0.95</td><td>150</td><td>120</td><td>Average</td></tr><tr><td>3</td><td>7206.00</td><td>48.52</td><td>-----</td><td>-----</td><td>63.61</td><td>36.72</td><td>13.64</td><td>65.65</td><td>0.20</td><td>150</td><td>162</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	51.22	74.00	-22.78	74.37	32.32	10.34	66.76	0.95	150	120	Peak	2	4804.00	46.86	54.00	-7.14	70.01	32.32	10.34	66.76	0.95	150	120	Average	3	7206.00	48.52	-----	-----	63.61	36.72	13.64	65.65	0.20	150	162	Peak	Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_250915 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4804.00</td><td>54.04</td><td>74.00</td><td>-19.96</td><td>77.19</td><td>32.32</td><td>10.34</td><td>66.76</td><td>0.95</td><td>100</td><td>183</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>49.63</td><td>54.00</td><td>-4.37</td><td>72.78</td><td>32.32</td><td>10.34</td><td>66.76</td><td>0.95</td><td>100</td><td>183</td><td>Average</td></tr><tr><td>3</td><td>7206.00</td><td>50.57</td><td>-----</td><td>-----</td><td>65.66</td><td>36.72</td><td>13.64</td><td>65.65</td><td>0.20</td><td>100</td><td>159</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	54.04	74.00	-19.96	77.19	32.32	10.34	66.76	0.95	100	183	Peak	2	4804.00	49.63	54.00	-4.37	72.78	32.32	10.34	66.76	0.95	100	183	Average	3	7206.00	50.57	-----	-----	65.66	36.72	13.64	65.65	0.20	100	159
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4804.00	51.22	74.00	-22.78	74.37	32.32	10.34	66.76	0.95	150	120	Peak																																																																																																																																											
2	4804.00	46.86	54.00	-7.14	70.01	32.32	10.34	66.76	0.95	150	120	Average																																																																																																																																											
3	7206.00	48.52	-----	-----	63.61	36.72	13.64	65.65	0.20	150	162	Peak																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4804.00	54.04	74.00	-19.96	77.19	32.32	10.34	66.76	0.95	100	183	Peak																																																																																																																																											
2	4804.00	49.63	54.00	-4.37	72.78	32.32	10.34	66.76	0.95	100	183	Average																																																																																																																																											
3	7206.00	50.57	-----	-----	65.66	36.72	13.64	65.65	0.20	100	159	Peak																																																																																																																																											

Remark: The unwanted signal at 7206.00 MHz can be ignored since it falls within the non-restricted band and meets the requirements of 15.247(d) and RSS-247 Section 6.6.



Mode	7	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH00_2402MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 HORIZONTAL	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 VERTICAL
	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 HORIZONTAL	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 VERTICAL



	8											
Mode	Band Edge - L											
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz											
ANT	1											
Pol.	Horizontal						Fundamental					
Peak	Level (dBuV/m) Date: 2025-11-04 </											



Mode	8																																								
	Band Edge - R																																								
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz																																								
ANT	1																																								
Pol.	Horizontal	Fundamental																																							
Peak	Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2493.10</td><td>53.83</td><td>74.00</td><td>-20.17</td><td>42.14</td><td>27.80</td><td>6.88</td><td>33.11</td><td>10.12</td><td>391</td><td>360</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2493.10	53.83	74.00	-20.17	42.14	27.80	6.88	33.11	10.12	391	360	Peak	Blank
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																														
1	2493.10	53.83	74.00	-20.17	42.14	27.80	6.88	33.11	10.12	391	360	Peak																													
Avg	Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2499.58</td><td>42.56</td><td>54.00</td><td>-11.44</td><td>30.86</td><td>27.80</td><td>6.88</td><td>33.10</td><td>10.12</td><td>391</td><td>360</td><td>Average</td></tr></table>		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2499.58	42.56	54.00	-11.44	30.86	27.80	6.88	33.10	10.12	391	360	Average	Blank
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																														
1	2499.58	42.56	54.00	-11.44	30.86	27.80	6.88	33.10	10.12	391	360	Average																													



Mode	8											
	Band Edge - L											
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz											
ANT	1											
Pol.	Vertical						Fundamental					
Peak	Level (dBuV/m)											







Mode	8										
	Band Edge - R										
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz										
ANT	1										
Pol.	Vertical						Fundamental				
Peak	<										



Mode	8																																																																																																																																																															
	Harmonic																																																																																																																																																															
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz																																																																																																																																																															
ANT	1																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>51.44</td><td>74.00</td><td>-22.56</td><td>73.91</td><td>32.62</td><td>10.66</td><td>66.70</td><td>0.95</td><td>100</td><td>186 Peak</td></tr><tr><td>2</td><td>4880.00</td><td>47.35</td><td>54.00</td><td>-6.65</td><td>69.82</td><td>32.62</td><td>10.66</td><td>66.70</td><td>0.95</td><td>100</td><td>186 Average</td></tr><tr><td>3</td><td>7320.00</td><td>51.93</td><td>74.00</td><td>-22.07</td><td>66.96</td><td>36.82</td><td>13.74</td><td>65.78</td><td>0.19</td><td>100</td><td>229 Peak</td></tr><tr><td>4</td><td>7320.00</td><td>50.03</td><td>54.00</td><td>-3.97</td><td>65.06</td><td>36.82</td><td>13.74</td><td>65.78</td><td>0.19</td><td>100</td><td>229 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	51.44	74.00	-22.56	73.91	32.62	10.66	66.70	0.95	100	186 Peak	2	4880.00	47.35	54.00	-6.65	69.82	32.62	10.66	66.70	0.95	100	186 Average	3	7320.00	51.93	74.00	-22.07	66.96	36.82	13.74	65.78	0.19	100	229 Peak	4	7320.00	50.03	54.00	-3.97	65.06	36.82	13.74	65.78	0.19	100	229 Average	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>51.29</td><td>74.00</td><td>-22.71</td><td>73.76</td><td>32.62</td><td>10.66</td><td>66.70</td><td>0.95</td><td>100</td><td>172 Peak</td></tr><tr><td>2</td><td>4880.00</td><td>46.53</td><td>54.00</td><td>-7.47</td><td>69.00</td><td>32.62</td><td>10.66</td><td>66.70</td><td>0.95</td><td>100</td><td>172 Average</td></tr><tr><td>3</td><td>7320.00</td><td>53.83</td><td>74.00</td><td>-20.17</td><td>68.86</td><td>36.82</td><td>13.74</td><td>65.78</td><td>0.19</td><td>100</td><td>150 Peak</td></tr><tr><td>4</td><td>7320.00</td><td>49.03</td><td>54.00</td><td>-4.97</td><td>64.06</td><td>36.82</td><td>13.74</td><td>65.78</td><td>0.19</td><td>100</td><td>150 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	51.29	74.00	-22.71	73.76	32.62	10.66	66.70	0.95	100	172 Peak	2	4880.00	46.53	54.00	-7.47	69.00	32.62	10.66	66.70	0.95	100	172 Average	3	7320.00	53.83	74.00	-20.17	68.86	36.82	13.74	65.78	0.19	100	150 Peak	4	7320.00	49.03	54.00	-4.97	64.06	36.82	13.74	65.78	0.19	100	150 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																						
1	4880.00	51.44	74.00	-22.56	73.91	32.62	10.66	66.70	0.95	100	186 Peak																																																																																																																																																					
2	4880.00	47.35	54.00	-6.65	69.82	32.62	10.66	66.70	0.95	100	186 Average																																																																																																																																																					
3	7320.00	51.93	74.00	-22.07	66.96	36.82	13.74	65.78	0.19	100	229 Peak																																																																																																																																																					
4	7320.00	50.03	54.00	-3.97	65.06	36.82	13.74	65.78	0.19	100	229 Average																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																						
1	4880.00	51.29	74.00	-22.71	73.76	32.62	10.66	66.70	0.95	100	172 Peak																																																																																																																																																					
2	4880.00	46.53	54.00	-7.47	69.00	32.62	10.66	66.70	0.95	100	172 Average																																																																																																																																																					
3	7320.00	53.83	74.00	-20.17	68.86	36.82	13.74	65.78	0.19	100	150 Peak																																																																																																																																																					
4	7320.00	49.03	54.00	-4.97	64.06	36.82	13.74	65.78	0.19	100	150 Average																																																																																																																																																					



Mode	8	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 HORIZONTAL	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 VERTICAL
	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 HORIZONTAL	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 VERTICAL



Mode	9									
	Band Edge									
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz									
ANT	1									
Pol.	Horizontal					Fundamental				
Peak	Level (dBuV/m)									







		9																																																																																	
Mode	Band Edge																																																																																		
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz																																																																																		
ANT	1																																																																																		
Pol.	Vertical						Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-11-04 PEAK_BE_74 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2483.64</td><td>56.76</td><td>74.00</td><td>-17.24</td><td>45.22</td><td>27.67</td><td>6.87</td><td>33.12</td><td>10.12</td><td>172</td><td>273</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2483.64	56.76	74.00	-17.24	45.22	27.67	6.87	33.12	10.12	172	273	Peak	Level (dBuV/m) Date: 2025-11-04 PEAK_74 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2480.00</td><td>102.21</td><td>-----</td><td>-----</td><td>90.74</td><td>27.60</td><td>6.87</td><td>33.12</td><td>10.12</td><td>172</td><td>273</td><td>Peak</td></tr></table>					Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2480.00	102.21	-----	-----	90.74	27.60	6.87	33.12	10.12	172	273	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 2483.64	56.76	74.00	-17.24	45.22	27.67	6.87	33.12	10.12	172	273	Peak																																																																								
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 2480.00	102.21	-----	-----	90.74	27.60	6.87	33.12	10.12	172	273	Peak																																																																								
Avg	Level (dBuV/m) Date: 2025-11-04 AVG_BE_54 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2483.52</td><td>45.61</td><td>54.00</td><td>-8.39</td><td>34.07</td><td>27.67</td><td>6.87</td><td>33.12</td><td>10.12</td><td>172</td><td>273</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2483.52	45.61	54.00	-8.39	34.07	27.67	6.87	33.12	10.12	172	273	Average	Level (dBuV/m) Date: 2025-11-04 AVG_54 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2480.00</td><td>101.52</td><td>-----</td><td>-----</td><td>90.05</td><td>27.60</td><td>6.87</td><td>33.12</td><td>10.12</td><td>172</td><td>273</td><td>Average</td></tr></table>					Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2480.00	101.52	-----	-----	90.05	27.60	6.87	33.12	10.12	172	273	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 2483.52	45.61	54.00	-8.39	34.07	27.67	6.87	33.12	10.12	172	273	Average																																																																								
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 2480.00	101.52	-----	-----	90.05	27.60	6.87	33.12	10.12	172	273	Average																																																																								



Mode	9																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																					
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz																																																																																																																																																																																					
ANT	1																																																																																																																																																																																					
Pol.	Horizontal							Vertical																																																																																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>50.84</td><td>74.00</td><td>-23.16</td><td>72.56</td><td>32.94</td><td>11.01</td><td>66.63</td><td>0.96</td><td>200</td><td>120</td><td></td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>46.02</td><td>54.00</td><td>-7.98</td><td>67.74</td><td>32.94</td><td>11.01</td><td>66.63</td><td>0.96</td><td>200</td><td>120</td><td></td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>56.43</td><td>74.00</td><td>-17.57</td><td>72.02</td><td>36.30</td><td>13.86</td><td>65.93</td><td>0.18</td><td>100</td><td>234</td><td></td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>51.74</td><td>54.00</td><td>-2.26</td><td>67.33</td><td>36.30</td><td>13.86</td><td>65.93</td><td>0.18</td><td>100</td><td>234</td><td></td><td>Average</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4960.00	50.84	74.00	-23.16	72.56	32.94	11.01	66.63	0.96	200	120		Peak	2	4960.00	46.02	54.00	-7.98	67.74	32.94	11.01	66.63	0.96	200	120		Average	3	7440.00	56.43	74.00	-17.57	72.02	36.30	13.86	65.93	0.18	100	234		Peak	4	7440.00	51.74	54.00	-2.26	67.33	36.30	13.86	65.93	0.18	100	234		Average	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>51.39</td><td>74.00</td><td>-22.61</td><td>73.11</td><td>32.94</td><td>11.01</td><td>66.63</td><td>0.96</td><td>100</td><td>236</td><td></td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>46.05</td><td>54.00</td><td>-7.95</td><td>67.77</td><td>32.94</td><td>11.01</td><td>66.63</td><td>0.96</td><td>100</td><td>236</td><td></td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>55.33</td><td>74.00</td><td>-18.67</td><td>70.92</td><td>36.30</td><td>13.86</td><td>65.93</td><td>0.18</td><td>100</td><td>351</td><td></td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>50.82</td><td>54.00</td><td>-3.18</td><td>66.41</td><td>36.30</td><td>13.86</td><td>65.93</td><td>0.18</td><td>100</td><td>351</td><td></td><td>Average</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4960.00	51.39	74.00	-22.61	73.11	32.94	11.01	66.63	0.96	100	236		Peak	2	4960.00	46.05	54.00	-7.95	67.77	32.94	11.01	66.63	0.96	100	236		Average	3	7440.00	55.33	74.00	-18.67	70.92	36.30	13.86	65.93	0.18	100	351		Peak	4	7440.00	50.82	54.00	-3.18	66.41	36.30	13.86	65.93	0.18	100	351		Average
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																									
1	4960.00	50.84	74.00	-23.16	72.56	32.94	11.01	66.63	0.96	200	120		Peak																																																																																																																																																																									
2	4960.00	46.02	54.00	-7.98	67.74	32.94	11.01	66.63	0.96	200	120		Average																																																																																																																																																																									
3	7440.00	56.43	74.00	-17.57	72.02	36.30	13.86	65.93	0.18	100	234		Peak																																																																																																																																																																									
4	7440.00	51.74	54.00	-2.26	67.33	36.30	13.86	65.93	0.18	100	234		Average																																																																																																																																																																									
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																										
1	4960.00	51.39	74.00	-22.61	73.11	32.94	11.01	66.63	0.96	100	236		Peak																																																																																																																																																																									
2	4960.00	46.05	54.00	-7.95	67.77	32.94	11.01	66.63	0.96	100	236		Average																																																																																																																																																																									
3	7440.00	55.33	74.00	-18.67	70.92	36.30	13.86	65.93	0.18	100	351		Peak																																																																																																																																																																									
4	7440.00	50.82	54.00	-3.18	66.41	36.30	13.86	65.93	0.18	100	351		Average																																																																																																																																																																									



Mode	9	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 HORIZONTAL	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 VERTICAL
	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 HORIZONTAL	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 VERTICAL





Mode	10																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE GFSK_CH00_2402MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2354.71</td><td>53.80</td><td>74.00</td><td>-20.20</td><td>42.96</td><td>27.20</td><td>6.75</td><td>33.23</td><td>10.12</td><td>394</td><td>189</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2354.71	53.80	74.00	-20.20	42.96	27.20	6.75	33.23	10.12	394	189	Peak	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>101.06</td><td>-----</td><td>-----</td><td>89.99</td><td>27.32</td><td>6.82</td><td>33.19</td><td>10.12</td><td>394</td><td>189</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	101.06	-----	-----	89.99	27.32	6.82	33.19	10.12	394	189	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2354.71	53.80	74.00	-20.20	42.96	27.20	6.75	33.23	10.12	394	189	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2402.00	101.06	-----	-----	89.99	27.32	6.82	33.19	10.12	394	189	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.76</td><td>41.98</td><td>54.00</td><td>-12.02</td><td>30.96</td><td>27.30</td><td>6.80</td><td>33.20</td><td>10.12</td><td>394</td><td>189</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.76	41.98	54.00	-12.02	30.96	27.30	6.80	33.20	10.12	394	189	Average	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>100.48</td><td>-----</td><td>-----</td><td>89.41</td><td>27.32</td><td>6.82</td><td>33.19</td><td>10.12</td><td>394</td><td>189</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	100.48	-----	-----	89.41	27.32	6.82	33.19	10.12	394	189	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.76	41.98	54.00	-12.02	30.96	27.30	6.80	33.20	10.12	394	189	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2402.00	100.48	-----	-----	89.41	27.32	6.82	33.19	10.12	394	189	Average																																																																																								







Mode	10																																																																																																					
	Band Edge																																																																																																					
	2400-2483.5_Bluetooth-LE GFSK_CH00_2402MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Vertical												Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2372.47</td><td>53.82</td><td>74.00</td><td>-20.18</td><td>42.95</td><td>27.20</td><td>6.77</td><td>33.22</td><td>10.12</td><td>120</td><td></td><td>0 Peak</td></tr></table> Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>102.76</td><td>74.00</td><td>28.76</td><td>91.69</td><td>27.32</td><td>6.82</td><td>33.19</td><td>10.12</td><td>120</td><td></td><td>0 Peak</td></tr></table>																									Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2372.47	53.82	74.00	-20.18	42.95	27.20	6.77	33.22	10.12	120		0 Peak		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2402.00	102.76	74.00	28.76	91.69	27.32	6.82	33.19	10.12	120		0 Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2372.47	53.82	74.00	-20.18	42.95	27.20	6.77	33.22	10.12	120		0 Peak																																																																																										
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2402.00	102.76	74.00	28.76	91.69	27.32	6.82	33.19	10.12	120		0 Peak																																																																																										
Avg	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2389.58</td><td>42.00</td><td>54.00</td><td>-12.00</td><td>30.98</td><td>27.30</td><td>6.80</td><td>33.20</td><td>10.12</td><td>120</td><td></td><td>0 Average</td></tr></table> Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>102.22</td><td>54.00</td><td>48.22</td><td>91.15</td><td>27.32</td><td>6.82</td><td>33.19</td><td>10.12</td><td>120</td><td></td><td>0 Average</td></tr></table>																									Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2389.58	42.00	54.00	-12.00	30.98	27.30	6.80	33.20	10.12	120		0 Average		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2402.00	102.22	54.00	48.22	91.15	27.32	6.82	33.19	10.12	120		0 Average
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2389.58	42.00	54.00	-12.00	30.98	27.30	6.80	33.20	10.12	120		0 Average																																																																																										
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2402.00	102.22	54.00	48.22	91.15	27.32	6.82	33.19	10.12	120		0 Average																																																																																										



Mode	10																																																																																																																																																							
	Harmonic																																																																																																																																																							
	2400-2483.5_Bluetooth-LE GFSK_CH00_2402MHz																																																																																																																																																							
ANT	1																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak																																																																																																																																																								
	Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_250915 HORIZONTAL						Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_250915 VERTICAL																																																																																																																																																	
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>51.76</td><td>74.00</td><td>-22.24</td><td>74.91</td><td>32.32</td><td>10.34</td><td>66.76</td><td>0.95</td><td>120</td><td>119</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>47.69</td><td>54.00</td><td>-6.31</td><td>70.84</td><td>32.32</td><td>10.34</td><td>66.76</td><td>0.95</td><td>120</td><td>119</td><td>Average</td></tr><tr><td>3</td><td>7206.00</td><td>51.90</td><td>-----</td><td>-----</td><td>66.99</td><td>36.72</td><td>13.64</td><td>65.65</td><td>0.20</td><td>268</td><td>158</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	51.76	74.00	-22.24	74.91	32.32	10.34	66.76	0.95	120	119	Peak	2	4804.00	47.69	54.00	-6.31	70.84	32.32	10.34	66.76	0.95	120	119	Average	3	7206.00	51.90	-----	-----	66.99	36.72	13.64	65.65	0.20	268	158	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>54.12</td><td>74.00</td><td>-19.88</td><td>77.27</td><td>32.32</td><td>10.34</td><td>66.76</td><td>0.95</td><td>110</td><td>183</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>50.84</td><td>54.00</td><td>-3.16</td><td>73.99</td><td>32.32</td><td>10.34</td><td>66.76</td><td>0.95</td><td>110</td><td>183</td><td>Average</td></tr><tr><td>3</td><td>7206.00</td><td>52.72</td><td>-----</td><td>-----</td><td>67.81</td><td>36.72</td><td>13.64</td><td>65.65</td><td>0.20</td><td>112</td><td>160</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	54.12	74.00	-19.88	77.27	32.32	10.34	66.76	0.95	110	183	Peak	2	4804.00	50.84	54.00	-3.16	73.99	32.32	10.34	66.76	0.95	110	183	Average	3	7206.00	52.72	-----	-----	67.81	36.72	13.64	65.65	0.20	112	160	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	4804.00	51.76	74.00	-22.24	74.91	32.32	10.34	66.76	0.95	120	119	Peak																																																																																																																																												
2	4804.00	47.69	54.00	-6.31	70.84	32.32	10.34	66.76	0.95	120	119	Average																																																																																																																																												
3	7206.00	51.90	-----	-----	66.99	36.72	13.64	65.65	0.20	268	158	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	4804.00	54.12	74.00	-19.88	77.27	32.32	10.34	66.76	0.95	110	183	Peak																																																																																																																																												
2	4804.00	50.84	54.00	-3.16	73.99	32.32	10.34	66.76	0.95	110	183	Average																																																																																																																																												
3	7206.00	52.72	-----	-----	67.81	36.72	13.64	65.65	0.20	112	160	Peak																																																																																																																																												

Remark: The unwanted signal at 7206.00 MHz can be ignored since it falls within the non-restricted band and meets the requirements of 15.247(d) and RSS-247 Section 6.6.



Mode	10	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH00_2402MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 HORIZONTAL	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 VERTICAL
	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 HORIZONTAL	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 VERTICAL







		11																																																																																								
Mode	Band Edge - L																																																																																									
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2382.28</td><td>52.90</td><td>74.00</td><td>-21.10</td><td>41.98</td><td>27.22</td><td>6.79</td><td>33.21</td><td>10.12</td><td>391</td><td>360</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2382.28	52.90	74.00	-21.10	41.98	27.22	6.79	33.21	10.12	391	360	Peak	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2440.00</td><td>99.09</td><td>-----</td><td>-----</td><td>87.79</td><td>27.50</td><td>6.84</td><td>33.16</td><td>10.12</td><td>391</td><td>360</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2440.00	99.09	-----	-----	87.79	27.50	6.84	33.16	10.12	391	360	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2382.28	52.90	74.00	-21.10	41.98	27.22	6.79	33.21	10.12	391	360	Peak																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2440.00	99.09	-----	-----	87.79	27.50	6.84	33.16	10.12	391	360	Peak																																																																														
Avg	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2387.07</td><td>41.84</td><td>54.00</td><td>-12.16</td><td>30.84</td><td>27.28</td><td>6.80</td><td>33.20</td><td>10.12</td><td>391</td><td>360</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2387.07	41.84	54.00	-12.16	30.84	27.28	6.80	33.20	10.12	391	360	Average	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2440.00</td><td>98.49</td><td>-----</td><td>-----</td><td>87.19</td><td>27.50</td><td>6.84</td><td>33.16</td><td>10.12</td><td>391</td><td>360</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2440.00	98.49	-----	-----	87.19	27.50	6.84	33.16	10.12	391	360	Average
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2387.07	41.84	54.00	-12.16	30.84	27.28	6.80	33.20	10.12	391	360	Average																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2440.00	98.49	-----	-----	87.19	27.50	6.84	33.16	10.12	391	360	Average																																																																														



Mode	11										
	Band Edge - R										
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz										
ANT	1										
Pol.	Horizontal						Fundamental				
Peak											



	11																																																																																																			
Mode	Band Edge - L																																																																																																			
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-11-04  231023362362238824142440 Frequency (MHz) Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2351.21</td><td>53.29</td><td>74.00</td><td>-20.71</td><td>42.47</td><td>27.20</td><td>6.74</td><td>33.24</td><td>10.12</td><td>149</td><td>169</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2351.21	53.29	74.00	-20.71	42.47	27.20	6.74	33.24	10.12	149	169	Peak	Level (dBuV/m) Date: 2025-11-04  100014001800220026003000 Frequency (MHz) Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>103.45</td><td>-----</td><td>-----</td><td>92.15</td><td>27.50</td><td>6.84</td><td>33.16</td><td>10.12</td><td>149</td><td>169</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	103.45	-----	-----	92.15	27.50	6.84	33.16	10.12	149	169	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2351.21	53.29	74.00	-20.71	42.47	27.20	6.74	33.24	10.12	149	169	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2440.00	103.45	-----	-----	92.15	27.50	6.84	33.16	10.12	149	169	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-11-04  231023362362238824142440 Frequency (MHz) Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.43</td><td>41.88</td><td>54.00</td><td>-12.12</td><td>30.87</td><td>27.29</td><td>6.80</td><td>33.20</td><td>10.12</td><td>149</td><td>169</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	41.88	54.00	-12.12	30.87	27.29	6.80	33.20	10.12	149	169	Average	Level (dBuV/m) Date: 2025-11-04  100014001800220026003000 Frequency (MHz) Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>102.88</td><td>-----</td><td>-----</td><td>91.58</td><td>27.50</td><td>6.84</td><td>33.16</td><td>10.12</td><td>149</td><td>169</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	102.88	-----	-----	91.58	27.50	6.84	33.16	10.12	149	169	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.43	41.88	54.00	-12.12	30.87	27.29	6.80	33.20	10.12	149	169	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2440.00	102.88	-----	-----	91.58	27.50	6.84	33.16	10.12	149	169	Average																																																																																								







Mode	11										
	Band Edge - R										
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz										
ANT	1										
Pol.	Vertical						Fundamental				
Peak											



Mode	11																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																	
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz																																																																																																																																																																																	
ANT	1																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>52.35</td><td>74.00</td><td>-21.65</td><td>74.82</td><td>32.62</td><td>10.66</td><td>66.70</td><td>0.95</td><td>162</td><td>186</td><td>Peak</td></tr><tr><td>2</td><td>4880.00</td><td>48.34</td><td>54.00</td><td>-5.66</td><td>70.81</td><td>32.62</td><td>10.66</td><td>66.70</td><td>0.95</td><td>162</td><td>186</td><td>Average</td></tr><tr><td>3</td><td>7320.00</td><td>56.02</td><td>74.00</td><td>-17.98</td><td>71.05</td><td>36.82</td><td>13.74</td><td>65.78</td><td>0.19</td><td>112</td><td>228</td><td>Peak</td></tr><tr><td>4</td><td>7320.00</td><td>50.66</td><td>54.00</td><td>-3.34</td><td>65.69</td><td>36.82</td><td>13.74</td><td>65.78</td><td>0.19</td><td>112</td><td>228</td><td>Average</td></tr></table> Level (dBuV/m) Date: 2025-11-04 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>51.53</td><td>74.00</td><td>-22.47</td><td>74.00</td><td>32.62</td><td>10.66</td><td>66.70</td><td>0.95</td><td>100</td><td>173</td><td>Peak</td></tr><tr><td>2</td><td>4880.00</td><td>47.31</td><td>54.00</td><td>-6.69</td><td>69.78</td><td>32.62</td><td>10.66</td><td>66.70</td><td>0.95</td><td>100</td><td>173</td><td>Average</td></tr><tr><td>3</td><td>7320.00</td><td>55.03</td><td>74.00</td><td>-18.97</td><td>70.06</td><td>36.82</td><td>13.74</td><td>65.78</td><td>0.19</td><td>100</td><td>149</td><td>Peak</td></tr><tr><td>4</td><td>7320.00</td><td>49.35</td><td>54.00</td><td>-4.65</td><td>64.38</td><td>36.82</td><td>13.74</td><td>65.78</td><td>0.19</td><td>100</td><td>149</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	52.35	74.00	-21.65	74.82	32.62	10.66	66.70	0.95	162	186	Peak	2	4880.00	48.34	54.00	-5.66	70.81	32.62	10.66	66.70	0.95	162	186	Average	3	7320.00	56.02	74.00	-17.98	71.05	36.82	13.74	65.78	0.19	112	228	Peak	4	7320.00	50.66	54.00	-3.34	65.69	36.82	13.74	65.78	0.19	112	228	Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	51.53	74.00	-22.47	74.00	32.62	10.66	66.70	0.95	100	173	Peak	2	4880.00	47.31	54.00	-6.69	69.78	32.62	10.66	66.70	0.95	100	173	Average	3	7320.00	55.03	74.00	-18.97	70.06	36.82	13.74	65.78	0.19	100	149	Peak	4	7320.00	49.35	54.00	-4.65	64.38	36.82	13.74	65.78	0.19	100	149	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	4880.00	52.35	74.00	-21.65	74.82	32.62	10.66	66.70	0.95	162	186	Peak																																																																																																																																																																						
2	4880.00	48.34	54.00	-5.66	70.81	32.62	10.66	66.70	0.95	162	186	Average																																																																																																																																																																						
3	7320.00	56.02	74.00	-17.98	71.05	36.82	13.74	65.78	0.19	112	228	Peak																																																																																																																																																																						
4	7320.00	50.66	54.00	-3.34	65.69	36.82	13.74	65.78	0.19	112	228	Average																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	4880.00	51.53	74.00	-22.47	74.00	32.62	10.66	66.70	0.95	100	173	Peak																																																																																																																																																																						
2	4880.00	47.31	54.00	-6.69	69.78	32.62	10.66	66.70	0.95	100	173	Average																																																																																																																																																																						
3	7320.00	55.03	74.00	-18.97	70.06	36.82	13.74	65.78	0.19	100	149	Peak																																																																																																																																																																						
4	7320.00	49.35	54.00	-4.65	64.38	36.82	13.74	65.78	0.19	100	149	Average																																																																																																																																																																						



Mode	11	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 HORIZONTAL	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 VERTICAL
	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 HORIZONTAL	Level (dBuV/m) Date: 2025-11-04  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 VERTICAL



Mode	12																																																																																			
	Band Edge																																																																																			
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz																																																																																			
ANT	1																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-11-04 PEAK_BE_74 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>2483.52</td><td>55.07</td><td>74.00</td><td>-18.93</td><td>43.53</td><td>27.67</td><td>6.87</td><td>33.12</td><td>10.12</td><td>376 360 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	2483.52	55.07	74.00	-18.93	43.53	27.67	6.87	33.12	10.12	376 360 Peak	Level (dBuV/m) Date: 2025-11-04 PEAK_74 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>2480.00</td><td>97.33</td><td>-----</td><td>-----</td><td>85.86</td><td>27.60</td><td>6.87</td><td>33.12</td><td>10.12</td><td>376 360 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	2480.00	97.33	-----	-----	85.86	27.60	6.87	33.12	10.12	376 360 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																											
1	2483.52	55.07	74.00	-18.93	43.53	27.67	6.87	33.12	10.12	376 360 Peak																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																											
1	2480.00	97.33	-----	-----	85.86	27.60	6.87	33.12	10.12	376 360 Peak																																																																										
Avg	Level (dBuV/m) Date: 2025-11-04 AVG_BE_54 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>2483.52</td><td>43.82</td><td>54.00</td><td>-10.18</td><td>32.28</td><td>27.67</td><td>6.87</td><td>33.12</td><td>10.12</td><td>376 360 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	2483.52	43.82	54.00	-10.18	32.28	27.67	6.87	33.12	10.12	376 360 Average	Level (dBuV/m) Date: 2025-11-04 AVG_54 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>2480.00</td><td>96.75</td><td>-----</td><td>-----</td><td>85.28</td><td>27.60</td><td>6.87</td><td>33.12</td><td>10.12</td><td>376 360 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	2480.00	96.75	-----	-----	85.28	27.60	6.87	33.12	10.12	376 360 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																											
1	2483.52	43.82	54.00	-10.18	32.28	27.67	6.87	33.12	10.12	376 360 Average																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																											
1	2480.00	96.75	-----	-----	85.28	27.60	6.87	33.12	10.12	376 360 Average																																																																										







Mode	12																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-11-04 PEAK_BE_74 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.92</td><td>55.95</td><td>74.00</td><td>-18.05</td><td>44.39</td><td>27.60</td><td>6.87</td><td>33.11</td><td>10.12</td><td>195</td><td>274</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2483.92	55.95	74.00	-18.05	44.39	27.60	6.87	33.11	10.12	195	274	Peak	Level (dBuV/m) Date: 2025-11-04 PEAK_74 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>102.00</td><td>-----</td><td>-----</td><td>90.61</td><td>27.60</td><td>6.87</td><td>33.12</td><td>10.12</td><td>195</td><td>274</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2480.00	102.00	-----	-----	90.61	27.60	6.87	33.12	10.12	195	274	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2483.92	55.95	74.00	-18.05	44.39	27.60	6.87	33.11	10.12	195	274	Peak																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2480.00	102.00	-----	-----	90.61	27.60	6.87	33.12	10.12	195	274	Peak																																																																														
Avg	Level (dBuV/m) Date: 2025-11-04 AVG_BE_54 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.52</td><td>45.45</td><td>54.00</td><td>-8.55</td><td>33.91</td><td>27.67</td><td>6.87</td><td>33.12</td><td>10.12</td><td>195</td><td>274</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2483.52	45.45	54.00	-8.55	33.91	27.67	6.87	33.12	10.12	195	274	Average	Level (dBuV/m) Date: 2025-11-04 AVG_54 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>101.52</td><td>-----</td><td>-----</td><td>90.05</td><td>27.60</td><td>6.87</td><td>33.12</td><td>10.12</td><td>195</td><td>274</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2480.00	101.52	-----	-----	90.05	27.60	6.87	33.12	10.12	195	274	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2483.52	45.45	54.00	-8.55	33.91	27.67	6.87	33.12	10.12	195	274	Average																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2480.00	101.52	-----	-----	90.05	27.60	6.87	33.12	10.12	195	274	Average																																																																														



Mode	12																																																																																																																																																																									
	Harmonic																																																																																																																																																																									
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz																																																																																																																																																																									
ANT	1																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-11-03 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>52.56</td><td>74.00</td><td>-21.44</td><td>74.28</td><td>32.94</td><td>11.01</td><td>66.63</td><td>0.96</td><td>262</td><td>117 Peak</td></tr><tr><td>2</td><td>4960.00</td><td>47.93</td><td>54.00</td><td>-6.07</td><td>69.65</td><td>32.94</td><td>11.01</td><td>66.63</td><td>0.96</td><td>262</td><td>117 Average</td></tr><tr><td>3</td><td>7440.00</td><td>56.94</td><td>74.00</td><td>-17.06</td><td>72.53</td><td>36.30</td><td>13.86</td><td>65.93</td><td>0.18</td><td>107</td><td>229 Peak</td></tr><tr><td>4</td><td>7440.00</td><td>51.98</td><td>54.00</td><td>-2.02</td><td>67.57</td><td>36.30</td><td>13.86</td><td>65.93</td><td>0.18</td><td>107</td><td>229 Average</td></tr></table> Level (dBuV/m) Date: 2025-11-03 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>51.68</td><td>74.00</td><td>-22.32</td><td>73.40</td><td>32.94</td><td>11.01</td><td>66.63</td><td>0.96</td><td>100</td><td>235 Peak</td></tr><tr><td>2</td><td>4960.00</td><td>46.62</td><td>54.00</td><td>-7.38</td><td>68.34</td><td>32.94</td><td>11.01</td><td>66.63</td><td>0.96</td><td>100</td><td>235 Average</td></tr><tr><td>3</td><td>7455.00</td><td>56.07</td><td>74.00</td><td>-17.93</td><td>71.68</td><td>36.28</td><td>13.88</td><td>65.95</td><td>0.18</td><td>100</td><td>350 Peak</td></tr><tr><td>4</td><td>7455.00</td><td>50.72</td><td>54.00</td><td>-3.28</td><td>66.33</td><td>36.28</td><td>13.88</td><td>65.95</td><td>0.18</td><td>100</td><td>350 Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	52.56	74.00	-21.44	74.28	32.94	11.01	66.63	0.96	262	117 Peak	2	4960.00	47.93	54.00	-6.07	69.65	32.94	11.01	66.63	0.96	262	117 Average	3	7440.00	56.94	74.00	-17.06	72.53	36.30	13.86	65.93	0.18	107	229 Peak	4	7440.00	51.98	54.00	-2.02	67.57	36.30	13.86	65.93	0.18	107	229 Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	51.68	74.00	-22.32	73.40	32.94	11.01	66.63	0.96	100	235 Peak	2	4960.00	46.62	54.00	-7.38	68.34	32.94	11.01	66.63	0.96	100	235 Average	3	7455.00	56.07	74.00	-17.93	71.68	36.28	13.88	65.95	0.18	100	350 Peak	4	7455.00	50.72	54.00	-3.28	66.33	36.28	13.88	65.95	0.18	100	350 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	4960.00	52.56	74.00	-21.44	74.28	32.94	11.01	66.63	0.96	262	117 Peak																																																																																																																																																															
2	4960.00	47.93	54.00	-6.07	69.65	32.94	11.01	66.63	0.96	262	117 Average																																																																																																																																																															
3	7440.00	56.94	74.00	-17.06	72.53	36.30	13.86	65.93	0.18	107	229 Peak																																																																																																																																																															
4	7440.00	51.98	54.00	-2.02	67.57	36.30	13.86	65.93	0.18	107	229 Average																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	4960.00	51.68	74.00	-22.32	73.40	32.94	11.01	66.63	0.96	100	235 Peak																																																																																																																																																															
2	4960.00	46.62	54.00	-7.38	68.34	32.94	11.01	66.63	0.96	100	235 Average																																																																																																																																																															
3	7455.00	56.07	74.00	-17.93	71.68	36.28	13.88	65.95	0.18	100	350 Peak																																																																																																																																																															
4	7455.00	50.72	54.00	-3.28	66.33	36.28	13.88	65.95	0.18	100	350 Average																																																																																																																																																															



Mode	12	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-11-03  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 HORIZONTAL	Level (dBuV/m) Date: 2025-11-03  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 VERTICAL
	Level (dBuV/m) Date: 2025-11-03  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 HORIZONTAL	Level (dBuV/m) Date: 2025-11-03  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 VERTICAL



Mode	13																																																																																																	
	SHF																																																																																																	
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak	Date: 2025-11-05 Site : 03CH11-HY Condition: PEAK_74 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>24643.00</td><td>38.90</td><td>74.00</td><td>-35.10</td><td>35.66</td><td>39.60</td><td>26.48</td><td>53.30</td><td>-9.54</td><td>100</td><td>357</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	24643.00	38.90	74.00	-35.10	35.66	39.60	26.48	53.30	-9.54	100	357	Peak	Date: 2025-11-05 Site : 03CH11-HY Condition: PEAK_74 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>20359.00</td><td>39.03</td><td>74.00</td><td>-34.97</td><td>42.16</td><td>38.00</td><td>23.57</td><td>55.16</td><td>-9.54</td><td>100</td><td>28</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	20359.00	39.03	74.00	-34.97	42.16	38.00	23.57	55.16	-9.54	100	28	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	24643.00	38.90	74.00	-35.10	35.66	39.60	26.48	53.30	-9.54	100	357	Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	20359.00	39.03	74.00	-34.97	42.16	38.00	23.57	55.16	-9.54	100	28	Peak																																																																																						



Mode	14																																																																																																																																																																																																	
	LF																																																																																																																																																																																																	
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz																																																																																																																																																																																																	
ANT	1																																																																																																																																																																																																	
Pol.	Horizontal							Vertical																																																																																																																																																																																										
QP/ Peak	Level (dBuV/m) Date: 2025-11-05 Site : 03CH11-HY Condition: QP 3m Bilog_66925 & 24006_250219 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>60.07</td><td>32.31</td><td>40.00</td><td>-7.69</td><td>51.44</td><td>11.98</td><td>1.12</td><td>32.32</td><td>0.09 -- -- Peak</td></tr><tr><td>2</td><td>95.96</td><td>35.06</td><td>43.50</td><td>-8.44</td><td>50.26</td><td>15.69</td><td>1.41</td><td>32.32</td><td>0.02 -- -- Peak</td></tr><tr><td>3</td><td>263.77</td><td>35.90</td><td>46.00</td><td>-10.10</td><td>45.49</td><td>20.28</td><td>2.26</td><td>32.20</td><td>0.07 -- -- Peak</td></tr><tr><td>4</td><td>294.81</td><td>39.47</td><td>46.00</td><td>-6.53</td><td>49.79</td><td>19.40</td><td>2.40</td><td>32.21</td><td>0.09 -- -- Peak</td></tr><tr><td>5</td><td>732.28</td><td>32.08</td><td>46.00</td><td>-13.92</td><td>32.10</td><td>27.75</td><td>3.75</td><td>32.12</td><td>0.60 -- -- Peak</td></tr><tr><td>6</td><td>798.24</td><td>33.62</td><td>46.00</td><td>-12.38</td><td>32.08</td><td>28.24</td><td>3.91</td><td>31.94</td><td>0.53 -- -- Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	60.07	32.31	40.00	-7.69	51.44	11.98	1.12	32.32	0.09 -- -- Peak	2	95.96	35.06	43.50	-8.44	50.26	15.69	1.41	32.32	0.02 -- -- Peak	3	263.77	35.90	46.00	-10.10	45.49	20.28	2.26	32.20	0.07 -- -- Peak	4	294.81	39.47	46.00	-6.53	49.79	19.40	2.40	32.21	0.09 -- -- Peak	5	732.28	32.08	46.00	-13.92	32.10	27.75	3.75	32.12	0.60 -- -- Peak	6	798.24	33.62	46.00	-12.38	32.08	28.24	3.91	31.94	0.53 -- -- Peak	Level (dBuV/m) Date: 2025-11-05 Site : 03CH11-HY Condition: QP 3m Bilog_66925 & 24006_250219 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>60.07</td><td>33.03</td><td>40.00</td><td>-6.97</td><td>52.16</td><td>11.98</td><td>1.12</td><td>32.32</td><td>0.09 -- -- Peak</td></tr><tr><td>2</td><td>153.19</td><td>35.10</td><td>43.50</td><td>-8.40</td><td>40.86</td><td>16.70</td><td>1.76</td><td>32.26</td><td>0.04 -- -- Peak</td></tr><tr><td>3</td><td>248.25</td><td>27.79</td><td>46.00</td><td>-18.21</td><td>39.29</td><td>18.45</td><td>2.19</td><td>32.20</td><td>0.06 -- -- Peak</td></tr><tr><td>4</td><td>450.01</td><td>30.05</td><td>46.00</td><td>-15.95</td><td>36.12</td><td>23.10</td><td>2.94</td><td>32.20</td><td>0.09 -- -- Peak</td></tr><tr><td>5</td><td>755.56</td><td>29.74</td><td>46.00</td><td>-16.26</td><td>29.17</td><td>28.30</td><td>3.80</td><td>32.08</td><td>0.55 -- -- Peak</td></tr><tr><td>6</td><td>919.49</td><td>34.48</td><td>46.00</td><td>-11.52</td><td>31.60</td><td>29.39</td><td>4.23</td><td>31.19</td><td>0.45 -- -- Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	60.07	33.03	40.00	-6.97	52.16	11.98	1.12	32.32	0.09 -- -- Peak	2	153.19	35.10	43.50	-8.40	40.86	16.70	1.76	32.26	0.04 -- -- Peak	3	248.25	27.79	46.00	-18.21	39.29	18.45	2.19	32.20	0.06 -- -- Peak	4	450.01	30.05	46.00	-15.95	36.12	23.10	2.94	32.20	0.09 -- -- Peak	5	755.56	29.74	46.00	-16.26	29.17	28.30	3.80	32.08	0.55 -- -- Peak	6	919.49	34.48	46.00	-11.52	31.60	29.39	4.23	31.19	0.45 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																									
1	60.07	32.31	40.00	-7.69	51.44	11.98	1.12	32.32	0.09 -- -- Peak																																																																																																																																																																																									
2	95.96	35.06	43.50	-8.44	50.26	15.69	1.41	32.32	0.02 -- -- Peak																																																																																																																																																																																									
3	263.77	35.90	46.00	-10.10	45.49	20.28	2.26	32.20	0.07 -- -- Peak																																																																																																																																																																																									
4	294.81	39.47	46.00	-6.53	49.79	19.40	2.40	32.21	0.09 -- -- Peak																																																																																																																																																																																									
5	732.28	32.08	46.00	-13.92	32.10	27.75	3.75	32.12	0.60 -- -- Peak																																																																																																																																																																																									
6	798.24	33.62	46.00	-12.38	32.08	28.24	3.91	31.94	0.53 -- -- Peak																																																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																									
1	60.07	33.03	40.00	-6.97	52.16	11.98	1.12	32.32	0.09 -- -- Peak																																																																																																																																																																																									
2	153.19	35.10	43.50	-8.40	40.86	16.70	1.76	32.26	0.04 -- -- Peak																																																																																																																																																																																									
3	248.25	27.79	46.00	-18.21	39.29	18.45	2.19	32.20	0.06 -- -- Peak																																																																																																																																																																																									
4	450.01	30.05	46.00	-15.95	36.12	23.10	2.94	32.20	0.09 -- -- Peak																																																																																																																																																																																									
5	755.56	29.74	46.00	-16.26	29.17	28.30	3.80	32.08	0.55 -- -- Peak																																																																																																																																																																																									
6	919.49	34.48	46.00	-11.52	31.60	29.39	4.23	31.19	0.45 -- -- Peak																																																																																																																																																																																									



Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle (%)	T(us)	1/T(kHz)	VBW Setting
1	Bluetooth - LE for 1Mbps	100.00	-	-	10Hz
1	Bluetooth - LE for 2Mbps	100.00	-	-	10Hz
1	Bluetooth - LE for 125kbps	100.00	-	-	10Hz
1	Bluetooth - LE for 500kbps	100.00	-	-	10Hz

