



No. 25T04Z200103-011

For

Samsung Electronics Co., Ltd.

Multi-band GSM/WCDMA/LTE Mobile Phone with Bluetooth, WLAN

Model Name: SM-A075M/DS, SM-A075M

FCC ID: ZCASMA075M

with

Hardware Version: REV1.0

Software Version: A075M.001

Issued Date: 2025-06-16

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT


No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504


Email: ctl_terminals@caict.ac.cn, website: www.caict.ac.cn




Picture 1: Constituents of the sample




Picture 2: Left Head Touch Cheek Position



Picture 3: Left Head Tilt 15° Position




Picture 4: Right Head Touch Cheek Position




Picture 5: Right Head Tilt 15° Position




Picture 6: Front 5mm




Picture 7: Rear 5mm



Picture 8: Left 5mm




Picture 9: Right 5mm




Picture 10: Top 5mm




Picture 11: Bottom 5mm




Picture 12: Front 12mm




Picture 13: Front 6mm




Picture 14: Rear 20mm




Picture 15: Rear 14mm



Picture 16: Right 6mm




Picture 17: Bottom 19mm



Picture 18: Top 11mm

Transmit Antenna Separation Distances



Picture 19 Antenna Locations